

Available from
National Technical Information Service
Springfield, Virginia 22161
Price: Printed Copy \$13.00 Microfiche \$3.00

The price of this document for requesters outside
of the North American Continent can be obtained
from the National Technical Information Service.

**TITLE LIST
of
DOCUMENTS MADE PUBLICLY AVAILABLE**

March 1 — 31, 1979

**Division of Technical Information and Document Control
Office of Administration
U. S. Nuclear Regulatory Commission
Washington, D.C. 20555**

CONTENTS

Preface	v
Arranged by Docket Number	vii
Alphabetic Arrangement by Licensee or Facility Name.	xiii
Docketed Items	1
Low Level Radwaste Disposal Sites - Docket 27	1
Domestic Licensing of Source Material - Docket 40	2
Domestic Licensing of Production and Utilization Facilities - Docket 50	7
Domestic Licensing of Special Nuclear Material - Docket 70	236
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71	251
Nondocketed Items	257
Personal Author Index	307
Corporate Source Index	323
Citizen Group/Individual/Media	323
Engineering and/or Construction and/or Consulting	323
Educational Institutions	323
Foreign Governments and Agencies	324
Legal/Law Firms/Insurance Companies	324
Local Government/Agencies	325
Medical Institutions/Labs	325
Manufacturers/Equipment and Supplies	325
Professional/Industry Institutions, Societies	328
State Governments/Agencies	328
Other U.S. Federal Government Agencies	328
Utilities, Power Reactors	329
Research Institutions and Labs	338
U. S. Nuclear Regulatory Commission	339
Report Number Index	361

t

PREFACE


The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U. S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information includes the information formerly issued through the Department of Energy's Technical Information Center under the title *Power Reactor Docket Information* (PRDI) and, in addition, information received or generated on other uses of radioactive materials. The last issue of PRDI, published in January 1979, was an annual cumulation of the information for 1978. The *Title List* series initiated by this document replaces PRDI, which will no longer be prepared. Plans for providing microfiche of the docketed material will be announced in a future issue of the *Title List* and in other mailings and announcements.

We are making the monthly issues produced in 1979 available free to all who subscribed to PRDI in Calendar Year 1978. We are doing this to encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. In so far as possible, we would like this document to be a valuable part of your reference material. Near the end of 1979, subscriptions will be solicited for Calendar Year 1980 at a fee yet to be established.

DOCKETED ITEMS

The principal elements of the docketed item entries are:




1. NRC Accession Number.
2. NRC Docket Number.
3. Name of facility, licensee, or transportation package model number.
4. Description of information contained in the document.
5. Personal author. An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or nonindividual source.
7. Date of document described.
8. Pages in document.
9. If this space is blank, the document is available in the NRC Public Document Room, 1717 H St., N.W., Washington, D. C. 20555. If this space is filled, the entry may be "Available at NRC" with or without a price; "Available at NTIS"; or "Available at GPO".

The Docketed Items list is arranged sequentially, first by Docket Number and then by Accession Number. Indented items are enclosures to nonindented items and generally are out of Accession Number sequence.

If the docketed document has a contract (FIN) number or a formal report number, it will appear in the last line of the item following entry 6.

NONDOCKETED ITEMS

The principal elements of the nondocketed items are:



1. NRC Accession Number.
2. NRC Report Number.
3. Title and description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Corporate, agency or other nonindividual source.
6. Contract or financial (FIN) number (if any). If the document has a secondary report number it will appear following this entry.
7. Date of document described.
8. Pages in document.
9. If this space is blank, the document is available in the NRC Public Document Room, 1717 H St., N. W., Washington, D.C. 20555. If this space is filled, the entry may be "Available at NRC" with or without a price; "Available at NTIS"; or "Available at GPO".

The Nondocketed Items list is arranged sequentially by Accession Number. Indented items are enclosures to nonindented items.

NOTES:

1. The address for NTIS is:

National Technical Information Service
Springfield, Virginia 22161

2. The address for GPO is:

Superintendent of Documents
Government Printing Office
Washington, D. C. 20402

ARRANGEMENT BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
27-039	Sheffield, IL., Nuclear Engineering Co., Inc.	1	40-8477	Boeing Co.	4
27-047	Barnwell, SC., Chem-Nuclear Systems, Inc.	1	40-8502	Wyoming Mining Corp., Irigary Mine	4
27-048	Richland, WA , Nuclear Engineering Co., Inc.	1	40-8580	Air Force, Dept. of, Kelly AFB	5
			40-8583	Air Force, Dept. of, USAF Academy	5
			40-8584	Union 76 Exploration Co.	5
40-0201	Ventron Corp.	2	40-8600	Day & Zimmerman Co.	5
40-0299	Union Carbide Corp.	2	40-8602	United Nuclear Corp.	5
40-0341	General Services Administration	2	40-8636	Wold Nuclear Co.	5
40-0791	United Technologies	2	40-8663	Nuclear Dynamics	5
40-1162	Western Nuclear	2	40-8670	Weber	5
40-1341	Ford, Bacon & Davis, Inc.	2	40-8675	Energy Fuels Nuclear	6
40-2061	Kerr-McGee Corp., West Chicago Facility	2	40-8676	Energy Fuels Nuclear	6
40-2253	Army, Dept. of, Army Mechanical Research Center, WA	3	40-8681	Energy Fuels Nuclear	6
40-2259	Pathfinder Mines Corp.	3	40-8684	J & P Corp.	6
40-2286	Westinghouse Electric Co.	3	40-8692	Cotter Corp.	6
40-3392	Allied Chemical Corp.	3	40-8697	Rocky Mountain Energy Co.	7
40-3453	Atlas Minerals	3	40-8698	Plateau Resources	7
40-4492	Federal American Partners	3	40-8712	Gulf Oil Corp., Gulf Research & Development Co.	7
40-6659	Petrotonics Co.	3	40-8720	Standard Oil Co. of Indiana	7
40-7122	New Jersey Institute of Technology	3	40-8721	Rocky Mountain Energy Co.	7
40-7245	Shaw, R. MS	4	40-8722	Brush-Wellman	7
40-7783	Boeing Co.	4	50-2	Univ. of Michigan Research Reactor	7
40-8027	Kerr-McGee Corp.	4	50-3	Indian Point Station, Unit 1	7
40-8035	Cotter Corp.	4	50-5	Pennsylvania State Univ. Research Reactor	8
40-8064	Exxon Minerals Co., USA	4	50-10	Dresden Nuclear Power Station, Unit 1	8
40-8304	Wyoming Mineral Corp.	4	50-13	Babcock & Wilcox Co. Critical Facility	10
40-8452	Bear Creek Mining Co.	4			

Docket	Name	Page	Docket	Name	Page
50-16	Enrico Fermi Atomic Power Plant, Unit 1	10	50-155	Big Rock Point Nuclear Power Plant	16
50-20	Massachusetts Institute of Technology Research Reactor	10	50-156	Univ. of Wisconsin Research Reactor	17
50-25	Dow Chemical Co. TRIGA Reactor	10	50-157	Cornell Univ. Research Reactor	18
50-27	Washington State Univ. Research Reactor	10	50-160	Georgia Institute of Technology Research Reactor	18
50-29	Yankee-Rowe Nuclear Power Station	10	50-163	General Atomic Co	18
50-30	Plum Brook Research Reactor Facility	11	50-166	Univ. of Maryland Research Reactor	18
50-54	Pawling Research Reactor	11	50-170	National Naval Medical Center	18
50-59	Texas A & M Univ. Research Reactor	12	50-171	Peach Bottom Atomic Power Station, Unit 1	18
50-62	Univ. of Virginia Research Reactor	12	50-184	National Bureau of Standards Reactor	18
50-70	General Electric Test Reactor	12	50-185	Plum Brook Reactor – Mock-up	18
50-72	Univ. of Utah Research Reactor	12	50-186	Univ. of Missouri Research Reactor	18
50-73	General Electric Nuclear Test Reactor	12	50-187	Space Radiation Research Reactor	18
50-83	Univ. of Florida Training Reactor	12	50-192	Univ. of Texas Research Reactor	19
50-87	Westinghouse Critical Experiment	13	50-193	Rhode Island Nuclear Center Reactor	19
50-89	General Atomic Co.	13	50-201	West Valley Reprocessing Plant	19
50-97	Cornell Univ. Zero Power Reactor	13	50-206	San Onofre Nuclear Station, Unit 1	19
50-98	Univ. of Delaware Research Reactor	13	50-213	Haddam Neck Plant	20
50-99	Babcock & Wilcox Test Reactor	13	50-219	Oyster Creek Nuclear Power Plant	22
50-111	North Carolina State Univ. Research Reactor	13	50-220	Nine Mile Point Nuclear Station, Unit 1	23
50-112	Univ. of Oklahoma Research Reactor	13	50-223	Univ. of Lowell Research Reactor	26
50-113	Univ. of Arizona Research Reactor	13	50-225	RPI Critical Experiment	26
50-116	Iowa State Univ. Research Reactor	13	50-228	Aerotest Radiography & Research Reactor	26
50-123	Univ. of Missouri Research Reactor	13	50-237	Dresden Nuclear Power Station, Unit 2	26
50-124	Virginia Polytech Inst. Training Reactor	14	50-244	Robert Emmet Ginna Nuclear Plant, Unit 1	29
50-133	Humboldt Bay Power Plant, Unit 3	14	50-245	Millstone Nuclear Power Station, Unit 1	30
50-134	Worcester Polytech Inst. Research Reactor	15	50-246	Advanced Critical Reactor Experiment	32
50-135	Walter Reed Research Reactor	15	50-247	Indian Point Station, Unit 2	32
50-139	Univ. of Washington Research Reactor	15	50-249	Dresden Nuclear Power Station, Unit 3	34
50-142	UCLA Training Reactor	15	50-250	Turkey Point Plant, Unit 3	36
50-146	Saxton Nuclear Experimental Facility	15	50-251	Turkey Point Plant, Unit 4	37
50-150	Ohio State Univ. Research Reactor	15	50-252	Univ. of New Mexico Research Reactor	39
50-151	Univ. of Illinois Research Reactor	15			

Docket	Name	Page	Docket	Name	Page
50-254	Quad-Cities Station, Unit 1	39	50-294	Michigan State Univ. Research Reactor	79
50-255	Palisades Nuclear Plant	42	50-295	Zion Nuclear Power Station, Unit 1	79
50-256	Univ. of Montevideo Research Reactor	43	50-296	Browns Ferry Nuclear Power Station, Unit 3	81
50-259	Browns Ferry Nuclear Power Station, Unit 1	43	50-297	North Carolina State Univ. PULSTAR Reactor	83
50-260	Browns Ferry Nuclear Power Station, Unit 2	45	50-298	Cooper Nuclear Station	83
50-261	H.B. Robinson Plant, Unit 2	47	50-301	Point Beach Nuclear Plant, Unit 2	84
50-262	Brigham Young Univ. Research Reactor	48	50-302	Crystal River Nuclear Plant, Unit 3	85
50-263	Monticello Nuclear Generating Plant	48	50-304	Zion Nuclear Power Station, Unit 2	87
50-264	Dow Chemical Co.	50	50-305	Kewaunee Nuclear Power Plant	89
50-265	Quad-Cities Station, Unit 2	50	50-306	Prairie Island Nuclear Station, Unit 2	90
50-266	Point Beach Nuclear Plant, Unit 1	52	50-309	Maine Yankee Atomic Power Plant	91
50-267	Fort St. Vrain Nuclear Generating Station	52	50-311	Salem Nuclear Generating Station, Unit 2	93
50-269	Oconee Nuclear Station, Unit 1	53	50-312	Ranch Seco Nuclear Generating Station	96
50-270	Oconee Nuclear Station, Unit 2	55	50-313	Arkansas Nuclear One, Unit 1	97
50-271	Vermont Yankee Nuclear Power Station	57	50-315	Donald C. Cook Nuclear Power Plant, Unit 1	98
50-272	Salem Nuclear Generating Station, Unit 1	58	50-316	Donald C. Cook Nuclear Power Plant, Unit 2	100
50-274	U.S. Geological Survey Research Reactor	61	50-317	Calvert Cliffs Nuclear Power Plant, Unit 1	101
50-275	Diablo Canyon Nuclear Power Plant, Unit 1	61	50-318	Calvert Cliffs Nuclear Power Plant, Unit 2	103
50-277	Peach Bottom Atomic Power Station, Unit 2	63	50-320	Three Mile Island Nuclear Station, Unit 2	104
50-278	Peach Bottom Atomic Power Station, Unit 3	65	50-321	Edwin I. Hatch Nuclear Plant, Unit 1	106
50-279	Santa Maria de Garona Nuclear Power Plant	67	50-322	Shoreham Nuclear Power Station	108
50-280	Surry Power Station, Unit 1	67	50-323	Diablo Canyon Nuclear Power Plant, Unit 2	111
50-281	Surry Power Station, Unit 2	68	50-324	Brunswick Steam Electric Plant, Unit 2	111
50-282	Prairie Island Nuclear Station, Unit 1	70	50-325	Brunswick Steam Electric Plant, Unit 1	113
50-285	Fort Calhoun Station, Unit 1	72	50-326	UC-Irvine Research Reactor	115
50-286	Indian Point Station, Unit 3	73	50-327	Sequoyah Nuclear Plant, Unit 1	115
50-287	Oconee Nuclear Station, Unit 3	74	50-328	Sequoyah Nuclear Plant, Unit 2	116
50-289	Three Mile Island Nuclear Station, Unit 1	75	50-329	Midland Plant, Unit 1	118
50-293	Pilgrim Nuclear Power Station, Unit 1	77	50-330	Midland Plant, Unit 2	119

Docket	Name	Page	Docket	Name	Page
50-331	Duane Arnold Energy Center	121	50-382	Waterford Generating Station, Unit 3	163
50-332	Barnwell Reprocessing Plant	124	50-387	Susquehanna Steam Electric Station, Unit 1	165
50-333	James A. Fitzpatrick Nuclear Power Plant	125	50-388	Susquehanna Steam Electric Station, Unit 2	166
50-334	Beaver Valley Power Station, Unit 1	126	50-389	St. Lucie Plant, Unit 2	168
50-335	St. Lucie Plant, Unit 1	127	50-390	Watts Bar Nuclear Plant, Unit 1	168
50-336	Millstone Nuclear Power Station, Unit 2	129	50-391	Watts Bar Nuclear Plant, Unit 2	169
50-338	North Anna Power Station, Unit 1	130	50-394	California State Polytech College Res. Reactor	170
50-339	North Anna Power Station, Unit 2	133	50-395	Virgil C. Summer Nuclear Station, Unit 1	170
50-341	Enrico Fermi Atomic Power Plant, Unit 2	136	50-396	Univ. of Virginia Cavalier Reactor	172
50-344	Trojan Nuclear Plant, Unit 1	137	50-397	WPPSS Nuclear Project, Unit 2	172
50-346	Davis-Besse Nuclear Power Station, Unit 1	139	50-400	Shearon Harris Nuclear Power Plant, Unit 1	173
50-348	Joseph M. Farley Nuclear Plant, Unit 1	141	50-401	Shearon Harris Nuclear Power Plant, Unit 2	174
50-352	Limerick Generating Station, Unit 1	144	50-402	Shearon Harris Nuclear Power Plant, Unit 3	175
50-353	Limerick Generating Station, Unit 2	144	50-403	Shearon Harris Nuclear Power Plant, Unit 4	177
50-354	Hope Creek Nuclear Station, Unit 1	144	50-404	North Anna Power Station, Unit 3	178
50-355	Hope Creek Nuclear Station, Unit 2	145	50-405	North Anna Power Station, Unit 4	178
50-358	William H. Zimmer Nuclear Station, Unit 1	145	50-406	Tuskegee Inst. Research Reactor	178
50-361	San Onofre Nuclear Station, Unit 2	147	50-407	Univ. of Utah Research Reactor	178
50-362	San Onofre Nuclear Station, Unit 3	149	50-409	La Crosse Boiling Water Reactor	179
50-363	Forked River Nuclear Station, Unit 1	151	50-410	Nine Mile Point Nuclear Station, Unit 2	180
50-364	Joseph M. Farley Nuclear Plant, Unit 2	151	50-412	Beaver Valley Power Station, Unit 2	180
50-366	Edwin I. Hatch Nuclear Plant, Unit 2	152	50-413	Catawba Nuclear Station, Unit 1	180
50-367	Bailly Generating Station	155	50-414	Catawba Nuclear Station, Unit 2	181
50-368	Arkansas Nuclear One, Unit 2	155	50-416	Grand Gulf Nuclear Station, Unit 1	181
50-369	William B. MacGuire Nuclear Station, Unit 1	156	50-417	Grand Gulf Nuclear Station, Unit 2	182
50-370	William B. MacGuire Nuclear Station, Unit 2	159	50-423	Millstone Nuclear Power Station, Unit 3	183
50-372	Atlantic Richfield Co.	159	50-424	Alvin W. Vogtle Nuclear Plant, Unit 1	184
50-373	LaSalle County Station, Unit 1	159	50-425	Alvin W. Vogtle Nuclear Plant, Unit 2	184
50-374	LaSalle County Station, Unit 2	161	50-433	UC-Santa Barbara Research Reactor	184
50-375	Nuclear Examination Reactor	162	STN-50-437	Floating Nuclear Plant	184
50-376	North Coast Nuclear Plant (Puerto Rico)	162			

Docket	Name	Page	Docket	Name	Page
50-438	Bellefonte Nuclear Plant, Unit 1	185	STN-50-486	Calloway Plant, Unit 2	204
50-439	Bellefonte Nuclear Plant, Unit 2	186	STN-50-488	Perkins Nuclear Station, Unit 1	204
50-440	Perry Nuclear Power Plant, Unit 1	186	STN-50-489	Perkins Nuclear Station, Unit 2	205
50-441	Perry Nuclear Power Plant, Unit 2	187	STN-50-490	Perkins Nuclear Station, Unit 3	205
50-443	Seabrook Nuclear Station, Unit 1	187	STN-50-491	Cherokee Nuclear Station, Unit 1	206
50-444	Seabrook Nuclear Station, Unit 2	188	STN-50-492	Cherokee Nuclear Station, Unit 2	206
50-445	Comanche Peak Steam Electric Station, Unit 1	189	STN-50-493	Cherokee Nuclear Station, Unit 3	207
50-446	Comanche Peak Steam Electric Station, Unit 2	191	50-496	Montague Nuclear Power Station, Unit 1	207
			50-497	Montague Nuclear Power Station, Unit 2	207
STN-50-447	GESSAR-238	194	STN-50-498	South Texas Project, Unit 1	207
50-452	Greenwood Energy Center, Unit 2	194	STN-50-499	South Texas Project, Unit 2	210
50-453	Greenwood Energy Center, Unit 3	194	50-500	Davis-Besse Nuclear Power Station, Unit 2	213
50-454	Byron Station, Unit 1	195	50-501	Davis-Besse Nuclear Power Station, Unit 3	213
50-455	Byron Station, Unit 2	195	STN-50-502	Haven Nuclear Plant, Unit 1	213
50-456	Braidwood Station, Unit 1	196	STN-50-503	Haven Nuclear Plant, Unit 2	214
50-457	Braidwood Station, Unit 2	197	STN-50-508	WPPSS Nuclear Project, Unit 3	214
50-458	River Bend Station, Unit 1	197	STN-50-509	WPPSS Nuclear Project, Unit 5	214
50-459	River Bend Station, Unit 2	198	50-510	Blue Hills Station, Unit 1	215
50-460	WPPSS Nuclear Project, Unit 1	198	50-511	Blue Hills Station, Unit 2	215
50-461	Clinton Power Station, Unit 1	199	50-512	Laguna Verde Station, Unit 2	215
50-462	Clinton Power Station, Unit 2	199	50-513	WPPSS Nuclear Project, Unit 4	215
50-463	Fulton Generating Station, Unit 1	199	50-514	Pebble Springs Nuclear Plant, Unit 1	216
50-464	Fulton Generating Station, Unit 2	200	50-515	Pebble Springs Nuclear Plant, Unit 2	216
50-466	Allens Creek Nuclear Station, Unit 1	200	STN-50-516	Jamesport Nuclear Station, Unit 1	216
50-467	Allens Creek Nuclear Station, Unit 1	200	STN-50-517	Jamesport Nuclear Station, Unit 2	217
50-468	Laguna Verde Station, Unit 1	201	STN-50-518	Hartsville Nuclear Plant, Unit 1	217
STN-50-470	CESSAR System 80	201	STN-50-519	Hartsville Nuclear Plant, Unit 2	218
50-471	Pilgrim Nuclear Power Station, Unit 2	201	STN-50-520	Hartsville Nuclear Plant, Unit 3	219
50-472	Pilgrim Nuclear Power Station, Unit 3	201	STN-50-521	Hartsville Nuclear Plant, Unit 4	220
STN-50-477	Atlantic Generating Station, Unit 1	202	STN-50-522	Skagit Nuclear Power Project, Unit 1	221
STN-50-478	Atlantic Generating Station, Unit 2	202	STN-50-523	Skagit Nuclear Power Project, Unit 2	221
STN-50-480	RESAR-41	202	STN-50-528	Palo Verde Nuclear Station, Unit 1	222
STN-50-482	Wolf Creek Generating Station	202	STN-50-529	Palo Verde Nuclear Station, Unit 2	223
STN-50-483	Calloway Plant, Unit 1	203	STN-50-530	Palo Verde Nuclear Station, Unit 3	223
STN-50-484	Tyrone Energy Park, Unit 1	203			
STN-50-485	Sterling Power Project, Nuclear, Unit 1	204			

Docket	Name	Page	Docket	Name	Page
STN-50-531	GESSAR-251	224	STN-50-566	Yellow Creek Nuclear Plant, Unit 1	229
STN-50-532	BOP SAR, C.F. Braun	224	STN-50-567	Yellow Creek Nuclear Plant, Unit 2	230
STN-50-535	GASSAR-6	224	STN-50-568	NEP Nuclear, Unit 1	230
50-537	Clinch River Breeder Reactor	224	STN-50-569	NEP Nuclear, Unit 2	231
50-538	Memphis State Univ. Research Reactor	224	STN-50-572	RESAR-414	232
STN-50-545	RESAR-35	224	STN-50-580	Erie Nuclear Plant, Unit 1	232
STN-50-546	Marble Hill Nuclear Station, Unit 1	224	STN-50-581	Erie Nuclear Plant, Unit 2	232
STN-50-547	Marble Hill Nuclear Station, Unit 2	225	50-582	Sundesert, Unit 1	232
50-549	Greene County Nuclear Power Plant	225	50-583	Sundesert, Unit 2	232
STN-50-550	GESSAR-238-BOP Interface	226	STN-50-584	GIBBSAR	232
50-552	Montalto di Castro (ENEL-6), Unit 1 (Italy)	226	STN-50-591	ESSAR	233
50-553	Phipps Bend Nuclear Plant, Unit 1	227	STN-50-592	Palo Verde Nuclear Station, Unit 4	233
50-554	Phipps Bend Nuclear Plant, Unit 2	227	STN-50-593	Palo Verde Nuclear Station, Unit 5	233
STN-50-556	Black Fox Station, Unit 1	227	STN-50-595	GAISSAR	234
STN-50-557	Black Fox Station, Unit 2	228	50-596	New Haven, Unit 1	234
50-560	BOPPSAR	229	50-597	New Haven, Unit 2	235

ALPHABETIC ARRANGEMENT BY LICENSEE OR FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Barnwell, SC., Chem-Nuclear Systems, Inc.	27-047	1	Kerr-McGee Corp., West Chicago Facility	40-2061	2
Richland, WA., Nuclear Engineering Co., Inc.	27-048	1	Kerr-McGee Corp.	40-8027	4
Sheffield, IL., Nuclear Engineering Co., Inc.	27-039	1	New Jersey Institute of Technology	40-7122	3
			Nuclear Dynamics	40-8663	5
Air Force, Dept. of, Kelly AFB	40-8580	5	Pathfinder Mines Corp.	40-2259	3
Air Force, Dept. of, USAF Academy	40-8583	5	Petrochemicals Co.	40-6659	3
Allied Chemical Corp.	40-3392	3	Plateau Resources	40-8698	7
Army, Dept. of, Army Mechanical Research Center, WA	40-2253	3	Rocky Mountain Energy Co.	40-8697	7
Atlas Minerals	40-3453	3	Rocky Mountain Energy Co.	40-8721	7
Bear Creek Mining Co.	40-8452	4	Shaw, R. MS	40-7245	4
Boeing Co.	40-7783	4	Standard Oil Co. of Indiana	40-8728	7
Boeing Co.	40-8477	4	Union Carbide Corp.	40-0299	2
Brush-Wellman	40-8722	7	Union 76 Exploration Co.	40-8584	5
Cotter Corp.	40-8035	4	United Nuclear Corp.	40-8602	5
Cotter Corp.	40-8692	6	United Technologies	40-0791	2
Day & Zimmerman Co.	40-8600	5	Ventron Corp.	40-0201	2
Energy Fuels Nuclear	40-8675	6	Weber	40-8670	5
Energy Fuels Nuclear	40-8676	6	Western Nuclear		
Energy Fuels Nuclear	40-8681	6	Westinghouse Electric Co.		
Exxon Minerals Co., USA	40-8064	4	Wold Nuclear Co.		
Federal American Partners	40-4492	3	Wyoming Mineral Corp.		
Lord, Bacon & Davis, Inc.	40-1341	2	Wyoming Mining Corp., Irigary Mine		
General Services Administration	40-0341	2			
Gulf Oil Corp., Gulf Research & Development Co.	40-8712	7	Advanced Critical Reactor Experiment		
J & P Corp.	40-8684	6	Aerotest Radiography & Research Reactor		
			Allens Creek Nuclear Station, Unit 1		

Name	Docket	Page	Name	Docket	Page
Allens Creek Nuclear Station, Unit 2	50-467	200	California State Polytech College Res Reactor	50-394	170
Alvin W. Vogtle Nuclear Plant, Unit 1	50-424	184	Calloway Plant, Unit 1	STN-50-483	203
Alvin W. Vogtle Nuclear Plant, Unit 2	50-425	184	Calloway Plant, Unit 2	STN-50-486	204
Arkansas Nuclear One, Unit 1	50-313	97	Calvert Cliffs Nuclear Power Plant, Unit 1	50-317	101
Arkansas Nuclear One, Unit 2	50-368	155	Calvert Cliffs Nuclear Power Plant, Unit 2	50-318	103
Atlantic Generating Station, Unit 1	STN-50-477	202	Catawba Nuclear Station, Unit 1	50-413	180
Atlantic Generating Station, Unit 2	STN-50-478	202	Catawba Nuclear Station, Unit 2	50-414	181
Atlantic Richfield Co.	50-372	159	CESSAR System 80	STN-50-470	201
Babcock & Wilcox Co. Critical Facility	50-13	10	Cherokee Nuclear Station, Unit 1	STN-50-491	206
Babcock & Wilcox Test Reactor	50-99	13	Cherokee Nuclear Station, Unit 2	STN-50-492	206
Bailly Generating Station	50-367	155	Cherokee Nuclear Station, Unit 3	STN-50-493	207
Barnwell Reprocessing Plant	50-332	124	Clinch River Breeder Reactor	50-537	224
Beaver Valley Power Station, Unit 1	50-334	126	Clinton Power Station, Unit 1	50-461	199
Beaver Valley Power Station, Unit 2	50-412	180	Clinton Power Station, Unit 2	50-462	199
Bellefonte Nuclear Plant, Unit 1	50-438	185	Comanche Peak Steam Electric Station, Unit 1	50-445	189
Bellefonte Nuclear Plant, Unit 2	50-439	186	Comanche Peak Steam Electric Station, Unit 2	50-446	191
Big Rock Point Nuclear Power Plant	50-155	16	Cooper Nuclear Station	50-298	83
Black Fox Station, Unit 1	STN-50-556	227	Cornell Univ. Research Reactor	50-157	18
Black Fox Station, Unit 2	STN-50-557	228	Cornell Univ Zero Power Reactor	50-97	13
Blue Hills Station, Unit 1	50-510	215	Crystal River Nuclear Plant, Unit 3	50-302	85
Blue Hills Station, Unit 2	50-511	215	Davis-Besse Nuclear Power Station, Unit 1	50-346	139
BOP SAR, C.F. Braun	STN-50-532	224	Davis-Besse Nuclear Power Station, Unit 2	50-500	213
BOPPSAR, Babcock & Wilcox Co.	50-560	229	Davis-Besse Nuclear Power Station, Unit 3	50-501	213
Braidwood Station, Unit 1	50-456	196	Diablo Canyon Nuclear Power Plant, Unit 1	50-275	61
Braidwood Station, Unit 2	50-457	197	Diablo Canyon Nuclear Power Plant, Unit 2	50-323	111
Brigham Young Univ. Research Reactor	50-262	48	Donald C. Cook Nuclear Power Plant, Unit 1	50-315	98
Browns Ferry Nuclear Power Station, Unit 1	50-259	43	Donald C. Cook Nuclear Power Plant, Unit 2	50-316	100
Browns Ferry Nuclear Power Station,	50-260	45	Dow Chemical Co.	50-264	50
Browns Ferry Nuclear Power Station,	50-296	81	Dow Chemical Co. TRIGA Reactor	50-25	10
Browns Ferry Nuclear Power Station, Unit 2	50-324	111	Dresden Nuclear Power Station, Unit 1	50-10	8
Browns Ferry Nuclear Power Station, Unit 1	50-325	113	Dresden Nuclear Power Station, Unit 2	50-237	26
Byron Station, Unit 1	50-454	195			
Byron Station, Unit 2	50-455	195			

Name	Docket	Page	Name	Docket	Page
Dresden Nuclear Power Station, Unit 3	50-249	34	Hartsville Nuclear Plant, Unit 3	STN-50-520	219
Duane Arnold Energy Center	50-331	121	Hartsville Nuclear Plant, Unit 4	STN-50-521	220
Edwin I. Hatch Nuclear Plant, Unit 1	50-321	106	Haven Nuclear Plant, Unit 1	STN-50-502	213
Edwin I. Hatch Nuclear Plant, Unit 2	50-366	152	Haven Nuclear Plant, Unit 2	STN-50-503	214
Enrico Fermi Atomic Power Plant, Unit 1	50-16	10	Hope Creek Nuclear Station, Unit 1	50-354	144
Enrico Fermi Atomic Power Plant, Unit 2	50-341	136	Hope Creek Nuclear Station, Unit 2	50-355	145
Erie Nuclear Plant, Unit 1	STN-50-580	232	Humboldt Bay Power Plant, Unit 3	50-133	14
Erie Nuclear Plant, Unit 2	STN-50-581	232	Indian Point Station, Unit 1	50-3	7
ESSAR	STN-50-591	233	Indian Point Station, Unit 2	50-247	32
Floating Nuclear Plant	STN-50-437	184	Indian Point Station, Unit 3	50-286	73
Forked River Nuclear Station, Unit 1	50-363	151	Iowa State Univ. Research Reactor	50-116	13
Fort Calhoun Station, Unit 1	50-285	72	James A. Fitzpatrick Nuclear Power Plant	50-333	125
Fort St. Vrain Nuclear Generating Station	50-267	52	Jamesport Nuclear Station, Unit 1	STN-50-516	216
Fulton Generating Station, Unit 1	50-463	199	Jamesport Nuclear Station, Unit 2	STN-50-517	217
Fulton Generating Station, Unit 2	50-464	200	Joseph M. Farley Nuclear Plant, Unit 1	50-348	141
GAISSAR	STN-50-595	234	Joseph M. Farley Nuclear Plant, Unit 2	50-364	151
GASSAR-6	STN-50-535	224	Kewaunee Nuclear Power Plant	50-305	89
General Atomic Co.	50-89	13	LaCrosse Boiling Water Reactor	50-409	179
General Atomic Co.	50-163	18	Laguna Verde Station, Unit 1	50-468	201
General Electric Test Reactor	50-70	12	Laguna Verde Station, Unit 2	50-512	215
General Electric Nuclear Test Reactor	50-73	12	LaSalle County Station, Unit 1	50-373	159
Georgia Institute of Technology Research Reactor	50-160	18	LaSalle County Station, Unit 2	50-374	161
GESSAR-238	STN-50-447	194	Limerick Generating Station, Unit 1	50-352	144
GESSAR-238-BOP Interface	STN-50-550	226	Limerick Generating Station, Unit 2	50-353	144
GESSAR-251	50-531	224	Maine Yankee Atomic Power Plant	50-309	91
GIBBSAR	STN-50-584	232	Marble Hill Nuclear Station, Unit 1	STN-50-546	224
Grand Gulf Nuclear Station, Unit 1	50-416	181	Marble Hill Nuclear Station, Unit 2	STN-50-547	225
Grand Gulf Nuclear Station, Unit 2	50-417	182	Massachusetts Institute of Technology Research Reactor	50-20	10
Greene County Nuclear Power Plant	50-549	225	Memphis State Univ. Research Reactor	50-538	224
Greenwood Energy Center, Unit 2	50-452	194	Michigan State Univ. Research Reactor	50-294	79
Greenwood Energy Center, Unit 3	50-453	194	Midland Plant, Unit 1	50-329	118
H.B. Robinson Plant, Unit 2	50-261	47	Midland Plant, Unit 2	50-330	119
Haddam Neck Plant	50-213	20	Millstone Nuclear Power Station, Unit 1	50-245	30
Hartsville Nuclear Plant, Unit 1	STN-50-518	217	Millstone Nuclear Power Station, Unit 2	50-336	129
Hartsville Nuclear Plant, Unit 2	STN-50-519	218	Millstone Nuclear Power Station, Unit 3	50-423	183

Name	Docket	Page	Name	Docket	Page
Montague Nuclear Power Station, Unit 1	50-496	207	Peach Bottom Atomic Power Station, Unit 2	50-277	63
Montague Nuclear Power Station, Unit 2	50-497	207	Peach Bottom Atomic Power Station, Unit 3	50-278	65
Montalto di Castro (ENEL-6), Unit 1 (Italy)	50-552	226	Pebble Springs Nuclear Plant, Unit 1	50-514	216
Monticello Nuclear Generating Plant	50-263	48	Pebble Springs Nuclear Plant, Unit 2	50-515	216
National Bureau of Standards Reactor	50-184	18	Pennsylvania State Univ. Research Reactor	50-5	8
National Naval Medical Center	50-170	18	Perkins Nuclear Station, Unit 1	STN-50-488	204
NEP Nuclear, Unit 1	STN-50-568	230	Perkins Nuclear Station, Unit 2	STN-50-489	205
NEP Nuclear, Unit 2	STN-50-569	231	Perkins Nuclear Station, Unit 3	STN-50-490	205
New Haven, Unit 1	50-596	234	Perry Nuclear Power Plant, Unit 1	50-440	186
New Haven, Unit 2	50-597	235	Perry Nuclear Power Plant, Unit 2	50-441	187
Nine Mile Point Nuclear Station, Unit 1	50-220	23	Phipps Bend Nuclear Plant, Unit 1	50-553	227
Nine Mile Point Nuclear Station, Unit 2	50-410	180	Phipps Bend Nuclear Plant, Unit 2	50-554	227
North Anna Power Station, Unit 1	50-338	130	Pilgrim Nuclear Power Station, Unit 1	50-293	77
North Anna Power Station, Unit 2	50-339	133	Pilgrim Nuclear Power Station, Unit 2	50-471	201
North Anna Power Station, Unit 3	50-404	178	Pilgrim Nuclear Power Station, Unit 3	50-472	201
North Anna Power Station, Unit 4	50-405	178	Plum Brook Reactor -- Mock-up	50-185	18
North Carolina State Univ. PULSTAR Reactor	50-297	83	Plum Brook Research Reactor Facility	50-30	11
North Carolina State Univ. Research Reactor	50-111	13	Point Beach Nuclear Plant, Unit 1	50-266	52
North Coast Nuclear Plant (Puerto Rico)	50-376	162	Point Beach Nuclear Plant, Unit 2	50-301	84
Nuclear Examination Reactor	50-375	162	Prairie Island Nuclear Station, Unit 1	50-282	70
Oconee Nuclear Station, Unit 1	50-269	53	Prairie Island Nuclear Station, Unit 2	50-306	90
Oconee Nuclear Station, Unit 2	50-270	55	Quad-Cities Station, Unit 1	50-254	39
Oconee Nuclear Station, Unit 3	50-287	74	Quad-Cities Station, Unit 2	50-265	50
Ohio State Univ. Research Reactor	50-150	15	Rancho Seco Nuclear Generating Station	50-312	96
Oyster Creek Nuclear Power Plant	50-219	22	RESAR-38	STN-50-545	224
Palisades Nuclear Plant	50-255	42	RESAR-41	STN-50-480	202
Palo Verde Nuclear Station, Unit 1	STN-50-528	222	RESAR-414	STN-50-572	232
Palo Verde Nuclear Station, Unit 2	STN-50-529	223	Rhode Island Nuclear Center Reactor	50-193	19
Palo Verde Nuclear Station, Unit 3	STN-50-530	223	River Bend Station, Unit 1	50-458	197
Palo Verde Nuclear Station, Unit 4	STN-50-592	233	River Bend Station, Unit 2	50-459	198
Palo Verde Nuclear Station, Unit 5	STN-50-593	233	Robert Emmet Ginna Nuclear Plant, Unit 1	50-244	29
Pawling Research Reactor	50-54	11	RPI Critical Experiment	50-225	26
Peach Bottom Atomic Power Station, Unit 1	50-171	18			

Name	Docket	Page	Name	Docket	Page
Salem Nuclear Generating Station, Unit 1	50-272	58	Susquehanna Steam Electric Station, Unit 2	50-388	166
Salem Nuclear Generating Station, Unit 2	50-311	93	Texas A & M Univ. Research Reactor	50-59	12
San Onofre Nuclear Station, Unit 1	50-206	19	Three Mile Island Nuclear Station, Unit 1	50-289	75
San Onofre Nuclear Station, Unit 2	50-361	147	Three Mile Island Nuclear Station, Unit 2	50-320	104
San Onofre Nuclear Station, Unit 3	50-362	149	Trojan Nuclear Plant, Unit 1	50-344	137
Santa Maria de Garona Nuclear Power Plant	50-279	67	Turkey Point Plant, Unit 3	50-250	36
Saxton Nuclear Experimental Facility	50-146	15	Turkey Point Plant, Unit 4	50-251	37
Seabrook Nuclear Station, Unit 1	50-443	187	Tuskegee Inst. Research Reactor	50-406	178
Seabrook Nuclear Station, Unit 2	50-444	188	Tyrone Energy Park, Unit 1	STN-50-484	203
Sequoyah Nuclear Plant, Unit 1	50-327	115	UC-Irvine Research Reactor	50-326	115
Sequoyah Nuclear Plant, Unit 2	50-328	116	UCLA Training Reactor	50-142	15
Shearon Harris Nuclear Power Plant, Unit 1	50-400	173	UC-Santa Barbara Research Reactor	50-433	184
Shearon Harris Nuclear Power Plant, Unit 2	50-401	174	Univ. of Arizona Research Reactor	50-113	13
Shearon Harris Nuclear Power Plant, Unit 3	50-402	175	Univ. of Delaware Research Reactor	50-98	13
Shearon Harris Nuclear Power Plant, Unit 4	50-403	177	Univ. of Florida Training Reactor	50-83	12
Shoreham Nuclear Power Station	50-322	108	Univ. of Illinois Research Reactor	50-151	15
Skagit Nuclear Power Project, Unit 1	STN-50-522	221	Univ. of Lowell Research Reactor	50-223	26
Skagit Nuclear Power Project, Unit 2	STN-50-523	221	Univ. of Maryland Research Reactor	50-166	18
South Texas Project, Unit 1	STN-50-498	207	Univ. of Michigan Research Reactor	50-2	7
South Texas Project, Unit 2	STN-50-499	210	Univ. of Missouri Research Reactor	50-123	13
Space Radiation Research Reactor	50-187	18	Univ. of Missouri Research Reactor	50-186	18
Sterling Power Project, Nuclear, Unit 1	STN-50-485	204	Univ. of Montevideo Research Reactor	50-256	43
St. Lucie Plant, Unit 1	50-335	127	Univ. of New Mexico Research Reactor	50-252	39
St. Lucie Plant, Unit 2	50-389	168	Univ. of Oklahoma Research Reactor	50-112	13
Sundesert, Unit 1	50-582	232	Univ. of Texas Research Reactor	50-192	19
Sundesert, Unit 2	50-583	232	Univ. of Utah Research Reactor	50-72	12
Surry Power Station, Unit 1	50-280	67	Univ. of Utah Research Reactor	50-407	178
Surry Power Station, Unit 2	50-281	68	Univ. of Virginia Cavalier Reactor	50-396	172
Susquehanna Steam Electric Station, Unit 1	50-387	165	Univ. of Virginia Research Reactor	50-62	12
			Univ. of Washington Research Reactor	50-139	15
			Univ. of Wisconsin Research Reactor	50-156	17
			U.S. Geological Survey Research Reactor	50-274	61

Name	Docket	Page	Name	Docket	Page
Vermont Yankee Nuclear Power Station	50-271	57	William H. Zimmer Nuclear Station, Unit 1	50-358	145
Virgil C. Summer Nuclear Station, Unit 1	50-395	170	Wolf Creek Generating Station	STN-50-482	202
Virginia Polytech Inst. Training Reactor	50-124	14	Worcester Polytech Inst. Research Reactor	50-134	15
Walter Reed Research Reactor	50-135	15	WPPSS Nuclear Project, Unit 1	50-460	198
Washington State Univ. Research Reactor	50-27	10	WPPSS Nuclear Project, Unit 2	50-397	172
Waterford Generating Station, Unit 3	50-382	163	WPPSS Nuclear Project, Unit 3	STN-50-508	214
Watts Bar Nuclear Plant, Unit 1	50-390	168	WPPSS Nuclear Project, Unit 4	50-513	215
Watts Bar Nuclear Plant, Unit 2	50-391	169	WPPSS Nuclear Project, Unit 5	STN-50-509	214
Westinghouse Critical Experiment	50-87	13	Yankee-Rowe Nuclear Power Station	50-29	10
West Valley Reprocessing Plant	50-201	19	Yellow Creek Nuclear Plant, Unit 1	STN-50-566	229
William B. MacGuire Nuclear Station, Unit 1	50-369	156	Yellow Creek Nuclear Plant, Unit 2	STN-50-567	230
William B. MacGuire Nuclear Station, Unit 2	50-370	159	Zion Nuclear Power Station, Unit 1	50-295	79
			Zion Nuclear Power Station, Unit 2	50-304	87

DOCKETED SERIES

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-039 Sheffield, IL, Nuclear Engineering Co

7903210380 Forwards IE Insp Rept 27-0039/79-01 on 790123 & 25 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/05 2pp

7903210387 IE Insp Rept 27-0039/79-01 on 790123 & 25 No noncompliance noted Major areas inspected emergency planning including coordination w/offsite agencies, test & drills, emergency equipment & implementing procedures & training
GRANT, W B, ESSIQ, T H Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/01 3pp

7903050003 Schieler et al, response to cross-motions of NRC to deny application for site expansion Support NRC motions & urge denial of application for site expansion Certificate of Svc encl
MCRAE, D J Affiliation Unknown 79/02/06 2pp

7903090209 Request for permission to file reply brief re issue of licensee's possession of & responsibility for prevention of long-term harm from buried wastes, if issue must be resolved in ruling on pending motions. Certificate of Svc encl
REIS, E. J Branch 3 79/02/14 4pp

7903140193 Responds to 781227 ltr requesting deferment of consideration of application for relicensing disposal site Requests info re anticipated operations at site, monitoring, manit & surveillance until burial is resumed or site decommissioned
BELL, M J Low Level Waste Branch. 79/02/15 5pp.

7903140435 Informs that 790214 pleading did not include "attached brief," which will be filed if ASLB grants permission
BOHINKI, B M Branch 3 79/02/16 1p

7903140472 Request to reply to licensee's "Answer to Intervenor's Memo Opposing Motion to Suspend & Cross-Motion to Dismiss or Deny" & to "NRC Opposition to Motion to Suspend & Cross-Motion to Deny"
HANSELL, D Illinois, State of. 79/02/20 2pp.

7903140479 Reply to licensee's answer & NRC motion. Argues that licensee made erroneous assertions re IL's obligations for long-term care of site Supporting documentation & Certificate of Svc encl.
HANSELL, D, SCOTT, W J Illinois, State of 79/02/20 99pp

7903130507 Grants motions by NRC & intervenor State of IL to file addl briefs for good cause shown.
GOODHOPE, A C Atomic Safety and Licensing Board Panel. 79/02/27 2pp

7903200143 Submits opposition to request by NRC & Atty General of IL to file reply briefs
CONNER, T B Conner, Moore & Corber 79/03/01 1p

7903200143 Licensee's response in opposition to request by NRC & Atty General of IL to file reply briefs. Reply briefs should be denied due to numerous delays. Certificate of Svc encl
CONNER, T B, WETTERHAIN, M J Conner, Moore & Corber 79/03/01 7pp

7903260156 Orders oral argument in Peoria, IL on 790327 re applicant's motion to suspend further proceedings on application for expansion
GOODHOPE, A C Atomic Safety and Licensing Board Panel 79/03/07 2pp

7903280257 Ack receipt of 790308 ltr notifying NRC of termination of License 13-10042-01. Explains that licensee can only be terminated by NRC. Inspectors are investigating situation
DIRCKS, W J Office of Nuclear Material Safety & Safeguards 79/03/09 2pp.

7903300249 Amends 790307 order scheduling oral argument for 790327 in Peoria, IL. Oral argument will also cover applicant's 790308 motion & answers thereto. Answers to 790308 motion shall be filed by 790320
GOODHOPE, A C Atomic Safety and Licensing Board Panel 79/03/13 2pp

7903300531 Requests cooperation during termination of operation Site poses no threat to public safety Certificate of Svc encl
NEEL, J N Nuclear Engineering Co, Inc (subs of Teledyne, Inc) 79/03/14 4pp

7903300543 Responds to 790215 ltr & requests info to complete licensing renewal Certificate of Svc encl
BAER, Y S Nuclear Engineering Co, Inc (subs of Teledyne, Inc) 79/03/16 3pp

7903300591 Forwards order to show cause requiring immediate resumption of responsibilities under License 13-10042-01 Certificate of Svc encl
DIRCKS, W J Office of Nuclear Material Safety & Safeguards, 79/03/20 1p

7903300594 Order to show cause requiring immediate resumption of responsibilities under License 13-10042-01 at site
DIRCKS, W J Office of Nuclear Material Safety & Safeguards 79/03/20 7pp

DOCKET 27-047 Barnwell, SC, Chem-Nuclear Systems

7903140647 Forwards "Radiation Exposure Records & Procedures" RP-AD-001 for NRC review
CORBETT, J S Chem-Nuclear Systems, Inc 79/01/15 4pp

7903140021 Forwards "Emergency Notification Procedure" CN-EM-001, for NRC review
CORBETT, J S Chem-Nuclear Systems, Inc 79/01/16 6pp

7903140571 Returns changes to Radiation Protection Manual sent on 790115-16 Manual is part of license, so an amend is needed to change manual
BELL, M J Low Level Waste Branch 79/02/13 1p

7903140024 In response to application for amend to License 46-13536-10 which would permit burial of local power range monitors, advises that addl info is required to initiate review
BELL, M J Low Level Waste Branch 79/02/15 2pp

7903210531 Requests amend to License 46-13536-01 for disposal of CwF2 wastes containing U-235 In support, submits copy of "Criticality Analysis for Bulk Disposal of CwF2 Sludge Containing U-235"
REYNOLDS, L E Chem-Nuclear Systems, Inc 79/02/20 4pp

7903120112 Responds to request for amend to License 46-13536-01 to permit burial of large boxes of wastes w/U-235 Requests addl info re typical dose rates from handling, matls & const of box, form of U-235 & any other matl & expected market
BELL, M J Low Level Waste Branch 79/02/23 2pp.

DOCKET 27-048 Richland, WA, Nuclear Engineering Co.

7903190390 In response to 790221 telcon re disposal facility, requests estimate of land contour fluctuation w/dmte by 790301
Forwards criticality analysis matls & ltrs
ROLES, G Low Level Waste Branch. 79/02/28 2pp

7903190399 Presents KEND code input & output for safety analysis per criticality review of Chem-Nuclear burial of wastes containing specified concentrations of U-235.
MARDITTA, C R Transportation Branch. 77/11/01 6pp

7903190406 Requests amend to License 46-13536-01 to provide one time receipt & disposal via land burial of radioactive wastes w/U-235 Max content in one package may be increased to 100 g
CORBETT, J S Chem-Nuclear Systems, Inc. 77/09/12. 6pp

7903190410 Requests amend to License 46-13536-01 to provide for receipt, transport & burial of radioactive wastes w/U-235.
CORBETT, J S Chem-Nuclear Systems, Inc 77/01/07 7pp.

DOCKETED SERIES

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0201 Ventron Corp

7903140657 Summarizes insp 30-10029/78-01 & 40-201/78-01 on 781221 of License 9TB-180 & 20-15916-01 No noncompliance noted Major areas inspected radiation safety & compliance w/NRC rules & regulations
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director
79/01/12 2pp

DOCKET 40-0299 Union Carbide Corp

7903130343 Forwards DES (NUREG-0441) & Federal Register notice Forwarding ltr. list of addressees & list of documents transmitted encl
SCARANO, R A Fuel Process & Fab Branch 79/01/12 1P

7903130344 Notice of availability of DES (NUREG-0441) re facility license renewal
SCARANO, R A Fuel Process & Fab Branch 79/01/09 6PP.

7903130350 "DES Related to Operation of Gas Hills U Mill" Supports License SUA-648 renewal
* Office of Nuclear Material Safety & Safeguards NUREG-0441
79/01/31 100pp

7903060665 Forwards comments on DES w/emphasis on hydrological data, reclamation plans for existing tailings pile & heap leach sites, & data for future tailings disposal alternatives
ACKERMAN, W C Wyoming, State of 79/01/30 3pp

7903010477 Assures NRC that technical rept addressing environ impacts & reclamation plan for below-grade disposal of tailings will be mailed by 790302 Delay required for Dames & Moore to recalculate seepage rate & chemical transport from pit
REHEMEYER, P C Union Carbide Corp 79/02/01 1p

7903120374 Responds to NRC 790112 ltr requesting review & comment on draft environ statement informs of DDA permit requirement if it becomes necessary to dredge or fill matl into waterway
VELEHRADSKY, J E Army, Dept of 79/02/09 1p

7903140654 Responds to 790112 ltr requesting comments on DEIS re Gas Hills U mill Review concentrates on other agencies' EIS or special expertise areas Concludes no significant impacts in these areas
HEINEHANN, J M Federal Energy Regulatory Commission 79/02/22 1p

7903220375 Forwards comments received from WY state agencies re DES concern for final disposition of wastes, requests for addl info, & objections to outdated alternatives for tailings disposal
HARTMAN, D M Wyoming, State of 79/02/27 10pp

7903220376 No comments on DES
DICKSON, F S Agriculture, Dept of 79/03/01 1p

7903230055 Provides analysis of long-term radiological effects on environ from Gas Hills U mill Concludes NRC evaluation of environ impact is inadequate & suggests several items which should be improved before renewing license
LOCHSTET, W A Affiliation Unknown 79/03/05 11pp

DOCKET 40-0341 General Services Administration

7903190337 Forwards IE Insp Repts 40-0341/78-02 on 781227 & 40-0341/78-03 on 781213 No noncompliance noted
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director.
79/01/16 2pp

7903190347 IE Insp Rept 40-0341/78-02 on 781227 No noncompliance noted Major areas inspected storage & transfer of matl & presence of radioactive matl
GLENN, J., MCCLINTOCK, R O Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/15 3pp

7903190356 IE Insp Rept 40-00341/78-03 on 781213 No noncompliance noted Major areas inspected Th nitrate storage facilities
SLOBODIEN, M J, COSTELLO, F M, MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director 78/01/15 7pp

DOCKET 40-0791 United Technologies

7903210007 IE Insp Findings & Licensee Ack dtd 790213 of License 8MB-151 Insp findings rooms & areas not properly posted, indicating presence of radioactive matl, & Form NRC-3 not properly posted
JEMAN, P C Region 1, Philadelphia, Office of the Director
79/02/13 1p

DOCKET 40-1162 Western Nuclear

7903230215 Forwards "working earthquake list" used for seismic analysis of Split Rock tailings dam site
TAYLOR, M J D'Appolonia Consulting Engineers, Inc 79/02/28 182pp

7903070447 Forwards minutes of NRC 790117 meeting w/Western Nuclear & Argonne re DES for Split Rock Copy of WY Natl Pollution Discharge Elimination Sys permit issued 780801 is encl.
BOGDEN, G Western Nuclear, Inc (subs of Phelps Dodge Corp)
79/02/06 4pp

7903070457 Minutes of 790117 meeting held in Washington, DC w/Western Nuclear & Argonne re DES for Split Rock
* Western Nuclear, Inc (subs of Phelps Dodge Corp) 79/01/17 40pp

7903200175 Forwards "Stack Emissions Survey of Split Rock U Mill" dtd Sept 1978 & comparison of sample results for Green Mountain Marsh IX
BOGDEN, G Western Nuclear, Inc (subs of Phelps Dodge Corp)
79/02/26 2pp

7903200181 "Stack Emissions Survey of Split Rock U Mill"
* Western Nuclear, Inc (subs of Phelps Dodge Corp) 78/09/30 50pp

DOCKET 40-1341 Ford, Bacon & Davis

7903190345 Forwards "Edgemont U Mill Decommissioning Plan" & supporting environ rept
GILLELAND, J E Tennessee Valley Authority 79/02/26 1p

7903190550 "Edgemont U Mill Decommissioning Plan"
* Tennessee Valley Authority 79/02/26 248pp

7903210103 Forwards "Semiannual Effluent Release Rept 7, Jul-Dec 1978"
GILLELAND, J E Tennessee Valley Authority 79/02/26 1p

7903210106 "Semiannual Effluent Release Rept 7, for Jul-Dec 1978"
* Tennessee Valley Authority 79/02/26 8pp

7903270012 Requests NRC coordinate w/EPA & SD Dept of Environ Protection on a comprehensive assessment of radiation dosage of persons living in & around Edgemont & Cottonwood communities
JANKLOW, W J South Dakota, State of 79/02/26 1p

DOCKET 40-2061 Kerr-McGee Corp

7903210081 Comments on Kerr-McGee's decommissioning plan & Argonne Natl Lab's rept on thorium residuals at facility Emphasizes that Kerr-McGee should provide cost estimates
LICHTENSTEIN, D Illinois, State of 79/02/27 4pp

7903270310 Forwards comments on Kerr-McGee Chemical Corp decommissioning plan Provides positions re alternative disposal sites for contaminated & non-contaminated wastes & min requirements for sanitary landfills
MOORE, J S Illinois, State of 79/03/06 4pp

7903290208 Discusses IE insp of License 8TA-583 on 790223 No noncompliance noted Major areas inspected radiation safety & compliance w/NRC rules & regulations
PAPERIELLO, C J, Region 3, Chicago, Office of the Director
79/03/13 2pp

DOCKETED SERIES

3

DOCKET 40-2253 Army, Dept of, Army Mechanical Research Center, WA

7903060018 Ack receipt of 781220 ltr informing NRC of steps taken to correct violation noted in Insp Repts 40-2253/78-02 & 70-263/78-02
MCCLINTOCK, R O Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/18 1p

7903060020 Responds to NRC 781124 ltr re violations noted in Insp Repts 40-2253/78-02 & 70-263/78-02 Corrective actions radiation surveys of U machine shop effluents will be performed monthly
WRIGHT, E S Agriculture, Dept of 78/12/20 2pp

7903060023 Forwards IE Insp Repts 40-2253/78-02 & 70-263/78-02 on 781109 & notice of violation Insp repts withheld (ref 10CFR2 790)
MCCLINTOCK, R O Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/11/24 2pp

7903060025 Notice of violation from Insp on 781109 failure to conduct surveys of concentrations of effluents in unrestricted areas
* Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/11/24 1p

DOCKET 40-2259 Pathfinder Mines Corp

7903020309 Responds to NRC 781106 request for addl info for evaluation of tailings impoundment 2A Forwards computer code source data
NUGENT, E L Pathfinder Mines Corp 79/01/23 25pp

7902270137 In response to 781027 request, forwards answers to Questions 352 10 & 362 12 thru 362 20 as compiled by Chen & Associates Response to 362 11 will be forwarded by 790209
NUGENT, E L Pathfinder Mines Corp 79/02/02 1p

7902270140 Provides addl info in response to NRC 781027 ltr re geotechnical review of soil & foundation investigation for proposed Tailings Dam 4 embankment addition
TERME, K E , HOLLINGSWORTH, H Chen & Associates, Inc 79/01/31 25pp.

7903050089 Responds to Question 362 11 of NRC 781027 ltr Describes tailings area groundwater monitoring program to evaluate seepage, dilution dispersion, quality & certain physical aquifer properties W/oversize drawing
NUGENT, E L Pathfinder Mines Corp 79/02/08 6pp

7903200076 Requests addl info re hydrologic review of proposed Tailings Dam 4 addition W/encl questionnaire
SCARAND, R A Division of Fuel Cycle & Material Safety, 79/02/14, 5pp

7902270032 Responds to 790129 telcon re use of Lander National Weather Svc rather than Lucky Mc Mine meteorological data for developing stability class info letter is not equipped to measure temp on tower
NUGENT, E L Pathfinder Mines Corp 79/01/29 1p

DOCKET 40-2286 Westinghouse Electric Co

7903140577 Discusses IE Insp Rept 40-2286/78-02 on 790110 No noncompliance noted
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director, 79/01/10 1p

DOCKET 40-3392 Allied Chemical Corp

7903270010 Summary of meeting w/Allied Chemical to discuss demonstration of compliance w/40CFR190 at Allied Metropolis UFs production plant.
NIXON, W. A. Fuel Process & Fab Branch 79/01/26 2pp

7903150071 Forwards IE Insp Rept 40-3392/78-04 for License SUB-526 on 781208 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/31 2pp.

7903150075 IE Insp Rept 40-3392/78-04 for License SUB-526 on 781208 No noncompliance noted Major areas inspected, confirmatory measurements including closeout of results of previous sample collection
GRANT, W. B , ESBIG, T. H Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/24 3pp

7903270117 Forwards QA program covering cylinders for transport of U hexafluoride for License SUB-526
THOMAS, J. H. Allied Chemical Corp 79/02/15 2pp.

7903270119 QA program for design, fabrication, assembly, testing, insp, use & maint of vessels used for storage & shipment of U hexafluoride
* Allied Chemical Corp 78/12/01 60pp

DOCKET 40-3453 Atlas Minerals

7903210067 Forwards "Rept of Suppl Study, Geotechnical Evaluation of Tailings Pond, Embankment Sys, Moab, UT "
TOLAND, G C , BODDY, J P Dames & Moore 79/02/16 1p

7903210074 "Rept of Suppl Study, Geotechnical Evaluation of Tailings Pond, Embankment Sys, Moab, UT "
* Dames & Moore 79/02/16 227pp

7903070282 Concurs w/conclusions of FEB No known effects could be found on any potential or listed Natl Register historical, archeological or cultural sites Should artifacts or cultural objects be found, state historic preservation will be told
KEENE, J P Utah, State of 79/01/30 1p

DOCKET 40-4492 Federal American Partners

7903200499 Forwards "Investigation & Evaluation of Tailings Pond 1 Seepage" & "Geotechnical Investigation & Design for Subsurface Disposal of Millwaste."
JACKSON, F D , WRIGHT, K H Federal American Partners 79/03/04 1p

7903200502 "Investigation & Evaluation of Tailings Pond 1 Seepage " W/oversize maps
JACKSON, F D , WRIGHT, K H Federal American Partners 79/03/08 18pp

7903200505 "Geotechnical Investigation & Design for Subsurface Disposal of Millwaste " W/oversize maps
TAYLOR, D L Federal American Partners 79/03/08 180pp

7903220489 Forwards addl info re specific activity of tailings area sand & slimes as part of 790111 submittal Requests results of UBAD computer analysis of wind blown emissions
JACKSON, F D , WRIGHT, K H Federal American Partners 79/03/04 2pp

7903270028 Comments on 790202 tailings escape & subsequent visit of Q Beach & E Francis to scene of accident on 790301 Event handled satisfactorily had 15 foot lift been installed, no emergency would have occurred
FRANCIS, E Wyoming, State of 79/03/05 1p

DOCKET 40-6659 Petrotonics Co

7903290251 "Technical Const Specs for Tailings Dam Embankment Addition "
* Petrotonics, Inc 79/03/01 49pp

7903290244 Forwards \$3,500 check to cover cost of NRC evaluation of request for minor amend to License SUA-551
WHITMAN, J H Petrotonics, Inc 79/03/06, 18pp.

7903230061 Amends attached 780620 ltr re disposition of U tailings States that all capping over tailings will be clayey matl in place of part clay & clay overburden as previously stated.
WHITMAN, J H Petrotonics, Inc 79/03/07, 1pp

7903230063 Responds to 780605 telcon re disposition & stabilization of U tailings.
WHITMAN, J H Petrotonics, Inc 78/06/30 1p.

7903290239 Advises of no intention for heap leach operation to be included in amend fee forwarded w/790305 ltr. W/oversized drawings.
WHITMAN, J H Petrotonics, Inc. 79/03/13, 1p.

DOCKET 40-7122 New Jersey Institute of Technology

7903230274 Ack receipt of completed survey questionnaire on 790209. Will investigate actions during subsequent program insp.
W/questionnaire encl.
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director 79/02/16 3pp

DOCKETED SERIES

DOCKET 40-7245 Shaw, R MS

7903230279 Act receipt of completed survey questionnaire on 790208
Will investigate actions during subsequent program insp
W/questionnaire encl
McCLINTOCK, R D Region 1, Philadelphia, Office of the Director
79/02/16 3pp

DOCKET 40-7783 Boeing Co

7903190424 Forwards renewal application for exporting spare depleted U
counterweights to Iran Request amend extending expiration
date from 790301 to 810301
MORGAN, W E Boeing Co 79/01/03 1p

7903190443 License application for Boeing Co to export not more than
4,000 lb depleted U counterweights to Iran
MORGAN, W E Boeing Co 79/01/03 1p

DOCKET 40-8027 Kerr-McGee Corp

7903140555 Forwards monitor well water data for 1978 as promised in
770111 ltr Also includes data on eight other wells which had
elevated nitrate values
SHELLEY, W J Kerr-McGee Corp 79/02/13 13pp

7903200079 Forwards completion rept & amend application for 1978
raffinate fertilizer test program for License SUB-1010
SHELLEY, W J Kerr-McGee Chemical Corp (subs of Kerr-McGee Corp)
79/03/02 1p

7903230080 "Raffinate Program, 1978 Completion Rept, 160 Acres Test Area"
* Kerr-McGee Chemical Corp (subs of Kerr-McGee Corp)
79/03/02 84pp

DOCKET 40-8035 Cotter Corp

7903270021 Summary of 781108 meeting w/property owner & his attorney to
discuss sequential procedure for decontaminating & releasing
over 11 acres of land on Latty Avenue in Hazelwood, MO
CROW, W T Fuel Process & Fab Branch 78/11/28 4pp

7903270285 Summary of 780922 meeting w/Argonne Natl Labs re
establishment of criteria for decontaminating & releasing
ex-Cotter property of Latty Avenue in Hazelwood, MO w/
decontamination guidelines.
CROW, W T Fuel Process & Fab Branch 79/01/18 8pp

7903070461 Forwards ltr from constituent re proposal to transport
radioactive wastes from site to Lambert Intl Airport Objects
to taking of any radioactive matls to airport
YOUNG, R A House of Rep 79/01/22 4pp

7903160151 Responds to 790119 ltr re removal of contaminated earth at
Latty Ave site to St Louis Intl Airport Believes that
planned removal is being handled properly & w/o adverse
impact
MITCHELL, H C St Louis, MO 79/02/05 2pp

7903220035 Requests copy of ltr from Mitchell to Congressman Young &
any other correspondence that might be pertinent to cause.
JARBODE, D Futura Coatings, Inc, Jarboe Enterprises Div 79/02/16
1p.

7903230104 Forwards 790219 ltr from St Louis Police Academy to
Congressman RA Young Ltr discusses NRC plans for removal &
storage of low level contaminated earth at two sites to be
used for police training.
GRAVES, E St. Louis, MO 79/02/20 7pp

7903290212 Forwards requested documents covering minutes of NRC 781108
meeting in St Louis, MO, EV Graves 781201 ltr to W Crow, &
JL Liverman(DOE) 781213 ltr to JM Hendris.
CROW, W T Division of Fuel Cycle & Material Safety 79/02/26 1p

7903290223 Summary of 781108 meeting w/property owner & representing
attorney in St Louis, MO re decontamination & release of
former Cotter Site in Hazelwood, MO.
CROW, W T Division of Fuel Cycle & Material Safety 78/11/08
4pp.

7903290230 Summary of 780922 meeting w/NRC in Silver Spring, MD re
criteria establishment for decontaminating ex-Cotter
property on Latty Avenue, Hazelwood, MO Ltr from Police Dept,
St Louis, MO verifying possible use of property encl
CROW, W T Division of Fuel Cycle & Material Safety 79/01/18
8pp

DOCKET 40-8064 Exxon Minerals Co USA

7903140551 Forwards recent data from original R&D site, including U,
carbonate, bicarbonate, As, & selenium analyses for individual
wells during last half of 1978 Indicates progress in
aquifer cleanup process
FREEMAN, M D Exxon Minerals Co, USA 79/02/13 10pp

7903140556 Repts on 4th quarter 1978 progress in const of facility 1 2
million gallons of formation water produced & reinjected, &
leaching operations initiated
FREEMAN, M D Exxon Nuclear Co, Inc (subs of Exxon Corp)
79/02/14 90pp

7903150314 Amend 15 to License SUA-1139 authorizing production-scale
solution mining (in situ leaching) of U Adds Condition 24
to license
SCARANO, R A Fuel Process & Fab Branch 79/01/25 4pp

7903070050 Believes WY comments submitted re DES were dismissed as
trivial in preparation of FES Reiterates concern that site-
specific data not being used in decision re granting const
permit
DEXTER, W D Wyoming, State of 79/01/26 2pp

7903220377 Forwards addl comments received from WY state agencies re
FES
* Wyoming, State of 79/03/01 3pp

DOCKET 40-8304 Wyoming Mineral Corp

7902270059 Forwards "Irigaray Test Program, Environ Control Summary,
Quarterly Rept 6, Oct-Dec 1978"
SCHENDEL, K R Wyoming Mineral Corp 79/01/30 1p

7902270068 "Irigaray Test Program, Environ Control Summary, Quarterly
Rept 6, Oct-Dec 1978"
* Wyoming Mineral Corp 78/11/17 4Bpp

DOCKET 40-8452 Bear Creek Mining Co

7903150417 Forwards details of staff review of mill expansion plan
Concludes that tailings disposal plans are incomplete &
cannot be approved as written
MATHISEN, R L Wyoming, State of 79/02/05 5pp

7903280271 Forwards list of deficiencies from Sept 1978 submittal re
hydrologic aspects of tailings retention sys to be addressed
before full hydrologic review is undertaken
SCARANO, R A Division of Fuel Cycle & Material Safety 79/02/16
2pp

7903280049 Forwards responses to questions contained in NRC 790216 ltr
from R Scarano Expresses understanding that, upon NRC receipt
of responses, dam safety analysis will begin in full force
Three oversized drawings encl
ANDREWS, R D Rocky Mountain Energy Co 79/03/09 37pp

DOCKET 40-8477 The Boeing Co

7903190424 Forwards renewal application for exporting spare depleted U
counterweights to Iran Request amend extending expiration
date from 790301 to 810301
MORGAN, W E Boeing Co 79/01/03 1p

7903190443 License application for Boeing Co to export not more than
4,000 lb depleted U counterweights to Iran
MORGAN, W E Boeing Co 79/01/03 1p

DOCKET 40-8502 Wyoming Mining Corp

7903080168 BER for source matl license SUA-1341 Recommends issuance of
license
COOPERSTEIN, R Division of Fuel Cycle & Material Safety 78/11/17
50pp

7903210284 Requests amend to License SUA-1341 to approve conduct of
alternate lixiviant evaluation program, slightly modifying
process in 790109 application Supporting documentation &
oversized site map encl
SCHENDEL, K R Westinghouse Electric Corp, Wyoming Mineral Corp
79/02/16 23pp

DOCKETED SERIES

5

DOCKET 40-8580 Air Force, Dept of, Kelly AFB

7903150439 IE Insp Findings & Licensee Ack dtd 790206 of License
SUB-1291 Insp findings no noncompliance noted
HARRISON, H C Region 4, Dallas, Office of the Director 79/02/06
1p

DOCKET 40-8583 Air Force, Dept of, USAF Academy

7903120134 IE Insp Findings & Licensee Ack dtd 790116 of License
SMB-1306 Insp findings operating procedures & NRC Form 3 not
properly posted; records of surveys not properly maintained
DAWSON, J M Region 4, Dallas, Office of the Director 79/01/16
1p

DOCKET 40-8584 Union 76 Exploration Co

7902270019 Forwards Section 2, Vol 3 "Reclamation Plan" from Sweetwater,
WY Dept of Environ Quality permit-to-mine application, &
Dept 781027 ltr setting \$10,075,000 as performance bond
SALISBURY, R Y Union Oil Co of California 79/02/01 34pp

7903200329 Forwards revised cost estimates for tailings decommissioning
per 790202 request Estimates are divided into backfilling &
stripping, topsoil & revegetation, & reflect reclamation
costs in any particular year
MARSHALL, J A Union 76 Minerals Exploration Co 79/02/02 4pp

7903270218 Forwards revised pages to source matl license application
SALISBURY, R Y Union Oil Co of California 79/02/05 1p

7903270225 Revised pages to application for source matl license
Revisions intended to clarify operations & design of
Sweetwater mill
* Union Oil Co of California 79/02/05 14pp

7903160306 Forwards Section II "Reclamation Plan" from permit-to-mine
application, Supercedes 790201 copy taken from outdated
version of application
SALISBURY, R Y Union Oil Co of California 79/02/15 32pp

7903140484 Informs of review of "Pre-Operational Monitoring Rept for
Sweetwater U Project," (Dec 1978) Forwards request for addl
monitoring &/or clarifying info Info must be submitted &
reviewed three months before startup of mill.
SCARAND, R A Division of Fuel Cycle & Material Safety 79/02/16
3pp

7903210209 Forwards License BUA-1350 re U milling. Indicates NRC must be
notified 90 days before operations begin & procedures must
be implemented 30 days before starting
SCARAND, R A Division of Fuel Cycle & Material Safety 79/02/16
1p

7903210213 License BUA-1350, authorizing U milling by Minerals
Exploration Co
SCARAND, R A Division of Fuel Cycle & Material Safety 79/02/16
18pp.

7903200342 Requests amend to BUA-1350 to revise sequence of tailings
impoundment const from D,C,A,B to C,D,A,B to allow
impoundment of tailings in area farthest from drainage area
Processing fee encl
DYKERS, L O Union 76 Minerals Exploration Co 79/02/20 2pp

7903280340 Forwards request from Minerals Exploration Co to
revise sequence of const of four cells of tailings
impoundment for Sweetwater mill Requests review as soon as
possible Separate accounting of review efforts required
SCARAND, R A Fuel Process & Fab Branch 79/03/05 1p.

7903300152 Provides addl hydrologic data required for mod to license
mean elevation of southside safety berm is 6652 O, mean
elevation of bottom of southside diversion channel is 6625 &
break point between fill & excavation is 6637
DYKERS, L O Minerals Exploration Co, (subs of Union Oil Co. of
California) 79/03/06 2pp.

7903300571 Forwards request for mod to License BUA-1350 Check for
\$3,500 fee encl
MARSHALL, J. A. Minerals Exploration Co (subs of Union Oil Co of
California) 79/03/07 4pp

7903300575 Application for amend to Source Matl License BUA-1350
changing conditions 43(F) & 44 (scrubbers & sewer sys)
* Minerals Exploration Co (subs of Union Oil Co of California)
79/03/07. 4pp.

7903270020 Responds to 790220 telcon request for clarification of
request for mod to Source Matl License BUA-1350 There has
been no redesign at south diversion channel sys since its
original design
DYKERS, L O Union 76 Minerals Exploration Co 79/03/08 1p

7903300527 Forwards comments re leak detection sys under tailings pond
* Wyoming, State of 79/03/08 5pp

DOCKET 40-8600 Day & Zimmerman Co

7903200022 IE Insp Findings & Licensee Ack dtd 790206 of License
SUB-1296 Insp findings no noncompliance noted
WILBORN, L Region 4, Dallas, Office of the Director 79/02/06
1p

DOCKET 40-8602 United Nuclear Corp

7903060302 Responds to NRC 790201 ltr re graded riprap & embankment
freeboard of proposed tailings dam Will make requested
design changes & correct rept & specs
WOLFF, C E United Nuclear Corp 79/02/05 1p

7903140560 Forwards updated maps titled, "Mill Site & Pit Areas
Postulated for Tailings Disposal Sys" & "Cross-Sections
Related to Mill Site & Pit Area Postulated for Tailings
Disposal Sys " W/oversized drawings
WOLFF, C E United Nuclear Corp 79/02/19 1p

7903130278 Forwards FEB (NUREG-0532) & notice of availability W/list of
Agreement States to whom DEB & FEB will be sent
SCARAND, R A Fuel Process & Fab Branch. 79/03/05 1p

7903130300 Notice of availability of FEB (NUREG-0532) for Morton Ranch
U mill
SCARAND, R A Fuel Process & Fab Branch 79/02/26 6pp

7903130308 FEB for Morton Ranch U Mill
* Office of Nuclear Material Safety & Safeguards NUREG-0532
79/02/28 195pp Available at NTIS

DOCKET 40-8636 Wold Nuclear Co

7903210254 Informs that no activities were undertaken on Licenses
BUA-1329 & BUA-1337 during 1978
BELIND D C Wold Nuclear Co 79/02/05 1p

DOCKET 40-8663 Nuclear Dynamics

7903190560 Forwards "Third Quarterly Rept," per NRC 780414 ltr
authorizing source matl license
BTOICK, A F Nuclear Dynamics 79/02/28 1p

7903190569 "Third Quarterly Rept," covering Dec 1978-Jan 1979 only.
Provides data on evaporation ponds, monitor well analyses,
monitor well levels waste generation vols & vols of injected
lixiviant & solution produced
* Nucor Corp 79/02/28 39pp

7903190075 Responds to 790216 telcon & forwards rept on condition of
Evaporation Pond 1 for License BUA-1331 Describes efforts to
establish leak source.
CANNADAY, F X. Nuclear Dynamics 79/02/21 1P

7903190082 Provides latest data on Evaporation Pond 1, Describes pumping
& assaying activities in attempts to identify leak Will
continue to monitor sys
GRAY, D. P. Nuclear Dynamics 79/02/06. 2pp.

7903290143 Requests amend to License BUA-1331 to authorize use of
ammonium carbonate/bicarbonate as alternate lixiviant in
leaching process.
CANNADAY, F X Nuclear Dynamics 79/02/27 2pp

DOCKET 40-8670 Weber

7903280226 Ack receipt of completed survey questionnaire on 790209, Will
investigate actions during subsequent program insp
W/questionnaires encl.
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director.
79/02/16 3pp.

DOCKETED SERIES

DOCKET 40-8675 Energy Fuels Nuclear

7903270192 Notification of const of central equipment repair facility to service two U buying stations
VINCELETTE, M D Energy Fuels Nuclear, Inc 79/03/07 2pp

DOCKET 40-8676 Energy Fuels Nuclear

7903270192 Notification of const of central equipment repair facility to service two U buying stations
VINCELETTE, M D Energy Fuels Nuclear, Inc 79/03/07 2pp

DOCKET 40-8681 Energy Fuels Nuclear

7903210420 Forwards responses to public comments on White Mesa DES (NUREG-0494), prepared jointly by Energy Fuels Nuclear Inc & consultants, Dames & Moore
BAKER, C E Energy Fuels Nuclear, Inc 79/03/06 58pp

79032270025 Discusses selection of sites for White Mesa mill & tailings development Portion of property being developed by Energy Fuels Nuclear would not constitute perimeter for historic district
KEENE, J P Utah, State of 79/01/23 1p

7903060561 Comments in support of proposed project Believes it would benefit both Blanding, UT & San Juan County.
MITCHELL, J W Affiliation Unknown 79/02/02 1p

7903060563 Discusses advantages of proposed mill Requests approval of project
REDD, T Affiliation Unknown 79/02/02 1p

7903060563 Believes proposed milling operation is good & safe since it will be built per NRC regulations
BLACK, E A Affiliation Unknown 79/02/02 1p.

7903090091 Favors proposed project. Believes it would be good for town of Blanding, UT, & San Juan County
MITCHELL, J W. Wasatch Financial Corp. 79/02/02 1p

7903090184 Supports licensing of U mill Believes design is more than adequate Points out employment advantages
REDD, T Wasatch Financial Corp 79/02/02 1p

7903150013 Forwards comments on DES (NUREG-0494) Believes overall product accurately reflects project W/encl suppl rept on baseline water quality
LARSON, F A Energy Fuels Nuclear, Inc 79/02/02 35pp.

7903090394 Comments on DES (NUREG-0494) favors mining operations because of employment opportunities Urges prompt & favorable action
GIBBONS, D Blanding, UT 79/02/03 2pp.

7903060553 Supports proposed project, stating it will result in substantial economic improvement to area & help alleviate energy shortage on natl level as well
STEVENSON, E. E. Affiliation Unknown 79/02/04 1p

7903020028 Expresses concern that south or southwest winds will blow piles of yellowcake towards town.
BERG, R W Affiliation Unknown. 79/02/05 1p

7903050086 Monticello Chamber of Commerce unanimously supports proposed project.
CAMBERDANCO, J, REDD, B Affiliation Unknown 79/02/05 1p

7903060546 Supports proposed project after studying environ statement & attending a public meeting held by Energy Fuels Nuclear, Inc.
REDD, K. B. Exxon Nuclear Co, Inc (subs. of Exxon Corp) 79/02/05 1p

7903060558 Supports proposed project Expresses concern that EPA is interfering w/energy development.
PATON, J H. Affiliation Unknown 79/02/05 1p

7903060677 Forwards analysis of White Mesa project Concludes that comparison of health impacts to background is irrelevant & contrary to Natl Environ Policy Act of 1969 Expresses hope that issue of risk of deaths will be addressed.
LOCHSTET, W A. Pennsylvania State Univ. 79/02/05 10pp

7903090089 Supports proposed project, since area has 52% underemployment rate. Mill represents significant contribution to overall economy.
LEE, L., KINDRED, J San Juan Center for Higher Education 79/02/05 1p.

7903090421 Endorses proposed project
REDD, K B Monticello, UT 79/02/05 1p

7903140640 Comments on environ draft for proposed project Urges favorable consideration of draft statement
MCDONALD, D M Eastern Utah, College of 79/02/05 1p

7903090023 Supports issuance of license for proposed facility, since it will be a source of jobs in the area
HALLIDAY, F Church of Jesus Christ of Latter Day Saints 79/02/07 1p

7903090322 Endorses proposed facility on basis of employment opportunities
REDD, K B, VQUINO, J, BAN, P Monticello, UT 79/02/07 1p

7903140664 Supports const & operation of proposed mill Anticipates job benefits for Ute Tribe members.
CANTSEE, M Affiliation Unknown 79/02/07 1p

7903140667 Supports proposed U mill project Project will provide needed jobs & will have beneficial economic impact on entire tribe
DANDY, J Affiliation Unknown. 79/02/07 1p

7903150194 Supports application of Energy Fuels Nuclear, Inc for a source matl license re proposed U mill Proposed energy development will add to county tax base & create a favorable employment climate
LAWS, D Affiliation Unknown 79/02/07 1p

7903090386 Expresses enthusiasm over economic potential of project
JOHNSON, K R JTN Insurance 79/02/08 1p

7903140494 Forwards mgt framework plan (land use plan) proposing 3/4 mile buffer zone around proposed mill tailings area
SNELL, J D Interior, Dept. of 79/02/08 7pp

7903090041 Supports proposed project Requests approval be expedited
* Affiliation Unknown 79/02/09 1p

7903140498 Responds to 781215 request for comments on DES (NUREG-0494) Finds DES incomplete in treatment of cultural & recreational resources, impact on local communities & potential water resource contamination
MEIEROTTO, L E Interior, Dept of 79/02/14 7pp

7903160084 Responds to 781215 request for comments on DES (NUREG-0494) for White Mesa U project Review concentrates on other agencies' EIS or special expertise areas Finds no significant impacts in its areas of concern.
HEINEMANN, J H Federal Energy Regulatory Commission 79/02/22 1p

7903200108 In response to NRC request, forwards map showing location of archeological sites within perimeter of proposed White Mesa project
GRANDEV, G W Energy Fuels Nuclear, Inc 79/02/28 2pp

7903200303 Forwards minutes of 790201 public meeting in Blanding, UT, re plans for White Mesa U Mill
GLASIER, G. E Energy Fuels Nuclear, Inc 79/03/02 5pp.

7903270192 Notification of const of central equipment repair facility to service two U buying stations
VINCELETTE, M D Energy Fuels Nuclear, Inc 79/03/07 2pp

DOCKET 40-8684 J & P Corp

7903210254 Informs that no activities were undertaken on Licenses SUA-1329 & SUA-1337 during 1978
BELING, D C Wold Nuclear Co 79/02/05 1p

DOCKET 40-8692 Cotter Corp.

7903140655 Submits plan for column leaching test of tailings to be produced by TL Leach pilot plant at proposed site
SMITH, T Cotter Uranium Mill. 79/02/07 7pp

7903210100 Informs that plan for column leaching test of tailings appears adequate & will be forwarded to NRC
HERLIHY, D Wyoming, State of 79/02/13 1p

7903210065 Effective 790226, Cotter Corp's general offices will be located at 9305 West Alameda Parkway, Lakewood, CO All matters re Canon City mill expansion project & TL leach project should ref this address
MCGRATH, E J. McGrath, E J 79/02/26 2pp

DOCKETED SERIES

7

DOCKET 40-8697 Rocky Mountain Energy Co

7903140401 Forwards initial baseline data (water quality) for Reno Ranch test site. Testing will begin week of 790212 & second quarterly rept will be submitted in June 1979
LUCK, A D Rocky Mountain Energy Co 79/02/14 4pp

7903200025 Submits quarterly rept summarizing status of test program W/encl initial baseline data
LUCK, A D Rocky Mountain Energy Co 79/02/14 6pp

DOCKET 40-8698 Plateau Resources

7903020153 Forwards DES (NUREG-0504) & Federal Register notice
SCARANO, R A Fuel Process & Fab Branch 79/02/09 1p

7903020154 Notice of availability of DES (NUREG-0504)
SCARANO, R A Fuel Process & Fab Branch 79/02/02 2pp

7903020157 Forwards DES (NUREG-0504) W/distribution list
SCARANO, R A Fuel Process & Fab Branch 79/02/09 11pp

7903020161 DES re Shoshone Canyon U project
* Office of Nuclear Material Safety & Safeguards NUREG-0504
79/02/09 185pp Available at NTIS

7903130032 Forwards assumptions & calculations used to derive addl transportation costs which would accrue if ores to be processed at mill were shipped to other mills in region
MARTIN, B Science Applications, Inc 79/02/12 6pp

7903200113 Proposed Shoshone Canyon U project will have no known effect on any recognized or potential Natl Register historical, archaeological or cultural sites
KEENE, J P Utah, State of 79/02/14 1p

7903160302 In response to 790209 request for comments on draft EIS for Shoshone Canyon U Project, advises that review will concentrate on other agencies' EIS. Finds no significant impacts in areas of concern
HEINEMANN, J M Federal Energy Regulatory Commission 79/02/22 1p

7903220496 Review of draft EIS revealed no direct impacts on Dixie Natl Forest. Spinoff impacts such as increased exploration activities have been experienced & can be expected to increase
REES, P M Agriculture, Dept of 79/03/06 2pp

DOCKET 40-8712 Gulf Oil Corp

7902270134 Confirms 790129 telcon that Gulf mgt has suspended work on Badger project; requests application be held in abeyance until further notice
LINDLEY, P A Gulf Research & Development Co 79/01/31 1p

DOCKET 40-8720 Standard Oil Co of Indiana

7903020384 Confirms meeting w/R Cooperstein on 790207 re proposed U in situ leaching project. Topics for discussion include Amoco's proposed pilot facility, NRC requirements for obtaining license & time frames for permits
KRATBAS, R C Amoco Oil Co (subs of Standard Oil Co. of Indiana), 79/01/16 1p

7903280204 Summary of 790207 meeting w/Std Oil Co re U solution extraction activity at Alzada site in MT.
COOPERSTEIN, R Fuel Process & Fab Branch, 79/01/26 2pp

DOCKET 40-8721 Rocky Mountain Energy Co

7903140447 Forwards environ rept w/appendix supporting source matl license application for in situ leach U mine & recovery plant.
LUCK, A D Rocky Mountain Energy Co 79/02/12 1p.

7903140454 Environ rept w/appendix in support of source matl license application for in-situ leach U mine & recovery plant
* Rocky Mountain Energy Co 79/01/31 700pp

7903150325 Summary of 790123 informational meeting re commercial scale in situ U solution mining activity
COOPERSTEIN, R Fuel Process & Fab Branch 79/02/05 3pp

7903270174 Forwards application for source matl license to extract U from mineral deposits by in situ leaching
LUCK, A D Rocky Mountain Energy Co 79/02/12 1p

7903270181 Application for source matl license w/supplemental info describing proposed U solution mining activities
LUCK, A D Rocky Mountain Energy Co 79/01/31 35pp

DOCKET 40-8722 Brush-Wellman

7903010215 Forwards application for source matl license Requests notification of NRC license processing costs prior to license issuance W/encl suppl info & environ rept
POWERB, M B Brush-Wellman, Inc 79/01/30 75pp

7903010218 Application for source matl license to produce U concentrate from U bearing bertrandite ores as byproduct of Be recovery operations W/supporting documentation
POWERB, M B Brush-Wellman, Inc 79/01/30 172pp

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 Univ of Michigan Research Reactor

7903050252 Adds North University Bldg as nuclear waste storage bldg to Indemnity Agreement E-24. Expects bldg will qualify for excess federal indemnity limit above insured \$250,000.
HORNINO, R D Michigan, Univ of 79/02/23 1p

DOCKET 50-3 Indian Point Station, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards, 79/01/09 2pp

7903220035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee shut-down searches until 790801
BENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p.

7903290099 Forwards safeguards contingency plan. Plan withheld (ref 10CFR2 790)
CAHILL, W J Consolidated Edison Co. of New York 79/02/22 1P.

7903220345 Forwards fourteenth quarterly rept for seismic monitoring program. Also forwards 790227 transmittal ltr from WJ Cahill. Consolidated Edison of NY, to A Schwencer, NRC, & revisions to thirteenth quarterly rept.
DAVIS, J P Consolidated Edison Co of New York 79/03/01 40pp.

7903160238 Forwards Endorsement 88 to MAELU Policy MF-29, amending total aggregate liability
CAHILL, W J Consolidated Edison Co of New York, 79/03/08 2pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency. Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR. Appropriate utils have been notified.
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp.

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages IV-5 & IV-6 w/modified rationale & corrections.
GRIMES, B K Assistant Director for Engineers & Projects, 79/01/18 4pp.

7903140579 Forwards Amend 22 to License DPR-5, Amend 47 to License DPR-26. Tech Spec changes & Federal Register notice.
SCHWENCER, A Operating Reactors Branch 1 79/02/15 3pp.

7903140584 Amend 22 to DPR-5 & Amend 47 to DPR-26 revising Tech Specs to delete method for calculating rate of heat rejection to river.
SCHWENCER, A Operating Reactors Branch 1. 79/02/15 7pp.

7903140586 Notice of issuance of Amend 22 to DPR-5 & Amend 47 to DPR-26.
SCHWENCER, A Operating Reactors Branch 1. 79/02/15 2pp.

7903190106 Notice of issuance of Amend 22, 47 & 22 to Licenses DPR-5, DPR-26 & DPR-64
SCHWENCER, A Operating Reactors Branch 1. 79/02/15 2pp.

DOCKETED SERIES

DOCKET 50-3 Indian Point Station, Unit 1

7903130261 Forwards Amend 23 to DPR-5 & Amend 48 to DPR-26, revising administrative controls w/Tech Spec changes & notice of issuance.
SCHWENCER, A Operating Reactors Branch 1 79/02/17 3pp

7903150264 Amend 23 to DPR-5 & Amend 48 to DPR-26 revising administrative controls w/encl Tech Spec changes
SCHWENCER, A Operating Reactors Branch 1 79/02/17 31pp

7903150265 Notice of issuance of Amends 23 & 48 to Licenses DPR-5 & 26, respectively, re administrative controls
SCHWENCER, A Operating Reactors Branch 1 79/02/17 2pp

7903010233 Responds to 790202 request Forwards check for 9800 under protest
ZARAKAS, P. Consolidated Edison Co of New York 79/02/22 2pp

7903050331 Forwards application for amend to operating license w/util safety evaluation & affidavit of svc
CAHILL, W J Consolidated Edison Co of New York 79/02/26 3pp

7903050334 Application for amend to License DPR-5 to provide technical clarifications, administrative & editorial changes Safety evaluation encl
CAHILL, W J Consolidated Edison Co of New York 79/02/21 10pp

7903280068 Forwards Amends 24 & 50 to Licenses DPR-5 & DPR-26, respectively, & notice of issuance & availability Safety evaluation withheld (ref 10CFR2 790)
SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903280086 Amends 24 & 50 to License DPR-5 & DPR-26, respectively, adding Sections 7 & 2 J re physical security plans
SCHWENCER, A Operating Reactors Branch 1 79/02/27 4pp

7903280096 Notice of issuance & availability of Amends 24 & 50 to Licenses DPR-5 & DPR-26, respectively
SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903140261 Submits followup rept re milk samples no longer obtainable from Guard Hill Farm, since animals have been removed from location Investigation being performed to find suitable replacement for sampling
CAHILL, W J Consolidated Edison Co. of New York 79/03/06 2pp

7903290136 Semiannual progress rept Discusses various chemical, environ & monitoring projects
CAHILL, W Consolidated Edison Co of New York 79/03/27 8pp

7903130079 Forwards IE Insp Repts 50-003/79-01 & 50-247/79-02 on 790110 No noncompliance noted
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/01 2pp

7903130085 IE Insp Repts 50-003/79-01 & 50-247/79-02 on 790110 No noncompliance noted Major areas inspected results of effluent sample split between licensee & NRC
KOTTAN, J J, STOHR, J P Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/31 4pp

7903050302 Forwards IE Info Notice 79-03, "Limiting Valve Gears Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080444 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features."
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080305 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CHL should read BL3CHL
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903160138 IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
* Office of Inspection & Enforcement, 79/03/12 5pp

7903060376 Forwards Fourteenth "Quarterly Rept on Seismic Monitoring in Vicinity of Indian Point, NY," Sept-Nov 1978 Revised pages for introduction to thirteenth quarterly rept encl.
CAHILL, W J Consolidated Edison Co. of New York 79/02/27 4pp

7903060382 "Quarterly Rept on Seismic Monitoring Network in Vicinity of Indian Point, NY," Sept-Nov 1978
* Consolidated Edison Co of New York 78/11/30 38pp

7903070212 Forwards summary rept of personnel monitoring info & annual radiation exposure rept
CAHILL, W J Commonwealth Edison Co 79/02/28 3pp

7903070220 Forwards semiannual effluent release rept for Jul-Dec 1978
CAHILL, W J Consolidated Edison Co of New York 79/03/01 1p

7903070223 "Effluent Release Rept," semiannual rept for third & fourth quarters of 1978 Covers liquid & airborne discharges
* Consolidated Edison Co of New York 79/03/01 44pp

7903150319 Forwards data specified in Section 401 Certification for Feb 1979
MONTI, W A Consolidated Edison Co of New York 79/03/09 16pp

7903210180 Forwards tabulation of daily record of fish collections for Feb 1979, including daily species breakdown & total wt for Units 2 & 3 Circulators at Unit 1 were shut down for entire month Gives high fish impingement totals & corrective action
CAHILL, W J Consolidated Edison Co of New York 79/03/14 5pp

7903210105 Forwards monthly operating rept for Feb 1979
CAHILL, W J Consolidated Edison Co of New York 79/03/15 1p

7903210107 Monthly operating rept for Feb 1979
KAHULA, L Consolidated Edison Co of New York 79/03/07 8pp

7903200372 Forwards LER 79-012/041-0
CAHILL, W J Consolidated Edison Co of New York 79/03/14 1p

7903200375 LER 79-012/041-0 on 790213 contracting laboratory provided rept on 790213 that activity of precipitation sample taken on 790102 exceeded 10 times control station level Caused by tritium releases from outside source
MASCILLI, S Consolidated Edison Co of New York 79/03/14 3pp

DOCKET 50-5 Pennsylvania State Univ Research Reactor

7903300533 Ack receipt of 790131 ltr requesting exemption from 10CFR73 for fuel in fuel element not readily separated from other radioactive matl Matter forwarded to Ofc of Stds Development for processing as petition for rulemaking
STELLD, V Division of Operating Reactors 79/03/12 1p

7903010481 Forwards IE Insp Rept 50-05/78-03 on 781212-14 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/03 2pp

7903010482 IE Insp Rept 50-05/78-03 on 781212-14 No noncompliance noted Major areas inspected organization, logs & records, review & audits, qualification program, procedures, surveillance, experiments & IE circular/bulletin followup
MCCABE, E C, BRIGGS, L E Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 78/12/29 6pp

DOCKET 50-5 Pennsylvania State Univ Research Reactor

7903300278 Forwards IE Insp Rept 50-05/79-01 on 790115-17 No noncompliance noted
MARTIN, W Q Region 1, Philadelphia, Safeguards Branch 79/02/13 2pp

7903300280 IE Insp Rept 50-05/79-01 on 790115-17 No noncompliance noted Major areas inspected implementation of accepted security plan
LADUN, R H, SMITH, R H, DEVLIN, J W Region 1, Philadelphia, Office of the Director 79/02/09 1p

DOCKET 50-10 Dresden Nuclear Power Station, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903010112 Notifies of security plan deficiencies which are significant enough to warrant imposition of license conditions Forwards comments for incorporation into plan Appeal is possible
Encl A withheld (ref 10CFR2 790)
IPPOLITO, T A Operating Reactors Branch 3 79/01/30 3pp

DOCKETED SERIES

9

DOCKET 50-10 Dresden Nuclear Power Station, Unit 1

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903260200 Forwards "Fire Protection Safe Shutdown Analysis"
JANECEK, R F Commonwealth Edison Co 79/03/20 1p

7903260203 "Fire Protection Safe Shutdown Analysis"
* Commonwealth Edison Co 79/03/20 36pp

7903270499 Forwards safeguards contingency plan Withheld (ref 10CFR2.790)
REED, C Commonwealth Edison Co 79/03/23 1p

7903210167 Forwards "Annual Rept 1978," statement of cash flow projected for 1979, actual cash flow for 1978 & narrative explanatory statement
NEXON, H H Commonwealth Edison Co 79/03/15 6pp

7903210167 Forwards "Annual Rept 1978," statement of cash flow projected for 1979, actual cash flow for 1978 & narrative explanatory statement
NEXON, H H Commonwealth Edison Co 79/03/15 6pp

7903050263 Forwards Endorsement 116 to NELIA NF-43, Endorsement 98 to MAELU MF-22, Endorsement 57 to NELIA NF-187, Endorsement 48 to MAELU MF-54, Endorsement 46 to NELIA NF-201, Endorsement 40 to MAELU MF-64 & Endorsement 9 to NELIA NF-253 for 1979
OSTER, J Commonwealth Edison Co 79/02/26 8pp

7903080100 Forwards mods & corrections to NRC guidance, "Review & Acceptance of Spent Fuel Storage & Handling Applications," sent 780414
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903010342 Requests addl info to continue review of core spray distribution evaluation W/encl list of questions
ZIEMANN, D L Operating Reactors Branch 2 79/02/01 8pp

7903080087 Notification of meeting on 790222 to discuss open items that require resolution prior to returning unit to svc.
O'CONNOR, P W Operating Reactors Branch 2 79/02/02 2pp

7903200308 Cancels 790222 meeting w/util
O'CONNOR, P W Operating Reactors Branch 2 79/02/02 3pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903200054 Informs of meeting on 790306 w/Commonwealth Edison Co to discuss items in need of resolution prior to svc. chemical cleaning; IEEE-279-E sphere equipment upgrade project; fire protection; HPCI sys; App K analysis & insp
O'CONNOR, P W Operating Reactors Branch 2 79/02/28 2pp

7903290066 Forwards draft evaluation of systematic evaluation program; Topic VI-10 B re shared engineered safety features, onsite emergency power & svc sys for multiple unit stations
ZIEMANN, D L Operating Reactors Branch 2 79/03/06 16pp

7903260212 Forwards Amends 29, 42 & 38 to Licenses DPR-2, DPR-19 & DPR-25, respectively, & notice of issuance & availability Security plan evaluation rept withheld (ref 10CFR2.790).
ZIEMANN, D L Operating Reactors Branch 2 79/03/09 3pp

7903260224 Amends 29, 42 & 38 to License DPR-2, DPR-19 & DPR-25, respectively, incorporating physical security plan
* Operating Reactors Branch 2 79/03/09 6pp.

7903260226 Notice of issuance & availability of Amends 29, 42 & 38 to Licenses DPR-2, DPR-19 & DPR-25, respectively
ZIEMANN, D L Operating Reactors Branch 2 79/03/09 2pp

7903300579 Notification of 790316 meeting w/util in Bethesda, MD to discuss performance of core spray sys
O'CONNOR, P W Operating Reactors Branch 2 79/03/12 7pp

7903190202 Forwards battery test procedures used by station personnel, as addl info for review of draft evaluations for systematic evaluation program
REED, C Commonwealth Edison Co 79/03/13 34pp

7903210026 In response to NRC 781208 request for addl info on electrical penetrations, forwards info on HPCI penetrations which are identical to RPS penetrations Unit 2 has no DC power penetrations
JANECEK, R F Commonwealth Edison Co 79/03/14 25pp

7903220174 Concurrs that evaluation of site-specific response criteria may be more realistic in determining systematic evaluation program seismic input Preliminary investigations indicate major structural components are adequate
REED, C Commonwealth Edison Co 79/03/15 1p

7903290131 Forwards licensing open items status list
REED, C Commonwealth Edison Co 79/03/19 9pp.

7903080174 Forwards IE Insp Repts 50-010/78-34, 50-237/78-32 & 50-249/78-33 on 781220-21 & 26-28 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/19 2pp

7903080178 IE Insp Repts 50-010/78-34, 50-237/78-32 & 50-249/78-33 on 791220-21 & 26-28 No noncompliance noted Major areas inspected procurement, records, review of safety limits, procedures & chemical cleaning
DETENMEIER, R W, STREETER, J F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/17 5pp

7903060104 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids." Forwards current plan for replacement & preventive maint
REED, C Commonwealth Edison Co 79/02/02 3pp

7903190009 Forwards IE Insp Repts 50-010/78-35, 50-237/78-34 & 50-249/78-35 on 781201-29 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch. 79/02/07 2pp

7903190010 Notice of deviation from insp on 781201-29
* Region 3, Chicago, Office of the Director 79/02/07 1p

7903190015 IE Insp Repts 50-010/78-35, 50-237/78-34 & 50-249/78-35 on 781201-29 Noncompliance noted inadequate storage of Class B area matl
BARKER, J L., SMITH, J D Region 3, Chicago, Office of the Director, KNOP, R C Region 3, Chicago, Reactor Operations Nuclear Support Branch. 79/02/07 12pp

7903220445 Forwards IE Insp Repts 50-010/79-01, 50-237/79-01 & 50-249/79-01 on 790102-31. No noncompliance noted.
HEISHMAN, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/14 2pp

7903220453 IE Insp Repts 50-010/79-01, 50-237/79-01 & 50-249/79-01. No noncompliance noted Major areas inspected, maint, plant operations, physical protection, review & followup on LER's & calibr of safety-related components
BARKER, J L., SPESSARD, R L. Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/13 6pp

7903080490 Forwards corrected second page & App A for correspondence transmitted 790207.
FIORELLI, G. Region 3, Chicago, Reactor Operations Nuclear Support Branch. 79/02/15 3pp.

7903080419 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G. Region 3, Chicago, Office of the Director. 79/02/16 1p

7903080343 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CHL should read 5L3CHL
KEPPLER, J G Region 3, Chicago, Office of the Director. 79/03/01 1p

DOCKETED SERIES

DOCKET 50-10 Dresden Nuclear Power Station, Unit 1

7903130302 Submits revised pages to "Inservice Insp Program" for insp of welds
JANECEK, R F Commonwealth Edison Co 79/03/07 7pp

7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPFLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190539 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPFLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903020333 Forwards Part 2 of operating rept for June-Dec 1978, re radioactive effluents & occupational radiation exposures
STEPHENSON, B B Commonwealth Edison Co 79/02/15 1p

7903020337 Part 2 of operating rept for June-Dec 1978, re radioactive effluents & occupational radiation exposures
* Commonwealth Edison Co 78/12/31 15pp

7903050388 Forwards "Annual Operating Rept for 1978"
STEPHENSON, B B Commonwealth Edison Co 79/02/26 1p

7903050391 "Annual Operating Rept for 1978"
* Commonwealth Edison Co 79/02/26 35pp

7903210035 Forwards monthly operating rept for Feb 1979
STEPHENSON, B B Commonwealth Edison Co 79/03/13 1p

7903210038 Monthly operating rept for Feb 1979
PHELEN, J F Consolidated Edison Co of New York 79/03/05 19pp

DOCKET 50-13 Babcock & Wilcox Co Critical Facility

7903070033 Implementation of physical security plan will be made a license condition. License should reflect total amount of SNM, percent enrichment, amount exempt & nonexempt
REID, R W Operating Reactors Branch 4 79/02/02 2pp

7903080503 Forwards IE Circular 79-03, "Inadequate Guard Training/Qualification & Falsified Training Records"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/23 1p

DOCKET 50-16 Enrico Fermi Atomic Power Plant, Unit 1

7903130346 Forwards IE Insp Rept 50-016/78-01 on 781214 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/29 2pp

7903130373 IE Insp Rept 50-016/78-01 on 781214 No noncompliance noted. Major areas inspected: qualification of administrative personnel, audit procedures, exposure control, posting, labeling & controls, surveys, records & reports
RIDEN, M D, HEUTER, L J, FISHER, W L Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/29 4pp

DOCKET 50-20 Massachusetts Inst of Tech Res Reactor

7903120029 Forwards IE Insp Rept 50-020/78-08 on 791216-20 No noncompliance noted
MARTIN, W Q Region 1, Philadelphia, Safeguards Branch 79/01/17 2pp

7903120031 IE Insp Rept 50-020/78-08 on 781216-20 No noncompliance noted. Major areas inspected: security plan, protection of SNM, security organization, access control, alarm sys, surveillance, & security program review
LADUN, R M, ROSSANO, R P, DEVLIN, J W Region 1, Philadelphia, Safeguards Branch 79/01/11 1p

DOCKET 50-25 Dow Chemical Co TRIA Reactor

7903240179 Forwards Endorsement 37 to NElIA Policy NF-160
COALWELL, T N Dow Chemical Co 79/03/21 2pp

DOCKET 50-27 Washington State Univ Research Reactor

7903080569 Requests addl info re 780815 amend to License R-76 Wants max amounts of SNM, percent enrichment, amount exempt & nonexempt
REID, R W Operating Reactors Branch 4 79/01/29 2pp

7903150098 Forwards IE Insp Rept 50-027/79-01 on 790212 & 13 No noncompliance noted Insp rept withheld (ref 10CFR2 790)
NORDENHAUG, L R Region 3, San Francisco, Safeguards Branch 79/02/26 2pp

DOCKET 50-29 Yankee-Rowe Nuclear Power Station

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DEWITT, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903290137 Takes exception to SER re proposed fire protection plan. Believes electrical valve supervision should be provided on all valves controlling fire water sys & sectionalizing valves w/proposed mod to increase protection
HALL, R E Brookhaven National Laboratory 79/03/12 3pp

7903300375 Forwards CY78 financial statements for License DPR-3 & summary of financial protection in effect as of 781231
SOUCY, A R Yankee Atomic Electric Co 79/03/22 5pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency. Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR. Appropriate utils have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903080100 Forwards mods & corrections to NRC guidance, "Review & Acceptance of Spent Fuel Storage & Handling Applications", sent 780414
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903060609 Provides status review of systematic evaluation program. Reviews 781108 site visit which focused on site geology, faulting investigations, dam integrity, structures settlement, & slope stability
CARDONE, A T Geosciences Branch 79/01/29 5pp

7903070437 Forwards systematic evaluation plan review of Topics V-10 B, V-11 B, VII-3 X. Requests confirmation or correction of facts within 30 days
ZIEMANN, D L Operating Reactors Branch 2 79/02/14 98pp /

7903080318 In response to NRC 790115 ltr, forwards revised rept "Geology & Seismology, Yankee-Rowe Power Plant"
GROCE, R H Yankee Atomic Electric Co 79/02/23 1p

7903080319 "Geology & Seismology, Yankee-Rowe Nuclear Power Plant"
* Yankee Atomic Electric Co 79/01/29 115pp

7903190058 Forwards Amend 55 to License DPR-3 & notice of issuance. Security plan evaluation rept withheld (ref 10CFR2 790)
ZIEMANN, D L Operating Reactors Branch 2 79/02/23 3pp

7903190061 Amend 55 to License DPR-3 incorporating modified amended security plan
ZIEMANN, D L Operating Reactors Branch 2 79/02/23 2pp

7903190069 Notice of issuance of Amend 55 to License DPR-3
ZIEMANN, D L Operating Reactors Branch 2 79/02/23 2pp

7903090137 Submits corrections to systematic evaluation program. Topic II-2 D Discusses ambient temp, primary recording sys & measured meteorological parameters
GROCE, R H Yankee Atomic Electric Co 79/02/28 1p

7903290047 Confirms 790304 meeting to discuss dosimetry records maintained under license DPR-3, DPR-2B, DPR-35 & DPR-36
SMITH, Q H Region 1, Philadelphia, Office of the Director 79/03/01 1p

DOCKET 50-29 Yankee-Rowe Nuclear Power Station

7903210037 In response to 790226 request for addl info re radiation shielding, forwards data re estimated total man-rem exposure, measures for reducing radiation levels & estimated effect of concrete shield plugs
MOODY, D E Yankee Atomic Electric Co 79/03/05 3pp

7903220098 Notification of 790314 meeting in Bethesda, MD to discuss proposed App I radiological effluent Tech Specs w/utl
BURGER, A Operating Reactors Branch 2 79/03/05 1p

7903120256 Comments on evaluation of systematic evaluation program Topic IV-1 A Date of telcon should be corrected to 790117
GROCE, R H Yankee Atomic Electric Co 79/03/07 1p

7903270133 Requests geotechnical info in situ velocity measurement data; measurement of soil densities; determination of soils moduli & determination of soil shear wave velocities
ZIEMANN, D L Operating Reactors Branch 2 79/03/08 2pp

7903160242 Requests extension until 790416 to respond to NRC 790214 evaluation of systematic evaluation program review re safe shutdown sys
GROCE, R H Yankee Atomic Electric Co 79/03/12 1p

7903230004 Notification of 790321 meeting w/utl in Bethesda, MD, to discuss topics relating to systematic evaluation program seismic evaluation
BURGER, A Operating Reactors Branch 2 79/03/13 1p

7903220221 Forwards info in response to 781208 request for addl info re systematic evaluation program Topic VIII-4 re electrical penetrations of reactor containments. W/oversized drawings
GROCE, R H Yankee Atomic Electric Co 79/03/14 22pp

7903220232 Notification that Offsite Dose Calculation Manual will be delivered by 790409 Delay caused by info received at 790314 meeting
GROCE, R H Yankee Atomic Electric Co 79/03/16 1p

7903270487 Forwards "Core XIV Startup Test Rept"
GROCE, R H Yankee Atomic Electric Co 79/03/20 1p

7903270488 "Core XIV Startup Program"
HENDERSON, T K Yankee Atomic Electric Co 79/03/20 30pp

7903050526 Forwards IE Info Notice 79-03, "Limiting Valve Geared Limit Switch Lubricant."
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903140065 Ack receipt of 790129 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-029/78-20
MARTIN, W Q Region 1, Philadelphia, Safeguards Branch 79/02/12 1p

7903140335 Responds to NRC 790109 ltr re violations noted in IE Insp Rept 50-029/78-20 Corrective actions withheld (ref 10CFR2 790)
MOODY, D E Yankee Atomic Electric Co 79/01/29 1pp

7903140339 Forwards IE Insp Rept 50-029/78-20 on 781114-16 & notice of violation Notice of violation & insp rept withheld (ref 10CFR2 790)
MARTIN, W Q Region 1, Philadelphia, Safeguards Branch 79/01/09 2pp

7903140343 IE Insp Rept 50-029/78-20 on 781114-16 Noncompliance noted infraction of access controls & deficient records
Details withheld (ref 10CFR2 790)
ROGERS, M E., DEVLIN, J Region 1, Philadelphia, Safeguards Branch 79/01/09 1p

7903080452 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features."
GRIER, B H Region 1, Philadelphia, Office of the Director. 79/02/16 1p

7903080470 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read BL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director. 79/02/27 1p.

7903280017 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/03/08 1p

7903270482 Forwards "Inservice Insp Examination Rept," 781021-1216
GROCE, R H Yankee Atomic Electric Co 79/03/15 22pp

7903150365 Forwards "Effluent & Waste Disposal Semiannual Rept, Jul-Dec 1978"
JOHNSON, W P Yankee Atomic Electric Co 79/02/28 1p

7903150367 "Effluent & Waste Disposal Semiannual Rept, Jul-Dec 1978"
* Yankee Atomic Electric Co. 78/12/31 17pp

7903140252 "Annual Rept 1978" describing changes, tests & experiments conducted w/o prior NRC approval Rept submitted per 10CFR50 59(b)
GROCE, R H Yankee Atomic Electric Co 79/03/01 15pp

7903150235 Forwards monthly operating rept for Feb 1979
MOODY, D E Yankee Atomic Electric Co 79/03/12 1p

7903150237 Monthly operating rept for Feb 1979
SJOGEREN, R M Yankee Atomic Electric Co 79/03/12 5pp

7903290014 Forwards meteorological data May 1977-Apr 1978. Explains matl format & units of measure in encl matl
GROCE, R H Yankee Atomic Electric Co 79/03/19 4pp.

7903080305 Forwards LER 79-006/99T-0
AUTIO, H A Yankee Atomic Electric Co 79/03/05 1p

7903080312 LER 79-006/99T-0 on 790219: fire pump running alarm received in control room & leak discovered Caused by uneven external force applied on pipe by trench fill Crack sealed using compression patch; pressure tested & backfilled
MAY, E L Yankee Atomic Electric Co 79/03/08 2pp.

7903130347 Forwards LER 79-004/03L-0.
AUTIO, H A Yankee Atomic Electric Co 79/03/08 1p

7903130349 LER 79-004/03L-0 on 790206: Rod & position indicating lights at 84, 87 & 90 inches were not lit Caused by loose & dirty terminal contact surfaces Contact surfaces cleaned & tightened
MAY, E L Yankee Atomic Electric Co 79/03/08 1p

7903200356 Forwards LER 79-005/03L-0
AUTIO, H A Yankee Atomic Electric Co 79/03/16 1p

7903200358 LER 79-005/03L-0 on 790214: while performing Type C test of TV-408, svc water leakage from isolation valve exceeded Tech Spec Caused by foreign matl under Masonite 4 inch valve seat Valve seat cleaned & retested satisfactorily
BOUTWELL, R L Yankee Atomic Electric Co 79/03/16 1p

DOCKET 50-30 Plum Brook Research Reactor Facility

7903140187 Forwards IE Insp Rept 50-030/78-01 & 50-185/78-01 on 781213. No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/29 2pp

7903140195 IE Insp Rept 50-030/78-01 & 50-185/78-01 on 781213. No noncompliance noted Major areas inspected: radiological protection including qualification of personnel audits, procedures, exposure control, posting, & labeling.
HUETER, L J Region 3, Chicago, Fuel Facility & Materials Safety Branch RIDEN, M D., FISHER, W L Region 3, Chicago, Office of the Director 79/01/23 4pp

DOCKET 50-54 Pauling Research Reactor

7903150435 Confirms telephone authorization for change in Tech Specs re pool-type research reactor Amends Final Hazards Summary Rept Page 51, Paragraph E.2 a(1)(G)(1).
EISENHUT, D O Assistant Director for Systems & Projects. 79/02/22 1p

7903090439 Forwards IE Insp Rept 50-054/78-04 on 780808-10. No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 78/10/26 2pp.

7903090440 IE Insp Rept 50-054/78-04 on 780808-10. No noncompliance noted. Major areas inspected: procedures, surveillance & experiments Facility tour conducted
ARCHITZEL, R., MCCABE, E. C. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch. 78/08/31 9pp

DOCKETED SERIES

DOCKET 50-54 Pauling Research Reactor

7903090427 As requested in 780921 ltr, portions of rept identified as proprietary will be withheld (ref 10CFR2 790) Encl copy of rept appropriately identified to reflect proprietary notice
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 78/10/26 1p

7903090435 Requests portions of insp rept be withheld from public disclosure
BOLLINGER, R E Union Carbide Corp 78/09/21 2pp

DOCKET 50-59 Texas A&M Univ Research Reactor

7903130042 Requests addl info for emergency plan review clarification of emergency doors; submittal of TX A&M Univ radiological emergency plan ltr of agreement w/ govt agencies for emergencies & description of fire detection sys
REID, R W Operating Reactors Branch 4 79/02/15 2pp

7903060498 Forwards IE Insp Rept 50-059/79-01 on 790109-10 No noncompliance noted
MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/01/22 2pp

7903060500 IE Insp Rept 50-059/79-01 on 790109-10 No noncompliance noted Major areas inspected previously reported items, organization, operations & maint logs, audits & reviews, requalification training, & environ surveillance
MURRAY, B., MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch. 79/01/22 6pp

DOCKET 50-62 Univ of Virginia Research Reactor

7903130046 Forwards addl guidance re physical security plan License should include total amount of SNM, percent enrichment & amounts exempt & nonexempt
REID, R W Operating Reactors Branch 4 79/02/02 2pp

7903150337 Responds to request for info re amounts & types of SNM to be included in license Requests approval of encl spec changes to security plan Encl withheld (ref 10CFR2 790)
SHRIVER, B L Virginia, Univ. of 79/03/09 2PP.

DOCKET 50-70 General Electric Test Reactor

7903070025 Prohibits intervenors from any further discovery after willful refusal to comply w/ASLB 781024 order directing responses to licensee's 780626 interrogatories
LUTON, E Atomic Safety and Licensing Board Panel 79/01/15 1p.

7903090026 Requests suspension of activities under License SNM-960 in light of recent geological findings by NRC Possible hazards exist
HINKEL, L Tri-City Ecology Center 79/02/01 1p

7903300850 Requests NRC issue final SER at earliest possible date to resolve uncertainty re tectonic faulting & to assure safety of all those in area
STARK, F H House of Rep 79/03/08 1p

7903080240 Forwards amend of Condition 4, Endorsement 1B, to MAELU Policy MF-95, effective 790101
CORREA, C Marsh & McLennan, Inc 79/02/21 2pp

7903080193 Forwards Endorsement 10B to ANI Policy NF-1 for calendar year 1979
CORREA, C. Marsh & McLennan, Inc 79/02/27 2pp

7903060568 Requests that addl info be obtained to complete review of 790116 application for Tech Spec changes deleting certain surveillance testing requirements during extended shutdown period
LAINAS, O. Plant Systems Branch 79/01/26 3pp

7903060340 "Geologic Investigation Phase II, General Electric Test Reactor Site, Valleritos, CA"
* General Electric Co 79/02/28 425pp

7903090146 Responds to 790104 request for documents re recent geologic investigation at facility Forwards list of documents available in PDR at Walnut Creek CA, related correspondence & NRC draft SER input
STELLO, V Division of Operating Reactors 79/02/08 61pp

7903090149 Requests documents pertaining to recent geological investigation in order to determine facility compliance w/ county ordinance code & use permits
BOWD, J A Alameda County, CA 79/01/04 1p

7903140557 Requests addl info for review of 780116 proposed change to QETR Tech Specs re surveillance during cold shutdown
REID, R W Operating Reactors Branch 4 79/02/14 4pp

7903060327 Forwards final submittals describing geologic investigations, structural analyses & reactor plant mods completed in response to issues raised in 771024 order to show cause
DARMITZEL, R W General Electric Co, Nuclear Energy Products Div 79/02/28 6pp

7903060332 "Evaluation of Seismic Hazard at GE Test Reactor Site, CA"
* General Electric Co 79/02/28 22pp

7903190210 Forwards errata sheets for "Geologic Investigation, Phase II" rept
DARMITZEL, R W General Electric Co, Nuclear Energy Products Div 79/03/13 4pp

7903230002 Notification of 790320 meeting w/GE in Bethesda, MD to discuss licensee presentation re recent geologic investigations for test reactor site
NELSON, C Operating Reactors Branch 4 79/03/14 2pp

DOCKET 50-72 Univ of Utah Research Reactor

7903060620 Forwards Amend 9 to License R-25 & Amend 3 to License R-126 Finds security plan acceptable Forwards Formatted guidelines to rewrite plan for renewal of License R-25
REID, R W Operating Reactors Branch 4 79/01/26 6pp

7903060623 Amend 9 to License R-25, changing security plan
REID, R W Operating Reactors Branch 4 79/01/26 2pp

7903060626 Amend 3 to License R-126, changing security plan
REID, R W Operating Reactors Branch 4 79/01/26 2pp

7903060646 Forwards addl guidance re physical security plan License should reflect total amount of U-235, Pu & U-233 & percent enrichment, amount exempt & amount not exempt
REID, R W Operating Reactors Branch 4 79/02/02 2pp

7903260182 In response to NRC 790202 ltr re use of "Special Nuclear Matl of Low Strategic Significance," forwards addl info re TRIGA fuel, AON fuel, PuBe Source NRC 225, PuBe Source 3580 & U-235
JENSEN, C M Utah, Univ of 79/03/19 1p

7903230019 Forwards IE Insp Rept 50-072/79-01 on 790123-26 & notice of violation
MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch. 79/02/08 2pp

7903230021 Notice of violation from insp on 790123-26
* Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/08 1p

7903230028 IE Insp Rept 50-072/79-01 on 790123-26 Noncompliance noted Failure to follow procedures & failure to maint proper records
DICKERSON, M W, VERDUZCO, G H, MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/08 3pp

DOCKET 50-73 General Electric Nuclear Test Reactor

7903090143 Provides further info on reportable occurrence telecopied to NRC on 790221 re high readings on two recorders of primary coolant flow indication sys Will vent flow transmitter until modified to eliminate air accumulation
DARMITZEL, R W General Electric Co, Nuclear Energy Products Div 79/02/28 2pp

DOCKET 50-83 Univ of Florida Training Reactor

7903290067 Requests consolidation of physical security plan into single document for inclusion into renewed license, Requests review of program for reducing enrichment of fuels in nonpower reactors & inclusion of proposals in application
REID, R W Operating Reactors Branch 4 79/02/02 2pp

DOCKETED SERIES

13

DOCKET 50-87 Westinghouse Critical Experiment

7903210050 Forwards IE Insp Rept 50-087/79-01 on 790130-31 No noncompliance noted
FIDRELL, I. G. Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/07 2pp

7903210054 IE Insp Rept 50-087/79-01 on 790130-31 No noncompliance noted Major areas inspected logs, records, reactor surveillance, requalification training, review & audit, status of previous unresolved problems
RIDEN, M. D., HARPSTER, T. L., LITTLE, W. S. Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/02 5pp

DOCKET 50-89 General Atomic Co

7903230244 Submits "Security Guard Training & Qualification Plans," & check to cover fee for NRC review Encl withheld (ref 10CFR2 790)
MOWRY, W. R. General Atomic Co (subs of Gulf Oil Corp) 79/02/20 3pp

790320287 Annual rept covering 1978 operations Discusses changes in facility design, performance, characteristics & operating procedures re reactor safety, results of surveillance tests, energy generated, maint operations & personnel exposures
MOWRY, W. R. General Atomic Co (subs of Gulf Oil Corp) 79/02/23 6pp

DOCKET 50-97 Cornell Univ Zero Power Reactor

7903150299 Forwards addl guidance re physical security plan License should reflect total amount of U-235, Pu & U-233, percent enrichment, amount exempt & amount not exempt
REID, R. W. Operating Reactors Branch 4 79/02/02 2pp

DOCKET 50-98 Univ of Delaware Research Reactor

7903140493 Amend 9 to indemnity agreement E-17 (Acceptance portion unsigned).
SALTZMAN, J. Antitrust & Indemnity Group 79/02/26 1p

7903200327 Forwards order terminating License R-43, safety evaluation, & Amend 9 to indemnity agreement E-17 W/o indemnity agreement
REID, R. W. Operating Reactors Branch 4 79/02/26 2pp

7903200330 Order terminating License R-43 NRC finds facility has been properly decommissioned
GRIMES, B. K. Assistant Director for Engineers & Projects 79/02/26 2pp

7903200334 Safety evaluation supporting order terminating License R-43 Finds AQN-201 reactor has been properly dismantled & disposed of per 10CFR1
* Office of Nuclear Reactor Regulation 79/02/26 1p

DOCKET 50-99 Babcock & Wilcox Test Reactor

7903070033 Implementation of physical security plan will be made a license condition License should reflect total amount of BNM, percent enrichment, amount exempt & not exempt.
REID, R. W. Operating Reactors Branch 4 79/02/02 2pp

7903130412 Responds to 790301 telcon request Forwards 1977 Form 10K, Annual Rept to SEC supporting renewal of License R-47 Form is last one transmitted to SEC re B&W merger into JR McDermott Co
OLSEN, A. F. Babcock & Wilcox Co. 79/03/07 1p

7903130415 Annual Rept Form 10K submitted to SEC detailing financial activities for 1977
* Babcock & Wilcox Co 79/03/07 50pp.

7903130124 "App A to Facility License R-47 Tech Specs for Lynchburg Pool Reactor"
* Babcock & Wilcox Co 78/12/31. 70pp

7903080503 Forwards IE Circular 79-03, "Inadequate Guard Training/Qualification & Falsified Training Records."
O'REILLY, J. P. Region 2, Atlanta, Office of the Director 79/02/23 1p

DOCKET 50-111 North Carolina State Univ Research Reactor

7903200449 Forwards "Environ Radiation Surveillance Rept" for 771001-780331 W/info on results of environ & facility radiation surveys, status of facility & evaluation of performance of security & surveillance measures
BOHANNON, J. R. North Carolina State Univ 79/03/13 3pp.

7903200453 "Environ Radiation Surveillance Rept" for 771001-780331 Environ radioactivity decreased during time period until end of Mar, when fallout from atmospheric detonation in China reached vicinity
BALL, A. C., DEBNAM, J. North Carolina State Univ 79/03/13 34pp

DOCKET 50-112 Univ of Oklahoma Research Reactor

7903200252 Forwards notice of proposed issuance of amend to license re power increase for AQN-211 nuclear reactor
REID, R. W. Operating Reactors Branch 4 79/01/31 2pp

7903200256 Notice of proposed issuance of amend to license.
REID, R. W. Operating Reactors Branch 4 79/01/31 4pp

DOCKET 50-113 Univ of Arizona Research Reactor

7903130335 Forwards IE Insp Rept 50-113/79-01 on 790109-11 & notice of violation
CREWS, J. L. Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/01/25 2pp

7903130340 Notice of violation from insp on 790109-11
* Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/01/24 1p

7903130346 IE Insp Rept 50-113/79-01 on 790109-11 Noncompliance noted failure to have records verifying adequate evaluation performance
JOHNSTON, G. W., JOHNSON, A. D., FAULKENBERRY, R. Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/01/24 5pp

7903120066 Forwards IE Insp Rept 50-113/79-02 on 790205-06 No noncompliance noted
NORDERHAUO, L. R. Region 5, San Francisco, Safeguards Branch 79/02/20 1p

DOCKET 50-116 Iowa State Univ Research Reactor

7903120001 Forwards IE Insp Rept 50-116/78-04 on 781212-13. No noncompliance noted
DAVIS, A. B. Region 3, Chicago, Fuel Facility & Materials Safety Branch. 79/01/18 2pp

7903120025 IE Insp Rept 50-116/78-04 on 781212-13 No noncompliance noted Major areas inspected: radiation protection & waste mgt
DUBRY, N. E., FISHER, W. L. Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/12. 6pp.

7903220443 Forwards IE Insp Rept 50-116/79-01 on 79022-23 Notice of violation withheld (ref 10CFR2 790).
HIND, J. A. Region 3, Chicago, Safeguards Branch 79/03/13. 2pp

7903220447 IE Insp Rept 50-116/79-01 on 790222-23 Noncompliance noted: surveillance Details withheld (ref 10CFR2 790)
CHRISTOFFER, G., HIND, J. A. Region 3, Chicago, Safeguards Branch. 79/03/08 1p

DOCKET 50-123 Univ. of Missouri Research Reactor

7903120098 Forwards IE Insp Rept 50-123/79-01 on 790125 & notice of violation
HIND, J. A. Region 3, Chicago, Safeguards Branch. 79/02/12. 2pp

7903120274 IE Insp Rept 50-123/79-01 on 790125 Noncompliance noted: access controls Details withheld (ref 10CFR2 790).
HIND, J. A., BELANGER, J. L., CHRISTOFFER, G. H. Region 3, Chicago, Safeguards Branch. 79/02/09 1p

DOCKETED SERIES

DOCKET 50-151 Univ of Illinois Research Reactor

7903290114 Discusses 780321 abnormal occurrence Reactor operated for six minutes at 50 kW & over 2-h between 8 & 250 watts, violating Tech Specs Caused by broken connection re control rods Measurements taken of rods
BECK, O P Illinois, Univ of, Urbana-Champaign WEHRING, B W
Affiliation Unknown 79/03/22 2pp

DOCKET 50-155 Big Rock Point Nuclear Plant

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903040373 Forwards requested info re fire protection guidelines on administrative controls, functional responsibilities & QA
HOFFMAN, D P Consumers Power Co 79/03/01 12pp

7903280306 "Safeguards Contingency Plan " Plan withheld (ref 10CFR2 790)
PRICE, R C Consumers Power Co 79/03/01 1p

7903290170 Finds SER of fire protection adequate Offers differing engineering viewpoint that NRC should evaluate unsuppressed lube oil fire valve supervision, smoke removal breathing apparatus Onsite life safety not considered
HALL, R E Brookhaven National Laboratory 79/03/14 3pp

7903200360 Corrects editorial error in 790301 response to item 12, Encl 2 of followup info re fire protection administrative guidelines
HOFFMAN, D P Consumers Power Co 79/03/15 2pp

7903290122 Forwards proposed change to Tech Specs, incorporating administrative changes necessary to implement NRC 781120 fire protections Check for amend fee encl
BIXEL, D A Consumers Power Co 79/03/26 7pp

7903270395 In response to 790120 ltr, forwards info on spent fuel storage at six existing nuclear power plants near Lake Michigan as of 781231
DENTON, H R Office of Nuclear Reactor Regulation 79/03/08 4pp

7903270397 Requests info re spent nuclear fuel storage at six existing nuclear plants near Lake Michigan
SCHAEFER, J Affiliation Unknown 79/01/20 2pp

7903090229 Forwards "1978 Annual Rept "
PERRY, P Consumers Power Co 79/03/05 1p

7903090231 "1978 Annual Rept "
* Consumers Power Co 78/12/31 40pp

7903140372 Forwards Endorsement 78 to NELIA Policy NF-117 Endorsement reflects distribution of liability percentage for calendar year 1979
FOSTER, S C Consumers Power Co 79/03/08 2pp

7903080100 Forwards mads & corrections to NRC guidance, "Review & Acceptance of Spent Fuel Storage & Handling Applications," sent 780414
GRINES, B K Assistant Director for Engineers & Projects
79/01/18 4pp

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRINES, B K Assistant Director for Engineers & Projects
79/01/18 4pp

7903050430 Forwards Amend 22 to License DPR-6
ZIEMANN, D L Operating Reactors Branch 3 79/01/30 4pp

7903050436 Amend 22 to License DPR-6 changing provisions in Section 6 of Tech Specs to reflect revised plant organizational structure which conforms to ANSI NIS 7-1976
ZIEMANN, D L Operating Reactors Branch 3 79/01/30 5pp

7903050437 Notice of issuance of Amend 22 to License DPR-6
ZIEMANN, D L Operating Reactors Branch 3 79/01/30 2pp

7903140164 Requests addl info by 790228 re previous responses to NRC fire protection guidelines on administrative controls, functional responsibilities, & QA Staff positions on specific concerns encl
ZIEMANN, D L Operating Reactors Branch 2 79/02/15 10pp

7903130115 Confirms plans for 790223 meeting in Glen Ellyn, IL to discuss circumstances re settlement of diesel generator bldg & plant area fill
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/20 1p

7903090074 Notification of 790306-07 meeting in Bethesda, MD w/util to discuss systematic evaluation program electrical instrumentation & control sys topics
SILVER, R D, NOWICKI, S J Operating Reactors Branch 2 79/02/21 1p

7903210555 In response to 790219 request, forwards Amend 23 to License DPR-6 & notice of issuance
ZIEMANN, D L Operating Reactors Branch 2 79/02/27 4pp

7903210559 Amend 23 to License DPR-6 changing Tech Specs to correct description of new fuel storage & spent fuel storage
ZIEMANN, D L Operating Reactors Branch 2 79/02/27 4pp

7903210562 Notice of issuance of Amend 23 to DPR-6
ZIEMANN, D L Operating Reactors Branch 2 79/02/27 2pp

7903200044 Status of systematic evaluation program review Geology & Seismology Branch finds no obvious major settlement of structures
CARDONE, A T Geosciences Branch 79/03/06 6pp

7903270014 Forwards, for review, NRC's draft evaluation of systematic evaluation program Topic V-10 A Requests responses, comments or corrections by 790406
ZIEMANN, D L Operating Reactors Branch 2 79/03/06 6pp

7903130360 Reviews background re ECCS analysis Provides break spectrum results w/encl, "Big Rock Point Example LOCA Analysis Using Exxon Nuclear Co Non-Jet Pump, BWR Evaluation Model "
BIXEL, D A Consumers Power Co 79/03/07 1p

7903130362 "Big Rock Point LOCA Analysis Using Exxon Nuclear Co Non-Jet Pump, BWR ECCS Evaluation Model
* Exxon Nuclear Co, Inc (subs of Exxon Corp) XN-NF-78-53
78/12/31 30pp

7903260213 Forwards info re atypical low voltage & medium voltage containment penetration circuit & direct current power penetration circuit Concludes simultaneous occurrence of LOCA & mas fault condition need not be considered
HOFFMAN, D P Consumers Power Co 79/03/19 7pp

7903300398 Requests change to Tech Specs of License DPR-6 adding limit to thermal power for each fuel bundle to ensure that available emergency core cooling is sufficient Forwards "Big Rock Core Spray Sparger & Steam Baffle Design, App V "
BIXEL, D A Consumers Power Co 79/03/28 5pp

7903300403 "Big Rock Point Core Spray Sparger & Steam Baffle Design, App V "
HUMISTON, G F NUS Corp NUS 32348 79/03/28 55pp

7903070114 Forwards IE Insp Repts 50-155/78-12 on 781010-13 & 1211-14 No noncompliance noted
FIDRELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/17 2pp

7903070118 IE Insp Rept 50-155/78-12 on 781010-13 & 1211-14 No noncompliance noted Major areas inspected plant operations, QA program, organization & administration, reviews & audits, reportable occurrences & IE bulletins
RIDGWAY, K R, WARNICK, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/11 9pp

7903080451 Forwards IE Insp Rept 50-155/78-11 on 781130-1201, No noncompliance noted
KEPPLER, J G Region 3, Chicago, Office of the Director 79/01/18 2pp

DOCKETED SERIES

17

DOCKET 50-155 Big Rock Point Nuclear Plant

7903080457 IE Insp Rept 50-155/78-11 on 781130-1201 No noncompliance noted Major areas inspected routine confirmatory measurements insp, including review of results from previous sample comparisons W/tables & criteria list
GREER, R J, ESBIG, T H Region 3, Chicago, Office of the Director 79/01/03 7pp

7903070297 Forwards IE Insp Rept 50-155/78-14 on 781211-14 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/19 2pp

7903070301 IE Insp Rept 50-155/78-14 on 781211-14 No noncompliance noted Major areas inspected radioactive waste sys, including effluent releases, effluent control, instrumentation, & release control procedures
FISHER, W L, SCHUMACHER, M C Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/16 6pp

7903200598 In response to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids," discusses time since receipt & installation & replacement schedule GE 790130 ltr re IE Bulletin 78-14 encl
BIXEL, D A Consumers Power Co 79/02/02 5pp

7903080430 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903080065 Ack receipt of 790206 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-155/78-13
HIND, J A Region 3, Chicago, Safeguards Branch 79/02/20 1p.

7903080069 Responds to NRC 790115 ltr re violations noted in IE Insp Rept 50-133/78-13 Response withheld (ref 10CFR2 790).
HOFFMAN, D P Consumers Power Co 79/02/06 1p

7903130081 Ack receipt of 790207 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-155/78-11
DAVIS, A B Region 3, Chicago, Safeguards Branch 79/02/27 1p

7903150087 Responds to NRC 790118 ltr re violation noted in IE Insp Rept 50-155/78-11 Corrective actions: stack gas & particulate filters replaced after seven days & liquid release of NaI retained
BIXEL, D A Consumers Power Co 79/02/09 2pp

7903080357 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CHL should read 83CML
KEPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903190031 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190552 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME BA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
KEPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903050353 Forwards "Annual Operating Rept 1978."
BIXEL, D A Consumers Power Co 79/02/27 1p

7903050355 "Annual Operating Rept 1978"
* Consumers Power Co 79/02/27 12pp

7903060425 Forwards annual occupational exposure rpt for 1978
BIXEL, D A Consumers Power Co 79/03/01 20pp

7903060443 Forwards "Semiannual Radioactive Effluent & Environ Monitoring Rept" for July-Dec 1978
BIXEL, D A Consumers Power Co 79/03/01 1p.

7903060445 "Semiannual Radioactive Effluent Release & Environ Monitoring Rept," July-Dec 1978
* Consumers Power Co 79/03/01 13pp

7903010259 Forwards LER 79-001/03L-0
BIXEL, D A Consumers Power Co. 79/02/26, 1p

7903010263 LER 79-001/03L on 790201 during testing of two containment ventilation supply isolation valves, noted containment integrity might be jeopardized Caused by maladjustment of valve CV/4097 disc seal
* Consumers Power Co 79/02/26 1p

7903060469 Forwards LERs 79-002/03L-0 & 79-003/03L-0
BIXEL, D A Consumers Power Co 79/03/02 1p

7903060489 LER 79-002/03L-0 on 790203 condenser hotwell fill valve CV/4009 failed to open during normal non-safety usage after plant shutdown Caused by failed diaphragm in valve operator Diaphragm replaced & tested satisfactorily
* Consumers Power Co 79/03/02 1p

7903060494 LER 79-003/03L-0 on 790204 during routine testing of two containment isolation check valves, excessive leakage was noted Caused by minor dirt deposits in check valve seats One valve cleaned & other replaced
* Consumers Power Co 79/03/02 1p

7903090328 Forwards LERs 79-004/01T-0, 79-005/01T-0, 79-006/01T-0 & 79-007/01T-0
BIXEL, D A Consumers Power Co 79/03/05 1p

7903090335 LER 79-004/01T-0 on 790219 insp revealed unacceptable weld in 6 inch inlet line to emergency condenser Caused by external undercut & insufficient weld filler on weld external cap Will repair following refueling outage
* Consumers Power Co 79/03/05, 2pp.

7903090344 LER 79-005/01T-0 on 790219 during testing of control rod drive scram accumulator level switches, seven switches failed to operate Caused by broken or marginal reed switches Switches replaced or repaired.
* Consumers Power Co 79/03/05 2pp

7903090348 LER 79-006/01T-0 on 790221 during weld insps of steel pipe junctions in reactor cleanup sys, crack-like indications found on outside diameter Caused by unknown factors Repairs will be performed
* Consumers Power Co 79/03/05 2pp

7903090354 LER 79-007/01T-0 on 790222 unacceptable weld found in 6" inlet line to emergency condenser Identified as 6-ECB-102-2 Will repair prior to startup
* Consumers Power Co 79/03/05, 2pp

7903120334 Forwards LER 78-044/01X-1
BIXEL, D A Consumers Power Co 79/03/07 1p.

7903120340 LER 78-044/01X-1 on 781019: during startup, minor leak discovered at 3/4 inch vent pipe weld attachment on 3 inch return line from clean-up sys to reactor recirculating loop 2 Caused by crack in stainless steel Cods repairs made.
* Consumers Power Co. 79/03/07 3pp

7903260248 Forwards LER 79-008/03L-0, 79-009/03L-0 & 79-010/03L-0.
HOFFMAN, D P. Consumers Power Co 79/03/21 1p

7903260252 LER 79-008/03L-0 on 790227: starting time of emergency diesel generator test exceeded criteria Caused by use of fuel priming pump possibly introducing air into fuel lines
* Consumers Power Co. 79/03/21 1p.

7903260255 LER 79-009/03L-0 on 790223 feedwater check valve leakage exceeded test criteria. Incident repetitive Caused by scale particles on valve seat preventing tight seal Scale removed & seat polished
* Consumers Power Co. 79/03/21, 1p

7903260259 LER 79-010/03L-0 on 790221 during test of backup supply ho for post-incident heat exchanger, hose would not reach exchanger. Caused by snow obstruction Longer hose will be provided
* Consumers Power Co. 79/03/21, 1p

DOCKET 50-156 Univ. of Wisconsin Research Reactor

7903070133 Requests addl info re SNM requirements, percent enrichment, amounts exempt & nonexempt before request for amend to License R-74 can be completed
REID, R W Operating Reactors Branch 4 79/01/29, 2pp.

DOCKETED SERIES

DOCKET 50-157 Cornell Univ Research Reactor

7903150299 Forwards addl guidance re physical security plan License should reflect total amount of U-235, Pu & U-233, percent enrichment, amount exempt & amount not exempt
 REID, R W Operating Reactors Branch 4 79/02/02 2pp

DOCKET 50-160 Georgia Inst of Tech Research Reactor

7903220219 Responds to 790312 ltr requesting info re reactivity worths for the shim safety in the reactor Describes discrepancies between differential worth curves due to measuring reactor under different circumstances
 DAVIS, M V Georgia Institute of Technology 79/03/14 1p.

7903210033 Forwards IE Insp Rept 50-160/79-01 on 790108 No noncompliance noted
 SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/13 2pp

7903210036 IE Insp Rept 50-160/79-01 on 790108 No noncompliance noted Major areas inspected monthly source calibr for cooling water gamma monitor, daily & weekly surveillance tests, liquid effluent releases & calibr
 ZAVADSKY, R W, QIBSON, A F Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/13 3pp

DOCKET 50-163 General Atomic Company

7903220244 Submits "Security Guard Training & Qualification Plans," & check to cover fee for NRC review Encl withheld (ref 10CFR2 790)
 HOWRY, W R General Atomic Co (subs of Gulf Oil Corp) 79/02/20 3pp

7903220331 Forwards annual rept for reactor Discusses operating experience, changes in facility design, performance characteristics & results of surveillance tests & insps
 HOWRY, W R General Atomic Co (subs of Gulf Oil Corp) 79/02/23 8pp.

DOCKET 50-166 Univ of Maryland Research Reactor

7903130126 Forwards IE Insp Rept 50-166/78-02 on 781211 No noncompliance noted
 MARTIN, H G Region 1, Philadelphia, Safeguards Branch 79/01/10 2pp

7903130135 IE Insp Rept 50-166/78-02 on 781211 No noncompliance noted Major areas inspected nuclear matl control & accounting
 COHEN, I, DELLA RATTIA, A, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/09 7pp.

DOCKET 50-170 National Naval Medical Center

7903190508 Forwards IE Insp Rept 50-170/79-01 on 790110-12 & notice of violation
 SMITH, O H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/06 2pp.

7903190538 Notice of violation from insp on 790110-12
 * Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/05 1p.

7903190551 IE Insp Rept 50-170/79-01 on 790110-12 Noncompliance noted failure to maintain liquid seal in reactor bldg ventilation exhaust stack drain line & failure to maintain minimum face flow velocity in hot lab radiation hoods.
 FLUMLEE, K E, CROCKER, H W Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/05 12pp

DOCKET 50-171 Peach Bottom Atomic Power Station, Unit 1

7903190282 Forwards annual repts for co-owners of facility as evidence of guarantee of payment of deferred premiums W/cash flow statements from each Encl available in Central Files
 BRADLEY, E. J Philadelphia Electric Co 79/03/15 7pp.

DOCKET 50-184 National Bureau of Standards Reactor

7903190290 Forwards IE Insp Rept 50-184/79-01 on 790117-19 No noncompliance noted.
 SMITH, O. H. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/07. 2pp.

7903190296 IE Insp Rept 50-184/79-01 on 790117-19 No noncompliance noted Major areas inspected environ protection & emergency planning programs, liquid effluents, solid waste, environ monitoring, & training
 DONALDSON, D, STOHR, J P Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/06 4pp

DOCKET 50-185 Plum Brook Reactor - Mock-up

7903140187 Forwards IE Insp Rept 50-030/78-01 & 50-185/78-01 on 781213 No noncompliance noted
 DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/29 2pp

7903140195 IE Insp Rept 50-030/78-01 & 50-185/78-01 on 781213 No noncompliance noted Major areas inspected radiological protection including qualification of personnel audits, procedures, exposure control, posting, & labeling
 HUETER, L J Region 3, Chicago, Fuel Facility & Materials Safety Branch RIDEN, M D, FISHER, W L Region 3, Chicago, Office of the Director 79/01/23 4pp

DOCKET 50-186 Univ of Missouri Research Reactor

7903070126 Forwards Amend 11 to License R-103 re revision of physical security plan Plan withheld (ref 10CFR2 790)
 REID, R W Operating Reactors Branch 4 79/01/26 2pp

7903070129 Amend 11 to License R-103 re implementation of physical security plan Plan withheld (ref 10CFR2 790)
 REID, R W Operating Reactors Branch 4 79/01/26 2pp

7903290013 Provides supporting info on License R-103 re site monitoring, annual dose calculation for nearby residents, average annual ground level concentration of Ar-41 & environ sampling data
 MCKIBBEN, J C, BRUGGER, R M Missouri, Univ of 79/03/16 7pp

7903130141 Forwards IE Insp Rept 50-186/78-06 on 781205-06 No noncompliance noted
 DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/15 1pp

7903130149 IE Insp Rept 50-186/78-06 on 781205-06 No noncompliance noted Major areas inspected emergency planning, environ protection program, & collection of samples for future comparative analyses
 GRANT, W B, ESSIOT, T H Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/10 4pp

7903120083 Forwards IE Insp Rept 50-186/79-01 on 790122-24 No noncompliance noted
 HIND, J A Region 3, Chicago, Safeguards Branch 79/02/13 2pp

7903120306 IE Insp Rept 50-186/79-01 on 790122-24 No noncompliance noted Major areas inspected approved security plan & its implementation relative to protection of SNM
 HIND, J A, BELANDER, J L, CHRISTOFFER, G M Region 3, Chicago, Safeguards Branch 79/02/12 1p

7903270134 Forwards IE Insp Repts 50-186/79-02 & 70-270/79-01 on 790221-23 No noncompliance noted
 HIND, J A Region 3, Chicago, Safeguards Branch 79/03/06 2pp

7903270141 IE Insp Repts 50-186/79-02 & 70-270/79-01 on 790221-23 No noncompliance noted Major areas inspected nuclear matl control & accountability requirements of Module B5102 Details withheld (ref 10CFR2 790).
 FINLEY, A O, PATTERSON, J P, HIND, J A Region 3, Chicago, Safeguards Branch 79/03/05 1p

7903010279 Inform of failure of nuclear instrumentation channel & Old DC amplifier module bench tested & found to have bad integrated circuit chip, which was replaced
 MCKIBBEN, J C, ALGER, D. M Missouri, Univ, of 79/02/21 2pp

DOCKET 50-187 Space Radiation Research Reactor

7903070036 Forwards Amend 9 to License R-90 re revision of physical security plan Plan withheld (ref 10CFR2 790)
 REID, R W Operating Reactors Branch 4 79/01/26 2pp

7903070038 Amend 9 to License R-90 re implementation of physical security plan Plan withheld (ref 10CFR2 790).
 REID, R W Operating Reactors Branch 4 79/01/26 2pp

DOCKET 50-192 Univ of Texas Research Reactor

7903060047 Grants 790111 request to withdraw 740114 application for amend to License R-92 Forwards Federal Register notice
REID, R W Operating Reactors Branch 4 79/01/31 2pp

7903060049 Notice of withdrawal of application for amend to License R-92
REID, R W Operating Reactors Branch 4 79/01/31 1p

DOCKET 50-193 Rhode Island Nuclear Center Reactor

7903300219 Forwards IE Insp Rept 50-193/79-01 on 790115-18 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/15 2pp

7903300229 IE Insp Rept 50-193/79-01 on 790115-18 No noncompliance noted Major areas inspected physical security insp including security plan, protection of SNM, security organization, access controls & alarm sys
JONES, E W Region 1, Philadelphia, Office of the Director
DEVLIN, J W Region 1, Philadelphia, Safeguards Branch 79/02/12 1p

DOCKET 50-201 West Valley Reprocessing Plant

7903270018 Forwards "Environ Rept 25, Jul-Dec 1978 "
OLDHAM, W A Nuclear Fuel Services, Inc (subs of Getty Oil Co) 79/02/28 1p

7903270019 "Environ Rept 25, July-Dec 1978 "
WILCOX, D P, SMOLDOWSKI, R T Nuclear Fuel Services, Inc (subs of Getty Oil Co), 79/02/28 25pp

7903290188 Forwards West Valley security personnel training & qualification plan Plan withheld (ref 10CFR2 790)
CLARK, J R Nuclear Fuel Services, Inc (subs of Getty Oil Co) 79/02/21 2pp

7903260194 Ack receipt of 790221 ltr transmitting security training & qualification plan Will assess fee following plan review completion
WEISS, D License Fee Management Branch 79/03/08 1p

7903010472 Ack receipt of 781220 ltr expressing interest in defective BD-2 waste tank pan Forwards trip rept & will make IE insp rept available later Addl documented info re pan is requested
HAUGHNEY, C J Fuel Reprocess & Recycle Branch, 79/02/02 3pp.

7903300576 Ack receipt of 790202 ltr. Informs that trip rept referred to in ltr has not been received
REBNIKOFF, M Sierra Club 79/02/07 1p

7903060630 Rept of 781212-13 trip to investigate Nuclear Fuel Svc rept of defect in BD-2 high level waste pan. Identifies defect but cause unknown W/encl list of participants
HAUGHNEY, C J Fuel Reprocess, & Recycle Branch 79/01/23 7pp.

7903060633 In response to NRC 780602 ltr, requests review & evaluation of time required for waste transfer if leak develops in BD-2 waste tank, capability of special transfer pump & motor, & adequacy of radiological controls.
STAROSTECKI, R W Fuel Reprocess & Recycle Branch 78/06/27 2pp

7903230305 Forwards general & specific comments re review of Western NY Nuclear Svc Center study by DOE Includes comments on West Valley tank decontamination & decommissioning task group study Summarizes conclusions
CUNNINGHAM, R E Division of Fuel Cycle & Material Safety 79/02/16, 23pp.

7903280250 Ack receipt of 790117 ltr Forwards listed documents which rept on studies of environ impacts of Nuclear Fuel Svc plant
ROUBE, L C. Fuel Reprocess & Recycle Branch, 79/03/01 2pp

7903210391 Application for amend to Provisional License CSF-1 to modify facility & authorize operation for 40 years
DEUSTER, R W Nuclear Fuel Services, Inc (subs. of Getty Oil Co.), 78/10/03, 12pp

7903120043 Forwards IE Insp Rept 50-201/78-12 on 781212-13 No noncompliance
SMITH, O H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/19, 2pp.

7903120048 IE Insp Rept 50-201/78-12 on 781212-13 No noncompliance noted Major areas inspected circumstances & actions re discovery of defective BD-2 waste storage tank
KINNEY, W W, CROCKER, H W Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/17 4pp

7903130506 Ack receipt of 790129 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-201/78-11
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/14 1p

7903130509 Responds to 790104 ltr re IE Insp Rept 50-201/78-11 on 781204-06 Encl info considered proprietary
OLDHAM, W A Nuclear Fuel Services, Inc (subs of Getty Oil Co) 79/01/29 1p

7903130519 Forwards IE Insp Rept 50-201/78-11 on 781204-06 Notice of violation withheld (ref 10CFR2 790)
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/04 2pp

7903130520 IE Insp Rept 50-201/78-11 on 781204-06 Noncompliance noted failure to maintain proper key & lock control & failure to establish written security procedures
LADUN, R H, MCKEDOWN, L M, DEVLIN, J W Region 1, Philadelphia, Safeguards Branch 79/01/04 1p

DOCKET 50-206 San Onofre Nuclear Station, Unit 1

7903230035 Forwards Federal Register notice amending 10CFR73 55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation, 79/02/23 1p

7903070211 Requests extension to 790330 in which to submit evaluation, originally due 790215, re effects of fire in H-seal unit on structured steel of turbine bldg
HAYNES, J Q Southern California Edison Co 79/03/01 1p

7903270331 Submits revised pages to physical security plan Encl withheld (ref 10CFR2 790)
HEAD, J T. Southern California Edison Co 79/03/23 1p

7903220222 Urges that Diablo Canyon not be opened & that const be stopped at San Onofre.
BYERS, A Affiliation Unknown 79/02/22 1p

7903220259 Requests NRC stop opening of Diablo Canyon & stop constr at San Onofre on basis of unresolved safety questions
OLBEN, P. Affiliation Unknown 79/02/23 1p.

7903140231 Forwards opinion re plant licensing Alleges NUREG-0490 does not justify operation of facility. Blames failure to rely on seismology & unreliability of WASH-1400
LEWIS, M I. Affiliation Unknown 79/03/06, 1p.

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency. Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR Appropriate utils have been notified
ANDERSON, T. M Westinghouse Electric Corp 78/10/27 3pp

7903080100 Forwards mods & corrections to NRC guidance, "Review & Acceptance of Spent Fuel Storage & Handling Applications," sent 780414.
GRIMES, B. K. Assistant Director for Engineers & Projects, 79/01/18 4pp.

7903120335 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs.
GRIMES, B. K. Assistant Director for Engineers & Projects, 79/01/18, 4pp.

7903060628 Forwards draft evaluation of systematic evaluation program Topic II-2 D "Availability of Meteorological Data in the Control Room " Requests response within 20 days
ZIEMANN, D L Operating Reactors Branch 2, 79/02/08 4pp.

7903210566 Based on util 781120 response re review of potential boron dilution incidents & determination that FSAR analysis represents most limiting case, no further action is needed.
ZIEMANN, D L. Operating Reactors Branch 2, 79/02/21, 2pp.

7903090272 Responds to NRC 781221 ltr requesting verification of the correctness of data in encl NRC table evaluating isolation of low pressure systems from reactor coolant sys Addl info added where needed.
BASKIN, K. P. Southern California Edison Co, 79/03/02, 4pp.

DOCKETED SERIES

DOCKET 50-206 San Onofre Nuclear Station, Unit 1

7903140259 Act receipt of NRC 790105 ltr re systematic evaluation program topic assessment Forwards comments on factual bases for NRC evaluations
HAYNES, J O Southern California Edison Co 79/03/05 2pp

7903260077 Confirms 790301 telcon re interpretation of Tech Specs Section 4.5.3.3 shall not impose requirements for reporting violations of Tech Specs beyond Section 4.9 reporting requirements
ZIEHMANN, D L Operating Reactors Branch 2 79/03/05 2pp

7903140373 Notification that systematic evaluation program review of safe shutdown sys will be forwarded by 790415, after 30-day deadline set by NRC
HAYNES, J O Southern California Edison Co 79/03/08 1p

7903130338 Forwards "Progress Rept re NRC Concerns w/Earthquake Ground Motion Simulations for San Onofre Unit 1" Util & consultant can meet w/NRC during week of 790409-13, after which results of addl studies will be submitted formally
HAYNES, J O Southern California Edison Co 79/03/09 2pp

7903130342 "Progress Rept re NRC Concerns w/Earthquake Ground Motion Simulations for San Onofre Unit 1"
* Southern California Edison Co DELTA-PR-79-025 79/02/28 33pp

7903270458 Responds to NRC 781026 request for addl info re systematic evaluation program Topics VI-7 B, VII-1.A & VII-2 Forwards 93 oversize schematics info on topics will follow
HAYNES, J O Southern California Edison Co 79/03/14 5pp

7903020262 Forwards IE Insp Rept 50-206/78-15 on 781226-29 No noncompliance noted
CRENS, J L Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/01/18 2pp

7903020265 IE Insp Rept 50-206/78-15 on 781226-29 No noncompliance noted. Major areas inspected GA surveillance review of plant operations, startup testing following outage, welding, LER followup & noncompliance followup
CANTER, H L, MILLER, L F, FAULKENBERRY, B Region 5, San Francisco, Reactor Operations Nuclear Support Branch. 79/01/18 11pp

7903190517 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/16 1p.

7903260101 Forwards IE Insp Rept 50-206/79-03 on 790122-27 No noncompliance noted
BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/21 2pp

7903260106 IE Insp Rept 50-206/79-03 on 790122-27 No noncompliance noted. Major areas inspected emergency response equipment & procedures, coordination w/offsite support, emergency plan changes & environ monitoring LERs
CURTIS, J R., BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/21 4pp

7903140377 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
ENGELKEN, R H Region 5, San Francisco, Office of the Director. 79/02/27 1p

7903140583 States that IE Bulletin 79-01, "Environ Qualification of Class IE Equipment (correction)" was issued to listed licensees in Region 5
* Region 5, San Francisco, Office of the Director 79/02/27 1p.

7903150066 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/08 1p

7903190494 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME BA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/12 1p

7903210412 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/16 1p

7903260320 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/20 1p

7903060448 Forwards "Semiannual Operating Rept 23," July-Dec 1978
OTTOSON, H L Southern California Edison Co 79/02/28 1p

7903060450 "Semiannual Operating Rept 23" July-Dec 1978
* Southern California Edison Co 79/02/28 6pp

7903140310 Forwards monthly operating rept for Feb 1979 & corrected Page 1 for Jan 1979 rept
CURRAN, J H Southern California Edison Co 79/03/05 1p

7903140311 Monthly operating rept for Feb 1979, w/corrected Page 1 for Jan 1979 rept
RODRIGUEZ, J P Southern California Edison Co 79/03/05 6pp

DOCKET 50-213 Haddam Neck Plant

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
BENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903260189 Informs of changing preferred date from Apr 1 to Jul 1 of each year for transmittals re annual certified financial statements & cash flow projections
O'CONNOR, L A Connecticut Yankee Atomic Power Co 79/03/20 1p

7903130274 Forwards Endorsement 54 to MAELU Policy MF-39, amending liability to \$36 million
SEGER, R M Connecticut Yankee Atomic Power Co 79/03/06 2pp

7903160096 Forwards Endorsement 59 to ANI Policy NF-151
SEGER, R M Connecticut Yankee Atomic Power Co 79/03/09 2pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR. Appropriate utils have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903080100 Forwards mods & corrections to NRC guidance, "Review & Acceptance of Spent Fuel Storage & Handling Applications," sent 780414
ORINES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
ORINES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903200313 Informs that application to withhold CBD-N-78-299, "Carborundum Co Test Program for Boron Carbide Matl" has been granted (ref 10CFR2 790)
ZIEHMANN, D L Operating Reactors Branch 2 79/02/23 3pp

7903060423 Requests amend to License DPR-61 to incorporate attached proposed Tech Spec changes revising limiting conditions for operation & surveillance requirements pertaining to hydraulic snubbers W/encl \$4,000 Class III amend fee
COUNCIL, W G Connecticut Yankee Atomic Power Co 79/02/27 12pp

7903090276 Forwards amend to License DPR-61 Tech Specs re radiological effluents
COUNCIL, W G Connecticut Yankee Atomic Power Co. 79/02/28 2pp

7903090278 Amend to License DPR-61 Tech Specs re radiological effluents. Discusses revision to Offsite Dose Calculation Manual
* Connecticut Yankee Atomic Power Co 79/02/28 10pp

7903200104 Forwards, for review, draft evaluation of systematic evaluation program Topic V-10A, "RHR Sys Heat Exchanger Tube Failures"
ZIEHMANN, D L Operating Reactors Branch 2 79/02/28 8pp

7903220123 Forwards Amend 30 to License DPR-61 & notice of issuance Security plan evaluation rept withheld (ref 10CFR2 790)
ZIEHMANN, D L Operating Reactors Branch 2 79/02/28 2pp

DOCKET 50-213 Haddam Neck Plant

7903220125 Amend 30 to License DPR-61 incorporating "Haddam Neck Physical Security Plan"
ZIEMANN, D L Operating Reactors Branch 2 79/02/28 2pp

7903220127 Notice of issuance of Amend 30 to License DPR-61
ZIEMANN, D L Operating Reactors Branch 2 79/02/28 2pp

7903120307 Forwards addl info comparing two types of feedwater line snubbers Stress analysis of four feedwater lines inside containment indicates that allowable limits are not exceeded w/o presence of snubbers
COUNSIL, W Q Connecticut Yankee Atomic Power Co 79/03/02 3pp

7903190139 Responds to 790123 ltr requesting info on environ forecasting & monitoring Environ impacts were accurately predicted in all cases & monitoring continuous
MOORE, V A Assistant Director for Environmental Projects 79/03/02 3pp

7903260033 Forwards Amend 31 to License DPR-61 & notice of issuance & availability
ZIEMANN, D L Operating Reactors Branch 2 79/03/02 3pp

7903260036 Amend to License DPR-61 revises Tech Specs to delete limiting conditions for operation & surveillance requirements for eight hydraulic snubbers on feedwater sys
* Operating Reactors Branch 2 79/03/02 10pp

7903260042 Notice of issuance & availability of Amend 31 to License DPR-61
ZIEMANN, D L Operating Reactors Branch 2 79/03/02 2pp

7903190317 Responds to NRC 790103 requests for addl info re fuel handling accident inside containment Assumption that fuel will not be moved within 72-h of shutdown is conservative
COUNSIL, W Q Connecticut Yankee Atomic Power Co 79/03/05 8pp

7903130382 Forwards "Annual Occupational Exposure Rept 1978"
GRAVES, R H Connecticut Yankee Atomic Power Co 79/03/06 3pp

7903190298 Forwards "Rept on Pressure Testing of Reactor Containment" in response to request for addl info re seismic design
COUNSIL, W Q Connecticut Yankee Atomic Power Co 79/03/09 1p

7903190265 "Rept on Pressure Testing of Reactor Containment"
* Connecticut Yankee Atomic Power Co 79/02/22 43pp

7903300599 Summary of 790221 site visit of staff & senior seismic review team Attendance list encl
WAMBACH, T V Operating Reactors Branch 2 79/03/09 13pp

7903230307 Forwards Amend 32 to License DPR-61, safety evaluation & notice of issuance & availability
ZIEMANN, D L Operating Reactors Branch 2 79/03/15 4pp

7903230313 Amend 32 to License DPR-61 modifying allowable rate of change of discharge temp, changing pH limit to allow for fluctuations & changing dissolved oxygen limit
* Operating Reactors Branch 2 79/03/15 60pp

7903230314 Safety evaluation supporting Amend 32 to License DPR-61
* Office of Nuclear Reactor Regulation 79/03/15 8pp

7903230318 Notice of issuance & availability of Amend 32 to License DPR-61 & negative declaration
ZIEMANN, D L Operating Reactors Branch 2 79/03/15 3pp

7903120587 Forwards IE Insp Rept 50-213/78-29 on 781211-15 & notice of violation
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/17 2pp

7903120589 Notice of violation from insp on 781211-15
* Region 1, Philadelphia, Office of the Director. 79/01/15 2pp

7903120594 IE Insp Rept 50-213/78-29, on 781211-15 Noncompliance noted warehouse storage conditions did not comply w/ANSI N45 2.2 requirements
NAPUDA, G, KEOHE, D, KISTER, H Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/15 16pp

7903150138 Forwards IE Insp Rept 50-213/79-01 on 790109-11 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/29 2pp

7903150141 IE Insp Rept 50-213/79-01 on 790109-11 No noncompliance noted Major areas inspected plant operations, followup on previous insp findings, review of monthly operating repts & LER received in district office
LAZARUS, W J, MCNATT, T G, KEIMIG, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/26 9pp

7903150133 Forwards IE Insp Rept 50-213/78-30 on 781211-14 No noncompliance noted
MARTIN, W O. Region 1, Philadelphia, Safeguards Branch 79/01/30. 2pp

7903150136 IE Insp Rept 50-213/78-30 on 781211-14 No noncompliance noted Major areas inspected implementation of accepted security plan & applicable sections of 10CFR73.55 relative to security organization
MADDEN, W, DEVLIN, J W Region 1, Philadelphia, Safeguards Branch 79/01/30 1p

7903090082 Ack receipt of 790122 ltrs re personnel exposure described in Insp Rept 50-213/77-23. Ltrs will be furnished to IE Director per 10CFR20.405 & 10CFR20.408
ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/06 1p

7903090085 Responds to NRC 781226 ltr re violation noted in Insp Rept 50-213/77-23 Corrective actions extensive QA audit was performed & recommendations for corrective action were made to vendor New vendor was contracted & sys audited
COUNSIL, W Q Connecticut Yankee Atomic Power Co 79/01/22 2pp

7903050504 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing Limit Switch Lubricant"
ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080403 Forwards IC Info Notice 79-04, "Degradation of Engineered Safety Features"
ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903300803 Forwards IE Insp Rept 50-213/79-02 on 790130-0201 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/22 2pp

7903300807 IE Insp Rept 50-213/79-02 on 790130-0201 No noncompliance noted Major areas inspected, preparation for refueling, surveillance testing, maint activities, & followup on previous insp findings.
HIGGINS, J C, KALMAN, G, CAPHTON, D L Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/21 10pp.

7903080472 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read SL3CML
ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903090152 "Semiannual Radioactive Effluent & Waste Disposal Rept" for July-Dec 1978
* Connecticut Yankee Atomic Power Co 78/12/31 56pp.

7903200387 Forwards monthly operating rept for Feb 1979
GRAVES, R H Connecticut Yankee Atomic Power Co 79/03/13 1p.

7903200390 Monthly operating rept for Feb 1979
EPPINGER, R L. Connecticut Yankee Atomic Power Co 79/03/13. 10pp

7903020329 Forwards LER 79-002/03L-0
GRAVES, R H Connecticut Yankee Atomic Power Co. 79/02/26 1p

7903020330 LER 79-002/03L on 790128 alarm unit failed to indicate that trip light on reactor coolant loss-of-flow trip was not lit. Caused by broken lead from setpoint potentiometer Soldered joint repaired & unit calibrated
LEVINE, J M Connecticut Yankee Atomic Power Co. 79/02/26. 2pp

7903050396 Forwards LER 79-001/01T-0.
GRAVES, R H Connecticut Yankee Atomic Power Co 79/02/28 1p

DOCKET 50-213 Haddam Neck Plant

7903050401 LER 79-001/01T-0 on 790214 examinations of nine Batch B Fuel assemblies indicated four assemblies w/cracks in cladding of peripheral rods Caused by probable brittle fracture of cladding
DEROY, J P , EPPINGER, R L Connecticut Yankee Atomic Power Co
79/02/28 12pp

7903200417 Forwards LER 79-003/03L-0
GRAVES, R H Connecticut Yankee Atomic Power Co 79/03/13 1p

7903200423 LER 79-003/03L-0 on 790215, diesel fire pump failed to start
Caused by overload of starter motor coil, which burned open.
Pump reassembled & starter motor rewound
LEVINE, J H Connecticut Yankee Atomic Power Co 79/03/14 2pp

7903290166 Reports occurrence on 790219 radiochemical analysis of refueling water storage tank showed excessive radioactivity
Caused by activity in colloidal form Vendor purified tank on 790301.
GRAVES, R H Connecticut Yankee Atomic Power Co 79/03/19 2pp

DOCKET 50-219 Dyster Creek Nuclear Power Plant

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790301
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903200352 Forwards change to fire protection plan re commitment to install thermally actuated, self-closing valves in fuel oil lines to emergency diesel generators Schedule changed for completion of sprinkler & hose station sys installation
BARTHOFF, S Jersey Central Power & Light Co 79/03/14 2pp.

7903280358 Forwards safeguards contingency plan & check for \$4,000 Class III amend Fee Encl withheld (ref 10CFR2 790)
FINFROCK, I R Jersey Central Power & Light Co. 79/03/23 1p.

7901220281 Forwards BAND77-1927, "Transport of Radionuclides in Urban Environments Working Draft Assessment " Discusses sabotage of spent fuel casks & consequences of severe accidents Also forwards SECY-78-311 & SECY-78-311A, w/o encl
WOODHEAD, C P Office of the Executive Legal Director. 79/01/15 2pp

7903210249 Notes that BAND77-1927 contains potentially relevant info re issue of spent nuclear fuel sabotage Forwards copy of 790122 unclassified transmittal memo Will forward staff assessment of info when available
WOODHEAD, C P Branch 3 79/02/06 2pp

7903080113 Forwards NRC policy statement re reactor safety study, review by the Lewis Committee (NUREG/CR-0400) & survey of NRC uses of WASH-1400 All documents have been furnished to ASLB & ASLAB panel members w/o encl
WOODHEAD, C P Branch 3 79/02/16 1p.

7903140362 Forwards Endorsement 49 to MAELU Policy MF-44
MOREAU, W N GPU Service Corp 79/03/08 2pp.

7903080100 Forwards mods & corrections to NRC guidance, "Review & Acceptance of Spent Fuel Storage & Handling Applications," sent 780414.
GRIMES, B K Assistant Director for Engineers & Projects. 79/01/18 4pp

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, B Assistant Director for Engineers & Projects 79/02/06 1p

7903040477 Forwards revised draft of systematic evaluation program Topic IV-1 A "Operation W/Less Than All Loops in Bvc "
Requests response within 30 days
ZIEHANN, D L Operating Reactors Branch 2 79/02/08 4pp

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EIBENHUT, D O Assistant Director for Systems & Projects 79/02/15 2pp

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EIBENHUT, D O Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants " All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp

7903160213 Forwards proprietary rept NEDC-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity " w/Affidavit for proprietary status
Rept withheld (ref 10CFR2 790)
BODDIN, L J General Electric Co, Nuclear Energy Products Div 79/02/26 5pp

7903210154 Summary of 790123-26 meeting re results of environ studies by state & federal agencies w/encl meeting agenda & list of attendees
MAGNIN, M Environmental Specialists Branch 79/02/26 5pp

7903230001 Forwards "BER of Interim Assessments of MSIV Actuations in Mark I Containment Plants," Approves continued operation of facilities, subj to corrective actions noted in BER, pending final resolution.
GRIMES, B K Assistant Director for Engineers & Projects.
VOLLMER, R H Assistant Director for Systems & Projects 79/02/27 1p

7903230011 "BER of Interim Assessments of MSIV Actuations in Mark I Containment Plants "
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary
BODDIN, L J General Electric Co, Nuclear Energy Products Div 79/02/28 11pp.

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules.
EIBENHUT, D O Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects
VOLLMER, R Assistant Director for Systems & Projects 79/03/01 8pp

7903200012 Ack receipt of payment of notice of proposed imposition of civil penalties dtd 790112. Understands review of radiation monitoring instrument maintenance & calibr program will be completed by 790405
DAVIS, J O Office of Inspection & Enforcement 79/03/02 1p.

7903120317 Forwards Nov 1978 technical summary rept "Reactor Containment Bldg Integrated Leak Rate Test "
ROBB, D A Jersey Central Power & Light Co. 79/03/05 1p

7903120323 "Reactor Containment Bldg Integrated Leak Rate Test "
ROBB, D A, BUDJAC, M F, ATKINS, M J Jersey Central Power & Light Co 78/11/30 50pp

7903200433 Informs of delay in submitting addl info re electrical penetrations of reactor containment as requested in NRC 781208 ltr Info will be provided by 790423
FINFROCK, I R Jersey Central Power & Light Co 79/03/14 1p.

DOCKETED SERIES

23

DOCKET 50-219 Oyster Creek Nuclear Power Plant

7903200403 Responds to NRC 790208 request for review of revised draft evaluation of systematic evaluation program Topic 4-1 A No comments
FINFROCK, I R Jersey Central Power & Light Co 79/03/15 1p

7903070105 Forwards IE Insp Rept 50-219/78-34 on 781120-22 & 28-29 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/15 2pp

7903070110 IE Insp Rept 50-219/78-34 on 781120-22 & 28-29 No noncompliance noted Major areas inspected containment integrated leak rate test
STREETER, J F, REYES, L A Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 78/12/15 6pp

7903130002 Forwards IE Insp Rept 50-219/78-36 on 781219-22 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/18 2pp

7903130011 IE Insp Rept 50-219/78-36 on 781219-22 No noncompliance noted Major areas inspected organization & administration, LER & IE circular followup
BRIGGS, L E, MCCABE, E C Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/17 6pp

7903160135 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids." Schedule being developed to inspect & replace Buna-N matl in valves during next three years
ROSS, D A Jersey Central Power & Light Co 79/02/02 2pp

7903200451 Forwards IE Insp Rept 50-219/79-01 on 790109-11 No noncompliance noted
MARTIN, W O Region 1, Philadelphia, Safeguards Branch 79/02/06 2pp

7903200456 IE Insp Rept 50-219/79-01 on 790109-11 No noncompliance noted Major areas inspected nuclear matl control & accounting, action on previous findings, organization, inventory & records
HOLODY, D J, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/02/03 11pp

7903050533 Forwards IE Info Notice 79-03, "Limiting Valve Gased Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903290279 Forwards IE Insp Rept 50-219/79-03 on 790123-26 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/12 2pp

7903290289 IE Insp Rept 50-219/79-03 on 790123-26 No noncompliance noted Major areas inspected followup on previous insp findings, organization & administration, review of plant operations, IE bulletin followup & review of repts
BRIGGS, L E Region 1, Philadelphia, Office of the Director
MCCABE, E C Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/09 5pp

7903120485 Ack receipt of 790130 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-219/78-30
MARTIN, W O Region 1, Philadelphia, Safeguards Branch 79/02/14 2pp

7903120529 Forwards IE Insp Rept 50-219/78-30 on 781106-09 Notice of violation withheld from public disclosure
GRIER, B H Region 1, Philadelphia, Office of the Director 79/01/09 2pp

7903120533 IE Insp Rept 50-219/78-30 on 781106-09 Noncompliance noted licensee watchman failed to pass required physical examination, failure to control access to vital area or to lock two exterior bldg doors
SHEPARD, R E, MCKEOWN, L M, DEVLIN, J W Region 1, Philadelphia, Safeguards Branch 79/01/03 2pp

7903300322 Forwards IE Insp Rept 50-219/79-02 on 790130-0201 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Safeguards Branch 79/02/15 2pp

7903300327 IE Insp Rept 50-219/79-02 on 790130-0201 No noncompliance noted Major areas inspected employee training, unlicensed personnel training, operator requalification training & licensee action on previous insp findings
BECKMAN, D A Region 1, Philadelphia, Safeguards Branch
JETTENHOUSEN, L Region 1, Philadelphia, Office of the Director
KEIMIG, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/14 9pp

7903080397 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080464 Informs recipients of IE Bulletin 79-01, "Environmental Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903060356 "Analysis of Boring and Fouling Organisms in Vicinity of Oyster Creek Nuclear Generating Station," seventh quarterly rept Mar-May 1978
HQAQLAND, K E, CROCKET, L, ROCHESTER, M Lehigh Univ. AT(49-24)-0347 NUREG/CR-0380 79/01/31 32pp Available at NTIS

7903070337 Forwards occupational exposure data for personnel working at facility in 1978
ROSS, D A Jersey Central Power & Light Co 79/03/01 4pp

7903070377 Forwards annual rept of mods completed at facility in 1978
ROSS, D A Jersey Central Power & Light Co 79/03/01 9pp

7903090246 Forwards "Effluent Release Rept 78-02," Jul-Dec 1978
ROSS, D A Jersey Central Power & Light Co 79/03/01 1p

7903090249 "Effluent Release Rept 78-02," Jul-Dec 1978
* Jersey Central Power & Light Co 79/03/01 36pp

7903210079 Forwards monthly operating rept for Feb 1979
ROSS, D A Jersey Central Power & Light Co 79/03/15 1p

7903210102 Monthly operating rept for Feb 1979
MCCLAIN, C M Jersey Central Power & Light Co 79/03/12 8pp

7903260216 Forwards monthly operating rept for Feb 1979
ROSS, D A Jersey Central Power & Light Co 79/03/15 1p

7903070327 Forwards LER 79-002/03L-0
ROSS, D A Jersey Central Power & Light Co 79/02/27 1p

7903070333 LER 79-002/03L-0 on 790206 while performing isolation condenser automatic actuation test & calibr, RE-15B trip point was less conservative than Tech Spec std Caused by RE-15B switch not set at 1068 psig valve RE-15B reset
* Jersey Central Power & Light Co 79/02/27 3pp

DOCKET 50-220 Nine Mile Point Nuclear Station, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181.
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903160190 Discusses NRC understanding of corrective action to be taken by util re undetected entry of NRC inspector into protected area at plant. Requests 790220 meeting to discuss actions & circumstances
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/15 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903300262 Forwards modified physical security plan Plan withheld (ref 10CFR2 790)
RHODE, O K Niagara Mohawk Power Corp 79/03/27 1p

DOCKETED SERIES

DOCKET 50-220 Nine Mile Point Nuclear Station, Unit 1

- 7903060672 Responds to 790122 ltr to Chairman Hendrie re Niagara Mohawk Power Corp application to construct & operate low level waste reduction sys Have not reached decision whether hearing is warranted
ENGLISH, T F Deputy Executive Legal Director 79/02/05 1p
- 7903060676 Asks that radwaste incinerator project be halted due to lack of testing w/radioactive matl
HERMANS, R Affiliation Unknown 79/01/22 1p
- 7903050090 Responds to 790115 telegram Forwards Niagara Mohawk 781213 request to install low level radioactive waste incinerator Will notify if ASLB is convened W/encl 790115 telegram
STELLO, V Division of Operating Reactors 79/02/14 13pp
- 7903050260 Forwards Endorsement 63 to NELIA Policy NF-161 for calendar year 1979
RUSHMORE, J W Niagara Mohawk Power Corp 79/02/26 2pp
- 7903210190 Forwards certified copy of Endorsement 53 to MAELU Policy MF-46, which amends Condition 4 of policy to \$36,000,000
RUSHMORE, J W Niagara Mohawk Power Corp 79/03/15 2pp
- 7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp
- 7903200340 Requests all past & present info relative to radwaste reduction sys Request covers all internal NRC documents
DISE, D P Niagara Mohawk Power Corp 79/01/19 1p
- 7903200343 In response to 790119 ltr requesting documents re radwaste reduction sys, forwards documents specified Complete collection of documents is being placed in LPDR Parts of four documents being withheld (ref 10CFR2 9)
FELTON, J W Division of Rules and Records 79/03/02 8pp
- 7903200464 Expresses concern that radwaste vol reduction sys will be approved w/o adequate environ safeguards
GLARDINO, P A Environmental Protection Agency 78/10/24 2pp
- 7903200469 Requests receipt of future memos re Newport News topical rept
COLLINS, J T Effluent Treatment Systems Branch 78/11/24 1p
- 7903200473 Util has not notified NRC re proposed plans to install incinerator Util should be notified of appropriate regulations (10CFR20 & 10CFR50 59) & should submit detailed rept describing mod
COLLINS, J T Effluent Treatment Systems Branch 78/06/21 1p
- 7903200476 Comments re Newport News Industrial Corp topical rept will be submitted by 780331
COLLINS, J T Effluent Treatment Systems Branch 78/02/01 1p
- 7903200480 Forwards draft ltr to be sent to util re latter's proposed operation of incinerator Incinerator operation requires license or amend to existing license
KNIGHTON, Q W Environmental Evaluation Branch 78/07/06 2pp
- 7903200486 Requests info re proposed installation of radwaste incinerator Also requests permission to file limited appearance statement
LEWIS, M I Affiliation Unknown 79/01/15 1p
- 7903200489 In response to 781005 ltr to HR Denton, expresses concern w/util's request for NRC approval of proposed radwaste reduction sys installation
BORDENICK, B M Branch 4 78/10/26 1p
- 7903200490 Summary of discussion w/A Dravo of Energy & Environ Subcommittee re status of util proposal & radwaste incinerator process
POLK, P J Operating Reactors Branch 3 78/11/16 1p
- 7903200494 State is informing util that latter will be required to obtain 6NYCRR Part 212 permit for radwaste incinerator project, 6NYCRR Part 212 refers to process source air pollution discharger permit
GINSOLD, N M New York, State of 79/01/25 2pp
- 7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
WONG, K W General Electric Co, Nuclear Energy Products Div
YAO, H S General Electric Co NEDO-21885 78/06/30 45pp
- 7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p
- 7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EISENHUT, D G Assistant Director for Systems & Projects 79/02/15 2pp
- 7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants " All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp
- 7903060182 Forwards ltr from NY State Division of Criminal Justice Svcs responding to request for access to criminal history files for purpose of screening util employees Encl withheld (ref 10CFR2 790)
BARTLETT, J Niagara Mohawk Power Corp 79/02/16 1p
- 7903080426 Confirms mgt meeting at Region 1 in King of Prussia, PA on 790220 to discuss cause, results, & corrective actions re undetected entry into restricted area by NRC inspector on 790206
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/16 1p
- 7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity " W/affidavit for proprietary status Rept withheld (ref 10CFR2 790)
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/26 5pp
- 7903230001 Forwards "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants " Approves continued operation of facilities, suby to corrective actions noted in SER, pending final resolution
GRIMES, B K Assistant Director for Engineers & Projects
VOLLMER, R H Assistant Director for Systems & Projects 79/02/27 1p
- 7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants "
* Assistant Director for Engineers & Projects 79/02/27 12pp
- 7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations Concludes that continued operation of Mark I BWR facilities is acceptable suby to corrective actions
GRIMES, B K Division of Operating Reactors
VOLLMER, R H Assistant Director for Systems & Projects 79/02/27 1p
- 7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/28 11pp
- 7903120459 Summary of 790213 meeting in Bethesda, MD w/representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
BUT, T M Containment Systems Branch 79/03/01 14pp
- 7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D G Assistant Director for Systems & Projects 79/03/01 4pp
- 7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects
VOLLMER, R Assistant Director for Systems & Projects 79/03/01 8pp
- 7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
GRIMES, B, VOLLMER, R Division of Operating Reactors 79/03/01 22pp

DOCKETED SERIES

25

DOCKET 50-220 Nine Mile Point Nuclear Station, Unit 1

7903200462 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 30, while long-term program is conducted Forwards sample ltr to be sent to Mark I licensees setting forth requirements for schedules
GRIMES, B Division of Operating Reactors 79/03/01 22pp

7903050359 Forwards application to amend license, w/suppl info
THOMAS, E B LeBoeuf, Lamb, Leiby & MacRae 79/03/02 2pp

7903050361 Application to amend operating license Suppl info supporting application encl
SCHNEIDER, R R Niagara Mohawk Power Corp 79/02/28 57pp

7903060288 Forwards responses to questions in NRC 790130 ltr re radwaste solidification & handling sys Includes spill prevention control & countermeasure plan & NY application for unit const permit, indirect source
RHODE, G K Niagara Mohawk Power Corp 79/03/02 79pp

7903070124 In response to 790109 ltr, forwards copies of any & all inquiries re RWR-1 radwaste volume reduction sys, as well as NRC responses List of previous requests encl
FELTON, J M Division of Rules and Records 79/03/02 8pp

7903120359 Describes planned mods to torus which are designed to mitigate loads defined by Mark I containment program
DISE, D P Niagara Mohawk Power Corp 79/03/02 12pp

7903220430 Forwards Amend 27 to License DPR-63, safety evaluation & notice of issuance
IPPOLITO, T A Operating Reactors Branch 3 79/03/02 2pp

7903220435 Amend 27 to License DPR-63, incorporating revision to Tech Specs to allow spiral unloading & reloading of core which reduces number of control blade guides
* Operating Reactors Branch 3 79/03/02 8pp

7903220440 Safety evaluation supporting Amend 27 to License DPR-63
* Office of Nuclear Reactor Regulation 79/03/02 4pp

7903220444 Notice of issuance of Amend 27 to License DPR-63
IPPOLITO, T A Operating Reactors Branch 3 79/03/02 2pp

7903070378 Forwards responses to NRC 790116 ltr requesting addl info re radwaste reduction sys (RWR-1)
FARGON, R S LeBoeuf, Lamb, Leiby & MacRae 79/03/06 14pp

7903140210 Forwards environ qualification criteria for electrical penetration connector test Description & results provided by util in 780614 ltr
DISE, D P Niagara Mohawk Power Corp 79/03/07 4pp

7903300289 Forwards Amend 28 to License DPR-63 & notice of issuance & availability Security plan evaluation rept withheld (ref 10CFR2 790)
IPPOLITO, T A Operating Reactors Branch 3 79/03/16 3pp

7903300292 Amend 28 to License DPR-63 incorporating physical security plan as part of license
IPPOLITO, T A Operating Reactors Branch 3 79/03/16 2pp

7903300294 Notice of issuance & availability of Amend 28 to License DPR-63
IPPOLITO, T A Operating Reactors Branch 3 79/03/16 2pp

7903270494 Revises const schedule for new radwaste bldg due to unexpected delays in finalizing design Const presently scheduled to begin after March 1980
DISE, D P Niagara Mohawk Power Corp 79/03/22 1p

7903070103 Ack receipt of 790129 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-220/78-21.
BRUNNER, E J Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/06 1p

7903070107 Responds to NRC 790115 ltr re violations noted in IE Insp Rept 50-220/78-21 Corrective actions: formal revision to operating procedure for fire protection sys issued, reviewed & approved
SCHNEIDER, R R Niagara Mohawk Power Corp. 79/01/29 2pp

7903070109 Forwards IE Insp Rept 50-220/78-21 on 781211-14 & notice of violation
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/15 2pp

7903070112 Notice of violation from insp on 781211-14
* Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/12 1p

7903070115 IE Insp Rept 50-220/78-21 on 781211-14 Noncompliance noted failure to review & approve procedural change
ARCHITZEL, R, STETKA, T, MCCABE, E C Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/12 10pp

7903080008 Ack receipt of 790129 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-220/78-20
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/06 1p

7903080010 Responds to NRC 790107 ltr re violation noted in IE Insp Rept 50-220/78-20 Corrective actions: copies of revised radiation protection procedures were distributed & personnel were trained Procedure now being monitored intermittently
SCHNEIDER, R R Niagara Mohawk Power Corp 79/01/29 3pp

7903080011 Forwards IE Insp Rept 50-220/78-20 on 781127-29 & notice of violation
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/05 2pp

7903080013 Notice of violation from insp on 781127-29
* Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/12/28 1p

7903080015 IE Insp Rept 50-220-78/20 on 781127-29 Noncompliance noted radiation exposures other than actual remaining authorized exposures were entered on radiation work permit for two individuals
THOMAS, L H, PLUMLEE, K E, CRACKER, H W Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/12/28 6pp

7903060638 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080564 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903300508 Forwards IE Insp Rept 50-220/79-03 on 790129-31 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/22 2pp

7903300509 IE Insp Rept 50-220/79-03 on 790129-31 No noncompliance noted Major areas inspected containment integrated leak rate test procedure
SMITH, T H, FOLEY, T Region 1, Philadelphia, Office of the Director CAPTON, D L Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/21 7pp

7903080498 Informs recipients of IE Bulletin 79-01, "Environ qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 83GML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903220321 Ack receipt of 790207 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-220/78-15.
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/03/02 1p.

7903220323 Responds to NRC 790117 ltr re violations noted in IE Insp Rept 50-220/78-15 Corrective actions info supplied so future events will be met w/proper action
SCHNEIDER, R R Niagara Mohawk Power Corp 79/02/07 1p

7903220327 Ack receipt of 781201 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-220/78-15
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/17 2pp

7903220330 Responds to NRC 781109 ltr re violations noted in IE Insp Rept 50-220/78-15 Corrective actions: operating procedure changed for flow reversal & calibr of environ radiation monitors
LEMPQES, T E Niagara Mohawk Power Corp. 78/12/01 4pp

7903220337 Notice of violation from insp on 780925-29;
* Region 1, Philadelphia, Office of the Director 78/11/08, 3pp

DOCKETED SERIES

DOCKET 50-220 Nine Mile Point Nuclear Station, Unit 1

7903220341 IE Insp Rept 50-220/78-15 on 780925-29 Noncompliance noted inadequate radiological analyses of lake water samples, exceeding thermal discharge limit & failure to follow operating procedures during flow reversal
BHANBAKY, M H Region 1, Philadelphia, Office of the Director
78/11/08 13pp

7903290196 Ack receipt of 790301 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-220/79-02
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/03/20 1p

7903290197 Responds to NRC 790207 ltr re violations noted in IE Insp Rept 50-220/79-02 Corrective actions personnel conducting pump operability surveillance reinspected on pump curve interpretation
SCHNEIDER, R R Niagara Mohawk Power Corp 79/03/01 2pp

7903290200 Forwards IE Insp Rept 50-220/79-02 on 790123-26 & notice of violation
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/07 2pp

7903290201 Notice of violation from insp on 790123-26
* Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/06 1p

7903290202 IE Insp Rept 50-220/79-02 on 790123-26 Noncompliance noted approval of unacceptable surveillance test results
ZIMMERMAN, R P, KISTER, H B Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/06 7pp

7903080176 Forwards "Aquatic Ecology Studies, 1978 Data Rept"
SCHNEIDER, R R Niagara Mohawk Power Corp 79/02/28 1p

7903080179 "Aquatic Ecology Studies, 1978 Data Rept"
* Niagara Mohawk Power Corp 79/02/28 600pp

7903130405 Forwards "Annual Environ Operating Rept 1978" Will submit "Non-Radiological Aquatic Ecology Studies Data Rept for 1978" separately
SCHNEIDER, R R Niagara Mohawk Power Corp 79/02/28 1p

7903130406 "Annual Environ Operating Rept 1978"
* Niagara Mohawk Power Corp 79/02/28 55pp

7903190217 Forwards "Radioactive Effluent Release Semiannual Rept" for July-Dec 1978
SCHNEIDER, R R Niagara Mohawk Power Corp 79/02/28 1p

7903190221 "Radioactive Effluent Release Semiannual Rept" for Jul-Dec 1978
* Niagara Mohawk Power Corp 79/02/28 47pp

7903190235 Forwards monthly operating rept for Feb 1979
SCHNEIDER, R R Niagara Mohawk Power Corp 79/03/08 1p

7903190240 Monthly operating rept for Feb 1979.
PERKINS, T J Niagara Mohawk Power Corp 79/03/08 5pp

7903190273 Forwards LER 79-001/03L-0
SCHNEIDER, R R Niagara Mohawk Power Corp 79/03/13 1p

7903190280 LER 79-001/03L-0 on 790218: during performance of surveillance, test flow comparator 11 did not produce rod block within required tolerance Caused by defective rod comparator Component replaced & setpoint left at 14%
JUTRAS, R R Niagara Mohawk Power Corp 79/03/13 1p

7903260267 Forwards LER 79-002/01T-0
SCHNEIDER, R R Niagara Mohawk Power Corp 79/03/20 1p

7903260272 LER 79-002/01T-0 on 790306 during inservice insp of emergency condenser steam supply line, six reportable indications found Caused by intergranular stress corrosion cracking Elbow & safe-end will be replaced
* Niagara Mohawk Power Corp 79/03/20 2pp

DOCKET 50-223 Univ of Lowell Research Reactor

7903300306 Requests amend to License R-125 to change Tech Spec & increase interval between containment bldg integrated leak rate tests from 12 to 25 months.
DUFF, J B Lowell, Univ. of, Lowell, Mass 79/03/16 1p

DOCKET 50-225 RPI Critical Experiment

7903210040 Submits rept of tests & experiments conducted from 780301 to 790301 No changes to Tech Specs & no unreviewed safety questions
NELSON, P R Rensselaer Polytechnic Inst 79/03/01 2pp

7903300489 Forwards IE Insp Rept 50-225/79-01 on 790201-02 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/16 2pp

7903300494 IE Insp Rept 50-225/79-01 on 790201-02 No noncompliance noted. Major areas inspected facility reactivation following long-term shutdown
STETKA, T F, MCCABE, E C Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/15 7pp

DOCKET 50-228 Aerotest Radiography & Research Reactor

7903060597 Ack receipt of 790115 ltr informing NRC of corrective actions in response to 790105 notice of violation Encl withheld (ref 10CFR2 790)
NORDERHAUS, L R Region 5, San Francisco, Safeguards Branch 79/02/08 1p

DOCKET 50-237 Dresden Nuclear Power Station, Unit 2

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903010112 Notifies of security plan deficiencies which are significant enough to warrant imposition of license conditions Forwards comments for incorporation into plan Appeal is possible
Encl A withheld (ref 10CFR2 790)
IPPOLITO, T A Operating Reactors Branch 3 79/01/30 3pp

7903220523 Due to delays in equipment deliveries, scheduled completion date for installation of fire suppression sys could not be met Deliveries are anticipated for early Feb 1979 Will inform when deliveries are complete
REED, C Commonwealth Edison Co 79/02/05 1p

7903230035 Forwards Federal Register notice amending 10CFR73 55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903140405 As result of discussions w/NRC, forwards design change re fire protection Change involves pre-action to a wet-pipe sys
JANECEK, R F Commonwealth Edison Co 79/03/07 12pp

7903270499 Forwards safeguards contingency plan Withheld (ref 10CFR2 790)
REED, C Commonwealth Edison Co 79/03/23 1p

7902030263 Forwards SAND77-1927 "Transport of Radionuclides in Urban Environments Working Draft Assessment," SECY-78-311 & SECY-78-311A No immediate regulatory action is necessary to protect spent fuel shipment. W/o encl
ODDARD, R J Office of the Executive Legal Director 79/01/18 2pp

7903070037 Forwards NUREG/CR-0400, "Risk Assessment Review Group Rept to the US NRC" (Lewis Rept), providing recommendations for use of risk assessment methodology & assessment of HASH-1400
ODDARD, R J Branch 2 79/01/23 1p

7903130525 Forwards NUREG/CR-0400, "Risk Assessment Review Group Rept to the US NRC" Commission presently developing policy statement re rept
ODDARD, R J Office of the Executive Legal Director 79/01/23 1p

7903060287 NRDC's response to applicant's & NRC's objections to contentions Urges that NRC did not validly challenge its contentions & that its contentions should be admitted
Certificate of Evc encl
ROISMAN, A Z Natural Resources Defense Council 79/01/26 Bpp

DOCKETED SERIES

27

DOCKET 50-237 Dresden Nuclear Power Station, Unit 2

7903020398 Forwards curriculum vitae for Tamplin & Cochran Cites two precedents bearing on issue of standing Hunt vs WA Apple Advertising Commission, 432US333 & VA Electric Power Co, ALAB-322, (1979)
ROISMAN, A Z Natural Resources Defense Council 79/02/05 5pp

7903070004 Forwards ASLB 790202 order from Oconee-McQuire proceeding, denying objections of NRDC to suppl prehearing conference order denying NRDC's petition for intervention
GODDARD, R J Branch 2 79/02/08 1p

7903050568 Forwards ASLB opinion re denial of intervention to Natl Lawyers Guild who refused to identify members Position parallels that of NRDC
GODDARD, R J Branch 2 79/02/16 1p

7903210427 Forwards NRC policy statement re reactor safety study, review by Lewis Committee (NUREG/CR-0400) & survey of NRC uses of WASH-1400 All documents have been furnished to ASLB & ASLAB members W/o encl
GODDARD, R J Branch 2 79/02/21 1p

7903210378 Informs of document containing info potentially relevant to issue of sabotage of spent nuclear fuel NRC assessment of info to be made available
GODDARD, R J Branch 2 79/02/26 4pp

7903220070 Informs of document containing info potentially relevant to issue of sabotage of spent nuclear fuel NRC assessment of info to be made available
GODDARD, R J Branch 2 79/02/26 4pp

7903210167 Forwards "Annual Rept 1978," statement of cash flow projected for 1979, actual cash flow for 1978 & narrative explanatory statement
NEXON, H H Commonwealth Edison Co 79/03/15 6pp

7903070411 "Federal Interagency Radiological Assistance Plan "
* Energy, Dept of ERDA-60 75/07/31 9pp

7903080100 Forwards mods & corrections to NRC guidance, "Review & Acceptance of Spent Fuel Storage & Handling Applications," sent 780414
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18, 4pp

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7902220033 Responds to NRC 790103 request & forwards info re projected number of spent fuel assemblies to be shipped from Dresden Quad-Cities, possible truck routes & population along routes. Info on rail routing will be sent
JANECEK, R F Commonwealth Edison Co 79/02/13 4pp

7902250001 Responds to 790103 request for addl info & forwards info re projected number of spent fuel assemblies to be shipped from Dresden to Quad-Cities, possible truck routes & population along routes. Info on rail routing will be sent
JANECEK, R F Commonwealth Edison Co 79/02/13, 4pp

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EIBENHUT, D O Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants " All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp

7903160213 Forwards proprietary rept NEDE-23845-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity " W/affidavit for proprietary status Rept withheld (ref 10CFR2 790)
BOBON, L J General Electric Co., Nuclear Energy Products Div 79/02/26, 5pp

7903210320 Forwards notice of issuance for Amend to DPR-19
ZIEMANN, D L Operating Reactors Branch 2 79/02/26, 2pp

7903210358 Notice of proposed issuance of amend to provisional operating license, revising Tech Specs to allow use of B x BR type fuel assemblies for Reload 4, Cycle 7
ZIEMANN, D L Operating Reactors Branch 2 79/02/26 5pp

7903210567 Forwards Amend 40 to DPR-19, safety evaluation & notice of issuance
ZIEMANN, D L Operating Reactors Branch 2 79/02/27 2pp

7903210573 Amend 40 to DPR-19 changing authorization to operate reactor after negative pressure
ZIEMANN, D L Operating Reactors Branch 2 79/02/27 4pp

7903210579 Safety evaluation supporting Amend 40 to DPR-19
ZIEMANN, D L Operating Reactors Branch 2 79/02/27 3pp

7903210582 Notice of issuance of Amend 40 to DPR-19
ZIEMANN, D L Operating Reactors Branch 2 79/02/27 2pp

7903230001 Forwards "SER of Interim Assessments of MBIV Actuations in Mark I Containment Plants " Approves continued operation of facilities, subj to corrective actions noted in SER, pending final resolution
GRIMES, B K Assistant Director for Engineers & Projects
VOLLMER, R H Assistant Director for Systems & Projects 79/02/27 1p

7903230011 "SER of Interim Assessments of MBIV Actuations in Mark I Containment Plants "
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation on interim assessments of multiple-consecutive safety relief valve actuations
Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27 1p.

7903060283 Proposed amend to License DPR-19, requesting Tech Spec change to extend surveillance interval for hydraulic snubbers by one week Proposed change has received onsite & offsite review & approval Class III amend fee encl
REED, C Commonwealth Edison Co 79/02/28 3pp.

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary.
BOBON, L J General Electric Co., Nuclear Energy Products Div. 79/02/28 11pp

7903120459 Summary of 790213 meeting in Bethesda, MD w/representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
SU, T M Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EIBENHUT, D O Assistant Director for Systems & Projects. 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects
VOLLMER, R Assistant Director for Systems & Projects 79/03/01 8pp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
GRIMES, B, VOLLMER, R Division of Operating Reactors. 79/03/01, 22pp

7903200462 Forwards branch input to SER for proposed mod to spent fuel storage pools, Approves application for license amend, provided that U-235 loading in fuel assemblies for pools is limited to amount established in rept.
LAINAB, O Division of Operating Reactors 79/03/01, 2PP.

7903200467 Safety evaluation re application for license amend to increase authorized capacity of spent fuel pool.
LAINAB, O Division of Operating Reactors 79/03/01 9pp.

7903130389 Forwards corrigenda & addenda sheet & revised pages 1 & 6 for NEDO-24160, an evaluation of applicability of Reload 4 analysis.
REED, C. Commonwealth Edison Co 79/03/02 5pp

DOCKETED SERIES

DOCKET 50-237 Dresden Nuclear Power Station, Unit 2

7903190139 Responds to 790123 ltr requesting info on environ forecasting & monitoring Environ impacts were accurately predicted in all cases & monitoring continues
MOORE, V A Assistant Director for Environmental Projects
79/03/02 3pp

7903260008 Forwards Amend 41 to License DPR-19, safety evaluation & notice of issuance
ZIEHANN, D L Operating Reactors Branch 2 79/03/02 2pp

7903260011 Amend 41 to License DPR-19 revises Tech Specs by extending surveillance interval for inaccessible safety-related snubbers by 7 days
* Operating Reactors Branch 2 79/03/02 4pp

7903260017 Safety evaluation supporting Amend 41 to License DPR-19
* Operating Reactors Branch 2 79/03/02 2pp

7903260022 Notice of issuance & availability of Amend 41 to License DPR-19
ZIEHANN, D L Operating Reactors Branch 2 79/03/02 2pp

7903290066 Forwards draft evaluation of systematic evaluation program, Topic VI-10 B re shared engineered safety features, onsite emergency power & svc sys for multiple unit stations
ZIEHANN, D L Operating Reactors Branch 2 79/03/06 16pp

7903190223 Corrects route numbers in 790213 response to request for addl info re inter-station transfer of spent fuel
JANECEK, R F Commonwealth Edison Co 79/03/09 1p

7903260212 Forwards Amends 29, 42 & 38 to Licenses DPR-2, DPR-19 & DPR-25, respectively, & notice of issuance & availability
Security plan evaluation rept withheld (ref 10CFR2 790)
ZIEHANN, D L Operating Reactors Branch 2 79/03/09 3pp

7903260224 Amends 29, 42 & 38 to License DPR-2, DPR-19 & DPR-25, respectively, incorporating physical security plan
* Operating Reactors Branch 2 79/03/09 6pp

7903160172 Forwards GE rept NEDE-23898-P, "Analytical Model for Computing Water Rise in Safety Relief Valve Discharge Line Following Valve Closure " Rept provided as Task 7 i 2 2 of Mari I program Rept withheld (ref 10CFR2 790)
JANECEK, R F Commonwealth Edison Co 79/03/12 1p

7903160172 Forwards GE rept NEDE-23898-P, "Analytical Model for Computing Water Rise in Safety Relief Valve Discharge Line Following Valve Closure "
JANECEK, R F Commonwealth Edison Co 79/03/12 1p

7903190202 Forwards battery test procedures used by station personnel, as addl info for review of draft evaluations for systematic evaluation program
REED, C Commonwealth Edison Co 79/03/13 34pp

7903210026 In response to NRC 781208 request for addl info on electrical penetrations, forwards info on HPCI penetrations which are identical to RPS penetrations Unit 2 has no DC power penetrations
JANECEK, R F Commonwealth Edison Co 79/03/14 25pp

7903270131 Forwards licensing open items status list
REED, C Commonwealth Edison Co 79/03/19 9pp

7903080174 Forwards IE Insp Repts 50-010/78-34, 50-237/78-32 & 50-249/78-33 on 781220-21 & 26-28 No noncompliance noted
FIDRELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/19 2pp

7903080178 IE Insp Repts 50-010/78-34, 50-237/78-32 & 50-249/78-33 on 791220-21 & 26-28 No noncompliance noted Major areas inspected procurement, records, review of safety limits, procedures & chemical cleaning
DETENMEIER, R W, STREETER, J F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/17 5pp

7903060104 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids " Forwards current plan for replacement & preventive maint
REED, C Commonwealth Edison Co 79/02/02 3pp

7903190009 Forwards IE Insp Repts 50-010/78-35, 50-237/78-34 & 50-249/78-35 on 781201-29 & notice of violation
FIDRELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/07 2pp

7903190010 Notice of deviation from insp on 781201-29
* Region 3, Chicago, Office of the Director 79/02/07 1p

7903190015 IE Insp Repts 50-010/78-35, 50-237/78-34 & 50-249/78-35 on 781201-29 Noncompliance noted inadequate storage of Class B area matl
BARKER, J L, SMITH, J D Region 3, Chicago, Office of the Director KNOP, R C Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/07 12pp

7903130044 Forwards IE Insp Repts 50-237/78-33 & 50-249/78-34 on 781121 & 1227-28 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 2pp

7903130047 IE Insp Rept 50-237/78-33 & 50-249/79-34 on 781121 & 1227-28 No noncompliance noted Major areas inspected spent fuel storage rack records, repair program, & nondestructive examination activities
LEE, E W Region 3, Chicago, Reactor Construction & Engineering Support Branch DANIELSON, D H Region 3, Chicago, Office of the Director 79/01/25 3pp

7903220445 Forwards IE Insp Repts 50-010/79-01, 50-237/79-01 & 50-249/79-01 on 790102-31 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/14 2pp

7903220453 IE Insp Repts 50-010/79-01, 50-237/79-01 & 50-249/79-01 No noncompliance noted Major areas inspected maint, plant operations, physical protection, review & followup on LER's & caliber of safety-related components
BARKER, J L, SPESSARD, R L Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/13 6pp

7903080490 Forwards corrected second page & App A for correspondence transmitted 790207
FIDRELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/15 3pp

7903080419 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903080343 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CHL should read 5L3CHL
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190339 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903020333 Forwards Part 2 of operating rept for June-Dec 1978, re radioactive effluents & occupational radiation exposures
STEPHENSON, B B Commonwealth Edison Co 79/02/15 1p

7903020337 Part 2 of operating rept for June-Dec 1978, re radioactive effluents & occupational radiation exposures
* Commonwealth Edison Co 78/12/31 15pp

7903050388 Forwards "Annual Operating Rept for 1978 "
STEPHENSON, B B Commonwealth Edison Co 79/02/26 1p

7903050391 "Annual Operating Rept for 1978 "
* Commonwealth Edison Co 79/02/26 35pp

7903210035 Forwards monthly operating rept for Feb 1979
STEPHENSON, B B Commonwealth Edison Co 79/03/13 1p

7903210038 Monthly operating rept for Feb 1979
PHELEN, J F Consolidated Edison Co of New York 79/03/05 19pp

7903270448 Forwards LER 79-013/03L-0
STEPHENSON, B B Commonwealth Edison Co 79/03/23 1p

DOCKETED SERIES

29

DOCKET 50-237 Dresden Nuclear Power Station, Unit 2

7903270453 LER 79-013/03L-0 on 790223 after diesel generator was manually started prior to taking transformer out of svc. water pump breaker thermally tripped & redundant power supply also tripped Cause unknown
CHAN, J Commonwealth Edison Co 79/03/23 1p

DOCKET 50-244 Robert Emmet Ginna Nuclear Plant, Unit 1

7903200002 Forwards Amend 25 to License DPR-18
ZIEMANN, D L Operating Reactors Branch 2 79/02/22 3pp

7903200005 Amend 25 to License DPR-18, incorporating security plan into license
ZIEMANN, D L Operating Reactors Branch 2 79/02/22 2pp

7903200224 Notice of issuance of Amend 25 to License DPR-18
ZIEMANN, D L Operating Reactors Branch 2 79/02/22 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.85, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903190248 Forwards comments on Tech Specs & fire protection safety evaluation, issued 790214
WHITE, L D Rochester Gas & Electric Corp 79/03/13 7pp

7903270462 Furnishes schedule for submitting addl info in response to NRC 790214 ltr transmitting modified Tech Specs & fire protection SER
WHITE, L D Rochester Gas & Electric Corp 79/03/19 2pp

7903270402 Forwards revised Chapter B of modified amended security plan Revision contains background info, generic planning base, licensee planning base, responsibility matrices & implementation procedures Encl withheld (ref 10CFR2 790)
WHITE, L D Rochester Gas & Electric Corp 79/03/23 2pp.

7903190173 Forwards financial info to support guarantee of retrospective premium payments which might be required under secondary financial protection sys Summarizes actual cash flow for 1978 & projected cash flow for 1979
KOWBA, S Rochester Gas & Electric Corp 79/03/15 3pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR Appropriate utils have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903080100 Forwards mods & corrections to NRC guidance, "Review & Acceptance of Spent Fuel Storage & Handling Applications," sent 780414
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903050488 Forwards evaluation of systematic evaluation program Topic V-10 A, "RHR Sys Heat Exchanger Tube Failures " Requests response within 30 days
ZIEMANN, D L Operating Reactors Branch 2 79/02/02 5pp.

7903060481 Forwards revised draft systematic evaluation program Topic IV-1 A "Operation W/Less Than All Loops in Svc " Requests response within 30 days
ZIEMANN, D L Operating Reactors Branch 2 79/02/06 5pp.

7903050495 Summarizes 790110 meeting re radiological effluent Tech Specs Util will submit draft Tech Specs within two weeks & final version by 790215
STOHR, J P Region 1, Philadelphia, Office of the Director
SHEA, J J Operating Reactors Branch 2 79/02/07 10pp

7903060493 Review of proposed changes to charcoal filter tests incomplete Iodine concentration in Tech Spec section 3.11 is(3) is in error Forwards corrected Page 3 11-2 as replacement
ZIEMANN, D L Operating Reactors Branch 2 79/02/08 4pp

7903060619 Forwards request for addl info to complete QA review of Revision 4, Suppl IV of full-term license application submitted 781221
ZIEMANN, D L Operating Reactors Branch 2 79/02/08 5pp

7903050503 Summarizes meeting on 790130 re high energy line break in turbine bldg, criteria for design of pressure shielding steel diaphragm & structural design of pressure shielding diaphragm in turbine bldg
SHEA, J J Operating Reactors Branch 2 79/02/09 5pp

7903140192 Forwards Amend 24 to Provisional License DPR-18, Federal Register notice, Tech Spec changes, SER & consultant's rept
ZIEMANN, D L Operating Reactors Branch 2 79/02/14 3pp

7903140199 Amend 24 to Provisional License DPR-18 re fire protection administrative controls Tech Spec changes encl
ZIEMANN, D L Operating Reactors Branch 2 79/02/14 10pp

7903140202 Fire protection SER w/summary of mods, evaluation of plant features & specific plant areas
* Office of Nuclear Reactor Regulation 79/02/14 70pp

7903140205 Notice of issuance of Amend 24 to License DPR-18
ZIEMANN, D L Operating Reactors Branch 2 79/02/14 2pp

7903140436 Responds to 780822 ltr & 781101 suppl ltr requesting relief from requirement for dye penetrant examination of reactor coolant pump casing welds as part of inservice testing program Forwards notice granting relief
ZIEMANN, D L Operating Reactors Branch 2 79/02/16 5pp

7903140439 Notice of granting a revision to relief from ASME Section I "Inservice Insp (testing) Requirements "
ZIEMANN, D L Operating Reactors Branch 2 79/02/16 3pp

7903020345 In reviewing revised draft evaluation for systematic evaluation program Topic IV-1 A, typographical error identified Should read "Amend 10 to Provisional Operating License" not "Amend 10 to Tech Specs "
WHITE, L D Rochester Gas & Electric Corp 79/02/21 1p

7903130365 Requests Tech Spec change for License R-101, covering fuel element & fuel follower
PIGFORD, T H California, Univ. of, Berkeley 79/02/26 10pp

7903200028 Notification of 790313-14 meeting w/Rochester Gas & Electric Corp to review info related to postulated high energy pipe breaks inside containment
SHEA, J J Operating Reactors Branch 2 79/02/27 2pp

7903140460 Responds to 790208 request & forwards addl info re Revision 4 to Suppl IV of full-term license application
WHITE, L D Rochester Gas & Electric Corp 79/03/09 8pp

7903230227 Advises that seismic review team plans site visit on 790410-11 to obtain seismic design info & observe specific features re seismic design Forwards agenda, required info & draft summary review of available seismic design info
ZIEMANN, D L Operating Reactors Branch 2 79/03/12 78pp

7903050521 Forwards IE Info Notice 79-03, "Limitorque Valve Gased Limit Switch Lubricant "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080401 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080484 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903280047 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/03/08 1p

7903060179 Forwards suppl annual effluent release info man-rem rept, leak test results & environ monitoring results
WHITE, L D Rochester Gas & Electric Corp 79/02/28 7pp.

DOCKETED SERIES

DOCKET 50-244 Robert Emmet Ginna Nuclear Plant, Unit 1

7903120275 Forwards LER 79-005/03L-0
WHITE, L. D. Rochester Gas & Electric Corp 79/03/06 1p *

7903120294 LER 79-005/03L-0 on 790206 containment recirculation sump failed to reopen after hydro testing Caused by flexibility of long extension rod between Limitorque SMB-00 operator & valve Valve stroked monthly & timed quarterly
SPECTOR, S. Rochester Gas & Electric Corp 79/03/06 1p.

7903120300 Forwards LER 79-004/03L-0
WHITE, L. D. Rochester Gas & Electric Corp 79/03/06 1p

7903120304 LER 79-004/03L-0 on 790206 fuel pressure lost & generator tripped during diesel generator testing Caused by operator error Operator re-instructed & precautionary note added to procedure to emphasize importance of proper sequence
PECK, C. H. Rochester Gas & Electric Corp 79/03/06 1p

DOCKET 50-245 Millstone Nuclear Power Station, Unit 1

7903230035 Forwards Federal Register notice amending 10CFR73.35, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee shut-down searches until 790801
DENTON, H. R. Office of Nuclear Reactor Regulation 79/02/23 1p

79032020394 Requests info on evacuation plans for Suffolk County residents in case of accident at any of 5 nearby nuclear plants Expresses concern re safety of inhabitants within prescribed "emergency planning zone"
ARM, G. Affiliation Unknown 79/01/03 3pp

7903260295 Advises that A Partridge has been replaced by L. Bettencourt on current list for distribution of correspondence concerning license amendments
COUNSIL, W. G. Northeast Utilities 79/03/20 1p

7903130376 Forwards Endorsement 53 to Policy MF-52 amending liability limit in Item 4 to \$36,000,000
SEGER, R. M. Northeast Utilities 79/03/06 2pp

7903160159 Forwards Endorsement 58 to Policy NF-173
SEGER, R. M. Northeast Utilities 79/03/09 2pp

7903080100 Forwards mods & corrections to NRC guidance, "Review & Acceptance of Spent Fuel Storage & Handling Applications," sent 780414
GRIMES, B. K. Assistant Director for Engineers & Projects 79/01/18 4pp

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B. K. Assistant Director for Engineers & Projects 79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept."
BOBON, L. J. General Electric Co., Nuclear Energy Products Div 79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept."
WONG, K. W. General Electric Co., Nuclear Energy Products Div NEDO-21885. 78/06/30 45pp

7903060510 Requests payment of Class I & III fees re application for amendments to Licenses DPR-21 & DPR-65
DIQOS, R. M. License Fee Management Branch 79/02/09 1p

7903010061 Forwards safety evaluation of interim assessment of multiple consecutive safety relief valve actuations, & sample ltr.
EISENHUT, D. G. Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants." All plants are in conformance w/ acceptance criteria.
* Assistant Director for Systems & Projects 79/02/15 10pp

7903190044 Forwards Amend 59 to License DPR-21 & Amend 48 to License DPR-67 & notice of issuance Security plan evaluation rept withheld (ref 10CFR2.790).
ZIEMANN, D. L. Operating Reactors Branch 2. 79/02/23 3pp

7903190050 Amend 59 to License DPR-21 & Amend 48 to License DPR-65, incorporating physical security plan
ZIEMANN, D. L. Operating Reactors Branch 2 79/02/23 4pp

7903190052 Notice of issuance of Amend 59 to License DPR-21 & Amend 48 to License DPR-65
ZIEMANN, D. L. Operating Reactors Branch 2 79/02/23 2pp

7903200313 Informs that application to withhold CBO-N-78-299, "Carborundum Co Test Program for Boron Carbide Matl" has been granted (ref 10CFR2.790)
ZIEMANN, D. L. Operating Reactors Branch 2 79/02/23 3pp

7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity" w/affidavit for proprietary status
Rept withheld (ref 10CFR2.790)
BOBON, L. J. General Electric Co., Nuclear Energy Products Div 79/02/26 5pp

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants"
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903060249 Forwards proposed changes to Tech Specs re recent organizational changes within util
COUNSIL, W. G. Northeast Utilities 79/02/28 6pp

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides task-by-task summary
BOBON, L. J. General Electric Co., Nuclear Energy Products Div 79/02/28 11pp

7903120459 Summary of 790213 meeting in Bethesda, MD w/representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads w/encl attendees list & meeting handouts
SU, T. M. Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D. G. Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B. Assistant Director for Engineers & Projects 79/03/01 8pp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltr to be sent to Mark I licensees setting forth requirements for schedules
GRIMES, B., VOLLMER, R. Division of Operating Reactors 79/03/01 22pp

7903090291 Forwards Tech Spec changes for Reload & to amend License DPR-21 & rept NEDO-24268 Discusses operation in coastdown mode beyond end of full-power life
COUNSIL, W. G. Northeast Utilities 79/03/05 28pp

7903090295 "Suppl Reload Licensing Submittal for Millstone Unit 1, Reload 4"
HENRIKSON, P. H., BRUGGE, R. D. General Electric Co., Nuclear Energy Products Div NEDO-24168 78/12/31 17pp

7903090301 "Suppl Reload Licensing Submittal for Millstone Unit 1, Reload 4," Suppl 1
HENRIKSON, P. H., BRUGGE, R. D. General Electric Co., Nuclear Energy Products Div NEDO-24168-1 79/02/28 10pp

7903120208 Draft evaluation of shutdown cooling sys heat exchangers Forwarded in NRC 790131 ltr is substantially correct in its discussion of design & surveillance features
COUNSIL, W. G. Northeast Utilities 79/03/05 1p

7903140225 Forwards changes made to electrical equipment environ qualification list compiled by NRC
COUNSIL, W. G. Northeast Utilities 79/03/05 5pp.

7903140463 Forwards "Submarine Thermal Reactor Bundle Submittal, Millstone 1 Segmented Test Rod Bundle," Suppl 4, Jan 1979
Rept withheld (ref 10CFR2.790)
COUNSIL, W. G. Northeast Utilities 79/03/05 2pp

7903200421 Forwards Revision 3 to "GA Program Topical Rept," NU-GA-1 & responses to questions in NRC 781221 ltr Revision 3 replaces former GA topical rept, submitted 780201
COUNSIL, W. G. Northeast Utilities 79/03/09 5pp

DOCKETED SERIES

31

DOCKET 50-245 Millstone Nuclear Power Station, Unit 1

7903200439 "QA Program Topical Rept," NU-GA-1, Revision 3
SWITZER, D C, DIEDRICK, D G Northeast Utilities NU-GA-1
79/03/05 10pp

7903280219 Documents review of NRC handling of 770404 request re
surveillance requirement for incore detector calibr &
771031 request for changes to reporting requirements
Concludes amend request is withdrawn by 780908 ltr
GRIMES, B K Assistant Director for Engineering 79/03/12 10pp

7903220226 Requests amend to Licenses DPR-21 & DPR-65 incorporating
encl revisions to radiological effluent Tech Specs Revisions
to site environ Tech Specs encl No unreviewed safety
questions are involved
COUNCIL, W G Northeast Utilities 79/03/13 135pp

7903270362 Forwards systematic evaluation program Topic VIII-4,
"Electrical Penetrations," in response to NRC 781208 request
for addl info
COUNCIL, W G Northeast Utilities 79/03/14 10pp

7903290274 Forwards draft evaluation of systematic evaluation program
Topic VI-10 B Requests review & response within 30 days
ZIEHANN, D L Operating Reactors Branch 2 79/03/19 7pp

7903090332 Forwards IE Insp Repts 50-245/78-38 & 50-336/78-35 on
781211-14 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/23
2pp

7903090340 IE Insp Repts 50-245/78-38 & 50-336/78-35 on 781211-14 No
noncompliance noted Major areas inspected security program
JONES E W, ROGERS, M, DEULIN, J W Region 1, Philadelphia,
Safeguards Branch 79/01/16 1p

7903140356 Forwards IE Insp Rept 50-245/78-40 on 781220-21 No
noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction &
Engineering Support Branch 79/01/26 2pp

7903140364 IE Insp Rept 50-245/78-40 on 781220-21 No noncompliance
noted Major areas inspected inservice insp examination
documentation associated w/Class I & sys pressure boundary
piping welds/components
JERINIGAN, E P, ERNETER, S D Region 1, Philadelphia, Reactor
Construction & Engineering Support Branch 79/01/24 3pp

7903160141 Responds to IE Bulletin 78-14 Replacement program for Buna-N
parts implemented in Oct 1976 Diaphragms of valves in
control rod scram sys to be replaced during 1979 refueling
outage Solenoid core assembly section to be rebuilt
COUNCIL, W G Northeast Nuclear Energy Co. (Northeast Utilities)
79/02/02 2pp

7903130031 Ack receipt of 781227 ltr providing plans to resolve local
leak rate testing of personnel air lock Item will be carried
as unresolved Requests test results within 30 days of
completion
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/02/03 1p

7903130034 Recommends that local leak rate testing of personnel air
lock remain an open item pending further testing. Several
tests have been attempted w/unsatisfactory results Test will
be repeated during 1979 refueling outage
COUNCIL, W G Northeast Nuclear Energy Co. (Northeast Utilities)
78/12/27 1p

7903060640 Forwards IE Info Notice 79-03, "Limitorque Valve Overed
Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/09 1p.

7903300333 Forwards IE Insp Rept 50-245/79-01 on 790109 No
noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction &
Engineering Support Branch 79/02/14 2pp

7903300343 IE Insp Rept 50-245/79-01 on 790109 No noncompliance
noted Major areas inspected corrective action re repair of
reactor water clean-up line as reported by licensee
JERINIGAN, E P, Region 1, Philadelphia, Office of the Director,
TRIPP, L E Region 1, Philadelphia, Reactor Construction &
Engineering Support Branch 79/02/13 3pp.

7903080438 Forwards IE Info Notice 79-01, "Degradation of Engineered
Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/16 2pp

7903080492 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model 83CML should read
8L3CML
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/27 1p

7903130380 Forwards "Inservice Insp & Testing Program for Pumps, Valves
& Pressure Tests for 20 Month Period, 790328-801228."
COUNCIL, W G Northeast Utilities, 79/02/28 1p

7903130383 "Inservice Insp & Test Program for Pumps, Valves & Pressure
Tests for 20 Month Period 790328-801228" Eleven oversize
drawings encl
* Northeast Utilities 79/02/28 55pp

7903280040 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs
Using Concrete Expansion Anchor Bolts"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/03/08 1p

7903060417 Forwards "Semiannual Radioactive Effluents Release Rept" for
July-Dec 1978
COUNCIL, W G, Northeast Utilities 79/03/01 1p

7903060420 "Semiannual Radioactive Effluents Release Rept" for July-Dec
1978.
* Northeast Utilities 79/03/01 50pp

7903070234 Forwards "Annual Operating Rept for 1978"
OPEKA, J F Northeast Utilities 79/03/01 1p

7903070235 "Annual Operating Rept for 1978"
* Northeast Utilities 78/12/31 50pp

7903200392 Forwards monthly operating rept for Feb 1979
OPEKA, J F Northeast Utilities 79/03/14 1p

7903200397 Monthly operating rept for Feb 1979
YOUNG, R Northeast Utilities 79/03/14 6pp

7903010261 Forwards LER 79-004/03L-0
OPEKA, J F Northeast Utilities 79/02/23 1p

7903010264 LER 79-004/03L-0 on 790125 during routine stuck control rod
surveillance, Control Rod 22-07 stuck Cause unknown; collet
cracking ruled out as cause Will investigate during upcoming
refueling outage.
YOUNG, R H Northeast Utilities 79/02/23 3pp

7903220137 Notification of RO-79-05/1P on 790226 target rock safety
relief valve (1-MB-3F) failed to open during power
ascension Caused by valve lifting prematurely Investigation
results will be included in followup 14-day rept
OPEKA, J F, Northeast Utilities 79/02/26 1p

7903080226 Forwards LER 79-006/03L-0
OPEKA, J F, Northeast Utilities 79/03/02 1p

7903080229 LER 79-006/03L-0 on 790201 unit operated in degraded mode
due to deficient control rods. Caused by personnel oversight.
Rods were made operable & Tech Spec change submitted
YOUNG, R H Northeast Utilities 79/03/02 3pp

7903200393 Forwards LER 79-007/03L-0,
OPEKA, J F Northeast Utilities, 79/03/09 1p

7903200396 LER 79-007/03L-0 on 790214 gas turbine failed to complete
starting sequence while conducting fast start. Caused by
potential malfunction in speed switch Switches will be
replaced during next refueling outage.
OPEKA, J F, Northeast Utilities 79/03/09 2pp

7903200381 Forwards LER 79-005/01T-0
OPEKA, J F Northeast Nuclear Energy Co. (Northeast Utilities),
79/03/12, 3pp

7903200382 LER 79-005/01T-0 on 790226: target rock safety relief valve
(1-MB-3F) lifted prematurely & failed to reseat at reset
pressure Caused by steam cut of pilot disc which caused
second & main valve to open Actuation stages modified
YOUNG, R H Northeast Nuclear Energy Co (Northeast Utilities)
79/03/12, 2pp

7903200368 Forwards LER 79-008/03L-0,
OPEKA, J F Northeast Utilities, 79/03/15, 1p.

DOCKETED SERIES

DOCKET 50-245 Millstone Nuclear Power Station, Unit 1

7903200371 LER 79-008/03L-0 on 790214 isolation condenser inboard steam supply valve lost position indicator, making condenser inoperable. Caused by fractured gear casing on valve operator. Operator removed, rebuilt, reinstalled & tested. OPEKA, J F Northeast Utilities 79/03/14 3pp

7903280334 Forwards LER 79-007/03L-0
OPEKA, J F Northeast Utilities 79/03/22 1p

DOCKET 50-245 Millstone Nuclear Power Station, Unit 1

7903280337 LER 79-009/03L-0 on 790222 operability of safety relief bellows monitor valve (1-HS-3A) could not be verified. Caused by track in fitting connecting bellows air tubing to valve bonnet cap. Fitting replaced. YOUNG, R H Northeast Utilities 79/03/22 3pp

DOCKET 50-246 Advanced Critical Reactor Experiment

7903060104 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids." Forwards current plan for replacement & preventive maint. REED, C Commonwealth Edison Co 79/02/02 3pp

DOCKET 50-247 Indian Point Station, Unit 2

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181. MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801. BENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903290099 Forwards safeguards contingency plan Plan withheld (ref 10CFR2 790)
CAHILL, W J Consolidated Edison Co of New York 79/03/22 1p

7903280345 Forwards fourteenth quarterly rept for seismic monitoring program. Also forwards 790227 transmittal ltr from WJ Cahill, Consolidated Edison of NY, to A Schwencer, NRC, & revisions to thirteenth quarterly rept. DAVIS, J P Consolidated Edison Co of New York 79/03/01 40pp

7903280357 In response to 780928 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency. Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR. Appropriate utils have been notified. ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages IV-S & IV-6 w/modified rationale & corrections. GRINES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903140354 Ack receipt of 770920 util ltr re high & low pressure safety injection sys throttle valves. Concludes Section 4.3 of Tech Specs need not be changed to satisfy NRC. No further action required. SCHWENCER, A Operating Reactors Branch 1 79/02/05 2pp

7903202018 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques. GRINES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903070027 Responds to 790129 note re mod to prevent water hammer. Mods were in accordance w/QA programs in effect at time BER will focus on generic problem of prevention. LAINAB, O Plant Systems Branch 79/02/09 2pp

7903070031 Requests findings that structural mods to prevent water hammer were per NRC acceptance criteria. SCHWENCER, A Operating Reactors Branch 1 79/01/29 1p

7903140379 Forwards Amend 22 to License DPR-5, Amend 47 to License DPR-26, Tech Spec changes & Federal Register notice. SCHWENCER, A Operating Reactors Branch 1 79/02/15 3pp

7903140584 Amend 22 to DPR-5 & Amend 47 to DPR-26 revising Tech Specs to delete method for calculating rate of heat rejection to river. SCHWENCER, A Operating Reactors Branch 1 79/02/15 7pp

7903140586 Notice of issuance of Amend 22 to DPR-5 & Amend 47 to DPR-26. SCHWENCER, A Operating Reactors Branch 1 79/02/15 2pp

7903190106 Notice of issuance of Amend 22, 47 & 22 to Licenses DPR-5, DPR-26 & DPR-64. SCHWENCER, A Operating Reactors Branch 1 79/02/15 2pp

7903150261 Forwards Amend 23 to DPR-5 & Amend 48 to DPR-26, revising administrative controls w/Tech Spec changes & notice of issuance. SCHWENCER, A Operating Reactors Branch 1 79/02/17 3pp

7903150264 Amend 23 to DPR-5 & Amend 48 to DPR-26 revising administrative controls w/encl Tech Spec changes. SCHWENCER, A Operating Reactors Branch 1 79/02/17 31pp

7903150265 Notice of issuance of Amends 23 & 48 to Licenses DPR-5 & 26, respectively, re administrative controls. SCHWENCER, A Operating Reactors Branch 1 79/02/17 2pp

7903270203 Ack receipt of 780223 ltr re potential boron dilution incidents. No further action necessary re this generic issue. SCHWENCER, A Operating Reactors Branch 1 79/02/21 2pp

7903010233 Responds to 790202 request Forwards check for \$800 under protest. ZARAKAS, P Consolidated Edison Co of New York 79/02/22 2pp

7903050331 Forwards application for amend to operating license w/util safety evaluation & affidavit of svc. CAHILL, W J Consolidated Edison Co of New York 79/02/26 3pp

7903050334 Application for amend to License DPR-5 to provide technical clarifications, administrative & editorial changes. Safety evaluation encl. CAHILL, W J Consolidated Edison Co of New York 79/02/21 10pp

7903200405 Decides to pursue reracking of spent fuel storage pool instead of mod described in 780904 submittal. Forwards proposed design criteria for reracking w/high density spent fuel racks & requests NRC comments by 790416. CAHILL, W J Consolidated Edison Co of New York 79/02/27 10pp

7903280048 Forwards Amends 24 & 50 to Licenses DPR-5 & DPR-26, respectively, & notice of issuance & availability. Safety evaluation withheld (ref 10CFR2 790). SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903280086 Amends 24 & 50 to License DPR-5 & DPR-26, respectively, adding Sections 7 & 2 J re physical security plans. SCHWENCER, A Operating Reactors Branch 1 79/02/27 4pp

7903280096 Notice of issuance & availability of Amends 24 & 50 to Licenses DPR-5 & DPR-26, respectively. SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903220243 Forwards Amend 49 to License DPR-26, safety evaluation & notice of issuance. SCHWENCER, W J Operating Reactors Branch 1 79/03/01 2pp

7903220246 Amend 49 to License DPR-26, incorporating changes to Tech Specs, revising coolant sys pressure & temp heatup & cooldown curves. Changes to Tech Specs encl. SCHWENCER, A Operating Reactors Branch 1 79/03/01 15pp

7903220247 Safety evaluation supporting Amend 49 to License DPR-26. * Office of Nuclear Reactor Regulation 79/03/01 3pp

7903220249 Notice of issuance of Amend 49 to License DPR-26. SCHWENCER, A Operating Reactors Branch 1 79/03/01 2pp

7903200204 Responds to 790129 request to review pressure vessel fluence calculations. Finds that despite some uncertainties, calculated values are in good agreement w/empirical fluence. CAREW, J F Brookhaven National Laboratory 79/02/23 3pp

7903200174 Evaluates unresolved issues re methods to obtain 1/4T fluence used in proposed pressure-temp limits. Recommends specific issues be resolved before operation w/proposed limits beyond four effective full power years. CHECK, P S Reactor Safety Branch 79/03/03 4pp

DOCKETED SERIES

33

DOCKET 50-247 Indian Point Station, Unit 2

7903140261 Submits followup rept re milk samples no longer obtainable from Guard Hill Farm, since animals have been removed from location. Investigation being performed to find suitable replacement for sampling
CAHILL, W J Consolidated Edison Co of New York 79/03/04 2pp

7903290136 Semiannual progress rept Discusses various chemical, environ & monitoring projects
CAHILL, W Consolidated Edison Co of New York 79/03/27 8pp

7903140438 Forwards IE Insp Rept 50-247/78-35 on 781112-1209 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/26 2pp

7903140445 IE Insp Rept 50-247/78-35 on 781112-1209 No noncompliance noted Major areas inspected facility tour, maint of outage activities, calibr/surveillance of instrumentation & radiological training
KEIMIG, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/26 9pp

7903130079 Forwards IE Insp Repts 50-003/79-01 & 50-247/79-02 on 790110 No noncompliance noted
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/01 2pp

7903130085 IE Insp Repts 50-003/79-01 & 50-247/79-02 on 790110 No noncompliance noted Major areas inspected results of effluent sample split between licensee & NRC
KOTIAN, J J, BTOHR, J P Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/31 4pp

7903050802 Forwards IE Info Notice 79-03, "Limiting Valve Geared Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903290304 Forwards IE Insp Rept 50-247/78-37 on 781210-790106 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/13 2pp

7903290314 IE Insp Rept 50-247/78-37 on 781210-790106 No noncompliance noted Major areas inspected plant operations, including facility tours, physical protection of various areas, LERs & review of special repts
REDELOWSKI, T Region 1, Philadelphia, Office of the Director
KEIMIG, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/12 9pp

7903080444 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903140101 Ack receipt of 790201 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-247/78-36
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/21 1p

7903140105 Responds to NRC 790105 ltr re violations noted in IE Insp Rept 50-247/78-36 Encl withheld (ref 10CFR2 790)
CAHILL, W J Consolidated Edison Co of New York 79/02/01 1p

7903140106 Forwards IE Insp Rept 50-247/78-36 on 781127-1201 & notice of violation Notice withheld (ref 10CFR2 790)
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/05 2pp

7903140110 IE Insp Rept 50-247/78-36 on 781127-1201, Noncompliance noted security plan relative to access controls, physical barriers, security organization & records Details withheld (ref 10CFR2 790)
BAILEY, R J Region 1, Philadelphia, Safeguards Branch 79/01/04 1p

7903080505 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read BL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903070244 Forwards Suppl 3 to "Inservice Insp & Testing Program" W/encl summary of suppl & list of requirements believed impractical
CAHILL, W J Consolidated Edison Co of New York 79/02/28 9pp

7903070247 "Inservice Testing & Insp Program," Suppl 3
* Consolidated Edison Co of New York 79/02/28 52pp

7903060376 Forwards Fourteenth "Quarterly Rept on Seismic Monitoring in Vicinity of Indian Point, NY," Sept-Nov 1978 Revised pages for introduction to thirteenth quarterly rept encl
CAHILL, W J Consolidated Edison Co of New York 79/02/27 4pp

7903060382 "Quarterly Rept on Seismic Monitoring Network in Vicinity of Indian Point, NY," Sept-Nov 1978
* Consolidated Edison Co of New York 78/11/30 38pp

7903070212 Forwards summary rept of personnel monitoring info & annual radiation exposure rept
CAHILL, W J Commonwealth Edison Co 79/02/28 3pp

7903070220 Forwards semiannual effluent release rept for Jul-Dec 1978
CAHILL, W J Consolidated Edison Co of New York 79/03/01 1p

7903070223 "Effluent Release Rept," semiannual rept for third & fourth quarters of 1978 Covers liquid & airborne discharges
* Consolidated Edison Co of New York 79/03/01 44pp

7903150319 Forwards data specified in Section 401 Certification for Feb 1979
MONTI, W A Consolidated Edison Co of New York 79/03/09 16pp

7903210180 Forwards tabulation of daily record of fish collections for Feb 1979, including daily species breakdown & total wt for Units 2 & 3 Circulators at Unit 1 were shut down for entire month Gives high fish impingement totals & corrective action
CAHILL, W J Consolidated Edison Co of New York 79/03/14 5pp

7903210103 Forwards monthly operating rept for Feb 1979
CAHILL, W J Consolidated Edison Co of New York 79/03/13 1p

7903210107 Monthly operating rept for Feb 1979
KAHULA, L Consolidated Edison Co of New York 79/03/07 8pp

7903060207 Forwards LER 79-003/04L-0
CAHILL, W J Consolidated Edison Co of New York 79/02/26 1p

7903060217 LER 79-005/04L-0 on 790127 calculations using equation prescribed indicated heat rejection to river in excess of max permitted Caused by calculation procedure Alternate calculations showed less heat
MAKEPEACE, J M Consolidated Edison Co of New York 79/02/26 1p

7903070197 Forwards LERs 79-006/03L-0, 79-007/03L-0, 79-008/03L-0 & 79-009/03L-0
ZARAKAS, P Consolidated Edison Co of New York 79/03/05 1p

7903070200 LER 79-006/03L-0 on 790206 boric acid transfer Pump 22 Goulds Model 3196-STD, was inoperable Caused by failure of its control transformer, Westinghouse Type MTW Transformer replaced
MAKEPEACE, J M Consolidated Edison Co of New York 79/03/05 1p

7903070202 LER 79-007/03L-0 on 790208, oxygen supply ays to hydrogen recombiner 22 was inoperable Caused by malfunction of flow control valve FCV-1A, Foxboro Model V4A Valve positioner cleaned & valve retested
MAKEPEACE, J M Consolidated Edison Co of New York 79/03/05 1p

7903070205 LER 79-008/03L-0 on 790208, high vibration on fan cooler Unit 22 noted Caused by defective inboard fan bearing Bearing & bearing adaptor replaced
MAKEPEACE, J M Consolidated Edison Co of New York 79/03/05 1p

7903070210 LER 79-009/03L-0 on 790210 leaking diaphragm on outlet valve of boric acid Filter 21 noted Caused by ruptured diaphragm on ITT Grinnell, 2-inch manually operated stop valve, assembly drawing WREF-4-88 Diaphragm was replaced
MAKEPEACE, J M Consolidated Edison Co of New York 79/03/05 1p

7903200372 Forwards LER 79-012/04T-0
CAHILL, W J Consolidated Edison Co of New York 79/03/14 1p

7903200375 LER 79-012/04T-0 on 790213 contracting laboratory provided rept on 790213 that activity of precipitation sample taken on 790102 exceeded 10 times control station level Caused by tritium releases from outside source
MARGIULLI, S Consolidated Edison Co of New York 79/03/14 3pp

DOCKETED SERIES

DOCKET 50-247 Indian Point Station, Unit 2

7903220207 Forwards LERs 79-010/03L-0 & 79-011/03L-0
 CAMILL, W J Consolidated Edison Co of New York 79/03/16 1p

7903220208 LER 79-010/03L-0 on 790216 during startup, while critical at 24 power following trip amount of water in condensate storage tank was reduced to below Tech Spec min. Caused by excessive startup time. Tank level returned to normal.
 MAKEPEACE, J M Consolidated Edison Co of New York 79/03/16 2pp

7903220214 LER 79-011/03L-0 on 790222 during normal operation, routine insp of svc water strainer 21 indicated ruptured gasket at flange between strainer & associated blowdown valve. Gasket was replaced.
 MAKEPEACE, J M Consolidated Edison Co of New York 79/03/16 1p

DOCKET 50-249 Dresden Nuclear Power Station, Unit 3

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033, Intrusion Detection Sys Handbook, SAND76-0554, & Barrier Penetration Database, NUREG/CR-0181
 MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903010112 Notification of security plan deficiencies which are significant enough to warrant imposition of license conditions. Forwards comments for incorporation into plan. Appeal is possible.
 Encl A withheld (ref 10CFR2 790)
 IPPOLITO, T A Operating Reactors Branch 3 79/01/30 3pp

7903220523 Due to delays in equipment deliveries, scheduled completion date for installation of fire suppression sys could not be met. Deliveries are anticipated for early Feb 1979. Will inform when deliveries are complete.
 REED, C Commonwealth Edison Co 79/02/05 1p

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801.
 DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903140405 As result of discussions w/NRC, forwards design change re fire protection. Change involves pre-action to a wet-pipe sys.
 JANECEK, R F Commonwealth Edison Co 79/03/07 12pp

7903270499 Forwards safeguards contingency plan. Withheld (ref 10CFR2 790).
 REED, C Commonwealth Edison Co 79/03/23 1p

7902050263 Forwards SAND77-1927 "Transport of Radionuclides in Urban Environs Working Draft Assessment," SECY-78-311 & SECY-78-311A. No immediate regulatory action is necessary to protect spent fuel shipment. W/o encl.
 GODDARD, R J Office of the Executive Legal Director 79/01/18 2pp

7903070037 Forwards NUREG/CR-0400, "Risk Assessment Review Group Rept to the US NRC" (Lewis, Rept), providing recommendations for use of risk assessment methodology & assessment of WASH-1400.
 GODDARD, R J Branch 2 79/01/23 1p

NUREG/CR-0400, "Risk Assessment Review Group Rept mission presently developing policy.

* As Executive Legal Director 79/01/23 1p

to applicant's & NRC's objections to IC did not validly challenge its intentions should be admitted.

sources Defense Council 79/01/26 8pp

alum vitae for Tamplin & Cochran Cites two use of standing Hunt vs WA Apple 12US333 & VA Electric Power Co.

sources Defense Council 79/02/05 8pp

0202 order from O'Conner-McGuire proceeding, C to suppl prehearing conference tion for intervention 79/02/08 1p

7903030568 Forwards ASLB opinion re denial of intervention to Natl Lawyers Guild who refused to identify members. Position parallels that of NRDC.
 GODDARD, R J Branch 2 79/02/16 1p

7903210427 Forwards NRC policy statement re reactor safety study, review by Lewis Committee (NUREG/CR-0400) & survey of NRC uses of WASH-1400. All documents have been furnished to ASLB & ASLB members. W/o encl.
 GODDARD, R J Branch 2 79/02/21 1p

7903210378 Informs of document containing info potentially relevant to issue of sabotage of spent nuclear fuel. NRC assessment of info to be made available.
 GODDARD, R J Branch 2 79/02/26 4pp

7903220070 Informs of document containing info potentially relevant to issue of sabotage of spent nuclear fuel. NRC assessment of info to be made available.
 GODDARD, R J Branch 2 79/02/26 4pp

7903210167 Forwards "Annual Rept 1978," statement of cash flow projected for 1979, actual cash flow for 1978 & narrative explanatory statement.
 NEXON, H H Commonwealth Edison Co 79/03/15 8pp

7903070411 "Federal Interagency Radiological Assistance Plan" * Energy, Dept of ERDA-60 75/07/31 9pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages 1V-5 & 1V-6 w/modified rationale & corrections.
 GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept."
 SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept."
 WONG, K W General Electric Co, Nuclear Energy Products Div, NEDO-21885 78/06/30 45pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques.
 GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p

7902220033 Responds to NRC 790103 request & forwards info re projected number of spent fuel assemblies to be shipped from Dresden Quad-Cities, possible truck routes & population along routes. Info on rail routing will be sent.
 JANECEK, R F Commonwealth Edison Co 79/02/13 4pp

7902250001 Responds to 790103 request for addl info & forwards info re projected number of spent fuel assemblies to be shipped from Dresden to Quad-Cities, possible truck routes & population along routes. Info on rail routing will be sent.
 JANECEK, R F Commonwealth Edison Co 79/02/13 4pp

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample itr.
 EISENHUT, D G Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple Consecutive Safety Relief Valve Actuations in Mark I Containment Plants." All plants are in conformance w/ acceptance criteria.
 * Assistant Director for Systems & Projects 79/02/15 10pp.

7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test-Generic Sensitivity." W/affidavit for proprietary status. Rept withheld (ref 10CFR2 790).
 SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/26 5pp

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants."
 * Assistant Director for Engineers & Projects 79/02/27 12pp

DOCKETED SERIES

35

DOCKET 50-249 Dresden Nuclear Power Station, Unit 3

7903230083 Forwards safety evaluation on interim assessments of multiple-consecutive safety relief valve actuations. Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions. GRIMES, B K Division of Operating Reactors 79/02/27 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review lists meetings held & provides task-by-task summary. SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/28 11pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD, w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads. W/encl attendees list & meeting handouts. SU, T M Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules. EISENHUT, D O Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program. GRIMES, B Assistant Director for Engineers & Projects 79/03/01 8pp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted. Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules. GRIMES, B Division of Operating Reactors 79/03/01 22pp

7903200462 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted. Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules. GRIMES, B Division of Operating Reactors 79/03/01 22pp

7903200462 Forwards branch input to SER for proposed mod to spent fuel storage pools. Approves application for license amend, provided that U-235 loading in fuel assemblies for pools is limited to amount established in rept. LAINAS, G Division of Operating Reactors 79/03/01 2PP

7903200467 Safety evaluation re application for license amend to increase authorized capacity of spent fuel pool. LAINAS, G Division of Operating Reactors 79/03/01 9pp

7903190139 Responds to 790123 ltr requesting info on environ forecasting & monitoring. Environ impacts were accurately predicted in all cases & monitoring continues. MOORE, V A Assistant Director for Environmental Projects 79/03/02 3pp

7903190223 Corrects route numbers in 790213 response to request for addl info re inter-station transfer of spent fuel. JANACEK, R F Commonwealth Edison Co. 79/03/09 1p

7903260212 Forwards Amends 29, 42 & 38 to Licensees DPR-2, DPR-19 & DPR-25, respectively, & notice of issuance & availability. Security plan evaluation rept withheld (ref 10CFR2 790). ZIEMANN, D L Operating Reactors Branch 2 79/03/09 3pp

7903260224 Amends 29, 42 & 38 to Licensee DPR-2, DPR-19 & DPR-25, respectively, incorporating physical security plan. * Operating Reactors Branch 2 79/03/09 6pp

7903260226 Notice of issuance & availability of Amends 29, 42 & 38 to Licensees DPR-2, DPR-19 & DPR-25, respectively. ZIEMANN, D L Operating Reactors Branch 2 79/03/09 2pp

7903160172 Forwards OE rept NEDE-23898-P, "Analytical Model for Computing Water Rise in Safety Relief Valve Discharge Line Following Valve Closure." JANECEK, R F Commonwealth Edison Co 79/03/12 1p

7903290131 Forwards licensing open items status list. REED, C Commonwealth Edison Co 79/03/19 9pp

7903080174 Forwards IE Insp Repts 50-010/78-34, 50-237/78-32 & 50-249/78-33 on 781220-21 & 26-28. No noncompliance noted. Major areas inspected: procurement, records, review of safety limits, procedures & chemical cleaning. DETTENMEIER, R W, STREETER, J F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/17 5pp

7903190009 Forwards IE Insp Repts 50-010/78-35, 50-237/78-34 & 50-249/78-33 on 781201-29 & notice of violation. FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/07 2pp

7903190010 Notice of deviation from insp on 781201-29. * Region 3, Chicago, Office of the Director 79/02/07 1p

7903190015 IE Insp Repts 50-010/78-35, 50-237/78-34 & 50-249/78-33 on 781201-29. Noncompliance noted: inadequate storage of Class B area matl. BARKER, J L, SMITH, J D Region 3, Chicago, Office of the Director. KNOP, R C Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/07 12pp

7903130044 Forwards IE Insp Repts 50-237/78-33 & 50-249/78-34 on 781121 & 1227-28. No noncompliance noted. Major areas inspected: spent fuel storage rack records, repair program, & nondestructive examination activities. LEE, E W Region 3, Chicago, Reactor Construction & Engineering Support Branch. DANIELSON, D H Region 3, Chicago, Office of the Director 79/01/25 3pp

7903220445 Forwards IE Insp Repts 50-010/79-01, 50-237/79-01 & 50-249/79-01 on 790102-31. No noncompliance noted. HEISHMAN, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/14 2pp

7903220453 IE Insp Repts 50-010/79-01, 50-237/79-01 & 50-249/79-01. No noncompliance noted. Major areas inspected: maint, plant operations, physical protection, review & followup on LER's & callib of safety-related components. BARKER, J L, SPESSARD, R L Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/13 6pp

7903080490 Forwards corrected second page & App A for correspondence transmitted 790207. FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/15 3pp

7903080419 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features." KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903070450 Ack receipt of 790205 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-249/78-32. HIND, J A Region 3, Chicago, Safeguards Branch 79/02/20 1p

7903070452 Responds to NRC 790122 ltr re violations noted in IE Insp Rept 50-249/78-32. Corrective actions: Form NRC-741 dispatched on date the corporate office was informed of shipment. REED, C Commonwealth Edison Co 79/02/03 2pp

7903080343 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML. KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts." KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190539 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co." KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903020335 Forwards Part 2 of operating rept for June-Dec 1978, re radioactive effluents & occupational radiation exposures. STEPHENSON, B B Commonwealth Edison Co 79/02/15 1p

DOCKETED SERIES

DOCKET 50-249 Dresden Nuclear Power Station, Unit 3

7903020337 Part 2 of operating rept for June-Dec 1978, re radioactive effluents & occupational radiation exposures
* Commonwealth Edison Co 78/12/31 15pp

7903050388 Forwards "Annual Operating Rept for 1978"
STEPHENSON, B B Commonwealth Edison Co 79/02/26 1p

7903050391 "Annual Operating Rept for 1978"
* Commonwealth Edison Co 79/02/26 35pp

7903210035 Forwards monthly operating rept for Feb 1979
STEPHENSON, B B Commonwealth Edison Co 79/07/13 1p

7903210038 Monthly operating rept for Feb 1979
PHELEN, J F Consolidated Edison Co of New York 79/03/05 19pp

DOCKET 50-250 Turkey Point Plant, Unit 3

7903260172 In response to review of fire protection, requests addl info re auxiliary bldg corridor & cable spreading area Requests util either reconfirm commitments to open positions or commit to equivalent improvements
SCHWENCER, A Operating Reactors Branch 1 79/03/02 6pp

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033, Intrusion Detection Sys Handbook, SAND76-0554, & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270291 Forwards safeguards contingency plan Plan withheld (ref 10CFR2 790)
UHRIG, R E Florida Power & Light Co 79/03/23 1p

7903090114 Requests that encl 790209 ltr to NRC be considered petition to intervene Petition is untimely due to unavailability of info at FL Intl Univ Library
ONCAVAGE, M P Affiliation Unknown 79/02/22 1p

7903140574 Establishes ASLE to rule on intervention petition and/or requests for hearing & preside if hearing is ordered
Chairman is ES Bowers, members are DD Hall & OH Paris
LAZO, R M Atomic Safety and Licensing Board Panel 79/02/27 2pp

7903210385 Urges denial of HP Oncafrage 790209 intervention petition as it was exceedingly untimely & w/o proof of good cause
CUNNINGHAM, O H, GOLDBERG, S C Branch 2 79/03/01 4pp

7903300542 Provides notice that HF Reis will appear on behalf of util in proceedings re proposed amends to operating license to permit steam generator repairs Certificate of svc encl
REIS, M F Lowenstein, Neuman, Reis, Aselrad & Toll 79/03/09 3pp

7903150122 Responds to 790130 ltr which transmitted comments by CL Berg Berg concerned re facility use of water from Biscayne Bay to cool reactors Facility has a closed canal sys & has not used Biscayne Bay since 1973
QOSSICK, L V Office of the Executive Director for Operations 79/02/27 1p

7903160287 Requests investigation of allegations re use by facility of water from Biscayne Bay
FASCELL, D B House of Rep 79/01/30 2pp

7903280329 Forwards constituent 790303 ltr re denting in steam generators Requests response to radiation concerns
STONE, R Senate 79/03/01 1p

7903280335 Requests full hearing & EIS on steam generator repairs Request is untimely, due to licensee's failure to provide info at time specified in Federal Register Believes licensee's oversight constitutes "good cause"
ONCAVAGE, M P Affiliation Unknown 79/02/09 2pp

7903300567 Responds to 790301 ltr re request of M Oncafrage for consideration of his petition to intervene in hearing on repair of steam generators States Oncafrage could amend his petition to justify late filing
QOSSICK, L V Office of the Executive Director for Operations 79/03/21 2pp

7903300570 Forwards 790219 ltr from M Oncafrage re "denting" in steam generators Requests NRC findings & views on this matter
STONE, R Senate 79/03/01 3pp

7903290019 Forwards "Annual Rept 1978"
UHRIG, R E Florida Power & Light Co 79/03/20 1p

7903290023 "Annual Rept 1978"
MCDONALD, M Florida Power & Light Co 79/03/20 38pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PHR Appropriate utils have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903060567 Notification of 790214 meeting w/FL Power & Light Co in Bethesda, MD to discuss diesel generator surveillance
submittal
GROTEHUIS, M Operating Reactors Branch 1 79/02/12 1p

7903060685 Ack receipt of 790129 ltr re proposed steam generator repair license amend Notice of hearing on proposed amend published in Federal Register on 771213 All info re facility is available at local PDR
ENGELHARDT, T F Deputy Executive Legal Director 79/02/13 2pp

7903060689 Expresses concern over util plans to repair steam generators Requests to be informed when decision is reached re advisability & legality of repair plans
HOSKINS, W Affiliation Unknown 79/01/29 1p

7903160289 Forwards Amend 43 to DPR-31, Amend 35 to DPR-41, SER & notice of issuance encl
SCHWENCER, A Operating Reactors Branch 1 79/02/15 2pp

7903160292 Amend 43 to DPR-31 & Amend 35 to DPR-41, revising Tech Spec per util's 761021, 770703, 770711, 770726 & 771101 applications
SCHWENCER, A Operating Reactors Branch 1 79/02/15 20pp

7903160296 Supports Amend 43 to DPR-31 & Amend 35 to DPR-41 Amends do not involve significant safety hazards
* Operating Reactors Branch 1 79/02/15 5pp

7903160299 Notice of issuance of Amend 43 to DPR-31 & Amend 35 to DPR-41
SCHWENCER, A Operating Reactors Branch 1 79/02/15 3pp

7903210364 Responds to 771208 review of potential boron dilution incidents as requested by NRC NRC has determined that FSAR analysis of this event still represents most limiting case & no further action is necessary
SCHWENCER, A Operating Reactors Branch 1 79/02/21 2pp

7903150158 Summary of 790214 meeting w/util re diesel generator surveillance & 780908 submittal re proposed Tech Spec changes W/encl background info & attendees list
GROTEHUIS, M Operating Reactors Branch 1 79/02/26 4pp

7903220302 Use of revised reactor coolant pressure-temp limits should continue until final resolution re use of atypical weld wire is completed
SCHWENCER, A Operating Reactors Branch 1 79/02/26 2pp

7903270002 Forwards Amend 44 to DPR-31 & Amend 36 to DPR-41, notice of issuance & security plan evaluation rept Security plan evaluation withheld (ref 10CFR2 790)
SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903270004 Amends 44 & 36 to Licenses DPR-31 & DPR-41, respectively, incorporating physical security plan into license
* Operating Reactors Branch 1 79/02/27 4pp

7903270006 Notice of issuance of Amends 44 & 36 to Licenses DPR-31 & DPR-41, respectively
SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903060442 Responds to 790109 request for addl info re Bechtel-designed containments & Bechtel recommendation for sealing covers
UHRIG, R E Florida Power & Light Co 79/03/01 3pp

DOCKETED SERIES

37

DOCKET 50-250 Turkey Point Plant, Unit 3

7903260295 Rept NAI-76-47 DYNODE-P Version 2: "Nuclear Steam Supply Transient Simulator for PWR User Manual" sent 790119 w/fee is accepted for review as topical rept Fee will be determined Present fee will be returned
SCHWENGER, A Operating Reactors Branch 1 79/03/01 2pp

7903090267 Requests amend of App A of Licenses DPR-31 & DPR-41 providing for change in inservice insp & test programs Revised program for Unit 3 will be submitted by Aug 1979 Proposed changes encl
UHRIG, R E Florida Power & Light Co 79/03/06 13pp

7903160239 Updates & clarifies commitment to implement operational QA program Questions status of reg guide & industry standards re QA program
UHRIG, R E Florida Power & Light Co 79/03/09 2pp

7903260081 Notification of refund of Class IV & two Class I licensing fees sent w/application on 790119
MILLER, W O License Fee Management Branch 79/03/12 1p

7903300252 Forwards check for \$4,000 for 790306 request for license amend
UHRIG, R E Florida Power & Light Co 79/03/22 2pp

7903060391 Forwards IE Insp Repts 50-250/78-32 & 50-251/78-32 on 781219-21 No noncompliance noted
LONG, F J Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/10 2pp

7903060396 IE Insp Repts 50-250/78-32 & 50-251/78-32 on 781219-21 No noncompliance noted Major areas inspected licensee performance of site evacuation drill, compliance w/Tech Specs safety limits & limiting safety sys settings
VERDERY, E H, LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/08 4pp

7903070060 Ack receipt of 790124 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-250/78-31 & 50-251/78-31
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/13 1p

7903070063 Responds to NRC 781228 ltr re violations noted in IE Insp Repts 50-250/78-31 & 50-251/78-31 Corrective actions withheld (ref 10CFR2 790)
UHRIG, R E Florida Power & Light Co 79/01/24 1p.

7903070066 Forwards IE Insp Repts 50-250/78-31 & 50-251/78-31 on 781205-07 & notice of violation Notice of violation withheld (ref 10CFR2 790)
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/12/28 2pp

7903070069 IE Insp Repts 50-250/78-31 & 50-251/78-31 on 781205-07 Noncompliance noted failure to develop procedures, failure to search hand-carried packages & inadequate vehicle list
GILLESPIE, F P, BESECKER, K H, TUCHKO, J M Region 2, Atlanta, Safeguards Branch 79/12/28 1p

7903080537 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080275 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903080247 Forwards results of steam generator insp conducted during current outage; no new or unexpected phenomena found General pattern of denting found to be within predictable limits Requests permission to return unit to power operation
UHRIG, R E Florida Power & Light Co 79/03/06 30pp

7903140548 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director, 79/03/08 2pp

7903210138 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME BA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903260123 Forwards IE Insp Repts 50-250/79-02 & 50-251/79-02 on 790204-07 Notice of violation withheld (ref 10CFR2 790)
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/03/15 2pp

7903260127 IE Insp Repts 50-250/79-02 & 50-251/79-02 on 790204-07 Noncompliance noted lack of control of containment access during maint Details withheld (ref 10CFR2 790)
HENNESSEY, R J, GILLESPIE, F P Region 2, Atlanta, Safeguards Branch 79/03/15 1p

7903210589 Forwards IE Circular 79-04, "Loose Locking Nut on Limiting Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903230139 Forwards LER 79-001/031-0
SCHMIDT, A D Florida Power & Light Co 79/03/13 1p

7903230160 LER 79-001/031-0 on 790213 "A" fire pump found to be inoperable Caused by improper operation of power supply breaker Procedural methods implemented to ensure that fire pump power is verified after each shift
SCHOPPMAN, M A Florida Power & Light Co 79/03/13 1p

DOCKET 50-251 Turkey Point Plant, Unit 4

7903260172 In response to review of fire protection, requests addl info re auxiliary bldg corridor & cable spreading area Requests until either reconfirm commitments to open positions or commit to equivalent improvements
SCHWENGER, A Operating Reactors Branch 1 79/03/02 6pp

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards. 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73 55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270291 Forwards safeguards contingency plan Plan withheld (ref 10CFR2 790)
UHRIG, R E Florida Power & Light Co 79/03/23 1p

7903090114 Requests that encl 790209 ltr to NRC be considered petition to intervene Petition is untimely due to unavailability of info at FL Intl Univ Library
ONCAVAGE, M P Affiliation Unknown 79/02/22 1p.

7903140574 Establishes ASLB to rule on intervention petition and/or requests for hearing & preside if hearing is ordered
Chairman is EB Bowers; members are DB Hall & OH Paris
LAZO, R M Atomic Safety and Licensing Board Panel. 79/02/27 2pp.

7903210385 Urges denial of MP Onclave 790209 intervention petition as it was exceedingly untimely & w/o proof of good cause
CUNNINGHAM, G H, GOLDBERG, B C Branch 2 79/03/01 4pp.

7903300542 Provides notice that HF Reis will appear on behalf of util in proceedings re proposed amends to operating license to permit steam generator repairs Certificate of svc encl.
REIS, M F, Lowenstein, Neuman, Reis, Axelrad & Toll. 79/03/09 3pp

7903150122 Responds to 790130 ltr which transmitted comments by CL Berg Berg concerned re facility use of water from Biscayne Bay to cool reactors. Facility has a closed canal sys & has not used Biscayne Bay since 1973
GOSBICK, L V, Office of the Executive Director for Operations 79/02/27 1p

7903160287 Requests investigation of allegations re use by facility of water from Biscayne Bay
FABCELL, D B. House of Rep 79/01/30. 2pp

7903260335 Requests full hearing & EIS on steam generator repairs. Request is untimely due to licensee's failure to provide info at time specified in Federal Register. Believes licensee's oversight constitutes "good cause"
ONCAVAGE, M P Affiliation Unknown. 79/02/09 2pp

7903300569 Responds to 790301 ltr re request of M Onclave for consideration of his petition to intervene in hearing on repair of steam generators States Onclave could amend his petition to justify late filing.
GOSBICK, L V, Office of the Executive Director for Operations. 79/03/21 2pp

DOCKETED SERIES

DOCKET 50-251 Turkey Point Plant, Unit 4

7903300370 Forwards 790219 ltr from M Oncavage re "denting" in steam generators Requests NRC findings & views on this matter.
STONE, R Senate 79/03/01 3pp

7903290019 Forwards "Annual Rept 1978 "
UHRIG, R E. Florida Power & Light Co. 79/03/20 1p

7903290023 "Annual Rept 1978 "
MCDONALD, M Florida Power & Light Co 79/03/20 38pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR Appropriate utils have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B, K Assistant Director for Engineers & Projects 79/01/18, 4pp

7903060569 Notification of 790214 meeting w/FL Power & Light Co in Bethesda, MD to discuss diesel generator surveillance submittal
GROTENHUIS, M Operating Reactors Branch 1 79/02/12 1p

7903060485 Ack receipt of 790129 ltr re proposed steam generator repair license amend Notice of hearing on proposed amend published in Federal Register on 771213 All info re facility is available at local PDR
ENGELHARDT, T F Deputy Executive Legal Director 79/02/13 2pp

7903060689 Expresses concern over util plans to repair steam generators Requests to be informed when decision is reached re advisability & legality of repair plans
HOSKINS, W Affiliation Unknown 79/01/29 1p

7903160289 Forwards Amend 43 to DPR-31, Amend 35 to DPR-41, SER & notice of issuance encl
SCHWENCER, A Operating Reactors Branch 1 79/02/15 2pp

7903160292 Amend 43 to DPR-31 & Amend 35 to DPR-41, revising Tech Specs per util's 761021, 770703, 770711, 770726 & 771101 applications
SCHWENCER, A Operating Reactors Branch 1 79/02/15 20pp

7903160296 Supports Amend 43 to DPR-31 & Amend 35 to DPR-41 Amends do not involve significant safety hazards
Operating Reactors Branch 1. 79/02/15 5pp

7903160299 Notice of issuance of Amend 43 to DPR-31 & Amend 35 to DPR-41.
SCHWENCER, A Operating Reactors Branch 1 79/02/15 3pp

7903210344 Responds to 771208 review of potential boron dilution incidents as requested by NRC NRC has determined that FSAR analysis of this event still represents most limiting case & no further action is necessary
SCHWENCER, A Operating Reactors Branch 1 79/02/21 2pp

7903150158 Summary of 790214 meeting w/util re diesel generator surveillance & 780908 submittal re proposed Tech Spec changes w/encl background info & attendees list.
GROTHENHUIS, M Operating Reactors Branch 1 79/02/26 4pp

7903220302 Use of revised reactor coolant pressure-temp limits should continue until final resolution re use of atypical weld wire is completed
SCHWENCER, A Operating Reactors Branch 1 79/02/26 2pp

7903270002 Forwards Amend 44 to DPR-31 & Amend 36 to DPR-41, notice of issuance & security plan evaluation rpt Security plan evaluation withheld (ref 10CFR2 790).
SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903270004 Amends 44 & 36 to Licenses DPR-31 & DPR-41, respectively, incorporating physical security plan into license
Operating Reactors Branch 1 79/02/27 4pp

7903270006 Notice of issuance of Amends 44 & 36 to Licenses DPR-31 & DPR-41, respectively
SCHWENCER, A Operating Reactors Branch 1 79/02/27. 3pp

7903060442 Responds to 790109 request for addl info re Bechtel-designed containments & Bechtel recommendation for sealing covers
UHRIG, R E Florida Power & Light Co 79/03/01 3pp

7903220295 Rept NAI-76-67 DYNODE-P Version 2, "Nuclear Steam Supply Transient Simulator for PWR User Manual" sent 790119 w/fee is accepted for review as topical rept Fee will be determined Present fee will be returned
SCHWENCER, A Operating Reactors Branch 1 79/03/01 2pp

7903090267 Requests amend of App A of Licenses DPR-31 & DPR-41 providing for change in inservice insp & test programs Revised program for Unit 3 will be submitted by Aug 1979 Proposed changes encl
UHRIG, R E Florida Power & Light Co 79/03/06 13PP

7903160239 Updates & clarifies commitment to implement operational QA program Questions status of reg guide & industry standards re QA program
UHRIG, R E Florida Power & Light Co 79/03/09 2pp

7903260081 Notification of refund of Class IV & two Class I licensing fees sent w/application on 790119
MILLER, W O License Fee Management Branch 79/03/12 1p

7903260285 Informs that next refueling of Unit 4 is scheduled from early April 79 to 790526 & does not involve safety question or changes in Tech Specs Inquires if approval of Tech Spec for rod insertion will be delayed beyond 790526
UHRIG, R E Florida Power & Light Co 79/03/16 1p

7903060391 Forwards IE Insp Repts 50-250/78-32 & 50-251/78-32 on 781219-21 No noncompliance noted
LONO, F J Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/10 2pp

7903060396 IE Insp Repts 50-250/78-32 & 50-251/78-32 on 781219-21. No noncompliance noted Major areas inspected licensee performance of site evacuation drill, compliance w/Tech Specs safety limits & limiting safety sys settings
VERDERY, E H, LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/08 4pp

7903070060 Ack receipt of 790124 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-250/78-31 & 50-251/78-31
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/13 1p

7903070063 Responds to NRC 781228 ltr re violations noted in IE Insp Repts 50-250/78-31 & 50-251/78-31 Corrective actions withheld (ref 10CFR2 790)
UHRIG, R E Florida Power & Light Co 79/01/24 1p

7903070066 Forwards IE Insp Repts 50-250/78-31 & 50-251/78-31 on 781205-07 & notice of violation Notice of violation withheld (ref 10CFR2 790)
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/12/28 2pp

7903070069 IE Insp Repts 50-250/78-31 & 50-251/78-31 on 781205-07 Noncompliance noted failure to develop procedures, failure to search hand-carried packages & inadequate vehicle list
GILLESPIE, F P, BESECKER, K H, FUCHKO, J M Region 2, Atlanta, Safeguards Branch 79/12/28 1p

7903080337 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080275 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140548 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903160207 Forwards steam generator insp program for insp planned for Apr 1979
O'REILLY, J P Florida Power & Light Co 79/03/09 4pp

DOCKETED SERIES

DOCKET 50-251 Turkey Point Plant, Unit 4

7903210138 Forwards IE Bulletin 79-02, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co." O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903260123 Forwards IE Insp Repts 50-250/79-02 & 50-251/79-02 on 790204-07 Notice of violation withheld (ref 10CFR2 790) KENNA, W B Region 2, Atlanta, Safeguards Branch 79/03/15 2pp

7903260127 IE Insp Repts 50-250/79-02 & 50-251/79-02 on 790204-07 Noncompliance noted lack of control of containment access during maint Details withheld (ref 10CFR2 790) HENNESSEY, R J, GILLESPIE, F P Region 2, Atlanta, Safeguards Branch 79/03/15 1p

7903210589 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators" O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903130288 Forwards LER 79-001/03L-0 SCHMIDT, A D Florida Power & Light Co 79/02/23 1p

7903130289 LER 79-001/03L-0 on 790125 4A boric acid transfer pump tripper on thermal overload inoperable Caused by incomplete reinstallation of recirculation line insulation New recirculation line installed SCHOPPHAN, M A Florida Power & Light Co 79/02/23 2pp

DOCKET 50-252 Univ of New Mexico Research Reactor

7903210031 Informs that AQN-201M reactor has been shut down, pending replacement of instrumentation in Safety Channel 2 Proposes that written operation re qualification examinations be deferred until resumption of reactor operations WHAN, G A New Mexico, Univ of 79/03/14 1p

DOCKET 50-254 Quad-Cities Station, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1023; Intrusion Detection Sys Handbook, SAND76-0354; & Barrier Penetration Database, NUREG/CR-0181 MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903010112 Notifies of security plan deficiencies which are significant enough to warrant imposition of license conditions Forwards comments for incorporation into plan Appeal is possible. Encl A withheld (ref 10CFR2 790) IPPOLITO, T A Operating Reactors Branch 3 79/01/30 3pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee post-down searches until 790801 DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270504 Forwards safeguards contingency plan Withheld (ref 10CFR2 790) REED, C Commonwealth Edison Co 79/03/23 1p

7903130525 Forwards NUREG/CR-0400, "Risk Assessment Review Group Rept to the US NRC" Commission presently developing policy statement re rept. GODDARD, R J, Office of the Executive Legal Director 79/01/23 1p

7903060287 NRDC's response to applicant's & NRC's objections to contentions Urges that NRC did not validly challenge its contentions & that its contentions should be admitted Certificate of Byc encl. ROISHAN, A Z Natural Resources Defense Council 79/01/26 8pp

7903020398 Forwards curriculum vitae for Tamplin & Cochran, Cites two precedents bearing on issue of standing Hunt vs WA Apple Advertising Commission, 432US333 & VA Electric Power Co, ALAB-522, (1979) ROISHAN, A Z, Natural Resources Defense Council 79/02/05, 8pp.

7903070004 Forwards ASLB 790202 order from Oconnor-McQuire proceeding, denying objections of NRDC to suppl prehearing conference order denying NRDC's petition for intervention. GODDARD, R J, Branch 2 79/02/08, 1p.

7903090568 Forwards ASLB opinion re denial of intervention to Natl Lawyers Guild who refused to identify members Position parallels that of NRDC GODDARD, R J Branch 2 79/02/16 1p

7903210427 Forwards NRC policy statement re reactor safety study, review by Lewis Committee (NUREG/CR-0400) & survey of NRC uses of WASH-1400 All documents have been furnished to ASLB & ASLB members W/o encl GODDARD, R J Branch 2 79/02/21, 1p

7903210378 Informs of document containing info potentially relevant to issue of sabotage of spent nuclear fuel NRC assessment of info to be made available GODDARD, R J Branch 2 79/02/26 4pp

7903280329 Forwards constituent 790303 ltr re denting in steam generators Requests response to radiation concerns STONE, R Senate 79/03/01 1p

7903210167 Forwards "Annual Rept 1978," statement of cash flow projected for 1979, actual cash flow for 1978 & narrative explanatory statement NEXON, H H Commonwealth Edison Co 79/03/15 6pp.

7903090263 Forwards Endorsement 116 to NELIA NF-43, Endorsement 98 to MAELU NF-22, Endorsement 57 to NELIA NF-187, Endorsement 48 to MAELU NF-54, Endorsement 46 to NELIA NF-201, Endorsement 40 to MAELU NF-64 & Endorsement 9 to NELIA NF-259 for 1979 BSTER, J Commonwealth Edison Co 79/02/26, 8pp

7903070411 "Federal Interagency Radiological Assistance Plan," * Energy, Dept of ERDA-60 79/07/31 9pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages IV-3 & IV-6 w/modified rationale & corrections GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept" SODOM, L J General Electric Co., Nuclear Energy Products Div 79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept" WONG, K W General Electric Co., Nuclear Energy Products Div, NEDO-21885 78/06/30 43pp.

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques. GRIMES, C. Assistant Director for Engineers & Projects, 79/02/06 1p

7903090326 Requests all records, studies, repts & documents re transport of SNM HANBELL, D Illinois, State of, 79/02/06, 2pp

7902220033 Responds to NRC 790103 request & forwards info re projected number of spent fuel assemblies to be shipped from Dresden Quad-Cities, possible truck routes & population along routes. Info on rail routing will be sent. JANECEK, R. F. Commonwealth Edison Co 79/02/13, 4pp

7902250001 Responds to 790103 request for addl info & forwards info re projected number of spent fuel assemblies to be shipped from Dresden to Quad-Cities, possible truck routes & population along routes Info on rail routing will be sent. JANECEK, R F Commonwealth Edison Co, 79/02/13, 4pp

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr. EISENHUT, D O Assistant Director for Systems & Projects 79/02/15, 2pp.

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants." All plants are in conformance w/ acceptance criteria * Assistant Director for Systems & Projects 79/02/15, 10pp.

7903220227 Forwards Amend 50 to DPR-29, supporting safety evaluation & notice of issuance. IPPOLITO, T A Operating Reactors Branch 3, 79/02/23, 8pp.

DOCKETED SERIES

DOCKET 50-254 Quad-Cities Station, Unit 1

7903220227 Amend 50 to DPR-29, restricting power level to maintain pressure margin to safety valve setpoints during worst case pressurization transient
 IPPOLITO, T A Operating Reactors Branch 3 79/02/23 27pp

7903220230 Safety evaluation supporting Amend 50 to DPR-29
 IPPOLITO, T A Operating Reactors Branch 3 79/02/23 11pp

7903220234 Notice of issuance of Amend 50 to DPR-29
 IPPOLITO, T A Operating Reactors Branch 3 79/02/23 1p

7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Suel Test Program, LDR Load Test- Generic Sensitivity " W/affidavit for proprietary status Rept withheld (ref 10CFR2 790)
 SOBOM, L J General Electric Co., Nuclear Energy Products Div 79/02/26 3pp

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants "
 * Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations
 Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
 GRIMES, B K Division of Operating Reactors 79/02/27 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides last-by-task summary
 SOBOM, L J General Electric Co., Nuclear Energy Products Div 79/02/28 11pp

7903090316 Responds to 790206 ltr requesting all documents re four categories of info involved w/transport of spent fuel & other SNM from facility info available in PDR List of possible relevant requests encl
 FELTON, J M Division of Rules and Records 79/03/01 4pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD, w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
 SU, T M Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
 EISENHUT, D G Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
 GRIMES, B Assistant Director for Engineers & Projects 79/03/01 8pp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
 GRIMES, B Division of Operating Reactors 79/03/01 22pp

7903200462 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
 GRIMES, B Division of Operating Reactors 79/03/01 22pp.

7903260286 Forwards summary rept of 790112 secondary containment leak rate test
 JANECEK, R F Commonwealth Edison Co 79/03/06 1p

7903260287 Secondary containment leak test rept Concludes standby gas treatment sys maintains 1/4 inch of water vacuum in secondary containment bldg under calm conditions w/flow rate no higher than 4,000 cfm
 * Commonwealth Edison Co 79/03/06 2pp

7903190223 Corrects route numbers in 790213, response to request for addl info re inter-station transfer of spent fuel
 JANECEK, R F Commonwealth Edison Co 79/03/09 1p

7903160172 Forwards OE rept NEDE-23598-P, "Analytical Model for Computing Water Rise in Safety Relief Valve Discharge Line Following Valve Closure "
 JANECEK, R F Commonwealth Edison Co 79/03/12 1p

7903260181 Forwards Amends 51 & 48 to Licenses DPR-29 & DPR-30, respectively & notice of issuance & availability
 IPPOLITO, T A Operating Reactors Branch 3 79/03/12 3pp

7903260184 Amends 51 & 48 to Licenses DPR-29 & DPR-30, respectively, incorporating physical security plan into licenses
 IPPOLITO, T A Operating Reactors Branch 3 79/03/12 4pp

7903260188 Notice of issuance & availability of Amends 51 & 48 to Licenses DPR-29 & DPR-30, respectively
 VERRELLI, D M Operating Reactors Branch 3 79/03/12 2pp

7903270111 Discusses status of Mark I containment long-term program Requests schedule showing time periods for installation of specific plant mods Discusses safety relief valve discharge device installation & forwards NRC evaluation
 STELLD, V Division of Operating Reactors 79/03/12 17pp

7903290131 Forwards licensing open items status list
 REED, C Commonwealth Edison Co 79/03/19 9pp.

7903070508 Forwards IE Insp Repts 50-254/78-28 & 50-265/78-29 on 781116-17, 21-22, 1206-07 & 13-14 No noncompliance noted
 FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/15 2pp

7903070513 IE Insp Rept 50-254/78-28 & 50-265/78-29 on 781116-17, 21-22, 1206-07 & 13-14 No noncompliance noted Major areas inspected organization & administration, procedures, LERs, Followup on outstanding items & plant tour
 CHRISTOTIMAS, N, KNOP, R C Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/09 5pp

7903070306 Forwards IE Insp Repts 50-254/78-29, 50-265/78-31, 50-295/78-30 & 50-304/78-29 on 781130 & 781206-07 & notice of violation
 FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/19 2pp

7903070310 Notice of violation from insp on 781130 & 1206-07
 * Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/11 1p

7903070317 IE Insp Rept 50-254/78-29, 50-265/78-31, 50-295/78-30 & 50-304/78-29 on 781130 & 1206-07 Noncompliance noted instrument procedure not followed resulting in unplanned reactor trip & safety injection at Unit 1
 KNOP, R C, BOYD, D C, WALKER, R Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/11 5pp

7903140485 Forwards IE Insp Repts 50-254/79-01 & 50-265/79-01 on 790108-11 No noncompliance noted
 DAVIS, A Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/29 2pp

7903140488 IE Insp Repts 50-254/79-01 & 50-265/79-01 on 790108-11 No noncompliance noted Major areas inspected nonradiological environ protection insp
 AXELSON, W L, EBBIG, T L Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/24 7pp

7903140462 Forwards IE Insp Repts 50-254/79-03 & 50-265/79-03 on 790102-05 No noncompliance noted
 FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903140468 IE Insp Repts 50-254/79-03 & 50-265/79-03 on 790102-05 No noncompliance noted Major areas inspected surveillance test program from June 1977-June 1978
 SHAFER, W D, WHITT, K Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/29 4pp

7903060104 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids " Forwards current plan for replacement & preventive maint
 REED, C Commonwealth Edison Co 79/02/02 3pp

7903150144 Forwards IE Insp Repts 50-254/79-02 & 50-265/79-02 on 790103-05, 10-11 & 23-25 No noncompliance noted
 FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/07 2pp

7903150150 IE Insp Repts 50-254/79-02 & 50-265/79-02 on 790103-05, 10-11 & 23-25 No noncompliance noted Major areas inspected QA program, review of plant operations, fire protection action followup, IE bulletin/circular & LER followup
 CHRISTOTIMAS, N, KNOP, R C Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/05 4pp

DOCKETED SERIES

41

DOCKET 50-254 Quad-Cities Station, Unit 1

7903160298 Informs of inability to replace GE Model CR 105V auxiliary contact devices on safety-related motor control centers during current refueling outage Replacement scheduled for next outage Delay will not result in operation problems
REED,C Commonwealth Edison Co 79/02/07 2pp

7903080419 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER,J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903280038 Forwards IE Insp Rept 50-254/79-07 on 790205-07 No noncompliance noted
HEISHMAN,R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/21 2pp

7903280044 IE Insp Rept 50-254/79-07 on 790205-07 No noncompliance noted Major areas inspected preparation for refueling outage,prefuel handling activities,fuel handling activities, & maint during refueling outage
WRIGHT,G C , LITTLE,W S Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/16 3pp

7903080343 Informs recipients of IC Bulletin 79-01, "Environ Qualification of Class IE Equipment," std 790208,that valve limit switch identified as NAMCO Model 83CML should read SL3CML
KEPPLER,J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER,J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190539 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER,J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903020322 Forwards Part 2 of operating rept for July-Dec 1978, re radioactive effluents & occupational radiation exposures
KALIVIANAKIS,N Commonwealth Edison Co 79/01/29 1p

7903020324 Part 2 of operating rept for July-Dec 1978, re radioactive effluents & occupational radiation exposures
* Commonwealth Edison Co 78/12/31 20pp

7903300374 Forwards "Semiannual Non-Radiological Environ Rept for Aug 78-Jan 79"
JANECEK,R F Commonwealth Edison Co 79/03/20, 1p

7903300387 "Semiannual Non-Radiological Environ Rept for Aug 1978-Jan 1979"
* Commonwealth Edison Co 79/03/08 159pp

7903070339 Forwards LER 79-010/03L-0
KALIVIANAKIS,N Commonwealth Edison Co 79/02/10, 1p

7903070343 LER 79-010/03L-0 on 790205 1/2A diesel fire pump taken out of svc longer than Tech Spec limit Caused by need to allow diver to work in intake bay associated w/fire pump suction Pump returned to svc 790208
VAHRENWALD,J Commonwealth Edison Co, 79/02/10 1p

7903070332 Forwards LER 79-003/03L-0
KALIVIANAKIS,N, Commonwealth Edison Co 79/02/16 2pp

7903070338 LER 79-003/03L-0 on 790130 1-2001-4 valve leak rate was 26 0 std cubic feet per hour Caused by worn valve stem packing Valve packing replaced
TIELZ,G Commonwealth Edison Co 79/02/16 2pp

7903070340 LER 79-003/03L-0 on 790124 reactor bldg-to-suppression chamber vacuum breaker 1 1601-318 had leak rate of 142 7 std cubic feet per hour Caused by component failure Valve packing replaced & second leak test performed
SWALES,J Commonwealth Edison Co, 79/02/16 2pp

7903070346 LER 79-003/03L-0 on 790122 containment purge vol bounded by valves had leak rate of 58 3 std cubic feet per hour Caused by insufficient stem travel to allow valve disc to fully contact valve seat Valve operator stroke lengthened
KODI,M Commonwealth Edison Co 79/02/16 1p

7903070354 LER 79-003/03L-0 on 790119 MSIV leaking in excess of Tech Spec limits Not all valves have been repaired Suppl rept will be sent upon completion of testing & corrective actions
KOPACZ,J Commonwealth Edison Co 79/02/16 1p

7903070398 LER 79-003/03L-0 on 790120 feedwater check valve 1-220-62B was leaking Caused by dirty valve seat preventing proper seating of valve disc Valve seat was cleaned & new Kalraz "Q" ring installed
SCHNITZMEYER,J Commonwealth Edison Co 79/02/16 2pp

7903070363 LER 79-003/03L-0 on 790119 valve MDI-220-1 found leaking at rate of 43 8 std cubic feet per hour Caused by dirty & worn disc-to-seat surfaces Valve disc was relapped & valve seat cleaned
MURRAY,R Commonwealth Edison Co 79/02/16 2pp

7903070386 LER 79-003/03L-0 on 790119 reactor core isolation cooling sys turbine steam exhaust check valve CV 1-1301-41 was leaking Caused by dirty valve internals Valve internals cleaned & valve reassembled
KODI,M Commonwealth Edison Co 79/02/16 2pp

7903070370 LER 79-003/03L-0 on 790119 1-2301-45 check valve leak rate was 190 3 std cubic feet per hour Caused by failure of gasketed seating surface between valve body seating & disc Check valve replaced w/new exact replacement valve
REED,M Commonwealth Edison Co 79/02/16 2pp

7903070373 LER 79-003/03L-0 on 790118 flange seal gasket was leaking in excess of 30 std cubic feet per second Caused by seal gasket wear Seal gasket will be inspected further & replaced if necessary.
TIENTZ,G Commonwealth Edison Co 79/02/16, 2pp

7903140281 Forwards LER 79-007/03L-0
KALIVIANAKIS,N Commonwealth Edison Co 79/02/20 1p

7903140286 LER 79-007/03L-0 on 790201 main steam line leak detection temp switches TS 1-261-16A, MTS 1-261-18A & TS 1-261-15C tripped in excess of setpoint Caused by instrument setpoint drift Temp switches recalibrated
HANNUM,D Commonwealth Edison Co 79/02/20 2pp

7903070353 Forwards LER 79-006/03L-0
KALIVIANAKIS,N Commonwealth Edison Co 79/02/21 1p

7903070357 LER 79-006/03L-0 on 790125 during primary containment isolation valve closure timing, valve AO 1-1601-21 failed to close in 10 seconds Caused by improper adjustment of valve speed control from operational wear Control was readjusted.
SWALES,J Commonwealth Edison Co, 79/02/21 2pp

7903070341 Forwards LER 79-005/03L-0
KALIVIANAKIS,N Commonwealth Edison Co 79/02/22 1p

7903070350 LER 79-005/03L-0 on 790123 during Unit 1/2 diesel generator monthly load test Q08 6600-1, pilot solenoid valve to air starting motors failed & Unit 1/2 diesel was shutdown Caused by mechanical failure of valve Valve was replaced
HDELLER,T, Commonwealth Edison Co 79/02/22 3pp

7903160240 Forwards LER 79-008/03L-0
KALIVIANAKIS,N Commonwealth Edison Co 79/02/24, 1p.

7903160246 LER 79-008/03L-0 on 790202 temp switch TS-1-1360-15D had trip setpoint in excess of Tech Spec limit Caused by setpoint drift Switch recalibrated & satisfactorily tested
REED,M Commonwealth Edison Co 79/02/24 2pp.

7903160212 Forwards LER 79-009/03L-0.
KALIVIANAKIS,N Commonwealth Edison Co 79/02/28 1p

7903160214 LER 79-009/03L-0 on 790203 bad plate drain valves AO 1-4979-57,58 & 60 did not fully close Caused by corrosion & failure of internal return springs, Springs replaced & valves satisfactorily retested
MURRAY,R Commonwealth Edison Co 79/02/28 2pp

7903160244 Forwards LER 79-011/03L-0
KALIVIANAKIS,N Commonwealth Edison Co 79/03/01 1p

7903160247 LER 79-011/03L-0 on 790202 drywell vent valve AO 1-1601-23 closed in excess of Tech Spec max time limit, Caused by worn & leaking seals on air operating pistons, U-cup piston seals replaced
CLARK,D Commonwealth Edison Co, 79/03/01, 2pp

DOCKETED SERIES

DOCKET 50-254 Quad-Cities Station, Unit 1

7903280344 Forwards LER 79-014/03L-0
KALIVIANAKIS, N Commonwealth Edison Co 79/03/09 1p

7903280348 LER 79-014/03L-0 on 790214 automatic blowdown timers exceeded Tech Spec limits during tests Caused by instrument setpoint drift One timer readjusted, another replaced
TIETZ, O Commonwealth Edison Co 79/03/09 2pp

7903290042 Forwards LER 79-003/03L-0
KALIVIANAKIS, N Commonwealth Edison Co 79/03/09 1p

7903290046 LER 79-003/03L-0 on 790216 suppression chamber vent valve leaked excessively Caused by misalignment of disc & seat Valve disc was shimmed toward operator approx 1/8 inch & valve was test-operated three times
HANNUM, D Commonwealth Edison Co 79/03/09 2pp

7903290090 LER 79-003/03L-1 on 790118 flange seal gasket leaked excessively Caused by gasket wear Gasket replaced
TIETZ, O Commonwealth Edison Co 79/03/09 1p

7903290092 LER 79-003/03L-1 on 790119 MSIV local leak rate showed seven valves leaking excessively Causes unspecified Valve stroke adjusted, certain valves dismantled, discs & seats were lapped & machined
KOPACZ, J Commonwealth Edison Co 79/03/09 1p

7903280320 Forwards LER 79-012/03L-0
KALIVIANAKIS, N Commonwealth Edison Co 79/03/12 1p

7903280327 LER 79-012/03L-0 on 790214 air found blowing through weld on 3/4 inch vent line Caused by component failure Vent line inserted into socket & re-welded
TIETZ, O Commonwealth Edison Co 79/03/12 2pp

7903280352 Forwards LER 79-013/03L-0
KALIVIANAKIS, N Commonwealth Edison Co 79/03/14 1p.

7903280355 LER 79-013/03L-0 on 790217 check valves 1-263-2-31B & 1-263-42A failed to check flow through instrument lines Caused by dirt in valve internals Internals removed, cleaned & reassembled
KOPACZ, J Commonwealth Edison Co 79/03/14 1p

7903280345 Forwards LER 79-010/03L-1
KALIVIANAKIS, N Commonwealth Edison Co 79/03/15 1p

7903280347 LER 79-010/03L-1 on 790205 diesel fire pump 1/2A out of svc beyond Tech Spec limit Caused by personnel error Pump returned to svc
VAHRENWALD, J Commonwealth Edison Co 79/03/15 1p

DOCKET 50-255 Palisades Nuclear Plant

7903260265 Util is still reviewing draft SER & therefore unable to answer 790109 ltr Response will be submitted 790416
HOFFMAN, D P Consumers Power Co 79/03/21 1p

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to allow pat-down searches until 790801
R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270395 In response to 790120 ltr, forwards info on spent fuel storage at six existing nuclear power plants near Lake Michigan as of 781231
DENTON, H R Office of Nuclear Reactor Regulation 79/03/08 6pp

7903270397 Requests info re spent nuclear fuel storage at six existing nuclear plants near Lake Michigan
SCHAEFER, J Affiliation Unknown 79/01/20 2pp

7903090229 Forwards "1978 Annual Rept "
PERRY, P Consumers Power Co 79/03/05 1p

7903090231 "1978 Annual Rept "
* Consumers Power Co 78/12/31 40pp

7903070227 Forwards Endorsement 54 to MAELU Policy MF--50
FOSTER, S C Consumers Power Co 79/02/23 2pp

7903140453 Forwards Endorsement 60 to NELIA Policy NF--179 to reflect subscribing Co's & distribution of liability for calendar year 1979
FOSTER, S C Consumers Power Co 79/03/08 2pp

7903080100 Forwards mods & corrections to NRC guidance, "Review & Acceptance of Spent Fuel Storage & Handling Applications," sent 780414
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903010052 Forwards Amend 45 to License DPR-20, safety evaluation supporting Amend 45, & Federal Register notice of issuance
ZIEMANN, D L Operating Reactors Branch 2 79/01/19 2pp

7903010054 Amend 45 to License DPR-20, changing Tech Specs re requirements for reactor internals vibration monitoring
ZIEMANN, D L Operating Reactors Branch 2 79/01/19 6pp

7903010058 Safety evaluation supporting Amend 45 to License DPR-20, concluding that revising requirements for reactor internals vibration monitoring does not increase chance of accidents or endanger public
* Office of Nuclear Reactor Regulation 79/01/19 3pp

7903010059 Notice of issuance of Amend 45 to License DPR-20
ZIEMANN, D L Operating Reactors Branch 2 79/01/19 2pp

7903130115 Confirms plans for 790223 meeting in Glen Ellyn, IL to discuss circumstances re settlement of diesel generator bldg & plant area fill
KEPPLER, J O Region 3, Chicago, Office of the Director 79/02/20 1p

7903090074 Notification of 790306-07 meeting in Bethesda, MD w/util to discuss systematic evaluation program electrical instrumentation & control sys topics
SILVER, R D, NOWICKI, S J Operating Reactors Branch 2 79/02/21 1p

7903120240 Responds to NRC 781129 ltr Will limit containment purges to cold shutdown & refueling conditions until info is provided re containment isolation valves Also concludes that safety actuation signal circuits w/manual override are acceptable
HOFFMAN, D P Consumers Power Co 79/03/01 1p

7903260283 Forwards draft evaluations of systematic evaluation program re radiological consequences of failures in steam generators, steam lines & rod ejection accidents Requests confirmation of facts or identification of errors
ZIEMANN, D L Operating Reactors Branch 2 79/03/05 14pp.

7903090279 Forwards request for change to Tech Specs to allow use of new in-core detector sys Requests issuance of change before 790501 w/check for Class II change fee
HOFFMAN, D P Consumers Power Co 79/03/06 3pp

7903130301 Forwards proposed changes to Tech Specs for License DPR-20 re radiological effluents
HOFFMAN, D P Consumers Power Co 79/03/12 33pp

7903260213 Forwards info re atypical low voltage & medium voltage containment penetration circuit & direct current power penetration circuit Concludes simultaneous occurrence of LOCA & mas fault condition need not be considered
HOFFMAN, D P Consumers Power Co 79/03/19 7pp.

DOCKETED SERIES

43

DOCKET 50-255 Palisades Nuclear Plant

7903070389 Forwards IE Insp Rept 50-255/78-30 on 781127-30 & 1201 & notice of violation
KEPPLER, J G Region 3, Chicago, Office of the Director 79/01/23 2pp

7903070391 Notice of violation from insp on 781127-30 & 1201
* Region 3, Chicago, Office of the Director 79/01/02 2pp

7903070392 IE Insp Rept 50-255/78-30 on 781127-30 & 1201 Noncompliance noted maint engineer & training coordinator not reporting to persons as stated in Tech Specs & no periodic review of maint personnel training records
FOSTER, L E, SINKULE, M V, WHITT, K Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/02 15pp

7903130287 Forwards IE Insp Rept 50-255/79-02 on 790108-10 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903130330 IE Insp Rept 50-255/79-02 on 790108-10 No noncompliance noted Major areas inspected plant operations after refueling, nonroutine event followup, & Cycle 3 reactor physics testing
KOHLER, J E, CHOW, E T, STREETER, J F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/29 5pp

7903130364 Forwards IE Insp Rept 50-255/79-01 on 790122-26 No noncompliance noted.
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/05 2pp

7903150368 IE Insp Rept 50-255/79-01 on 790122-26 No noncompliance noted Major areas inspected plant operations, reportable events, IE bulletins & circulars, action on previously identified noncompliance & staff organization
JORGENSEN, B L, WARRICK, R F Region 3, Chicago, Office of the Director 79/02/01 6pp

7903080430 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903090387 Forwards IE Insp Rept 50-255/79-03 on 790122-26 No noncompliance noted
HIND, J A Region 3, Chicago, Safeguards Branch 79/02/20 2pp

7903090395 IE Insp Rept 50-255/79-03 on 790122-26 No noncompliance noted Major areas inspected action taken to correct previous insp findings, progress of const. installation & preoperational activities to implement 10CFR73.55
HIND, J A, CREED, J R, HOWELL, C A Region 3, Chicago, Safeguards Branch 79/02/14 2pp

7903080357 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p.

7903130284 Forwards inservice insp program "Proposed Request for Relief from Provisions of 1974 ASME Code, Section XI w/Addenda through Summer 1975" & "Suppl Info on Code Update & Code Implementation" Requests NRC review before June 1979
HOFFMAN, D P Consumers Power Co 79/03/06 10pp

7903150031 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p.

7903230333 Ack receipt of 790215 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-255/78-30 Addl info provided re item C has been reviewed, should not be considered item of noncompliance
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/09 2pp.

7903230337 Responds to violations noted in IE Insp Rept 50-255/78-30 Corrective actions, Tech Spec changes will be requested & obtained prior to making changes; procedure requiring annual review of training records will be developed
HOFFMAN, D P Consumers Power Co. 79/02/15 5pp

7903190552 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p.

7903050266 Forwards annual rept covering occupational exposure during 1978
HOFFMAN, D P Consumers Power Co 79/02/28 2pp

7903060253 Forwards "Semiannual Radioactive Release Rept" for period from July-Dec 1978 & Revision 2 to Table 3a of Jan-June 1978
"Semiannual Radioactive Effluent Release Rept"
HOFFMAN, D P Consumers Power Co 79/03/01 13pp

7903120273 Forwards monthly operating rept for Feb 1979
ADAMS, W E Consumers Power Co 79/03/05 1p

7903120277 Monthly operating rept for Feb 1979
BOOTHKE, P J Consumers Power Co 79/03/02 4pp

7903290108 Long-term cooling equipment mod. bimonthly status rept for Jan-Feb 1979 Bechtel Corp preparing final design details for long-term cooling mods Mods scheduled for 1981 refueling outage
HOFFMAN, D P Consumers Power Co 79/03/26 1p

7903090215 Forwards LER 79-009/01T-0 & 79-010/03L-0
HOFFMAN, D P Consumers Power Co 79/03/06 1p

7903090218 LER 79-009/01T-0 on 790220 during review of containment bldg valves, noted that 48 inch butterfly valves cannot close against dip greater than 2 psid Caused by lack of specs re pressure Using admin controls to maintain valves
* Consumers Power Co. 79/03/06 1p

7903090221 LER 79-010/03L-0 on 790207 during resin sluicing operations, manual isolation valve (MV-CVC502) was left open, resulting in 17 gpm leak to radwaste sys Caused by broken valve stop Valve stop will be replaced
* Consumers Power Co 79/03/06 1p

7903290135 Forwards LER 79-011/03L-0
HOFFMAN, D P Consumers Power Co 79/03/26 1p

7903290138 LER 79-011/03L-0 on 790227 primary data logger was inoperable Caused by multiplexer failure at computer input/output Faulty relays replaced
* Consumers Power Co 79/03/26 1p

DOCKET 50-256 Univ of Montevideo Research Reactor

7903020322 Forwards Part 2 of operating rept for July-Dec 1978, re radioactive effluents & occupational radiation exposures
KALIVIANAKIS, N Commonwealth Edison Co 79/01/29 1p.

7903020324 Part 2 of operating rept for July-Dec 1978, re radioactive effluents & occupational radiation exposures
* Commonwealth Edison Co. 78/12/31 20pp

DOCKET 50-259 Browns Ferry Nuclear Power Station, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033, Intrusion Detection Sys Handbook, SAND76-0554, & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09, 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903260242 Forwards safeguards contingency plans Plans withheld (ref 10CFR2 790)
GILLELAND, J E Tennessee Valley Authority 79/03/21 1p

7903160170 Forwards "Annual Rept 1978"
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p.

7903160217 "Annual Rept 1978"
* Tennessee Valley Authority. 79/03/16 42pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414, involves pages IV-5 & IV-6 w/modified rationale & corrections.
GRIMES, B K Assistant Director for Engineers & Projects, 79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program Downcomer Reduced Submergence Functional Assessment Rept"
BOBON, L J General Electric Co Nuclear Energy Products Div, 79/02/01 1p

DOCKETED SERIES

DOCKET 50-259 Browns Ferry Nuclear Power Station, Unit 1

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept."
WONG, K W General Electric Co., Nuclear Energy Products Div
NEDE-21885 78/06/30 45pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swirl pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903130479 Forwards Amend 48 to License DPR-33, SER & notice of issuance
IPPOLITO, T A Operating Reactors Branch 3 79/02/08 2pp

7903130483 Amend 48 to DPR-33 changing Tech Specs re trip levels & surveillance requirements for instruments that initiate rod blocks
IPPOLITO, T A Operating Reactors Branch 3 79/02/08 11pp

7903130486 SER supporting Amend 48 to DPR-33
* Office of Nuclear Reactor Regulation 79/02/08 12pp

7903130489 Notice of issuance of Amend 48 to DPR-33
IPPOLITO, T A Operating Reactors Branch 3 79/02/08 2pp

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EISENHUT, D G Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants." All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp

7903220042 Forwards Amend 49, 43 & 20 to DPR-33, DPR-52 & DPR-68 respectively, & notice of issuance Security plan evaluation rept withheld (ref 10CFR2 790)
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 3pp

7903220044 Amend 49, 43 & 20 to DPR-33, DPR-52 & DPR-68 respectively, incorporating physical security plan into licenses
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 6pp

7903220052 Notice of issuance of Amend 49, 43 & 20 to DPR-33, DPR-52 & DPR-68, respectively
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp

7903160213 Forwards proprietary rept NEDE-23345-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity." W/affidavit for proprietary status
Rept withheld (ref 10CFR2 790)
BOBON, L J General Electric Co., Nuclear Energy Products Div 79/02/26 5pp

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants."
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations
Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides task-by-task summary
BOBON, L J General Electric Co., Nuclear Energy Products Div 79/02/28 11pp

7903090270 Responds to NRC 781129 ltr expressing concern re design of safety actuation signal circuits & operation of primary containment purge sys Util intends to continue limited purging per present operating license
GILLELAND, J E Tennessee Valley Authority 79/03/01 3pp

7903120303 Proposed amend changing Tech Specs re typographical errors, clarification of low power range monitor requirements, removal of obsolete requirements & reduction of scram timing pressure restrictions W/impingement study
GILLELAND, J E Tennessee Valley Authority 79/03/01 87pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads
W/encl attendees list & meeting handouts
SU, T M Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D G Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects 79/03/01 8pp

7903220423 Requests addl info re reactor coolant pressure temp limits which reflect possible use of atypical weld wire in reactor vessel welds
IPPOLITO, T A Operating Reactors Branch 3 79/03/01 2pp

7903130303 Forwards list of proposed Tech Spec changes submitted since 1974 for review & approval Requests withdrawal of changes labelled "Requests for Withdrawal" & return of fee for two changes
GILLELAND, J E Tennessee Valley Authority 79/03/08 4pp

7903270107 Discusses status of Mark I containment long-term program Requests schedule showing time periods for installation of specific plant mods Discusses safety relief valve discharge device installation & forwards ltr evaluation
STELLO, V Division of Operating Reactors 79/03/12 17pp

7903200367 Forwards requested amend to Licenses DPR-33, DPR-52, & DPR-68 re handling of nuclear matl w/justifications & reasons for proposed amend
GILLELAND, J E Tennessee Valley Authority 79/03/13 4pp

7903270465 Forwards proposed hydrostatic pressure testing program w/list of sys to be pressure-tested & requests for relief from ASME Code requirements Requests completion of review of program & issuance of decision by 790901
GILLELAND, J E Tennessee Valley Authority 79/03/20 16pp

7903090049 Forwards 1E Insp Repts 50-259/78-37, 50-260/78-38 & 50-296/78-37 No noncompliance noted
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/23 2pp

7903090054 1E Insp Repts 50-259/78-37, 50-260/78-38 & 50-296/78-37 on 781120-1229 No noncompliance noted Major areas inspected
LER review, U-3 startup from refueling, U-1 refuel activities, plant operations & plant tours
SULLIVAN, R F, DANCE, H C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/23 3pp

7903150114 Describes recent occurrence at facility during fuel handling operations, after fuel assembly was lowered approx 2 feet into Cell 49-20, grapple became unlatched Fuel assembly not dropped, but assembly channel dented Crew instructed
GILLELAND, J E Tennessee Valley Authority 79/01/26 1p

7903050584 Responds to 1E Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids." Will replace Buna-N matl every 3 years
GILLELAND, J E Tennessee Valley Authority 79/02/02 3pp

7902210164 Forwards 1E Bulletin 79-01, "Environ Qualification of Class 1E Equipment." W/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/08 2pp

7903210027 Forwards 1E Insp Repts 50-259/79-01, 50-260/79-01 & 50-296/79-01 No noncompliance noted
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/13 2pp

7903210030 1E Insp Repts 50-259/79-01, 50-260/79-01 & 50-296/79-01 on 790113-18 No noncompliance noted Major areas inspected
licensee actions on reportable events, spent fuel rack mods & licensee verification of ECCS response times
PRICE, D S, DANCE, H C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/12 3pp

7903260087 Forwards 1E Insp Rept 50-259/79-02, 50-260/79-02, 50-296/79-02 No noncompliance noted
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/15 2pp

DOCKETED SERIES

45

DOCKET 50-259 Browns Ferry Nuclear Power Station, Unit 1

7903260087 IE Insp Repts 50-259/79-02, 50-260/79-02 & 50-296/79-02 on 790108-12 No noncompliance noted Major areas inspected liquid radwaste releases & effluent monitor calibr, plant chemistry, action on LERS & previous insps JACKSON, L L, GIBSON, A F Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/19 8pp

7903020376 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903140130 Ack receipt of 790208 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-259/78-32, 50-260/78-35 & 50-296/78-33 SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/26 1p

7903140136 Responds to NRC 790208 ltr re violations noted in IE Insp Repts 50-259/78-32, 50-260/78-35, & 50-296/78-33 Corrective actions radiation survey instruments calibrated, administrative measures taken to ensure future compliance GILLELAND, J E Tennessee Valley Authority 79/02/08 3pp

7903140147 Forwards IE Insp Rept 50-259/78-32, 50-260/78-35 & 50-296/78-33 on 781204-08 & 18-20 & notice of violation SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/17 2pp

7903140150 Notice of violation from insp on 781204-08 & 18-20 * Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/15 1p

7903140162 IE Insp Rept 50-259/78-32, 50-260/78-35 & 50-296/78-33 on 791204-08 & 18-20 Noncompliance noted Failure to follow radiological emergency plan implementing instructions PERROTTI, D J, TROJANOWSKI, R, HUPHAM, J W Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/15 19pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read BL3CML O'REILLY, J P Region 2, Atlanta, Office of the Director, 79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903140246 Submits followup rept required by IE Bulletin 79-01 re environ qualification of MSIV limit switches Discusses operability requirements & concludes qualification unnecessary as operation not required during LOCA GILLELAND, J E Tennessee Valley Authority 79/03/09 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co." O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903220269 As further response to 790208 ltr w/IE Bulletin 79-01, informs that motors are used on certain valve operators in containment area which are not qualified for use in LOCA environ No safety concerns exist GILLELAND, J E Tennessee Valley Authority 79/03/13 1p

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903060495 Forwards "Annual Operating Rept for 1978" & "Radiological Impact Assessment " GILLELAND, J E Tennessee Valley Authority, 79/02/28 1p

7903060501 "Annual Operating Rept for 1978 " GREEN, H J Tennessee Valley Authority 79/02/28 17pp

7903060504 "Radiological Impact Assessment," July-Dec 1978 * Tennessee Valley Authority RH-79-2-BF1 79/02/28 46pp

7903070213 Forwards revised page for monthly operating rept for Jan 1979 DEWEASE, J B Tennessee Valley Authority 79/03/02 1p

7903070216 Revised page for monthly operating rept for Jan 1979 GREEN, D. Tennessee Valley Authority 79/02/03 1p

7903160113 Forwards monthly operating rept for Feb 1979 DEWEASE, J B Tennessee Valley Authority 79/03/12 1p

7903160117 Monthly operating rept for Feb 1979 DEWEASE, J B Tennessee Valley Authority 79/03/02 31pp

7903070322 Forwards suppl info to RG-50-259/78-06 re failure data for defects in main steam relief valve castings FOX, H S Tennessee Valley Authority 79/03/02 3pp

7903080211 Suppl info re reportable occurrence during nondestructive examinations of main steam relief valves, linear indications of minor casting defects were found during mod of valves by offsite facility Defects were ground out & weld repaired * Tennessee Valley Authority 79/03/02 2pp

7903120230 Status rept on correction of defective offline liquid effluent radiation monitors New monitors installed, but field testing revealed they failed to perform per design specs FOX, H S Tennessee Valley Authority 79/03/07 1p

7903210137 Forwards LER 79-005/03L-0 FOX, H S Tennessee Valley Authority, 79/03/16 1p.

7903210143 LER 79-005/03L-0 on 790225 reactor, turbine bldg & refueling zone vent exhaust monitor RM-90-250 became inoperable Caused by moisture collection in detector SC-2 -1 B Detector replaced & moisture removed * Tennessee Valley Authority 79/03/16 2pp

7903210149 Forwards LER 79-004/03L-0 FOX, H S Tennessee Valley Authority 79/03/16 1p

7903210153 LER 79-004/03L-0 on 790227 during normal operation, review of surveillance test data indicated monthly samples of diesel fuel taken in Dec 1978 have not been analyzed Caused by loss of samples in transit Will try to measure samples on site * Tennessee Valley Authority 79/03/16 2pp

7903210171 Forwards LER 79-003/01T-1 FOX, H S Tennessee Valley Authority 79/03/16 1p

7903210175 LER 79-003/01T-1 on 790120 during cold shutdown, local leak rate test indicated excessive total leakage Caused by leaking valve seating surface in eight valves Valves repaired & retested. * Tennessee Valley Authority 79/03/16 3pp

7903290024 Forwards LER 79-006/03L-0 FOX, H S Tennessee Valley Authority 79/03/22 1p

7903290026 LER 79-006/03L-0 on 790228 reactor, turbine bldg & refueling zone ventilation exhaust monitor RM-90-250 became inoperable for 3 1/2 h Caused by moisture in SC-2D detector & leaking flanges Moisture removed & flanges tightened * Tennessee Valley Authority 79/03/22 2pp.

7903280310 Forwards LER 79-003/03L-2 FOX, H S Tennessee Valley Authority, 79/03/23 1p

7903280323 LER 79-003/03L-2 on 790120 during cold shutdown, local leak rate test revealed total leakage exceeded allowable 80% Le per 24-h Caused by excessive leakage of valve seating surface Eight leaking valves were repaired & retested * Tennessee Valley Authority 79/03/23 1p.

7903290002 Forwards LER 78-008/01T-1 FOX, H S. Tennessee Valley Authority 79/03/23 1p.

7903290003 LER 78-008/01T-1 on 780318 analysis based on in-plant measurements of real & reactive loads indicated that for certain conditions in offsite power supply, Tech Spec 3.9 A.1 could not be met Corrective devices installed. * Tennessee Valley Authority 79/03/23 1p.

DOCKET 50-260 Browns Ferry Nuclear Power Station, Unit 2

7903120144 Forwards revised versions of Entry-Control Sys Handbook, BAND77-1033; Intrusion Detection Sys Handbook, BAND76-0554; & Barrier Penetration Database, NUREG/CR-0181 MILLER, J R Assistant Director for Reactor Safeguards, 79/01/09 2pp

DOCKET 50-260 Browns Ferry Nuclear Power Station, Unit 2

- 7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee get-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p
- 7903260242 Forwards safeguards contingency plans Plans withheld (ref 10CFR2 790)
GILLELAND, J E Tennessee Valley Authority 79/03/21 1p
- 7903160170 Forwards "Annual Rept 1978 "
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p
- 7903160217 "Annual Rept 1978 "
" Tennessee Valley Authority 79/03/16 42pp
- 7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-3 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp
- 7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
SOBON, L J General Electric Co., Nuclear Energy Products Div 79/02/01 1p
- 7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
SOBON, L J General Electric Co., Nuclear Energy Products Div NEDO-21885 78/06/30 45pp
- 7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owner's group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p
- 7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EISENHUT, D O Assistant Director for Systems & Projects 79/02/15 2pp
- 7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants " All plants are in conformance w/ acceptance criteria
" Assistant Director for Systems & Projects 79/02/15 10pp
- 7903220042 Forwards Amend 49.43 & 20 to DPR-33, DPR-52 & DPR-68 respectively, & notice of issuance Security plan evaluation rept withheld (ref 10CFR2 790)
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 3pp
- 7903220044 Amend 49.43 & 20 to DPR-33, DPR-52 & DPR-68 respectively, incorporating physical security plan into licenses
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 4pp
- 7903220052 Notice of issuance of Amend 49.42 & 20 to DPR-33, DPR-52 & DPR-68, respectively
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp
- 7903160213 Forwards proprietary rept NED-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity " W/affidavit for proprietary status Rept withheld (ref 10CFR2 790)
SOBON, L J General Electric Co., Nuclear Energy Products Div 79/02/26 3pp
- 7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants "
" Assistant Director for Engineers & Projects 79/02/27 12pp
- 7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations
Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27 1p
- 7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary
SOBON, L J General Electric Co., Nuclear Energy Products Div 79/02/28 11pp
- 7903090270 Responds to NRC 781129 ltr expressing concern re design of safety actuation signal circuits & operation of primary containment purge sys Util intends to continue limited purging per present operating license
GILLELAND, J E Tennessee Valley Authority 79/03/01 3pp
- 7903120303 Proposed amend changing Tech Specs re typographical errors, clarification of low power range monitor requirements, removal of obsolete requirements & reduction of scram timing pressure restrictions W/impingement study
GILLELAND, J E Tennessee Valley Authority 79/03/01 87pp
- 7903120459 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
SU, T M Containment Systems Branch 79/03/01 16pp
- 7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D O Assistant Director for Systems & Projects 79/03/01 4pp
- 7903200304 Directs recipients to send encl sample ltrs to DWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects 79/03/01 8pp
- 7903130303 Forwards list of proposed Tech Spec changes submitted since 1974 for review & approval Requests withdrawal of changes labelled "Requests for Withdrawal" & return of fee for two changes
GILLELAND, J E Tennessee Valley Authority 79/03/08 4pp
- 7903270107 Discusses status of Mark I containment long-term program Requests schedule showing time periods for installation of specific plant mods Discusses safety relief valve discharge device installation & forwards NRC evaluation
STELLO, V Division of Operating Reactors 79/03/12 17pp
- 7903190260 Forwards 90-day summary technical rept on secondary containment leak rate testing
GILLELAND, J E Tennessee Valley Authority 79/03/14 1p
- 7903190271 "Secondary Containment Leak Rate Test" conducted 780320 for 90-day period Concludes secondary containment sys is capable of maintaining greater than 0.25 inch of water vacuum
" Tennessee Valley Authority 78/03/20 25pp
- 7903200367 Forwards requested amend to Licenses DPR-33, DPR-52, & DPR-68 re handling of nuclear matl w/justifications & reasons for proposed amend
GILLELAND, J E Tennessee Valley Authority 79/03/15 4pp
- 7903090049 Forwards IE Insp Repts 50-259/78-37, 50-260/78-38 & 50-296/78-37 No noncompliance noted
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/23 2pp
- 7903090054 IE Insp Repts 50-259/78-37, 50-260/78-38 & 50-296/78-37 on 781120-1229 No noncompliance noted Major areas inspected LER review, U-3 startup from refueling, U-1 refuel activities, plant operations & plant tours
SULLIVAN, R F, DANCE, H C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/23 5pp
- 7903150114 Describes recent occurrence at facility during fuel handling operations, after fuel assembly was lowered approx 2 feet into Cell 49-20, grapple became unlatched Fuel assembly not dropped, but assembly channel dented Crew instructed
GILLELAND, J E Tennessee Valley Authority 79/01/26 1p
- 7903050584 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids " Will replace Buna-N matl every 3 years
GILLELAND, J E Tennessee Valley Authority 79/02/02 3pp
- 7903210027 Forwards IE Insp Repts 50-259/79-01, 50-260/79-01 & 50-296/79-01 No noncompliance noted
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/13 2pp
- 7903210030 IE Insp Repts 50-259/79-01, 50-260/79-01 & 50-296/79-01 on 790113-18 No noncompliance noted Major areas inspected licensee actions on reportable events, spent fuel rack mods & license verification of ECCB response times
PRICE, D S, DANCE, H C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/12 3pp

DOCKETED SERIES

47

DOCKET 50-260 Browns Ferry Nuclear Power Station, Unit 2

7903260087 Forwards IE Insp Rept 50-259/79-02, 50-260/79-02, 50-296/79-02 No noncompliance noted
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/15 2pp

7903260089 IE Insp Repts 50-259/79-02, 50-260/79-02 & 50-296/79-02 on 790108-12 No noncompliance noted Major areas inspected liquid radwaste releases & effluent monitor calibr, plant chemistry, action on LERs & previous insps
JACKSON, L L, GIBSON, A F Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/19 8pp

7903020376 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903140130 Ack receipt of 790208 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-259/78-32, 50-260/78-35 & 50-296/78-33
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/26 1p

7903140136 Responds to NRC 790208 ltr re violations noted in IE Insp Repts 50-259/78-32, 50-260/78-35, & 50-296/78-33 Corrective actions radiation survey instruments calibrated, administrative measures taken to ensure future compliance
GILLELAND, J E Tennessee Valley Authority 79/02/08 3pp

7903140147 Forwards IE Insp Rept 50-259/78-32, 50-260/78-35 & 50-296/78-33 on 781204-08 & 18-20 notice of violation
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/17 2pp

7903140150 Notice of violation from insp on 781204-08 & 18-20
* Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/15 1p

7903140162 IE Insp Rept 50-259/78-32, 50-260/78-35 & 50-296/78-33 on 791204-08 & 18-20 Noncompliance noted failure to follow radiological emergency plan implementing instructions
PERROTTI, D J, TROJANDOWSKI, R, HUFHAM, J W Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/15 19pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 6L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903140246 Submits followup rept required by IE Bulletin 79-01 re environ qualification of MSIV limit switches Discusses operability requirements & concludes qualification unnecessary as operation not required during LOCA
GILLELAND, J E Tennessee Valley Authority 79/03/09 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903220269 As further response to 790208 ltr w/IE Bulletin 79-01, informs that motors are used on certain valve operators in containment area which are not qualified for use in LOCA environ No safety concerns exist
GILLELAND, J E Tennessee Valley Authority 79/03/13 1p

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director, 79/03/16 2pp

7903060495 Forwards "Annual Operating Rept for 1978" & "Radiological Impact Assessment"
GILLELAND, J E Tennessee Valley Authority 79/02/28 1p

7903060301 "Annual Operating Rept for 1978"
GREEN, H J Tennessee Valley Authority 79/02/28 17pp

7903060504 "Radiological Impact Assessment," July-Dec 1978
* Tennessee Valley Authority RH-79-2-BF1 79/02/28 46pp.

7903070213 Forwards revised page for monthly operating rept for Jan 1979
DEWEASE, J B Tennessee Valley Authority 79/03/02 1p

7903070216 Revised page for monthly operating rept for Jan 1979
GREEN, D Tennessee Valley Authority 79/02/03 1p

7903160113 Forwards monthly operating rept for Feb 1979
DEWEASE, J O Tennessee Valley Authority 79/03/12 1p.

7903160117 Monthly operating rept for Feb 1979
DEWEASE, J O Tennessee Valley Authority 79/03/02 31pp.

7903050393 Forwards LER 79-003/01T-0
FOX, H B Tennessee Valley Authority 79/02/27 1p

7903050399 LER 79-003/01T-0 on 790214 rod position info sys power supply PS X-5 failed, causing loss of rod position indication in bottom half of vertical core display Caused by failure of cooling fan in Trygon Model L586-70-0VB49B9
* Tennessee Valley Authority 79/02/27, 2pp

7903070326 Forwards LER 79-002/03L-0
FOX, H B Tennessee Valley Authority 79/03/01 1p

7903070335 LER 79-002/03L-0 on 790203 alarm for fire protection panel 25-236 annunciated in control room Panel was not alarmed condition Caused by normal end of life electrical failure of annunciator point card Card replaced & sys normalized
* Tennessee Valley Authority, 79/03/01 2pp

DOCKET 50-261 H B Robinson Plant, Unit 2

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0354; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards, 79/01/09 2pp

7903200107 Forwards list of addl info sought for review of auxiliary shutdown sys
SCHWENCER, A Operating Reactors Branch 1 79/02/15 4pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee shut-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903160219 Ack receipt of 790215 ltr requesting addl info re fire protection sys Review of requested info has been initiated. Expresses concern over continuing changes in NRC policies & delays in notifying licensees
UTLEY, E E Carolina Power & Light Co 79/03/13 2pp

7903270501 Forwards contingency plans, to be withheld (ref 10CFR2.790),
UTLEY, E E Carolina Power & Light Co. 79/03/23 2pp

7903080589 Forwards NUREG/CR-0400, "Risk Assessment Review Group Rept to the US NRC" (Lewis Rept) Commission presently developing policy statement re rept
LEWIS, S H Office of the Executive Legal Director, 79/01/23, 1p

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
ORINEB, B K Assistant Director for Engineers & Projects, 79/01/18, 4pp

7903210536 Response of 771219 indicates that FSAR analysis of potential boron dilution incidents still represents most limiting case & no further action is necessary
SCHWENCER, A, Operating Reactors Branch 1 79/02/27, 2pp.

7903090224 Requests revisions of Tech Specs to facilitate work planned for outage to clarify or change Tech Specs to be in accordance w/NRC guidelines. Proposed changes & safety evaluation encl Requests issuance by 790412.
UTLEY, E E Carolina Power & Light Co. 79/03/06 20pp.

7903190226 Notifies NRC of schedule for refueling Unit 2 for Cycle 7 operation Util is considering an extended burnup test for test for four fuel assemblies during operation
UTLEY, E E Carolina Power & Light Co. 79/03/14 1p

DOCKETED SERIES

DOCKET 50-261 H B Robinson Plant, Unit 2

7903200407 Forwards proposed Tech Specs for control room filters which were requested by staff & will be part of 2,300 MWT uprating amend to License DPR-23
UTLEY, E. E. Carolina Power & Light Co 79/03/15 6pp

7903150162 Forwards IE Insp Rept summary 50-261/78-29 on 781212-14 Notice of violation & insp rept withheld (ref 10CFR2 790)
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/01/04 2pp

7903150167 IE Insp Rept summary 50-261/78-29 on 781212-14 Noncompliance noted testing/maintenance
TORIN, W J, GILLESPIE, F P Region 2, Atlanta, Safeguards Branch 79/01/04 1p

7903130086 Forwards IE Insp Rept 50-261/79-02 on 790109-12 No noncompliance noted
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903130093 IE Insp Rept 50-261/79-02 on 790109-12 No noncompliance noted Major areas inspected LER, IE circular & open item followup, independent insp & facility tours
MCHENRY, Y J Region 2, Atlanta, Reactor Operations Nuclear Support Branch DANCE, H C Region 2, Atlanta, Office of the Director 79/01/31 6pp

7902280090 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HSSA)"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/02 5pp

7903010010 Ack receipt of 790123 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-261/78-29
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/06 1p

7903010012 Responds to NRC 790104 ltr re violations noted in IE Insp Rept 50-261/78-29. Corrective actions withheld (ref 10CFR2 790)
FURR, B J Carolina Power & Light Co 79/01/23 1p

7903080035 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903280084 Forwards IE Insp Rept 50-261/79-01 on 790108-12 No noncompliance noted
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/16 2pp

7903280087 IE Insp Rept 50-261/79-01 on 790108-12 No noncompliance noted Major areas inspected effluent control instrumentation, filter testing, reactor coolant & secondary water tests & followup on previously identified items
JENKINS, O R, GIBSON, A F Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/16 8pp

7903080256 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read BLC3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140465 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210119 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903210568 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903070236 Forwards "Annual Operating Rept for 1978"
FURR, B J Carolina Power & Light Co 79/03/01 1p

7903070240 "Annual Operating Rept for 1978"
* Carolina Power & Light Co 79/03/01 3pp

7903070203 Forwards "Effluent & Waste Disposal Semiannual Rept" for Jul-Dec 1978
FURR, B J Carolina Power & Light Co 79/03/01 1p

7903070208 "Effluent & Waste Disposal Semiannual Rept" for Jul-Dec 1978
FURR, B J Carolina Power & Light Co 79/03/01 83pp

7903190230 Forwards monthly operating rept for Feb 1979
FURR, B J Carolina Power & Light Co 79/03/09 1p

7903190236 Monthly operating rept for Feb 1979
WATFORD, M L Carolina Power & Light Co 79/03/02 5pp

7903190268 Forwards LER 79-003/03L-0
FURR, B J Carolina Power & Light Co 79/03/09 1p

7903190281 LER 79-003/03L-0 on 790207 criteria of constant axial offset control target band limit was exceeded while operating at power level greater than 50% Caused by transient xenon conditions Power level decreased
STARKEY, R B Carolina Power & Light Co 79/03/09 2pp

DOCKET 50-262 Brigham Young Univ Research Reactor

7903070277 Forwards "Annual Rept for 1978"
DIXON, D R Brigham Young Univ 79/02/27 1p

7903070280 "Annual Rept for 1978"
DIXON, D R Brigham Young Univ 79/02/27 2pp

DOCKET 50-263 Monticello Nuclear Generating Plant

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
HILLER, J R Assistant Director for Reactor Safeguards, 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270382 Forwards safeguards contingency plan & concludes submittal 1 does not decrease effectiveness of previous security plan & does not require application for amend to license Encl withheld (ref 10CFR2 790)
MAYER, L D Northern States Power Co 79/03/23 2pp

7903290152 Forwards "Annual Rept 1978"
BRUSVEN, A D Northern States Power Co 79/03/26 1p

7903290154 "Annual Rept 1978"
* Northern States Power Co 79/03/26 35pp

7903010294 Forwards Endorsement 36 to Policy MF-68, Endorsement 40 to Policy NF-197, Endorsement 40 to Policy MF-51 & Endorsement 48 to Policy NF-174 for calendar year 1979
JOHNSON, R G Northern States Power Co 79/02/05 3pp

7903010197 Forwards Endorsement 41 to Policy MF-51 & Endorsement 37 to Policy MF-68, both for calendar year 1979
JOHNSON, R G Northern States Power Co 79/02/23 3pp

7903290126 Forwards Endorsement 42 to MAELU Policy MF-51
JOHNSON, R G Northern States Power Co 79/03/22 2pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
MONROE, K W General Electric Co, Nuclear Energy Products Div NEDO-21885 78/06/30 45pp

DOCKETED SERIES

41

DOCKET 50-263 Monticello Nuclear Generating Plant

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EISENHUT, D O Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants." All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp

7903160213 Forwards proprietary rept NEDE-20345-P, "Mark I Containment Program: Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity." W/affidavit for proprietary status Rept withheld (ref 10CFR2 790)
BOBON, L J General Electric Co., Nuclear Energy Products Div 79/02/26 5pp

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants."
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations. Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary
BOBON, L J General Electric Co., Nuclear Energy Products Div 79/02/28 11pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
SU, T H Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D O Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates; use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects 79/03/01 8pp

7903090287 In response to NRC 790301 ltr, certain Fischner butterfly valves in primary containment purge & vent sys may not close against LOCA differential pressure Administrative action taken
ELIASON, L R Northern States Power Co 79/03/02 1p

7903120245 Responds to 790216 request for addl info re reactor vessel Matl Surveillance program. Info will take until June 1979 to assemble
MAYER, L O Northern States Power Co 79/03/07 1p

7903070040 Forwards IE Insp Rept 50-263/78-20 on 781205-08 & notice of violation.
FIORELLI, O Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/10 2pp

7903070042 Notice of violation from insp on 781205-08
* Region 3, Chicago, Office of the Director 79/01/08 1p

7903070044 IE Insp Rept 50-263/78-20 on 781205-08 Noncompliance noted failure to take actions required by Surveillance Procedure 0255-4-III on 781114 during test of RHR Pump 12
HARPSSTER, T L., REYES, L A., WARNICK, C F Region 3, Chicago, Office of the Director 79/01/08 5pp.

7903060712 Responds to IE Bulletin 78-14 "Deterioration of Buna-N Components in ASCO Solenoids." Describes preventive maint program for Buna-N parts in control rod scram sys solenoid valves. W/ltr re scram pilot valve tests
WACHTER, L J Northern States Power Co 79/02/02 7pp.

7903010138 Ack receipt of 790111 ltr informing NRC of steps taken to correct violations noted in insp identified in NRC 790103 ltr
HIND, J A Region 3, Chicago, Safeguards Branch 79/02/05 1p

7903010143 Responds to 790103 ltr re violations noted in insp on 781105-08 Corrective actions withheld (ref 10CFR2 790)
WACHTER, L J Northern States Power Co 79/01/11 1p.

7903150327 Forwards IE Insp Rept 50-263/79-01 on 790123-26 & notice of violation
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/07 2pp

7903150329 Notice of violation from insp on 790123-26
* Region 3, Chicago, Office of the Director 79/02/05 1p

7903150331 IE Insp Rept 50-263/79-01 on 790123-26 Noncompliance note failure to perform required heater & differential pressure testing of standby gas treatment sys
MILLER, D E., DUBRY, N E Region 3, Chicago, Office of the Director FISHER, W L Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/05 7pp

7903140186 Ack receipt of 790201 ltr informing NRC of steps taken to correct violations noted in NRC 790116 ltr
HEISHMAN, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/15 1p

7903140219 Responds to NRC 790116 ltr re violations noted in IE Insp Rept Corrective actions technique for measuring pump performance changed to improve repeatability
WACHTER, L J Northern States Power Co 79/02/01 2pp

7903080342 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903020339 Forwards Revision 3 to ASME Code Section XI, "Inservice Insp & Testing Program" & info required for NRC review for relief from ASME Code Section XI requirements
MAYER, L O Northern States Power Co 79/02/26 37pp

7903080363 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903150043 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design: Using Concrete Expansion Anchor Bolts"
KEPPLER, J O Region 3, Chicago, Office of the Director 79/03/08 1p

7903190559 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J O Region 3, Chicago, Office of the Director. 79/03/12 1p

7903260085 Ack receipt of 790228 ltr informing NRC of steps taken to correct violation noted in IE Insp on 790123-26
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/03/16 1p

7903260090 Responds to NRC 790207 ltr re violation noted in IE Insp on 790123-26 Corrective actions surveillance of pressure drop was completed, procedures were revised
WACHTER, L J Northern States Power Co 79/02/28 2pp

7903050164 Forwards suppl monthly operating rept for Jan 1979.
MAYER, L O. Northern States Power Co. 79/02/27 1p

7903050171 Suppl to monthly operating rept for Jan 1979
* Northern States Power Co 79/02/02 1p.

7903120279 Forwards monthly operating rept for Feb 1979.
MAYER, L O. Northern States Power Co 79/03/07 1p

7903120282 Monthly operating rept for Feb 1979.
MYRABO, A L Northern States Power Co 79/03/05 4pp

7903190231 Forwards revised page to "Annual Rept of Changes, Tests & Experiments - 1978." Revision corrects omission in description of ATWS mod
MAYER, L O Northern States Power Co 79/03/12 2pp

7903260277 Forwards "Annual Radiological Environ Monitoring Rept, 1978."
MAYER, L O Northern States Power Co. 79/03/20 1p.

DOCKETED SERIES

DOCKET 50-263 Monticello Nuclear Generating Plant

7903260280 "Annual Radiation Environ Monitoring Rept, 1978 "
* Northern States Power Co 79/03/06 51pp

7903210176 Informs of 790313 incident in which two cash lid bolts on Nuclear Engineering Co Model B-2 cash lid did not have nuts installed inner lid sealing gasket missing & outer gasket damaged Cash was returned to vendor empty
ELIASON, L R Northern States Power Co 79/03/14 1p

7903200402 Forwards LER 79-003/01T-O
HAYER, L G Northern States Power Co 79/03/15 1p

7903200408 LER 79-003/01T-O on 790301 containment vent & purge isolation valves would not close during DBA-LCCA Cause unknown Fisher continental 18 & 20 inch Type 9220 butterfly valves opening is administratively controlled
GORANSON, R Northern States Power Co 79/03/15 1p

7903260218 On 790317, recirculation motor generator field breaker 11 failed to trip Caused by bead of metal found fused to arc chute near primary contacts Metal bead removed, contacts cleaned & arc chutes reinstalled
ELIASON, L R Northern States Power Co 79/03/19 1p

DOCKET 50-264 Dow Chemical Co

7903260179 Forwards Endorsement 37 to NELIA Policy NF-160
CBALWELL, T N Dow Chemical Co 79/03/21 2pp

DOCKET 50-265 Quad-Cities Station, Unit 2

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033, Intrusion Detection Sys Handbook, SAND76-0354, & Barrier Penetration Database, NUREG/CR-01B1
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903010112 Notifies of security plan deficiencies which are significant enough to warrant imposition of license conditions Forwards comments for incorporation into plan Appeal is possible
Encl A withheld (ref 10CFR2 790)
IPPOLITO, T A Operating Reactors Branch 3 79/01/30 3pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801.
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270304 Forwards safeguards contingency plan. Withheld (ref 10CFR2 790)
REED, C Commonwealth Edison Co 79/03/23 1p

7903130325 Forwards NUREG/CR-0400, "Risk Assessment Review Group Rept to the US NRC" (the "Lewis Committee Rept ") Commission presently developing policy statement re rept
GODDARD, R J Office of the Executive Legal Director 79/01/23 1p

7903060287 NRDC's response to applicant's & NRC's objections to contentions Urges that NRC did not validly challenge its contentions & that its contentions should be admitted
Certificate of Bvc encl
ROISHMAN, A Z Natural Resources Defense Council 79/01/26 8pp

7903020398 Forwards curriculum vitae for Tamplin & Cochran Cites two precedents bearing on issue of standing: Hunt vs MA Apples
432US333 & VA Electric Power Co.

sources Defense Council 79/02/05 8pp

90202 order from Oconnor-McQuire proceeding,
DC to suppl prehearing conference
tion for intervention
79/02/08 1p

mining info potentially relevant to
r fuel & of NRC assessment

26 4pp

B, " statement of cash flow
w for 1978 & narrative

79/03/15 8pp

7903070411 "Federal Interagency Radiological Assistance Plan "
* Energy, Dept of ERDA-60 75/07/31 9pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
WONG, K W General Electric Co, Nuclear Energy Products Div NEDO-21885 78/06/30 45pp

7903070261 Forwards corrections to info provided at 781006 meeting Hatch 2 nozzle reclassified as type 40, recirculation inlet safe ends constructed of Type 316 Stainless Steel
GRIDLEY, R L General Electric Co 79/02/01 4pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903090326 Requests all records, studies, repts & documents re transport of SNM
HANSELL, D Illinois, State of 79/02/06 2pp

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EISENHUT, D G Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants " All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp

7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Sull Test Program, LDR Load Test- Generic Sensitivity " W/affidavit for proprietary status Rept withheld (ref 10CFR2 790)
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/26 5pp

7903230011 "FER of Interim Assessments of MSIV Actuations in Mark I Containment Plants "
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/28 11pp

7903090316 Responds to 790206 ltr requesting all documents re four categories of info involved w/transport of spent fuel & other SNM from facility Info available in PDR List of possible relevant requests encl
FELTON, J M Division of Rules and Records 79/03/01 4pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
EU, T M Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D G Assistant Director for Systems & Projects 79/03/01 4pp

#

DOCKETED SERIES

DOCKET 50-265 Quad-Cities Station, Unit 2

7903260336 LER 79-005/03L-0 on 790223 2A recirculation motor generator field breaker opened, causing flow mismatch. Caused by loosening of coupling between main shaft & recirculation motor generator set tachometer. Tachometer coupling reset
 REED, M Commonwealth Edison Co 79/03/12 2pp

DOCKET 50-266 Point Beach Nuclear Plant, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
 MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
 DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270284 Forwards Revision 10 to Emergency Plan Manual consisting of emergency call list
 BURSTEIN, S Wisconsin Electric Power Co 79/03/22 7pp

7903270395 In response to 790120 ltr, forwards info on spent fuel storage at six existing nuclear power plants near Lake Michigan as of 781231.
 DENTON, H R Office of Nuclear Reactor Regulation 79/03/08 6pp

7903270397 Requests info re spent nuclear fuel storage at six existing nuclear plants near Lake Michigan
 SCHAEFER, J Affiliation Unknown 79/01/20 2pp

7903280337 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency. Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR. Appropriate units have been notified
 ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp.

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages IV-5 & IV-6 w/modification rationale & corrections
 GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903070241 Forwards check for balance of amend fees needed to complete processing of 781116 amend request
 BURSTEIN, S Wisconsin Electric Power Co 79/02/23 1p

7903200295 Requests addl info re reactor vessel matls surveillance program within 60 days. Recommends that testing be postponed for present, pending completion of tests & development work underway in HSBT program
 SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903240374 NRC accepts 771202 response re potential boron dilution incidents. FSAR analysis of boron dilution incident involving contents of spray additive tank at operating PWR facility still represents most limiting case
 SCHWENCER, A Operating Reactors Branch 2 79/02/27 2pp

7903270555 Discusses corrective reevaluation following discovery of calculational error in ECCS evaluational model. Error involves heat generation factor for fuel cladding during LOCA. Forwards Westinghouse ECCS reanalysis
 BURSTEIN, S Wisconsin Electric Power Co 79/03/20 76pp

7903220402 Forwards IE Insp Rept 50-266/79-01 on 790122-23 No noncompliance noted
 FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch. 79/02/19 2pp

7903220407 IE Insp Rept 50-266/79-01 on 790122-23 No noncompliance noted. Major areas inspected: control rod worth measurement, core thermal power evaluation, power coefficient, shutdown margin determination & reactivity anomaly
 CHOW, E T, KOHLER, J E, STREETEY, J F Region 3, Chicago, Reactor Operations Nuclear Support Branch. 79/02/14 6pp

7903080379 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
 KEPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903080368 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
 KEPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903220304 Forwards IE Insp Rept 50-266/79-02 & 50-301/79-01 on 790205-09 Notice of violation withheld (ref 10CFR2 790)
 HINDS, J A Region 3, Chicago, Safeguards Branch 79/03/02 2pp

7903220307 IE Insp Rept 50-266/79-02 & 50-301/79-01 on 790205-09 Noncompliance noted security organization access controls. Details withheld (ref 10CFR2 790)
 CREED, J R, HOWELL, J C, HIND, J A Region 3, Chicago, Safeguards Branch 79/03/01 1p

7903150049 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
 KEPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p.

7903190566 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
 KEPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903070345 Forwards "1978 Annual Results & Data Rept"
 BURSTEIN, S Wisconsin Electric Power Co 79/02/26 1p

7903070349 "1978 Annual Results & Data Rept"
 * Wisconsin Electric Power Co 79/02/26 44pp

7903120262 Forwards semiannual monitoring repts for July-Dec 1978
 BURSTEIN, S Wisconsin Electric Power Co 79/02/26 1p

7903120264 Semiannual monitoring repts for July-Dec 1978 re plant releases, new fuel receipts, environ radiological monitoring, & leak testing of sources
 * Wisconsin Electric Power Co 79/02/26 13pp

7903140374 Forwards monthly operating rept for Feb 1979
 BURSTEIN, S Wisconsin Electric Power Co 79/03/08 1p

7903140378 Monthly operating rept for Feb 1979
 * Wisconsin Electric Power Co 79/03/02 8pp

7903160144 Forwards LER 79-001/01T-0
 BURSTEIN, S Wisconsin Electric Power Co 79/03/01 1p

7903160147 LER 79-001/01T-0 on 790219 inadvertent radioactive gaseous release occurred while returning K10B cryogenic sys gas compressor to svc. Caused by operator failure to ensure valve was closed. Procedures readdressed
 BURSTEIN, S Wisconsin Electric Power Co 79/03/01 3pp

7903290004 Forwards LER 79-001/01T-1
 BURSTEIN, S Wisconsin Electric Power Co 79/03/13 1p

7903290005 LER 79-001/01T-1 on 790219 radioactive gas escaped through open discharge valve. Caused by failure of operator to ensure valve was closed before returning cryogenic sys gas compressor to svc. Operator reinstructed
 BURSTEIN, S Wisconsin Electric Power Co 79/03/13 3pp

DOCKET 50-267 Fort St Vrain Nuclear Generating Station

7903210141 Informs of extension of time until June 1979 for compensatory measures for installation of security sys hardware. Delay attributed to problems w/Vikonics equipment, requiring significant re-design by manufacturer
 WAREMBOURG, D Public Service Co of Colorado 79/03/13 1p

7903270393 Forwards App C to security plan Encl withheld (ref 10CFR2 790)
 MILLEN, C K Public Service Co of Colorado 79/03/23 1p

7903270436 Forwards "Annual Rept 1978"
 WAREMBOURG, D Public Service Co of Colorado 79/03/16 1p

DOCKETED SERIES

53

DOCKET 50-267 Fort St Vrain Nuclear Generating Station

7903270438 "Annual Rept 1978 "
* Public Service Co of Colorado 79/02/08 38pp

7903080345 Forwards "Lead Items for Review of ThO2 & UC2 Topical Repts" to expedite review scheduled for completion by 790629
SPEIS, T P Advanced Reactors Branch 79/02/16 7pp

7903080329 Notification of 790226 meeting w/util to discuss instrumented control rods, insp during refueling, region restraint devices, review schedule & SER & amend W/encl meeting agenda
KUZMYCZ, O Advanced Reactors Branch 79/02/22 2pp

7903150053 Forwards Amend 19 to License DPR-34 & Federal Register notice in response to 771031 submittal
SPEIS, T P Advanced Reactors Branch 79/02/23 3pp

7903150055 Amend 19 to License DPR-34 incorporates amended security plan effective 790223
SPEIS, T P Advanced Reactors Branch 79/02/23 2pp

7903150060 Notice of issuance of Amend 19 to License DPR-34
SPEIS, T P Advanced Reactors Branch 79/02/23 2pp

7903150245 Ack receipt of 790130 ltr requesting approval to change operator requalification program Determines requested action is Class II, which requires \$1,200 approval fee.
MILLER, W O License Fee Management Branch 79/02/27 1p

7903160314 Ack receipt of 790123 application requesting Tech Spec change reflecting current administrative organization & 790126 application, adding Tech Spec SR 5 2 22 for PGX graphite Requests submittal of Class II amend fee
MILLER, W O License Fee Management Branch 79/03/06 1p

7903140276 Forwards application for amend to App A of License DPR-34 for NRC review & approval Forwards proposed Tech Spec change re auxiliary electric sys & limiting conditions for operation Affidavit encl
MILLEN, C K Public Service Co of Colorado 79/03/07 4pp

7903200344 Notice of 790315 review of operations & witness of refueling operations
KUZMYCZ, O Advanced Reactors Branch 79/03/08 4pp

7903290164 Forwards Amend A-1 to SAR for instrumented control rod drives Includes analysis to support locating drives in Regions 5 & 33 of reactor core
FULLER, J K Public Service Co of Colorado 79/03/19 1p

7903290167 Amend A-1 to SAR for instrumented control & orificing assemblies
* Public Service Co of Colorado 79/03/19 37pp

7903050505 Ack receipt of 790124 & 781227 ltrs informing NRC of steps taken to correct violation noted in IE Insp Rept 50-267/78-19
MADSEN, O L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/06 1p

7903050511 Responds to NRC 790105 ltr re violation noted in IE Insp Rept 50-267/78-19. Corrective actions will evaluate & document individual performance for annual exam in each category
MILLEN, C K Public Service Co of Colorado 79/01/24 1p

7903070544 Forwards IE Insp Rept 50-267/79-02 on 790115-17 & notice of violation Notice of violation being withheld (ref 10CFR2 790)
MADSEN, O L Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/13 2pp

7903070547 IE Insp Rept 50-267/79-02 on 790115-17 Noncompliance noted, security organization, details withheld (ref 10CFR2 790).
WARD, J, EVANS, C A, MADSEN, O L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/12 1p

7903080327 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/16 1p

7903090027 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/27 1p

7903290169 Forwards addl info re inservice insp program, per NRC 790115 request
FULLER, J K Public Service Co of Colorado 79/03/15 10pp

7903140370 Forwards results of environ radiological monitoring for Jul-Dec 1978 Results of analyses of soil samples will be in next summary rept
SWART, F E Public Service Co of Colorado 79/02/23 1p

7903140376 "Environ Radiation Surveillance Program," Jul-Dec 1978
JOHNSON, J. E., HOLMES, M H Public Service Co of Colorado 79/02/26 122pp

7903050297 Forwards "Annual Operating Rept B for 1978 "
WAREMBOURG, D Public Service Co of Colorado 79/02/27 1p

7903050300 "Annual Operating Rept B for 1978 "
* Public Service Co of Colorado 79/02/27 38pp

7903050322 Forwards "Rept of Changes, Tests & Experiments Not Requiring Prior Commission Approval" for 1978
WAREMBOURG, D Public Service Co of Colorado 79/02/27 17pp

7903120186 Forwards monthly operating rept for Feb 1979
WAREMBOURG, D Public Service Co. of Colorado 79/03/05 1p

7903120189 Monthly operating rept for Feb 1979
GAHM, J W Public Service Co of Colorado 79/03/01 5pp

7903270300 Forwards monthly operating rept for Feb 1979
WAREMBOURG, D Public Service Co. of Colorado 79/03/21 1p

7903050223 Forwards LER 79-002/03L-0
WAREMBOURG, D Public Service Co. of Colorado 79/02/26 1p

7903050226 LER 79-002/03L-0 on 790127, operation in degraded mode resulted from repairs to seat of buffer helium purge valve Bypass of buffer helium dryer caused by leakage past valve seat insert of Velan Model P-33B76-N/78R valve.
GAHM, J W Public Service Co of Colorado 79/02/26 6pp

7903120244 Forwards LER 79-004/03L-0
WAREMBOURG, D Public Service Co of Colorado 79/03/05 1p.

7903120248 LER 79-004/03L-0 on 790203 during normal operation, cooling tower blowdown exceeded limit but was not reported. Cause by incorrect completion of surveillance forms Forms changed & personnel instructed
GAHM, J. W Public Service Co of Colorado 79/03/05 3pp.

7903120310 Forwards LER 78-027/03X-3
WAREMBOURG, D Public Service Co of Colorado 79/03/05 1p

7903120320 LER 78-027/03X-3 on 790214: four helium circulator seal malfunction differential pressure switches would not trip or tripped outside limiting conditions for operation Cause: dirt accumulation in switches Settings checked month
GAHM, J. W. Public Service Co. of Colorado 79/03/05

7903210120 Forwards LER 79-005/03L-0
WAREMBOURG, D Public Service Co of Colorado 79,

7903210125 LER 79-005/03L-0 on 790209: during semia outside electrical power test, output circuit breaker close Cause unknown. Breaker replaced w/equivalent
GAHM, J. W. Public Service Co of Colorado 79/03/05

DOCKET 50-269 Oconee Nuclear Station, Unit 1

7903120144 Forwards revised versions of Entry-Control: SAND77-1033; Intrusion Detection Sys Handbook, SAND78; Barrier Penetration Database, NUREG/CR-0181
MILLER, J R. Assistant Director for Reactor Safeguards 2pp.

DOCKETED SERIES

DOCKET 90-269 Oconee Nuclear Station, Unit 1

- 7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p
- 7903270510 Forwards safeguards contingency plan Plan withheld (ref 10CFR2 790)
PARKER, W O Duke Power Co 79/03/23 1p
- 7903290203 Requests notification of NRC decision on appeal case calling for shutdown of Oconee
DERRICK, B House of Rep 79/03/06 1p
- 7903290011 Forwards corporate annual rept, financial forecast & util statement re available sources of funds W/o encl
THIBB, A C Duke Power Co 79/03/21 1p
- 7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp
- 790302021B Notification of 790214-13 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool wall pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p
- 7903060680 Responds to 781220 request for reassessment of NRC 780815 ltr authorizing fee refund for Unit 1 Believes fees should not be refunded
REID, R W Operating Reactors Branch 4 79/02/09 1p
- 7903260117 Forwards notice of proposed issuance of amend to operating licenses revising Tech Specs to permit expansion of spent fuel pool storage capacity from 336 to 750 storage locations
REID, R W Operating Reactors Branch 4 79/02/16 2pp
- 7903260121 Notice of proposed issuance of amend to operating licenses
REID, R W Operating Reactors Branch 4 79/02/16 4pp
- 7903150411 Ack receipt of 790202 application for amend to licenses Requests addl Class I fee of \$400
MILLER, W O License Fee Management Branch 79/02/23 1p
- 790319011B Forwards Amend 6B to DPR-38, Amend 6B to DPR-47 & Amend 65 to DPR-55 & notice of issuance
REID, R W Operating Reactors Branch 4 79/02/23 3pp
- 7903190125 Amend 6B, 6B, 65 to DPR-38, 47 & 55 respectively, adding new Paragraph 3.F re full implementation of all provisions of NRC-approved physical security plan.
REID, R W Operating Reactors Branch 4 79/02/23 6pp
- 7903190130 Notice of issuance of Amend 6B, 6B & 65 to Licenses DPR-38, DPR-47 & DPR-55, respectively
FAIRTILE, M B Operating Reactors Branch 4 79/02/23 2pp
- 7903260176 Response dtd 771220 indicates util has reviewed potential boron dilution incidents & has determined that FSAR analysis of this event still represents most limiting case No further action is necessary
REID, R W Operating Reactors Branch 4 79/02/23 2pp
- 7903140179 Notifies util of authorization for refunds of Class I amend fees for applications dtd 780602 & 780608. Refunds will be sent as soon as possible
MILLER, W O License Fee Management Branch 79/02/27 1p
- 7903140305 Forwards results of fuel surveillance program per Tech Spec 4.13 C. Results indicate that Babcock & Wilcox fuel assembly is performing as expected & dimensional changes are consistent w/predicted values
PARKER, W O Duke Power Co 79/03/02 5pp
- 7903120222 Responds to NRC 790223 request. Forwards \$400 licensing fee under protest.
PARKER, W O Duke Power Co, 79/03/05 2pp
- 7903160043 Forwards Amend 70 to License DPR-38, Amend 70 to DPR-47 & Amend 67 to DPR-55, safety evaluation & notice of issuance
REID, R W Operating Reactors Branch 4, 79/03/06 2pp
- 7903160046 Amend 70 to License DPR-38, Amend 70 to License DPR-47 & Amend 67 to DPR-55, deleting Tech Spec requirements re liquid effluent monitoring sys that are no longer applicable
REID, R W Operating Reactors Branch 4 79/03/06 10pp
- 7903160050 Safety evaluation supporting Amend 70 to License DPR-38, Amend 70 to DPR-47 & Amend 67 to DPR-55
* Office of Nuclear Reactor Regulation 79/03/06 2pp
- 7903160064 Notice of issuance of Amends 70, 70 & 67 to Licenses DPR-38, DPR-47 & DPR-55, respectively
REID, R W Operating Reactors Branch 4 79/03/06 2pp
- 7903270280 Describes util's practice of extending submittal periods for documents if last day of period is Saturday, Sunday, or legal holiday Requests guidance as to whether this practice is incorrect
PARKER, W O Duke Power Co 79/03/20 1p
- 7903270552 Forwards proposed revision to Tech Specs re qualifications of site health physicist License fees are not provided w/affidavit
PARKER, W O Duke Power Co 79/03/21 7pp
- 7903300281 Surveillance requirements presently included in unit Tech Specs apply to NRC-accepted mods of high pressure injection sys Mod & preoperational testing remain as proposed
PARKER, W O Duke Power Co 79/03/26 1p
- 7903130239 Forwards IE Insp Rept 50-269/78-37, 50-270/78-35, & 50-287/78-37 on 781220-22 & 781227-28 & notice of violation Insp rept & notice of violation withheld (10CFR2 790)
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/01/19 2pp
- 7902280237 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HSSA)"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/02 5pp
- 7903080332 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp
- 7903140138 Follows up 780729 response to IE Circular 78-08 Commitment to submit environ qualification data by 790416 is superseded by licensee-required action statements of IE Bulletin 79-01
PARKER, W O Duke Power Co 79/02/21 1p
- 7903130133 Ack receipt of IE Insp Repts 50-269/79-02, 50-270/79-02, & 50-287/79-02 on 790115-19 No proprietary info
PARKER, W O Duke Power Co 79/02/27 1p
- 7903130137 Forwards IE Insp Repts 50-269/79-02, 50-270/79-02 & 50-287/79-02 No noncompliance noted
SUTHERLAND, J L Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/16 2pp
- 7903130142 IE Insp Repts 50-269/79-02, 50-270/79-02, & 50-287/79-02 on 790115-19 No noncompliance noted Major areas inspected
radiowaste mgt program
HOBBS, C M Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/15 8pp
- 7903130225 Ack receipt of 790119 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-269/78-37, 50-270/78-35, & 50-287/78-37
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/27 1p
- 7903130257 Responds to 790119 ltr forwarding Insp Repts 50-269/78-37, 50-270/78-35 & 50-287/78-37 Considers info proprietary (ref 10CFR2 790)
PARKER, W O Duke Power Co 79/02/15 1p
- 7903130268 IE Insp Repts 50-269/78-37, 50-270/78-35 & 50-287/78-37 on 781220-22 & 781227-28 Noncompliance noted failure to take appropriate compensatory action Notice of violation withheld (ref 10CFR2 790)
MOORE, D E, FUCHKO, J M, OILLESPIE, F P Region 2, Atlanta, Safeguards Branch 79/01/19 1p
- 7903080270 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

DOCKETED SERIES

55

DOCKET 50-269 Oconee Nuclear Station, Unit 1

7903140543 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903210132 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903210383 Forwards IE Circular 79-04, "Loose Locking Nut on Limbtorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903050319 Forwards effluent release & solid waste disposal summary for period Jul-Dec 1978 W/annual totals for liquid & gaseous effluent releases for solid waste disposal for 1978
PARKER, W D Duke Power Co 79/02/22 19pp

7903010286 Forwards LER 79-004/03L-0
PARKER, W D Duke Power Co 79/02/15 1p.

7903010288 LER 79-004/03L-0 on 790117 hydraulic suppressor 1-01A-1-1-401A-R11 was discovered to be inverted. Caused by main steam line vibration loosening locking nut
LEWIS, S R Duke Power Co 79/02/15 2pp

7903020318 Forwards LER 79-006/03L-0
PARKER, W D Duke Power Co 79/02/23 1p

7903020320 LER 79-006/03L-0 on 790124 flow fault alarm received, indicating loss of flow to several radiation monitors. Caused by seizure of radiation monitor sample pump
LEWIS, S R Duke Power Co 79/02/23 2pp

7903140328 Forwards LER 79-008/03L-0
PARKER, W D Duke Power Co 79/03/07 1p

7903140329 LER 79-008/03L-0 on 790205 Unit 1 Channel A & Unit 2 Channel C reactor bldg narrow range pressure transmitters found out of calibr in nonconservative direction. Cause unknown. Transmitters recalibrated & returned to svc
LEWIS, S R Duke Power Co 79/03/07 3pp

7903150279 Forwards LER 79-005/03L-1
PARKER, W D Duke Power Co 79/03/12 1p

7903150282 LER 79-005/03L-1 on 790212 holding power supply breaker CB-1 failed to trip during on-line test. Caused by faulty mechanical linkage. Minor trip mechanism adjustment performed
LEWIS, S R Duke Power Co 79/03/08 3pp

7903190199 Forwards LER 79-009/01T-0
PARKER, W D Duke Power Co 79/03/14 1p

7903190201 LER 79-009/01T-0 on 790228 during test, reactor protection sys Channels A, C, & D pressure switches were non-conservatively out of calibr. Cause unknown. Switches recalibrated & will be checked in six months for drift.
LEWIS, S R Duke Power Co 79/03/14 3pp

DOCKET 50-270 Oconee Nuclear Station, Unit 2

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801.
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270310 Forwards safeguards contingency plan. Plan withheld (ref 10CFR2.790)
PARKER, W D Duke Power Co 79/03/23 1p

7903290203 Requests notification of NRC decision on appeal case calling for shutdown of Oconee
DERRICK, B House of Rep. 79/03/06 1p

7903290011 Forwards corporate annual rept, financial forecast & util statement re available sources of funds W/o encl
THIES, A C Duke Power Co 79/03/21 1p

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRINES, S K Assistant Director for Engineers & Projects
79/01/18 4pp

7903060680 Responds to 781220 request for reassessment of NRC 780815 ltr authorizing fee refund for Unit 1. Believes fees should not be refunded
REID, R W Operating Reactors Branch 4 79/02/09 1p

7903260117 Forwards notice of proposed issuance of amend to operating licenses revising Tech Specs to permit expansion of spent fuel pool storage capacity from 336 to 750 storage locations
REID, R W Operating Reactors Branch 4 79/02/16 2pp

7903260121 Notice of proposed issuance of amend to operating licenses.
REID, R W Operating Reactors Branch 4 79/02/16 4pp.

7903150411 Ack receipt of 790202 application for amend to license. Requests addl Class 1 fee of \$400
MILLER, W D License Fee Management Branch 79/02/23 1p

7903190118 Forwards Amend 68 to DPR-38, Amend 68 to DPR-47 & Amend 65 to DPR-55 & notice of issuance
REID, R W Operating Reactors Branch 4 79/02/23 3pp

7903190123 Amend 68, 68, 65 to DPR-38, 47 & 55 respectively, adding new Paragraph 3 F re full implementation of all provisions of NRC-approved physical security plan
REID, R W Operating Reactors Branch 4 79/02/23 6pp

7903190130 Notice of issuance of Amend 68, 68 & 65 to Licenses DPR-38, DPR-47 & DPR-55, respectively
FAIRFIRE, M B Operating Reactors Branch 4 79/02/23 2pp.

7903260176 Response dtd 771220 indicates util has reviewed potential boron dilution incidents & has determined that FAR analysis of this event still represents most limiting case. No further action is necessary
REID, R W Operating Reactors Branch 4 79/02/23 2pp

7903140179 Notifies util of authorization for refunds of Class 1 amend fees for applications dtd 780602 & 780608. Refunds will be sent as soon as possible
MILLER, W D License Fee Management Branch 79/02/27 1p

7903120222 Responds to NRC 790223 request Forwards \$400 licensing fee under protest
PARKER, W D Duke Power Co. 79/03/05 2pp

7903160043 Forwards Amend 70 to License DPR-38, Amend 70 to DPR-47 & Amend 67 to DPR-55, safety evaluation & notice of issuance
REID, R W Operating Reactors Branch 4 79/03/06 2pp.

7903160046 Amend 70 to License DPR-38, Amend 70 to License DPR-47 & Amend 67 to DPR-55, deleting Tech Spec requirements re liquid effluent monitoring sys that are no longer applicable.
REID, R W Operating Reactors Branch 4 79/03/06 10pp

7903160064 Notice of DPR-38, DPR-47 & DF
REID, R W Oper

7903270280 Describes 1 documents if last day holiday. Requests gvi incorrect
PARKER, W D Duke P

7903270552 Forwards proposed revision to Tech Specs re qualifications of site health physicist. License fees are not provided.
W/affidavit.
PARKER, W D Duke Power Co 79/03/21 7pp.

7903300281 Surveillance requirements presently included in unit Tech Specs apply to NRC-accepted mods of high pressure injection sys. Mod & preoperational testing remain as proposed
PARKER, W D Duke Power Co 79/03/26 1p

7903130259 Forwards IE Insp Rept 50-269/78-37, 50-270/78-35, & 50-287/78-37 on 781220-22 & 781227-28 & notice of violation. Insp rept & notice of violation withheld (10CFR2.790).
KENNA, W B Region 2, Atlanta, Safeguards Branch. 79/01/19 2pp

DOCKETED SERIES

DOCKET 50-270 Dcones Nuclear Station, Unit 2

7903080532 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903140158 Follows up 780929 response to IE Circular 78-08 Commitment to submit environ qualification data by 790416 is superseded by licensee-required action statements of IE Bulletin 79-01
PARKER, W D Duke Power Co 79/02/21 1p

7903130133 Ack receipt of IE Insp Repts 50-269/79-02, 50-270/79-02, & 50-287/79-02 on 790115-19 No nonproprietary info
PARKER, W D Duke Power Co 79/02/27 1p

7903130137 Forwards IE Insp Repts 50-269/79-02, 50-270/79-02 & 50-287/79-02 No noncompliance noted
SUTHERLAND, J L Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/16 2pp

7903130142 IE Insp Repts 50-269/79-02, 50-270/79-02, & 50-287/79-02 on 790115-19 No noncompliance noted Major areas inspected
radwaste mgmt program
HOSEY, C M Region 2, Atlanta, Fuel Facility & Materials Safety Branch, GIBSON, A F Region 2, Atlanta, Office of the Director
79/02/15 6pp

7903130225 Ack receipt of 790119 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-269/78-37, 50-270/78-35, & 50-287/78-37
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/27 1p

7903130257 Responds to 790119 ltr forwarding Insp Repts 50-269/78-37, 50-270/78-35 & 50-287/78-37 Considers info proprietary (ref 10CFR2 790)
PARKER, W D Duke Power Co 79/02/15 1p

7903130260 IE Insp Repts 50-269/78-37, 50-270/78-35 & 50-287/78-37 on 781220-22 & 781227-28 Noncompliance noted failure to take appropriate compensatory action Notice of violation withheld (ref 10CFR2 790)
MOORE, D E, FUCHKO, J M, GILLESPIE, F P Region 2, Atlanta, Safeguards Branch 79/01/19 1p

7903080270 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 5L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140543 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903210132 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903210583 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903050319 Forwards effluent release & solid waste disposal summary for period Jul-Dec 1978 w/annual totals for liquid & gaseous effluent releases for solid waste disposal for 1978
PARKER, W D Duke Power Co. 79/02/22. 13pp

7903200169 Notifies RD-270/78-12 re incorrectly positioned valve during periodic testing will be submitted by 781204.
PARKER, W D Duke Power Co 78/11/20. 1p

7903200395 RD 270/78-12 on 781105 stop check valve from 2AHPI pump to 2A12C pump closed during flow test Valve was opened & check valve functional test completed.
VITO, D J. Duke Power Co 78/11/30 1p

7903140328 Forwards LER 79-008/03L-0
PARKER, W D. Duke Power Co. 79/03/07. 1p

7903140329 LER 79-008/03L-0 on 790203 Unit 1 Channel A & Unit 2 Channel C reactor bldg narrow range pressure transmitters found out of calibr in nonconservative direction Cause unknown
Transmitters recalibrated & returned to svc
LEWIS, S R. Duke Power Co 79/03/07 3pp

DOCKET 50-271 Vermont Yankee Nuclear Power Station

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903060444 Forwards temporary changes to modified amended security plan Plan withheld (ref 10CFR2 790)
MOODY, D E Vermont Yankee Nuclear Power Corp 79/02/23 1p

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270356 Advises that safeguards contingency plan will be submitted by 790501 Delay caused by unscheduled refueling outage presently in progress resulting in increased demands on plant security & mgt personnel
GRDCE, R H Vermont Yankee Nuclear Power Corp 79/03/23 1p

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, S K Assistant Director for Engineers & Projects
79/01/18 4pp

7903020240 Forwards Amend 50 to License DPR-28 Also forwards SER & notice of issuance
IPPOLITO, T A Operating Reactors Branch 3 79/01/31 4pp

7903020242 Amend 50 to DPR-28 changes operations & surveillance requirements for drywell-to-suppression differential pressure control & suppression pool water level
IPPOLITO, T A Operating Reactors Branch 3 79/01/31 10pp

7903020245 Safety evaluation supporting Amend 50 to License DPR-28 Discusses startup & shutdown, testing & maint & environ considerations Concludes proposed Tech Spec changes are acceptable
* Operating Reactors Branch 3 79/01/31 9pp

7903020248 Notice of issuance of Amend 50 to License DPR-28
IPPOLITO, T A Operating Reactors Branch 3 79/01/31 2pp

7903010295 Forwards NEDO-218B5, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
SBBON, L J General Electric Co, Nuclear Energy Products Div
79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
WONOP, W H General Electric Co, Nuclear Energy Products Div
NEDO-218B5 78/06/30 45pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903150191 Requests registration as user of Model GE-1600 Util intends to ship fuel pins from selected irradiated fuel assemblies as part of a fuel examination program
MOODY, D E Vermont Yankee Nuclear Power Corp 79/02/12 1p

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EISENHUT, D O Assistant Director for Systems & Projects
79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants" All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp

7903150334 Responds to 790209 proposal to use shipping cask & lifting device to remove fuel rods from several failed fuel bundles for shipment to Vallecitos Nuclear Center Use of cask is acceptable
IPPOLITO, T A Operating Reactors Branch 3 79/02/23. 2pp.

DOCKETED SERIES

DOCKET 50-271 Vermont Yankee Nuclear Power Station

7903190002 Forwards Amend 51 to License DPR-28, notice of issuance of amend & security plan evaluation rept Security plan evaluation being withheld (ref 10CFR2 790)
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 4pp

7903190006 Amend 51 to License DPR-28 incorporating security plan
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp

7903190127 Notice of issuance of Amend 51 to License DPR-28
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp

7903160213 Forwards proprietary rept NEDE-23545-F, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity " W/affidavit for proprietary status Rept withheld (ref 10CFR2 790)
SODOM, L J General Electric Co , Nuclear Energy Products Div 79/02/26 5pp

7903230011 "SER of Interim Assessments of MBIV Actuations in Mark I Containment Plants "
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief Valve actuations
Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary
SODOM, L J General Electric Co , Nuclear Energy Products Div 79/02/28 11pp

7903220172 Forwards instruction sheet & Tech Specs to be substituted for those transmitted w/Amend 30 to DPR-28 re Mark I containment short-term program
IPPOLITO, T A Operating Reactors Branch 3 79/02/28 15pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
BU, T M Containment Systems Branch 79/03/01 16pp

7903140269 Forwards 1978 Annual Rept describing facility changes, tests & experiments conducted w/o prior NRC approval Rept submitted per 10CFR50 59(b)
GROCE, R H Vermont Yankee Nuclear Power Corp 79/03/01 15pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EIBENHUT, D G Assistant Director for Systems & Projects, 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program.
GRIMES, B Assistant Director for Engineers & Projects 79/03/01 8pp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted. Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules.
GRIMES, B Division of Operating Reactors 79/03/01 22pp

7903290047 Confirms 790306 meeting to discuss dosimetry records maintained under license DPR-3, DPR-28, DPR-35 & DPR-36
SMITH, Q H Region 1, Philadelphia, Office of the Director 79/03/01 1p.

7903090241 Requests exemption from testing requirement of Section III A6(b) of 10CFR, App J Corrective action plan provides greater assurance of continuing containment integrity & should be accepted as alternative to stds
MAYER, L D. Northern States Power Co 79/03/02 1p

7903140258 Requests change to App A of Tech Specs to include max critical power ratio operating limits beyond cycle exposures of end-of-cycle & minus 20WD/T Forwards Class 3 amend fee
VANDENBURGH, D E Vermont Yankee Nuclear Power Corp 79/03/03 6pp

7903200228 Forwards \$4,000 Class III fee for requested primary containment leak rate testing exemption Fee submitted under protest, as util believes NRC revised fee schedule is illegal
GROCE, R H Yankee Atomic Electric Co 79/03/14 2pp

7903300525 Requests \$4,000 Class III amend fee Suppl 1 dtd 790223 to Proposed Change 74 to License DPR-28
MILLER, W D License Fee Management Branch 79/03/16 1p.

7903070291 Forwards IE Insp Rept 50-271/78-28 on 781211-15 No noncompliance noted.
SMITH, Q H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/15 2pp

7903070294 IE Insp Rept 50-271/78-28 on 781211-15 No noncompliance noted. Major areas inspected previous insp findings, training, procedures, exposure control, instrument & equipment, notifications & reports, surveys & facility tours
THONUS, L H , CROCKER, H W Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/12 6pp

7903090376 Forwards IE Insp Rept 50-271/78-27 on 781212-14 No noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/17 2pp

7903090379 IE Insp Rept 50-271/78-27 on 781212-14. No noncompliance noted Major areas inspected: off-shift insp to ascertain whether special work controls for fire prevention/protection continue to be implemented
PAULIND, R J , KOLTAY, P S , EBNETER, S D Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/12 11pp

7903140481 Forwards IE Insp Rept 50-271/79-01 on 790103 & 04 No noncompliance noted
MARTIN, W Q Region 1, Philadelphia, Safeguards Branch 79/01/26 2pp

7903140487 IE Insp Rept 50-271/79-01 on 790103 & 04 No noncompliance noted Major areas inspected: facility organization & operation, measurement & controls, physical inventory & mgt of matl control sys.
SUMMERS, R J Region 1, Philadelphia, Office of the Director
SHAUB, E T , JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/25 7pp

7903020030 Ack receipt of 790118 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-271/78-26
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/29 1p.

7903020036 Responds to NRC 781220 ltr re violation noted in IE Insp Rept 50-271/78-26 Corrective actions revision of "Responsibilities & Authorities of Operations Dept Personnel" & study of door mechanisms initiated.
MOODY, D E Vermont Yankee Nuclear Power Corp 79/01/15 2pp

7903020040 Forwards IE Insp Rept 50-271/78-26 on 781128-1201 & notice of violation.
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 78/12/20 2pp

7903020042 Notice of violation from insp on 781128-1201.
* Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 78/12/18 1p

7903020046 IE Insp Rept 50-271/78-26 on 781128-1201. Noncompliance noted: Failure to lock high radiation area
STETKA, T F., BEYENHAUSEN, L., MCCABE, E C Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 78/12/18, 11pp

7903020051 Ack receipt of 790104 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-271/78-25.
SMITH, Q H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/30 1p

7903020054 Responds to NRC 781212 ltr re violations noted in IE Insp Rept 50-271/78-25 Corrective actions: malfunctioning valve repaired in sodium hypochlorite injection sys, pH problem requires no action
MOODY, D E Vermont Yankee Nuclear Power Corp 79/01/04 2pp.

7903020059 Forwards IE Insp Rept 50-271/78-25 on 790113-16 & notice of violation
SMITH, Q H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch. 78/12/12 2pp.

DOCKETED SERIES

DOCKET 50-271 Vermont Yankee Nuclear Power Station

7903020062 Notice of violation from insp on 781113-16

* Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/12/11 1p

7903020067 IE Insp Rept 50-271/78-25 on 781113-16 Noncompliance noted exceeding chlorine limit & pH limit in plant discharge
SHANBAKY, M. H., STOHR, J. P. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/12/11 10pp

03150423 Provides requested info re Buna-N components in ASCO solenoids Gives schedule of parts replacement & insp Describes preventive maint program requiring rebuilding of various valves These valves to be overhauled at next outage
MOODY, D. E. Vermont Yankee Nuclear Power Corp 79/02/05 2pp

03210020 Forwards IE Insp Rept 50-271/79-02 on 790115-18 No noncompliance noted
BRUNNER, E. J. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/05 2pp

7903210024 IE Insp Rept 50-271/79-02 on 790115-18 No noncompliance noted Major areas inspected containment integrated leak test rept, local leak rate testing, licensee action on previous findings, IE circular & LER followup.
SMITH, T. H., CAPTON, D. L. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/02 6pp

903030524 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing Limit Switch Lubricant"
GRIER, B. H. Region 1, Philadelphia, Office of the Director 79/02/09 1p

903140660 In response to IE Bulletin 79-01, provides details of certain limit switches not meeting Class IE environ qualification criteria Justifies continued plant operation
MOODY, D. E. Vermont Yankee Nuclear Power Corp 79/02/14 2pp

903080280 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B. H. Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903130536 Ack receipt of 790205 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-271/78-29
BRUNNER, E. J. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/20 1p

7903130539 Responds to NRC 790108 ltr re violations noted in IE Insp Rept 50-271/78-29 Corrective actions revision of current valve lineup file re adequacy of ID tags, & closer review of reportable occurrences
MOODY, D. E. Vermont Yankee Nuclear Power Corp 79/02/05 3pp

7903130542 Forwards IE Insp Rept 50-271/78-29 on 781212-15 & notice of violation
BRUNNER, E. J. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/08 2pp

7903130545 Notice of violation from insp on 781212-15
* Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/05 1p

7903130549 IE Insp Rept 50-271/78-29 on 781212-15 Noncompliance noted failure to provide adequate procedures & failure to make prompt rept of occurrences
BAUNACK, W. H. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/05 8pp

7903080471 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CHL should read BL3CHL
GRIER, B. H. Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903090273 Supplemental info responding to IE Bulletin 78-03 re offgas sys operation
GRACE, R. H. Vermont Yankee Nuclear Power Corp 79/02/27 2pp

7903090269 Provides requested details of limit switch operation & potential failure modes Continued plant operation is justified since environmentally unqualified limit switches in use are in fail-safe circuitry.
JOHNSON, W. P. Vermont Yankee Nuclear Power Corp 79/02/28 2pp

7903280001 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
GRIER, B. H. Region 1, Philadelphia, Office of the Director 79/03/08 1p

7903290187 Ack receipt of 790302 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-271/79-03
SMITH, G. H. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/03/20 1p

7903290189 Responds to NRC 790207 ltr re violations noted in IE Insp Rept 50-271/79-03 Corrective actions make-up class will be held for emergency coordinators who did not complete training requirements
MOODY, D. E. Vermont Yankee Nuclear Power Corp 79/03/02 2pp

7903290190 Forwards IE Insp Rept 50-271/79-03 on 790122-25 & notice of violation
SMITH, G. H. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/07 2pp

7903290192 Notice of violation from insp on 790122-25
SMITH, G. H. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/05 1p

7903290194 IE Insp Rept 50-271/79-03 on 790122-25 Noncompliance noted failure to follow procedures re training & calibr
BOREB, R. J., STOHR, J. P. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/05 8pp

7903090260 Filing of semiannual effluent release rept will be delayed; anticipates filing by 790319
GRACE, R. H. Vermont Yankee Nuclear Power Corp 79/02/27 1p

7903150246 Forwards monthly operating rept for Feb 1979
MOODY, D. E. Vermont Yankee Nuclear Power Corp 79/03/12 1p

7903150249 Monthly operating rept for Feb 1979
BUCKREN, R. H. Vermont Yankee Nuclear Power Corp 79/03/12 6pp

7903290006 Forwards "Effluent & Waste Disposal Semiannual Rept, Radiological Impact on Man, Jul-Dec 1978"
GRACE, R. H. Vermont Yankee Nuclear Power Corp 79/03/19 1p

7903290010 "Effluent & Waste Disposal Semiannual Rept, Radiological Impact on Man, Jul-Dec 1978"
* Vermont Yankee Nuclear Power Corp 78/12/31 46pp

7903290368 Forwards LER 79-004/03L-0
CONWAY, W. F. Vermont Yankee Nuclear Power Corp 79/03/16 1p

7903290391 LER 79-004/03L-0 on 790214 during routine calibr of torus level transmitter LT 16-19-GBA, instrument could not be calibr to limits specified Caused by buildup of rust & crud in transmitter capsule cavity Transmitter was replaced
CONWAY, W. F. Vermont Yankee Nuclear Power Corp 79/03/16 2pp

DOCKET 50-272 Salem Nuclear Generating Station, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, BAND77-1033; Intrusion Detection Sys Handbook, BAND76-0554; & Barrier Penetration Database, NUREG/CN-0181
MILLER, J. R. Assistant Director for Reactor Safeguards 79/01/09 2pp

7903290035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H. R. Office of Nuclear Reactor Regulation 79/02/23 1p

7903080224 Forwards copies of responses to 790119 request for addl info re fire protection review W/2 oversized drawings
LIBRIZZI, F. P. Public Service Electric & Gas Co of New Jersey 79/03/02 9pp

7903290151 Forwards contingency plan revising Chapter B of security plan identifies security measures for physical protection of facility Withheld (ref 10CFR2 790)
LIBRIZZI, F. P. Public Service Electric & Gas Co of New Jersey 79/03/19 2pp

DOCKETED SERIES

69

DOCKET 50-272 Salem Nuclear Generating Station, Unit 1

7903190031 Forwards 781222 ltr from util to NRC providing addl info in support of application to increase spent fuel storage capacity
WETTERHAHN, M J Conner, Moore & Corber 79/01/01 1p

7903190026 Forwards 790104 ltr from util to NRC providing addl info in support of application to increase spent fuel storage capacity w/o encl
WETTERHAHN, M J Conner, Moore & Corber 79/01/15 1p

7903090015 Opposes operating license on two grounds no solution to waste problem & no need for power demonstrated Mentions various factors to be considered before licensing should be granted
BERRYHILL, F Coalition for Nuclear Power Plant Postponement 79/01/30 1p

7903050015 Forwards original "Licensee's Response to Interrogatory 20 of Intervenor's First Set of Interrogatories dtd 781121"
FRYLING, R Public Service Electric & Gas Co of New Jersey 79/02/05 1p

7903050017 "Licensee's Response to Interrogatory 20 of Intervenor's First Set of Interrogatories dtd 781121" Certificate of Svc encl
FRYLING, R Public Service Electric & Gas Co of New Jersey 79/02/05 5pp

7903150234 KA Onsdorff will appear on behalf of intervenors A & E Coleman in place of RW Potter
ONSDORFF, K A New Jersey, State of 79/02/06 3pp

7903050170 Forwards constituent ltr for inclusion in record Opposes nuclear power & believes it is an inappropriate source of energy
ROTH, W V Senate 79/02/07 2pp

7903230108 Amended answers by intervenor Lower Alloways Creek Township, NJ, to licensee's interrogatories Professional qualifications of G Luchak & Certificate of Svc encl
DONELSON, S E Lower Alloways Creek, NJ 79/02/15 4pp

7903230107 Opposes storage of spent fuel, enlargement of spent fuel pools & any storage within the Township of Lower Alloways Creek, NJ Requests programs for permanent disposal outside Township
DONELSON, S E Lower Alloways Creek, NJ 79/02/16 3pp

7903230268 Forwards NRC policy statement re reactor safety study, review by Lewis Committee (NUREG/CR-0400) & survey of NRC uses of WASH-1400 All documents have been furnished to ASLB & ASLAB panel members
SMITH, B H Branch 2 79/02/24 1p

7903140413 Prehearing conference of 790222 rescheduled for 790315-16 in Salem, NJ
MILHOLLIN, G L Atomic Safety and Licensing Board Panel 79/02/26 1p

7903140416 Special prehearing conference for limited appearances rescheduled for 790315-16 for evening appearances
MILHOLLIN, G L Atomic Safety and Licensing Board Panel 79/02/26 2pp

7903210256 Licensee's motion for summary disposition of contentions which fail to raise genuine issues
WETTERHAHN, M J Conner, Moore & Corber 79/02/27 1p

7903210262 Licensee's statement of matl facts & memo supporting motion for summary disposition of intervenor's contentions, due to failure to raise genuine issue of fact Affidavits, related documents & Certificate of Svc encl
WETTERHAHN, M J Conner, Moore & Corber 79/02/27 50pp

7903220373 Notice of reconstitution of ASLB, GD Bright replaced by L Kornblith
VORE, J R Atomic Safety and Licensing Board Panel 79/03/08 1p

7903290206 Forwards resolution by Lower Alloways Creek Township Committee against expansion of increased spent fuel storage at Salem & Hope Creek nuclear plants
WILLIAMS, M A Senate, 79/03/12 4pp

7903160225 Forwards 1978 Annual Repts for owners of unit & projected internal cash flow statements Encl available in Central Files
SCHNEIDER, F W Public Service Electric & Gas Co. of New Jersey 79/02/13 7pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer startup rate Tech Spec inconsistency Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse FWR Appropriate utils have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 involves pages IV-5 & IV-6 w/modified rationale & corrections
GRINES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903050306 Forwards 20-month update of inservice insp pump & valve test program Encl available in Central Files
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey 79/02/09 1p

7903140518 Forwards Amend 13 to License DPR-70
SCHWENCER, A Operating Reactors Branch 1 79/02/12 2pp

7903140526 Amend 13 to License DPR-70, changing surveillance requirement for fire detection instrumentation, changing offsite & station organizations, & miscellaneous administrative changes
SCHWENCER, A Operating Reactors Branch 1 79/02/12 19pp

7903140545 Safety evaluation supporting Amend 13 to License DPR-70 Concludes changes will not harm populace or environ
* Office of Nuclear Reactor Regulation 79/02/12 7pp

7903140550 Notice of issuance of Amend 13 to License DPR-70.
SCHWENCER, A Operating Reactors Branch 1 79/02/12 3pp

7903130597 Concludes that 780628 amend application involves both Class II & Class III amends Requests addl \$4,000 fee
DIGGS, R M License Fee Management Branch 79/02/21 1p

7903070229 Forwards check for Class III amend re overpressure projection Tech Spec change requested 780629
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey 79/02/28 2pp

7903130314 Forwards request for amend to License DPR-70 & corresponding Tech Spec changes Changes to safety Tech Specs involve deletion of part length control rods Affidavit encl
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey 79/03/01 16pp

7903150284 Requests amend of safety Tech Specs (App A) re axial flux difference, heat flux hot channel factor, reactor core & nuclear enthalpy hot channel factor.
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey 79/03/02 24pp.

7903080321 Forwards "Evaluation of Reactor Coolant Sys Considering Subcompartment Pressurization Following a LOCA," in response to requests for addl info Updates & supersedes 780118 rept & includes info re reactor vessel supports.
MITTL, R L Public Service Electric & Gas Co of New Jersey, 79/03/06 1p

7903080326 "Evaluation of Reactor Coolant Sys Considering Subcompartment Pressurization Following a LOCA"
* Public Service Electric & Gas Co of New Jersey, 79/03/06, 95pp

7903160139 Forwards forms reporting total amount of water diverted from well, each month & chloride analysis of water from wells for quarter ending 781231
MIDURA, M J Public Service Electric & Gas Co of New Jersey, 79/03/09 3pp

7903080018 Forwards IE Insp Repts 50-272/78-28 & 50-311/78-47 on 781119-1216 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/10 2pp

7903080025 IE Insp Repts 50-272/78-28 & 50-311/78-47 on 781119-1216, No noncompliance noted Major areas inspected log & records, plant cleanliness, licensee event followups, IE circulars, followup on previous insp items, test procedures & training.
NORRHOLOM, L J, NICHOLAS, H H, KEIMIG, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch, 79/01/19, 20pp.

7903120437 Forwards IE Insp Repts 50-272/79-01 & 50-311/79-01 on 790103-05 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch, 79/01/24 2pp.

DOCKETED SERIES

DOCKET 50-272 Salem Nuclear Generating Station, Unit 1

- 7903120481 IE Insp Repts 50-272/79-01 & 50-311/79-01 on 790103-5 No noncompliance noted Major areas inspected inservice testing of pumps & valves (Unit 1); preservice testing of pumps & valves (Unit 2)
FOLEY, T., HIGGINS, J. C. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/22 7pp
- 7903140054 Forwards IE Insp Repts 50-272/78-29 & 50-311/78-54 on 781217-790113 No noncompliance noted
BRUNNER, E. J. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/29 2pp
- 7903140066 IE Insp Repts 50-272/78-29 & 50-311/78-54 on 781217-790113 No noncompliance noted Major areas inspected facility tour, log & record reviews, followup on previous insp items & preoperational QA
NORRHOLM, L. J., KEIMIG, R. R. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/25 13pp
- 7903140013 Forwards IE Insp Repts 50-272/78-31 & 50-311/78-51 on 781211-13 & 19-21 No noncompliance noted
CARLSON, R. T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/31 2pp
- 7903140019 IE Insp Repts 50-272/78-31 & 50-311/78-51 on 781211-13 & 19-21 No noncompliance noted Major areas inspected piping post-weld heat treatment practices, test procedures for containment structural integrity test & plant insp tour
TOTH, A. D., BATEMAN, W. H., MCQUAGHY, R. W. Region 1, Philadelphia, Office of the Director 79/01/30 15pp
- 7903140621 Forwards IE Insp Repts 50-272/79-04 & 50-311/79-02 on 790104-05 No noncompliance noted
CARLSON, R. T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/31 2pp
- 7903140624 IE Insp Repts 50-272/79-04 & 50-311/79-02 on 790104-05 No noncompliance noted Major areas inspected corrective action on post-weld heat treatment & practices
DURR, J., EBNETER, S. D. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/17 4pp
- 7903070481 Ack receipt of 790126 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-272/78-26
BRUNNER, E. J. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/08 1p
- 7903070489 Responds to NRC 781213 ltr re violations noted in IE Insp Rept 50-272/78-26 Corrective actions design change implemented to ensure safeguards, safety isolation signal will close containment ventilation valves if they open
SCHNEIDER, F. W. Public Service Electric & Gas Co. of New Jersey 79/01/26 2pp
- 7903050517 Forwards IE Info Notice 79-02, "Limitorque Valve Geared Limit Switch Lubricant"
GRIER, B. H. Region 1, Philadelphia, Office of the Director 79/02/09 1p.
- 7903070117 Ack receipt of 790123 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-272/78-30 & 50-311/78-52
SMITH, Q. H. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/09 1p
- 7903070130 Responds to NRC 790102 ltr re violations noted in IE Insp Repts 50-272/78-30 & 50-311/78-52 Corrective actions required, safety analysis now reviewed & radioactive waste compacting now done w/exposure permit.
SCHNEIDER, F. W. Public Service Electric & Gas Co. of New Jersey 79/01/23 6pp
- 7903070132 Forwards IE Insp Repts 50-272/78-30 & 50-311/78-52 on 781212-15 & notice of violation
SMITH, Q. H. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/02 2pp
- 7903070176 Notice of violation from insp on 791212-15
* Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/12/28 2pp
- 7903070181 IE Insp Repts 50-272/78-30 & 50-311/78-52 on 781212-15 Noncompliance noted: liquid waste disposal sys changed w/o safety evaluation, compactor operator exposed w/o suitable radiation measurement & no monitoring during compacting
WHITE, J. R., CROCKER, H. W. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/12/28 14pp
- 7903080395 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B. H. Region 1, Philadelphia, Office of the Director 79/02/16 2pp
- 7903130559 Ack receipt of 790202 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-272/78-28 & 50-311/78-47
GRIER, B. H. Region 1, Philadelphia, Office of the Director 79/02/20 1p
- 7903130570 Responds to NRC 790110 ltr re violations noted in IE Insp Repts 50-272/78-28 & 50-311/78-47 Corrective actions test engineers required to perform field insp of all POTT sys & items tagged w/orange tags
MARTIN, T. J. Public Service Electric & Gas Co. of New Jersey 79/02/02 3pp
- 7903130579 Forwards IE Insp Repts 50-272/78-28 & 50-311/78-47 on 781119-1216 & notice of violation
BRUNNER, E. J. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/10 2pp
- 7903130585 Notice of violation from insp on 781119-1216
* Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/09 2pp
- 7903130596 IE Insp Repts 50-272/78-28 & 50-311/78-47 on 781119-1216 Noncompliance noted failure to identify status of turned-over equipment & components at Unit 1
NORRHOLM, L. J. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/09 20pp
- 7903080483 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
GRIER, B. H. Region 1, Philadelphia, Office of the Director 79/02/27 1p
- 7903120205 Responds to IE Bulletin 79-01, "Environment Qualification of Safety-Related Electrical Equipment at Nuclear Power Plants" Outlines changes to be made at first refueling outage
SCHNEIDER, F. W. Public Service Electric & Gas Co. of New Jersey 79/03/06 5pp
- 7903280050 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts"
GRIER, B. H. Region 1, Philadelphia, Office of the Director 79/03/08 1p
- 7903120221 Forwards monthly rept for Jan 1979 for industrial waste treatment plant
MIDURA, H. J. Public Service Electric & Gas Co. of New Jersey 79/02/14 2pp
- 7903120213 Forwards wastewater treatment rept for Jan 1979 for sewage treatment plant
MIDURA, H. J. Public Service Electric & Gas Co. of New Jersey 79/02/13 2pp
- 7903050374 Forwards Impingement Monitoring Rept 22 Jan 1979
LIBRIZZI, F. P. Public Service Electric & Gas Co. of New Jersey 79/02/20 1p
- 7903120219 Forwards discharging monitoring repts for Jan 1979 Matls removed from main circulating water & collected on traveling screens have been deposited at Quinton landfill
MIDURA, H. J. Public Service Electric & Gas Co. of New Jersey 79/02/28 14pp
- 7903160097 Forwards monthly operating rept for Feb 1979, for industrial waste treatment plant
MIDURA, H. J. Public Service Electric & Gas Co. of New Jersey 79/03/01 2pp
- 7903270421 Forwards "Semiannual Radioactive Effluent Release Rept, June-Dec 1978"
LIBRIZZI, F. P. Public Service Electric & Gas Co. of New Jersey 79/03/05 1p
- 7903270425 "Semiannual Radioactive Effluent Release Rept, June-Dec 1978"
* Public Service Electric & Gas Co. of New Jersey 79/03/31 51pp

DOCKETED SERIES

01

DOCKET 50-272 Salem Nuclear Generating Station, Unit 1

7903160105 Forwards monthly operating rept for Feb 1979
MIDURA, H J Public Service Electric & Gas Co of New Jersey
79/03/09 1p

7903160108 Monthly operating rept for Feb 1979
MILLER, L K Public Service Electric & Gas Co of New Jersey
79/03/09 13pp

7903270492 Forwards wastewater treatment rept for Feb 1979.
MIDURA, H J Public Service Electric & Gas Co of New Jersey
79/03/09 2pp

7903270457 Forwards discharge monitoring repts for Feb 1979
MIDURA, H J Public Service Electric & Gas Co of New Jersey
79/03/16 14pp

7903090264 Forwards LER 79-016/03L-0
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey
79/03/05 1p

7903090266 LER 79-016/03L-0 on 790220 control operator observed zero
svc water flow through unit Caused by burned out coil in
solenoid valve Coil replaced
KAPPLE, A W Public Service Electric & Gas Co of New Jersey
79/03/05 3pp

7903090274 Forwards RO 79-19/04L
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey
79/03/05 1p

7903090275 RO 79-19/04L on 790224 during liquid release of waste
monitor holdup tank, failure alarm actuated for IR1B monitor
channel in process racks Caused by grounded pin in IR1B
detector Grounded connector replaced
KAPPLE, A W Public Service Electric & Gas Co of New Jersey
79/03/05 2pp

7903130317 Forwards LER 79-015/03L-0
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey
79/03/08 1p

7903130320 LER 79-015/03L-0 on 790212 during normal operation, noted
required surveillance to be performed every 78-h had not
been done on 790210 when scheduled Caused by personnel
error Entry made in log instructing supervisor
KAPPLE, A W Public Service Electric & Gas Co of New Jersey
79/03/08 3pp

7903200425 Forwards LER 79-014/03L-0
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey
79/03/14 3pp

7903200428 LER 79-014/03L-0 on 790220, during normal operation, radiation
monitoring sys channel IR 12B alarms found not operating
Channel later returned to svc & operated properly Caused by
unknown factor
KAPPLE, A W Public Service Electric & Gas Co of New Jersey
79/03/14 1p

7903270365 Forwards LER 79-017/03L-0
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey
79/03/20 1p

7903270367 LER 79-017/03L-0 on 790219 gross activity surveillance of
coolant sys & steam generators was not performed, Caused by
personnel error in not returning gas bottles to storage New
bottle storage pad will be built
KAPPLE, A W Public Service Electric & Gas Co of New Jersey
79/03/20 3pp

7903280342 Forwards LER 79-022/03L-0
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey
79/03/23 1p

7903280343 LER 79-022/03L-0 on 790221 during normal operations, while
conducting routine insp, NRC inspector found missed Tech Spec
surveillance reading Caused by personnel error Surveillance
posted on plant status board
KAPPLE, A W Public Service Electric & Gas Co of New Jersey
79/03/23 3pp

7903300297 Forwards LER 79-018/03L-0
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey
79/03/23 3pp

7903300302 LER 79-018/03L-0 on 790223 auxiliary feedwater pump breaker
cubicle was hot Caused by burned out closing spring charging
motor Motor & breaker replaced
KAPPLE, A W Public Service Electric & Gas Co of New Jersey
79/03/23 1p

7903300400 Forwards LER 79-020/03L-0
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey
79/03/23 1p

7903300406 LER 79-020/03L-0 on 790225 pressurizer level Channel II was
declared inoperable Caused by non-linearity of strain gauge
in level sensor transmitter Strain gauge replaced along w/
zero & span potentiometers Transmitter recalibrated
KAPPLE, A W Public Service Electric & Gas Co of New Jersey
79/03/23 3pp

DOCKET 50-274 U S Geological Survey Research Reactor

7903140157 Forwards guidance re license amend review License should
reflect total amount of SNM, percent enrichment, amounts
exempt & not exempt
REID, R W. Operating Reactors Branch 4 79/02/09 2pp

7903150273 In response to 790209 request, provides addl info re amounts,
types & enrichment of SNM
HARRANZIND, A P Interior, Dept of, U S Geological Survey
79/02/20 1p

7903050345 Forwards IE Insp Rept 50-274/79-01 on 790117 No
noncompliance noted
MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support
Branch 79/02/06 2pp

7903050349 IE Insp Rept 50-274/79-01 on 790117 No noncompliance noted
Major areas inspected implementation of approved security
plan re security organization, physical barriers, access
controls, communication control & detection aids
WARD, J J, EVANS, C A, MADSEN, G L Region 4, Dallas, Reactor
Operations Nuclear Support Branch 79/02/05 1p

DOCKET 50-275 Diablo Canyon Nuclear Power Plant, Unit 1

7903050358 Forwards responses to Questions 220.1 through 220.6 from NRC
780725 ltr Requests certain data be withheld
(ref 10CFR2 790)
CRANE, P A Pacific Gas & Electric Co 78/12/27 40pp

7903020252 Forwards "Seismic Test Procedure for Diablo Canyon Fan
Cooler Motor Controller."
CRANE, P A Pacific Gas & Electric Co 79/01/04 5pp

7903050303 Forwards addl matl re fault current protection for
containment electrical penetrations in response to NRC
781018 ltr.
CRANE, P A Pacific Gas & Electric Co 79/02/26 125pp.

7903130355 Forwards info re tests of molded circuit breakers,
ventilation control logic cabinet & fan cooler controllers,
to permit continuation of review of seismic retesting of
Class IE electrical equipment
CRANE, P A Pacific Gas & Electric Co 79/03/01 8pp

7903270592 Forwards NUREG-0523, "Summary of Operating Experience
w/Recirculating Steam Generators," which focuses on recent
problems w/degradation, Believes continued plant operation
does not constitute undue risk
EISENHUT, D O Assistant Director for Systems & Projects
79/03/02 3pp.

7903130309 Responds to questions from NRC re natural circulation boron
mixing test procedure, confirmation of fire water tank piping
design criteria, fault current protection for containment, &
electrical penetrations
CRANE, P A Pacific Gas & Electric Co 79/03/07 2pp.

DOCKETED SERIES

DOCKET 50-273 Diablo Canyon Nuclear Power Plant, Unit 1

7903160243 Forwards Addendum 2 to Wyle Lab test rept "Seismic Testing of Safety-Related Electrical Equipment " Requests acknowledgment of receipt
CRANE,P A Pacific Gas & Electric Co 79/03/09 1p

7903160245 Addendum 2 to Wyle Lab test rept "Seismic Testing of Safety-Related Electrical Equipment "
GOAD,L F , SHIPWAY,Q D Pacific Gas & Electric Co 79/02/07 450pp

7903210195 Forwards responses to NRC questions on seismic qualification of NSSS equipment Info will be submitted as amend to Hosgri Rept Also discusses switchgear room ventilation fire dampers,device qualification & water hammer test
CRANE,P A Pacific Gas & Electric Co 79/03/16 9pp

7903270286 In order to complete scheduled mods,requests extension of completion date of const permit CPPER-39 to 790630 & completion date of const permit CPPER-69 to 800229
CRANE,P A Pacific Gas & Electric Co 79/03/21 2pp

7903060435 Due to delays in mfg,fire dampers cannot be installed before plant operation Area adjacent to switchgear room w/ ventilation ducts is posted "No Storage" & will be insp daily
CRANE,P A Pacific Gas & Electric Co 79/02/26 1p

7903190320 Forwards emergency operating procedure OP-4,OP-5, & OP-15 w/rewritten warnings re possibility of ATWS event & instructions for operator actions to mitigate ATWS affects
CRANE,P A Pacific Gas & Electric Co 79/03/09 1p

7903190326 Emergency operating procedures OP-4,OP-5 & OP-15 covering loss of electrical power,reactor trip & loss of feedwater flow
* Pacific Gas & Electric Co 79/03/02 11pp

7903290104 Forwards safeguards contingency plan Withheld (ref LOCFRZ 7901)
CRANE,P A Pacific Gas & Electric Co 79/03/23 1p

7903070440 Forwards joint interveners' request for directed certification,which was not served on ASLAB chairman & members by 781231 filing date
STEELE,H Fleischaker, D S 79/01/03 1p

7903070446 Addl typographical correction to 790104 joint interveners' request for directed certification
FLEISCHAKER,D S Fleischaker, D S 79/01/05 1p

7903140619 Expresses concerns for earthquake & waste disposal problems
Feels sufficient safeguards are lacking
LEE,D Affiliation Unknown 79/01/06 2pp

7903140623 Believes granting license would increase cancer & deformity cases.Points to lack of solution to nuclear waste problem.
Urges return to simpler life of conservation & safe use of energy
ADAMS,E Affiliation Unknown 79/02/07 1p

7903140627 Believes health & safety of CA will be endangered if license is granted.Notes numerous mishaps in nuclear industry
Opposes granting of license
OPALACH,D Affiliation Unknown 79/02/09 1p

7903140629 Expresses concern for location of plant on Hosgri earthquake fault.Does not consider this prudent Urges Board to demonstrate responsibility to public health & safety by closing plant
CHARLICK,J Affiliation Unknown 79/02/07 1p

7903050387 Corrects suppl to joint interveners' request for directed certification,delivered to Board 790110 Changes last sentence
FLEISCHAKER,D S Fleischaker, D S 79/01/15 1p

7903090035 Forwards proposed subpoenas for M Trifunac & E Luco as per ALAB-819 Certificate of Svc encl
FLEISCHAKER,D S Fleischaker, D S PHILLIPS,J R , KRISTOVICH,S Center for Law in the Public Interest 79/01/26 5pp

7903090156 Requests issuance of subpoena to C Hall for testimony re seismic issues Proposed subpoena & Certificate of Svc encl
FLEISCHAKER,D S Fleischaker, D S PHILLIPS,J R , KRISTOVICH,S Center for Law in the Public Interest 79/01/30 5pp

7903050004 Opposes commissioning of facility Insists it must be able to withstand max earthquake at site Suggests evaluation of non-nuclear alternative Doubts need for extra generating capacity
BOWMAN,D M Affiliation Unknown 79/02/01 1p

7903050005 Wants facility stopped now Finds it dangerous
BURGESS,D Affiliation Unknown 79/02/01 1p

7903050006 Urges facility be denied operating license
FERN,S Affiliation Unknown 79/02/03 1p

7903050008 Urges denial of license to facility,since it is built on a fault line in an area prone to tremors
HARROW,G Affiliation Unknown 79/01/27 1p

7903050009 Believes fission power is a mistake Operating permit should have been obtained prior to const Forwards own statement on participation in 780806 demonstration against facility Cites Nuremberg principle
DENNEEN,W Affiliation Unknown 79/02/13 3pp

7903050213 Requests NRC issue a written explanation for staff policy re repts which suggest buckling conditions Repts should not be limited to merely buckling criteria
ROISHMAN,A Z Natural Resources Defense Council 79/02/02 1p

7903050236 Forwards consultant's rept re impact force on fuel assembly spacer grids,caused by asymmetric loads during blowdown following a LOCA Grids may be more sensitive to core plant motion than originally believed
GODDARD,R J Branch 2 78/09/19 5pp

7903140342 Corrects typographical error in 790202 answers to NRC first set of suppl interrogatories
MEISS,R L Pacific Gas & Electric Co 79/02/06 1p

7903300572 Requests qualification of test data be established to NRC satisfaction prior to first refueling outage re environ qualification of power cable
CRANE,P A Pacific Gas & Electric Co 79/02/15 1p

7903220203 Urges plant not be opened,based on seismic evidence & recent criticism of Rasmussen Rept
CAMPBELL,T Affiliation Unknown 79/02/23 1p

7903220222 Urges that Diablo Canyon not be opened & that const be stopped at San Onofre
BYERS,A Affiliation Unknown 79/02/22 1p

7903220248 Opposes opening of plant because of seismic & waste disposal problems
HOLLINGSHEAD,S Affiliation Unknown 79/03/07 1p

7903220252 Opposes opening of plant because of risks including natural disaster,sabotage & waste disposal
KODENIO,J Affiliation Unknown 79/02/26 1p

7903220254 Urges NRC stop plant const
GROSSMAN,J Affiliation Unknown 79/02/28 1p

7903220259 Requests NRC stop opening of Diablo Canyon & stop const at San Onofre on basis of unresolved safety questions
OLSEN,P Affiliation Unknown 79/02/23 1p

7903140421 Requests prompt submittal of NRC documentation on ATWS so generic safety issue may be resolved
BOWERS,E S Atomic Safety and Licensing Board Panel 79/02/26 2pp

7903190558 Forwards NRC motion to receive affidavits of DP Allison & AC Thadani re status of ATWS & NUREG-0460,Vol 3,into evidence Related documents encl Completes NRC submittal re generic items
KETCHEN,E G Branch 4 79/03/02 2pp

7903190564 Motion to receive affidavit of DP Allison & AC Thadani re status of ATWS & NUREG-0460,Vol 3,into evidence,Affidavit & NUREG encl
KETCHEN,E G Branch 4 79/03/02 18pp

7903190541 Moves that ASLB receive NRC radon testimony,including Perkins record,into evidence Perkins record & Certificate of Svc encl
KETCHEN,E G Branch 4 79/03/05 500pp

DOCKETED SERIES

63

DOCKET 50-275 Diablo Canyon Nuclear Power Plant, Unit 1

7903130411 Forwards Endorsement 21 to NELIA Policy NF-228 describing changes in subscribing companies & proportionate liability endorsement
CRANE, P A Pacific Gas & Electric Co. 79/03/07 2pp

7903020232 Forwards IE Insp Rept 50-275/78-21 on 781201-31 No noncompliance noted
CREWS, J L Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/01/19 2pp

7903020236 IE Insp Rept 50-275/78-21 on 781201-31 No noncompliance noted Major areas inspected preoperational testing, plant tours, operating staff training, fuel storage & witnessing of testing in progress
YOUNG, T, STERNBERG, D M Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/01/18 3pp

7903190077 Forwards IE Insp Rept 50-275/78-18 on 781218-21 No noncompliance noted
BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/08 2pp

7903190081 IE Insp Rept 50-275/78-18 on 781218-21 No noncompliance noted Major areas inspected emergency planning, tests & drills, radiation protection staffing, respiratory protection & neutron monitoring
NORTH, H S, FISH, R F, BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/08 5pp

7903190064 Forwards IE Insp Repts 50-275/79-01 & 50-323/79-01 on 790122-0201 No noncompliance noted
SPENCER, Q S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/02/09 2pp

7903190071 IE Insp Repts 50-275/79-01 & 50-323/79-01 on 790122-0201. No noncompliance noted Major areas inspected license action on previous findings, electrical & instrumentation work observation & record review of seismic trip sys
KIRSCH, D F, HUTSON, T W, HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/02/08 11pp

7903210205 Forwards IE Insp Rept 50-275/79-02 on 790101-31 No noncompliance noted
CREWS, J L Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/02/12 2pp

7903210207 IE Insp Rept 50-275/79-02 on 790101-31 No noncompliance noted Major areas inspected preoperational testing, fire prevention/protection, environ protection, plant tour & witnessing tests in progress
YOUNG, T, STERNBERG, D M Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/02/08 4pp

7903190510 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/16 1p

7903140365 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/27 1p

7903140583 States that IE Bulletin 79-01, "Environ Qualification of Class IE Equipment (correction)" was issued to listed licensees in Region 5
* Region 5, San Francisco, Office of the Director 79/02/27 1p

7903150063 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts"
ENGELKEN, R H Region 5, San Francisco, Office of the Director, 79/03/08 1p

7903190486 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
ENGELKEN, R H Region 5, San Francisco, Office of the Director, 79/03/12 1p

7903210405 Forwards IE Circular 79-04, "Loose Locking Nut on Limiterque Valve Operators"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/16 1p

7903260317 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/20 1p

7903050244 Informs of matl test results one length of iron failed bend test & supplier removed from approved list W/o encl
CRANE, P A Pacific Gas & Electric Co 79/01/31 1p

7903090078 Ack receipt of 790131 ltr which provided a final rept per 10CFR50.55(e) re matl certifications
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/12 1p

7903070002 Transcript of 790212 hearing in Avila Beach, CA Pp 9266-9377 & 9378-9462 (in-camera session not included)
BOWERS, E, MARTIN, W O, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/02/12 112pp

7903060008 Transcript of 790213 hearing in Avila Beach, CA Pp 9463-9717
BOWERS, E, MARTIN, W O, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/02/13 255pp

7903070006 Transcript of 790214 hearing in Avila Beach, CA Pp 9718-9939
BOWERS, E, MARTIN, W O, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/02/14 222pp

7903080525 Transcript of 790215 hearing in Avila Beach, CA Pp 9,940-10,182
BOWERS, E, B, MARTIN, W O, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/02/15 240pp

DOCKET 50-277 Peach Bottom Atomic Power Station, Unit 2

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903260334 Informs that review & evaluation of security plan has been completed & found acceptable Plan will be incorporated into OL & will become effective on or before 790223 Requests notification of any delay in implementation
IPPOLITO, T A Operating Reactors Branch 3 79/02/28 2pp.

7903270316 Forwards safeguards contingency plan w/affidavit & \$4,400 check for review fee Safeguards contingency plan withheld (ref 10CFR2 790)
BRADLEY, E J Philadelphia Electric Co 79/03/23 3pp.

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Bvc encl
KEPFORD, C Affiliation Unknown. 79/02/19 37pp.

7903230297 Forwards responses to ALAB-509. Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R H Atomic Safety and Licensing Appeal Panel. 79/03/01 5pp

7903290059 Confirms discussion re corporate mgt meeting to be held 790308 to discuss NRC performance appraisal team mgt insp scheduled for 790319-23 & 790326-30.
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch. 79/03/01 1p.

7903190282 Forwards annual repts for co-owners of facility as evidence of guarantee of payment of deferred premiums W/cash flow statements from each. Encl available in Central Files
BRADLEY, E J Philadelphia Electric Co 79/03/15 7pp.

7903160125 Forwards Endorsement 41 to MAELU Policy 67.
BRADLEY, E J Philadelphia Electric Co. 79/03/09 2pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages IV-5 & IV-6 w/modified rationale & corrections.
GRIMES, B K Assistant Director for Engineers & Projects. 79/01/18 4pp.

DOCKETED SERIES

DOCKET 50-277 Peach Bottom Atomic Power Station, Unit 2

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
 BOBON, L J General Electric Co, Nuclear Energy Products Div
 79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
 WONG, K W General Electric Co, Nuclear Energy Products Div
 NEDO-21885 78/06/30 45pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
 GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr.
 EISENHUT, D O Assistant Director for Systems & Projects
 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants" All plants are in conformance w/ acceptance criteria
 * Assistant Director for Systems & Projects. 79/02/15 10pp

7903220409 Forwards Amend 51 to DPR-44 & DPR-56 & notice of issuance Security plan evaluation withheld (ref 10CFR2 790)
 IPPOLITO, T A Operating Reactors Branch 3 79/02/23 3pp

7903220419 Notice of issuance of Amend 51 to DPR-44 & DPR-56
 IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp

7903160213 Forwards proprietary rept NEDE-23945-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity." W/affidavit for proprietary status
 Rept withheld (ref 10CFR2 790)
 BOBON, L J General Electric Co, Nuclear Energy Products Div
 79/02/26 5pp

7903200117 Forwards Amends 50 to DPR-44 & DPR-56 & notice of issuance
 IPPOLITO, T A Operating Reactors Branch 3 79/02/26 2pp

7903200123 Amend 50 to DPR-44 & Amend 50 to DPR-56 incorporating Tech Specs contained in Appendices A & B as revised re estimated chemical usage.
 IPPOLITO, T A Operating Reactors Branch 3 79/02/26 8pp

7903200125 Notice of issuance of Amend 50 to DPR-44 & Amend 50 to DPR-56.
 IPPOLITO, T A Operating Reactors Branch 3 79/02/26 2pp

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants."
 * Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations
 Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
 GRIMES, B K Division of Operating Reactors. 79/02/27 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary
 BOBON, L J General Electric Co, Nuclear Energy Products Div
 79/02/28 11pp

7903060436 Forwards application for amend to Licenses DPR-44 & DPR-56 W/encl application filing fee
 BRADLEY, E J Philadelphia Electric Co 79/03/01 1p

7903060461 Application for amend to Licenses DPR-44 & DPR-56, changing Tech Specs re solid radioactive wastes, containment sys & auxiliary electric sys Certificate of Evc encl
 BAUER, E O Philadelphia Electric Co 79/03/01 75pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads
 W/encl attendees list & meeting handouts
 BU, T M Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
 EISENHUT, D O Assistant Director for Systems & Projects
 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
 GRIMES, B Assistant Director for Engineers & Projects
 79/03/01 8pp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long time program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
 GRIMES, B Division of Operating Reactors 79/03/01 22pp

7903270095 Discusses status of Mark I containment long-term program Requests schedule showing time periods for installation of specific plant mods Discusses safety relief valve discharge device installation & forwards staff evaluation
 STELLO, V Division of Operating Reactors 79/03/12 17pp

7903120009 Forwards IE Insp Repts 50-277/78-34 & 50-278/78-37 on 781207 No noncompliance noted
 SMITH, O F Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/23 2pp

7903120024 IE Insp Repts 50-277/78-34 & 50-278/78-37 on 781207 No noncompliance noted Major areas inspected observation of licensee-conducted radiation emergency drill & re improvements in emergency air monitoring
 BORES, R J, BETTENHAUSEN, L, STOHR, J P Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/18 4pp

7903140139 Forwards IE Insp Repts 50-277/78-31 & 50-278/78-34 on 781218-22 No noncompliance noted
 BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903140146 IE Insp Repts 50-277/78-31 & 50-278/78-34 on 781217-30 & 781218-22 No noncompliance noted Major areas inspected plant operations, review of monthly status repts & followup on previously identified unresolved items
 GREENMAN, E O, MCCABE, E C Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/01 4pp

7903060631 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant"
 GRIER, B H Region 1, Philadelphia, Office of the Director
 79/02/09 1p

7903080567 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
 GRIER, B H Region 1, Philadelphia, Office of the Director
 79/02/16 2pp

7903300350 Forwards IE Insp Repts 50-277/79-01 & 50-278/79-01 on 790102-05 No noncompliance noted
 BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/16 2pp

7903300352 IE Insp Rept 50-277/79-01 & 50-278/79-01 on 790102-05 No noncompliance noted Major areas inspected nonroutine event review, review of periodic repts, plant operations, facility tours & independent effort
 GREENMAN, E O, MCCABE, E C Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/16 4pp

7903080489 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read BL3CML
 GRIER, B H Region 1, Philadelphia, Office of the Director
 79/02/27 1p

7903280045 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
 GRIER, B H Region 1, Philadelphia, Office of the Director
 79/03/08 1p

7903020347 Submits Thermal Monitoring Repts 65 & 66 for Nov & Dec 1978
 WILLSEY, W B Philadelphia Electric Co 79/02/21 1p

7903020349 "Monthly Rept 65 for Nov 1978, Thermal & Biological Monitoring Programs"
 * Philadelphia Electric Co 79/11/30 10pp

DOCKETED SERIES

85

DOCKET 50-277 Peach Bottom Atomic Power Station, Unit 2

7903020352 "Monthly Rept 66 for Dec 1978, Thermal & Biological Monitoring Programs "
* Philadelphia Electric Co 79/12/31 Bpp

7903150243 Forwards "Semiannual Releases Rept 6, July-Dec 1978 & Annual Occupational Exposure Tabulation 3, 1978 "
ALDEN, W M Philadelphia Electric Co 79/03/08 1p

7903150250 "Semiannual Effluent Releases Rept 6, July-Dec 1978 & Annual Occupational Exposure Tabulation 3, 1978 "
ULLRICH, W T Philadelphia Electric Co 78/12/31 11pp

7903190219 Forwards monthly operating rept for Feb 1979
COONEY, M J Philadelphia Electric Co 79/03/13 1p

7903190224 Monthly operating rept for Feb 1979
ALDEN, W M Philadelphia Electric Co. 79/03/10 9pp

7903190147 RD 2-79-8/10 on 790219 steady state power level exceeded license limit of 3293 MW Caused by erroneous feedwater flow input to computer causing reactor heat balance to indicate less than actual power level
ULLRICH, W T Philadelphia Electric Co 79/02/20 2pp

7903290043 RD 2-79-10/1P on 790226 six control & power cables improperly designated as non-safeguard cables during design phase
ULLRICH, W T Philadelphia Electric Co 79/02/27 2pp

7903140264 Forwards LER 79-008/01T-0.
COONEY, M J Philadelphia Electric Co 79/03/05 3pp

7903140270 LER 79-008/01T-0 on 790219 steady state power level exceeded license limit by less than 2% for about 6-h Caused by error calculating scanned feedwater flow Power reduced to license limit
COONEY, M J Philadelphia Electric Co 79/03/05 1p

7903290125 RD-2-79-11/1P on 790302 containment isolation valves of ventilation sys would not close when subjected to post-LDCA conditions Cause Unknown
ULLRICH, W T Philadelphia Electric Co 79/03/05 2pp

7903210110 Forwards LER 79-010/01T-0
COONEY, M J Philadelphia Electric Co 79/03/12 3pp

7903210114 LER 79-010/01T-0 on 790226 power & control cables associated w/recirculation pump discharge valves & bypass valves were found routed in non-safeguard cable trays Caused by improperly designated cables during design phase.
COONEY, M J Philadelphia Electric Co 79/03/12 1p

7903270361 LER 79-009/03L-0 on 790213 fire alarm sys malfunctioned, causing audible signal to alarm w/o coding Caused by mechanical binding of cam in alarm box Binding problem corrected & sys returned to svc
COONEY, M J Philadelphia Electric Co 79/03/15 1p

7903270498 LER 79-008/03L-0 on 790225 fuses were blown in control circuit of main steam relief valve RV-71L Replacements blew immediately Caused by failed solenoid & short circuit Leads to solenoid lifted; fuses & solenoid replaced
COONEY, M J Philadelphia Electric Co. 79/03/20 1p

DOCKET 50-278 Peach Bottom Atomic Power Station, Unit 3

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033, Intrusion Detection Sys Handbook, SAND76-0584, & Barrier Penetration Database, NUREG/CR-0181.
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p.

7903260334 Informs that review & evaluation of security plan has been completed & found acceptable. Plan will be incorporated into OL & will become effective on or before 790223 Requests notification of any delay in implementation
IPPOLITO, T A Operating Reactors Branch 3 79/02/28 2pp

7903270316 Forwards safeguards contingency plan w/affidavit & \$4,400 check for review Fee Safeguards contingency plan withheld (ref 10CFR2 790)
BRADLEY, E J Philadelphia Electric Co 79/03/23 3pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903290059 Confirms discussion re corporate mgt meeting to be held 790308 to discuss NRC performance appraisal team mgt insp scheduled for 790319-23 & 790326-30
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/03/01 1p.

7903190282 Forwards annual repts for co-owners of facility as evidence of guarantee of payment of deferred premiums W/cash flow statements from each Encl available in Central Files
BRADLEY, E J Philadelphia Electric Co 79/03/15 7pp

7903160125 Forwards Endersement 41 to MAELU Policy 67
BRADLEY, E J Philadelphia Electric Co 79/03/09 2pp

DOCKET 50-278 Peach Bottom Atomic Power Station, Unit 3

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
SDRON, L J General Electric Co., Nuclear Energy Products Div 79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
WONG, K W General Electric Co., Nuclear Energy Products Div NEDO-21885 78/06/30 45pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool well pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p.

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EIBENHUT, D O Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants " All plants are in conformance w/ acceptance criteria.
* Assistant Director for Systems & Projects 79/02/15 10pp

7903220409 Forwards Amend 51 to DPR-44 & DPR-56 & notice of issuance Security plan evaluation withheld (ref 10CFR2 790).
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 3pp

7903220413 Amend 51 to DPR-44 & DPR-56 incorporating approved security plan.
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 4pp.

7903220419 Notice of issuance of Amend 51 to DPR-44 & DPR-56.
IPPOLITO, T A. Operating Reactors Branch 3. 79/02/23 2pp

7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity." W/affidavit for proprietary status. Rept withheld (ref 10CFR2 790)
SDRON, L J General Electric Co., Nuclear Energy Products Div 79/02/26 5pp.

7903200117 Forwards Amends 50 to DPR-44 & DPR-56 & notice of issuance.
IPPOLITO, T A Operating Reactors Branch 3 79/02/26 2pp.

DOCKETED SERIES

DOCKET 50-278 Peach Bottom Atomic Power Station, Unit 3

7903200123 Amend 50 to DPR-44 & Amend 50 to DPR-56 incorporating Tech Specs contained in Appendices A & B as revised re estimated chemical usage
IPPOLITO, T A Operating Reactors Branch 3 79/02/26 8pp

7903200125 Notice of issuance of Amend 50 to DPR-44 & Amend 50 to DPR-56
IPPOLITO, T A Operating Reactors Branch 3 79/02/26 2pp

03230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants "
* Assistant Director for Engineers & Projects 79/02/27 12pp

790320083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations
Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRINES, B K Division of Operating Reactors 79/02/27 1p.

790320256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief fast-by-task summary
SGBON, L J General Electric Co ,Nuclear Energy Products Div 79/02/28 11pp

790320456 Forwards application for amend to Licenses DPR-44 & DPR-56 W/encl application filing fee
BRADLEY, E J Philadelphia Electric Co 79/03/01 1p

790320461 Application for amend to Licenses DPR-44 & DPR-56, changing Tech Specs re solid radioactive wastes, containment sys & auxiliary electric sys Certificate of Svc encl
BAUER, E O Philadelphia Electric Co 79/03/01 75pp

790320439 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads
W/encl attendees list & meeting handouts
SU, T. H Containment Systems Branch 79/03/01 16pp

790320283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D. O. Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRINES, B Assistant Director for Engineers & Projects 79/03/01 8pp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long time program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
GRINES, B. Division of Operating Reactors 79/03/01 22pp

7903270095 Discusses status of Mark I containment long-term program Requests schedule showing time periods for installation of specific plant mods Discusses safety relief valve discharge device installation & forwards staff evaluation.
STELLO, V Division of Operating Reactors. 79/03/12 17pp

7903120009 Forwards IE Insp Repts 50-277/78-34 & 50-278/78-37 on 781207 No noncompliance noted
SMITH, O F Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/23 2pp

7903120024 IE Insp Repts 50-277/78-34 & 50-278/78-37 on 781207 No noncompliance noted Major areas inspected observation of licensee-conducted radiation emergency drill & re improvements in emergency air monitoring
BORES, R. J., BETTENHAUSEN, L., STOHR, J. P Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/18 4pp

7903140139 Forwards IE Insp Repts 50-277/78-31 & 50-278/78-34 on 781127-30 & 781218-22 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903140146 IE Insp Repts 50-277/78-31 & 50-278/78-34 on 781127-30 & 781218-22 No noncompliance noted Major areas inspected plant operations, review of monthly status repts & followup on previously identified unresolved items
GREENMAN, E O., MCCABE, E. C Region 1, Philadelphia, Reactor Operations Nuclear Support Branch. 79/02/01 4pp

7903060631 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/07 1p

7903300380 Forwards IE Insp Rept 50-278/79-07 on 790108-12 & 23-26 No noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/15 2pp

7903300384 IE Insp Rept 50-278/79-07 on 790108-12 & 23-26 No noncompliance noted Major areas inspected spent fuel rack mod including insp, installation & procedural control
FEIL, R A Region 1, Philadelphia, Office of the Director
TRIPL, L E Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/14 9pp

7903080567 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 2pp

7903300350 Forwards IE Insp Repts 50-277/79-01 & 50-278/79-01 on 790102-05 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/16 2pp

7903300352 IE Insp Rept 50-277/79-01 & 50-278/79-01 on 790102-05 No noncompliance noted Major areas inspected nonroutine event review, review of periodic repts, plant operations, facility tours & independent effort
GREENMAN, E O., MCCABE, E. C Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/16 4pp

7903080489 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read BL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903280045 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/03/08 1p

7903202347 Submits Thermal Monitoring Repts 65 & 66 for Nov & Dec 1978
WILLEBY, W B Philadelphia Electric Co 79/02/21 1p

7903202349 "Monthly Rept 65 for Nov 1978, Thermal & Biological Monitoring Programs "
* Philadelphia Electric Co 79/11/30 10pp

7903202352 "Monthly Rept 66 for Dec 1978, Thermal & Biological Monitoring Programs "
* Philadelphia Electric Co 79/12/31 8pp

7903150243 Forwards "Semiannual Releases Rept 6, July-Dec 1978 & Annual Occupational Exposure Tabulation 3, 1978 "
ALDEN, W M Philadelphia Electric Co 79/03/08 1p

7903150250 "Semiannual Effluent Releases Rept 6, July-Dec 1978 & Annual Occupational Exposure Tabulation 3, 1978 "
ULLRICH, W T Philadelphia Electric Co 78/12/31 11pp

7903190219 Forwards monthly operating rept for Feb 1979
COONEY, H J Philadelphia Electric Co 79/03/13 1p

7903190224 Monthly operating rept for Feb 1979
ALDEN, W M Philadelphia Electric Co 79/03/10 9pp

7903190147 RD 2-79-B/10 on 790219 steady state power level exceeded license limit of 3293 MW Caused by erroneous feedwater flow input to computer causing reactor heat balance to indicate less than actual power level
ULLRICH, W T Philadelphia Electric Co 79/02/20 2pp

7903290043 RD 2-79-10/1P on 790226 six control & power cables improperly designated as non-safeguard cables during design phase
ULLRICH, W T Philadelphia Electric Co 79/02/27 2pp

7903120242 LER 79-006/03L-0 on 790212, at power, setpoint of B core spray pump start timer was 0.32-s less than Tech Spec limit Caused by setpoint drift on Apastat timer relay Model CR2820 Relay readjusted & tested,
COONEY, H J Philadelphia Electric Co 79/03/05 1p

DOCKETED SERIES

67

DOCKET 50-278 Peach Bottom Atomic Power Station, Unit 3

7903130324 LER 79-005/03L-O on 790208 setpoint of reactor core isolation cooling turbine steam supply flow sensor was above Tech Specs max Caused by setpoint drift on Barton Model 288 differential pressure switch Switch recalibrated
CODNEY, M J Philadelphia Electric Co 79/03/05 1p

7903290125 RO-2-79-11/1P on 790302 containment isolation valves of ventilation sys would not close when subjected to post-LOCA conditions Cause unknown
ULLRICH, W T Philadelphia Electric Co 79/03/05. 2pp

7903210101 LER 79-007/03L-O on 790212 during surveillance, setpoint of "A" logic automatic depressurization sys time delay relay was greater than Tech Spec limit Caused by setpoint drift on OE Model CR-2820 time delay Relay readjusted & tested
CODNEY, M J Philadelphia Electric Co 79/03/14 1p

7903210130 LER 79-006/03L-1 on 790212 at power & during surveillance test, setpoint of B core spray pump start timer was less than Tech Spec min Caused by setpoint drift on OE Model CR-2820 time delay relay Relay readjusted & tested
CODNEY, M J Philadelphia Electric Co 79/03/14 1p

DOCKET 50-279 Santa Maria de Garona Nuclear Power Plant

7903160030 Safety evaluation supporting Amend 70 to License DPR-38, Amend 70 to DPR-47 & Amend 67 to DPR-55
* Office of Nuclear Reactor Regulation 79/03/04. 2pp

DOCKET 50-280 Surry Power Station, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0354; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270390 Forwards amend to approved security plan, incorporating contingency plan info & amends re recent mgt reorganization Encl withheld (ref 10CFR2 790)
BTALLINGB, C M Virginia Electric & Power Co 79/03/23 1p

7903140605 Forwards NRC 790201 denial of North Anna Environ Coalition request for hearing & EIS re steam generator repair W/o encl
DENTON, H R Office of Nuclear Reactor Regulation 79/02/13 1p

7903190148 Extends time for NRC review of 790201 denial of enforcement action until 790315
CHILK, B J Office of the Secretary of the Commission 79/02/13 1p

7903090212 Extends time for NRC to review 790201 denial of enforcement

7903190034 Requests reconsideration of Amends 46 & 47 issued to util re replacement of steam generators Environ impact must be analyzed based upon actual release & pathway analysis Complete review should be made of potential dangers
BERICK, D, ALVAREZ, B Environmental Policy Institute 79/02/20. 2pp

7903220380 Time for NRC review of 790201 denial of enforcement action extended until 790413
CHILK, B J Office of the Secretary of the Commission 79/03/08. 1p

7903300353 Forwards show cause orders issued because of potential piping deficiencies in safety-related sys
DENTON, H R Office of Nuclear Reactor Regulation 79/03/13 2pp

7903300354 Orders to show cause re potential piping deficiencies in safety-related sys
DENTON, H R Office of Nuclear Reactor Regulation 79/03/13 12pp

7903050028 Notifies of denial of North Anna Environ Coalition request for hearing & EIS on repair project W/o encl
DENTON, H R Office of Nuclear Reactor Regulation 79/02/13 1p

7903060312 Answers 790124 request for info J Allen request for info was denied in NRC 790201 ltr Other info may be found in NRC 790120 EIA W/o encl
DENTON, H R Office of Nuclear Reactor Regulation 79/02/13 1p.

7903150402 Requests info re nature of problem & repair procedure involved in replacement of defective steam generators
HART, O Senate, Environment & Public Works 79/02/15 2pp

7903050372 Amend of Condition 4 endorsement to Policy MF-57 to reflect change in liability from \$31,500,000 to \$36,000,000.
GERAS, Y Nuclear Energy Liability Insurance Association. 79/02/01 1p

7903130273 In order to conform w/stbd excess & loss policy, requests amend to facility Indemnification Agreement B-45 re location of buildings & structures
BTALLINGB, C M Virginia Electric & Power Co 79/03/09. 1p

7903060690 Notification of 790227 meeting w/util to discuss plans for inspecting feedwater nozzles, steam generator supports & fire protection program
NEIGHBOR, D Operating Reactors Branch 1. 79/02/13. 1p

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-3 & IV-4 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903090418 Safety evaluation re water hammers in feedwater piping due to rapid steam condensation. Summarizes preventive measures
* Office of Nuclear Reactor Regulation. 78/06/07. 10pp

7903200024 Requests addl info to complete review of test rpt of environ qualification testing performed on continental instrument cable
SCHWENGER, A Operating Reactors Branch 1 79/02/22. 3pp.

DOCKETED SERIES

DOCKET 50-280 Surry Power Station, Unit 1

7903200247 Forwards draft safety evaluation "Net Positive Suction Head Available to Containment Recirculation Spray & Low Head Safety Injection Pumps " LAINAS, Q Plant Systems Branch 79/03/05 7pp

7903290145 Confirms 790319 hand transfer of computer Code 790317 SHOCK-2 & SHOCK-3 by A Giambusso Requests hand-delivered documents be treated as proprietary KENNEDY, W J Stone & Webster Engr 79/03/22 3pp

7903070516 Forwards IE Insp Repts 50-280/78-35 & 50-281/78-35 on 781204-22 No noncompliance noted LONG, F J Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/15 2pp

7903070522 IE Insp Repts 50-280/78-35 & 50-281/78-35 on 781204-22 No noncompliance noted Major areas inspected plant operations, LERs, IE circulars, plant organization changes, physical protection barriers & previous open items LEWIS, R. C , BURKE, D J Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/12 7pp

7903130185 Forwards IE Insp Repts 50-280/79-03 & 50-281/79-03 on 790108-11 No noncompliance noted LEWIS, R. C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/29 2pp

7903130192 IE Insp Repts 50-280/79-03 & 50-281/79-03 on 790108-11 No noncompliance noted Major areas inspected changes to QA program, LER followup, previous noncompliance, unresolved items & open items SKOLDS, J L , CANTRELL, F. S Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/26 4pp

7903280015 Forwards IE Insp Repts 50-280/79-06 & 50-281/79-06 on 790115-19 No noncompliance noted LEWIS, R. C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/14 2pp

7903280026 IE Insp Repts 50-280/79-06 & 50-281/79-06 on 790115-19 No noncompliance noted Major areas inspected steam generator repair/replacement program & QA program including organizational & functional alignment ELROD, S A , BROWNLEE, V L , CANTRELL, F. S Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/14 4pp

7903280028 Forwards IE Insp Repts 50-280/79-07 & 50-281/79-07 on 790129-0201 No noncompliance noted LEWIS, R. C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/15 2pp

7903280031 IE Insp Repts 50-280/79-07 & 50-281/79-07 on 790129-0201 No noncompliance noted Major areas inspected review of safety limits, limiting safety sys settings, conditions for operation & followup of open items & LER SKOLDS, J L , CANTRELL, F. S Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/14 3pp

7903280110 Forwards IE Insp Repts 50-280/79-05 & 50-281/79-05 on 790118 No noncompliance noted SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/15 2pp

7903280117 IE Insp Repts 50-280/79-05 & 50-281/79-05 on 790118 No noncompliance noted Major areas inspected radiation protection programs & facilities associated w/steam generator replacement project ESHALD, B. C , QIBSON, A F Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/15 3pp

7903090123 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features " O'REILLY, J. P. Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903280074 Forwards IE Insp Repts 50-280/79-04 & 50-281/79-04 on 790115-19 No noncompliance noted MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/16 2pp

7903280075 IE Insp Repts 50-280/79-04 & 50-281/79-04 on 790115-19 No noncompliance noted Major areas inspected: steam generator replacement WILCOX, J D , HERDT, A R Region 2, Atlanta, Office of the Director 79/02/13 3pp

7903080521 Responds to 781220 request for notices of violation from 780401-1220 Forwards requested info DAVIS, J. Q Office of Inspection & Enforcement. 79/02/21 6pp.

7903080524 Ack receipt of 781213 ltr Requests lists of notices of violation from 780401-1220 & NRC enforcement actions re cumulative notices of violation, particularly re radiation safety miscalculations ALLEN, J North Anna Environmental Coalition 78/12/20 1p

7903080314 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140433 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210191 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903220019 Forwards IE Circular 79-04, "Loose Locking Nut on Limiting Valve Operators " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903070375 Forwards "Annual Operating Rept, 1978." "Environ Monitoring Rept, 1978," & "Rept of Radioactivity in Effluent Releases & Solid Wastes, 1978" STALLINGS, C M Virginia Electric & Power Co 79/03/01 1p

7903070376 "Annual Operating Rept, 1978 " * Virginia Electric & Power Co 78/12/31 3pp

7903070380 "Rept of Radioactivity in Effluent Releases & Solid Wastes, 1978 " * Virginia Electric & Power Co 78/12/31 7pp

7903070381 "Environ Monitoring Rept, 1978 " CHANDRASEKARAN, TRAUTMAN, M Virginia Electric & Power Co 78/12/31 56pp

7903190183 Forwards monthly operating rept for Feb 1979 STALLINGS, C M Virginia Electric & Power Co 79/03/13 1p

7903190191 Monthly operating rept for Feb 1979 COSTELLO, G J , STEWART, W L Virginia Electric & Power Co 79/03/02 42pp

7903220260 Forwards "Nonradiological Environ Operating Rept for 1978 " STALLINGS, C M Virginia Electric & Power Co 79/03/19 1p

7903220265 "Nonradiological Environ Operating Rept for 1978 " * Virginia Electric & Power Co 79/03/19 400pp

7903020260 Informs of cooling water outlet temperature increase in excess of Tech Spec rate, due to ice accumulation at intake structure STALLINGS, C M Virginia Electric & Power Co 79/02/27 1p.

7903230142 Forwards LER 79-005/03L-0 STALLINGS, C M Virginia Electric & Power Co 79/03/20 1p

7903230145 LER 79-005/03L-0 on 790226 radiation recorder RR-175 stepping printing Caused by gummed gear shaft bushing in print mechanism Bushing was freed & print mechanism cleaned & lubricated STEWART, W L Virginia Electric & Power Co 79/03/19 2pp

7903270414 Forwards LER 79-004/01T-0 STALLINGS, C M Virginia Electric & Power Co 79/03/22 1p

7903270419 LER 79-004/01T-0 on 790309 util was notified of possible non-conservatism in pipe stress code used to analyze piping sys Units shutdown awaiting results of re-evaluation STEWART, W L Virginia Electric & Power Co. 79/03/22 2pp.

DOCKET 50-281 Surry Power Station, Unit 2

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND78-0554; & Barrier Penetration Database, NUREG/CR-0181. MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

DOCKETED SERIES

69

DOCKET 50-2B1 Surry Power Station, Unit 2

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270390 Forwards amend to approved security plan, incorporating contingency plan info & amends re recent mgt reorganization Encl withheld (ref 10CFR2 790)
STALLINGS, C M Virginia Electric & Power Co 79/03/23 1p

7903140605 Forwards NRC 790201 denial of North Anna Environ Coalition request for hearing & EIS re steam generator repair W/o encl
DENTON, H R Office of Nuclear Reactor Regulation 79/02/13 1p

7903190148 Extends time for NRC review of 790201 denial of enforcement action until 790315
CHILK, S J Office of the Secretary of the Commission 79/02/13 1p

7903090212 Extends time for NRC to review 790201 denial of enforcement action until 790301
CHILK, S J Office of the Secretary of the Commission 79/02/15 1p

7903160313 Urges further NRC review of 790201 denial of J Allen's show cause petition
MASON, H H District of Columbia 79/02/16 2pp

7903200527 Urges reversal of NRC 790201 denial of show cause hearing Requests EIS on hazardous transplant of steam generators & condensers due to potential health risks
ALLEN, J North Anna Environmental Coalition 79/02/16 1p

7903200538 Requests suspension of further work on replacement generator until public hearings are held & EIS prepared Cites recent accident at plant resulting in personnel injury
POLLARD, R Chesapeake Energy Alliance 79/02/21 1p

7903160310 Expresses concern re replacement of radioactive steam generators & possible radiation exposure dangers Requests public hearings
WEST, R Affiliation Unknown 79/02/19 1p

7903190034 Requests reconsideration of Amends 46 & 47 issued to util re replacement of steam generators. Environ impact must be analyzed based upon actual release & pathway analysis Complete review should be made of potential dangers
BERICK, D, ALVAREZ, B Environmental Policy Institute 79/02/20 2pp

7903220380 Time for NRC review of 790201 denial of enforcement action extended until 790413
CHILK, S J Office of the Secretary of the Commission. 79/03/08 1p

7903300353 Forwards show cause orders issued because of potential piping deficiencies in safety-related sys
DENTON, H R Office of Nuclear Reactor Regulation 79/03/13 2pp

7903300354 Orders to show cause re potential piping deficiencies in safety-related sys
DENTON, H R Office of Nuclear Reactor Regulation 79/03/13 12pp

7903050028 Notifies of denial of North Anna Environ Coalition request for hearing & EIS on repair project, W/o encl
DENTON, H R Office of Nuclear Reactor Regulation 79/02/13 1p

7903060312 Answers 790124 request for info J Allen request for info was denied in NRC 790201 ltr Other info may be found in NRC 790120 EIA W/o encl
DENTON, H R Office of Nuclear Reactor Regulation 79/02/13 1p

7903150402 Requests info re nature of problem & repair procedure involved in replacement of defective steam generators
HART, G Senate, Environment & Public Works 79/02/13, 2pp

7903050372 Amend of Condition 4 endorsement to Policy MF-37 to reflect change in liability from \$31,500,000 to \$36,000,000
GERAS, T Nuclear Energy Liability Insurance Association. 79/02/01 1p.

7903130273 In order to conform w/std excess & loss policy, requests amend to facility Indemnification Agreement D-45 re location of buildings & structures
STALLINGS, C M Virginia Electric & Power Co 79/03/09 1p

7903060690 Notification of 790227 meeting w/util to discuss plans for inspecting feedwater nozzles, steam generator supports & fire protection program
NEIGHBORS, D Operating Reactors Branch 1 79/02/13 1p

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, D K Assistant Director for Engineers & Projects 79/01/18 4pp.

7903090418 Safety evaluation re water hammers in feedwater piping due to rapid steam condensation Summarizes preventive measures * Office of Nuclear Reactor Regulation 78/06/07 10pp

7903200024 Requests addl info to complete review of test rept of environ qualification testing performed on continental instrument cable
SCHWENCER, A Operating Reactors Branch 1 79/02/22 3pp

7903270610 Forwards Amends 48 & 47 to Licenses DPR-32 & DPR-37 respectively & notice of issuance & availability Safety evaluation withheld (ref 10CFR2 790)
SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903270634 Amends 48 & 47 to Licenses DPR-32 & DPR-37, respectively, adding license conditions to include Commission-approved physical security plan as part of license
SCHWENCER, A Operating Reactors Branch 1. 79/02/27 2pp.

7903270642 Safety evaluation supporting Amends 48 & 47 to Licenses DPR-32 & DPR-37, respectively
SCHWENCER, A Operating Reactors Branch 1 79/02/27 2pp

7903270647 Notice of issuance & availability of Amends 48 & 47 to Licenses DPR-32 & DPR-37, respectively
SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903120284 Informs NRC that payment for requested Tech Specs Change 75 was sent on 790206
BAUM, E A Virginia Electric & Power Co 79/03/05 1p.

7903200247 Forwards draft safety evaluation: "Net Positive Suction Head Available to Containment Recirculation Spray & Low Head Safety Injection Pumps"
LAINAS, G Plant Systems Branch. 79/03/05 7pp.

7903290145 Confirms 790319 hand transfer of computer Code 790317 SHOCK-2 & SHOCK-3 by A Giambusso Requests hand-delivered documents be treated as proprietary
KENNEDY, W J Stone & Webster Engr 79/03/22 3pp.

7903070516 Forwards IE Insp Repts 50-280/78-35 & 50-281/78-35 on 781204-22 No noncompliance noted
LONG, F J Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/15 2pp

7903070522 IE Insp Repts 50-280/78-35 & 50-281/78-35 on 781204-22 No noncompliance noted Major areas inspected plant operations, LERs, IE circulars, plant organization changes, physical protection barriers & previous open items
LEWIS, R C, BURKE, D. J Region 2, Atlanta, Reactor Operations Nuclear Support Branch. 79/01/12 7pp

7903130185 Forwards IE Insp Repts 50-280/79-03 & 50-281/79-03 on 790108-11 No noncompliance noted
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/29 2pp

7903130192 IE Insp Repts 50-280/79-03 & 50-281/79-03 on 790108-11. No noncompliance noted Major areas inspected changes to GA program, LER followup, previous noncompliance, unresolved items & open items
SKOLDS, J. L, CANTRELL, F S Region 2, Atlanta, Reactor Operations Nuclear Support Branch. 79/01/26 4pp.

7903280015 Forwards IE Insp Repts 50-280/79-06 & 50-281/79-06 on 790115-19 No noncompliance noted.
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch. 79/02/14 2pp

DOCKETED SERIES

DOCKET 50-281 Surry Power Station, Unit 2

7903280026 IE Insp Repts 50-280/79-06 & 50-281/79-06 on 790115-19 No noncompliance noted Major areas inspected steam generator repair/replacement program & GA program including organizational & functional alignment
ELROD, S A , BRODNI, E G V L , CANTRELL, F S Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/14 4pp

7903280028 Forwards IE Insp Repts 50-280/79-07 & 50-281/79-07 on 790129-0201 No noncompliance noted
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/15 2pp

7903280031 IE Insp Repts 50-280/79-07 & 50-281/79-07 on 790129-0201 No noncompliance noted Major areas inspected review of safety limits, limiting safety sys settings, conditions for operation & followup of open items & LER
SKOLDS, J L , CANTRELL, F S Region 2, Atlanta, Reactor Operations Nuclear Support Branch. 79/02/14 3pp

7903280110 Forwards IE Insp Repts 50-280/79-05 & 50-281/79-05 on 790118 No noncompliance noted
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/15 2pp

7903280117 IE Insp Repts 50-280/79-05 & 50-281/79-05 on 790118 No noncompliance noted Major areas inspected radiation protection programs & facilities associated w/steam generator replacement project
ESWALD, S C , QIBSON, A F Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/15 3pp

7903090123 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp.

7903280074 Forwards IE Insp Repts 50-280/79-04 & 50-281/79-04 on 790115-19 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/16 2pp

7903280075 IE Insp Repts 50-280/79-04 & 50-281/79-04 on 790115-19 No noncompliance noted Major areas inspected steam generator replacement
WILCOX, J D , HERDT, A R Region 2, Atlanta, Office of the Director 79/02/13 3pp

7903080521 Responds to 781220 request for notices of violation from 780401-1220 Forwards requested info
DAVIS, J G Office of Inspection & Enforcement 79/02/21 4pp

7903080524 Ack receipt of 781213 ltr Requests lists of notices of violation from 780401-1220 & NRC enforcement actions re cumulative notices of violation, particularly re radiation safety miscalculations
ALLEN, J North Anna Environmental Coalition 78/12/20 1p

7903080314 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140433 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director. 79/03/08 2pp

7903210151 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

DOCKET 50-281 Surry Power Station, Unit 2

7903220019 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903070375 Forwards "Annual Operating Rept, 1978," "Environ Monitoring Rept, 1978," & "Rept of Radioactivity in Effluent Releases & Solid Wastes, 1978."
STALLINGS, C M Virginia Electric & Power Co 79/03/01 1p

7903070376 "Annual Operating Rept, 1978 "
* Virginia Electric & Power Co 78/12/31 3pp

7903070380 "Rept of Radioactivity in Effluent Releases & Solid Wastes, 1978 "
* Virginia Electric & Power Co 78/12/31 7pp

7903070381 "Environ Monitoring Rept, 1978 "
CHANDRASEKARAN, TRAUTMAN, M Virginia Electric & Power Co 78/12/31 56pp

7903190183 Forwards monthly operating rept for Feb 1979
STALLINGS, C M Virginia Electric & Power Co 79/03/12 1p

7903190191 Monthly operating rept for Feb 1979
COSTELLO, O J , STEWART, W L Virginia Electric & Power Co 79/03/02 42pp

7903220260 Forwards "Nonradiological Environ Operating Rept for 1978 "
STALLINGS, C M Virginia Electric & Power Co 79/03/19 1p

7903220265 "Nonradiological Environ Operating Rept for 1978 "
* Virginia Electric & Power Co 79/03/19 400pp

7903020260 Informs of cooling water outlet temperature increase in excess of Tech Spec rate, due to ice accumulation at intake structure
STALLINGS, C M Virginia Electric & Power Co 79/02/27 1p

7903080227 Forwards LERs 79-005/03L-0, 79-006/03L-0, & 79-007/03L-0
STALLINGS, C M Virginia Electric & Power Co 79/03/02 1p

7903080230 LER 79-005/03L-0 on 790204 at cold shutdown, valve MOV-SW-203C failed to cycle electrically Caused by slighting bent clutch shaft in valve operation Part dismantled & overhauled
STEWART, W L Virginia Electric & Power Co 79/03/02 2pp

7903080237 LER 79-006/03L-0 on 790204 at cold shutdown, valve MOV-SW-203D failed to operate electrically during functional test Caused by mechanical binding of valve Valve bearing was replaced
STEWART, W L Virginia Electric & Power Co 79/03/02 2pp

7903080244 LER 79-007/03L-0 on 790205 during functional test, damper 1-VS-103A failed to close on Train "A" safety injection initiation Caused by "hang up" in brake mechanism holding supply damper open against closed spring Damper closed
STEWART, W L Virginia Electric & Power Co 79/03/02 2pp

7903090158 Forwards LER 79-008/03L-0
STALLINGS, C M Virginia Electric & Power Co 79/03/06 1p

7903090161 LER 79-008/03L-0 on 790209 insp showed deterioration on low portion of two of four recirculation spray subsystems Cause unknown, piping sample sent to lab for evaluation Degraded piping will be replaced before renewed unit operation
STEWART, W L Virginia Electric & Power Co 79/03/06 2pp

7903130348 Forwards LER 79-009/03L-0
STALLINGS, C M Virginia Electric & Power Co 79/03/08 1p

7903130353 LER 79-009/03L-0 on 790208 while performing penetrant test 39B-1, mechanic discovered 3 snubbers were not on test Caused by inadvertent omission Change initiated to add 3 snubbers to penetrant test 39B-1
STEWART, W L Virginia Electric & Power Co 79/03/07 2pp.

DOCKET 50-282 Prairie Island Nuclear Station, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903130438 Requests addl info re fire protection engineer qualifications & GA program criteria requirements
SCHWENGER, A Operating Reactors Branch 1 79/02/06 3pp

7903230035 Forwards Federal Register notice amending 10CFR73.59, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

DOCKETED SERIES

DOCKET 50-282 Prairie Island Nuclear Station, Unit 1

7903130386 Forwards responses to NRC positions re fire protection program, as result of 781016 onsite insp
HAYER, L O Northern States Power Co 79/03/09 22pp

7903270385 Forwards safeguards contingency plan Encl withheld (ref 10CFR2 790)
HAYER, L O Northern States Power Co 79/03/23 2pp

7903290152 Forwards "Annual Rept 1978"
BRUSVEN, A D Northern States Power Co 79/03/26 1p

7903290154 "Annual Rept 1978"
* Northern States Power Co 79/03/26 35pp

7903010294 Forwards Endorsement 36 to Policy MF-4B, Endorsement 40 to Policy MF-197, Endorsement 40 to Policy MF-51 & Endorsement 48 to Policy NF-174 for calendar year 1979
JOHNSON, R O Northern States Power Co 79/02/05 3pp

7903010197 Forwards Endorsement 41 to Policy MF-51 & Endorsement 37 to Policy MF-4B, both for calendar year 1979,
JOHNSON, R O Northern States Power Co 79/02/23 3pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR Appropriate utility have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMEB, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903260209 Forwards Amends 33 & 27 to Licenses DPR-42 & DPR-60, respectively, safety evaluation & notice of issuance & availability
SCHWENCER, A Operating Reactors Branch 1 79/03/02 2pp

7903260211 Amends 33 & 27 to Licenses DPR-42 & DPR-60, respectively, deleting reactor turbine trip below 50% power in both units
SCHWENCER, A Operating Reactors Branch 1 79/03/02 7pp

7903260213 Safety evaluation supporting Amends 33 & 27 to Licenses DPR-42 & DPR-60, respectively.
* Office of Nuclear Reactor Regulation. 79/03/02 4pp

7903260217 Notice of issuance & availability of Amends 33 & 27 to Licenses DPR-42 & DPR-60, respectively.
SCHWENCER, A Operating Reactors Branch 1 79/03/02 2pp

7903090248 Reviews background developments re Tech Specs changes to incorporate App 1 requirements, allowing for Offsite Dose Calculation Manual to be prepared by licensee. Unable to meet 790319 submittal date Expects submittal by 790601
HAYER, L O Northern States Power Co 79/03/05 1p

7903200373 Provides addl info for license amend requested on 780110 re quantitative justification for refueling interval surveillance frequency
HAYER, L O Northern States Power Co 79/03/15 3pp

7903140642 Forwards response to NRC 781204 ltr re IE Insp Repts 50-282/78-15 & 50-306/78-16, w/o encl
WACHTER, L J Northern States Power Co 78/12/21 1p

7903070106 Forwards IE Insp Repts 50-282/78-22 & 50-306/78-22 on 781212-14. No noncompliance noted.
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/15 2pp

7903070111 IE Insp Repts 50-282/78-22 & 50-306/78-22 on 781212-14 No noncompliance noted Major areas inspected routine environ protection
DEBTHANN, M J, ESSIO, T H Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/10 6pp

7903130264 Forwards IE Insp Repts 50-282/79-02 & 50-306/79-02 on 790115-17 No noncompliance noted.
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903130270 IE Insp Repts 50-282/79-02 & 50-306/79-02 on 790115-17 No noncompliance noted Major areas inspected training & retraining of licensed & unlicensed personnel, & licensed operator requalification training program
DANIELS, F T Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/31 3pp

7903130477 Forwards IE Insp Repts 50-282/78-23 & 50-306/78-23 on 781201-29 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903130480 Notice of violation from insp on 781201-29
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/01 1p

7903130482 IE Insp Repts 50-282/78-23 & 50-306/78-23 on 781201-29. Noncompliance noted failure to follow test procedure.
FEIERABAND, C D, WARNICK, R F Region 3, Chicago, Office of the Director 79/01/26 9pp

7903220460 Forwards IE Insp Rept 50-282/79-01 & 50-306/79-01 on 790102-31 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/15 2pp

7903220465 Notice of violation from insp on 790102-31.
* Region 3, Chicago, Reactor Operations Nuclear Support Branch. 79/02/14 1p.

7903220470 IE Insp Repts 50-282/79-01 & 50-306/79-01 on 790102-31 Noncompliance noted insufficient measures to assure prompt corrective action & failure to establish insp program.
FEIERABAND, C D, WARNICK, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch. 79/02/14 10pp.

7903080342 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J O Region 3, Chicago, Office of the Director. 79/02/16 1p

7903080363 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
KEPPLER, J O Region 3, Chicago, Office of the Director. 79/03/01 1p

7903150043 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J O Region 3, Chicago, Office of the Director. 79/03/08 1p

7903160078 Ack receipt of 790223 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-282/78-23 & 50-306/78-23
HEISHMAN, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/03/09 1p

7903160083 Responds to NRC 790201 ltr re violations noted in IE Insp Repts 50-282/78-23, & 50-306/78-23 Corrective actions preventive maint procedures for safeguards buses are being rewritten to comply w/Tech Specs
WACHTER, L J Northern States Power Co 79/02/23 1p.

7903190359 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
KEPPLER, J O Region 3, Chicago, Office of the Director. 79/03/12 1p

7903020335 Forwards annual rept of occupational exposure & annual rept of changes, tests & experiments
HAYER, L O Northern States Power Co. 79/02/23 1p

7903020340 Annual repts of 1978 occupational exposure, changes, tests & experiments.
* Northern States Power Co 79/02/23 9pp

7903060176 Forwards "Effluent & Waste Disposal Semiannual Rept" for Jul-Dec 1978
HAYER, L O Northern States Power Co. 79/02/27 11pp.

7903140317 Forwards monthly operating rept for Feb 1979
HAYER, L O Northern States Power Co. 79/03/12 1p

DOCKET 50-282 Prairie Island Nuclear Station, Unit 1

7903140319 Monthly operating rept for Feb 1979.
HUNSTAD, A A Northern States Power Co 79/03/12 8pp

7903260236 Forwards "Radiation Environ Monitoring Program Annual Rept for 1978"
MAYER, L O Northern States Power Co 79/03/20 1p

7903260238 "Radiation Environ Monitoring Program Annual Rept for 1978"
HADLEY, G W Hazelton Environmental Sciences Corp 79/03/06 51pp

7903120210 Forwards LER 78-021/01X-1
MAYER, L O Northern States Power Co 79/03/07 1p

7903120217 LER 78-021/01X-1 on 781128 during refueling, local leak rate test revealed leakage through outer valves in penetration 25A & 25B, containment purge in excess of Tech Spec max. Caused by inadequate seal at valve seats. Adjustment made.
HUNSTAD, A A Northern States Power Co 79/03/07 1p

DOCKET 50-265 Fort Calhoun Station, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903020358 Forwards design description, "Fuel Tank for Diesel Driven Fire Pump Mod." for review. Plans mod completion by 790630
SHORT, T E Omaha Public Power District 79/02/23 4pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903260271 Forwards revision to physical security plan which provides safeguards contingency plan per 10CFR7340 Plan withheld (ref 10CFR2.790).
SHORT, T E Omaha Public Power District 79/03/20 1p

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903130358 Forwards "Cycle IV Irradiated Fuel Insp Following Cycle IV Operation" Nov-Dec 1978
SHORT, T E Omaha Public Power District 79/03/01 1p

7903130363 "Cycle IV Irradiated Fuel Insp Following Cycle IV Operation," Nov-Dec 1978
* Omaha Public Power District 79/02/15 7pp

7903120289 Forwards addl info to support 780313 application for amend of operating license, revising proposed Tech Specs & providing results of analytical work & field testing.
SHORT, T E Omaha Public Power District 79/03/06 8pp.

7903160028 Notification of 790327 meeting w/Omaha Public Power District in Bethesda, MD to discuss Cycle & reload for facility, including plans for use of Exxon fuel.
ERICKSON, P B Operating Reactors Branch 4. 79/03/09 2pp

7903190325 Forwards "1978 Refueling Outage Type B and Type C Local Leak Rate Test Summary" & "1978 Refueling Outage Type B & C Tests Which Failed to Meet Acceptance Requirements"
SHORT, T E Omaha Public Power District 79/03/12 13pp

7903070047 Ack receipt of 790123 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-285/78-18
MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch. 79/01/30. 1p

7903070051 Responds to NRC 790103 ltr re violations noted in IE Insp Rept 50-285/78-18. Corrective actions annual operator examinations conducted in Jan & Feb 1978.
SHORT, T E Omaha Public Power District, 79/01/23. 1p

7903200571 Forwards IE Insp Rept 50-285/79-02 on 790125 No noncompliance noted
MADSEN, G L Region 4, Dallas, Office of the Director 79/01/30 2pp

7903200577 IE Insp Rept 50-285/79-02 on 790125 No noncompliance noted. Major areas inspected routine mgt meeting to review licensee's enforcement history, discussion of program by IE & current items of concern.
SEYFRIT, K V, MADSEN, G L, JOHNSON, W D Region 4, Dallas, Office of the Director 79/01/30 3pp

7903150185 Forwards IE Insp Rept 50-285/79-01 on 790122-24 & notice of violation
MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/06 2pp

7903150186 Notice of violation from insp on 790122-24
MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/05 1p

7903150193 IE Insp Rept 50-285/79-01 on 790122-24 Noncompliance noted failure to adhere to procedure re review of safety limits, limiting safety sys settings & conditions for operations.
JOHNSON, W D, MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/05 8pp

7903080325 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/16 1p

7903260109 Responds to IE Bulletin 76-06 Forwards Form NIS-1 "Owner's Data Rept for Inservice Insp" summarizing inservice & nondestructive examination of stress corrosion cracks in stagnant, low pressure stainless steel piping.
SHORT, T E Omaha Public Power District 79/02/20 46pp

7903090028 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read SL3CML.
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/27 1p

7903150160 Ack receipt of 790228 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-285/79-01
MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/03/05 1p

7903150165 Responds to NRC 790206 ltr re violations noted in IE Insp Rept 50-285/79-01. Corrective actions a procedure change will be written in order to incorporate QC requirements.
SHORT, T E Omaha Public Power District 79/02/28 3pp

7903210019 Response to IE Bulletin 79-01 Provides 24-h notice that safety-related steam-mounted limit switches on containment isolation valves failed to meet environ criteria. Problem does not jeopardize public safety.
SHORT, T E Omaha Public Power District 79/03/16 2pp

7903300395 Forwards Form NIS-1 "Owners' Data Rept for Inservice Insp" Provides results of inservice insp of selected Class 1 & 2 components, conducted during 1978 refueling outage.
SHORT, T E Omaha Public Power District 79/03/16 44pp

7903050332 Forwards copies of semiannual effluent releases & environ operations & annual occupational exposures per 10CFR Sections 50.362 & 20.407(b) & facility Tech Specs.
SHORT, T E Omaha Public Power District 79/02/27 1p

7903050333 1978 Annual Rept for Tech Spec Section 5.9.1.6 & Semiannual Rept for Tech Spec Section 5.9.4 & App B, July-Dec 1978
ANDREWS, R L Omaha Public Power District 79/02/27 206pp

7903190206 Forwards monthly operating rept for Feb 1979
SHORT, T E Omaha Public Power District 79/03/08 1p

7903190213 Monthly operating rept for Feb 1979.
HICKLE, B. J., JAWORSKI, R L Omaha Public Power District 79/03/08 8pp

7903010296 Forwards LER 79-003/03L-0
ANDREWS, R L Omaha Public Power District, 79/02/23. 1p

DOCKETED SERIES

20

DOCKET 50-285 Fort Calhoun Station, Unit 1

7903010299 LER 79-003/03L-0 on 790127 while making containment pressure release, readings on containment air monitor RMD-30/51 were abnormally low. Caused by closed isolation valves not reopened after actuation check. Will review procedures. GATES, G. Omaha Public Power District 79/02/23 3pp

7903140314 Forwards LER 79-004/01T-0
ANDREWS, R. L. Omaha Public Power District 79/03/08 1p

7903140315 LER 79-004/01T-0 on 790226 during containment insp after outage, weld leak discovered on controlled bleed-off line on reactor coolant pump RC-3C. Caused by vibration induced fatigue. Repairs performed.
JONES, D., ANDREWS, R. Omaha Public Power District 79/03/08 4pp

7903270509 Forwards LER 79-005/03L-0
ANDREWS, R. L. Omaha Public Power District 79/03/23 1p

7903270516 LER 79-005/03L-0 on 790226 at 15% power "C" channel loss of load trip did not annunciate. Caused by bistable multivibrator set to 18 1X. Bistable reset & surveillance test performed.
CORE, M., PETERSON, G. R. Omaha Public Power District 79/03/19 3pp

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181.
MILLER, J. R. Assistant Director for Reactor Safeguards 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801.
DENTON, H. R. Office of Nuclear Reactor Regulation 79/02/23 1p

7903270439 Forwards security contingency plan. Requests return of Encl 2. Plan withheld (ref 10CFR2 790).
EARLY, P. J. Power Authority State of New York 79/03/23 1p

7903220345 Forwards fourteenth quarterly rept for seismic monitoring program. Also forwards 790227 transmittal ltr from WJ Cahill, Consolidated Edison of NY, to A Schwencer, NRC, & revisions to thirteenth quarterly rept.
DAVIS, J. P. Consolidated Edison Co of New York 79/03/01 40pp.

7903140343 Forwards NELIA Binder EB-7 & MAELU Binder XB-7 to attest that secondary financial protection is being maintained by util for facility.
DEEO, F. H. Power Authority State of New York 79/03/07 5pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate. Tech Spec inconsistency. Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PHR. Appropriate utils have been notified.
ANDERSON, T. M. Westinghouse Electric Corp 78/10/27 3pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages IV-5 & IV-6 w/modified rationale & corrections.
GRIMES, B. K. Assistant Director for Engineers & Projects 79/01/18 4pp

7903050590 In response to FOIA 770908 request for documents, info has been placed in Region III files.
FELTON, J. M. Division of Rules and Records 79/01/30 3pp

7903130547 Presents conclusion of review of 770920 util response re high & low pressure safety injection sys throttle valves. Finds Section 4.5 of Tech Specs need not be changed to satisfy NRC. No further action required.
SCHWENCER, A. Operating Reactors Branch 1 79/02/05 2pp.

7903190090 Forwards Amend 22 to License DPR-64 & notice of issuance of amendment.
SCHWENCER, A. Operating Reactors Branch 1 79/02/15 4pp.

7903190093 Amend 22 to License DPR-64 deleting method for calculating rate of heat rejection to river.
SCHWENCER, A. Operating Reactors Branch 1 79/02/15 5pp.

7903190106 Notice of issuance of Amend 22, 47 & 22 to Licenses DPR-5, DPR-26 & DPR-64.
SCHWENCER, A. Operating Reactors Branch 1 79/02/15 2pp.

7903200016 Requests addl info to complete investigation of 781206 steam generator tube leak. Info includes analysis of secondary water chemistry to assess cause of tube denting & summary of tentative actions intended to control denting.
SCHWENCER, A. Operating Reactors Branch 1 79/02/21 3pp

7903260148 Ack receipt of 780223 ltr re potential boron dilution incidents. No further action necessary re this generic issue.
SCHWENCER, A. Operating Reactors Branch 1 79/02/21 2pp

7903010233 Responds to 790202 request. Forwards check for \$800 under protest.
ZARAKAS, P. Consolidated Edison Co of New York 79/02/22 2pp

DOCKET 50-286 Indian Point Station, Unit 3

7903160032 Forwards Amend 23 to License DPR-64.
SCHWENCER, A. Operating Reactors Branch 1 79/02/27 4pp.

7903160035 Amend 23 to License DPR-64, incorporating physical security plan into license.
SCHWENCER, A. Operating Reactors Branch 1 79/02/27 2pp

7903160037 Notice of issuance of Amend 23 to License DPR-64.
SCHWENCER, A. Operating Reactors Branch 1 79/02/27 5pp

7903070330 In response to NRC 781128 ltr, forwards info re containment purging during normal plant operation. Info responds to issues in Revision 1 of Branch Technical Position CBB 8-4.
SCHMIEDER, J. R. Power Authority State of New York 79/03/02 13pp

7903120202 Responds to 790202 request & remits Class I fee of \$800 for proposed Tech Spec change re continuous chlorination of effluent from sewage treatment facility. Paid under protest pending legal resolution.
BERRY, G. T. Power Authority State of New York 79/03/05 1p

7903140261 Submits followup rept re milk samples no longer obtainable from Guard Hill Farm, since animals have been removed from location. Investigation being performed to find suitable replacement for sampling.
CAHILL, W. J. Consolidated Edison Co of New York 79/03/06 2pp.

7903220247 Forwards summary of containment isolation valve leakages in Aug 1978.
EARLY, P. J. Power Authority State of New York 79/03/19 9pp.

7903260223 Forwards requested info re radiological effluent release point & release frequencies. Info submitted as addendum to 10CFR50 App I compliance evaluation submitted 770314.
EARLY, P. J. Power Authority State of New York 79/03/19 3pp.

7903260228 Requests effective date of routine license amend be changed to 21 days from date of issuance to allow for mailing & implementation of amend.
EARLY, P. J. Power Authority State of New York 79/03/19 2pp.

7903290136 Semiannual progress rept. Discusses various chemical, environ & monitoring projects.
CAHILL, W. Consolidated Edison Co of New York 79/03/27 8pp.

7903070083 Forwards IE Insp Rept 50-286/78-28 on 780927-1028 & notice of violation.
BRUNNER, E. J. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 78/12/08 3pp.

7903070087 Notice of violation from insp on 780927-1028, withheld (ref 10CFR2 790).
* Region 1, Philadelphia, Office of the Director. 78/12/06. 1p

7903070089 IE Insp Rept 50-286/78-28 on 780927-1028. Noncompliance noted: plant physical protection.
REBELOWSKI, T., KEINIG, R. R. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch, 78/12/06. 13pp

7903120060 Forwards IE Insp Rept 50-286/79-01 on 790110. No noncompliance noted.
SMITH, G. F. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/23 2pp

7903120065 IE Insp Rept 50-289/78-01 on 790110. No noncompliance noted. Major areas inspected: results of effluent sample split between licensee & NRC during insp on 780620-22.
KOTTAN, J. J., STOHR, J. P. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/22. 4pp

DOCKET 50-286 Indian Point Station, Unit 3

7903060634 Forwards IE Info Notice 79-03, "Limitorque Valve Gased Limit Switch Lubricant"
 ORIER, B H Region 1, Philadelphia, Office of the Director
 79/02/09 1p

7903080276 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
 ORIER, B H Region 1, Philadelphia, Office of the Director
 79/02/16 2pp

7903300332 Forwards IE Insp Rept 50-286/79-03 on 790131
 No noncompliance noted
 SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/22 2pp

7903300336 IE Insp Rept 50-286/79-03 on 790131 No noncompliance noted
 Major areas inspected licensee-conducted emergency drill
 DONALDSON, D J, SERABIAN, J Region 5, San Francisco, Office of the Director
 STOHAR, J P Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/20 3pp

7903080488 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83MCL should read SL3MCL
 ORIER, B H Region 1, Philadelphia, Office of the Director
 79/02/27 1p

7903280043 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
 ORIER, B H Region 1, Philadelphia, Office of the Director
 79/03/08 1p

7903060376 Forwards fourteenth "Quarterly Rept on Seismic Monitoring in Vicinity of Indian Point, NY," Sept-Nov 1978 Revised pages for introduction to thirteenth quarterly rept encl
 CAHILL, W J Consolidated Edison Co of New York 79/02/27 4pp

7903060382 "Quarterly Rept on Seismic Monitoring Network in Vicinity of Indian Point, NY," Sept-Nov 1978
 * Consolidated Edison Co of New York 78/11/30, 3Bpp

7903070212 Forwards summary rept of personnel monitoring info & annual radiation exposure rept
 CAHILL, W J Commonwealth Edison Co 79/02/28 3pp

7903060419 Forwards "Semiannual Rept of Radioactivity in Solid Wastes & Releases of Radioactive Matls in Liquid & Gaseous Effluents" for July-Dec, 1978. Corrects second quarter 1978 tritium effluent data in last semiannual rept
 BAYNE, J P Power Authority State of New York 79/03/01 1p

7903060421 "Effluent & Waste Disposal Semiannual Rept" for July-Dec, 1978
 BAYNE, J P Power Authority State of New York 79/03/01 43pp

7903070220 Forwards semiannual effluent release rept for Jul-Dec 1978
 CAHILL, W J Consolidated Edison Co of New York 79/03/01 1p

7903070223 "Effluent Release Rept," semiannual rept for third & fourth quarters of 1978 Covers liquid & airborne discharges
 * Consolidated Edison Co of New York 79/03/01 44pp

7903150319 Forwards data specified in Section 401 Certification for Feb 1979
 MONTI, W A Consolidated Edison Co, of New York 79/03/09 16pp

7903190299 Forwards monthly operating rept for Feb 1979
 BAYNE, J P Power Authority State of New York, 79/03/13, 1p

7903190307 Monthly operating rept for Feb 1979
 CONNELL, C Power Authority State of New York, 79/03/01 6pp.

7903210022 Informs of corrections to monthly repts from Aug 1978-Jan 1979, per 790313 telcon
 CONNELL, C Power Authority State of New York, 79/03/13 1p

7903210180 Forwards tabulation of daily record of fish collections for Feb 1979, including daily species breakdown, & total wt for Units 2 & 3. Circulators at Unit 1 were shut down for entire month. Gives high fish impingement totals & corrective action
 CAHILL, W J Consolidated Edison Co, of New York, 79/03/14 5pp

7903070320 Forwards LER 79-002/03L-0.
 BAYNE, J P Power Authority State of New York 79/03/02 1p

7903070328 LER 79-002/03L-0 on 790205 at 100% power, increase in gaseous activity was observed. Caused by leakage of No 32 charging pump plunger & packing for Union Pump GX-300 Quintuplex were replaced & unit returned to svc
 GUMBLE, F W Power Authority State of New York 79/03/02 2pp

7903160099 Forwards LER 79-001/03L-0
 BAYNE, J P Power Authority State of New York 79/03/12 1p

7903160103 LER 79-001/03L-0 on 790211 high dew point & air leakage of breaker 2-6 noted To preclude breaker damage, breaker 2-6 was opened. Caused by apparent gasket leak in Westinghouse C-A breaker Feeder & breaker repaired
 GUMBLE, F W Power Authority State of New York 79/03/12 2pp

7903200372 Forwards LER 79-012/04T-0
 CAHILL, W J Consolidated Edison Co of New York 79/03/14 1p

7903200375 LER 79-012/04T-0 on 790213 contracting laboratory provide rept on 790213 that activity of precipitation sample taken on 790102 exceeded 10 times control station level. Caused by tritium releases from outside source
 MASCIULLI, S Consolidated Edison Co of New York 79/03/14 1pp

DOCKET 50-287 Oconee Nuclear Station, Unit 3

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
 MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
 DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270510 Forwards safeguards contingency plan Plan withheld (ref 10CFR2 790)
 PARKER, W D Duke Power Co 79/03/23 1p

7903290203 Requests notification of NRC decision on appeal case calli for shutdown of Oconee
 BERRICK, B House of Rep 79/03/06 1p

7903290011 Forwards corporate annual rept, financial forecast & utility statement re available sources of funds W/o encl
 THIES, A C Duke Power Co 79/03/21 1p

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
 GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903160050 Safety evaluation supporting Amend 70 to License DPR-38, Amend 70 to DPR-47 & Amend 67 to DPR-55
 * Office of Nuclear Reactor Regulation 79/03/06 2pp

7903060680 Responds to 781220 request for reassessment of NRC 790819 ltr authorizing fee refund for Unit 1. Believes fees should not be refunded
 REID, R W Operating Reactors Branch 4 79/02/09 1p

7903260117 Forwards notice of proposed issuance of amend to operating licenses revising Tech Specs to permit expansion of spent fuel pool storage capacity from 336 to 750 storage locations
 REID, R W Operating Reactors Branch 4 79/02/16 2pp

7903260121 Notice of proposed issuance of amend to operating licenses
 REID, R W Operating Reactors Branch 4 79/02/16 4pp.

7903190118 Forwards Amend 68 to DPR-38, Amend 68 to DPR-47 & Amend 65 to DPR-55 & notice of issuance
 REID, R W Operating Reactors Branch 4 79/02/23 3pp

7903190125 Amend 68, 68, 65 to DPR-38, 47 & 55 respectively, adding new Paragraph 3 F re full implementation of all provisions of NRC-approved physical security plan
 REID, R W Operating Reactors Branch 4 79/02/23 6pp

7903190130 Notice of issuance of Amend 68, 68 & 65 to License DPR-38, DPR-47 & DPR-55, respectively
 FAIRTILE, M B Operating Reactors Branch 4, 79/02/23 2pp

DOCKETED SERIES



DOCKET 80-287 Oconee Nuclear Station, Unit 3

7903240176 Response dtd 771220 indicates util has reviewed potential boron dilution incidents & has determined that FSAR analysis of this event still represents most limiting case No further action is necessary
REID, R W Operating Reactors Branch 4 79/02/23 2pp

7903140179 Notifies util of authorization for refunds of Class I amend fees for applications dtd 780402 & 780408 Refunds will be sent as soon as possible
MILLER, W D License Fee Management Branch 79/02/27 1p

7903140043 Forwards Amend 70 to License DPR-38, Amend 70 to DPR-47 & Amend 47 to DPR-55, safety evaluation & notice of issuance
REID, R W Operating Reactors Branch 4 79/03/06 2pp

7903160046 Amend 70 to License DPR-38, Amend 70 to License DPR-47 & Amend 47 to DPR-55, deleting Tech Spec requirements re liquid effluent monitoring sys that are no longer applicable
REID, R W Operating Reactors Branch 4 79/03/06 10pp

7903160064 Notice of issuance of Amends 70, 70 & 47 to Licenses DPR-38, DPR-47 & DPR-55, respectively
REID, R W Operating Reactors Branch 4 79/03/06 2pp

7903270280 Describes util's practice of extending submittal periods for documents if last day of period is Saturday, Sunday, or legal holiday Requests guidance as to whether this practice is incorrect
PARKER, W D Duke Power Co 79/03/20 1p

7903270552 Forwards proposed revision to Tech Specs re qualifications of site health physicist License fees are not provided w/affidavit
PARKER, W D Duke Power Co 79/03/21 7pp

7903300281 Surveillance requirements presently included in unit Tech Specs apply to NRC-accepted mods of high pressure injection sys Mod & preoperational testing remain as proposed
PARKER, W D Duke Power Co 79/03/26 1p.

7903130299 Forwards IE Insp Rept 50-269/78-37, 50-270/78-35, & 50-287/78-37 on 781220-22 & 781227-28 & notice of violation Insp rept & notice of violation withheld (10CFR2 790)
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/01/19 2pp

7903080532 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903140158 Follows up 780929 response to IE Circular 78-08 Commitment to submit environ qualification data by 790416 is superseded by licensee-required action statements of IE Bulletin 79-01
PARKER, W D Duke Power Co 79/02/21 1p

7903130133 Ack receipt of IE Insp Repts 50-269/79-02, 50-270/79-02, & 50-287/79-02 on 790119-19 No proprietary info
PARKER, W D Duke Power Co 79/02/27 1p

7903130137 Forwards IE Insp Repts 50-269/79-02, 50-270/79-02 & 50-287/79-02 No noncompliance noted
SUTHERLAND, J L Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/16 2pp

7903130142 IE Insp Repts 50-269/79-02, 50-270/79-02, & 50-287/79-02 on 790119-19 No noncompliance noted Major areas inspected, radwaste mgmt program
HOBBS, C M Region 2, Atlanta, Fuel Facility & Materials Safety Branch GIBSON, A F Region 2, Atlanta, Office of the Director 79/02/15 8pp

7903130228 Ack receipt of 790119 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-269/78-37, 50-270/78-35, & 50-287/78-37
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/27 1p

7903130257 Responds to 790119 ltr forwarding Insp Repts 50-269/78-37, 50-270/78-35 & 50-287/78-37 Considers info proprietary (ref 10CFR2 790)
PARKER, W D Duke Power Co. 79/02/15 1p

7903130260 IE Insp Repts 50-269/78-37, 50-270/78-35 & 50-287/78-37 on 781220-22 & 781227-28 Noncompliance noted failure to take appropriate compensatory action Notice of violation withheld (ref 10CFR2 790)
MOORE, D. E., FUCHKO, J. M., GILLESPIE, F P Region 2, Atlanta, Safeguards Branch 79/01/19 1p

7903080270 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
O'REILLY, J. P. Region 2, Atlanta, Office of the Director. 79/02/28 2pp.

7903140543 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J. P. Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210132 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J. P. Region 2, Atlanta, Office of the Director 79/03/12 1p

7903210583 Forwards IE Circular 79-04, "Loose Locking Nut on Limiter Valve Operators"
O'REILLY, J. P. Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903050319 Forwards effluent release & solid waste disposal summary for period Jul-Dec 1978 w/annual totals for liquid & gaseous effluent releases for solid waste disposal for 1978
PARKER, W D Duke Power Co 79/02/22 15pp

7903010289 Forwards LER 79-004/OIT-0
PARKER, W D Duke Power Co 79/02/08 1p

7903010270 LER 79-004/OIT-0 on 790125 reactor building narrow range pressure transmitter engineered safeguards Channels A,B & C discovered out of calibr in non-conservative direction Caused not determined.
LEWIS, S R Duke Power Co 79/02/08 3pp

DOCKET 80-289 Three Mile Island Nuclear Station, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181.
MILLER, J R Assistant Director for Reactor Safeguards. 79/01/09 2pp

7903010281 Notifies that changes to drawings in fire detector sys design, submitted on 790215, will be necessary Sys implementation still scheduled for end of 1980 refueling outage
HERBEIN, J G Metropolitan Edison Co. 79/02/23 1p

7903230035 Forwards Federal Register notice amending 10CFR73 55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903070210 Advises that extension of implementation date for fire protection BER Table 3.1, Item 3.1.14, will not be needed due to purchase of rated fire door & damper Requests disregarding 790202 ltr.
HERBEIN, J G Metropolitan Edison Co. 79/03/01 1p

7903120196 Discusses rescheduling of refueling outage & requests NRC consider "End of Refueling 1979" as implementation date. Supports 790415 as acceptable implementation date for items to be complete by 1979 refuel
HERBEIN, J G. Metropolitan Edison Co. 79/03/05 2pp.

7903200374 Forwards App C, "License Safeguards Contingency Plan," Encl withheld (ref 10CFR2 790)
HERBEIN, J G Metropolitan Edison Co 79/03/15 1p

7903202016 Discusses fire protection sys re detector design conformance to NRC branch technical positions W/6 oversized drawings showing proposed location of fire detectors
HERBEIN, J. G. Metropolitan Edison Co 79/03/16. 3pp.

7903090148 Forwards Endorsement 35 to ANI Policy NF-220
GERETY, H. F. GPU Service Corp 79/03/05. 2pp

7903090198 Forwards Endorsement 38 to ANI Policy NF-220
GERETY, H. F. GPU Service Corp 79/03/05. 2pp

7903150361 Forwards Endorsement 33 to MAELU Policy MF-73.
GERETY, H. F. GPU Service Corp 79/03/05 2pp.

DOCKETED SERIES

DOCKET 50-289 Three Mile Island Nuclear Station, Unit 1

7903260263 Forwards Endorsement 32 to MAELU policy MF-73
GERETY, H F. GPU Service Corp 79/03/23 2pp

7903120535 Forwards staff recommendations re general contents of
Offsite Dose Calculation Manual to be submitted w/proposed
radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects
79/01/18 4pp

7903060695 Requests verification within 30 days that decay heat pump
impeller-to-casing rubbing is not a concern
REID, R W Operating Reactors Branch 4 79/01/29 2pp

7903060662 In response to 770420 ltr providing detailed evaluation of
potential impact of fuel handling accident, requests Tech
Spec change proposal or min delay time confirmation to
ensure compliance w/10CFR100 W/encl model Tech Specs
REID, R W Operating Reactors Branch 4 79/02/05 4pp

7903140085 Forwards request for addl info re power range nuclear
instrument calibr Concludes 781226 response is inadequate
REID, R W Operating Reactors Branch 4 79/02/06 4pp

7903140535 In response to 771216 ltr, requests addl info re analysis &
potential for boron dilution accidents Analysis should
include factors affecting capability of operator to take
corrective action
REID, R W Operating Reactors Branch 4 79/02/12 3pp

7903060347 Requests payment of Class III fee for Tech Spec Change
Request 77 re ring girder surveillance test
MILLER, W G License Fee Management Branch 79/02/14 3pp

7903140655 Forwards request for addl info for review of amend to
License DPR-50 Requests submittal by 790223
REID, R W Operating Reactors Branch 4 79/02/16 4pp

7903010187 Requests extension of exemption from 10CFR50.46 until Cycle
5/b refueling outage scheduled for early 1980, so that unit
may continue to generate power while mats to implement
small break LOCA are obtained
HERBEIN, J O Metropolitan Edison Co 79/02/23 2pp

7903210259 Forwards Amend 49 & 9 to Licenses DPR-50 & DPR-73
respectively & notice of issuance Security plan evaluation
rept withheld (ref 10CFR2 790)
VARQA, E A Light Water Reactors Branch 4 REID, R W
Operating Reactors Branch 4 79/02/23 3pp

7903210263 Amend 49 to License DPR-50 & Amend 9 to DPR-73, incorporating
modified amended physical security plan into license
REID, R W Operating Reactors Branch 4 79/02/23 4pp

7903210265 Notice of issuance of Amend 49 to License DPR-50 & Amend 9
to DPR-73
FAIRTILE, M B Operating Reactors Branch 4 79/02/23 3pp

7903070248 Forwards notice of measured level of radioactive matl in
excess of 10 times control station value
HERBEIN, J O Metropolitan Edison Co 79/02/26 3pp

7903050325 Forwards second completed questionnaire re steam generator
operating history.
HERBEIN, J O Metropolitan Edison Co 79/02/28 10pp

7903070217 In response to NRC 790129 ltr, verifies that decay heat pump
impeller-to-casing rubbing is not matter for concern at
facility Doubts Crystal River problem is generic
HERBEIN, J O Metropolitan Edison Co 79/02/28 2pp

7903070324 Informs NRC that if refueling outage proceeds as planned,
unit will return to power on 790314 despite earlier
expectation of possible six week outage
HERBEIN, J O Metropolitan Edison Co 79/03/01 1p.

7903080311 In response to 790216 ltr, forwards addl info in support of
Cycle 5 reload; also forwards revised page 2-2 of Tech Specs
HERBEIN, J O Metropolitan Edison Co. 79/03/01. 13pp

7903090232 Discusses details of extension from 790315 to 790415 for
submission of final draft "Radiological Effluent Tech Specs
for PWRs" (NUREG-0472)
HERBEIN, J O Metropolitan Edison Co 79/03/05 2pp

7903210189 In response to NRC 781113 ltr, forwards addl info re
out-of-core detector calibr Advises that B&W has initiated
generic investigation
HERBEIN, J O Metropolitan Edison Co 79/03/14 5pp

7903270406 Forwards noncompliance notification 79-01 re inadvertent
transfer of oil & grease from industrial waste treatment
sys to industrial waste filter sys
TROFFER, G J Metropolitan Edison Co 79/03/15 2pp

7903210028 In response to NRC 781125 ltr re containment purging,
forwards detailed schedule for performance of analytical
evaluations concerning purge valve operability under design
basis accident
HERBEIN, J O Metropolitan Edison Co 79/03/16 2pp

7903270558 In response to 790307 steam generator inservice insp
finding, two defective tubes in "A" steam generator were
plugged
HERBEIN, J O Metropolitan Edison Co 79/03/16 1p

7903290150 Documents 790316 discussion re incore vs excore detector
imbalance correlation verification, to be conducted during
Cycle 5 startup & physics testing Power imbalance detector
correlation will be tested at 40% full power
HERBEIN, J O Metropolitan Edison Co 79/03/23 1p

7903150447 Forwards IE Insp Repts 50-289/79-01 & 50-320/79-01 on
790108-11 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/01/29 2pp

7903150450 IE Insp Repts 50-289/79-01 & 50-320/79-01 on 790108-11 No
noncompliance noted Major areas inspected shift logs,
records, facility tour during normal hours & plant operations
during backshift
HAVERKAMP, D R Region 1, Philadelphia, Reactor Operations
Nuclear Support Branch KEIMIG, R R Region 1, Philadelphia,
Office of the Director 79/01/27 13pp

7903060643 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing
Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director,
79/02/09 1p

7903080126 Ack receipt of 790201 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-289/78-24 &
50-320/78-37
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/02/13 1p

7903080143 Responds to NRC 790105 ltr re violation noted in IE Insp
Repts 50-289/78-24 & 50-320/78-37 Corrective actions
revision of valve test procedures & inservice insp tagging
sys will be expanded to include valves
HERBEIN, J O Metropolitan Edison Co 79/02/01 3pp

7903080146 Forwards IE Insp Repts 50-289/78-24 & 50-320/78-37 on
781212-14 & notice of violation
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/01/05 2pp

7903080149 Notice of violation from insp on 781212-14
* Region 1, Philadelphia, Reactor Operations Nuclear Support
Branch 79/01/04 1p

7903080152 IE Insp Repts 50-289/78-24 & 50-320/78-37 on 781212-14
Noncompliance noted failure to implement surveillance
procedure
FOLEY, T, HIGGINS, J C, CAPITON, D L Region 1, Philadelphia,
Reactor Construction & Engineering Support Branch 79/01/04 8pp

7903080549 Forwards IE Insp Repts 50-289/78-23 & 50-320/78-36 on
781204-08 & 12-14 & notice of violation
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/01/09 2pp

7903080556 Notice of violation from insp on 781204-08 & 12-14
* Region 1, Philadelphia, Reactor Operations Nuclear Support
Branch. 79/01/05 1p

7903080562 IE Insp Repts 50-289/78-23 & 50-320/78-36 on 781204-08 &
12-14 Noncompliance noted failure to perform surveillance of
isolation valves located inside containment (Unit 2 only)
KEIMIG, R R, HAVERKAMP, D R, JOHNSON, J R Region 1,
Philadelphia, Reactor Operations Nuclear Support Branch 79/01/05
18pp

DOCKETED SERIES

77

DOCKET 50-289 Three Mile Island Nuclear Station, Unit 1

DOCKET 50-293 Pilgrim Nuclear Power Station, Unit 1

7903140005 Ack receipt of 790201 ltr responding to IE Insp Repts 50-289/78-22 & 50-320/78-35 Ltr will be withheld (ref 10CFR2 790)
HARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/13 2pp

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND78-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903080408 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903200238 Forwards summary of combined mgt meeting 50-289/79-04 & 50-320/79-05 held 790209 in King of Prussia, PA
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/26 2pp

7903270478 Informs NRC of delay in submitting contingency plan due to heavy workload commensurate w/implementation of security sys Plan will be forwarded no later than 790415
ANDONIN, Q C Boston Edison Co 79/03/20 1p

7903200243 Summary of combined mgt meeting 50-289/79-04 & 50-320/79-05 held on 790209 to discuss IE insp programs & objectives & licensee's organization, mgt controls, previous enforcement actions, operational status, plans & programs
HAVERKAMP, D R Region 1, Philadelphia, Office of the Director 79/02/22 3pp

7903220275 "Annual Rept 1978"
* Boston Edison Co 79/02/28 24pp

7903050212 Forwards Endorsement 1 to MAELU Policy XB-31
FOULSHAM, P A Boston Edison Co 79/02/26 2pp

7903080499 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208; that valve limit switch identified as NAMCO Model S3CML should read SL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903190302 Forwards Endorsement 37 to MAELU Policy MF-58 Endorsement is an amend to Condition 4 Endorsement which reflects max liability of MAELU as of 790101 but does not increase liability limit
FOULSHAM, P A Boston Edison Co 79/03/13 2pp

7903300451 Ack receipt of 790129 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-289/78-26
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/03/13 2pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903300485 Responds to NRC 790109 ltr re violation noted in IE Insp Rept 50-289/78-26 Corrective actions examination contractor will be instructed to document on data sheets, justification for frequencies
HERBEIN, J G Metropolitan Edison Co 79/01/29 3pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
SODON, L J General Electric Co, Nuclear Energy Products Div 79/02/01 1p

7903300460 Forwards IE Insp Rept 50-289/78-26 on 781212-14 & notice violation
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/09 2pp

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
WONG, K W General Electric Co, Nuclear Energy Products Div NEDO-21885 78/06/30 45pp

7903300464 Notice of violation from insp on 781212-14
* Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/05 2pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, B K Assistant Director for Engineers & Projects 79/02/06 1p

7903300470 IE Insp Rept 50-289/78-26 on 781212-14 Noncompliance noted failure to adhere to procedures during inservice insp ultrasonic examination
MCBREARTY, R A, EONETER, S D Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/05 6pp

7903010061 Forwards safety evaluation of interim assessment of multiple-sequential safety relief valve actuations, & sample ltr
EISENHUT, D Q Assistant Director for Systems & Projects, 79/02/15 2pp

7903160154 Forwards monthly operating rept for Feb 1979
HERBEIN, J G Metropolitan Edison Co 79/03/12 1p

7903160157 Monthly operating rept for Feb 1979
MITCHELL, D G Metropolitan Edison Co 79/03/09 4pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Sequential Safety Relief Valve Actuations in Mark I Containment Plants" All plants are in conformance w/ acceptance criteria.
* Assistant Director for Systems & Projects 79/02/15 10pp.

7903210091 Forwards LER 79-003/03L-0
LAWYER, L L Metropolitan Edison Co 79/03/09 1p

7903210116 LER 79-003/03L-0 on 790217 during post-shutdown operations, while performing emergency sequence & power transfer test, high pressure injection pump MU-P-1C tripped on overload. Caused by failed lead between winding & motor. Lead repaired.
* Metropolitan Edison Co 79/03/09 1p

7903080186 Ack receipt of 790116 ltr requesting extension for submittal of Offsite Dose Calculation Manual: Extension cannot be granted. Suggest submittal of portions that can be completed by 790313 w/reminder to be sent as soon as possible.
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 1p

7903270340 Forwards LER 79-004/03L-0
LAWYER, L L Metropolitan Edison Co 79/03/14 1p

7903200300 Forwards Amend 37 to License DPR-35 & notice of issuance.
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 3pp.

7903270345 LER 79-004/03L-0 on 790217 emergency diesel tripped on overspeed during emergency loading & power transfer test. Caused by governor not shutting off fuel when set speed reached. Maintenance procedures revised
STANLEY, W S Metropolitan Edison Co, 79/03/14 1p

7903200305 Amend 37 to License DPR-35, incorporating physical security plan into license.
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp.

7903290128 Forwards LER 79-003/03L-0.
LAWYER, L L Metropolitan Edison Co 79/03/22 1p.

7903200312 Notice of issuance of Amend 37 to License DPR-35
IPPOLITO, T A Operating Reactors Branch 3, 79/02/23 2pp.

7903290134 LER 79-003/03-0 on 790225 during leakage surveillance on decay heat removal sys, total measured leakage exceeded Tech Specs. Caused by leakage from valve packing glands in Valves DH-V-15 A/B, DH-V-6A, DH-V-5A & BG-V-3B Glands adjusted
MITCHELL, D G Metropolitan Edison Co 79/03/22 1p.

7903160213 Forwards proprietary rept NEDE-23345-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity," w/Affidavit for proprietary status Rept withheld (ref 10CFR2 790)
SODON, L J General Electric Co, Nuclear Energy Products Div, 79/02/26 5pp

DOCKETED SERIES

DOCKET 50-293 Pilgrim Nuclear Power Station, Unit 1

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants"
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230082 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations
Concludes that continued operation of Mark I BHR facilities is acceptable subj to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27. 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary.
BOBON, L J General Electric Co ,Nuclear Energy Products Div 79/02/28 11pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads
W/encl attendees list & meeting handouts
SU, T M Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D G Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BHR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects 79/03/01 8pp

7903200443 Exempts operating BHR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
GRIMES, B Division of Operating Reactors. 79/03/01 22pp

7903290047 Confirms 790306 meeting to discuss dosimetry records maintained under license DPR-3, DPR-28, DPR-35 & DPR-36
SMITH, G H Region 1, Philadelphia, Office of the Director 79/03/01 1p

7903260231 Forwards draft Offsite Dose Calculation Manual Encl withheld (ref 10CFR2 7901).
ANDOGNINI, G C Boston Edison Co 79/03/13 1p.

7903290153 Forwards design details for three mods to be completed by safety evaluation supporting Amend 35 to License DPR-35
Diversified drawings available in Central Files
ANDOGNINI, G C Boston Edison Co 79/03/14 39pp

7903270440 Per Tech Spec requirements, advises that Plymouth County Farms milk sample location has been dropped from surveillance program, as owners have sold all their milk-producing animals
ANDOGNINI, G C Boston Edison Co 79/03/19 1p

7903130158 Forwards IE Insp Rept 50-293/78-29 on 781218-21, No noncompliance noted
CARLSON, R Y Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/17 2pp

7903130167 IE Insp Rept 50-293/78-29 on 781218-21 No noncompliance noted Major areas inspected: spent fuel rack mod
FEIL, R A, MCCOUGHY, R W. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/16 4pp

79-293/78-28 on 781213-14, No

Philadelphia, Fuel Facility & Materials

28 on 781213-14 No noncompliance
revision of licensees
1 & revision of emergency

Philadelphia, Fuel Facility & Materials
3pp

-02 on 790110-12 No

Fuel Facility & Materials

7903200324 IE Insp Rept 50-293/79-02 on 790110-12 No noncompliance noted Major areas inspected radioactive waste sys during operation & waste mgt control sys
WHITE, J R, SERADIAN, J A, CROCKER, H W Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/02 11pp

7903070488 Ack receipt of 790129 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-293/78-27
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/07 1p

7903070491 Responds to NRC 790103 ltr re violations noted in IE Insp Rept 50-293/78-27 Corrective actions organizations involved have defined responsibilities of each in preparing Reg Guide 1 21 rept
ANDOGNINI, G C Boston Edison Co 79/01/29 2pp

7903070496 Forwards IE Insp Rept 50-293/78-27 on 781128-1201 & notice of violation
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/03 2pp

7903070497 Notice of violation from insp on 781128-1201
* Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/12/29 1p

7903070500 IE Insp Rept 50-293/78-27 on 781128-1201 Noncompliance noted failure to rept abnormal radioactive releases, as required
SHANBAKY, M M, ARCHITZEL, R E Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/12/29 15pp

7903050514 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080494 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903060079 In response to 790202 ltr inquiring about possible recourse for constituent re incident of radiation exposure, forwards investigation rept, notice of violation & util response
GOSBICK, L V Office of the Executive Director for Operations 79/02/27 2pp

7903060082 IE Insp Rept 50-293/77-31 on 771128-30 Noncompliance noted failure to maintain personnel exposure in accordance w/ 10CFR20 101; failure to instruct personnel in accordance w/ 10CFR19 12
WHITE, J R, THONUS, L, KNAPP, P S Region 1, Philadelphia, Office of the Director 78/01/12 12pp

7903060085 Notifies util of penalty being proposed for four apparent items of noncompliance associated w/radiation exposure event 771123 & identified in IE Insp Rept 50-293/77-31
VOLGENEAU, E Office of Inspection & Enforcement 78/03/08 3pp

7903060089 Notice of violation from insp on 771128-30 Also includes notice of proposed imposition of civil penalties & enforcement history re radiation protection
VOLGENEAU, E Office of Inspection & Enforcement 78/03/08 6pp

7903060101 Responds to NRC 780308 ltr re violation noted in IE Insp Rept 50-293/77-31 on 771128-30 Corrective actions chemical control & radiation protection procedures revamped; technicians perform only specific protection roles
OALLIGAN, T J Boston Edison Co 78/04/04 14pp

7903080507 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208; that valve limit switch identified as NAMCO Model 83CML should read SL3CML.
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903140410 Notifies of plans to fulfill requirements of IE Bulletin 79-01; confirms understandings reached during 790214 & 790302 telcons re electrical equipment, environ qualification & stds for reporting
ANDOGNINI, G C Boston Edison Co 79/03/06 2pp

7903060482 Annual rept re personnel & man-rem exposure by job function
MCQUIRE, P J Boston Edison Co 79/02/28 3pp

7903060134 Forwards "Radioactive Effluent & Waste Disposal Rept, Including Radiological Impact on Humans," for Jul-Dec 1978
ANDOGNINI, J C Boston Edison Co 79/03/01 1p

DOCKETED SERIES

79

DOCKET 50-293 Pilgrim Nuclear Power Station, Unit 1

7903060143 "Radioactive Effluent & Waste Disposal Rept, Including Radiological Impact on Humans," for July-Dec 1978
SOWDON, T L, MCGOLSKO, F J Boston Edison Co 79/03/01 74pp

7903140274 Forwards monthly operating rept for Feb 1979
MCGUIRE, P J Boston Edison Co 79/03/06 1p

7903140277 Monthly operating rept for Feb 1979
GAFFNEY, C M Boston Edison Co 79/03/03 4pp

7903020338 Forwards LER 79-006/03L-0
MCGUIRE, P J Boston Edison Co 79/02/20 1p

7903020341 LER 79-006/03L-0 on 790206 reactor water conductivity increased to 30 umho/cm2 after placing "D" condensate demineralizer in svc Caused by broken lower laterals & bent resin inlet line & flange of post strainer
FULTON, J M Boston Edison Co 79/02/20 1p

7903020373 Forwards LER 79-005/03L-0
MCGUIRE, P J Boston Edison Co 79/02/20 1p

7903020378 LER 79-005/03L-0 on 790131 during surveillance, settings of time delay relays TDU 2E-K5A & 2E-K5B found to be incorrect Caused by minor setpoint drift Adjustment completed Relay may be replaced
FULTON, J M Boston Edison Co 79/02/20 1p

7903020369 Forwards LER 79-007/03L-0
MCGUIRE, P J Boston Edison Co 79/02/23 1p

7903020370 LER 79-007/03L-0 on 790212 during tests, valves AD-5033A, CV-5065-10, 15, 16 & 17 failed to close within specified tolerance Cause undetermined, but was not alignment problem Surveillance increased from quarterly to monthly
FULTON, J M Boston Edison Co 79/02/23 1pp

7903020372 Forwards LER 79-008/03L-0
MCGUIRE, P J Boston Edison Co 79/02/23 1p

7903020374 LER 79-008/03L-0 on 790214 lower head gasket on gland seal condenser ruptured, causing HPCI turbine trip Cause of gasket rupture not readily determined; drift of pressure control valve setpoint suspected
FULTON, J M Boston Edison Co 79/02/23 1p

7903190204 Forwards LER 79-009/03L-0
MCGUIRE, P J Boston Edison Co 79/03/13 1p

7903190211 LER 79-009/03L-0 on 790218 fuse blew in power supply for reactor bldg vent process radiation monitor sample pump Sample pump had bound, overloading input power circuitry Pumps replaced
FULTON, J M Boston Edison Co 79/03/13 1p

7903190315 Forwards LER 79-010/03L-0
MCGUIRE, P J Boston Edison Co 79/03/13 1p

7903190321 LER 79-010/03L-0 on 790304, control rod failed to insert to 90% insertion point, Caused by a sticky ASCO solenoid valve associated w/control rod which showed venting of scram pilot valves Both valves replaced
FULTON, J M Boston Edison Co 79/03/13 1p

7903300379 Forwards LER 79-011/03L-0
MCGUIRE, P J Boston Edison Co 79/03/26 1p.

7903300382 LER 79-011/03L-0 on 790307 fire water shortage tanks volume was less than 240,000 gallons in each tank Caused by failure to ensure levels maintained within Tech Spec limits. Procedures revised
MATHIS, C J Boston Edison Co 79/03/26 1p

DOCKET 50-294 Michigan State Univ Research Reactor

7903050276 Forwards Amend 3 to License R-114
REID, R W Operating Reactors Branch 4, 79/02/01 1p

7903050287 Amend 3 to License R-114 Adds new paragraph requiring implementation of physical security plan Security plan withheld (ref 10CFR2 790)
REID, R W Operating Reactors Branch 4, 79/02/01 2pp.

7903210038 Advises that Log N channel of control console strip recorder is repaired Due to subsequent start up channel & linear channel problems, reactor was not pulsed until 790216
CARRICK, J. Michigan State 79/03/02 1p

7903140175 Forwards IE Insp Rept 50-294/79-01 on 790104-05. No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/31 2pp

7903140182 IE Insp Rept 50-294/79-01 on 790104-05 No noncompliance noted Major areas inspected: radiation protection & radwaste management program including qualification, audits, training, procedures & instruments.
DUBRY, N E Region 3, Chicago, Fuel Facility & Materials Safety Branch FISHER, W L Region 3, Chicago, Office of the Director 79/01/24 7pp

7903090259 Annual Operating Rept for 1978
CARRICK, J Michigan State 79/03/09 2pp

DOCKET 50-295 Zion Nuclear Power Station, Unit 1

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903010112 Notifies of security plan deficiencies which are significant enough to warrant imposition of license conditions. Forwards comments for incorporation into plan Appeal is possible Encl A withheld (ref 10CFR2 790)
IPPOLITO, T A Operating Reactors Branch 3 79/01/30 3pp

7903190096 Requests reevaluation of 780908 response to request for addl info re fire protection BER & proposed alternative to maintaining controls despite control room fires Accepts responses to other items
SCHWENCER, A Operating Reactors Branch 1 79/02/14 3pp

7903230035 Forwards Federal Register notice amending 10CFR73 55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903160208 Requests change to Licensee DPR-39 & DPR-48, altering fire protection mod completion schedule W/check for \$1,600 Class I & Class II amend fees
REED, C Commonwealth Edison Co 79/03/14 5pp

7903270430 Forwards safeguards contingency plan. Withheld (ref 10CFR2, 790)
REED, C. Commonwealth Edison Co 79/03/23 1p

7902050263 Forwards SAND77-1927 "Transport of Radionuclides in Urban Environments Working Draft Assessment," BECY-78-311 & BECY-78-311A. No immediate regulatory action is necessary to protect spent fuel shipment W/o encl
GODDARD, R J Office of the Executive Legal Director 79/01/18 2pp

7903120069 In response to Board 790122 order, provides cross-reference for contentions discussed in "Applicant's Motion for Summary Disposition on Pleadings" in different numerical order than previously used
BIELAWSKI, A P. Isham, Lincoln & Beale. 79/01/29, 1p

7903210079 Notification that State of IL response to applicant & NRC motion for summary disposition has been delayed to 790221
SEKULER, S. N. Illinois, State of 79/02/13 2pp

7903200519 Replies to applicant & NRC motion for summary disposition. Asserts intervenor State of IL contentions raise genuine issues of matl fact. Affidavit, related documents & Certificate of Svc encl.
SEKULER, S N Illinois, State of 79/02/21, 120pp.

7903070102 Petition supporting IL Atty General's move to deny util's request to increase facility spent fuel storage capacity.
TARG, M, BMALEK, T W, PEDERSEN, P Affiliation Unknown. 79/02/23 121pp

7903220002 Affidavit of M Resnikoff, which is part of intervenor's response to motions for summary disposition, will be provided to Board as soon as possible
SEKULER, S N Illinois, State of 79/02/27, 1p

DOCKETED SERIES

DOCKET 50-295 Zion Nuclear Power Station, Unit 1

7903210429 Forwards 790131 ltr per request of RE Webb
GODDARD, R J Branch 2 79/03/02 2pp

7903260362 Commonwealth Edison's answer urging denial of intervenor's motion for continuance Summary disposition motion dtd 790109 should be granted & hearing expedited Certificate of Svc encl

1 STEPTOL, P P Isham, Lincoln & Seale 79/03/02 4pp

7903130419 Forwards Addendum 1 to 790201 Rept CE-1-A re organizational changes resulting from outside mgt consultant study Will implement changes at other stations if mods are determined to be beneficial
NAUGHTON, W F Commonwealth Edison Co 79/02/28 8pp

7903270395 In response to 790120 ltr, forwards info on spent fuel storage at six existing nuclear power plants near Lake Michigan as of 781231
BENTON, H R Office of Nuclear Reactor Regulation 79/03/08 6pp.

7903270397 Requests info re spent nuclear fuel storage at six existing nuclear plants near Lake Michigan
SCHAEFER, J Affiliation Unknown 79/01/20 2pp

7903210167 Forwards "Annual Rept 1978," statement of cash flow projected for 1979, actual cash flow for 1978 & narrative explanatory statement
NEXON, H H Commonwealth Edison Co 79/03/15 6pp

7903050263 Forwards Endorsement 116 to NELIA NF-43, Endorsement 98 to MAELU NF-22, Endorsement 57 to NELIA NF-187, Endorsement 48 to MAELU NF-54, Endorsement 46 to NELIA NF-201, Endorsement 40 to MAELU NF-64 & Endorsement 9 to NELIA NF-253 for 1979
OSTER, J. Commonwealth Edison Co 79/02/26 8pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency, Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PHR. Appropriate utils have been notified
ANDERSON, T. H Westinghouse Electric Corp 78/10/27 3pp.

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903150266 Reviews progress of rept on spent fuel heatup potentials in loss-of-water accident Will provide calculations in two weeks. Cites SAND77-1371 for preview of findings which confirm assertion that spent fuel could ignite Zr cladding
WEBB, R. E Affiliation Unknown 79/01/31 1p

7903080268 Summary of 790118 meeting w/util & Westinghouse to discuss ECCB reanalysis
OLSHAN, L N Operating Reactors Branch 1. 79/02/07 4pp

7903190014 Forwards Amends 42 & 39 to Licenses DPR-39 & DPR-48, respectively, BER & notice of issuance
SCHWENCER, A Operating Reactors Branch 1 79/02/16 2pp

7903190020 Amends 42 & 39 to Licenses DPR-39 & DPR-48, respectively, revising Tech Spec limits for total nuclear peaking factor
SCHWENCER, A Operating Reactors Branch 1 79/02/16. 19pp

7903190028 Supports Amend 42 to DPR-39 & Amend 39 to DPR-48 re total nuclear peaking factor. Concludes amends do not involve significant hazards
* Operating Reactors Branch 1 79/02/16 6pp

7903190033 Notice of issuance of Amend 42 to DPR-39 & Amend 39 to DPR-48
SCHWENCER, A Operating Reactors Branch 1 79/02/16 3pp

7903230050 Util's response dtd 780202 indicates potential boron dilution incident has been reviewed. PSAR analysis of event still represents most limiting case
SCHWENCER, A Operating Reactors Branch 1. 79/02/21 2pp

7903010292 Requests amend to Licenses DPR-39 & DPR-48 Submits proposed Tech Spec changes providing for overpressure protection for revision of heatup & cooldown curves as required by 10CFR50 App G
REED, C. Commonwealth Edison Co 79/02/26 23pp

7903130307 Forwards response to NRC request for addl info re expansion of spent fuel storage capacity
NAUGHTON, W F Commonwealth Edison Co 79/03/07. 14pp.

7903220242 Forwards requested addl info in support of request to expand storage capacity of spent fuel pool
NAUGHTON, W F Commonwealth Edison Co 79/03/19 5pp

7903290131 Forwards licensing open items status list
REED, C Commonwealth Edison Co 79/03/19 9pp

7903290157 Forwards proposed Tech Spec change to permit increase to 1.93 in allowable LOCA peaking factor limit Amend explains basis for LOCA reanalysis Check for amend fee encl
REED, C Commonwealth Edison Co 79/03/22 66pp

7903290112 Forwards proposed Tech Spec change removing surveillance requirement for cold rod drop tests W/check for amend fee
REED, C Commonwealth Edison Co 79/03/23 5pp

7903010062 Forwards IE Insp Repts 50-295/78-26 & 50-304/78-26 on 781106-1201 & notice of violation
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/11. 2pp

7903010065 Notice of violation from insp on 781106-1201
* Region 3, Chicago, Office of the Director 79/01/09 2pp

7903010067 IE Insp Repts 50-295/78-26 & 50-304/78-26 on 781106-1201 Noncompliance noted personnel exposure, reporting of effluents & solid radioactive waste
SCHUMACHER, M C, CORCORAN, M, FISHER, W L Region 3, Chicago, Fuel Facility & Materials Safety Branch, 79/01/09 11pp

7903070306 Forwards IE Insp Repts 50-254/78-29, 50-265/78-31, 50-295/78-30 & 50-304/78-29 on 781130 & 781206-07 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/19. 2pp.

7903070310 Notice of violation from insp on 781130 & 1206-07
* Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/11 1p

7903070317 IE Insp Rept 50-254/78-29, 50-265/78-31, 50-295/78-30 & 50-304/78-29 on 781130 & 1206-07 Noncompliance noted instrument procedure not followed resulting in unplanned reactor trip & safety injection at Unit 1
KNOP, R C, BOYD, D C, WALKER, R Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/11 5pp

7903080147 Forwards IE Insp Rept 50-295/78-29 on 781031, 1129-30 & 1204-05 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/25 2pp

7903080150 IE Insp Rept 50-295/78-29 on 781031, 1129-30 & 1204-05 No noncompliance noted Major areas inspected core power distribution limits, isothermal temp coefficient & control rod worth measurements
CHONE, E, CREBELL, J B, STREETER, J F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/22 4pp

7903080469 Ack receipt of 790202 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-295/78-26 & 50-304/78-26
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch, 79/02/15 1p

7903080478 Responds to NRC 790202 ltr re violations noted in IE Insp Repts 50-295/78-26 & 50-304/78-26. Corrective actions gas release data now gathered monthly to expedite development of quarterly average Required rept to be sent by 790215.
REED, C Commonwealth Edison Co 79/02/02 3pp.

7903080419 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features."
KEPPLER, J O Region 3, Chicago, Office of the Director, 79/02/18 1p.

7903080343 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 83CML
KEPPLER, J O. Region 3, Chicago, Office of the Director 79/03/01 1p

7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts"
KEPPLER, J. O Region 3, Chicago, Office of the Director 79/03/08 1p.

DOCKETED SERIES

DOCKET 50-295 Zion Nuclear Power Station, Unit 1

7903190539 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co." KEPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903020361 Forwards semiannual rept re radioactive effluent discharges & solid radioactive waste for Jul-Dec 1978 WANDKE, N E Commonwealth Edison Co 79/02/02 3Bpp

7903260250 Forwards "Annual Interpretative Rept on Fish Egg & Larvae Sampling Program in Lake Michigan near Zion & Waukegan Generating Stations, 1978" WANDKE, N E Commonwealth Edison Co 79/03/12 1p

7903260254 "Annual Interpretative Rept on Fish Egg & Larvae Sampling Program in Lake Michigan near Zion & Waukegan Generating Stations, 1978" LAVEDONE, L J, CZAJKOWSKI, G P, ARNESON, R D Commonwealth Edison Co 78/12/15 192pp

7903070316 Forwards LER 79-006/01T-0 WANDKE, N E Commonwealth Edison Co 79/02/16 1p

7903070321 LER 79-006/01T-0 on 790202 addition of too much boron caused temp average to drop below 540 F Caused by inadequate procedures specifying when high steam flow safety injection can be blocked Procedures clarified RIECK, T A Commonwealth Edison Co 79/02/16 4pp

7903140301 Forwards LER 79-008/03L-0 WANDKE, N E Commonwealth Edison Co 79/02/27 1p

7903140307 LER 79-008/03L-0 on 790206 gas decay tank radiation monitor ORT-PRO2B alarmed high High alarm would not reset Caused by failed transistor on circuit board AA70 Transistor replaced OST, F Commonwealth Edison Co 79/02/27 1p

7903160133 Forwards LER 79-007/03L-0 WANDKE, N E Commonwealth Edison Co 79/03/06 1p

7903160137 LER 79-007/03L-0 on 790204 OA lake discharge tank failed to close automatically when activity reached setpoint Caused by faulty electrical relay Contacts cleaned & relay card securely reconnected Monitor functionally tested & verified. BEYER, B A Commonwealth Edison Co. 79/03/06

7903280338 Forwards LER 79-004/03X-1 WANDKE, N E Commonwealth Edison Co 79/03/09 1p

7903280341 LER 79-004/03X-1 on 790112 inverter 114 tripped & could not be reset; hot shutdown not reached within 4-h Caused by loose contact in DC breaker & personnel error in late start of shutdown Breaker will be fixed, personnel re-instructed ROTHERMEL, R R Commonwealth Edison Co 79/03/09 2pp.

7903270442 Forwards LER 79-017/04T-0 WANDKE, N E Commonwealth Edison Co 79/03/22 1p

7903270446 LER 79-017/04T-0 on 790314 boron usage exceeded Tech Spec limits between 790310 & 14 Caused by drummed radioactive waste consisting of boric acid water Usage has no bearing on water quality program GURUNATHAN, S Commonwealth Edison Co 79/03/22 1p

DOCKET 50-296 Browns Ferry Nuclear Power Station, Unit 3

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033, Intrusion Detection Sys Handbook, SAND76-0354, & Barrier Penetration Database, NUREG/CR-0181 MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801. DENTON, H R, Office of Nuclear Reactor Regulation 79/02/23 1p.

7903260242 Forwards safeguards contingency plans Plans withheld (ref 10CFR2 790) GILLELAND, J E Tennessee Valley Authority 79/03/21 1p

7903160170 Forwards "Annual Rept 1978." GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903160217 "Annual Rept 1978" * Tennessee Valley Authority 79/03/16 42pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 involves pages IV-5 & IV-6 w/modified rationale & corrections GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept" SOBDON, L J General Electric Co, Nuclear Energy Products Div 79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept" WONG, K M General Electric Co, Nuclear Energy Products Div NEDO-21885 78/06/30 43pp

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr EISENHUT, D O Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants" All plants are in conformance w/ acceptance criteria * Assistant Director for Systems & Projects 79/02/15 10pp

7903220042 Forwards Amend 49.43 & 20 to DPR-33, DPR-52 & DPR-6B respectively, & notice of issuance. Security plan evaluation rept withheld (ref 10CFR2 790) IPPOLITO, T A Operating Reactors Branch 3 79/02/23 3pp

7903220044 Amend 49.43 & 20 to DPR-33, DPR-52 & DPR-6B respectively, incorporating physical security plan into licenses IPPOLITO, T A Operating Reactors Branch 3 79/02/23 6pp.

7903220052 Notice of issuance of Amend 49.43 & 20 to DPR-33, DPR-52 & DPR-6B, respectively IPPOLITO, T A Operating Reactors Branch 3. 79/02/23 2pp.

7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Borel Test Program, LDR Load Test- Generic Sensitivity" w/affidavit for proprietary status Rept withheld (ref 10CFR2 790) SOBDON, L J General Electric Co, Nuclear Energy Products Div 79/02/26 3pp

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants" * Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations. Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions. GRIMES, B. K. Division of Operating Reactors 79/02/27 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary. SOBDON, L J General Electric Co, Nuclear Energy Products Div 79/02/28 11pp

7903090270 Responds to NRC 781129 ltr expressing concern re design of safety actuation signal circuits & operation of primary containment purge sys Ukil intends to continue limited purging per present operating license GILLELAND, J E Tennessee Valley Authority 79/03/01 3pp

7903120303 Proposed amend changing Tech Specs re typographical errors, clarification of low power range monitor requirements, removal of obsolete requirements & reduction of scram timing pressure restrictions w/impingement study. GILLELAND, J. E. Tennessee Valley Authority 79/03/01 87pp.

7903120459 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts. SU, T M Containment Systems Branch. 79/03/01 16pp

DOCKETED SERIES

DOCKET 50-296 Browns Ferry Nuclear Power Station, Unit 3

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
ETBENHUT, D G Assistant Director for Systems & Projects
79/03/01. 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects
79/03/01 Bpp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
GRIMES, B Division of Operating Reactors 79/03/01 22pp

7903130303 Forwards list of proposed Tech Spec changes submitted since 1974 for review & approval Requests withdrawal of changes labelled "Requests for Withdrawal" & return of fee for two changes
GILLELAND, J E Tennessee Valley Authority 79/03/08. 4pp

7903270107 Discusses status of Mark I containment long-term program Requests schedule showing time periods for installation of specific plant mods Discusses safety relief valve discharge device installation & forwards NRC evaluation
BTELLO, V Division of Operating Reactors 79/03/12 17pp

7903190336 Forwards 90-day technical rept on secondary containment leak rate testing
GILLELAND, J E Tennessee Valley Authority 79/03/14 1p

7903190341 "Secondary Containment Leak Rate Test" conducted 780909 for 90-day period Concludes secondary containment sys is capable of maintaining greater than 0.25 inch of water vacuum
* Tennessee Valley Authority. 78/09/09 24pp

7903210333 Forwards "Summary Rept of Refueling Test Program, Cycle 2" conducted after Fall 1978 outage
GILLELAND, J E Tennessee Valley Authority 79/03/14 7pp

7903200367 Forwards requested amend to licensees DPR-33, DPR-32, & DPR-68 re handling of nuclear matl w/justifications & reasons for proposed amend
GILLELAND, J E Tennessee Valley Authority 79/03/15 4pp

7903090049 Forwards IE Insp Repts 50-259/78-37, 50-260/78-38 & 50-296/78-37 No noncompliance noted
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/23 2pp

7903090054 IE Insp Repts 50-259/78-37, 50-260/78-38 & 50-296/78-37 on 781120-1229 No noncompliance noted Major areas inspected: LER review, U-3 startup from refueling, U-1 refuel activities, plant operations & plant tours
BULLIVAN, R F, DANCE, H C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/23 5pp

7903150114 Describes recent occurrences at facility during fuel handling operations, after fuel assembly was lowered approx 2 feet into Cell 49-20, grapple became unlatched Fuel assembly not dropped, but assembly channel dented Crew instructed
GILLELAND, J E Tennessee Valley Authority 79/01/26 1p

7903050584 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids" Will replace Buna-N matl every 3 years

7903260089 IE Insp Repts 50-259/79-02, 50-260/79-02 & 50-296/79-02 on 790108-12 No noncompliance noted Major areas inspected: liquid radwaste releases & effluent monitor calibr, plant chemistry, action on LERs & previous insps
JACKSON, L L, GIBSON, A F Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/19 Bpp

7903020376 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903140130 Ack receipt of 790208 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-259/78-32, 50-260/78-35 & 50-296/78-33
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/26 1p

7903140136 Responds to NRC 790208 ltr re violations noted in IF Insp Repts 50-259/78-32, 50-260/78-35, & 50-296/78-33 Corrective actions radiation survey instruments calibrated, administrative measures taken to ensure future compliance
GILLELAND, J E Tennessee Valley Authority 79/02/08 3pp

7903140147 Forwards IE Insp Rept 50-259/78-32, 50-260/78-35 & 50-296/78-33 on 781204-08 & 18-20 & notice of violation
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/17 2pp

7903140150 Notice of violation from insp on 781204-08 & 18-20
* Region 2, Atlanta, Fuel Facility & Materials Safety Branch
79/01/15 1p

7903140162 IE Insp Rept 50-259/78-32, 50-260/78-35 & 50-296/78-33 on 791204-08 & 18-20 Noncompliance noted failure to follow radiological emergency plan implementing instructions
PERROTTI, D J, TROJANOWSKI, R, HUFFMAN, J W Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/15 19pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903090145 Forwards addl revisions to inservice pump & valve testing program originally submitted 780929 Requests NRC review & submit ltr of approval as soon as practicable Requests for relief encl
GILLELAND, J E Tennessee Valley Authority 79/03/06. 3pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp.

7903140246 Submits followup rept required by IE Bulletin 79-01 re environ qualification of MSIV limit switches Discusses operability requirements & concludes qualification unnecessary as operation not required during LOCA
GILLELAND, J E Tennessee Valley Authority 79/03/09 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ABME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director.
79/03/12. 2pp

7903220269 As further response to 790208 ltr w/IE Bulletin 79-01, informs that motors are used on certain valve operators in containment area which are not qualified for use in LOCA environ No safety concerns exist
GILLELAND, J E Tennessee Valley Authority, 79/03/13 1p.

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limiting Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16. 2pp

7903060495 Forwards "Annual Operating Rept for 1978" & "Radiological Impact Assessment"
GILLELAND, J E Tennessee Valley Authority 79/02/28. 1p

7903060501 "Annual Operating Rept for 1978"
GREEN, H J Tennessee Valley Authority 79/02/28 17pp

7903060504 "Radiological Impact Assessment," July-Dec 1978
* Tennessee Valley Authority RH-79-2-BF1 79/02/28 46pp

DOCKETED SERIES

83

DOCKET 50-296 Browns Ferry Nuclear Power Station, Unit 3

7903070213 Forwards revised page for monthly operating rept for Jan 1979
DEWEASE, J D Tennessee Valley Authority 79/03/02 1p

7903070216 Revised page for monthly operating rept for Jan 1979
GREEN, D Tennessee Valley Authority 79/02/03 1p

7903160113 Forwards monthly operating rept for Feb 1979
DEWEASE, J G Tennessee Valley Authority 79/03/12 1p

7903160117 Monthly operating rept for Feb 1979
DEWEASE, J G Tennessee Valley Authority. 79/03/02 31pp

7903070311 Forwards LER 79-003/03L-0
FOX, H S Tennessee Valley Authority 79/03/01 1p

7903070315 LER 79-003/03L-0 on 790202 linear heat generation rate out of Tech Spec limits Caused by operation close to limiting values & increase in reactivity due to gadolina burnup
Greater margin to limiting value will be maintained
* Tennessee Valley Authority 79/03/01 2pp

DOCKET 50-297 North Carolina State Univ PULSTAR Reactor

7903010273 Notes apparent administrative error in License R-120 License should authorize up to 435 kg U, as specified in 700409 application Requests amend to correct error Forwards 700409 application
BOHANNON, J R North Carolina State Univ 79/01/31 13pp

7903280101 Forwards Amend 5 to License R-120
REID, R W Operating Reactors Branch 4 79/03/09 3pp

7903280106 Amend 5 to License R-120 covering permission to receive, possess & use up 435 kg U & 5 Ci PuBe startup source for use in reactor operation
REID, R W Operating Reactors Branch 4 79/03/09 2pp

DOCKET 50-298 Cooper Nuclear Station

7903140222 Forwards revised versions Entry-Control Sys Handbook, SAND77-1033, Intrusion Detection Sys Handbook, SAND74-0554, & Barrier Penetration Database, NUREG/CR-0181 W/o encl
MILLER, J R Division of Operating Reactors 79/01/09. 2pp

7903060697 Summary of 790124 meeting w/util re draft fire protection safety evaluation W/encl list of attendees & implementation dates for proposed mods
RODNEY, V L Operating Reactors Branch 3 79/02/06 5pp.

7903200155 Forwards Amend 53 to License DPR-46 & notice of issuance & availability
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 3pp.

7903200162 Amend 53 to License DPR-46, incorporating physical security plan into license
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp

7903200168 Notice of issuance of Amend 53 to License DPR-46
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp

7903200335 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903280256 Forwards safeguards contingency plan, which will become effective 30 days after NRC approval. Encl withheld (ref 10CFR2 790)
PILANT, J M Nebraska Public Power District. 79/03/23 2pp.

7903130408 Forwards Endorsement 44 to NELIA Policy NF-200 for calendar year 1979.
PILANT, J M Omaha Public Power District. 79/03/07 2pp.

7903270481 Forwards Endorsement 2 to NELIA Binder EB-41
PILANT, J. M. Nebraska Public Power District 79/03/22. 2pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 involves pages 1V-5 & 1V-6 w/modified rationals & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
SODON, L J General Electric Co , Nuclear Energy Products Div 79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
WONG, K W General Electric Co , Nuclear Energy Products Div NEDO-21885 78/06/30 45pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swirl pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p.

7903010061 Forwards safety evaluation of interim assessment of multiple consecutive safety relief valve actuations, & sample ltr.
EIBENHUT, D G Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants " All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp

7903140419 Summary of 790214 meeting w/util to review atmospheric containment atmosphere dilution sys List of attendees & draft responses to requests for addl info encl
RODNEY, V L Operating Reactors Branch 3 79/02/21. 12pp

7903160213 Forwards proprietary rept NEDE-R2345-P, "Mark I Containment Program, Suppression Pool Swirl Test Program, LDR Load Test- Generic Sensitivity " W/affidavit for proprietary status
Rept withheld (ref 10CFR2.790).
SODON, L J General Electric Co , Nuclear Energy Products Div 79/02/26 5pp

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants "
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations
Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27. 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review lists meetings held & provides brief task-by-task summary
SODON, L J General Electric Co , Nuclear Energy Products Div. 79/02/28 11pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads, W/encl attendees list & meeting handouts
BU, T M. Containment Systems Branch. 79/03/01. 16pp.

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules.
EIBENHUT, D. G. Assistant Director for Systems & Projects 79/03/01 4pp.

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B. Assistant Director for Engineers & Projects. 79/03/01 8pp.

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
GRIMES, B. Division of Operating Reactors 79/03/01 22pp.

DOCKETED SERIES

DOCKET 30-298 Cooper Nuclear Station

7903200092 Based on 780418 response, all conditions that would disable a diesel generator are clearly indicated in control room
Response is acceptable
IPPOLITO, T A Operating Reactors Branch 3 1 79/03/02 1p.

7903120237 Requests that NEDE-2187B-P be included on this docket as it will be utilized in support of containment evaluation program
PILANT, J M Nebraska Public Power District 79/03/04 1p

7903260038 Forwards Amend 54 to License DPR-46, EIA & notice of availability
IPPOLITO, T A Operating Reactors Branch 3 79/03/09 2pp

7903260062 Amend 54 to License DPR-46, deleting Tech Spec requirement for thermal mixing zone limit & associated monitoring program
IPPOLITO, T A Operating Reactors Branch 3 79/03/09 7pp

7903260063 EIA supporting Amend 54 to License DPR-46
* Office of Nuclear Reactor Regulation 79/03/09 3pp.

7903260066 Notice of issuance & availability of Amend 54 to License DPR-46
IPPOLITO, T A Operating Reactors Branch 3 79/03/09 2pp

7903300187 Requests Class III fee for Amend 39 to FSAR, revising plant QA program
MILLER, W O License Fee Management Branch 79/03/19 1p

7903270472 Response to NRC 790313 request for addl info re 1977 Reload 4 Cycle 5 license application Responses pertain to reevaluation of transient events & reactor startup physics test program
PILANT, J M Nebraska Public Power District 79/03/22 11pp

7903260345 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids" Review of Buna-N matl in control rod scram sys completed Replacement of matl will be 30% completed in 1979 & 50% in 1980
PILANT, J M Nebraska Public Power District 79/01/25 3pp

7903140126 Forwards IE Insp Rept 30-298/79-01 on 790108-11 No noncompliance noted
MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch. 79/01/29 2pp

7903140131 IE Insp Rept 30-298/79-01 on 790108-11 No noncompliance noted. Major areas inspected: caliber of safety-related components, procedures, surveillance activities, new fuel insp & follow up on LERs
JOHNSON, E H, CONSTABLE, G L, MADSEN, G L Region 4, Dallas, Office of the Director 79/01/26 6pp

7903300022 Forwards IE Insp Rept 30-298/79-02 on 790129-0201 & notice of violation
MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/13 2pp

7903300024 Notice of violation from insp on 790129-0201
* Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/12 1p

7903300026 IE Insp Rept 30-298/79-02 on 790129-0201. Noncompliance noted: failure to perform surveillance for inoperable svc water booster pump & failure to store two quarts of flammable solvent in metal safety can
JOHNSON, E H, CONSTABLE, G L, MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/12, 7pp

7903080330 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features."
BEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/10 1p

7903090033 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CHL should read BL3CHL
BEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/27 1p

7903090271 Responds to request for addl info in IE Bulletin 78-03 re potential explosive gas mixture accumulations associated w/BHR offgas sys operations.
PILANT, J M Nebraska Public Power District. 79/03/01 3pp.

7903030375 Forwards 1978, "Annual Environ Operating Rept Vol II-Radiological"
PILANT, J M Nebraska Public Power District 79/02/26 1p

7903050376 "Annual Environ Operating Rept Vol II-Radiological"
HILD, R E, HEUBNER, L G, HADLEY, G W Nebraska Public Power District 79/02/12 85pp

7903070331 Advises of delay in submitting semiannual operating rept re radioactive effluents Plans to submit July-Dec 1978 rept by 790323
PILANT, J M Nebraska Public Power District 79/02/27 1p

7903060170 Submits "Annual Operating Rept for 1978"
PILANT, J M Nebraska Public Power District 79/03/01 1p.

7903060173 "Annual Operating Rept for 1978"
* Nebraska Public Power District 79/03/01 9pp

7903140316 Forwards monthly operating rept for Feb 1979
LESSOR, L C Nebraska Public Power District 79/03/06 1p

7903140349 Monthly operating rept for Feb 1979
BORER, P J Nebraska Public Power District 79/03/06 4pp

7903210220 Forwards "Annual Environ Operating Rept, Vol 1, Nonradiological" for 1978
PILANT, J M Nebraska Public Power District 79/03/19 1p

7903210223 "Annual Environ Operating Rept, Vol 1, Nonradiological" for 1978
* Nebraska Public Power District 78/12/31 31pp

7903270475 Forwards errata sheet to 780101-781231 "Environ Operating Rept-Nonradiological" re periphyton density & zooplankton.
PILANT, J M Nebraska Public Power District 79/03/23 4pp

7903120328 Forwards LER 79-040/03L-0
LESSOR, L C Nebraska Public Power District 79/01/19 2pp

7903120335 LER 78-040/03L-0 on 781227 during normal operation, while doing special test of drywell purging techniques, primary containment vent valve PC-246AV leaked excessively & was inoperable due to incomplete valve closure Valve replaced
HILLIPS, D. Nebraska Public Power District 79/01/19 1p

7903120341 Forwards LER 79-001/03L-0
LESSOR, L C Nebraska Public Power District 79/01/22 2pp

7903120351 LER 79-001/03L-0 on 790103 during operation, drywell atmospheric radiation monitor gas channel (RMV-RM-4C) failed downscale Caused by detector failure caused by moisture in detector chamber Detector replaced, chamber & lines dried
PHILLIPS, D. L Nebraska Public Power District. 79/01/22 1p

DOCKET 30-301 Point Beach Nuclear Plant, Unit 2

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903270284 Forwards Revision 10 to Emergency Plan Manual consisting of emergency call list
BURSTEIN, S Wisconsin Electric Power Co 79/03/22 7pp

7903270395 In response to 790120 ltr, forwards info on spent fuel storage at six existing nuclear power plants near Lake Michigan as of 781231.
DENTON, H R Office of Nuclear Reactor Regulation 79/03/08 6pp

7903270397 Requests info re spent nuclear fuel storage at six existing nuclear plants near Lake Michigan
SCHAEFER, J Affiliation Unknown 79/01/20 2pp.

7903280357 In response to 780925 ltr, summarizes info re pressurized heatup rate Tech Spec inconsistency. Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR Appropriate utils have been notified
ANDERSON, T. M. Westinghouse Electric Corp 78/10/27 3pp

DOCKETED SERIES

85

DOCKET 50-301 Point Beach Nuclear Plant, Unit 2

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRINES, B K Assistant Director for Engineers & Projects
79/01/18 4pp

7903060639 Forwards Amend 40 to License DPR-27, safety evaluation & notice of issuance Discusses fee remittance based on classification of amends Similar amend for Unit 1 being withheld until addl \$3,600 is received
SCHWENGER, A Operating Reactors Branch 1 79/01/30 3pp

7903060642 Amend 40 to License DPR-27 changing Tech Specs to revise reactor coolant sys pressure-temp heatup & cooldown curves to be applied up to seven effective full power years W/encl supporting documentation
SCHWENGER, A Operating Reactors Branch 1 79/01/30 5pp

7903060649 Safety evaluation supporting Amend 40 to License DPR-27 Discusses pressure-temp limits, temp associated w/transition from ductile to brittle fracture mode of failure of metal test specimen & environ impacts Changes are approved
* Office of Nuclear Reactor Regulation 79/01/30 3pp

7903060655 Notice of issuance of Amend 40 to License DPR-27
TRAMMELL, C M Operating Reactors Branch 1 79/01/30 2pp

7903070250 Ack receipt of 790129 ltr informing util that review of 781127 application for license amend (Tech Spec Change 5B) requires payment of \$4,000 Class III fee Forwards check & expresses hope that review is nearing completion
BURSTEIN, B Wisconsin Electric Power Co 79/02/23 1p

7903220275 Requests addl info re reactor vessel matls surveillance program within 60 days Recommends that testing be postponed for present, pending completion of tests & development work underway in HSBT program
SCHWENGER, A Operating Reactors Branch 1 79/02/27 3pp

7903260374 NRC accepts 771202 response re potential boron dilution incidents FSAR analysis of boron dilution incident involving contents of spray additive tank at operating PWR facility still represents most limiting case
SCHWENGER, A Operating Reactors Branch 2 79/02/27 2pp

7903270565 Discusses corrective reevaluation following discovery of calculational error in ECCB evaluational model Error involves heat generation factor for fuel cladding during LOCA Forwards Westinghouse ECCB reanalysis
BURSTEIN, B Wisconsin Electric Power Co 79/03/20 76pp.

7903080379 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p.

7903130370 Forwards "Inservce Test Plan, Feb 1979"
BURSTEIN, B Wisconsin Electric Power Co 79/02/26 2pp.

7903130374 "Inservce Test Plan, Feb 1979" W/drawings of reactor coolant sys process, safety injection sys & chemical & volume control sys.
* Wisconsin Electric Power Co 79/02/28 55pp.

7903080368 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 59CML should read 5L3CML
KEPPLER, J G Region 3, Chicago, Office of the Director. 79/03/01 1p

7903220304 Forwards IE Insp Rept 50-266/79-02 & 50-301/79-01 on 790205-09 Notice of violation withheld (ref 10CFR2.790)
HINDS, J A Region 3, Chicago, Safeguards Branch 79/03/02 2pp

7903220307 IE Insp Rept 50-266/79-02 & 50-301/79-01 on 790205-09, Noncompliance noted security organization access controls. Details withheld (ref 10CFR2.790)
CREED, J R ; HOWELL, J C ; HIND, J A Region 3, Chicago, Safeguards Branch 79/03/01 1p

7903150049 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08. 1p

7903190566 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p.

7903070345 Forwards "1978 Annual Results & Data Rept"
BURSTEIN, B Wisconsin Electric Power Co 79/02/26 1p

7903070349 "1978 Annual Results & Data Rept"
* Wisconsin Electric Power Co 79/02/26 44pp

7903120262 Forwards semiannual monitoring repts for July-Dec 1978
BURSTEIN, B Wisconsin Electric Power Co 79/02/26 1p

7903120264 Semiannual monitoring repts for July-Dec 1978 re plant releases, new fuel receipts, environ radiological monitoring, & leak testing of sources
* Wisconsin Electric Power Co 79/02/26 13pp

7903140374 Forwards monthly operating rept for Feb 1979
BURSTEIN, B Wisconsin Electric Power Co 79/03/08 1p

7903140378 Monthly operating rept for Feb 1979
* Wisconsin Electric Power Co 79/03/02 8pp.

7903140312 Forwards LER 79-001/01T-0
BURSTEIN, B Wisconsin Electric Power Co 79/02/23 1p

7903140313 LER 79-001/01T-0 on 790219 w/unit off-line & at 10% steam flow A&B main steam stop valves failed to close Caused by deposits on valve shafts or hardening of gland packing Valves were exercised & packing adjusted
BURSTEIN, B Wisconsin Electric Power Co 79/02/23 3pp.

7903280351 Forwards LER 79-002/03L-0
BURSTEIN, B Wisconsin Electric Power Co 79/03/13 1p

7903280354 LER 79-002/03L-0 on 790227: during biweekly test of "A" reactor trip breaker, several seconds elapsed following trip signal before breaker tripped Caused by faulty reactor trip relay, Westinghouse BFD31 Relay replaced
BURSTEIN, B Wisconsin Electric Power Co 79/03/13. 2pp

DOCKET 50-302 Crystal River Nuclear Plant, Unit 3

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation. 79/02/23 1p

7903050231 Forwards response to NRC questions re instrument air sys, preventing recirculation of ventilation air, fire detection sys design, fire hazard at containment cable penetration, & radiological consequences of fire
STEWART, W P Florida Power Corp. 79/02/27 17pp.

7903270464 Forwards safeguards contingency plan. Plan withheld (ref 10CFR2.790).
STEWART, W P Florida Power Corp 79/03/22. 2pp

7903140444 Forwards Annual Repts for 1977 & 1978 & "Ten Year Statistical Rept." 1967-1977 W/1977 financial repts for various FL cities. Annual financial repts for 1978 for FL Cities will be submitted as soon as available
STEWART, W P Florida Power Corp 79/03/06 2pp

7903140450 "1977 Annual Rept"
* Florida Power Corp 79/02/10. 30pp.

7903140452 "1978 Annual Rept."
* Florida Power Corp. 79/02/06. 30pp

7903140454 "Ten-Year Statistical Rept," 1967-1977.
* Florida Power Corp 78/02/24 30pp

7903270370 Forwards Endorsement 34 to NELIA Policy NF-195.
DUCK, J R. Marsh & McLennan, Inc 79/03/22 2pp

7903140222 Forwards revised versions: Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0354; & Barrier Penetration Database, NUREG/CR-0181 W/o encl.
MILLER, J. R. Division of Operating Reactors 79/01/09. 2pp.

DOCKETED SERIES

DOCKET 50-302 Crystal River Nuclear Plant, Unit 3

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRINER, B K Assistant Director for Engineers & Projects
79/01/18 4pp

7903160305 Notification of cancellation of 790202 meeting w/util to discuss reactor coolant flow sensing lines mods
NELSON, C C Operating Reactors Branch 4 79/01/24 2pp

7903060014 Requests addl info re proposed long-term ECCS mod for small break LOCA for review contained in 790112 ltr
REID, R W Operating Reactors Branch 4 79/02/08 3pp

7903060246 In response to NRC 790208 request forwards addl info for review of proposed long-term ECCS mod of small break LOCA for facility
STEWART, W P Florida Power Corp NRC 79/02/28 16pp

7903060428 Forwards BAW-1521, Feb 1979, "Cycle 2 Reload Rept" EIA, balance of plant review for Cycle 2 reload & power level upgrade, amend license fee & Certificate of Svc encl
STEWART, W P Florida Power Corp 79/02/28 4pp

7903060431 EIA & balance of plant review for Cycle 2 reload & power level upgrade. Conclusions in FEB are still valid. Amend does not require ETS changes
* Florida Power Corp 79/02/28 6pp

7903060434 "Cycle 2 Reload Rept"
* Florida Power Corp BAW-1521. 79/02/28 79pp

7903210366 Responds to 770902 submittal re boron dilution & requests addl info identified in encl
REID, R W Operating Reactors Branch 4 79/03/05 3pp

7903230376 Forwards request for addl info in order to complete NRC review of pump & valve inservice testing program. Requests notification when items are resolved, so that meeting can be arranged prior to written submittal
REID, R W Operating Reactors Branch 4 79/03/08 14pp

7903200260 Requests exemption from 10CFR50.46(a)(1) to allow operation at full rated core thermal power of 2,544 MWT Forwards Class III exemption fee
STEWART, W P Florida Power Corp 79/03/14 4pp

7903200446 Forwards Tech Spec Change Request 39 for amend to App A of License DPR-72 re Cycle 2 operation rated core power level of 2,544 MWT Certificate of Svc encl
STEWART, W P Florida Power Corp 79/03/15 33pp

7903210015 Forwards licensing fee not attached w/original 790228 "Cycle 2 Reload & Power Level Upgrade Rept." Affidavit encl
STEWART, W P Florida Power Corp 79/03/16 2pp

7903290113 Forwards response to 780801 request for addl info re high density rack mod
STEWART, W P Florida Power Corp. 79/03/16 43pp

7903270409 Forwards Tech Spec Change Requests 35, 37 & 38 requesting amend to App A of License DPR-72 w/check for \$12,000 fee
STEWART, W P Florida Power Corp 79/03/21 25pp

7903270455 In response to 790312 ltr requesting info re installation of redundant flow sensing lines during 790423 refueling outage, advises that details will be submitted by 790330
STEWART, W P Florida Power Corp 79/03/21 2pp

7903060567 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HBSA)"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/02. 4pp

7903130008 Forwards IE Insp Rept 50-302/79-01 on 790108-11 No noncompliance noted.
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch. 79/02/02 2pp

7903130010 IE Insp Rept 50-302/79-01 on 790108-11 No noncompliance noted. Major areas inspected: radiation protection, liquid radwaste inventory, reactor coolant sys leakage, in-plant gas releases, & previous items
EWALD, S. C., GIBSON, A. F. Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/01. 4pp

7903080582 Forwards IE Info Notice 79-04, "Degradation of Engineering Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080495 Ack receipt of 790205 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-302/78-32
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/23 1p

7903080502 Forwards IE Insp Rept 50-302/78-32 on 781226-28 & notice of violation Details withheld from disclosure (ref 10CFR2 790)
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/01/12 2pp

7903080508 IE Insp Rept 50-302/78-32 on 781226-28 Noncompliance noted communication testing & maint Details withheld from disclosure (ref 10CFR2 790)
DAVIS, C. L., O'LEARY, F. P. Region 2, Atlanta, Safeguards Branch 79/01/12 1p

7903080274 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903130499 Ack receipt of 790117 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-302/78-31
LEWIS, R. C. Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/01 1p

7903130510 Responds to NRC 790119 ltr re violations noted in IE Insp Rept 50-302/78-31 Corrective actions monthly operations review of equipment clearance log now required by master surveillance plan & all clearances cross-checked w/log index
STEWART, W P Florida Power Corp 79/02/02 2pp

7903130513 Forwards IE Insp Rept 50-302/78-31 on 781211-14 & notice of violation
LONG, F. J. Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/19 2pp

7903130518 Notice of violation from insp on 781211-14
* Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/18 1p

7903130521 IE Insp Rept 50-302/78-31 on 781211-14 Noncompliance noted failure to follow procedures
QUICK, D. R., DANCE, H. C. Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/18 7pp

7903140428 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts."
O'REILLY, J. P. Region 2, Atlanta, Office of the Director
79/03/08 1p

7903210135 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J. P. Region 2, Atlanta, Office of the Director
79/03/12 1p

7903210587 Forwards IE Circular 79-04, "Loose Locking Nut on Limiting Valve Operators."
O'REILLY, J. P. Region 2, Atlanta, Office of the Director
79/03/16 1p

7903270392 Responds to 790308 ltr requesting addl info re pump & valve inservice insp program. Determines that 135 days are needed to respond to concerns. Extension necessary due to vol & complexity of questions
STEWART, W. P. Florida Power Corp. 79/03/22 3pp

7903060380 Forwards annual repts on personnel exposure, reactor vessel metal surveillance capsules & facility changes, experiments & tests Rept on eddy current insp of steam generator tubing also encl
STEWART, W. P. Florida Power Corp 79/02/21 8pp

7903060383 "Eddy Current Insp of Crystal River 3 Steam Generator Tubing"
* Florida Power Corp 78/06/30. 200pp

7903060362 Forwards "Effluent & Waste Disposal Semiannual Rept for July-Dec 1978."
STEWART, W. P. Florida Power Corp 79/02/28. 2pp

DOCKETED SERIES

87

DOCKET 50-302 Crystal River Nuclear Plant, Unit 3

7903050364 "Effluent & Waste Disposal Semiannual Rept for July-Dec 1978 "
* Florida Power Corp 79/02/28 59pp

7903190186 Forwards monthly operating rept for Feb 1979.
STEWART, W P Florida Power Corp 79/03/13 1p

7903190187 Monthly operating rept for Feb 1979
KENNEDY, R W Florida Power Corp 79/03/05 3pp

7903060226 LER 79-011/03L-0 on 790210 reactor coolant dose equivalent I-131 exceeded Tech Spec limits Caused by expected spike following reactor trip & known leaking fuel pins Reactor coolant sys cleanup returned to acceptable limits
COOPER, J Florida Power Corp 79/02/22 13pp

7903060221 Forwards LER 79-011/03L-0
STEWART, W P Florida Power Corp 79/02/27 1p

7903090186 Forwards LER 79-012/03L-0
STEWART, W P Florida Power Corp 79/03/01 1p

7903090187 LER 79-012/03L-0 on 790214 during safeguards test, RD-36P-2 light did not illuminate Caused by burr on relay shaft Relay cleaned & burr removed
STEWART, W P Florida Power Corp 79/02/27 2pp

7903090216 Forwards RO 79-013/04L-0
STEWART, W P Florida Power Corp 79/03/01 1p

7903090219 RO 79-013/04L-0 on 790223 water samples not obtained for Jan 1979 from test wells 1,3 & 4, discharge canal to north of ponds & waste water ponds Omission due to new lab director not being informed of procedure
* Florida Power Corp 79/02/27 1p

7903150212 Forwards LER 79-014/03L-0
STEWART, W P Florida Power Corp 79/03/05 1p

7903150214 LER 79-014/03L-0 on 790220 decay heat cooler 3A outlet remote shutdown temp indicator inaccurate & rendered inoperable Caused by failed resistance temp detector (RTD) RTD replaced & sys recalibr
COOPER, J Florida Power Corp 79/03/01 2pp

7903160227 Forwards LER 79-015/03L-0
STEWART, W P Florida Power Corp 79/03/13 1p

7903160233 LER 79-015/03L-0 on 790221 fire svc tanks 1-B & 1-A contained less than min volume required by Tech Specs. Caused by improper design Engineering evaluation initiated
COOPER, J Florida Power Corp 79/03/07 2pp

7903230153 Forwards LER 79-017/03-0
STEWART, W P Florida Power Corp 79/03/15 1p

7903230157 LER 79-017/036-0 on 790223 heat trace recorder for concentrated boric acid flowpath was malfunctioning & rendered inoperable Caused by failed recorder drive wheel Drive wheel replaced & heat trace recorder returned to svc
COOPER, J Florida Power Corp 79/03/12 2pp

7903230130 Forwards LER 79-019/03L-0
STEWART, W P Florida Power Corp 79/03/16 1p

7903230135 LER 79-019/03L-0 on 790223 motor driven emergency feedwater pump discharge pressure gauge EF-2-P1 was out of calibr Caused by inoperable dampening snubber located in sensing line Snubber was replaced
COOPER, J Florida Power Corp 79/03/16 2pp

7903230163 Supplemental info re LER 79-016/04X-0 on 790131 environ samples were not analyzed per Tech Specs. Caused by inadequate sample time No corrective action proposed
STEWART, W P Florida Power Corp 79/03/16 3pp

7903270346 Forwards LER 79-018/03L-0
STEWART, W P Florida Power Corp 79/03/21 1p

7903270349 LER 79-018/03L-0 on 790301 inner airlock door found unlatched Caused by inadequate latching design Corrective action will be determined upon results of engineering info request
COOPER, J Florida Power Corp 79/03/14 2pp

7903270484 Forwards LER 79-020/03L-0
STEWART, W P Florida Power Corp 79/03/21 1p

7903270490 LER 79-020/03L-0 on 790228 following reactor trip, Chem/Rod sampling revealed reactor coolant dose equivalent I-131 exceeded 1.0 mCi per gram, contrary to Tech Specs. Caused by spike following reactor trip & leaking fuel pins
COOPER, J Florida Power Corp 79/03/16 14pp.

DOCKET 50-304 Zion Nuclear Power Station, Unit 2

7903120144 Forwards revised versions of Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181
MILLER, J R Assistant Director for Reactor Safeguards 79/01/09 2pp.

7903010112 Notices of security plan deficiencies which are significant enough to warrant imposition of license conditions. Forwards comments for incorporation into plan Appeal is possible
Encl A withheld (ref 10CFR2 790)
IPPOLITO, T A Operating Reactors Branch 3 79/01/30 3pp

7903190096 Requests reevaluation of 780908 response to request for addl info re fire protection SER & proposed alternative to maintaining controls despite control room fires. Accepts responses to other items
SCHWENGER, A Operating Reactors Branch 1 79/02/14 3pp.

7903230035 Forwards Federal Register notice amending 10CFR73 55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
BENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p.

7903160208 Requests change to Licenses DPR-39 & DPR-48, altering fire protection mod completion schedule W/check for \$1,600
Class I & Class II amend fees
REED, C Commonwealth Edison Co 79/03/14 5pp

7903270430 Forwards safeguards contingency plan Withheld (ref 10CFR2 790)
REED, C Commonwealth Edison Co 79/03/23 1p.

7903120069 In response to Board 790122 order, provides cross-reference for contentions discussed in "Applicant's Motion for Summary Disposition on Pleadings" in different numerical order than previously used
BIELAWSKI, A P Isham, Lincoln & Beale 79/01/29 1p.

7903210079 Notification that State of IL response to applicant & NRC motion for summary disposition has been delayed to 790221.
BEKULER, B N Illinois, State of 79/02/13 2pp.

7903200519 Replies to applicant & NRC motion for summary disposition Asserts intervenor State of IL contentions raise genuine issues of matl fact Affidavit, related documents & Certificate of Svc encl.
BEKULER, B N Illinois, State of, 79/02/21 120pp.

7903070102 Petition supporting IL Atty General's move to deny util's request to increase facility spent fuel storage capacity
TARO, M., SMALEK, T W, FEDERSEN, P Affiliation Unknown 79/02/23, 121pp

7903220002 Affidavit of H Resnikoff, which is part of intervenor's response to motions for summary disposition, will be provided to Board as soon as possible.
BEKULER, B N Illinois, State of 79/02/27 1p

7903210429 Forwards 790131 ltr per request of RE Webb.
GODDARD, R J Branch 2 79/03/02, 2pp

7903260362 Commonwealth Edison's answer urging denial of intervenor's motion for continuance Summary disposition motion dtd 790109 should be granted & hearing expedited Certificate of Svc encl.
STEPTOL, P P. Isham, Lincoln & Beale 79/03/02, 4pp.

7903130419 Forwards Addendum 1 to 790201 Rept CE-i-A re organizational changes resulting from outside mgt consultant study Will implement changes at other stations if mode are determined to be beneficial.
NAUGHTON, W F, Commonwealth Edison Co 79/02/28, 8pp

7903270395 In response to 790120 ltr, forwards info on spent fuel storage at six existing nuclear power plants near Lake Michigan as of 781231
BENTON, H R Office of Nuclear Reactor Regulation 79/03/08, 6pp.

DOCKETED SERIES

DOCKET 50-304 Zion Nuclear Power Station, Unit 2

- 7903270397 Requests info re spent nuclear fuel storage at six existing nuclear plants near Lake Michigan
SCHAEFER, J Affiliation Unknown 79/01/20 2pp.
- 7903210167 Forwards "Annual Rept 1978," statement of cash flow projected for 1979, actual cash flow for 1978 & narrative explanatory statement
NEXON, H M Commonwealth Edison Co 79/03/15 6pp
- 7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PMR Appropriate utils have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp
- 7903080173 Forwards add to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp
- 7903150266 Reviews progress of rept on spent fuel heatup potentials in loss-of-water accident Will provide calculations in two weeks Cites SAND77-1371 for preview of findings which confirm assertion that spent fuel could ignite Zr cladding
WEBB, R E Affiliation Unknown 79/01/31 1p
- 7903080268 Summary of 790118 meeting w/Util & Westinghouse to discuss ECCS reanalysis.
OLSHAN, L M Operating Reactors Branch 1 79/02/09 4pp
- 7903190014 Forwards Amends 42 & 39 to Licenses DPR-39 & DPR-48, respectively, SER & notice of issuance
SCHWENCER, A Operating Reactors Branch 1 79/02/16 2pp.
- 7903190020 Amends 42 & 39 to Licenses DPR-39 & DPR-48, respectively, revising Tech Spec limits for total nuclear peaking factor
SCHWENCER, A Operating Reactors Branch 1 79/02/16 19pp.
- 7903190028 Supports Amend 42 to DPR-39 & Amend 39 to DPR-48 re total nuclear peaking factor Concludes amends do not involve significant hazards
* Operating Reactors Branch 1 79/02/16 6pp
- 7903190033 Notice of issuance of Amend 42 to DPR-39 & Amend 39 to DPR-48.
SCHWENCER, A Operating Reactors Branch 1 79/02/16 3pp.
- 7903230050 Util's response dtd 780202 indicates potential boron dilution incident has been reviewed FSAR analysis of event still represents most limiting case
SCHWENCER, A Operating Reactors Branch 1 79/02/21 2pp
- 7903010292 Requests amend to Licenses DPR-39 & DPR-48 Submits proposed Tech Spec changes providing for overpressure protection for revision of heatup & cooldown curves as required by 10CFR50 App Q
REED, C. Commonwealth Edison Co. 79/02/24 23pp
- 7903140309 Advises NRC about review of & plans for Cycle 4 reload core States that application for amend to operating license is not required & that verification of reload core design will be performed at start of each reload cycle
REED, C. Commonwealth Edison Co 79/03/06 3pp.
- 7903130307 Forwards response to NRC request for addl info re expansion of spent fuel storage capacity
NAUGHTON, W F. Commonwealth Edison Co 79/03/07 14pp
- 7903220242 Forwards requested addl info in support of request to expand storage capacity of spent fuel pool
NAUGHTON, W F. Commonwealth Edison Co 79/03/19 5pp
- 7903290131 Forwards licensing open items status list.
REED, C. Commonwealth Edison Co 79/03/19 9pp
- 7903290157 Forwards proposed Tech Spec change to permit increase to 1.93 in allowable LOCA peaking factor limit Amend explains basis for LOCA reanalysis. Check for amend fee encl
REED, C. Commonwealth Edison Co 79/03/22 66pp
- 7903290112 Forwards proposed Tech Spec change removing surveillance requirement for cold rod drop tests W/check for amend fee
REED, C. Commonwealth Edison Co 79/03/23 5pp.
- 7903010062 Forwards IE Insp Repts 50-295/78-26 & 50-304/78-26 on 78106-1201 & notice of violation
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/11 2pp
- 7903010065 Notice of violation from insp on 78106-1201
* Region 3, Chicago, Office of the Director 79/01/09 2pp
- 7903010067 IE Insp Repts 50-295/78-26 & 50-304/78-26 on 78106-1201 Noncompliance noted personnel exposure, reporting of effluents & solid radioactive waste
SCHUMACHER, M C, CORCORAN, M, FISHER, W L Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/09 11pp
- 7903070306 Forwards IE Insp Repts 50-254/78-29, 50-265/78-31, 50-295/78-30 & 50-304/78-29 on 781130 & 781206-07 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/19 2pp
- 7903070310 Notice of violation from insp on 791130 & 791206-07
* Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/11 1p
- 7903070317 IE Insp Rept 50-254/78-29, 50-265/78-31, 50-295/78-30 & 50-304/78-29 on 781130 Noncompliance noted instrument procedure not followed resulting in unplanned reactor trip & safety injection on Unit 1
KNOP, R C Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/11 5pp
- 7903080469 Ack receipt of 790202 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-295/78-26 & 50-304/78-26
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/15 1p
- 7903080478 Responds to NRC 790202 ltr re violations noted in IE Insp Repts 50-295/78-26 & 50-304/78-26 Corrective actions gas release data now gathered monthly to expedite development of quarterly average Required rept to be sent by 790215
REED, C. Commonwealth Edison Co 79/02/02 3pp
- 7903080419 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J Q Region 3, Chicago, Office of the Director 79/02/16 1p
- 7903220507 Util will be performing inservice insp activities during upcoming refueling outage Insp will include manual ultrasonic dye penetrant, eddy current & visual insp of Class 1 & 2 components Insp scheduled 790309-790417
HANDKE, N E Commonwealth Edison Co 79/02/16 1p
- 7903080343 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 93CML should read 6L3CML
KEPPLER, J Q Region 3, Chicago, Office of the Director 79/03/01 1p
- 7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J Q Region 3, Chicago, Office of the Director 79/03/08 1p
- 7903190339 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J Q Region 3, Chicago, Office of the Director 79/03/12 1p
- 7903020361 Forwards semiannual rept re radioactive effluent discharges & solid radioactive waste for Jul-Dec 1978
HANDKE, N E Commonwealth Edison Co 79/02/02 38pp
- 7903260250 Forwards "Annual Interpretative Rept on Fish Egg & Larvae Sampling Program in Lake Michigan near Zion & Waukegan Generating Stations, 1978"
HANDKE, N E Commonwealth Edison Co 79/03/12 1p
- 7903260254 "Annual Interpretative Rept on Fish Egg & Larvae Sampling Program in Lake Michigan near Zion & Waukegan Generating Stations, 1978"
LAJEUNE, L J, CZAJKOWSKI, G P, ARNEBON, R D Commonwealth Edison Co 78/12/15 192pp
- 7903070242 Forwards LER 77-082/03L-0, reclassified as reportable on 790126
HANDKE, N E Commonwealth Edison Co. 79/02/21 1p

DOCKETED SERIES

DOCKET 50-304 Zion Nuclear Power Station, Unit 2

7903060407 Forwards agreement of NRC, Lakeshore Citizens & Safe Haven, Ltd
OLMSTEAD, W J Branch 4 79/02/09. 1p

7903070246 LER 77-082/03L-0 residual heat removal pump 2B suction valve 2 MOV-8700B failed to open electrically, placing residual heat removal sys in degraded mode Caused by inoperable open limit switch which was repaired
WENNERHOLM, J N Commonwealth Edison Co 79/02/23 1p

7903060411 Agreement re distribution of info & insp of spent fuel pool to secure fair & reasonable settlement of proceeding.
Certificate of Svc encl
OLMSTEAD, W J Branch 4 CORDARO, W Lakeshore Citizens for Safe Energy, JOHNSON, J B Safe Haven 79/02/09 App

7903160249 Forwards LER 79-008/03L-0
HANDKE, N E Commonwealth Edison Co 79/03/07 1p

7903080580 Dismisses proceeding, per motion of parties Need for hearing no longer exists, due to withdrawal of intervenors
LAZO, R M Atomic Safety and Licensing Board Panel, 79/02/14. 3pp

7903160231 LER 79-008/03L-0 on 790209 when closing MSIV 2D for steam generator cleanup, valve began to close, then reopened Caused by failure of both DC solenoid valves to shift when energized After exercise, one valve replaced
MELNICOFF, M A Commonwealth Edison Co 79/03/07 1p

7903270395 In response to 790120 ltr, forwards info on spent fuel storage at six existing nuclear power plants near Lake Michigan as of 781231
DENTON, H R Office of Nuclear Reactor Regulation 79/03/08 6pp

7903290031 Forwards LER 79-009/03L-0
HANDKE, N E Commonwealth Edison Co 79/03/12 1p

7903270397 Requests info re spent nuclear fuel storage at six existing nuclear plants near Lake Michigan.
SCHAEFER, J Affiliation Unknown 79/01/20 2pp

7903290039 LER 79-009/03L-0 on 790210 MSIV partially opened Hydraulic pump was reenergized, causing MSIV to reclose Cause was combination of drain valve not opening after MSIV closure & open accumulator leaking gas
MELNICOFF, M A Commonwealth Edison Co 79/03/12 App

7903070262 Forwards Endorsement 42 to NELIA Policy NF-204, Endorsement 33 to MAELU Policy MF-71, Endorsement 2 to NELIA Binder EB-44 & Endorsement 2 to MAELU Binder XB-44
MATHEWS, E R Wisconsin Public Service Corp 79/02/28 7pp

7903280350 Forwards LER 79-010/03L-0
HANDKE, N E Commonwealth Edison Co 79/03/16 1p

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency Reactor coolant sys temp rate limited to 40 F per hour, due to design of Westinghouse PWR Appropriate utils have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903280353 LER 79-010/03L-0 on 790214 Channel 2LT-460 greater than 6X from Channel 2LT-461 Caused by transmitter had zero & span shifted Zero adjustment made, transmitter conservative for high & low level trips
HANSEN, P W Commonwealth Edison Co 79/03/16 1p

7903140222 Forwards revised versions: Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181 w/o encl.
MILLER, J R Division of Operating Reactors 79/01/09 2pp.

DOCKET 50-305 Kewaunee Nuclear Power Plant

7903060026 EIA concluding proposed amend to License DPR-43 modifying spent fuel pool will not significantly affect quality of human environ
* Office of Nuclear Reactor Regulation 78/12/01 20pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages IV-5 & IV-6 w/modified rationale & corrections
ORINEB, B K Assistant Director for Engineers & Projects 79/01/18. App

7903060031 Safety evaluation supporting conclusion that proposed mod is acceptable because increase in occupational radiation exposure would be negligible
* Office of Nuclear Reactor Regulation 78/12/01 11pp

7903210326 Forwards responses to 790109 request for addl info re "Qualification of Reactor Physics Methods for Application to Kewaunee," & "Reload Safety Evaluation Methods," both proprietary & nonproprietary versions
JAMES, E W Wisconsin Public Service Corp 79/02/14. 40pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801.
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23. 1p.

7903210330 "Reload Safety Evaluation Methods," nonproprietary version.
* Wisconsin Public Service Corp 79/02/14 150pp

7903120218 Forwards revised industrial security manual Withheld (ref 10CFR2 790).
MATHEWS, E R Wisconsin Public Service Corp 79/03/07 1p.

7903210060 Notice of 790308 meeting w/ WI Public Svc Corp to discuss reload analysis & physics methods
OLSHAN, L Operating Reactors Branch 1. 79/03/01 1p.

7903270103 Forwards industrial security plan, App A, safeguard contingency plan, Plan withheld (ref 10CFR2 790)
MATHEWS, E R Wisconsin Public Service Corp 79/03/27. 1p

7903210277 Forwards addl copies of "Qualification of Reactor Physics Methods for Application to Kewaunee" Withheld (ref 10CFR2 790).
STERN, M E Wisconsin Public Service Corp 79/03/16 1p.

7903130511 Forwards joint motion & agreement of NRC, Lakeshore Citizens & Safe Haven Inc, & proposed form of order re agreement of settlement among parties
OLMSTEAD, W J Branch 4. 79/02/05 1p.

7903140598 Forwards IE Insp Rept 50-305/79-01 on 790109-12 & 18-19. No noncompliance noted
FIORELLI, G. Region 3, Chicago, Reactor Operations Nuclear Support Branch. 79/02/05 2pp.

7903130515 Agreement by intervenors to withdraw from proceedings WI Public Svc Corp will provide info & agrees to seek suitable disposition of spent fuel.
CARDARO, W Lakeshore Citizens for Safe Energy KEANE, E E Wisconsin Public Service Corp OLMSTEAD, W J. Branch 4 79/02/05. 5pp

7903140603 IE Insp Rept 50-305/79-01 on 790109-12 & 18-19. No noncompliance noted. Major areas inspected: unresolved items, maintenance, nonroutine event followup, IE circular followup, & independent insp.
CHOULEB, N C., SWANSON, E. R., WARNICK, R. F. Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/31. 6pp.

7903130517 Joint motion by parties containing intervenors' request to withdraw, request for approval order & order dismissing proceeding.
CORDARO, W Lakeshore Citizens for Safe Energy WALSH, P. W Wisconsin, State of OLMSTEAD, W J. Branch 4 79/02/05 8pp

7903080387 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features."
KEPPLER, J G Region 3, Chicago, Office of the Director. 79/02/16. 1p.

7903060711 Informs that NRC will not respond to applicant's 781228 motion Responds to State of WI's interrogatories w/ affidavit of JN Donahew & submits affidavits to complete the record
OLMSTEAD, W J Branch 4 79/02/08 9pp

7903140088 After considering 790102 response to NRC 781207 ltr re items of noncompliance, concludes that violations did occur as described. Forwards order imposing civil penalties.
DAVIS, J G Office of Inspection & Enforcement 79/02/22. 2pp.

7903140599 Resolution opposing const of nuclear power plant in Putnam County, due to safety & environ reasons
PANIER, J R Putnam County, IL 79/02/08. 3pp.

7903140091 Order imposing civil penalties for items of noncompliance noted in amended notice of violation re insp on 780503-05 & 18 & 780605
DAVIS, J G Office of Inspection & Enforcement. 79/02/16. 4pp.

DOCKETED SERIES

DOCKET 50-305 Kewaunee Nuclear Power Plant

7903140096 In response to NRC 781207 ltr, takes exception to shift supervisor action as item of noncompliance & allegations of mgt weakness. Forwards response to amended notice of violation & answer to amended civil penalties notice. ZIEHER, P D Wisconsin Public Service Corp 79/01/02 7pp

7903140050 Ack receipt of 790202 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-305/78-23. HIND, J A Region 3, Chicago, Safeguards Branch 79/02/27 1p

7903140057 Responds to NRC 790112 ltr re violation noted in IE Insp Rept 50-305/78-23. Corrective actions withheld (ref 10CFR2 790). JAMES, E W Wisconsin Public Service Corp 79/02/02 1p

7903080369 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML. KEPLER, J O Region 3, Chicago, Office of the Director 79/03/01 1p

7903150052 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts." KEPLER, J O Region 3, Chicago, Office of the Director 79/03/09 1p

7903190570 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME BA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co." KEPLER, J O Region 3, Chicago, Office of the Director 79/03/12 1p

7903050387 Forwards "Semiannual Effluent Release Rept, July-Dec 1978." JAMES, E W Wisconsin Public Service Corp 79/02/27 1p

7903050390 "Semiannual Effluent Release Rept, July-Dec 1978." * Wisconsin Public Service Corp 79/02/28 23pp

7903070371 Forwards "Annual Operating Rept for 1978." JAMES, E W Wisconsin Public Service Corp 79/02/28 1p

7903070372 "Annual Operating Rept for 1978." * Wisconsin Public Service Corp 79/02/28 110pp

7903160119 Forwards monthly operating rept for Feb 1979. MATHEWS, E R Wisconsin Public Service Corp 79/03/12 1p

7903160122 Monthly operating rept for Feb 1979. WALLACE, J J Wisconsin Public Service Corp 79/03/05 5pp

7903140255 Forwards LER 79-002/01T-0 & 79-003/01T-0. MATHEWS, E R Wisconsin Public Service Corp 79/03/07 1p

7903140294 LER 79-002/01T-0 on 790221, loss of manual speed control for diesel generator 1A. Caused by worn gear in synchronizing motor assembly of governor. Synchro-motor gear housing replaced in-kind, generator returned to svc. RUITER, O H Wisconsin Public Service Corp 79/03/07 3pp

7903140306 LER 79-003/01T-0 on 790223, high water level alarms received for 1A & 1B spent fuel pits. Caused by auxiliary operator failing to verify proper valve line up when placing post-filter in operation following filter change-out. RUITER, O H Wisconsin Public Service Corp 79/03/09 2pp

7903210006 Forwards LER 79-004/03L-0. MATHEWS, E R Wisconsin Public Service Corp 79/03/16 1p

7903210009 LER 79-004/03L-0 on 790216, during steady state full power operation, diesel generator 1A failed to start during operability test. Caused by broken rotor vane in primary air start motor. Motors replaced. RUITER, O H Wisconsin Public Service Corp 79/03/16 2pp

7903280321 Forwards LER 79-002/01X-1. MATHEWS, E R Wisconsin Public Service Corp 79/03/22 1p

7903290326 LER 79-002/01X-1 on 790221, diesel generator 1A manual speed control failed. Caused by excessive wear to bronze pinion in synchro-motor gear housing. Pinion & limit switch replaced & adjusted. MATHEWS, E R Wisconsin Public Service Corp 79/03/22 4pp

DOCKET 50-306 Prairie Island Nuclear Station, Unit 2

7903130438 Requests addl info re fire protection engineer qualifications & QA program criteria requirements. SCHWENCER, A Operating Reactors Branch 1 79/02/06 3pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee shut-down searches until 790801. DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903130386 Forwards responses to NRC positions re fire protection program, as result of 781016 onsite insp. MAYER, L O Northern States Power Co 79/03/09 22pp

7903270385 Forwards safeguards contingency plan Encl withheld (ref 10CFR2 790). MAYER, L O Northern States Power Co 79/03/23 2pp

7903290152 Forwards "Annual Rept 1978." BRUSVEN, A D Northern States Power Co 79/03/26 1p

7903290154 "Annual Rept 1978." * Northern States Power Co 79/03/26 35pp

7903010294 Forwards Endorsement 35 to Policy MF-6B, Endorsement 40 to Policy NF-197, Endorsement 40 to Policy MF-51 & Endorsement 48 to Policy NF-174 for calendar year 1979. JOHNSON, R G Northern States Power Co 79/02/05 3pp

7903010197 Forwards Endorsement 41 to Policy MF-51 & Endorsement 37 to Policy MF-6B, both for calendar year 1979. JOHNSON, R G Northern States Power Co 79/02/23 3pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages IV-5 & IV-6 w/modified rationale & corrections. GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903260204 Forwards Amends 33 & 27 to Licenses DPR-42 & DPR-60, respectively, safety evaluation & notice of issuance & availability. SCHWENCER, A Operating Reactors Branch 1 79/03/02 2pp

7903260211 Amends 33 & 27 to Licenses DPR-42 & DPR-60, respectively, deleting reactor turbine trip below 80% power in both units. SCHWENCER, A Operating Reactors Branch 1 79/03/02 7pp

7903260215 Safety evaluation supporting Amends 33 & 27 to Licenses DPR-42 & DPR-60, respectively. * Office of Nuclear Reactor Regulation 79/03/02 4pp

7903260217 Notice of issuance & availability of Amends 33 & 27 to Licenses DPR-42 & DPR-60, respectively. SCHWENCER, A Operating Reactors Branch 1 79/03/02 2pp

7903090248 Reviews background developments re Tech Specs changes to incorporate App 1 requirements, allowing for Offsite Dose Calculation Manual to be prepared by licensee. Unable to meet 790315 submittal date. Expects submittal by 790601. MAYER, L O Northern States Power Co 79/03/05 1p

7903200373 Provides addl info for license amend requested on 780110 re quantitative justification for refueling interval surveillance frequency. MAYER, L O Northern States Power Co 79/03/15 3pp

7903140662 Forwards response to NRC 781204 ltr re IE Insp Repts 50-282/78-15 & 50-306/78-16 w/o encl. WACHTER, L J Northern States Power Co 78/12/21 1p

7903040502 Forwards IE Insp Rept 50-306/78-21 on 781128-29 & 1203-04 & notice of violation. HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/10 2pp

7903060505 Notice of violation from insp on 781128-29 & 1203-06. * Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/09 1p

DOCKETED SERIES

DOCKET 50-306 Prairie Island Nuclear Station, Unit 2

7903060508 IE Insp Rept 50-306/78-21 on 781128-29 & 1205-06
Noncompliance noted failure to follow procedure re
nondestructive examination personnel qualification &
certification
WARD, K D, DANIELSON, D H Region 3, Chicago, Reactor
Construction & Engineering Support Branch 79/01/09 6pp

7903070106 Forwards IE Insp Repts 50-282/78-22 & 50-306/78-22 on
781212-14 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety
Branch 79/01/15 2pp

7903070111 IE Insp Repts 50-282/78-22 & 50-306/78-22 on 781212-14 No
noncompliance noted Major areas inspected routine environ
protection
GEBHANN, M J, ESSIG, T H Region 3, Chicago, Fuel Facility &
Materials Safety Branch 79/01/10 6pp

7903090003 Forwards IE Insp Rept 50-306/78-24 on 781129-30 & 1201 No
noncompliance noted
KEPPLER, J G Region 3, Chicago, Office of the Director 79/01/23
2pp

7903090004 IE Insp Rept 50-306/78-23 on 781129-30, 1201 & 1220 No
noncompliance noted Major areas inspected surveillance of
safety-related pipe supports & restraints
VINI, T, DANIELSON, D H Region 3, Chicago, Office of the
Director 79/01/19 10pp

7903120264 Forwards IE Insp Repts 50-282/79-02 & 50-306/79-02 on
790115-17 No noncompliance noted,
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support
Branch 79/02/01 2pp

7903130270 IE Insp Repts 50-282/79-02 & 50-306/79-02 on 790115-17 No
noncompliance noted Major areas inspected training &
retraining of licensed & unlicensed personnel, & licensed
operator requalification training program
DANIELSON, F T Region 3, Chicago, Reactor Operations Nuclear
Support Branch 79/01/31 3pp

7903130477 Forwards IE Insp Repts 50-282/78-23 & 50-306/78-23 on
781201-29 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support
Branch 79/02/01 2pp

7903130480 Notice of violation from insp on 781201-29
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear
Support Branch 79/02/01 1p

7903130482 IE Insp Repts 50-282/78-23 & 50-306/78-23 on 781201-29
Noncompliance noted failure to follow test procedure
FEIERABEND, C D, WARNICK, R F Region 3, Chicago, Office of the
Director, 79/01/26 9pp.

7903220460 Forwards IE Insp Rept 50-282/79-01 & 50-306/79-01 on
790102-31 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support
Branch 79/02/15 2pp.

7903220465 Notice of violation from insp on 790102-31
* Region 3, Chicago, Reactor Operations Nuclear Support Branch
79/02/14, 1p

7903220470 IE Insp Repts 50-282/79-01 & 50-306/79-01 on 790102-31.
Noncompliance noted insufficient measures to assure prompt
corrective action & failure to establish insp program.
FEIERABEND, C D, WARNICK, R F Region 3, Chicago, Reactor
Operations Nuclear Support Branch 79/02/14, 10pp.

7903070475 Ack receipt of 790201 ltr informing NRC of steps taken to
correct violations noted in IE Insp Rept 50-306/78-21.
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering
Support Branch 79/02/14 1p

7903070478 Responds to NRC 790116 ltr re violations noted in IE Insp
Rept 50-306/78-21 Corrective actions test procedure will be
revised to include 90% composite grade & past experience of
two employees was documented
WACHTER, L J Northern States Power Co. 79/02/01. 3pp

7903080342 Forwards IF Info Notice 79-04, "Degradation of Engineered
Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16
1p.

7903080343 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model 83CHL should read
SL3CHL
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01.
1p

7903130043 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs
Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08
1p

7903160078 Ack receipt of 790223 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-282/78-23 &
50-306/78-23
HEISHMAN, R F Region 3, Chicago, Reactor Operations Nuclear
Support Branch 79/03/09 1p

7903160083 Responds to NRC 790201 ltr re violations noted in IE Insp
Repts 50-282/78-23, & 50-306/78-23 Corrective actions
preventive maint procedures for safeguards buses are being
rewritten to comply w/Tech Specs
WACHTER, L J Northern States Power Co 79/02/23 1p

7903190559 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
ASME SA-312 Type 304 Stainless Steel Pipe Spools
Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12.
1p

7903020335 Forwards annual rept of occupational exposure & annual rept
of changes, tests & experiments
MAYER, L O Northern States Power Co 79/02/23 1p

7903020340 Annual repts of 1978 occupational exposure, changes, tests
& experiments
* Northern States Power Co 79/02/23 9pp

7903060176 Forwards "Effluent & Waste Disposal Semiannual Rept" for
Jul-Dec 1978
MAYER, L O Northern States Power Co 79/02/27 11pp

7903060336 Forwards "Semiannual Radioactive Effluents Release Rept,"
Jul-Dec 1978
COUNSIL, W O Northeast Utilities 79/03/01 1p

7903140317 Forwards monthly operating rept for Feb 1979
MAYER, L O Northern States Power Co 79/03/12 1p

7903140319 Monthly operating rept for Feb 1979
HUNSTAD, A A Northern States Power Co. 79/03/12. 8pp

7903260236 Forwards "Radiation Environ Monitoring Program, Annual Rept
for 1978"
MAYER, L O Northern States Power Co. 79/03/20 1p.

7903260238 "Radiation Environ Monitoring Program, Annual Rept for 1978"
WADLEY, G W Hazelton Environmental Sciences Corp 79/03/06.
51pp.

7903120210 Forwards LER 78-021/01X-1.
MAYER, L O Northern States Power Co 79/03/07 1p

7903120217 LER 78-021/01X-1 on 781128: during refueling, local leak rate
test revealed leakage through outer valves in penetration
25A & 25B containment purge in excess of Tech Spec max.
Caused by inadequate seal at valve seats Adjustment made.
HUNSTAD, A A Northern States Power Co 79/03/07 1p

7903200410 Forwards LER 79-003/03L-0.
MAYER, L O Northern States Power Co. 79/03/14 1p

7903200416 LER 79-003/03L-0 on 790216: overtemperature summing unit
2TH-4018 drifted & allowed high trip pressure Device
recalibrated Device performance being evaluated frequently.
HUNSTAD, A A Northern States Power Co 79/03/16. 1p.

DOCKET 50-309 Maine Yankee Atomic Power Plant

7903230035 Forwards Federal Register notice amending 10CFR73.55,
"Requirements for Physical Protection of Licensed Activities
in Nuclear Power Reactors Against Industrial Sabotage," to
defer employee pat-down searches until 790801
DENTON, H. R Office of Nuclear Reactor Regulation 79/02/23. 1p.

DOCKETED SERIES

DOCKET 50-309 Maine Yankee Atomic Power Plant

7903300296 Forwards modified physical security plan Plan withheld
(ref 10CFR2 790)
GRDCE,R H Maine Yankee Atomic Power Co 79/03/23 1p

7903190228 Requests copy of util response to NRC 790205 ltr re failure
of half-capacity main transformer at facility
* Affiliation Unknown 79/03/12 1p.

7903140222 Forwards revised versions Entry-Control Sys Handbook,
SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0334; &
Barrier Penetration Database, NUREG/CR-0181 W/o encl.
HILLER, J R Division of Operating Reactors. 79/01/09 2pp

7903120535 Forwards staff recommendations re general contents of
Offsite Dose Calculation Manual to be submitted w/proposed
radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects
79/01/18 4pp.

7903140459 Requests description of transformer failure cause & sequence
of events associated w/failure of two half-capacity main
transformers Requests assessment of why offsite power was
unable to pick up station loads
REID, R W Operating Reactors Branch 4 79/02/05 2pp

7903090277 Provides info re pipe cracks in chemical vol control due to
excessive charging pump vibrations Plant records review
showed positive displacement auxiliary charging pump has
operated for 35-h since plant was completed
GRDCE, R H Maine Yankee Atomic Power Co 79/02/14 2pp.

7903270556 "Containment Pressure Model for Maine Yankee ECCS
Performance Evaluation"
QUIMMO, P J, SCHOR, J, TURNIOE, J C Maine Yankee Atomic Power Co
79/02/27. 27pp

7903280078 Forwards Amend 44 to License DPR-36 & notice of issuance &
availability.
REID, R W Operating Reactors Branch 4 79/02/23 3pp

7903280083 Amend 44 to License DPR-36 incorporating security plan into
license conditions
REID, R W Operating Reactors Branch 4 79/02/23 2pp

7903280089 Notice of issuance & availability of Amend 44 to License
DPR-36
FAIRFILL, M B Operating Reactors Branch 4 79/02/23 2pp.

7903140336 Notification of 790228 meeting w/ME Yankee Power Co to
discuss NRC review of spent fuel pin storage concept
NELSON, C Operating Reactors Branch 4 79/02/26 1p

7903070214 Forwards 9-track, 800 BPI tape w/record length of 160
characters/record & 20 records/block containing
meteorological data for Jan-Dec 1978 Format & description of
data on tape also encl W/o tape
GRDCE, R H Maine Yankee Atomic Power Co. 79/03/01 4pp

7903290047 Confirms 790306 meeting to discuss dosimetry records
maintained under license DPR-3, DPR-28, DPR-35, & DPR-36
SMITH, O H Region 1, Philadelphia, Office of the Director
79/03/04 1p

7903220181 Forwards proposed mods to radiological effluent Tech Specs &
draft Offsite Dose Calculation Manual
VANDENBURGH, D E Maine Yankee Atomic Power Co 79/03/15 75pp

7903270341 Ack receipt of NRC 790117 accepting ECCB evaluation model
for LOCA analyses Future licensing calculations will use

7903120510 Forwards IE Insp Rept 50-309/78-23 on 781218-21 & notice of
violation
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/01/19 2pp

7903120513 Notice of violation from insp on 781218-21
* Region 1, Philadelphia, Office of the Director 79/01/18
1p

7903120516 IE Insp Rept 50-309/78-23 on 781218-21 Noncompliance noted
failure to properly control safety-related jumpers/bypasses
LAZARUS, W J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/01/18 11pp

7903120492 Forwards IE Insp Rept 50-309/79-01 on 780808-10 No
noncompliance noted
SMITH, O H Region 1, Philadelphia, Fuel Facility & Materials
Safety Branch. 79/01/25 2pp

7903120528 IE Insp Rept 50-309/79-01 on 790808-10 No noncompliance
noted Major areas inspected contains results of an effluent
sample split between licensee & NRC
KOTTAN, J J, STCHER, J P Region 1, Philadelphia, Fuel Facility &
Materials Safety Branch 79/01/23 4pp

7903040645 Forwards IE Info Notice 79-03, "Limitorque Valve Gained
Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/09 1p

7903080431 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/16 1p

7903080501 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model 53CML should read
5L3CML
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/27. 1p

7903150224 Forwards "Effluent & Waste Disposal Semiannual Rept, July-Dec
1978"
JOHNSON, W P Maine Yankee Atomic Power Co 79/02/28 1p

7903150226 "Effluent & Waste Disposal Semiannual Rept, July-Dec 1978"
* Maine Yankee Atomic Power Co 78/12/31 8pp

7903150257 Forwards monthly operating rept for Feb 1979
MOODY, D E Maine Yankee Atomic Power Co 79/03/12 1p

7903150263 Monthly operating rept for Feb 1979
SUDOREN, R M Maine Yankee Atomic Power Co 79/03/12 5pp

7903120229 Forwards LER 79-003/03L-0
WOOD, E C Maine Yankee Atomic Power Co 79/02/28. 1p

7903120234 LER 79-003/03L-0 on 790227, Channel A sigma meter relay
setpoint drifted approx 1 psig below required actuation
setpoint caused by instrument drift Setpoint has been
changed
ANDERSON, P L Maine Yankee Atomic Power Co. 79/02/28 2pp

7903150221 Forwards LER 79-002/03L-0
WOOD, E C Maine Yankee Atomic Power Co 79/02/28. 1p

7903150225 LER 79-002/03L-0 on 790226 during test of reactor protection
sys, set of relay contacts on reactor trip matrix relays did
not open reliably upon deenergization of relay Cause
undetermined. Faulty contacts replaced
ANDERSON, P L Maine Yankee Atomic Power Co 79/02/28 2pp

7903090225 Provides info requested in NRC 790205 ltr re failure of half
size main transformers
MOODY, D E Maine Yankee Atomic Power Co. 79/03/02 6pp.

7903190259 Forwards LER 79-004/03L-0
WOOD, E C. Maine Yankee Atomic Power Co 79/03/13 1p

7903190266 LER 79-004/03L-0 on 790223 Channel C MCB indication for
incore tilt & positive & negative SOTC limits were reading
more negative than other channels. Caused by failed +18 volts
DC power supply. Unit replaced.
ANDERSON, P L Maine Yankee Atomic Power Co. 79/03/13 1p

DOCKETED SERIES

93

DOCKET 50-309 Maine Yankee Atomic Power Plant

7903210121 Provides RD 79-005/01X-0 Show cause order received 790313 requiring cold shutdown within 48-h due to potential piping deficiencies in safety sys Facility shall be shutdown & cooled within required time period
WOOD, E C Maine Yankee Atomic Power Co 79/03/14 1p

7903270519 Forwards LER 79-005/01X-0
WOOD, E C Maine Yankee Atomic Power Co 79/03/20 1p

7903270525 LER 79-005/01X-0 on 790313 order to show cause issued due to potential piping deficiencies in safety-related sys Since plant is now in cold shutdown, deficiencies no longer present safety concern
ANDERSON, P L Maine Yankee Atomic Power Co 79/03/20 1p

DOCKET 50-311 Salem Nuclear Generating Station, Unit 2

7903040565 Provides info to assist in determining proper operating license fee for facility which will be ready for operation in Mar 1979
PARR, D D Light Water Reactors Branch 3 79/02/01 2pp

7903020148 Transcript of 226th general meeting held 790208 in Washington, DC Discussed operating license application & Babcock-205 std nuclear steam supply sys Pp 1-128
CARBON, M W, PLESSET, M S, EBERSOLE, J ACRS - Advisory Committee on Reactor Safeguards 79/02/08 182pp

7903050328 Forwards list of incomplete preoperational tests & other items for which deferment is indicated until after core loading
MITTL, R L Public Service Electric & Gas Co of New Jersey 79/02/13 7pp

7903070185 Notice of site visit on 790220-22 to discuss seismic qualification of safety-related equipment & perform site audit
DROMERICK, A Light Water Reactors Branch 3 79/02/13 2pp

7903090199 Summary of 790208 ACRS committee meeting to discuss application for operating license Concluded committee would write favorable ltr
DROMERICK, A Light Water Reactors Branch 3 79/02/13 3pp

7903190567 Permits withholding of proprietary rept "Fuel Grid Impact Leads for Salem Unit 2" dated 790112 (ref 10CFR2, 790)
PARR, D D Light Water Reactors Branch 3 79/02/26 2pp

7903160018 Notification of 790305 meeting w/Public Svc Electric & Gas to discuss Tech Specs.
DROMERICK, A W Light Water Reactors Branch 3 79/02/27 2pp

7903270616 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903120233 Forwards response to NRC request for addl info re sufficient auxiliary feedwater in event of tornado missile strike (Question 1 4i), equipment qualification (Question 41 1, Parts 1 through 8) & updated pages to FSAR App D
MITTL, R L Public Service Electric & Gas Co of New Jersey 79/03/06 33pp

7903130384 Forwards "NAMCO EA-180 Limit Switch Qualification Rept" & Automatic Switch Co test rept AGS2167B/TR, per NRC 790306 ltr.
MITTL, R L Public Service Electric & Gas Co of New Jersey 79/03/06 1p

7903130390 Qualification tests of solenoid valves by environ exposure to elevated temp, radiation, seismic simulation, vibration endurance, accident radiation & LOCA simulation
* Public Service Electric & Gas Co of New Jersey AGS2167B/TR, 79/02/08 275pp

7903130397 "NAMCO EA-180 Limit Switch Qualification Rept "
* Public Service Electric & Gas Co of New Jersey 78/09/05 60pp

7903220412 Summary of 790305 meeting w/util & Westinghouse re App A Tech Specs & Identification of addl mod to standard Tech Specs for Westinghouse PWRs Attendees list encl
DROMERICK, A Operating Reactors Branch 3 79/03/07 3pp

7903130422 Submits updated responses to request for addl info re containment purge pressure Info will be incorporated into FSAR in amend to application Test procedure for performance of feedwater hammer test also encl
MITTL, R L Public Service Electric & Gas Co of New Jersey 79/03/08 11pp

7903270503 Responds to 790226-28 meeting request for addl info re seismic qualification data on electrical, instrumentation & mechanical components
MITTL, R L Public Service Electric & Gas Co of New Jersey 79/03/23 35pp

7903300257 Forwards list of incomplete preoperational tests & items for which deferment until after initial fuel loading is anticipated.
MITTL, R L Public Service Electric & Gas Co of New Jersey 79/03/28 8pp

7903200434 Forwards response to environ qualification items listed in Section 8 4B of SER, Suppl 3 Discusses electrical equipment, including electrical terminal blocks, electrical cables, motor-operated valves & fan coolers
MITTL, R L Public Service Electric & Gas Co of New Jersey 79/03/16 16pp

7903080224 Forwards copies of responses to 790119 request for addl info re fire protection review W/2 oversized drawings
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey 79/03/02 9pp

7903230151 Forwards contingency plan revising Chapter 8 of security plan Identifies security measures for physical protection of facility Withheld (ref 10CFR2 790)
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey 79/03/19 2pp

7903090015 Opposes operating license on two grounds no solution to waste problem & no need for power demonstrated Mentions various factors to be considered before licensing should be granted
BERRYHILL, F Coalition for Nuclear Power Plant Postponement 79/01/30 1p

7903230109 Opposes storage of spent fuel, enlargement of spent fuel pools & any storage within the Township of Lower Alloways Creek, NJ Requests programs for permanent disposal outside Township
DONELSON, B C Lower Alloways Creek, NJ 79/02/16 3pp.

7903290206 Forwards resolution by Lower Alloways Creek Township Committee against expansion of increased spent fuel storage at Salem & Hope Creek nuclear plants
WILLIAMS, H A Senate 79/03/12 4pp

7903080189 Forwards ANI Binder EB-72 & MAELU Binder XB-72 re secondary financial protection for plant.
LIBRIZZI, F P Public Service Electric & Gas Co of New Jersey 79/02/22 11pp

7903140495 Forwards ACRS "Rept on Salem Nuclear Generating Station Unit 2 "
PARR, D D Light Water Reactors Branch 3 79/02/26 2pp.

7903140502 Repts on facility application Notes four outstanding issues & six items requiring addl documentation. Recommends implementation of Reg Guide 1 197 Concludes plant can be operated at up to 3,411 MWt
CARBON, M W ACRS - Advisory Committee on Reactor Safeguards, 79/02/13 4pp

7903200099 Forwards revised Page 3 of ACRS rept dtd 790215, W/encl transmittal ltr dtd 790226
PARR, D D Light Water Reactors Branch 3 79/03/01 2pp.

7903200102 Forwards revised page three of ACRS rept dtd 790215.
FRALEY, R F ACRS - Advisory Committee on Reactor Safeguards, 79/02/22 2pp

7903060641 In response to 790110 ltr re discharge of employees who had made statements to NRC inspector & util representatives re alleged poor quality of painting work, advises that employee not fired & further investigation not warranted
GOSBICK, L V Office of the Executive Director for Operations, 79/02/12 3pp

7903060644 Requests update re firing of employees by Public Svc Electric & Gas.
HUGHES, W J House of Rep. 79/01/10 1p.

DOCKETED SERIES

DOCKET 50-311 Salem Nuclear Generating Station, Unit 2

- 7903060452 Discusses discharge of employee for allegedly making false statements to NRC inspector
SHENMAKER, R E, REINMUTH, G W, MOSELEY, N C Division of Reactor Construction Inspection 78/03/12 1p
- 7903080321 Forwards "Evaluation of Reactor Coolant Sys Considering Subcompartment Pressurization Following a LOCA," in response to requests for addl info Updates & supersedes 78011B rept & includes info re reactor vessel supports
MITTL, R L Public Service Electric & Gas Co of New Jersey 79/03/06 1p
- 7903080326 "Evaluation of Reactor Coolant Sys Considering Subcompartment Pressurization Following a LOCA"
Public Service Electric & Gas Co of New Jersey 79/03/06 95pp
- 7903160139 Forwards forms reporting total amount of water diverted from wells each month & chloride analysis of water from wells for quarter ending 781231
MIDURA, H J Public Service Electric & Gas Co of New Jersey 79/03/09 3pp
- 7903060372 Forwards IE Insp Rept 50-311/78-41 on 781102 & notice of violation Notice of violation withheld (ref 10CFR2 7901)
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 78/12/19, 2pp
- 7903060373 IE Insp Rept 50-311/78-41 on 781102 Noncompliance noted: in BWH protection area Rept withheld (ref 10CFR2 7901)
RODERB, K Region 1, Philadelphia, Office of the Director
DEVILIN, J Region 1, Philadelphia, Safeguards Branch 78/12/14 1p
- 7903080018 Forwards IE Insp Repts 50-272/78-28 & 50-311/78-47 on 781119-1216 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/10, 2pp
- 7903080025 IE Insp Repts 50-272/78-28 & 50-311/78-47 on 781119-1216 No noncompliance noted Major areas inspected log & records, plant cleanliness, licensee event followups, IE circulars, followup on previous insp items, test procedures & training
NORRHOLM, L J, NICHOLAS, H H, KEINIG, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/19 20pp
- 7903070159 Forwards IE Insp Rept 50-311/78-56 on 781220-22 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/12 2pp.
- 7903070163 IE Insp Rept 50-311/78-56 on 781220-22 No noncompliance noted Major areas inspected insp of new fuel receipt, insp & storage & preparations for initial fuel loading
KALHAN, G Region 1, Philadelphia, Office of the Director
CAPHTON, D L Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/11 5pp
- 7903090318 Forwards IE Insp Rept 50-311/78-53 on 781226-29 No noncompliance noted.
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/18 2pp
- 7903090325 IE Insp Rept 50-311/78-53 on 781226-29 No noncompliance noted Major areas inspected, containment integrated leak rate test & licensee action on previous insp findings
SMITH, T H, GRAHAM, P D, CAPHTON, D L Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/17, 6pp
- 7903120457 Forwards IE Insp Repts 50-272/79-01 & 50-311/79-01 on 790103-05 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/24 2pp
- 7903140303 IE Insp Repts 50-311/79-03 on 790108-10 No noncompliance noted Major areas inspected fire prevention/protection program including work-control procedures, design-change controls & emergency shutdown procedures
GAGE, L W, KOLTAY, P, EBNETER, S Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/25 5pp
- 7903140354 Forwards IE Insp Repts 50-272/78-29 & 50-311/78-54 on 781217-790113 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/29 2pp
- 7903140366 IE Insp Repts 50-272/78-29 & 50-311/78-54 on 781217-790113 No noncompliance noted Major areas inspected facility tour, log & record reviews, followup on previous insp items & preoperational QA
NORRHOLM, L J, KEINIG, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/25 13pp
- 7903140013 Forwards IE Insp Repts 50-272/78-31 & 50-311/78-51 on 781211-13 & 19-21 No noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/31 2pp
- 7903140019 IE Insp Repts 50-272/78-31 & 50-311/78-51 on 781211-13 & 19-21 No noncompliance noted Major areas inspected piping post-weld heat treatment practices, test procedures for containment structural integrity test & plant insp tour
TOTH, A D, BATEMAN, W H, MCGAUGHY, R W Region 1, Philadelphia, Office of the Director 79/01/30 15pp
- 7903140621 Forwards IE Insp Repts 50-272/79-04 & 50-311/79-02 on 790104-05 No noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/31 2pp
- 7903140624 IE Insp Repts 50-272/79-04 & 50-311/79-02 on 790104-05 No noncompliance noted Major areas inspected corrective action on post-weld heat treatment & practices
BURN, J, EBNETER, S D Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/17 4pp
- 7903140085 Forwards IE Insp Rept 50-311/79-07 on 790115-17 No noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/01 2pp
- 7903140089 IE Insp Rept 50-311/79-07 on 790115-17 No noncompliance noted Major areas inspected quality verification records for electrical relay coordination study, licensee implementation of design changes
TOTH, A D, CERNE, A C, MCGAUGHY, R W Region 1, Philadelphia, Office of the Director 79/01/31 7pp
- 7903210016 Forwards IE Insp Rept 50-311/78-55 on 781219-21 No noncompliance noted
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/05 2pp
- 7903210017 IE Insp Rept 50-311/78-55 on 781219-21 No noncompliance noted Major areas inspected preoperational environ monitoring programs
SHANBAKY, M M, JACKSON, T J, BTOHR, J P Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/02 6pp
- 7903210010 Forwards IE Insp Rept 50-311/79-04 on 790108-12 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/06 2pp
- 7903210013 IE Insp Rept 50-311/79-04 on 790108-12 No noncompliance noted Major areas inspected administrative controls, owner organization, onsite operations, procedures & facility tour
BAUNACK, W H, CONTE, R J, KISTER, H B Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/05 14pp
- 7903200442 Forwards IE Insp Rept 50-311/79-09 on 790123-26 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/07, 2pp.
- 7903200447 IE Insp Rept 50-311/79-09 on 790123-26 No noncompliance noted Major areas inspected overall preoperational test program & plant tour
MCNATT, T G, NICHOLAS, H H, CAPHTON, D L Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/06 7pp

DOCKETED SERIES

95

DOCKET 50-311 Salem Nuclear Generating Station, Unit 2

7903060521 Forwards IE Info Notice 79-03, "Limitonque Valve Geared Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/09 1p

7903070117 Ack receipt of 790123 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-272/78-30 & 50-311/78-52
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/09 1p

7903070130 Responds to NRC 790102 ltr re violations noted in IE Insp Repts 50-272/78-30 & 50-311/78-52 Corrective actions required safety analysis now reviewed & radioactive waste compacting now done w/exposure permit
SCHNEIDER, F W Public Service Electric & Gas Co of New Jersey
79/01/23 4pp

7903070132 Forwards IE Insp Repts 50-272/78-30 & 50-311/78-52 on 781212-15 & notice of violation
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/02 2pp

7903070176 Notice of violation from insp on 791212-15
* Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/12/28 2pp

7903070181 IE Insp Repts 50-272/78-30 & 50-311/78-52 on 781212-15 Noncompliance noted liquid waste disposal sys changed w/o safety evaluation, compactor operator exposed w/o suitable radiation measurement & no monitoring during compacting
WHITE, J R, CROCKER, H W Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 78/12/28 14pp

7903130239 Ack receipt of 790116 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-311/78-46
Discusses understandings re strain gage commitments
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/09 2pp

7903130243 Responds to NRC 781215 ltr re violation noted in IE Insp Rept 50-311/78-46 Corrective actions strain gage measurements not considered formal part of structural integrity test Tech Specs were relaxed in 781208 revision
MARTIN, T J Public Service Electric & Gas Co. of New Jersey
79/01/16 2pp

7903130247 Forwards IE Insp Rept 50-311/78-46 on 781120-22 & notice of violation
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 78/12/15 2pp

7903130250 Notice of violation from insp on 781120-22
* Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 78/12/13 1p

7903130253 IE Insp Rept 50-311/78-46 on 781120-22 Noncompliance noted failure to implement instrumentation check-out procedure for containment strain gages
TOTH, A D, WALTON, G A, MCQUAHY, R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 78/12/13 9pp

7903300006 Forwards IE Insp Rept 50-311/79-08 on 790122-30 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/14 2pp

7903300007 IE Insp Rept 50-311/79-08 on 790122-30. No noncompliance noted Major areas inspected facility procedure scope, plant manual operating instructions, facility procedure format & content of plant operating procedures
BAUNACK, W H, CONTE, R J, KISTER, H B Region 1, Philadelphia, Reactor Operations Nuclear Support Branch. 79/02/13 12pp

7903080391 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/16 1p

7903140064 Ack receipt of 781120 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-311/78-26
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/16 1p

7903140075 Confirms completion of heat treatment procedure testing
Concludes heat treatment had no detrimental effect on piping
MARTIN, T J Public Service Electric & Gas Co of New Jersey
78/11/20 3pp

7903140083 Responds to NRC 780627 ltr re violation noted in IE Insp Rept 50-311/78-26 Corrective actions reviewed field procedures, heat treatment records & stress calculation, & nondestructive examination of sample joints
MARTIN, T J Public Service Electric & Gas Co of New Jersey.
79/02/05 2pp

7903300524 Forwards IE Insp Rept 50-311/79-03 on 790108-12 & 15-19 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/16 2pp

7903300528 IE Insp Rept 50-311/79-03 on 790108-12 & 15-19 No noncompliance noted Major areas inspected, operational QA program
KEHDE, D V, NAPUDD, G, KISTER, H B Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/15 23pp

7903130559 Ack receipt of 790202 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-272/78-28 & 50-311/78-47
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/20 1p

7903130570 Responds to NRC 790110 ltr re violations noted in IE Insp Repts 50-272/78-28 & 50-311/78-47 Corrective actions, test engineers required to perform field insp of all POTT sys & items tagged w/orange tags
MARTIN, T J Public Service Electric & Gas Co of New Jersey.
79/02/02 3pp

7903130579 Forwards IE Insp Repts 50-272/78-28 & 50-311/78-47 on 781119-1216 & notice of violation
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/10 2pp

7903130585 Notice of violation from insp on 781119-1216
* Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/09 2pp.

7903130596 IE Insp Repts 50-272/78-28 & 50-311/78-47 on 781119-1216 Noncompliance noted failure to identify status of turned-over equipment & components at Unit 1.
NORRHOLM, L J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/09 20pp

7903080459 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 5L3CML
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/27 1p

7903120205 Responds to IE Bulletin 79-01, "Environ Qualification of Safety-Related Electrical Equipment at Nuclear Power Plants" Outlines changes to be made at first refueling outage
SCHNEIDER, F W Public Service Electric & Gas Co of New Jersey.
79/03/06 5pp.

7903280021 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/03/08 1p.

7903120221 Forwards monthly rept for Jan 1979 for industrial waste treatment plant
MIDURA, H J Public Service Electric & Gas Co. of New Jersey
79/02/14 2pp

7903120213 Forwards wastewater treatment rept for Jan 1979 for sewage treatment plant
MIDURA, H J Public Service Electric & Gas Co of New Jersey
79/02/15 2pp.

7903120219 Forwards discharging monitoring repts for Jan 1979 Mats removed from main circulating water & collected on traveling screens have been deposited at Quinton landfill.
MIDURA, H J Public Service Electric & Gas Co of New Jersey.
79/02/28 14pp

7903160097 Forwards monthly operating rept for Feb 1979, for industrial waste treatment plant
MIDURA, H J Public Service Electric & Gas Co of New Jersey.
79/03/01 2pp.

7903270492 Forwards wastewater treatment rept for Feb 1979.
MIDURA, H J. Public Service Electric & Gas Co of New Jersey
79/03/09 2pp.

DOCKETED SERIES

DOCKET 50-311 Salem Nuclear Generating Station, Unit 2

7903270459 Forwards discharge monitoring repts for Feb 1979
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 79/03/16 14pp

DOCKET 50-312 Rancho Seco Nuclear Generating Station

7903230035 Forwards Federal Register notice amending 10CFR73.55.
 "Requirements for Physical Protection of Licensed Activities
 in Nuclear Power Reactors Against Industrial Sabotage," to
 defer employee pat-down searches until 790801
 DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903200350 Forwards internal cash flow projection for 1979, balance
 sheet & statement of net revenue as of 781231, & projected
 net revenues for 1979 budget year
 MATTIMOE, J J Sacramento Municipal Utility District 79/02/26
 8pp

7903290156 Forwards "Annual Rept 1978"
 OUBRE, R P Sacramento Municipal Utility District 79/03/26 1p

7903290161 "Annual Rept 1978"
 * Sacramento Municipal Utility District 79/03/26 20pp

7903140222 Forwards revised versions Entry-Control Sys Handbook,
 SAND77-1033J Intrusion Detection Sys Handbook, SAND76-0554, &
 Barrier Penetration Database, NUREG/CR-0181 W/o encl
 MILLER, J R Division of Operating Reactors 79/01/09 2pp

7903120535 Forwards staff recommendations re general contents of
 Offsite Dose Calculation Manual to be submitted w/proposed
 radiological effluent Tech Specs.
 GRIMES, B K Assistant Director for Engineers & Projects
 79/01/18 4pp

7903120161 Minutes of Subcommittee on Plant Arrangements meeting held
 in Washington, DC on 781025 to discuss review of Test Action
 Plan A-17, "Sys Interaction in Nuclear Power Plant" & Zion
 Station interaction study W/Federal Register notice
 * ACRS - Advisory Committee on Reactor Safeguards 79/01/19 27pp

7903200128 Forwards Amend 27 to License DPR-54 & notice of issuance &
 availability
 REID, R W Operating Reactors Branch 4 79/02/23 3pp

7903200132 Amend 27 to License DPR-54, incorporating current physical
 security plan into license
 REID, R W Operating Reactors Branch 4 79/02/23 2pp

7903200135 Notice of issuance of Amend 27 to License DPR-54
 FAIRFILL, M B Operating Reactors Branch 3, 79/02/23 2pp

7903060274 Responds to NRC 781115 request that Tech Specs be revised to
 include requirements of NUREG-0472 Submittal will be delayed
 until 790315
 MATTIMOE, J J Sacramento Municipal Utility District 79/02/27 1p

7903260360 Responds to 771215 review of potential boron dilution
 incidents, FSAR analysis still represents most limiting case.
 Based on this response, no further action is necessary
 REID, R W Operating Reactors Branch 4 79/03/01 2pp

7903200355 In response to 790124 request, forwards addl info re util's
 proposed Class II instrumentation and Cable routing &
 equipment location will be submitted by 790701 Requests
 comments within 30 days
 MATTIMOE, J J Sacramento Municipal Utility District 79/03/15
 2pp.

7903090001 Forwards IE Insp Rept 50-312/79-01 on 790105-18 No
 noncompliance noted
 CREWS, J L Region 5, San Francisco, Reactor Operations Nuclear
 Support Branch. 79/02/02 2pp

7903090002 IE Insp Rept 50-312/79-01 on 790105-18 No noncompliance
 noted. Major areas inspected, reportable occurrences involving
 water hammer, loss of integrated control sys & excessive
 cooldown rate.
 FAULKENBERRY, B, JOHNSON, A. D., MILLER, L. F. Region 5, San
 Francisco, Reactor Operations Nuclear Support Branch. 79/02/01,
 4pp

7903070442 Ack receipt of 790202 ltr informing NRC of steps taken to
 correct violations contained in notice of violations dtd
 790110
 NORDERHUQ, L R Region 5, San Francisco, Safeguards Branch,
 79/02/16 1p

7903190520 Forwards IE Info Notice 79-04, "Degradation of Engineered
 Safety Features"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director
 79/02/16 1p

7903130424 Ack receipt of 790214 ltr informing NRC of steps taken to
 correct violations noted in IE Insp Rept 50-312/78-23
 ENGELKEN, R H Region 5, San Francisco, Office of the Director
 79/02/27 1p

7903130429 Responds to NRC 790124 ltr re violations noted in IE Insp
 Rept 50-312/78-23 Corrective actions correct labeling of
 containers w/radioactive mats
 MATTIMOE, J J Sacramento Municipal Utility District 79/02/14
 2pp

7903130481 Forwards IE Insp Rept 50-312/78-23 on 781204-08 & 790103 &
 notice of violation
 ENGELKEN, R H Region 5, San Francisco, Office of the Director
 79/01/24 2pp

7903130485 Notice of violation from insp on 781204-08 & 790103
 ENGELKEN, R H Region 5, San Francisco, Office of the Director
 79/01/24 1p

7903130492 IE Insp Rept 50-312/78-23 on 781204-08 & 790103
 Noncompliance noted labeling of container
 THOMAS, R D Region 5, San Francisco, Fuel Facility & Materials
 Safety Branch 79/01/24 7pp

7903140393 Informs recipients of IE Bulletin 79-01, "Environ
 Qualification of Class IE Equipment," dtd 790208, that valve
 limit switch identified as NAMCO Model 83CML should read
 813CML
 ENGELKEN, R H Region 5, San Francisco, Office of the Director
 79/02/27 1p

7903140583 States that IE Bulletin 79-01, "Environ Qualification of
 Class IE Equipment (correction)" was issued to listed
 licensees in Region 5
 * Region 5, San Francisco, Office of the Director 79/02/27 1p

7903150067 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design
 Using Concrete Expansion Anchor Bolts"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director
 79/03/08 1p

7903190016 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
 ASME SA-312 Type 304 Stainless Steel Pipe Spools
 Manufactured by Youngstown Welding & Engraving Co."
 ENGELKEN, R H Region 5, San Francisco, Office of the Director
 79/03/12 1p

7903210414 Forwards IE Circular 79-04, "Loose Locking Nut on Limiting
 Valve Operators"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director
 79/03/16 1p

7903260321 Forwards IE Circular 79-05, "Moisture Leakage in Stranded
 Wire Conductors"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director
 79/03/20 1p

7903160224 Forwards "Radiation Exposure, Environ Protection, Effluent &
 Waste Disposal," 1978 Annual Rept
 WALBRIDGE, W C Sacramento Municipal Utility District 79/03/06
 2pp

7903160235 "Radiation Exposure, Environ Protection, Effluent & Waste
 Disposal," 1978 Annual Rept
 * Sacramento Municipal Utility District 78/12/31 102pp

7903130279 Forwards monthly operating rept for Feb 1979
 RODRIGUEZ, R J Sacramento Municipal Utility District 79/03/07
 1p

7903130281 Monthly operating rept for Feb 1979
 COLONBO, R W Sacramento Municipal Utility District 79/02/20
 6pp

7903130402 Forwards LER 79-002/03L-0
 WALBRIDGE, W C Sacramento Municipal Utility District. 79/03/06
 1p

7903130407 LER 79-002/03L-0 on 790205 while performing a periodic
 maint, redundant unit A-300C failed to start Caused by
 improperly set overcurrent relay. Relay reset & unit tested &
 declared operable
 COLONBO, R W Sacramento Municipal Utility District 79/03/06
 1p

DOCKETED SERIES

97

DOCKET 50-313 Arkansas Nuclear One, Unit 1

- 7903020362 Forwards compensatory measures to be followed prior to implementation of contingency plan if facility security sys is not operable by 790223 Plan withheld (ref 10CFR2 790) RUEYER, D A Arkansas Power & Light Co 79/02/15 1p
- 7903040131 Forwards proposed fire protection Tech Spec changes & check for Class II amend fee Changes add heat/smoke detectors & addl sprinkler sys zones CAVANAUGH, W Arkansas Power & Light Co 79/02/23 5pp
- 7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801 DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p
- 7903230205 Ack receipt of 790201 & 790216 submittals re security sys Contingency measures are acceptable per 10CFR50.54(p) REID, R W Operating Reactors Branch 4 STOLZ, J F Light Water Reactors Branch 1 79/02/23 1p
- 7903270009 Forwards request for addl info re proposed fire protection mods Suggests changes to meet acceptance criteria REID, R W Operating Reactors Branch 4 79/03/05 5pp
- 7903130312 Supersedes info in 790110 ltr re fire protection Util will now be able to provide emergency power source for all fire detectors at Unit 1 RUEYER, D A Arkansas Power & Light Co 79/03/07 1p
- 7903210232 Forwards proposed fire test of cable penetration fire stops installed in metal lath & plaster walls Tested penetrations will represent "worst case" conditions Requests NRC review & comment as soon as possible W/oversized drawing RUEYER, D A Arkansas Power & Light Co 79/03/07 42pp
- 7903220237 Believes NRC proposed fire protection tests & logic mods are unnecessary Implementation of logic mods impossible during 790330 refueling outage Requests notification by 790326 if sys installation basis is insufficient RUEYER, D A Arkansas Power & Light Co 79/03/19 4pp
- 7903230156 In response to 790305 request for addl info re fire protection, forwards 650830 lab rept "Protectowire Heat Sensitive Cable (Line Type Thermostat)," TRIMBLE, D C Arkansas Power & Light Co 79/03/20 7pp
- 7903270400 Forwards safeguards contingency plan submitted as App A to industrial security plan, w/provisions made to table of contents & Section B Encl withheld (ref 10CFR2 790) TRIMBLE, D C Arkansas Power & Light Co 79/03/23 1p
- 7903200363 Forwards Endorsement 36 to NELIA Policy NF-210 & Endorsement 32 to MALEU Policy MF-74 RUEYER, D A Arkansas Power & Light Co 79/03/15 3pp
- 7903140222 Forwards revised versions Entry-Control Sys Handbook, BAND77-1033; Intrusion Detection Sys Handbook, BAND76-0534; & Barrier Penetration Database, NUREG/CR-0181 W/o encl MILLER, J R Division of Operating Reactors 79/01/09 2pp
- 7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp
- 7903070193 Forwards revised pages to correct omission in 781113 revisions to Amend 37 to DPR-51 & Amend 5 to NPF-6 W/encl revised environ surveillance organization charts STOLZ, J F Light Water Reactors Branch 1 REID, R W Operating Reactors Branch 4 79/01/31 4pp
- 7903070135 Requests addl info within 15 days re requested changes to Tech Specs Info includes description of QA program, analysis of moderator dilution accident & computation basis for revision of flux/flow REID, R W Operating Reactors Branch 4 79/02/06 5pp
- 7903060438 Forwards proposed Tech Spec & environ Tech Spec changes re reassignment of W Cavanaugh He will continue to serve as officer of util W/encl Class II, amend fee PETTIT, A P Arkansas Power & Light Co 79/02/12 11pp
- 7903090245 Requests that util explain basis for concluding that electrical design of facility is acceptable in its present configuration LAINAS, G. Plant Systems Branch 79/02/13 3pp
- 7903080158 Forwards agenda for 790227 meeting w/AR Power & Light Co to discuss Units 1 & 2 electrical power sys, particularly as applicable to Functioning of Startup Transformer 2 VIBBING, O S Operating Reactors Branch 4 79/02/14 3pp
- 7903280024 Forwards Amends 40 & B to Licenses DPR-51 & NPF-6, respectively, & notice of issuance & availability REID, R W Operating Reactors Branch 4 STOLZ, J F, Light Water Reactors Branch 1 79/02/23 3pp
- 7903280032 Amends 40 & B to Licenses DPR-51 & NPF-6, respectively, incorporating physical security plans into license REID, R W Operating Reactors Branch 4 79/02/23 4pp
- 7903280036 Notice of issuance & availability of Amends 40 & B to Licenses DPR-51 & NPF-6, respectively FAIRFILL, M B Operating Reactors Branch 4 79/02/23 2pp.
- 7903130404 Submits responses re startup testing requested by NRC 790109 & 790118 telcons & 790206 ltr. Current schedule calls for refueling shutdown to begin 790323 Requests issuance of Cycle 4 Tech Specs RUEYER, D A Arkansas Power & Light Co 79/02/27 8pp
- 7903210377 Responds to 781027 & 790103 ltrs re proposed mods to mitigate small break LOCA, assuming loss of offsite power & failure of one engineered safeguards bus NRC finds mods acceptable REID, R W Operating Reactors Branch 4 79/03/01 3pp
- 7903160322 Discusses reasons for Class IV fee for 780719 cask handling amend application NRC retains original determination & requests addl \$8,300 within 15 days MILLER, W O License Fee Management Branch 79/03/05 2pp
- 7903200251 Forwards changes to Tech Specs re radiological effluent monitoring Requests delay of implementation for 90 days Offsite Dose Calculation Manual will be submitted 790401 W/ Class III amend fee CAVANAUGH, W Arkansas Power & Light Co 79/03/09 65pp
- 7903190241 Provides answers to questions raised at 790227 meeting & documents info presented re calculation analysis of min voltage levels & offsite electric power sys RUEYER, D A Arkansas Power & Light Co 79/03/13 14pp
- 7903200471 Forwards addl suppl & supporting documentation for 790119 submittal of Tech Spec change re steam generator tube surveillance Proposes critical tubes be excluded from sampling & insp intervals be independent for each group RUEYER, D A Arkansas Power & Light Co 79/03/13 2pp
- 7903300514 Authorizes refund of Class III amend fee Commission has determined that refund is in order since 790110 requests are suppl to 771019 application which is under review MILLER, W O License Fee Management Branch. 79/03/14 1p
- 7903220220 Responds to 780202 request & submits addl info re reactor cavity annular seal ring Proposes installing permanent fix to prevent seal ring from becoming a missile no later than Fall 1980 No interim storage area found RUEYER, D A Arkansas Power & Light Co. 79/03/16 2pp
- 7903280283 Disagrees w/NRC assessment of amend fee as Class IV rather than Class III, but will remit addl \$8,300, concurrent w/plans & schedules for future handling of NAC-1 cask TRIMBLE, D C Arkansas Power & Light Co 79/03/22 1p
- 7903220310 Forwards IE Insp Rept 50-313/78-22 & 50-368/78-29 on 781218-790114 & notice of violation MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/01/30 2pp
- 7903220312 Notice of violation from insp on 781218-790114, * Region 4, Dallas, Reactor Operations Nuclear Support Branch. 79/01/30 10pp
- 7903220320 IE Insp Rept 50-313/78-22 & 50-368/78-29 on 781218-790114. Noncompliance noted: not maintaining jumper & bypass log, proper closure of fire doors, limiting condition for entering Mode 2 from Mode 3 & not following procedures WESTERMAN, T F, BOYER, N C., MADSEN, G L Region 4, Dallas, Reactor Construction & Engineering Support Branch. 79/01/30 10pp.
- 7903090368 Ack receipt of 790126 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-313/78-21 & 50-368/78-28 MADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support Branch. 79/02/07 1p

DOCKETED SERIES

DOCKET 50-313 Arkansas Nuclear One, Unit 1

7903090373 Responds to NRC 790105 ltr re violations noted in IE Insp Repts 50-313/78-21 & 50-348/78-28 Corrective actions appropriate personnel have been verbally reinstructed in proper method for changing procedure from manual
WILLIAMS, D H Arkansas Power & Light Co 79/01/26 2pp

7903080415 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/16 1p

7903090031 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/27 1p

7903010301 Forwards semiannual radioactive effluent rept for third & fourth quarters of 1978
RUETER, D A Arkansas Power & Light Co 79/02/23 15pp

7903190232 Forwards monthly operating rept for Feb 1979
RUETER, D A Arkansas Power & Light Co 79/03/08 1p

7903190238 Monthly operating rept for Feb 1979
SHIVELY, C N Arkansas Power & Light Co 79/03/08 5pp

7903130372 Forwards LER 79-002/01T-0
RUETER, D A Arkansas Power & Light Co 79/03/05 2pp

7903130273 LER 79-002/01T-0 on 790205 during startup, nuclear instrumentation was not calibr as required by Tech Spec 4.1, Table 1-1 Caused by personnel error Occurrence discussed w/shift
SHIVELY, C N Arkansas Power & Light Co 79/03/05 4pp

7903270412 Forwards Non-Routine Rept 50-313/79-01
RUETER, D A Arkansas Power & Light Co 79/03/16 1p

7903270417 Non-Routine Rept 50-313/79-01 on 790216 temp differential across condenser exceeded Tech Spec limit Caused by excessive fish impingement on water intake screen Isolation valves being cycled to wash off debris
* Arkansas Power & Light Co. 79/03/16 2pp.

DOCKET 50-315 Donald C Cook Nuclear Power Plant, Unit 1

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903300399 Forwards amended physical security plan Plan withheld (ref 10CFR2 790)
DOLAN, J E Indiana & Michigan Power Co 79/03/23 2pp

7903300267 Forwards modified amended physical security plan Plan withheld (ref 10CFR2 790)
DOLAN, J E Indiana & Michigan Power Co 79/03/26 2pp

7903270395 In response to 790120 ltr, forwarding info on spent fuel storage at six existing nuclear power plants near Lake Michigan as of 781231
DENTON, H R Office of Nuclear Reactor Regulation 79/03/08 6pp.

7903270397 Requests info re spent nuclear fuel storage at six existing nuclear plants near Lake Michigan
SCHAEFER, J Affiliation Unknown 79/03/20 2pp

7903090263 Forwards MAELU Endorsement 2 to Binder XB-45 & Endorsement 3 to Binder XB-64
DOLAN, J E Indiana & Michigan Power Co 79/03/01 6pp

7903280397 In response to 780925 ltr, summarizes info re pressurizer startup rate Tech Spec inconsistency Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR, appropriate utils have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903140222 Forwards revised versions Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181 w/o encl
MILLER, J R Division of Operating Reactors 79/01/09 2pp.

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRINEB, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903140265 In response to NRC 790103 ltr, forwards Tech Spec changes reflecting evaluation of postulated fuel handling accident inside containment
DISEBROW, R E Indiana & Michigan Power Co 79/03/07 4pp

7903300516 Forwards safety evaluation of potential for steam generator water hammer at plant
SCHWENCER, A Operating Reactors Branch 1 79/03/14 2pp

7903300519 Safety evaluation accepting design of feedwater lines & feedwater ring & administrative control on steam generator water rise rate Concludes design is adequate to reduce potential for water hammer
* Operating Reactors Branch 1 79/01/31 18pp

7903270461 Requests revisions to rod position indicator Tech Specs to remove references to part length control rods & change reporting requirements w/encl addl details & revised Tech Spec pages
DISEBROW, R E Indiana & Michigan Power Co 79/03/19 16pp

7903070487 Forwards IE Insp Repts 50-315/78-32 & 50-316/78-30 on 781212-13 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/15 2pp

7903070492 IE Insp Repts 50-315/78-32 & 50-316/78-30 on 781212-13 No noncompliance noted Major areas inspected routine confirmatory measurements Insp, including discussion of results from previous special sample collection
GREER, R J, ESSIG, T H Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/10 7pp

7903080486 Forwards IE Insp Repts 50-315/78-36 & 50-316/78-37 on 781107-09, 13-17, 20-22, 27-30 & 1201, 04-08 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/15 2pp

7903080491 IE Insp Repts 50-315/78-36 & 50-316/78-37 on 781107-09, 12-17, 20-22, 27-30 & 1201, 04-08 No noncompliance noted Major areas inspected observation of surveillance calibrations, maint activities & review of operations
BAKER, K R, WARNICK, R F Region 3, Chicago, Office of the Director 79/01/08 11pp

7903190110 Forwards IE Insp Repts 50-315/78-38 & 50-316/78-39 on 781211-15, 18-22 & 31 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/26 2pp

7903190116 Notice of violation from insp on 781211-15, 18-22 & 31
* Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/26 1p

7903190352 Forwards IE Insp Repts 50-315/78-38 & 50-316/78-39 on 781211-15, 18-22 & 31 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903190355 Notice of violation from insp on 781211-15, 18-22 & 31
* Region 3, Chicago, Office of the Director 79/01/26 1p

7903190359 IE Insp Repts 50-315/78-38 & 50-316/78-39 on 781211-15, 18-22 & 31. Noncompliance noted high radiation area gates were found unlocked & maint of logs was found ineffectual in producing corrective action
BAKER, K R, WARNICK, R F Region 3, Chicago, Office of the Director 79/01/26 6pp

7903060456 Ack receipt of 781221 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-315/78-27 & 50-316/78-31
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch, 79/02/06 1p

7903060459 Responds to NRC 781109 ltr re violations noted in IE Insp Repts 50-315/78-27 & 50-316/78-31 Corrective actions new policy instituted for blocking alarms & meeting w/personnel to prepare condition reports
DOLAN, J E American Electric Power Co., Inc 78/12/21 3pp

7903130059 Forwards IE Insp Repts 50-315/78-37 & 50-316/78-38 on 781218-20 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/08 2pp

DOCKETED SERIES

99

DOCKET 50-315 Donald C Cook Nuclear Power Plant, Unit 1

7903130062 IE Insp Repts 50-315/78-37 & 50-316/78-38 on 781218-20 No noncompliance noted Major areas inspected calibr & surveillance of safety-related components, implementation of ASME Code XI & pump & valve test program
REYES, L A, MCGREGOR, L Q, STREETER, J F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/29 8pp

7903220480 Forwards IE Insp Repts 50-315/79-01 & 50-316/79-01 on 790130-0201 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/15 2pp

7903220482 IE Insp Repts 50-315/79-01 & 50-316/79-01 on 790130-0201 No noncompliance noted Major areas inspected radiological environ protection program
GREER, R J, EBSIO, T H Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/13 4pp

7903080349 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903080352 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903220357 Ack receipt of 790216 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-315/78-29 & 50-316/78-27
HIND, J A Region 3, Chicago, Safeguards Branch 79/03/07 1p

7903220362 Responds to NRC 790129 ltr re violations noted in IE Insp Repts 50-315/78-29 & 50-316/78-27 Clarifies commitments made in 790206 telcon Details withheld (ref 10CFR2 790)
DOLAN, J E American Electric Power Co, Inc DOLAN, J E Indiana & Michigan Power Co 79/02/16 2pp

7903150012 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190535 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903070361 Forwards "1978 Annual Operating Rept"
SHALLER, D V Indiana & Michigan Power Co 79/03/01 2pp

7903070364 "1978 Annual Operating Rept"
BEOR, R D, SVENSSON, D A, SHALLER, D V Indiana & Michigan Power Co 78/12/31 15pp

7903090139 Forwards Oct-Dec 1978 monthly repts re impingement of fish
SHALLER, D V Indiana & Michigan Power Co 79/03/05 16pp

7903210042 Forwards monthly operating rept for Feb 1979
* Indiana & Michigan Power Co 79/03/14 1p

DOCKET 50-315 Donald C Cook Nuclear Power Plant, Unit 1

7903210044 Monthly operating rept for Feb 1979
GILLET, W T Indiana & Michigan Power Co 79/03/01 6pp.

7903290148 Forwards "Radioactive Effluent Release Rept, Jul-Dec 1978"
DISBROW, R E Indiana & Michigan Power Co 79/03/19 2pp.

7903290149 "Radioactive Effluent Release Rept, Jul-Dec 1978"
* Indiana & Michigan Power Co 78/12/31 93pp.

7903020359 On 790226, Unit 1 CD Diesel was inoperable & 1 AB Diesel started Field not established for 1 AB Diesel, causing it to be declared inoperable for seven minutes
SHALLER, D V Indiana & Michigan Power Co 79/02/27 1p

7903050251 Confirms verbal rept to Inspector KR Baker on 790226 CD diesel inoperable; AB diesel started to meet surveillance requirement One AB diesel field was not established, causing it to be inoperable seven minutes
HENNINGAN, J M Indiana & Michigan Power Co 79/02/27 1p.

7903050291 Forwards LERs 78-069/03L-0 & 79-003/03L-0
SHALLER, D V Indiana & Michigan Power Co 79/02/27 1p

7903050298 LER 78-069/03L-0 on 781010 axial flux difference monitoring alarm point discovered set above Tech Spec max Caused by raising of alarm trip point during preoperational test
failure to return to required value at end
BEILMAN, T P Indiana & Michigan Power Co 79/02/27 2pp

7903050302 LER 79-003/03L-0 on 790120 during review of completed surveillance tests, discovered that test on solid state protection sys train A exceed i-h limit imposed by Tech Specs Caused by technician overlooking i-h limit
BEILMAN, T P Indiana & Michigan Power Co 79/02/27 1p

7903060231 Forwards LER 79-004/03L-0
SHALLER, D V Indiana & Michigan Power Co 79/02/28 1p

7903060237 LER 79-004/03L-0 on 790206 both doors of containment airlock were inadvertently opened Caused by interlock cable being too loose to operate locking mechanism Tension was adjusted & interlock then tested satisfactorily
LEASE, R S Indiana & Michigan Power Co 79/02/28 1p

7903130357 Forwards LERs 79-005/03L-0 & 79-006/03L-0
SHALLER, D V Indiana & Michigan Power Co 79/03/07 1p

7903130364 LER 79-005/03L-0 on 780624 unit was operated w/positive moderator temp coefficient for 3-h Caused by rod withdrawal & consequent Xe build up Procedure being revised
BEILMAN, T P Indiana & Michigan Power Co 79/03/07 1p

7903130368 LER 79-006/03L-0 on 790208 pressurizer relief tank diaphragm ruptured, causing ice condenser inlet doors to be indicated open Caused by pressure surge in lower containment Unit shut down & doors closed
CHADWELL, H M Indiana & Michigan Power Co 79/03/07 2pp

7903190287 Forwards LERs 79-007/03L-0, 79-008/03L-0 & 79-009/03L-0.
SHALLER, D V Indiana & Michigan Power Co 79/03/13 1p

7903190293 LER 79-007/03L-0 on 790218 suction valve of west centrifugal charging pump found closed Caused by mistaken closing following surveillance testing Incident is being reviewed
CHADWELL, H M Indiana & Michigan Power Co 79/03/13 2pp

7903190300 LER 79-008/03L-0 on 790207 containment atmospheric air particulate & gaseous radiation monitoring sys pump was continuously tripping. Caused by misalignment of pump bypass flow adjustments due to normal pump wear Flow rate adjusted
BEILMAN, T P Indiana & Michigan Power Co 79/03/13 1p.

7903190316 LER 79-009/03L-0 on 790223 in Mode 1 both emergency diesel generators were inoperable on separate occasions Caused by "AB" diesel generator running in parallel & other emergency generator out for maint Operating procedures revised
LEASE, R S Indiana & Michigan Power Co 79/03/13 2pp

7903290025 Forwards LERs 79-010/03L-0, 79-011/03L-0, 79-012/03L-0 & 79-013/03L-0
SHALLER, D V Indiana & Michigan Power Co 79/03/20 1p.

7903290029 LER 79-010/03L-0 on 790203: diesel essential svc water check valves 1-ESW-111 & 1-ESW-114 did not function properly. Caused by excessive wear at split disc hinge points. Discs replaced & maintenance insp procedures revised.
BROWN, H S Indiana & Michigan Power Co. 79/03/20 1p

7903290033 LER 79-011/03L-0 on 790223 auxiliary feedwater discharge valve would not close from control room. Caused by loose connection in hot shutdown panel. Connection tightened & correct valve operation verified.
BEILMAN, T P Indiana & Michigan Power Co. 79/03/20 1p.

7903290036 LER 79-012/03L-0 on 790226 containment air monitor pump overheated Caused by worn rubber spider in Lovejoy L-100 coupling Spider replaced & air sampler retested.
BROWN, H S Indiana & Michigan Power Co. 79/03/20 1p.

7903290038 LER 79-013/03L-0 on 790303 auxiliary feed valve FM0-212 would not shut from control room Caused by broken wire in valve's motor operator Breakage is a result of vibration & use of solid conductor wire Wire replaced
BROWN, H S Indiana & Michigan Power Co 79/03/20 1p

DOCKETED SERIES

DOCKET 50-316 Donald C. Cool Nuclear Power Plant, Unit 2

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801.
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903300399 Forwards amended physical security plan Plan withheld (ref 10CFR2 790)
DOLAN, J E Indiana & Michigan Power Co 79/03/23 2pp

7903300267 Forwards modified amended physical security plan Plan withheld (ref 10CFR2 790)
DOLAN, J E Indiana & Michigan Power Co 79/03/26 2pp

7903270395 In response to 790120 ltr, forwarding info on spent fuel storage at six existing nuclear power plants near Lake Michigan as of 781231
DENTON, H R Office of Nuclear Reactor Regulation 79/03/08 6pp

7903270397 Requests info re spent nuclear fuel storage at six existing nuclear plants near Lake Michigan
SCHAEFER, J Affiliation Unknown 79/01/20 2pp

7903090263 Forwards MAELU Endorsement 2 to Binder XB-45 & Endorsement 3 to Binder XB-64
DOLAN, J E Indiana & Michigan Power Co 79/03/01 6pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR. Appropriate utils have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903140222 Forwards revised versions Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0354; & Barrier Penetration Database, NUREG/CR-0181 W/o encl
MILLER, J R Division of Operating Reactors. 79/01/09 2pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903270461 Requests revisions to rod position indicator Tech Specs to remove references to part length control rods & change reporting requirements W/encl addl details & revised Tech Spec pages
DISBROW, R E Indiana & Michigan Power Co. 79/03/19 16pp

7903070487 Forwards IE Insp Repts 50-315/78-32 & 50-316/78-30 on 781212-13 No noncompliance noted.
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/15 2pp.

7903070492 IE Insp Repts 50-315/78-32 & 50-316/78-30 on 781212-13 No noncompliance noted Major areas inspected routine confirmatory measurements insp, including discussion of results from previous special sample collection
GREER, R J, ESSIG, T H Region 3, Chicago, Fuel Facility & Materials Safety Branch. 79/01/10 7pp

7903080486 Forwards IE Insp Repts 50-315/78-36 & 50-316/78-37 on 781107-09, 10-17, 20-22, 27-30 & 1201.04-08 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/15 2pp

7903080491 IE Insp Repts 50-315/78-36 & 50-316/78-37 on 781107-09, 12-17, 20-22, 27-30 & 1201.04-08 No noncompliance noted Major areas inspected observation of surveillance calibrations, maint activities & review of operations
BAKER, K R, WARNICK, R F Region 3, Chicago, Office of the Director 79/01/08 11pp.

7903190110 Forwards IE Insp Repts 50-315/78-38 & 50-316/78-39 on 781211-15, 18-22 & 31 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/26 2pp

7903190116 Notice of violation from insp on 781211-15, 18-22 & 31
* Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/26 1p

7903150352 Forwards IE Insp Repts 50-315/78-38 & 50-316/78-39 on 781211-15, 18-22 & 31 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903150355 Notice of violation from insp on 781211-15, 18-22 & 31
* Region 3, Chicago, Office of the Director 79/01/26 1p

7903150359 IE Insp Repts 50-315/78-38 & 50-316/78-39 on 781211-15, 18-22 & 31 Noncompliance noted High radiation area gates were found unlocked & maint of logs was found ineffectual in producing corrective action
BAKER, K R, WARNICK, R F Region 3, Chicago, Office of the Director 79/01/26 6pp

7903060636 Ack receipt of 781221 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-315/78-27 & 50-316/78-31
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/06 1p

7903040659 Responds to NRC 781107 ltr re violations noted in IE Insp Repts 50-315/78-27 & 50-316/78-31 Corrective actions new policy instituted for blocking alarms & meeting w/personnel to prepare condition repts
DOLAN, J E American Electric Power Co, Inc 78/12/21 3pp

7903130059 Forwards IE Insp Repts 50-315/78-37 & 50-316/78-38 on 781218-20 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/08 2pp

7903130062 IE Insp Repts 50-315/78-37 & 50-316/78-38 on 781218-20 No noncompliance noted Major areas inspected calibr & surveillance of safety-related components, implementation of ASME Code XI & pump & valve test program
REYES, L A, MCGREGOR, L G, STREETER, J F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/29 6pp

7903220480 Forwards IE Insp Repts 50-315/79-01 & 50-316/79-01 on 790130-0201 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/15 2pp

7903220482 IE Insp Repts 50-315/79-01 & 50-316/79-01 on 790130-0201 No noncompliance noted Major areas inspected radiological environ protection program
GREER, R J, ESSIG, T H Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/13 4pp

7903080349 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/15 1p

7903150240 Ack receipt of 790207 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-316/78-35
Informs that 790207 ltr attachment does not contain proprietary info
HIND, J A Region 3, Chicago, Office of the Director 79/02/27 2pp

7903150242 Responds to 790112 ltr re violations noted in IE Insp Rept 50-316/78-35 Requests info withheld (ref 10CFR2 790)
TILLINGHAST, J American Electric Power Co, Inc 79/02/07 3pp

7903080352 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903220357 Ack receipt of 790216 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-315/78-29 & 50-316/78-27.
HIND, J A Region 3, Chicago, Safeguards Branch 79/03/07 1p

7903220362 Responds to NRC 790129 ltr re violations noted in IE Insp Repts 50-315/78-29 & 50-316/78-27 Clarifies commitments made in 790206 telcon, Details withheld (ref 10CFR2 790)
DOLAN, J E American Electric Power Co, Inc DOLAN, J E Indiana & Michigan Power Co. 79/02/16 2pp.

DOCKETED SERIES

101

DOCKET 50-316 Donald C Cook Nuclear Power Plant, Unit 2

7903150012 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190335 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903210405 Forwards IE Circular 79-04, "Loose Locking Nut on Limiterque Valve Operators"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/16 1p

7903070361 Forwards "1978 Annual Operating Rept."
SHALLER, D V Indiana & Michigan Power Co 79/03/01 2pp

7903070364 "1978 Annual Operating Rept."
BEOR, R D, SVENSSON, D A, SHALLER, D V Indiana & Michigan Power Co 78/12/31 15pp

7903090139 Forwards Oct-Dec 1978 monthly repts re impingement of fish
SHALLER, D V Indiana & Michigan Power Co 79/03/05 16pp

7903210212 Forwards monthly operating rept for Feb 1979
SHALLER, D V Indiana & Michigan Power Co 79/03/14 1p

7903210214 Monthly operating rept for Feb 1979,
GILLET, W T Indiana & Michigan Power Co 79/03/01 7pp

7903290148 Forwards "Radioactive Effluent Release Rept, Jul-Dec 1978"
DISBROW, R E Indiana & Michigan Power Co 79/03/19 2pp

7903290149 "Radioactive Effluent Release Rept, Jul-Dec 1978"
* Indiana & Michigan Power Co 78/12/31 95pp

7903050146 Confirms 790224 verbal rept which informed NRC that safety valve on moisture separator reheater lifted for no apparent reason, causing possible unmonitored release of radioactive steam. Followup rept will be submitted by 790310
SHALLER, D V Indiana & Michigan Power Co 79/02/27 1p.

7903140238 In response to 790227 rept AEO 79-001/04X-0 re lifting of moisture separator reheater valve, Forwards analysis of valve drain w/safety closed
SHALLER, D V Indiana & Michigan Power Co 79/03/07 2pp

7903190249 Forwards LER 79-007/03L-0
SHALLER, D V Indiana & Michigan Power Co 79/03/13 1p

7903190256 LER 79-007/03L-0 on 790213 during surveillance test on containment pressure set 3, high-high bistable trip point was found to exceed Tech Specs Caused by drifting bistable.
Bistable, Westinghouse Model 63V-BC-OHEA-F, was replaced
RISCHLING, J L Indiana & Michigan Power Co 79/03/13 2pp

DOCKET 50-317 Calvert Cliffs Nuclear Power Plant, Unit 1

7903050548 Ack receipt of 780911 LNO contingency plan Requests addl info for review w/questionnaire
REID, R W Operating Reactors Branch 4 79/01/30 4pp

7903190326 Notification of deficiencies in modified amended security plans Forwards NRC position re deficiencies Encl withheld (ref 10CFR2 790)
REID, R W Operating Reactors Branch 4 79/02/13 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
BENTON, H R Office of Nuclear Reactor Regulation, 79/02/23 1p.

7903220343 Notification of 790314 meeting w/util to hear appeal of NRC physical search requirements implemented under modified amended security plan
CONNER, E L Operating Reactors Branch 4 79/03/07 1p

7903260241 Forwards safeguards contingency plan info withheld (ref 10CFR2 790)
EVANS, V R Baltimore Gas & Electric Co 79/03/19 1p.

7903280307 Reviews nuclear plant fire protection responsibilities, including organization, fire brigade training, control of combustibles, control of ignition sources, fire fighting procedures & QA
LUNDVALL, A E Baltimore Gas & Electric Co 79/03/22 4pp

7903080308 Forwards "Annual Rept 1978"
QORE, J W Baltimore Gas & Electric Co 79/03/06 1p

7903080311 "Annual Rept 1978"
* Baltimore Gas & Electric Co 79/03/06 32pp

7903280365 Ack receipt of 790119 ltr re credits from reduction in fee Requests crediting overpayment against fee for DPR-69 due 790518 & excess against DPR-53 due 790823
SHOEMAKER, C L Baltimore Gas & Electric Co 79/03/22 1p

7903060155 Forwards Endorsement 36 to Policy NF-216 for calendar year 1979
SHOEMAKER, C L Baltimore Gas & Electric Co 79/03/01 2pp

7903080243 Forwards amend of Condition 4, Endorsement 30, to HAEU Policy NF-76, effective 790101
SHOEMAKER, C L Baltimore Gas & Electric Co 79/03/02 2pp

7903140222 Forwards revised versions Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181 w/o encl
MILLER, J R Division of Operating Reactors 79/01/09 2pp

7903120533 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRINES, B K Assistant Director for Engineers & Projects 79/01/18 App

7903090412 Responds to 781113 request for changes in License DPR-53 & DPR-69 Forwards request for addl info re proposed deletion of Condition 2 C.3 re steam generator refill rate Also forwards SER re similar situation at Surry Power Station
REID, R W Operating Reactors Branch 4 79/02/09 4pp.

7903090418 Safety evaluation re water hammers in feedwater piping due to rapid steam condensation. Summarizes preventive measures.
* Office of Nuclear Reactor Regulation, 78/06/07 10pp.

7903050563 Notice of 790301 meeting in Bethesda, MD, to discuss Baltimore Gas & Electric's LNO contingency plan
CONNER, E L Operating Reactors Branch 4 79/02/14 2pp

7903210253 Forwards Amend 36 & 19 to DPR-53 & DPR-69 respectively, EIA, notice of issuance & negative declaration
REID, R W Operating Reactors Branch 4 79/02/23 3pp

7903210261 Amends 36 & 19 to DPR-53 & DPR-69, respectively, covering plan to investigate physical & biological effects of condenser cooling water delta temp authorized by Environ Tech Specs
REID, R W Operating Reactors Branch 4 79/02/23 Bpp

7903210264 EIA supporting Amends 36 & 19 to DPR-53 & DPR-69, respectively
REID, R W Operating Reactors Branch 4 79/02/23 2pp

7903210268 Notice of issuance of Amends 36 & 19 to DPR-53 & DPR-69, respectively, & negative declaration.
FAIRTILE, M D Operating Reactors Branch 4 79/02/23 2pp.

7903020333 Submits ltr forwarding proposed amend to operating license Proposed amend concerns Cycle 4 operation
ASH, R F Baltimore Gas & Electric Co. 79/02/27 1p.

7903020356 Forwards proposed amend to operating license. Proposed amend concerns Cycle 4 operation.
LUNDVALL, A E Baltimore Gas & Electric Co 79/02/23 2pp.

7903020357 Proposed amend to operating license concerning Cycle 4 refueling. Evaluated design & performance during fourth fuel cycle at full rated power of 2,700 MWt.
* Baltimore Gas & Electric Co. 79/02/23 100pp

7903210051 Forwards Amend 37 to License DPR-53 & Amend 20 to DPR-69, security plan evaluation rept (withheld ref 10CFR2 790) & notice of issuance
REID, R W Operating Reactors Branch 4 79/02/28 3pp.

DOCKETED SERIES

DOCKET 50-317 Calvert Cliffs Nuclear Power Plant, Unit 1

7903210055 Amend 37 & 20 to Licenses DPR-53 & DPR-69, respectively, incorporating approved physical security plan
REID, R W Operating Reactors Branch 4 79/02/28 4pp

7903210069 Notice of issuance of Amend 37 to License DPR-53 & Amend 20 to DPR-69
REID, R W Operating Reactors Branch 4 79/02/28 2pp

7903230195 Ack 771223 response re util review of potential boron dilution incidents FSAR analysis still represents most limiting case Based on response, no further action is necessary
REID, R W Operating Reactors Branch 4 79/03/01 2pp

7903080331 Forwards CEN-105(B)-P, "Rept of Reconstitutible-B4C Type Control Element Assembly Design for Use in BQ&E Reactor"
Affidavit requesting proprietary handling encl
LUNDVALL, A E Baltimore Gas & Electric Co. 79/03/05 5pp

7903080336 Forwards non-proprietary version of CEN-105(B)-NP, "Rept of Reconstitutible B4C Type Control Element Assembly Design for use in BQ&E Reactor," Supp 1 to amend application
LUNDVALL, A E Baltimore Gas & Electric Co 79/03/05 1p

7903080338 "Rept of Reconstitutible-B4C Type Control Element Assembly Design for Use in BQ&E Reactor," nonproprietary
KEEFER, C B, ANTHONY, A J Combustion Engineering, Inc
CEN-105(B)-NP 79/02/01 10pp

7903140440 Forwards final proposed version for Tech Spec changes re spare battery installation Proposed change is required prior to scheduled testing date of 790701
ASH, R F Baltimore Gas & Electric Co. 79/03/12 8pp

7903160234 Advises that 790313 ltr from util constitutes suppl info per previously submitted amend requesting addl fee is required
GORE, J M Baltimore Gas & Electric Co 79/03/13 1p

7903160237 Forwards formal calculation supporting previously submitted abbreviated analysis demonstrating acceptable small break ECCB results w/o allowing credit for charging pump flow, dtd 790216
LUNDVALL, A E Baltimore Gas & Electric Co 79/03/13 15pp

7903210298 In response to 790209 request, forwards addl info on feedwater flow instability (steam generator water hammer)
LUNDVALL, A E Baltimore Gas & Electric Co 79/03/15 19pp

7903210300 Responds to 770902 request for certain info re water hammer
Discusses possible mod to water hammer in feedwater sys
LUNDVALL, A E Baltimore Gas & Electric Co. 77/11/14 4pp

7903220256 Forwards marked-up copy of radiological effluent Tech Specs & outline of proposed contents of Offsite Dose Calculation Manual Formal request for amend will be submitted by 790415
LUNDVALL, A E Baltimore Gas & Electric Co 79/03/15 110pp

7903130173 Forwards IE Insp Rept 50-317/78-39 & 50-318/78-35 on 791219-21 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch. 79/01/17 2pp

7903130182 IE Insp Repts 50-317/78-39 & 50-318/78-35 on 781219-21 No noncompliance noted Major areas inspected licensee followup re IE Circular 78-08 & previous insp findings
JOHNSON, D F, KEIMIG, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/17. 4pp

7903140426 Forwards IE Insp Repts 50-317/79-01 & 50-318/79-01 on 790115-19 No noncompliance noted.
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903140431 IE Insp Repts 50-317/79-01 & 50-318/79-01 on 790115-19 No noncompliance noted. Major areas inspected reactor operations, IE bulletins & circulars, review of monthly status repts.
JOHNSON, D F, FOLEY, T Region 1, Philadelphia, Office of the Director
KEIMIG, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch. 79/01/31 12pp

7903050809 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09. 1p.

7903080446 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903140012 Ack receipt of 790205 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-317/78-38 & 50-318/78-34
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/23 1p

7903140015 Responds to NRC 790117 ltr re violations noted in IE Insp Repts 50-317/78-38 & 50-318/78-34 Corrective actions oversight of mgt controls sys improved to aid implementation of license requirements
LUNDVALL, A E Baltimore Gas & Electric Co 79/02/05 3pp

7903140018 Forwards IE Insp Repts 50-317/78-38 & 50-318/78-34 on 781212-15 & notice of violation
GRIER, B H Region 1, Philadelphia, Office of the Director 79/01/17 3pp

7903140022 Notice of violation from insp on 781212-15 & mgt meeting 790104
* Region 1, Philadelphia, Office of the Director 79/01/17 2pp

7903140025 IE Insp Repts 50-317/78-38 & 50-318/78-34 on 781212-15 Noncompliance noted Failure to comply w/Tech Spec 3.0.4. to include or ref instructions from functional test or document functional acceptability
CONTE, R J, ZIMMERMAN, R P, JOHNSON, D F Region 1, Philadelphia, Office of the Director 79/01/09 24pp

7903080510 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903020342 Forwards "Semiannual Effluent Release Rept"
LUNDVALL, A E Baltimore Gas & Electric Co 79/02/28 1p

7903020344 "Semiannual Effluent Release Rept," suppl info
* Baltimore Gas & Electric Co 79/02/28 120pp

7903210011 Forwards monthly operating rept for Feb 1979
MERSON, B D Baltimore Gas & Electric Co 79/03/15 1p

7903210012 Monthly operating rept for Feb 1979
MERSON, B D Baltimore Gas & Electric Co 79/03/15 13pp.

7903050405 Forwards LER 79-001/01T-0
RUSSELL, L B Baltimore Gas & Electric Co. 79/02/23 1p

7903050408 LER 79-001/01T-0 on 790209 found that license submittal operation at 2,700 MWT failed to indicate credit for one charging pump was taken in small break LOCA analysis Reanalysis concluded that 2,700 MWT was safe level
CARROLL, J T Baltimore Gas & Electric Co 79/02/23 1p

7903070304 Forwards LER 79-004/03L-0
RUSSELL, L B Baltimore Gas & Electric Co 79/03/01 1p

7903070312 LER 79-004/03L-0 on 790216 saltwater pump discharge check valve failed to open when started Caused by foreign debris lodged against disc Valve will be monitored closely during future operation to ensure problem is eliminated
DAVIS, B M, ROMNEY, K M Baltimore Gas & Electric Co 79/03/01 1p

7903090178 Forwards LER 79-005/03L-0
RUSSELL, L B Baltimore Gas & Electric Co 79/03/01 1p

7903090182 LER 79-005/03L-0 on 790218 azimuthal power tilt exceeded Tech Spec max Caused by dropped control element assembly. Corrective action detailed in LER 79-003/03L-0 Unit 1
CARROLL, J T. Baltimore Gas & Electric Co 79/03/01. 1p

7903210128 Forwards LER 79-007/04T-0
RUSSELL, L B Baltimore Gas & Electric Co 79/03/14 1p

DOCKETED SERIES

103

- 7903210134 LER 79-007/04T-0 on 790228 sulfuric acid was discharged onto ground via storm drains near storage tank. Caused by pipe weld failure. Spill isolated & contained, leak located & welded.
EHERTS, R F Baltimore Gas & Electric Co 79/03/14 2pp
- 7903220210 Forwards LER 79-003/03L-0
RUSSELL, L B Baltimore Gas & Electric Co 79/03/15 1p
- 7903220212 LER 79-003/03L-0 on 790218 control element assembly 44 dropped to bottom of core & could not be withdrawn. Reactor power reduced to below 70% Caused by loose connection on Terminal 21 of coil power programmer. Connection tightened.
CARROLL, J T, MIERNICKI, M J Baltimore Gas & Electric Co 79/02/18 2pp
- 7903220109 Forwards LER 79-006/03L-0
RUSSELL, L B Baltimore Gas & Electric Co 79/03/22 1p
- 7903220110 LER 79-006/03L-0 on 790304 reactor coolant sys leakoff plug CVC-315-CV was leaking. Caused by natural end life of valve packing. Packing adjusted & leakoff line capped.
DAVIS, S M, ROMNEY, K M Baltimore Gas & Electric Co 79/03/22 1p
- DOCKET 50-318 Calvert Cliffs Nuclear Power Plant, Unit 2
- 7903050548 Ack receipt of 780711 LNO contingency plan. Requests addl info for review w/questionnaire.
REID, R W Operating Reactors Branch 4 79/01/30 4pp
- 7903150326 Notification of deficiencies in modified amended security plans. Forwards NRC position re deficiencies. Encl withheld (ref 10CFR2 790).
REID, R W Operating Reactors Branch 4 79/02/13 2pp
- 7903230035 Forwards Federal Register notice amending 10CFR73 55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801.
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p
- 7903220343 Notification of 790314 meeting w/util to hear appeal of NRC physical search requirements implemented under modified amended security plan.
CONNER, E L Operating Reactors Branch 4 79/03/07 1p
- 7903260241 Forwards safeguards contingency plan info withheld (ref 10CFR2 790).
EVANS, V R Baltimore Gas & Electric Co 79/03/19 1p
- 7903280307 Reviews nuclear plant fire protection responsibilities, including organization, fire brigade training, control of combustibles, control of ignition sources, fire fighting procedures & QA.
LUNDVALL, A E Baltimore Gas & Electric Co 79/03/22 4pp
- 7903080308 Forwards "Annual Rept 1978"
ODRE, J W Baltimore Gas & Electric Co 79/03/06 1p
- 7903080311 "Annual Rept 1978"
* Baltimore Gas & Electric Co 79/03/06 32pp
- 7903280365 Ack receipt of 790119 ltr re credits from reduction in fee. Requests crediting overpayment against fee for DPR-69 due 790518 & excess against DPR-53 due 790823.
SHOEMAKER, C L Baltimore Gas & Electric Co 79/03/22 1p
- 7903060155 Forwards Endorsement 36 to Policy NF-216 for calendar year 1979.
SHOEMAKER, C L Baltimore Gas & Electric Co 79/03/01 2pp.
- 7903080243 Forwards amend of Condition 4, Endorsement 30, to MAELU Policy MF-76, effective 790101.
SHOEMAKER, C. L. Baltimore Gas & Electric Co 79/03/02 2pp
- 7903140222 Forwards revised versions: Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0594; & Barrier Penetration Database, NUREG/CR-0181 w/o encl.
MILLER, J R Division of Operating Reactors 79/01/09 2pp
- 7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs.
ORINEG, B. K Assistant Director for Engineers & Projects 79/01/18 4pp
- 7903090412 Responds to 781113 request for changes in License DPR-53 & DPR-69. Forwards request for addl info re proposed deletion of Condition 2 C 3 re steam generator refill rate. Also forwards SER re similar situation at Surry Power Station.
REID, R W Operating Reactors Branch 4 79/02/09 4pp
- 7903050563 Notice of 790301 meeting in Bethesda, MD, to discuss Baltimore Gas & Electric's LNO contingency plan.
CONNER, E L Operating Reactors Branch 4 79/02/14 2pp.
- 7903210253 Forwards Amend 36 & 19 to DPR-53 & DPR-69 respectively. EIA, notice of issuance & negative declaration.
REID, R W Operating Reactors Branch 4 79/02/23 3pp
- 7903210261 Amends 36 & 19 to DPR-53 & DPR-69, respectively, covering plan to investigate physical & biological effects of condenser cooling water delta temp authorized by Environ Tech Specs.
REID, R W Operating Reactors Branch 4 79/02/23 8pp
- 7903210264 EIA supporting Amends 36 & 19 to DPR-53 & DPR-69, respectively.
REID, R W Operating Reactors Branch 4 79/02/23 2pp.
- 7903210268 Notice of issuance of Amends 36 & 19 to DPR-53 & DPR-69, respectively, & negative declaration.
FAIRFILL, M B Operating Reactors Branch 4 79/02/23 2pp.
- 7903210051 Forwards Amend 37 to License DPR-53 & Amend 20 to DPR-69, security plan evaluation rept (withheld ref 10CFR2 790) & notice of issuance.
REID, R W Operating Reactors Branch 4 79/02/28 3pp
- 7903210055 Amend 37 & 20 to Licenses DPR-53 & DPR-69, respectively, incorporating approved physical security plan.
REID, R W Operating Reactors Branch 4 79/02/28 4pp.
- 7903210069 Notice of issuance of Amend 37 to License DPR-53 & Amend 20 to DPR-69.
REID, R W Operating Reactors Branch 4 79/02/28 2pp
- 7903230195 Ack 771223 response re util review of potential boron dilution incidents. FAR analysis still represents most limiting case. Based on response, no further action is necessary.
REID, R W Operating Reactors Branch 4 79/03/01 2pp
- 7903080331 Forwards CEN-105(B)-P, "Rept of Reconstitutible-B4C Type Control Element Assembly Design for Use in BQ&E Reactor." Affidavit requesting proprietary handling encl.
LUNDVALL, A E Baltimore Gas & Electric Co 79/03/03 5pp.
- 7903080336 Forwards non-proprietary version of CEN-105(B)-NP, "Rept of Reconstitutible B4C Type Control Element Assembly Design for use in BQ&E Reactor," Supp 1 to amend application.
LUNDVALL, A. E Baltimore Gas & Electric Co 79/03/05 1p
- 7903080338 "Rept of Reconstitutible-B4C Type Control Element Assembly Design for Use in BQ&E Reactor," nonproprietary.
KEEFEER, C. B, ANTHONY, A J Combustion Engineering, Inc CEN-105(B)-NP 79/02/01 10pp.
- 7903140440 Forwards final proposed version for Tech Spec changes re spare battery installation. Proposed change is required prior to scheduled testing date of 790701.
ASH, R F Baltimore Gas & Electric Co 79/03/12 8pp
- 7903160237 Forwards formal calculation supporting previously submitted abbreviated analysis demonstrating acceptable small break ECCB results w/o allowing credit for charging pump flow, dtd 790216.
LUNDVALL, A. E. Baltimore Gas & Electric Co 79/03/13 15pp
- 7903210298 In response to 790207 request, forwards addl info on feedwater flow instability (steam generator water hammer).
LUNDVALL, A. E Baltimore Gas & Electric Co 79/03/15 19pp
- 7903210300 Responds to 770902 request for certain info re water hammer. Discusses possible mods to water hammer in feedwater sys.
LUNDVALL, A. E Baltimore Gas & Electric Co 77/11/14 4pp.
- 7903220256 Forwards marked-up copy of radiological effluent Tech Specs & outline of proposed contents of Offsite Dose Calculation Manual. Formal request for amend will be submitted by 790415.
LUNDVALL, A. E Baltimore Gas & Electric Co 79/03/15 110pp.

DOCKETED SERIES

7903130173 Forwards IE Insp Rept 50-317/78-39 & 50-318/78-35 on 791219-21 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/17 2pp

7903130182 IE Insp Repts 50-317/78-39 & 50-318/78-35 on 781219-21 No noncompliance noted Major areas inspected licensee followup re IE Circular 78-08 & previous Insp findings
JOHNSON, D F, KEIMIO, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/17 4pp

7903140426 Forwards IE Insp Repts 50-317/79-01 & 50-318/79-01 on 790115-19 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903140431 IE Insp Repts 50-317/79-01 & 50-318/79-01 on 790115-19 No noncompliance noted Major areas inspected reactor operations, IE bulletins & circulars, review of monthly status repts.
JOHNSON, D F, FOLEY, T Region 1, Philadelphia, Office of the Director KEIMIO, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/31 12pp

7903050509 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080446 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p.

7903140012 Ack receipt of 790205 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-317/78-38 & 50-318/78-34
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/23 1p

7903140013 Responds to NRC 790117 ltr re violations noted in IE Insp Repts 50-317/78-38 & 50-318/78-34 Corrective actions, oversight of mgt controls sys improved to aid implementation of license requirements
LUNDVALL, A E Baltimore Gas & Electric Co 79/02/05 3pp

7903140018 Forwards IE Insp Repts 50-317/78-38 & 50-318/78-34 on 781212-15 & notice of violation
GRIER, B H Region 1, Philadelphia, Office of the Director 79/01/17 3pp

7903140022 Notice of violation from Insp on 781212-15 & mgt meeting on 790104
* Region 1, Philadelphia, Office of the Director 79/01/17 2pp

7903140025 IE Insp Repts 50-317/78-38 & 50-318/78-34 on 781212-15 Noncompliance noted Failure to comply w/ Tech Spec 3.0.4 to include or ref instructions from functional test or document functional acceptability
CONTE, R J, ZIMMERMAN, R P, JOHNSON, D F Region 1, Philadelphia, Office of the Director 79/01/09 24pp.

7903080510 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read BL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903020342 Forwards "Semiannual Effluent Release Rept."
LUNDVALL, A E Baltimore Gas & Electric Co 79/02/28 1p

7903020344 "Semiannual Effluent Release Rept," suppl info
* Baltimore Gas & Electric Co 79/02/28 120pp.

7903210011 Forwards monthly operating rpt for Feb 1979
MERSON, B D Baltimore Gas & Electric Co 79/03/15 1p.

7903210012 Monthly operating rpt for Feb 1979
MERSON, B D Baltimore Gas & Electric Co 79/03/15 13pp

7903090167 Forwards LER 79-007/03L-0
RUSSELL, L B Baltimore Gas & Electric Co 79/03/01 1p

7903090175 LER 79-007/03L-0 on 790212 snubber 2-B3B-2, 21 main steam isolation valve hydraulic supply sys, inoperable Caused by slightly bent piston rod Snubber replaced
DAVIS, S M, MIERNICKI, M J Baltimore Gas & Electric Co 79/03/01 2pp

7903090258 Forwards LER 79-008/03L-0
RUSSELL, L B Baltimore Gas & Electric Co 79/03/01 1p

7903090262 LER 79-008/03L-0 on 790208 22B safety injection tank level & pressure were below Tech Spec min due to fill valve not shutting tightly after being opened for drainage Tank refilled & valve successfully cycled several times
CARROLL, J T Baltimore Gas & Electric Co 79/03/01 1p

7903090265 Forwards LER 79-006/03L-0
RUSSELL, L B Baltimore Gas & Electric Co 79/03/01 1p

7903090268 LER 79-006/03L-0 on 790204 control element assembly motion inhibit failed to actuate within Tech Spec limits Caused by bad K2 relay on relay card Relay replaced & inhibit returned to svc
DAVIS, S M, MIERNICKI, M J Baltimore Gas & Electric Co 79/03/01 2pp

7903290097 Forwards LER 79-009/03L-0
RUSSELL, R B Baltimore Gas & Electric Co 79/03/22 1p

7903290101 LER 79-009/03L-0 on 790226 svc water heat exchanger saltwater outlet throttle valve 21 failed to open on signal Cause unknown Valve will be repaired during next outage
CARROLL, J T, ROMNEY, M K Baltimore Gas & Electric Co 79/03/22 1p

DOCKET 50-320 Three Mile Island Nuclear Station, Unit 2

7903200374 Forwards App C, "License Safeguards Contingency Plan" Encl withheld (ref 10CFR2 790)
HERBEIN, J O Metropolitan Edison Co 79/03/15 1p

7903070225 Confirms 790221 telephone conference to settle issues to be further heard, timing of hearing & submission of prepared testimony.
DUFLO, M E Atomic Safety and Licensing Appeal Panel 79/02/06 1p

7903150200 Intervenor's response per ALAB-309 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903150431 Confirms 790221 telcon re conference on 790305 Request notification if 790404-06 is not suitable for evidentiary hearing
DUFLO, M E Atomic Safety and Licensing Appeal Panel 79/02/21 1p

7903230297 Forwards responses to ALAB-309 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903160293 Extends until 790322 time within which NRC may determine review ALAB-525
CHILK, S J Office of the Secretary of the Commission 79/03/02 1p

7903160316 Confirms 790404 evidentiary hearings in Harrisburg, PA
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/03 2pp.

7903210305 Orders further evidentiary hearing on aircraft crash probability issue in Harrisburg, PA, on 790404 Parties shall inform ASLAB security force of names of representatives.
DUFLO, M E Atomic Safety and Licensing Appeal Panel 79/03/07 1p

DOCKETED SERIES

105

DOCKET 50-320 Three Mile Island Nuclear Station, Unit 2

7903090148 Forwards Endorsement 35 to ANI Policy NF-220
GERETY, H F GPU Service Corp 79/03/05 2pp

7903090198 Forwards Endorsement 38 to ANI Policy NF-220
GERETY, H F GPU Service Corp 79/03/05 2pp

7903280263 Forwards Endorsement 32 to MAELU policy MF-73
GERETY, H F GPU Service Corp 79/03/23 2pp

7903210258 Forwards Amend 49 & 9 to Licenses DPR-50 & DPR-73
respectively & notice of issuance Security plan evaluation
rept withheld (ref 10CFR2 790)
VARGA, S A Light Water Reactors Branch 4 REID, R W
Operating Reactors Branch 4 79/02/23 3pp

7903210263 Amend 49 to License DPR-50 & Amend 9 to DPR-73, incorporating
modified amended physical security plan into license,
REID, R W Operating Reactors Branch 4 79/02/23 4pp

7903210265 Notice of issuance of Amend 49 to License DPR-50 & Amend 9
to DPR-73
FAIRTEL, E M B Operating Reactors Branch 4 79/02/23 3pp

7903090232 Discusses details of extension from 790315 to 790415 for
submission of final draft "Radiological Effluent Tech Specs
for PWRs" (NUREG-0472)
HERBEIN, J G Metropolitan Edison Co 79/03/05 2pp

7903270406 Forwards noncompliance notification 79-01 re inadvertent
transfer of oil & grease from industrial waste treatment
sys to industrial waste filter sys
TROFFER, G J Metropolitan Edison Co 79/03/15 2pp

7903290162 Forwards "Suppl Startup Rept " Final rept will be submitted
within 90 days
HERBEIN, J G Metropolitan Edison Co 79/03/23 1p

7903290163 "Suppl Startup Rept "
* Metropolitan Edison Co 79/03/23 47pp

7903080091 Forwards IE Insp Rept 50-320/78-39 on 781228-29, No
noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/01/12 2pp

7903080096 IE Insp Rept 50-320/78-39 on 781228-29 No noncompliance
noted Major areas inspected transient test generator trip
from 96% power & preliminary review of test data
BETTENHAUSEN, L, MCNATT, T G, CAPTON, D L Region 1,
Philadelphia, Reactor Operations Nuclear Support Branch 79/01/10,
4pp

7903150447 Forwards IE Insp Repts 50-289/79-01 & 50-320/79-01 on
790108-11 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/01/29 2pp

7903150450 IE Insp Repts 50-289/79-01 & 50-320/79-01 on 790108-11 No
noncompliance noted Major areas inspected shift logs,
records, facility tour during normal hours & plant operations
during backshift
HAVERKAMP, D R Region 1, Philadelphia, Reactor Operations
Nuclear Support Branch KEIMIG, R R Region 1, Philadelphia,
Office of the Director 79/01/27 13pp

7903200288 Forwards IE Insp Rept 50-320/79-02 on 790130-31 No
noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/02/07 2pp

7903200293 IE Insp Rept 50-320/79-02 on 790130-31 No noncompliance
noted Major areas inspected action on previous findings &
compliance w/licenses regulations
HAVERKAMP, D R, KEIMIG, R R Region 1, Philadelphia, Reactor
Operations Nuclear Support Branch 79/02/06 5pp

7903060443 Forwards IE Info Notice 79-03, "Limitorque Valve Gears
Limit Switch Lubricant "
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/09 1p

7903080126 Ack receipt of 790201 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-289/78-24 &
50-320/78-37
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/02/13 1p

7903080143 Responds to NRC 790105 ltr re violation noted in IE Insp
Repts 50-289/78-24 & 50-320/78-37 Corrective actions
revision of valve test procedures & inservice insp tagging
sys will be expanded to include valves
HERBEIN, J G Metropolitan Edison Co 79/02/01 3pp

7903080146 Forwards IE Insp Repts 50-289/78-24 & 50-320/78-37 on
781212-14 & notice of violation
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/01/05 2pp

7903080149 Notice of violation from insp on 781212-14
* Region 1, Philadelphia, Reactor Operations Nuclear Support
Branch 79/01/04 1p

7903080152 IE Insp Repts 50-289/78-24 & 50-320/78-37 on 781212-14
Noncompliance noted failure to implement surveillance
procedure
FOLEY, T, HIGGINS, J C, CAPTON, D L Region 1, Philadelphia,
Reactor Construction & Engineering Support Branch 79/01/04 8pp

7903080343 Ack receipt of 790120 ltr informing NRC of steps taken to
correct violations noted in IE Insp Rept 50-320/78-36
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/13 1p

7903080546 Responds to NRC 790109 ltr re violation noted in IE Insp
Rept 50-320/78-36 Corrective actions valve verification
portion of procedure 2311-5 was performed & personnel
instructed
HERBEIN, J G Metropolitan Edison Co 79/01/30 3pp.

7903080549 Forwards IE Insp Repts 50-289/78-23 & 50-320/78-36 on
781204-08 & 12-14 & notice of violation
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/01/09 2pp

7903080556 Notice of violation from insp on 781204-08 & 12-14
* Region 1, Philadelphia, Reactor Operations Nuclear Support
Branch 79/01/05 1p

7903080562 IE Insp Repts 50-289/78-23 & 50-320/78-36 on 781204-08 &
12-14, Noncompliance noted failure to perform surveillance of
isolation valves located inside containment (Unit 2 only)
KEIMIG, R R, HAVERKAMP, D R, JOHNSON, J R Region 1,
Philadelphia, Reactor Operations Nuclear Support Branch 79/01/05,
18pp

7903140005 Ack receipt of 790201 ltr responding to IE Insp Repts
50-289/78-22 & 50-320/78-35 Ltr will be withheld
(ref 10CFR2 790)
MARTIN, W O Region 1, Philadelphia, Safeguards Branch 79/02/13
2pp

7903080408 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features."
GRIER, B H Region 1, Philadelphia, Office of the Director,
79/02/16 2pp.

7903200238 Forwards summary of combined mgt meeting 50-289/79-04
& 50-320/79-05, held 790209 in King of Prussia, PA
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/24 2pp

7903200243 Summary of combined mgt meeting 50-289/79-04 &
50-320/79-05 held on 790209 to discuss IE insp programs &
objectives & licensee's organization, mgt controls, previous
enforcement actions, operational status, plans & programs
HAVERKAMP, D R Region 1, Philadelphia, Office of the Director
79/02/22 3pp

7903080499 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208; that valve
limit switch identified as NAMCO Model 83CML should read
8L3CML
GRIER, B H Region 1, Philadelphia, Office of the Director,
79/02/27 1p

7903160220 Forwards monthly operating rept for Feb 1979
HERBEIN, J G Metropolitan Edison Co. 79/03/12 1p

7903160223 Monthly operating rept for Feb 1979
LENDEL, R A Metropolitan Edison Co. 79/03/09. 4pp

7903060200 Forwards LER 79-009/03L-0.
HERBEIN, J G Metropolitan Edison Co 79/02/26 1p

DOCKETED SERIES

DOCKET 50-320 Three Mile Island Nuclear Station, Unit 2

7903060204 LER 79-009/03L-0 on 790130 surveillance required by Tech Specs for Mode 5 not performed after pumps tagged out. Caused by lack of clarity in shutdown procedure. Shutdown procedure will be revised for clarification.
LENGEL, R A Metropolitan Edison Co 79/02/26 1p

7903060451 Forwards LER 79-010/01T-0
HERBEIN, J O Metropolitan Edison Co 79/02/26 1p

7903060462 LER 79-010/01T-0 on 790214 during Mode 1, B concentration in boric acid mix tank exceeded Tech Spec limit. Caused by personnel error.
LENGEL, R A Metropolitan Edison Co 79/02/26 2pp

7903070329 Forwards LER 79-007/03L-0
HERBEIN, J O Metropolitan Edison Co 79/02/26 1p.

7903070334 LER 79-007/03L-0 on 790126 while in Mode 5, travelling water screens inoperable due to buildup of debris causing high differential level across idle screen sys. Caused by procedural inadequacy. Procedural guidance established.
LENGEL, R A Metropolitan Edison Co 79/02/26 2pp.

7903120211 Forwards LER 78-069/99X-0
HERBEIN, J O Metropolitan Edison Co 79/02/28 1p

7903120224 LER 78-069/99X-0 on 781202 reactor trip occurred followed by safety injection actuation, due to overfeeding of steam generators. Caused by main feedwater regulating valve being pinned open. Procedures revised to prevent recurrence.
LENGEL, R A Metropolitan Edison Co 79/02/28 2pp

7903280313 Forwards LER 79-011/03L-0
LAWYER, L L Metropolitan Edison Co 79/03/20 1p.

7903280319 LER 79-011/03L-0 on 790217 diesel generator DF-X-1B output power fluctuated until reversed power caused it to trip. Unable to determine definite cause. Suspect wiring connection tightened & voltage readings taken to ensure operability.
STAIR, J R Metropolitan Edison Co 79/03/16 1p

7903300285 Transcript of public briefing on 790329 in Washington, DC, re incident at facility. Discussion of preliminary info & NRC response to events.
HENDRIE, J H, OJLINSKY, V, KENNEDY, R T Commission 79/03/29. 43pp.

DOCKET 50-321 Edwin I Hatch Nuclear Plant, Unit 1

7903150341 Denies 790130 request for delay in implementing security plan beyond 790223 date. Suggests immediate suppl to plan, describing compensatory measures for each item requiring add time for completion.
STELLO, V Office of Nuclear Reactor Regulation 79/02/21 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801.
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903200133 Forwards Amend 64 to License DPR-57 & Amend 5 to NPF-5 & notice of issuance & availability.
IPPOLITO, T A Operating Reactors Branch 3 79/02/26 3pp

7903290034 Informs that safeguard contingency plan submittal will be delayed until 790330, due to revisions requested by NRC in 790323 telcon.
EHRENBERGER, W Georgia Power Co 79/03/23 1p

7903140222 Forwards revised versions Entry-Control Sys Handbook, SAND77-1033, Intrusion Detection Sys Handbook, SAND76-0554, & Barrier Penetration Database, NUREG/CR-0181 W/o encl.
MILLER, J R Division of Operating Reactors 79/01/09 2pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages IV-5 & IV-6 w/modified rationale & corrections.
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept."
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept."
WONG, K W General Electric Co, Nuclear Energy Products Div NEDO-21885 78/06/30 45pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques.
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903150001 Forwards Amend 63 to DPR-57, safety evaluation & notice of issuance.
IPPOLITO, T A Operating Reactors Branch 3 79/02/09 2pp

7903150003 Amend 63 to DPR-57 deleting need for trip of high pressure coolant injection & reactor core isolated cooling steam line isolation valves upon high differential temp condition between inlet & outlet ventilation of pump rooms.
IPPOLITO, T A Operating Reactors Branch 3 79/02/09 6pp

7903150004 SER supporting Amend 63 to DPR-57
* Office of Nuclear Reactor Regulation 79/02/09 3pp

7903150007 Notice of issuance & availability of Amend 63 to DPR-57.
IPPOLITO, T A Operating Reactors Branch 3 79/02/09 2pp

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr.
EISENHUT, D G Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants." All plants are in conformance w/ acceptance criteria.
* Assistant Director for Systems & Projects 79/02/15 10pp

7903140213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity." W/affidavit for proprietary status. Rept withheld (ref 10CFR2.790).
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/26 3pp.

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants."
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations. Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions.
GRIMES, B K Division of Operating Reactors 79/02/27 1p.

7903070256 Forwards Jan 1979 Mark I containment program activity review. Lists meetings held & provides brief task-by-task summary.
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/28 11pp

DOCKETED SERIES

107

DOCKET 50-321 Edwin I Hatch Nuclear Plant, Unit 1

7903200142 Notification of 790316 meeting w/Georgia Power in Bethesda, MD, to discuss licensee's submittal of Tech Specs on radiological effluents
VERRELLI, D M Operating Reactors Branch 3 79/02/28 2pp

7903060252 In response to 790129 request, forwards addl info re processing of solid waste
WHITMER, C F Georgia Power Co 79/03/01 4pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
SU, T M Containment Systems Branch 79/03/01 16pp

7903200035 Requests fees for amends to DPR-97 & NPF-8
MILLER, W D License Fee Management Branch 79/03/01 1p

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D G Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIBES, B Assistant Director For Engineers & Projects 79/03/01 8pp

7903090170 Forwards reevaluation of containment leak rate test program & proposed changes to Tech Specs reflecting provisions of updated program
WHITMER, C F Georgia Power Co 79/03/05 9pp

7903090183 "Containment Leak Rate Test Program" incorporating updated NRC positions
* Georgia Power Co 79/03/05 50pp

7903270100 Discusses status of Mark I containment long-term program Requests schedule showing time periods for installation of specific plant mods Discusses safety relief valve discharge device installation & forwards staff evaluation
STELLO, V Division of Operating Reactors 79/03/12 17pp

7903260229 Util believes NRC erred in requesting payment of \$5,600 fee for proposed changes to Tech Specs Forwards fee & reserves right to request an exemption & refund per 10CFR170.22
WHITMER, C F Georgia Power Co 79/03/19 1p

7903270471 Forwards licensing application for third refueling Also forwards rept NEDO-24175, Jan 1979, "Suppl Reload Licensing Rept."
WHITMER, C F Georgia Power Co 79/03/22 10pp

7903270483 "Suppl Reload Licensing Submittal for Unit 1, Reload 3"
GALER, R R, CNGEL, R E General Electric Co, Nuclear Energy Products Div NEDO-24175 79/01/31 26pp

7903050575 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids." Parts ordered & replacement will begin during spring outage for Unit 1 Unit 2 change-out has not been scheduled
STAFFA, R W Georgia Power Co 79/02/05 2pp

7903070509 Ack receipt of 790126 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-321/78-40 & 50-366/78-49
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/14 1p

7903070514 Responds to NRC 790104 ltr re violations noted in IE Insp Repts 50-321/78-40 & 50-366/78-49 Corrective actions aerial surveys scheduled for 1979 until soil stabilization is documented
STAFFA, R W Georgia Power Co 79/01/26 1p

7903070517 Forwards IE Insp Repts 50-321/78-40 & 50-366/78-49 on 781204-08 & notice of violation.
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/04 2pp

7903070519 Notice of violation from insp on 781204-08
* Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/04 1p

7903070525 IE Insp Repts 50-321/78-40 & 50-366/78-49 on 781204-08 Noncompliance noted deficiencies in QA procedures & semi-annual surveys
CUNNINGHAM, A L, HUFHAM, J W Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/02 4pp

7903080533 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903150283 Ack receipt of 790215 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-321/79-01 & 50-366/79-01
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/26 1p

7903150287 Responds to NRC 790125 ltr re violations noted in IE Insp Repts 50-321/79-01 & 50-366/79-01 Corrective actions closer checking of unlocked high radiation doors, calibr of neutron instruments & review of qualifications
STAFFA, R W Georgia Power Co 79/02/15 3pp

7903150289 Forwards IE Insp Repts 50-321/79-01 & 50-366/79-01 on 790103-05 & notice of violation.
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/25 2pp

7903150292 Notice of violation from insp on 790103-05
* Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/25 2pp

7903150297 IE Insp Rept 50-321/79-01 & 50-366/79-01 on 790103-05 Noncompliance noted Failure to keep entrance to high radiation area locked, failure to label containers of radioactive matl & failure to calibr survey instrument
HOSEY, C M, GIBSON, A F Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/25 7pp

7903120332 Ack receipt of 790202 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-321/78-43 & 50-366/78-53
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/27 1p

7903120355 Responds to NRC 790116 ltr re violations noted in IE Insp Repts 50-321/78-43 & 50-366/78-53 Corrective actions: monthly readings on pressurized containment penetrations were immediately performed
STAFFA, R W Georgia Power Co 79/02/02 1p

7903120387 Forwards IE Insp Repts 50-321/78-43 & 50-366/78-53 on 781111-1215 & notice of violation
LONG, F J Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/16 2pp

7903120393 Notice of violation from insp on 781111-1215
* Region 2, Atlanta, Reactor Operations Nuclear Support Branch. 79/01/16 1p

7903120400 IE Insp Repts 50-321/78-43 & 50-366/78-53 on 781111-1215 Noncompliance noted, failure to follow standing orders
DANCE, H C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/15 5pp

7903080278 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read BL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903130165 Ack receipt of IE Insp Repts 50-321/79-02 & 50-366/79-02 on 790114-16 No proprietary info.
STAFFA, R W Georgia Power Co 79/02/28 1p

7903130175 Forwards IE Insp Repts 50-321/79-02 & 50-366/79-02 on 790114-16 No noncompliance noted.
KENNA, W D Region 2, Atlanta, Safeguards Branch. 79/02/06 2pp

7903130178 IE Insp Repts 50-321/79-02 & 50-366/79-02 on 790114-16. No noncompliance noted. Major areas inspected: security plan, physical barrier, lighting, access control & compensatory measures.
FUCHKO, J H, GILLESPIE, F P Region 2, Atlanta, Safeguards Branch 79/02/06 4pp

DOCKETED SERIES

DOCKET 50-321 Edwin I Hatch Nuclear Plant, Unit 1

7903140820 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903210142 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903260072 Ack receipt of 790306 ltr informing NRC of steps taken to correct violation noted in IE Insp Repts 50-321/78-34 & 50-366/78-42
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/03/14 1p

7903260076 Responds to NRC 790306 ltr re violation noted in IE Insp Repts 50-321/78-34 & 50-366/78-42. Corrective actions resurvey will be conducted w/calibrated instruments, instruments will henceforth be checked before use
STAFFA, R W Georgia Power Co 79/03/06 1p

7903270939 Ack receipt of 790307 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-321/79-03 & 50-366/79-03
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/14 1p

7903270948 Responds to NRC 790215 ltr re violations noted in IE Insp Rept 50-321/79-03 & 50-366/79-03. Corrective actions revision of plant procedure to require proper notification of personnel re drywell sump leakage
STAFFA, R W Georgia Power Co 79/03/07 1p

7903270953 Forwards IE Insp Repts 50-321/79-03 & 50-366/79-03 on 790108-12 & notice of violation.
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/15 2pp

7903270960 Notice of violation from insp on 790108-12
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/14 1p

7903270966 IE Insp Repts 50-321/79-03 & 50-366/79-03 on 790108-12 Noncompliance noted failure to follow procedures
* Region 2, Atlanta, Office of the Director 79/02/14 11pp

7903210593 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/14 2pp.

7903050341 "Annual Operating Rept for 1978"
MANRY, M Georgia Power Co 79/02/23 57pp

7903120313 Forwards "Semiannual Rept Plant Radioactive Effluent Releases," for July-Dec 1978
MANRY, M Georgia Power Co. 79/02/28 1p.

7903120318 "Semiannual Rept Plant Radioactive Effluent Releases," July-Dec 1978
MANRY, M Georgia Power Co. 79/02/28 87pp

7903140280 Forwards monthly operating rept for Feb 1979.
MANRY, M Georgia Power Co 79/03/07 1p

7903140284 Monthly operating rept for Feb 1979
WILSON, B Georgia Power Co 79/03/05 11pp

7903200400 Notifies NRC that sampling frequency for entrainment monitoring & impingement monitoring has been changed from weekly to monthly, effective 790301 w/encl sections of Environ Program Description Document
WHITMER, C F Georgia Power Co 79/03/13 3pp.

7903270352 LER 79-017/03L-0 on 790227 variations occurred in HPCI turbine speed during normal operation while attempting test of HPCI pump rate flow. Caused by turbine control loop failure. Controls recalibrated & actuator replaced
NIX, R T Georgia Power Co 79/03/14 1p

7903300269 Forwards LER 79-018/03L-0
MANRY, M Georgia Power Co 79/03/23 1p

7903300274 LER 79-018/03L-0 on 790310 plant svc water not valved in 1B diesel generator. Caused by plant svc water maint procedure HNP-2-6200 not specifying correct valve alignment. Temporary procedure change made
BAXLEY, B X Georgia Power Co 79/03/23 1p

7903300238 Forwards LER 79-019/03L-0
MANRY, M Georgia Power Co 79/03/26 1p

7903300247 LER 79-019/03L-0 on 790313 five input summer Q31-K604 out of tolerance for over 2 hours. Caused by leaky transistor. Transistor replaced & instrument calibrated satisfactorily
NIX, R T Georgia Power Co 79/03/26 1p

7903300250 Forwards LER 79-017/03L-1
MANRY, M Georgia Power Co 79/03/26 1p

7903300255 LER 79-017/03L-1 on 790227 variations in speed of HPCI turbine occurred during test. Caused by turbine control loop failure. Controls calibrated & actuator determined to be inoperable. Actuator was replaced
NIX, R T Georgia Power Co 79/03/26 1p

DOCKET 50-322 Shoreham Nuclear Power Station

7903050284 Forwards Shoreham-unique response to NRC questions re pool swell height. Response establishes max pool swell height. Responses withheld (ref 10CFR2 790)
NOVARRO, J P Long Island Lighting Co 79/02/16 1p

7903150113 Informs that util is required to provide an Offsite Dose Calculation Manual w/proposed Tech Specs. Forwards NRC recommendations for manual's general contents
VARGA, S A Light Water Reactors Branch 4 79/02/16 7pp

7903160012 Discusses two issues re vibratory loads, per reevaluation of equipment qualification for seismic & hydrodynamic loads. Forwards request for addl info
BOYD, R S Division of Project Management 79/02/23 7pp

7903070265 Submits clarification of applicable code edition utilized for installation of piping & related components. Invoked newer versions of ASME Code editions, addenda & code cases per provisions of Section NA-1140 of ASME III Code
NOVARRO, J P Long Island Lighting Co 79/02/28 3pp

7903120258 Responds to 790126 request for addl info & uncl summary of positions re Mark II issues & current status of outstanding lead plant load acceptance criteria. Overall Mark II generic acceptance criteria position was submitted 781218
NOVARRO, J P Long Island Lighting Co 79/03/05 8pp

7903270043 Notification of 790315 meeting w/Mark II lead plants to discuss mechanical & equipment qualification. Meeting cancelled
PELTIER, I A Light Water Reactors Branch 1 79/03/08 4pp

7903200009 Notification of 790321 meeting in Los Gatos, CA w/representatives from Mark II owners group to discuss Mark II LOCA & safety relief valve pool dynamic loads.
ANDERSON, C J Containment Systems Branch 79/03/12 12pp

7903200440 Notification of 790315 meeting w/Mark II lead plants in Bethesda, MD, to discuss mechanical & electrical equipment qualification
PELTIER, I A Light Water Reactors Branch 1 79/03/15 4pp

7903270312 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 w/o encl
VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II"
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/03/16 1p

DOCKETED SERIES

109

DOCKET 50-322 Shoreham Nuclear Power Station

7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II"
UPPAL, I S General Electric Co, Nuclear Energy Products Div
79/03/16 12pp f

7903270466 Proposes discontinuation of Wading River fish & benthos
sampling program since river is not unique or unusual
ecosystem Forwards program data & analysis for Jan 1977-
June 1978
NOVARRO, J P Long Island Lighting Co 79/03/19 17pp

7903230164 Resubmits seismic qualification info to include
effects of vibratory hydrodynamic loads Scenario for cold
shutdown & summary of equipment listing encl
NOVARRO, J P Long Island Lighting Co 79/03/20 22pp

7903230166 "Qualification Summary of Equipment"
* Stone & Webster, Inc 79/03/20 450pp

7903280288 Forwards "Vent Clearing Pool Boundary Loads for Mark II
Plants," presenting alternative load spec based on
conservative application of 4T test data, replacing spec
identified in NUREG-0487
SOBON, L J General Electric Co 79/03/20 6pp

7903290085 Forwards proprietary copies of alternate load spec info
document applicable to wetwell walls, to replace info in
NUREG-0487 Encl withheld (ref 10CFR2 790) W/affidavit
SOBON, L J General Electric Co, Nuclear Energy Products Div
79/03/20 5pp

7903150379 Forwards addl info re SER open items 2, 9 & 20 & confirmatory
issues 1, 15, 16 & 17 Submittal on 790315 will provide addl
info re items 5 & 8 Also forwards addl info re reactor
recirculation pump seal integrity
NOVARRO, J P Long Island Lighting Co 79/03/13 34pp

7903270513 Forwards safeguards contingency plan, to be withheld (ref
10CFR2 790) W/affidavit
NOVARRO, J P Long Island Lighting Co 79/03/23 2pp

7903090343 Forwards US Court of Appeals orders dtd 781129 & 761109
Shoreham appeal is being held in abeyance pending issuance
of final fuel cycle rule by NRC
HOEFLING, R K Branch 4 79/01/31 2pp

7903090351 Denies petitioner's Class 9 accident contention Holds in
abeyance remainder of petition pending issuance of final
fuel cycle rule
FISHER, G A U S Court of Appeals for District of Columbia
Circuit 78/11/29 2pp

7903090358 Finds petition re Class 9 accidents to be w/o merit &
petition claiming NRC failed to give adequate consideration
to incremental effect of facility re nuclear fuel cycle to
have merit Remands case to NRC for further consideration
FISHER, G A U S Court of Appeals for District of Columbia
Circuit 76/11/09 2pp

7903090111 Requests views re discovery of confidential documents &
whether, in light of recent protective order in another
proceeding, access may be had w/o application to ASLB
LIKE, I Reilly, Like & Schneider 79/02/06 2pp

7903140424 Responds to NRC motions to compel responsive answers & for
protective order Responses dtd 781130 are adequate,
especially at this stage Related correspondence &
Certificate of Svc encl
LIKE, I Suffolk County, NY 79/02/07 8pp

7903140429 Opposes applicant's 781218 request for summary disposition
of County's contentions 4a(vii), (x), 7a(ii)-(iii), (vi)-(viii),
12a(viii) & 14 Moves for protective order Summary
disposition is premature Certificate of Svc encl
LIKE, I Suffolk County, NY 79/02/07 8pp

7903210219 Notes that SAND77-1927 contains potentially relevant info re
issue of spent nuclear fuel sabotage. Forwards copy of 790122
unclassified transmittal memo Will forward staff assessment
of info when available
HOEFLING, R K Branch 4 79/02/07 2pp

7903120434 Responds to 790129 ltr requesting info Informs that info in
amend to FBAR will be sent to all parties in proceeding when
available
HOEFLING, R K Branch 4 79/02/14 1p

7903210318 Responds to applicant's motion for summary disposition
Requests ASLB order re intervenor's earlier motion for
protective order Certificate of Svc encl
LIKE, I Suffolk County, NY 79/02/22 2pp

7903220397 Applicant's reply to Suffolk County's 790207 motion for
protective order Urges denial of motion as unfounded &
urges that motion for summary disposition be granted
Certificate of Svc encl
WHITTEMORE, F C Hunton & Williams 79/02/22 5pp

7903220394 Requests that if discovery is still desired, Suffolk County
should execute agreement re disclosure of confidential info
WHITTEMORE, F C Hunton & Williams 79/02/23 2pp

7903210309 Order re applicant's motion for summary disposition of
second group of contentions of Suffolk County, NY ASLB order
re first group of contentions similarly applies to this
motion
BOWERS, E S Atomic Safety and Licensing Board Panel 79/03/08
2pp

7903220186 Order re NRC's 790112 motion to compel Danies
Suffolk County's request for protective order Directs County
to respond to certain NRC interrogatories
BOWERS, E S Atomic Safety and Licensing Board Panel 79/03/09
7pp

7903020394 Requests info on evacuation plans for Suffolk County
residents in case of accident at any of 3 nearby nuclear
plants Expresses concern re safety of inhabitants within
prescribed "emergency planning zone"
ARM, G Affiliation Unknown 79/01/03 3pp

7903050148 Certificate of Svc of Amend 31 to license application
MORIN, J P Long Island Lighting Co 79/02/27 1p

7903050247 Requests copies of Long Island Lighting Co's response to NRC
790123 request for addl financial info
LIKE, I Reilly, Like & Schneider 79/01/29 1p

7903010034 Ack receipt of 790105 ltr informing NRC of steps taken to
correct violations noted in IE Insp Rept 50-322/78-16
CARLSON, R T Region 1, Philadelphia, Reactor Construction &
Engineering Support Branch 79/01/23 1p

7903010036 Responds to NRC 781129 ltr re violations noted in IE Insp
Rept 50-322/78-16 Corrective action: reinsp of manual
shielded metal arc welds & protective coverings on
switchgear
WOFFORD, A W Long Island Lighting Co 79/01/05 3pp

7903010041 Forwards IE Insp Rept 50-322/78-16 on 781024-27 & notice of
violation
CARLSON, R T Region 1, Philadelphia, Reactor Construction &
Engineering Support Branch 78/11/29 2pp

7903010043 Notice of violation from insp on 781024-27
* Region 1, Philadelphia, Office of the Director 78/11/22
2pp

7903010048 IE Insp Rept 50-322/78-16 on 781024-27. Noncompliance noted
nonconforming shop welds on polar crane & failure to
maintain switchgear cleanliness.
TOTH, A D, DURR, J P, MCGAUGHY, R W Region 1, Philadelphia,
Reactor Construction & Engineering Support Branch 78/11/22
16pp

7903140027 Forwards IE Insp Rept 50-322/79-01 on 790109-12 No
noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch. 79/01/26 2pp

7903140033 IE Insp Rept 50-322/79-01 on 790109-12. No noncompliance
noted. Major areas inspected preoperational test program
review, implementation & plant tour Attended onsite NRC
caseload forecast panel meeting
BRIQSB, C E, MCCABE, E C Region 1, Philadelphia, Reactor
Operations Nuclear Support Branch TOTH, A Region 1,
Philadelphia, Office of the Director 79/01/25 4pp

7903050536 Forwards IE Info Notice 79-03, "Limitorque Valve Overed
Limit Switch Lubricant."
ORIER, B H Region 1, Philadelphia, Office of the Director.
79/02/09 1p

7903080410 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features."
ORIER, B H Region 1, Philadelphia, Office of the Director.
79/02/16 2pp

DOCKETED SERIES

7903080456 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model 83CML should read
BL3CML
GRTER, B H Region 1, Philadelphia, Office of the Director
79/02/27 1p

7903290016 Forwards preservice insp program procedures B0A0467 Revision
4, B0A0470 Revision 1, B0A0480 Revision 1, B0A0474 Revision 1,
B0A0467 Revisions 3 & 4
NOVARRO, J P Long Island Lighting Co 79/03/13 1p

7903290017 "Ultrasonic Examination Procedures for Closure Head & Flange
Welds "
* Long Island Lighting Co 78/10/30 26pp

7903290018 "Automated Ultrasonic Examination Procedures for Reactor
Vessel Nozzle Welds "
* Long Island Lighting Co 78/11/03 33pp

7903290020 "Automated Ultrasonic Examination Procedures for Reactor
Vessel Welds "
* Long Island Lighting Co 78/11/03 29pp

7903290021 "Ultrasonic Examination Procedures for Closure Head & Flange
Welds "
* Long Island Lighting Co 78/10/30 26pp

7903200318 Ack receipt of 781127 ltr & interim rept re safety relief
valve sys design deficiency NRC will evaluate rept
CARLSON, R T Region 1, Philadelphia, Reactor Construction &
Engineering Support Branch 79/01/26 1p

7903200322 Updates status of corrective actions re deficiency in design
of safety relief valve sys Safety relief valve load
assessment will be completed in March 1979, final rept will
be submitted by 790501
NOVARRO, J P Long Island Lighting Co 78/11/27 2pp

DOCKET 30-323 Diablo Canyon Nuclear Power Plant, Unit 2

7903030358 Forwards responses to Questions 220 1 through 220 4 from NRC
780725 ltr Requests certain data be withheld
(ref 10CFR2 790)
CRANE, P A Pacific Gas & Electric Co 78/12/27 40pp

7903050303 Forwards addl matl re fault current protection for
containment electrical penetrations in response to NRC
781018 ltr
CRANE, P A Pacific Gas & Electric Co 79/02/26 125pp

7903130355 Forwards info re tests of molded circuit breakers,
ventilation control logic cabinet & fan cooler controllers,
to permit continuation of review of seismic retesting of
Class IE electrical equipment
CRANE, P A Pacific Gas & Electric Co 79/03/01 8pp

7903270592 Forwards NUREG-0523, "Summary of Operating Experience
w/Recirculating Steam Generators," which focuses on recent
problems w/degradation Believes continued plant operation
does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects
79/03/02 3pp

7903130309 Responds to questions from NRC re natural circulation boron
mixing test procedure, confirmation of fire water tank piping
design criteria, fault current protection for containment, &
electrical penetrations
CRANE, P A Pacific Gas & Electric Co 79/03/07 2pp

7903160243 Forwards Addendum 2 to Wyle Lab test rept "Seismic Testing
of Safety-Related Electrical Equipment " Requests
acknowledgment of receipt.
CRANE, P A Pacific Gas & Electric Co 79/03/09 1p.

7903160245 Addendum 2 to Wyle Lab test rept "Seismic Testing of Safety-
Related Electrical Equipment "
GOAD, L F., SHIPWAY, G D Pacific Gas & Electric Co 79/02/07

7903270286 In order to complete scheduled mods, requests extension of
completion date of const permit CPRR-39 to 790630 &
completion date of const permit CPRR-69 to 800229
CRANE, P A Pacific Gas & Electric Co 79/03/21 2pp

7903060435 Due to delays in mfg, fire dampers cannot be installed before
plant operation Area adjacent to switchgear room w/
ventilation ducts is posted "No Storage" & will be insp
daily
CRANE, P A Pacific Gas & Electric Co 79/02/26 1p

7903190320 Forwards emergency operating procedure OP-4, OP-5, & OP-15
w/rewritten warnings re possibility of ATWS event &
instructions for operator actions to mitigate ATWS affects
CRANE, P A Pacific Gas & Electric Co 79/03/09 1p

7903190328 Emergency operating procedures OP-4, OP-5 & OP-15 covering
loss of electrical power, reactor trip & loss of feedwater
flow
* Pacific Gas & Electric Co 79/03/02 11pp

7903290104 Forwards safeguards contingency plan Withheld
(ref 10CFR2 790)
CRANE, P A Pacific Gas & Electric Co 79/03/23 1p

7903070440 Forwards joint intervenors' request for directed
certification, which was not served on ASLAB chairman &
members by 781231 filing date
BTEELE, M Fleischaker, D S 79/01/03 1p

7903070446 Addl typographical correction to 790104 joint intervenors'
request for directed certification
FLEISCHAKER, D S Fleischaker, D S 79/01/05 1p

7903140619 Expresses concerns for earthquake & waste disposal problems
Feels sufficient safeguards are lacking
LEE, D Affiliation Unknown 79/01/06 2pp

7903140623 Believes granting license would increase cancer & deformity
cases Points to lack of solution to nuclear waste problem
Urges return to simpler life of conservation & safe use of
energy
ADAMS, E Affiliation Unknown 79/02/07 1p

7903140627 Believes health & safety of CA will be endangered if license
is granted Notes numerous mishaps in nuclear industry
Opposes granting of license
OPALACH, D Affiliation Unknown 79/02/09 1p

7903140629 Expresses concern for location of plant on Hosgri earthquake
fault Does not consider this prudent, Urges Board to
demonstrate responsibility to public health & safety by
closing plant
CHARLICK, J Affiliation Unknown 79/02/07 1p

7903050587 Corrects suppl to joint intervenors' request for directed
certification, delivered to Board 790110 Changes last
sentence.
FLEISCHAKER, D S Fleischaker, D S 79/01/15 1p.

7903090035 Forwards proposed subpoenas for M Trifunac & E Lucio as per
ALAB-519 Certificate of Svc encl.
FLEISCHAKER, D S Fleischaker, D S PHILLIPS, J R, KRISTOVICH, S
Center for Law in the Public Interest 79/01/26 5pp

7903090156 Requests issuance of subpoena to C Hall for testimony re
seismic issues Proposed subpoena & Certificate of Svc encl
FLEISCHAKER, D S Fleischaker, D S PHILLIPS, J R, KRISTOVICH, S
Center for Law in the Public Interest 79/01/30 5pp

7903050004 Opposes commissioning of facility insists it must be able to
withstand max earthquake at site Suggests evaluation of
non-nuclear alternative Doubts need for extra generating
capacity.
BOHMAN, D M Affiliation Unknown, 79/02/01 1p

7903050005 Wants facility stopped now Finds it dangerous
BURRESS, D Affiliation Unknown 79/02/01 1p

7903050006 Urges facility be denied operating license
FERN, S Affiliation Unknown 79/02/03 1p

7903050008 Urges denial of license to facility, since it is built on a
fault line in an area prone to tremors
HARROW, G Affiliation Unknown 79/01/29 1p

DOCKETED SERIES

111

DOCKET 50-323 Diablo Canyon Nuclear Power Plant, Unit 2

7903050007 Believes fission power is a mistake Operating permit should have been obtained prior to const Forwards own statement on participation in 780806 demonstration against facility Cites Nuremberg principle
DENNEEN, W Affiliation Unknown 79/02/13 3pp

7903050236 Forwards consultant's rept re impact force on fuel assembly spacer grids, caused by asymmetric loads during blowdown following a LOCA Grids may be more sensitive to core plant motion than originally believed
GODDARD, R J Branch 2 78/09/19 5pp

7903140342 Corrects typographical error in 790202 answers to NRC first set of suppl interrogatories
MEISS, R L Pacific Gas & Electric Co 79/02/06 1p

7903300972 Requests qualification of test data be established to NRC satisfaction prior to first refueling outage re environ qualification of power cable
CRANE, P A Pacific Gas & Electric Co 79/02/15 1p

7903220203 Urges plant not be opened, based on seismic evidence & recent criticism of Rasmussen Rept
CAMPBELL, T Affiliation Unknown 79/02/23 1p

7903220222 Urges that Diablo Canyon not be opened & that const be stopped at San Onofre
BYERS, A Affiliation Unknown 79/02/22 1p

7903220248 Opposes opening of plant because of seismic & waste disposal problems
HOLLINGSHEAD, S Affiliation Unknown 79/03/07 1p

7903220252 Opposes opening of plant because of risks including natural disaster, sabotage & waste disposal
KOENIG, J Affiliation Unknown 79/02/26 1p

7903220254 Urges NRC stop plant const
GROSSMAN, J Affiliation Unknown 79/02/28 1p

7903220239 Requests NRC stop opening of Diablo Canyon & stop constr at San Onofre on basis of unresolved safety questions
OLSEN, P Affiliation Unknown 79/02/23 1p

7903140421 Requests prompt submittal of NRC documentation on ATWS so generic safety issue may be resolved
BOWERS, E B Atomic Safety and Licensing Board Panel 79/02/26 2pp

7903190558 Forwards NRC motion to receive affidavits of DP Allison & AC Thadani re status of ATWS & NUREG-0460, Vol 3, into evidence Related documents encl Completes NRC submittal re generic items
KETCHEN, E G Branch 4 79/03/02 2pp

7903190564 Motion to receive affidavit of DP Allison & AC Thadani re status of ATWS, & NUREG-0460, Vol 3, into evidence Affidavit & NUREG encl
KETCHEN, E G Branch 4 79/03/02 18pp

7903190541 Moves that ASLB receive NRC radon testimony, including Perkins record, into evidence Perkins record & Certificate of Svc encl
KETCHEN, E G Branch 4 79/03/05 500pp

7903190064 Forwards IE Insp Repts 50-275/79-01 & 50-323/79-01 on 790122-0201 No noncompliance noted
SPENCER, G S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/02/09 2pp

7903190071 IE Insp Repts 50-275/79-01 & 50-323/79-01 on 790122-0201 noncompliance noted Major areas inspected license action on previous findings, electrical & instrumentation work observation & record review of seismic trip sys
KIRSCH, D F, HUTSON, T W, HAYNES, R C Region 5, San Francisco Reactor Construction & Engineering Support Branch 79/02/08 11pp

7903190510 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/16 1p

7903260064 Forwards IE Insp Rept 50-323/78-17 on 781218-21 No noncompliance noted
BODK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/21 2pp

7903260082 IE Insp Rept 50-323/78-17 on 781218-21 No noncompliance noted Major areas inspected previous insp findings, emergency procedures, radiation protection staffing, respiratory concerns, IOCFR & SNM license requirements
NORTH, H S, FISH, R F, BODK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/21 6pp

7903140365 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/27 1p

7903140583 States that IE Bulletin 79-01, "Environ Qualification of Class IE Equipment (correction)" was issued to listed licensees in Region 5
* Region 5, San Francisco, Office of the Director 79/02/27 1p

7903150063 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/08 1p

7903190486 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/12 1p

7903260317 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/20 1p

7903050244 Informs of matl test results one length of iron failed bend test & supplier removed from approved list W/o encl
CRANE, P A Pacific Gas & Electric Co 79/01/31 1p

7903220039 During flushing of piping sys, facility control tank was inadvertently overpressurized Forwards program to be followed if insp reveals vessel integrity indications unacceptable to ASME Code
CRANE, P A Pacific Gas & Electric Co 79/02/09 2pp

7903090098 Ack receipt of 790131 ltr which provided a final rept per IOCFR 50.55(e) re matl certifications
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/12 1p

7903070002 Transcript of 790212 hearing in Avila Beach, CA Pp 9266-9377 & 9378-9462 (in-camera session not included)
BOWERS, E, MARTIN, W O, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/02/12 112pp

7903040008 Transcript of 790213 hearing in Avila Beach, CA Pp 9463-9717.
BOWERS, E, MARTIN, W E, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/02/13 255pp

7903070006 Transcript of 790214 hearing in Avila Beach, CA Pp 9718-9939
BOWERS, E, MARTIN, W E, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/02/14 222pp

7903080525 Transcript of 790215 hearing in Avila Beach, CA Pp 9, 940-10, 182.
BOWERS, E B, MARTIN, W E, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/02/15 240pp

DOCKETED SERIES

DOCKET 50-324 Brunswick Steam Electric Plant, Unit 2

- 7903160030 Notification of 790309 meeting w/Carolina Power & Light Co in Bethesda, MD re status of fire protection mods, including design detail & implementation schedule for facility.
HARRON, J N Operating Reactors Branch 3 79/03/01 1p
- 7903080328 Requests amend to Licenses DPR-62 & DPR-71 re fire protection plan Class I & II amend fee encl
UTLEY, E E Carolina Power & Light Co 79/03/06 3pp
- 7903190263 Forwards info re status of fire protection mod requested by NRC for issuance of reload license amend for startup
Provides review of mods that will & will not be completed prior to startup & modified Tech Spec pages
HODUFFIE, M A Carolina Power & Light Co 79/03/15 102pp
- 7903280286 Forwards addl clarifying info re acceptance tests on remote shutdown mods & loading dock fire doors
UTLEY, E E Carolina Power & Light Co 79/03/22 3pp
- 7903270501 Forwards contingency plans, to be withheld (ref 10CFR2 790)
UTLEY, E E Carolina Power & Light Co 79/03/23 2pp
- 7903140222 Forwards revised versions Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181 W/o encl
MILLER, J R Division of Operating Reactors 79/01/09 2pp
- 7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 790414 Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp
- 7903010275 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
BOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/01 1p
- 7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
WONG, K W General Electric Co, Nuclear Energy Products Div NEDO-21885, 78/06/30 45pp
- 7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p
- 7903120012 Requests proposed change to Tech Specs deleting option "or take the action required by Table 3 3 1-1 (and 3 3 2-1)" in Spec 3 3 1, to prevent improper actions in event of inoperable channels
IPPOLITO, T A Operating Reactors Branch 3 79/02/12 17pp
- 7903080526 Forwards Amend 20 to DPR-71 & Amend 44 to DPR-62, safety evaluation & notice of issuance
IPPOLITO, T A Operating Reactors Branch 3 79/02/14 2pp
- 7903080530 Amend 20 to DPR-71 changing Tech Specs re containment atmosphere control standby gas treatment sys
IPPOLITO, T A Operating Reactors Branch 3 79/02/14 5pp
- 7903080534 Amend 44 to DPR-62 changing Tech Specs re containment atmosphere control standby gas treatment sys
IPPOLITO, T A Operating Reactors Branch 3 79/02/14 5pp.
- 7903080538 Safety evaluation supporting Amends 20 & 44 to Licenses DPR-71 & 62, respectively
* Office of Nuclear Reactor Regulation 79/02/14 3pp
- 7903080540 Notice of issuance of Amend 20 to DPR-71 & Amend 44 to DPR-62 operating licenses
IPPOLITO, T A Operating Reactors Branch 3 79/02/14 2pp
- 7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample 1tr
EISENHUT, D O Assistant Director for Systems & Projects 79/02/15 2pp.
- 7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants." All plants are in conformance w/ acceptance criteria
jects 79/02/15 10pp
- 7903200036 Forwards Amend 21 to License DPR-71, Amend 45 to DPR-62 notice of issuance & availability
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 3pp
- 7903200040 Amend 21 to License DPR-71 & Amend 45 to DPR-62 incorporating current physical security plan into license
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 4pp
- 7903200042 Notice of issuance of Amend 21 & 45 to Licenses DPR-71 & DPR-62, respectively
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp
- 7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity " W/affidavit for proprietary status
Rept withheld (ref 10CFR2 790)
BOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/26 5pp
- 7903220382 Forwards request for addl info for suppl to fire protection re Amends 11 & 37 to Licenses DPR-71 & DPR-62, respectively Needs to resolve questions prior to return to power operation after refueling outages
IPPOLITO, T A Operating Reactors Branch 3 79/02/27 5pp
- 7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants "
* Assistant Director for Engineers & Projects 79/02/27 1
- 7903230083 Forwards safety evaluation rept on interim assessments multiple-consecutive safety relief valve actuations
Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27 1p
- 7903070256 Forwards Jan 1979 Mark I containment program activity review lists meetings held & provides brief task-by-task summary
BOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/28, 11pp
- 7903120459 Provides summary of 790213 meeting in Bethesda, MD w/representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads
W/encl attendees list & meeting handouts
BUT, M Containment Systems Branch 79/03/01 16pp
- 7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D O Assistant Director for Systems & Projects 79/03/01 4pp.
- 7903200304 Directs recipients to send encl sample 1trs to BWR M facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects 79/03/01 8pp
- 7903080306 Forwards suppl info re onsite emergency power sys degrading voltage mods
UTLEY, E E Carolina Power & Light Co 79/03/06 16pp
- 7903270090 Discusses status of Mark I containment long-term program Requests schedule showing time periods for installation of specific plant mods Discusses safety relief valve discharge device installation & forwards staff evaluation
STELLO, V Division of Operating Reactors 79/03/12 17pp
- 7903190205 Responds to 781221 request for addl info re startup ph tests Describes test to be performed following refueling outages
UTLEY, E E Carolina Power & Light Co 79/03/16 7pp
- 7903230174 Forwards NEDO-24179, "Suppl Reload Licensing Submittal, Revision 1.
UTLEY, E E Carolina Power & Light Co 79/03/21 2pp
- 7903230178 "Suppl Reload Licensing Submittal, Reload 2 (Recirculation Pump Trip Feature)," Revision 1
ERVIN, A M, BRUGGER, R O, Carolina Power & Light Co NEDO-241 79/03/01 44pp
- 7902280090 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraul Shock & Sway Arrestors (HBSA) "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/02 5pp

DOCKETED SERIES

113

DOCKET 50-324 Brunswick Steam Electric Plant, Unit 2

7903050593 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoid " Seven year recommended life for presently inservice Buna-N matl investigated Schedule for replacement of all Buna-N components developed UTLEY,E E Carolina Power & Light Co 79/02/02 3pp

7903200171 Forwards IE Insp Rept 50-324/79-03 on 790116-19 No noncompliance noted KENNA,W B Region 2, Atlanta, Safeguards Branch 79/02/12 2pp

7903200177 IE Insp Rept 50-324/79-03 on 790116-19 No noncompliance noted Major areas inspected facility organization,shipping & receiving,storage & internal control,inventory,records, rept & mgt of matl control sys HODGES,J W , WILLIAMS,G H Region 2, Atlanta, Safeguards Branch 79/02/05 3pp

7903280053 Forwards IE Insp Repts 50-324/79-01 & 50-325/79-01 on 790109-12 No noncompliance noted LEWIS,R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/14 2pp

7903280059 IE Insp Repts 50-324/79-01 & 50-325/79-01 on 790109-12 No noncompliance noted Major areas inspected refuel shutdown planning,annual emergency plan drill,plant tour,LER review, IE circular & bulletin review RILEY,B W , DYER,J A , DANCE,H C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/14 4pp

7903080535 Forwards IC Info Notice 79-04, "Degradation of Engineered Safety Features " O'REILLY,J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080256 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class 1E Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 5L3CML O'REILLY,J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140465 Forwards IF Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts " O'REILLY,J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210119 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co " O'REILLY,J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903210568 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators " O'REILLY,J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903090204 Forwards "Semiannual Environ & Effluent Rept" for Jul-Dec 1978 FURR,B J Carolina Power & Light Co 79/03/01 1p

7903090207 "Semiannual Environ & Effluent Rept" for Jul-Dec 1978 * Carolina Power & Light Co 78/12/31 11pp

7903190257 Forwards monthly operating rept for Feb 1979 FURR,B J Carolina Power & Light Co 79/03/09 1p

7903190269 Monthly operating rept for Feb 1979 WILLIS,E Carolina Power & Light Co 79/03/01 9pp

7903070308 Forwards LER 79-003/03L-0 FURR,B J Carolina Power & Light Co 79/02/27 1p

7903070313 LER 79-003/03L-0 on 790130 reactor scrambled on average power range monitor high flux Caused by stem-disc separating, causing a momentary pressure spike Repairs to appropriate valve will be made TOLLISON,A C Carolina Power & Light Co 79/02/27 1p

7903200167 Reportable event on 790227 feedwater pipe whip restraint was installed incorrectly on Line A Condition should not cause damage to drywell liner Measures for a permanent solution are being investigated TOLLISON,A C Carolina Power & Light Co 79/02/27 2pp.

7903190181 Forwards LER 79-009/03L-0 FURR,B,J Carolina Power & Light Co 79/03/08 1p

7903190184 LER 79-009/03L-0 on 790207 Bergen-Paterson snubber 2E41-618999 had low fluid level Caused by leaking seal Seal was replaced TOLLISON,A C Carolina Power & Light Co 79/03/08 2pp

7903200438 Forwards LER 79-007/01T-0 FURR,B J Carolina Power & Light Co 79/03/13 1p

7903200444 LER 79-007/01T-0 on 790227 during reactor annulus pressurization analysis,pipe whip restraint in each unit did not conform Caused by improper design of restraint Architect & owner will design addl restraint TOLLISON,A C Carolina Power & Light Co 79/03/13 1p

7903230147 Forwards LER 79-012/03L-0 FURR,B J Carolina Power & Light Co 79/03/15 1p

7903230179 LER 79-012/03L-0 on 790219 Snubber 2-E11-8988480 was fully extended Caused by loose pipe clamp Snubber & clamp were repositioned & bolted into place TOLLISON,A C Carolina Power & Light Co 79/03/15 1p

7903270444 Forwards LER 79-013/03L-0 FURR,B J Carolina Power & Light Co 79/03/21 1p

7903270451 LER 79-013/03L-0 on 790220 after maint,calibr on suppression pool level transmitter CAC-LT-2601 found to be 1/2 inch below spec Caused by transmitter being out of calibr Instrument recalibr TOLLISON,A C Carolina Power & Light Co 79/03/21 2pp

7903270538 Forwards LER 78-072/03X-0 FURR,B J Carolina Power & Light Co 79/03/21 1p

7903270532 LER 78-072/03X-0 on 781101 during rod block monitor periodic test,Channel A found out of calibr Caused by setpoint drift Monitor recalibr * Carolina Power & Light Co 79/03/21 1p

DOCKET 50-325 Brunswick Steam Electric Plant, Unit 1

7903070575 Certain required info re fire protection found to be missing NRC must review design details in order to judge acceptability & resolve discrepancies prior to returning facility to power operation after 1979 refueling outages, IPPOLITO,T A Operating Reactors Branch 3 79/02/21 3pp

7903230035 Forwards Federal Register notice amending 10CFR73 55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801 BENTON,H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903060330 Responds to 790221 request for addl design details re fire protection mods per SER Section 3.1 Forwards info on fire retardant coating,remote shutdown,barriers,communications, battery room cables & water damage protection, UTLEY,E E Carolina Power & Light Co. 79/03/01 9pp

7903160030 Notification of 790309 meeting w/Carolina Power & Light Co in Bethesda,MD re status of fire protection mods,including design detail & implementation schedule for facility HANNON,J N Operating Reactors Branch 3 79/03/01 1p

7903080328 Requests amend to Licenses DPR-62 & DPR-71 re fire protection plan,Class I & II amend fee encl. UTLEY,E E Carolina Power & Light Co 79/03/06 3PP

7903080213 Identifies mods,discussed in NRC fire protection SER,that will not be completed by 790408 startup date Provides reasons for delays & projected completion dates w/encl mods lists UTLEY,E.E. Carolina Power & Light Co 79/03/07 8pp.

7903190263 Forwards info re status of fire protection mod requested by NRC for issuance of reload license amend for startup Provides review of mods that will & will not be completed prior to startup & modified Tech Spec pages HODUFFIE,M A Carolina Power & Light Co 79/03/15 102pp

7903280286 Forwards addl clarifying info re acceptance tests on remote shutdown mods & loading dock fire doors UTLEY,E E Carolina Power & Light Co 79/03/22 3pp.

DOCKETED SERIES

DOCKET 50-325 Brunswick Steam Electric Plant, Unit 1

7903270501 Forwards contingency plans, to be withheld (ref 10CFR2 790)
UTLEY, E E Carolina Power & Light Co 79/03/23 2pp

7903140222 Forwards revised versions Entry-Control Sys Handbook,
SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; &
Barrier Penetration Database, NUREG/CR-0181 w/o encl
MILLER, J R Division of Operating Reactors 79/01/09 2pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage
& Handling Application" provided on 780414 Involves pages
IV-5 & IV-6 w/modification rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects
79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer
Reduced Submergence, Functional Assessment Rept"
SOBON, L J General Electric Co, Nuclear Energy Products Div
79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence,
Functional Assessment Rept"
WONG, K W General Electric Co, Nuclear Energy Products Div
NEDO-21885 78/06/30 45pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD,
w/representative of Mark I owners group to discuss
implementation & resolution of Mark I long-term program &
pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06
1p

7903120012 Requests proposed change to Tech Specs deleting option "or
take the action required by Table 3.3.1-1 (and 3.3.2-1)" in
Spec 3.3.1, to prevent improper actions in event of
inoperable channels
IPPOLITO, T A Operating Reactors Branch 3 79/02/12 17pp

7903080526 Forwards Amend 20 to DPR-71 & Amend 44 to DPR-62, safety
evaluation & notice of issuance
IPPOLITO, T A Operating Reactors Branch 3 79/02/14 2pp

7903080530 Amend 20 to DPR-71 changing Tech Specs re containment
atmosphere control standby gas treatment sys
IPPOLITO, T A Operating Reactors Branch 3 79/02/14 5pp

7903080534 Amend 44 to DPR-62 changing Tech Specs re containment
atmosphere control standby gas treatment sys
IPPOLITO, T A Operating Reactors Branch 3 79/02/14 5pp

7903080538 Safety evaluation supporting Amends 20 & 44 to Licenses
DPR-71 & 62, respectively
* Office of Nuclear Reactor Regulation 79/02/14 3pp

7903080540 Notice of issuance of Amend 20 to DPR-71 & Amend 44 to
DPR-62 operating licenses
IPPOLITO, T A Operating Reactors Branch 3 79/02/14 2pp

7903010061 Forwards safety evaluation of interim assessment of
multiple-consecutive safety relief valve actuations, &
sample ltr
EISENHUT, D G Assistant Director for Systems & Projects
79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-
Consecutive Safety Relief Valve Actuations in Mark I
Containment Plants" All plants are in conformance w/
acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp

7903200036 Forwards Amend 21 to License DPR-71, Amend 45 to DPR-62 &
notice of issuance & availability
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 3pp

7903200040 Amend 21 to License DPR-71 & Amend 45 to DPR-62
incorporating current physical security plan into license
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 4pp

7903200042 Notice of issuance of Amend 21 & 45 to Licenses DPR-71 &
DPR-62, respectively
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp

7903140213 Forwards proprietary rept NEDE-23545-R, "Mark I Containment
Program, Suppression Pool Swell Test Program, LDR Load Test-
Generic Sensitivity" w/affidavit for proprietary status
Rept withheld (ref 10CFR2 790)
SOBON, L J General Electric Co, Nuclear Energy Products Div
79/02/26 5pp

7903200382 Forwards request for addl info for suppl to fire protection
SER re Amends 11 & 37 to Licenses DPR-71 & DPR-62,
respectively Needs to resolve questions prior to return to
power operation after refueling outages
IPPOLITO, T A Operating Reactors Branch 3 79/02/27 3pp

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I
Containment Plants"
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of
multiple-consecutive safety relief valve actuations
Concludes that continued operation of Mark I BWR facilities
is acceptable suby to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27 1p

7903070256 Forwards Jan 1979 Mark I containment program activity
review Lists meetings held & provides brief task-by-task
summary
SOBON, L J General Electric Co, Nuclear Energy Products Div
79/02/28 11pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD w/
representatives of Mark I owner's group program committee to
discuss generic Mark I program re safety relief valve loads
W/encl attendees list & meeting handouts
SU, T M Containment Systems Branch 79/03/01 16pp

7903200263 Forwards proposed staff position for Mark I long-term
program implementation schedules
EISENHUT, D G Assistant Director for Systems & Projects
79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I
facilities requesting schedules & commitments re expedited
mod completion dates, use of safety relief valve discharge
devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects
79/03/01 8pp

7903080306 Forwards suppl info re onsite emergency power sys degraded
grid voltage mods
UTLEY, E E Carolina Power & Light Co 79/03/06 16pp

7903270090 Discusses status of Mark I containment long-term program
Requests schedule showing time periods for installation of
specific plant mods Discusses safety relief valve discharge
device installation & forwards staff evaluation
STELLO, V Division of Operating Reactors 79/03/12 17pp

7903190203 Responds to 781221 request for addl info re startup physical
tests Describes test to be performed following refueling
outages
UTLEY, E E Carolina Power & Light Co 79/03/16 7pp

7903130005 Forwards IE Insp Rept 50-325/79-04 on 790115-19 No
noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering
Support Branch 79/02/01 2pp

7903130007 IE Insp Rept 50-325/79-04 on 790115-19 No noncompliance
noted Major areas inspected ultrasonic insp of reactor
recirculation inlet nozzle safe-ends & stainless steel core
spray piping
BLAKE, J J Region 2, Atlanta, Reactor Construction &
Engineering Support Branch CONLON, T E Region 2, Atlanta,
Office of the Director 79/02/01 3pp

7902280090 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraulic
Shock & Sway Arrestors (HSBA)"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/02 5pp

7903050593 Responds to IF Bulletin 78-14, "Deterioration of Buna-N
Components in ASCO Solenoid" Seven year recommended life
for presently inservice Buna-N matl investigated Schedule
for replacement of all Buna-N components developed
UTLEY, E E Carolina Power & Light Co 79/02/02 3pp

7903280053 Forwards IE Insp Repts 50-324/79-01 & 50-325/79-01 on
790109-12 No noncompliance noted
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support
Branch 79/02/14 2pp

7903280059 IE Insp Repts 50-324/79-01 & 50-325/79-01 on 790109-12 No
noncompliance noted Major areas inspected refuel shutdown
planning, annual emergency plan drill, plant tour, LER review,
IE circular & bulletin review
RILEY, B W, DYER, J A, DANCE, H C Region 2, Atlanta, Reactor
Operations Nuclear Support Branch 79/02/14 4pp

DOCKETED SERIES

115

DOCKET 50-325 Brunswick Steam Electric Plant, Unit 1

7903080535 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080296 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 8L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140465 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903210119 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 2pp

7903210568 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903090204 Forwards "Semiannual Environ & Effluent Rept" for Jul-Dec 1978
FURR, B J Carolina Power & Light Co 79/03/01 1p

7903090207 "Semiannual Environ & Effluent Rept" for Jul-Dec 1978
* Carolina Power & Light Co 78/12/31 111pp

7903090214 Forwards "Annual Operating Rept 1978"
FURR, B J Carolina Power & Light Co 79/03/01 1p

7903090217 "Annual Operating Rept 1978"
* Carolina Power & Light Co 78/12/31 71pp

7903190257 Forwards monthly operating rept for Feb 1979
FURR, B J Carolina Power & Light Co 79/03/09 1p

7903190269 Monthly operating rept for Feb 1979
WILLIS, E Carolina Power & Light Co 79/03/01 9pp

7903200167 Reportable event on 790227 feedwater pipe whip restraint was installed incorrectly on Line A Condition should not cause damage to drywell liner Measures for a permanent solution are being investigated
TOLLISSON, A C Carolina Power & Light Co 79/02/27 2pp

DOCKET 50-326 Univ of California at Irvine Res Reactor

7903130014 Forwards IE Insp Rept 50-326/79-01 on 790207-08 No noncompliance noted Insp Rept withheld (ref 10CFR2 790)
NORBERHAUG, L R Region 9, San Francisco, Safeguards Branch
79/02/20 1p

7903270388 Submits annual rept for TRIQA reactor for Jul 1977-June 1978 Because rept is late, includes matl related to unloading & reloading of reactor from Oct & Nov 1978
MILLER, G E California, Univ of, Irvine 79/03/21 1p

7903270389 Annual rept for Jul 1977-June 1978
MILLER, G E, California, Univ. of, Irvine, 78/06/30 40pp

DOCKET 50-327 Sequoyah Nuclear Plant, Unit 1

7903140142 Forwards recommendations for general contents of Offsite Dose Calculation Manual, required to be submitted w/proposed Tech Specs implementing 10CFR50 36a
VARGA, S A Light Water Reactors Branch 4 79/02/16 7pp

7903070356 Documents 790220 conversation in Atlanta, GA Forwards responses to questions & requests changes in draft Natl Pollution Discharge Elimination Bys Permit TN0024450 prior to public notice
MODRE, H G Tennessee Valley Authority, 79/02/28 4pp

7903060422 In response to 790105 ltr, forwards requested info re piping sys support base plates.
GILLELAND, J E Tennessee Valley Authority 79/03/02 50pp

7903120214 Forwards response to Items 11-15 of NRC 790119 request for addl info Responses will be included in Amend 61 to FSAR
Loose parts monitoring sys will be installed during 790430 refueling outage
GILLELAND, J E Tennessee Valley Authority 79/03/06 10pp

7903150358 In response to 781208 request, forwards qualification data on Limitorque valve operators Documentation of submittal of this info will be included in Amend 61 to FSAR
GILLELAND, J E Tennessee Valley Authority 79/03/07 1p

7903150302 Forwards proposed environ Tech Specs to Facility operating license
GILLELAND, J E Tennessee Valley Authority 79/03/09 15pp

7903160241 Forwards draft radiological effluent Tech Spec modified to reflect plant design Explains reasons for not addressing waste solidification or Offsite Dose Calculation Manual
GILLELAND, J E Tennessee Valley Authority 79/03/12 85pp

7903210023 Forwards revised response to Question 2 of 780920 request for addl info re monitoring requirements of reactor cooling sys trip test
GILLELAND, J E Tennessee Valley Authority 79/03/16 5pp

7903290158 Forwards responses to Questions 3 & 10 of 790119 request for addl info
GILLELAND, J E Tennessee Valley Authority 79/03/23 4pp

7903270063 Forwards SER (NUREG-0011)
VARGA, S A Light Water Reactors Branch 4 79/03/14 2pp

7903270066 Notice of availability of SER (NUREG-0011)
VARGA, S A Light Water Reactors Branch 4, 79/03/14 1p

7903270071 SER for facility
* Office of Nuclear Reactor Regulation NUREG-0011 79/03/14 300pp Available at NTIS

7903080167 Notification of meeting on 790212 to discuss facility fire protection
SILVER, M Light Water Reactors Branch 4 79/02/06 3pp

7903150255 Forwards Revision 3 of responses to NRC questions re fire protection review Answers open items from preliminary evaluations Figures & oversized drawings to suppl responses encl
GILLELAND, J E Tennessee Valley Authority 79/03/08 100pp.

7903260242 Forwards safeguards contingency plans Plans withheld (ref 10CFR2 790)
GILLELAND, J E Tennessee Valley Authority 79/03/21 1p

7903160170 Forwards "Annual Rept 1978"
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p.

7903160217 "Annual Rept 1978"
* Tennessee Valley Authority 79/03/16 42pp

7903050255 Forwards Amend 60 to facility FSAR
GILLELAND, J E Tennessee Valley Authority, 79/03/02 1p

7903050259 Amend 60 to FSAR Contains revisions to Chapters 3, 5, 6 & 7, responses to NRC questions, further documentation of previously transmitted items, miscellaneous FSAR text changes & instructions
* Tennessee Valley Authority 79/03/02 212pp

7903210342 Forwards affidavit certifying that copies of Amend 60 to FSAR were served on 790314.
MILLS, L M Tennessee Valley Authority, 79/03/14 2pp

DOCKETED SERIES

DOCKET 50-327 Sequoyah Nuclear Plant, Unit 1

7903070183 Forwards IE Insp Rept 50-327/79-01 on 790102-03 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/15 2pp

7903070053 Forwards IE Insp Rept 50-327/78-45 on 781227-29 No noncompliance noted
LONQ, F J Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/18 2pp

7903070037 IE Insp Rept 50-327/78-45 on 781227-29 No noncompliance noted Major areas inspected ice loading activities, completed preoperational test procedures, resolution of previous insp items & facility tour
DONAT, T J, BELISLE, G. A., DANCE, H C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/17 8pp

7903070173 Forwards IE Insp Rept 50-327/78-39 on 781205-08, 11-15 & 18-19 No noncompliance noted
LONQ, F J Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/19 2pp

7903070177 IE Insp Rept 50-327/78-39 on 781205-08, 11-15 & 18-19 No noncompliance noted Major areas inspected procedures & activities necessary to implement operational QA program
MCDDWALD, J. A., ASHENDEN, M. C., KELLOGG, P. J. Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/19 41pp

7903130204 Forwards IE Insp Rept 50-327/79-02 on 790103-03 No noncompliance noted
LONQ, F J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/25 2pp

7903130214 IE Insp Rept 50-327/79-02 on 790103-03 No noncompliance noted Major areas inspected witnessing preoperational test TVA-13B(2), review of applicant response to previous items & plant tour
DONAT, T. J., MARTIN, R. D. Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/24 5pp

7903140505 Forwards IE Insp Repts 50-327/79-04 & 50-328/79-02 on 790116-19 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/05 2pp

7903140510 IE Insp Repts 50-327/79-04 & 50-328/79-02 on 790116-19 No noncompliance noted Major areas inspected safety-related pipe support & restraint sys, progress of installation of safety-related major mechanical components
VALLIBH, E. J., BRYANT, J. C. Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/02 3pp

7903140492 Forwards IE Insp Repts 50-327/79-03 & 50-328/79-01 on 790115-17 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/06 2pp

7903140499 IE Insp Repts 50-327/79-03 & 50-328/79-01 on 790115-17 No noncompliance noted Major areas inspected reactor coolant pressure boundary piping activities & records, safety-related piping activities & records, housekeeping & general const
CROWLEY, B. R., CONLON, T. E. Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/05 4pp

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment" w/ list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J. P. Region 2, Atlanta, Office of the Director 79/02/08 2pp

7903210039 Forwards IE Insp Rept 50-327/79-06 on 790116-19 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/09 2pp

7903210043 IE Insp Rept 50-327/79-06 on 790116-19 No noncompliance noted Major areas inspected preservice insp program, procedures, work activities & records
VANDDOORN, P. K., CONLON, T. E. Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/09 3pp

7903020376 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J. P. Region 2, Atlanta, Office of the Director, 79/02/16 2pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CHL should read SL3CHL
O'REILLY, J. P. Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J. P. Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903200014 Ack receipt of 790129 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-327/78-41
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/03/09 2pp

7903200018 Responds to NRC 790105 ltr re violations noted in IE Insp Rept 50-327/78-41 Corrective actions daily calibr on equipment & ultrasonic test instrument recalibr
GILLELAND, J. E. Tennessee Valley Authority 79/01/29 3pp

7903200023 Forwards IE Insp Rept 50-327/78-41 on 781211, 13-15 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/05 2pp

7903200031 Notice of violation from insp on 781211, 13-15
* Region 2, Atlanta, Office of the Director 79/01/03 1p

7903200038 IE Insp Rept 50-327/78-41 on 781211, 13-15 Noncompliance noted ultrasonic test procedure failed to provide for daily calibr & failure to follow procedural instrument calibr requirements
VANDDOORN, P. K. Region 2, Atlanta, Office of the Director
CONLON, T. E. Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/03 5pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J. P. Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J. P. Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903200146 Telcon rept TVA notified resident inspector of design problem in essential raw cooling water piping Break in Class H piping would result in excessive loss of water not considered in sizing pump capacity
* Tennessee Valley Authority 79/01/29 1p

7903220236 Submits final rept on deficiency & corrective actions re heating & ventilating ductwork hangers
GILLELAND, J. E. Tennessee Valley Authority 79/01/29 2pp

7903200151 Telcon Rept Dynalco Type RT 2429 relay tachometers purchased about 1971 have failed on one Unit 1 & two Unit 2 diesel generators. Zener diodes in power supply have shown evidence of overheating prior to failure
* Tennessee Valley Authority 79/01/30 1p

7903220168 Submits first interim rept on deficiency & corrective actions re metal shavings in valve operators
GILLELAND, J. E. Tennessee Valley Authority 79/02/01 2pp

7903200072 Final rept submitted 790104 for const deficiency reported on 780720 incorrectly stated corrective actions re installation of thin steel plates. Plates have not been installed; will be installed by 790215
GILLELAND, J. E. Tennessee Valley Authority 79/02/05 1p

7903200163 Telcon rept TVA notified Region II that movement of steel containment vessel lines was overlooked in design of small line supports. Small lines are being reanalyzed & supports will be redesigned per analysis
* Tennessee Valley Authority 79/02/05 1p

DOCKET 50-328 Sequoyah Nuclear Plant, Unit 2

7903140142 Forwards recommendations for general contents of Offsite Dose Calculation Manual, required to be submitted w/ proposed Tech Specs implementing 10CFR50.36a
VARQA, S. A. Light Water Reactors Branch 4 79/02/16 7pp

DOCKET 50-328 Sequoyah Nuclear Plant, Unit 2

7903070356 Documents 790220 conversation in Atlanta, GA Forwards responses to questions & requests changes in draft Natl Pollution Discharge Elimination Sys Permit TN0024450 prior to public notice
MOORE, H G Tennessee Valley Authority 79/02/28 4pp

7903060422 In response to 790105 ltr, forwards requested info re piping sys support base plates
GILLELAND, J E Tennessee Valley Authority 79/03/02 50pp

7903120214 Forwards response to Items 11-15 of NRC 790119 request for addl info Responses will be included in Amend 61 to FSAR Loose parts monitoring sys will be installed during 790430 refueling outage
GILLELAND, J E Tennessee Valley Authority 79/03/06 10pp

7903150358 In response to 781208 request, forwards qualification data on Limitorque valve operators Documentation of submittal of this info will be included in Amend 61 to FSAR
GILLELAND, J E Tennessee Valley Authority 79/03/07 1p

7903150302 Forwards proposed environ Tech Specs to facility operating license
GILLELAND, J E Tennessee Valley Authority 79/03/09 15pp

7903160241 Forwards draft radiological effluent Tech Spec modified to reflect plant design Explains reasons for not addressing waste solidification or Offsite Dose Calculation Manual
GILLELAND, J E Tennessee Valley Authority 79/03/12 85pp

7903210023 Forwards revised response to Question 2 of 780920 request for addl info re monitoring requirements of reactor cooling sys trip test
GILLELAND, J E Tennessee Valley Authority 79/03/16 5pp

7903220198 Forwards responses to Questions 3 & 10 of 790119 request for addl info
GILLELAND, J E Tennessee Valley Authority 79/03/23 4pp

7903270063 Forwards SER (NUREG-0011)
VARGA, S A Light Water Reactors Branch 4 79/03/14 2pp

7903270066 Notice of availability of SER (NUREG-0011)
VARGA, S A Light Water Reactors Branch 4 79/03/14 1p

7903270071 SER for facility
* Office of Nuclear Reactor Regulation NUREG-0011 79/03/14 300pp Available at NTIS

7903080167 Notification of meeting on 790212 to discuss facility fire protection
SILVER, H Light Water Reactors Branch 4 79/02/06 3pp

7903150255 Forwards Revision 3 of responses to NRC questions re fire protection review Answers open items from preliminary evaluations Figures & oversized drawings to suppl responses encl
GILLELAND, J E Tennessee Valley Authority 79/03/08 100pp

7903260242 Forwards safeguards contingency plans Plans withheld (ref 10CFR2 790)
GILLELAND, J E Tennessee Valley Authority 79/03/21 1p

7903160170 Forwards "Annual Rept 1978"
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903160217 "Annual Rept 1978"
* Tennessee Valley Authority 79/03/16 42pp

7903050255 Forwards Amend 60 to facility FSAR
GILLELAND, J E Tennessee Valley Authority 79/03/02 1p

7903050259 Amend 60 to FSAR Contains revisions to Chapters 3, 5, 6 & 7, responses to NRC questions, further documentation of previously transmitted items, miscellaneous FSAR text changes & instructions
* Tennessee Valley Authority 79/03/02 212pp

7903210342 Forwards affidavit certifying that copies of Amend 60 to FSAR were served on 790314.
HILLS, L M Tennessee Valley Authority 79/03/14 2pp

7903220190 Responds to NRC 780208 ltr re violations noted in IE Insp Repts 50-327/77-30 & 50-328/77-21 Corrective actions lighting transformer support redesigned, analyzed & installed
GILLELAND, J E Tennessee Valley Authority 79/01/09 2p

7903010049 Forwards IE Insp Repts 50-327/78-44 & 50-328/78-29 on 781218-22 No noncompliance noted
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/11 2pp

7903010050 IE Insp Rept 50-327/78-44 & 50-328/78-29 on 781218-22 No noncompliance noted Major areas inspected status of preoperational testing for radwaste sys & status of radiation protection program
JACKSON, L L, GIBSON, A F Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/10 4pp

7903140505 Forwards IE Insp Repts 50-327/79-04 & 50-328/79-02 on 790116-19 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/05 2pp.

7903140510 IE Insp Repts 50-327/79-04 & 50-328/79-02 on 790116-19 No noncompliance noted Major areas inspected safety-related pipe support & restraint sys; progress of installation of safety-related major mechanical components
VALLI, B H, E J, BRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/02 3pp

7903140492 Forwards IE Insp Repts 50-327/79-03 & 50-328/79-01 on 790115-17 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/06 2pp

7903140499 IE Insp Repts 50-327/79-03 & 50-328/79-01 on 790115-17 No noncompliance noted Major areas inspected reactor coolant pressure boundary piping activities & records; safety-related piping activities & records; housekeeping & general const
CROWLEY, B R, CONLON, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch. 79/02/03 6pp

7902210164 Forwards IF Bulletin 79-01, "Environ Qualification of Class IE Equipment" w/ list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/08 2pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director. 79/02/28 2pp

7903140552 Forwards IE Insp Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators."
O'REILLY, J P Region 2, Atlanta, Office of the Director. 79/03/16 2pp

7903200146 Telcon rept TVA notified resident inspector of design problem in essential raw cooling water piping. Break in Class H piping would result in excessive loss of water not considered in sizing pump capacity.
* Tennessee Valley Authority 79/01/29 1p

7903220236 Submits final rept on deficiency & corrective actions re heating & ventilating ductwork hangers
GILLELAND, J E Tennessee Valley Authority. 79/01/29, 2pp.

7903200151 Telcon Rept Dynalco Type RT 2429 relay tachometers purchased about 1971 have failed on one Unit 1 & two Unit 2 diesel generators Zener diodes in power supply have shown evidence of overheating prior to failure.
* Tennessee Valley Authority. 79/01/30 1p.

7903220188 Submits first interim rept on deficiency & corrective actions re metal shavings in valve operators
GILLELAND, J E Tennessee Valley Authority. 79/02/01, 2pp

7903200072 Final rept submitted 790104 for const deficiency reported on 780720 incorrectly stated corrective actions re installation of thin steel plates Plates have not been installed; will be installed by 790215.
GILLELAND, J E Tennessee Valley Authority 79/02/05 1p

DOCKETED SERIES

DOCKET 50-328 Sequoyah Nuclear Plant, Unit 2

7903200163 Telcon re: TVA notified Region II that movement of steel containment vessel lines was overlaid in design of small line supports. Small lines are being reanalyzed & supports will be redesigned per analysis.
* Tennessee Valley Authority 79/02/05 1p

DOCKET 50-329 Midland Plant, Unit 1

7903070074 Notification of 790222 meeting in Bethesda, MD, to discuss items resulting from NRC safety review of FSAR
HOOD, D Light Water Reactors Branch 4 79/02/06 3pp

7903190135 Requests by util to withdraw info submitted per NRC request have not been granted. Info submitted in response to requests 231 10 & 231 13 to be placed in PDR; copies of responses encl
VARGA, S A Light Water Reactors Branch 4 79/02/15 3pp

7903140480 Informs that util is required to provide an Offsite Dose Calculation Manual w/proposed Tech Specs. Forwards NRC recommendations for general contents of manual
VARGA, S A Light Water Reactors Branch 4 79/02/16 7pp

7903130115 Confirms plans for 790223 meeting in Glen Ellyn, IL, to discuss circumstances re settlement of diesel generator bldg & plant area fill
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/20 1p

7903080157 Summary of 780116 meeting re tank drop containment sump models, tests & steam line break analytical techniques. Lists of attendees, handouts & vignographs attached
HOOD, D S Light Water Reactors Branch 4 79/02/22 30pp

7903150008 Summary of 790117 meeting w/Consumers Power Co. Bechtel Associates & B&W re changes to facility designs which have occurred since issuance of const permits, & conformance to reg guides on QA during operations phase
HOOD, D S Light Water Reactors Branch 4 79/02/27 21pp

7903070230 Forwards aquatic ecology monitoring activities for preoperational & operation assessments of Tittabawassee River. Requests NRC to confirm adequacy of program
HOWELL, S H Consumers Power Co 79/02/28 7pp

7903270052 Notification of 790306 site visit to observe preloading program for consolidation of backfill beneath diesel generator bldg
HOOD, D Light Water Reactors Branch 4 79/02/28 3pp

7903080301 Forwards 790209 aquatic ecology assessment scope statement for Tittabawassee River & 790228 ltr to WH Regan re aquatic ecology monitoring program
LATVAITIS, P B Consumers Power Co 79/03/01 26pp

7903260192 Forwards Round One requests for addl info by 790501 re proposed initial test program w/encl errata sheet for previous requests
VARGA, S A Light Water Reactors Branch 4 79/03/01 17pp

7903120259 Forwards Certificate of Gvc of Amend 58 to util's license application upon Chatterton, Ranck, Gustafson & Argonne Natl Lab
BACON, J L Consumers Power Co 79/03/06 2pp

7903200184 Forwards oversited suppl ref drawings (Piping Isometric, Controlled Copy 1 & Piping & Instrument Controlled Copy 7), per Reg Guide 1.70, Revision 2. These drawings replace all

7903300019 Forwards revised distribution list for Environ Rept suppl & amend
DUNCAN, M Division of Site Safety & Environmental Analysis 79/03/13 5pp

7903200196 Settlement & termination of special proceeding. Since Comptroller General held that NRC was not responsible for investigative fees, considers issue settled w/supporting documentation
EILPERIN, S F Office of the General Counsel 79/01/18 12pp

7903160290 Informs of Consumers Power's new long-term forecast of electric demand. New forecast predicts average compound increases in power peak demand of 3.4% annually for 1979-88 & 3.2% annually for 1979-92
OIBBS, H E Isham, Lincoln & Beale 79/02/15 2pp

7903260014 No objection to granting Consumer Power Co's motion
CHERRY, M M Cherry, Myron M 79/02/15 1p

7903200097 Forwards descriptions of const deficiencies per 10CFR50.55(e) since notice of hearing for operating license proceeding was issued on 781012
OIBBS, H E Isham, Lincoln & Beale 79/02/19 1p

7903090119 Addendum to NRC 790202 order. Strikes seven orders & memos from the record & dismisses w/prejudice charges contained therein
CHILK, S J Office of the Secretary of the Commission 79/02/21 2pp

7903300598 Notification of 790403 meeting w/util in Bethesda, MD, to discuss status of safety & environ review schedule for facility
HOOD, D S Light Water Reactors Branch 4 79/03/23 2pp

7903070229 Forwards "1978 Annual Rept"
PERRY, P Consumers Power Co 79/03/05 1p

7903090231 "1978 Annual Rept"
* Consumers Power Co 78/12/31 40pp

7903010302 Forwards Amend 59 to application for const permits as Revision 18 to FSAR, & new suppl reference drawings on piping isometrics, piping & instrument diagrams
HOWELL, S H Consumers Power Co 79/02/26 2pp

7903010304 Revision 18 to FSAR, Vols 1 & 2
* Consumers Power Co 79/02/26 1,400pp

7903200369 Forwards FSAR page 3.8-52a, originally submitted via Revision B & deleted due to Revision 14 instruction sheet error
HOWELL, S H Consumers Power Co 79/03/08 2pp

7903010256 Recommends water quality parameters for pre- & post-operational monitoring in Tittabawassee River. Requests approval of water quality monitoring program. Lists water quality monitoring procedures to be employed
LATVAITIS, P B Consumers Power Co 79/02/21 4pp

7903010351 Forwards IE Insp Repts 50-329/78-15 & 50-330/78-15 on 781101-03 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/12/28 2pp

7903010357 Notice of violation from insp on 781101-03
* Region 3, Chicago, Office of the Director 78/12/27 1p

7903010351 IE Insp Repts 50-329/78-15 & 50-330/78-15 on 781101-03. Noncompliance noted inadequate control of welding
WESCOTT, H M, NAIDU, K R, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/12/27 17pp

7903020267 Forwards IE Insp Repts 50-329/78-17 & 50-330/78-17 on 781107-07 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/06 2pp

7903020268 Notice of violation from insp on 781107-09
* Region 3, Chicago, Office of the Director 78/12/26 1p

7903020270 IE Insp Repts 50-329/78-17 & 50-330/78-17 on 781107-09. Noncompliance noted failure to follow instructions re personnel airlock repair welding
VANDEL, T E, HANSEN, W A, HAYES, D W Region 3, Chicago, Office of the Director 78/12/26 4pp

DOCKETED SERIES

119

DOCKET 50-329 Midland Plant, Unit 1

7903130379 Forwards IE Insp Repts 50-329/78-19 & 50-330/78-19 on 781213-14 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/29 2pp

7903130391 IE Insp Repts 50-329/78-19 & 50-330/78-19 on 781213-14 No noncompliance noted Major areas inspected installation of safety-related hangers & restraints including review of specs, drawings, & QC procedures
VIN, L T, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/26 7pp

7903060586 Ack receipt of 790119 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-329/78-03 & 50-330/78-03
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 1p

7903130030 Forwards IE Insp Repts 50-329/78-21 & 50-330/78-21 on 781002-31 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 2pp

7903130056 IE Insp Repts 50-329/78-21 & 50-330/78-21 on 781002-31 No noncompliance noted Major areas inspected site condition, seismic qualification of battery racks, scheduling analysis, reactor coolant pipe restraints, & electrical equipment
COOK, R J, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/30 6pp

7903080383 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903130231 Ack receipt of 790207 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-329/78-17 & 50-330/78-17
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/27 1p

7903130244 Responds to NRC 790103 ltr re violations noted in IE Insp Repts 50-329/78-17 & 50-330/78-17 Corrective actions nonconforming welds will be corrected by vendor by 790330 W/encl vendor documentation
HOWELL, S H Consumers Power Co 79/02/07 20pp

7903300313 Forwards IE Insp Repts 50-329/79-01 & 50-330/79-01 on 790206-08 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/28 2pp

7903300318 IE Insp Repts 50-329/79-01 & 50-330/79-01 on 790206-08 No noncompliance noted Major areas inspected installation of safety-related hangers & restraints including review of drawings & QC procedures
VIN, L T Region 3, Chicago, Office of the Director
DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/16 5pp

7903080336 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read BL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/01 1p

7903220340 Ack receipt of 790201 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-329/78-15 & 50-330/78-15
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/03/07 1p

7903220348 Responds to NRC 781228 ltr re violation noted in IE Insp Rept 50-329/78-15 & 50-330/78-15 Corrective actions corrective action rept written for welds & welded studs found to be in conformance
HOWELL, S H Consumers Power Co 79/02/01 App

7903150029 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190549 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903010308 Monthly nonconformance rept for Jan 1979
HOWELL, S H Consumers Power Co 79/02/22 400pp

7903270394 Forwards nonconformance repts for Feb 1979 in accordance w/condition of ALAB-106 memo & order dtd 730326 & Amend 1 of const permit Includes nonconformance repts from Bechtel, B&W & Bechtel quality action requests
HOWELL, S D Consumers Power Co 79/03/25 200pp

7902050127 Final rept informing of completion, approval & release of repair design to reactor coolant pump motor flanges Design deficiency resolved and is now in compliance with stds
HOWELL, S H Consumers Power Co 79/01/31 1p

7903060583 Ack receipt of 790126 interim deficiency rept re heater wiring control room air filtering units
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 1p

7903080220 Ack receipt of 790131 final rept re Class IE station battery Will complete review & inform util of conclusions during future insp
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/15 1p

7903080360 Ack receipt of 790201 interim rept re reactor bldg spray piping supports
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/15 1p

7903120359 Ack receipt of 790131 final rept re reactor coolant pump motor flanges Will complete review during future insp
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/15 1p

7903300346 Forwards two interim repts omitted from 790219 ltr which should have been submitted by util to NRC
QIBBS, M E Isham, Lincoln & Beale 79/02/28 14pp.

7903200089 Ack receipt of 790223 interim rept re settlement of diesel generator foundations & bldg Will review final rept upon receipt
FIORELLI, G Region 3, Chicago, Office of the Director 79/03/05 1p

7903130315 Forwards Interim Rept 2 on status of component qualification test documentation re-review
HOWELL, S H Consumers Power Co 79/03/09 1p

7903130331 Interim Rept 2 on seismic & environ component qualification, giving status of corrective action in process W/ "Qualification Status Rept. Revision 5"
* Consumers Power Co 79/02/22 38pp

7903130387 Forwards final deficiency rept re air filtering units
HOWELL, S H Consumers Power Co 79/03/09 1p

7903130394 Final rept on deficient air filtering units OVM-78A & B & OVM-94A & B Vendor notified util of improper control wiring Wiring will be replaced & drawing will be revised
* Consumers Power Co 79/02/08 2pp

7903150336 Submits final deficiency rept of small break analysis & MPI cross-connect modification effect B&W 790226 concurrence ltr encl
HOWELL, S H Consumers Power Co 79/03/12 3pp

7903210034 Notification of decision not to pursue complete engineering evaluation to define plant response to pressurizer heater unavailability during plant hot shutdown
HOWELL, S H Consumers Power Co. 79/03/16 2pp

7903210133 Provides interim deficiency rept re reactor bldg spray piping supports meeting ASME allowable stress specs. Notification that either interim or final rept will be sent by 790901
HOWELL, S. H Consumers Power Co 79/03/16 1p.

7903230198 Interim ITT Grinnell rept indicates that six anchors are within ASME Section III Code requirements re allowable stress. Addl rept, either interim or final, will be sent on or before 790501
HOWELL, S H. Consumers Power Co 79/03/16 1p.

DOCKET 50-330 Midland Plant, Unit 2

7903070074 Notification of 790222 meeting in Bethesda, MD, to discuss items resulting from NRC safety review of FSAR
HOOD, D Light Water Reactors Branch 4 79/02/06 3pp

DOCKET 50-330 Midland Plant, Unit 2

7903190135 Requests by util to withdraw info submitted per NRC request have not been granted Info submitted in response to requests 231 10 & 231 13 to be placed in PDR, copies of responses encl

VARQA, S A Light Water Reactors Branch 4 79/02/15 3pp

7903140480 Informs that util is required to provide an Offsite Dose Calculation Manual w/proposed Tech Specs Forwards NRC recommendations for general contents of manual

VARQA, S A Light Water Reactors Branch 4 79/02/16 7pp

7903130115 Confirms plans for 790223 meeting in Glen Ellyn, IL to discuss circumstances re settlement of diesel generator bldg & plant area fill

KEPLER, J O Region 3, Chicago, Office of the Director 79/02/20 1p

7903080157 Summary of 780116 meeting re tank drop containment sump models tests & steam line break analytical techniques Lists of attendees, handouts & viewgraphs attached

HOOD, D S Light Water Reactors Branch 4 79/02/22 30pp

7903150008 Summary of 790117 meeting w/Consumers Power Co, Bechtel Associates & B&W re changes to facility designs which have occurred since issuance of const permits, & conformance to reg guides on QA during operations phase

HOOD, D S Light Water Reactors Branch 4 79/02/27 21pp

7903070230 Forwards aquatic ecology monitoring activities for preoperational & operation assessments of Tittabawassee River Requests NRC to confirm adequacy of program

HOWELL, S H Consumers Power Co 79/02/28 7pp

7903270052 Notification of 790306 site visit to observe preloading program for consolidation of backfill beneath diesel generator bldg

HOOD, D S Light Water Reactors Branch 4 79/02/28 3pp

7903080301 Forwards 790209 aquatic ecology assessment scope statement for Tittabawassee River & 790228 ltr to HM Regan re aquatic ecology monitoring program

LATVAITIS, P B Consumers Power Co 79/03/01 26pp

7903260192 Forwards Round One requests for addl info by 790501 re proposed initial test program w/encl errata sheet for previous requests

VARQA, S A Light Water Reactors Branch 4 79/03/01 17pp

7903120259 Forwards Certificate of Evt of Amend 58 to util's license application upon Chattanooga, Rank, Gustafson & Argonne Natl Lab

BACON, J L Consumers Power Co 79/03/06 2pp

7903200184 Forwards oversized suppl ref drawings (Piping Isometric, Controlled Copy 1 & Piping & Instrument Controlled Copy 7), per Reg Guide 1 70, Revision 2 These drawings replace all previous submittals

HOWELL, S H Consumers Power Co 79/03/08 128pp

7903020354 Forwards Amend 60 to util application for const permits & operating licenses including Revision 6 to Environ Rept

HOWELL, S H Consumers Power Co 79/02/27 2pp

7903020355 Revision 6 to Environ Rept containing updated matl as detailed in application page
* Consumers Power Co 79/02/27 38pp

7903190151 Forwards revised distribution list for Environ Rept suppl & amend, replacing all previous ones sent

DUNCAN, M Environmental Project Branch 2 79/03/05 5pp

7903120268 Forwards affidavit of svc of Amend 60 to Environ Rept

DADUD, L Consumers Power Co 79/03/06 4pp

7903300019 Forwards revised distribution list for Environ Rept suppl & amend.

DUNCAN, M Division of Site Safety & Environmental Analysis 79/03/13 5pp

7903020196 Settlement & termination of special proceeding. Since Comptroller General held that NRC was not responsible for investigative fees, considers issue settled w/supporting documentation

EILPERIN, S F Office of the General Counsel 79/01/18 12pp

7903160290 Informs of Consumers Power's new long-term forecast of electric demand New forecast predicts average compound increases in power peak demand of 3.4% annually for 1979-88 & 3.2% annually for 1979-92

GIBBS, M E Isham, Lincoln & Beale 79/02/15 2pp

7903260014 No objection to granting Consumer Power Co's motion

CHERRY, M M Cherry, Myron M 79/02/15 1p

7903200097 Forwards descriptions of const deficiencies per 10CFR50.55(e) since notice of hearing for operating license proceeding was issued on 781012

GIBBS, M E Isham, Lincoln & Beale 79/02/19 1p

7903300598 Notification of 790403 meeting w/util in Bethesda, MD, to discuss status of safety & environ review schedule for facility

HOOD, D S Light Water Reactors Branch 4 79/03/23 2pp

7903090229 Forwards "1978 Annual Rept "

PERRY, P Consumers Power Co 79/03/05 1p

7903090231 "1978 Annual Rept "

* Consumers Power Co 78/12/31 40pp

7903010302 Forwards Amend 59 to application for const permits as Revision 1B to FSAR, & new suppl reference drawings on piping isometrics, piping & instrument diagrams

HOWELL, S H Consumers Power Co 79/02/26 2pp

7903010304 Revision 1B to FSAR, Vols 1 & 2

* Consumers Power Co 79/02/26 1,400pp

7903010256 Recommends water quality parameters for pre- & post-operational monitoring in Tittabawassee River Requests approval of water quality monitoring program Lists water quality monitoring procedures to be employed

LATVAITIS, P B Consumers Power Co 79/02/21 4pp

7903010351 Forwards IE Insp Repts 50-329/78-15 & 50-330/78-15 on 781101-03 & notice of violation

HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/12/28 2pp

7903010357 Notice of violation from insp on 781101-03

* Region 3, Chicago, Office of the Director 78/12/27 1p

7903020267 Forwards IE Insp Repts 50-329/78-17 & 50-330/78-17 on 781107-09 & notice of violation

HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/06 2pp

7903020268 Notice of violation from insp on 781107-09

* Region 3, Chicago, Office of the Director 78/12/26 1p

7903020270 IE Insp Repts 50-329/78-17 & 50-330/78-17 on 781107-09 Noncompliance noted Failure to follow instructions re personnel airlock repair welding

VANDEL, T E, HANSEN, W A, HAYES, D W Region 3, Chicago, Office of the Director 78/12/26 4pp

7903130379 Forwards IE Insp Repts 50-329/78-19 & 50-330/78-19 on 781213-14 No noncompliance noted

HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/29 2pp

7903130391 IE Insp Repts 50-329/78-19 & 50-330/78-19 on 781213-14 No noncompliance noted Major areas inspected installation of safety-related hangers & restraints including review of specs, drawings, & QC procedures

VIN, I T, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/26 7pp

7903060586 Ack receipt of 790119 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-329/78-03 & 50-330/78-03

HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 1p

7903130050 Forwards IE Insp Repts 50-329/78-21 & 50-330/78-21 on 781002-31 No noncompliance noted

HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 2pp

DOCKETED SERIES

121

DOCKET 50-330 Midland Plant, Unit 2

7903080560 Ack receipt of 790201 interim rept re reactor bldg spray piping supports
FIORRELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/15 1p

7903120559 Ack receipt of 790131 final rept re reactor coolant pump motor flanges Will complete review during future insp
FIORRELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/15 1p

7903300546 Forwards two interim repts omitted from 790217 ltr which should have been submitted by util to NRC
QIBBS, M E Isham, Lincoln & Beale 79/02/28 14pp

7903200089 Ack receipt of 790223 interim rept re settlement of diesel generator foundations & bldg Will review final rept upon receipt
FIORRELLI, G Region 3, Chicago, Office of the Director 79/03/05 1p

7903130315 Forwards Interim Rept 2 on status of component qualification test documentation re-review
HOWELL, S H Consumers Power Co 79/03/09 1p

7903130331 Interim Rept 2 on seismic & environ component qualification, giving status of corrective action in process. W/ "Qualification Status Rept; Revision 3"
* Consumers Power Co 79/02/22 38pp

7903130387 Forwards final deficiency rept re air filtering units
HOWELL, S H Consumers Power Co 79/03/09 1p

7903130394 Final rept on deficient air filtering units DVM-78A & B & DVM-94A & B Vendor notified util of improper control wiring. Wiring will be replaced & drawing will be revised.
* Consumers Power Co 79/02/08 2pp

7903150336 Submits final deficiency rept of small break analysis & HPI cross-connect modification effect. B&W 790226 concurrence ltr
HOWELL, S H Consumers Power Co 79/03/12 3pp

7903210034 Notification of decision not to pursue complete engineering evaluation to define plant response to pressurizer heater unavailability during plant hot shutdown
HOWELL, S H Consumers Power Co 79/03/16 2pp

7903210133 Provides interim deficiency rept re reactor bldg spray piping supports meeting ASME allowable stress specs
Notification that either interim or final rept will be sent by 790501.
HOWELL, S H Consumers Power Co 79/03/16 1p

7903230158 Interim ITT Grinnell rept indicates that six anchors are within ASME Section III Code requirements re allowable stress Addl rept, either interim or final, will be sent on or before 790501
HOWELL, S H Consumers Power Co 79/03/16 1p

DOCKET 50-331 Duane Arnold Energy Center

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p.

7903120280 Forwards facility security project schedule. Encl withheld (ref 10CFR2 790)
LIU, L Iowa Electric Light & Power Co 79/03/05 1p

7903190244 Forwards info re compensatory measures during implementation of security project, replacing info submitted on 790119. Encl withheld (ref 10CFR2 790)
LIU, L Iowa Electric Light & Power Co 79/03/09 1p

7903200386 Anticipates submitting fire hazard analysis by 790430
LIU, L Iowa Electric Light & Power Co 79/03/14 1p.

7903270335 Submits Chapter 8 of modified security plan Encl withheld (ref 10CFR2, 790).
LIU, L Iowa Electric Light & Power Co. 79/03/19 1p

7903150260 Forwards Endorsement 40 to NELIA Policy NF-214 & Endorsement 33 to MAELU Policy MF-72 for calendar year 1979.
LOWENSTEIN, R Lowenstein, Newman, Reis, Axelrad & Toll 79/03/12 3pp.

7903130056 IE Insp Repts 50-329/78-21 & 50-330/78-21 on 781002-31 Noncompliance noted Major areas inspected site condition, seismic qualification of battery racks, scheduling analysis, reactor coolant pipe restraints, & electrical equipment
CDOOK, R J, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/30 6pp

7903080383 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J O Region 3, Chicago, Office of the Director 79/02/14 1p

7903130231 Ack receipt of 790207 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-329/78-17 & 50-330/78-17
FIORRELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/27 1p

7903130244 Responds to NRC 790103 ltr re violations noted in IE Insp Repts 50-329/78-17 & 50-330/78-17 Corrective actions nonconforming welds will be corrected by vendor by 790330
W/encl vendor documentation
HOWELL, S H Consumers Power Co 79/02/07 20pp

7903300313 Forwards IE Insp Repts 50-329/79-01 & 50-330/79-01 on 790206-08 No noncompliance noted
FIORRELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/28 2pp

7903300318 IE Insp Repts 50-329/79-01 & 50-330/79-01 on 790206-08 No noncompliance noted Major areas inspected installation of safety-related hangers & restraints including review of drawings & QC procedures
YIN, L L T Region 3, Chicago, Office of the Director
DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/16 5pp

7903080356 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
KEPPLER, J O Region 3, Chicago, Office of the Director 79/03/01 1p

7903220340 Ack receipt of 790201 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-329/78-15 & 50-330/78-15
FIORRELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/03/07 1p

7903220348 Responds to NRC 781228 ltr re violation noted in IE Insp Rept 50-329/78-15 & 50-330/78-15 Corrective actions corrective action rept written for welds & welded studs found to be in conformance
HOWELL, S H Consumers Power Co 79/02/01 4pp

7903150029 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J O Region 3, Chicago, Office of the Director. 79/03/08 1p

7903190549 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
KEPPLER, J O Region 3, Chicago, Office of the Director 79/03/12 1p

7903010308 Monthly nonconformance rept for Jan 1979
HOWELL, S H Consumers Power Co 79/02/22 400pp

7903270394 Forwards nonconformance repts for Feb 1979 in accordance w/condition of ALAB-106 memo & order dtd 730326 & Amend 1 of const permit Includes nonconformance repts from Bechtel, B&W & Bechtel quality action requests
HOWELL, S H Consumers Power Co 79/03/25 200pp

7902050127 Final rept informing of completion, approval & release of repair design to reactor coolant pump motor flanges Design deficiency resolved and is now in compliance with stds
HOWELL, S H Consumers Power Co 79/01/31 1p

7903060583 Ack receipt of 790126 interim deficiency rept re heater wiring control room air filtering units
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 1p

7903080220 Ack receipt of 790131 final rept re Class IE station battery Will complete review & inform util of conclusions during future insp
FIORRELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/15 1p

DOCKETED SERIES

DOCKET 50-331 Duane Arnold Energy Center

7903140222 Forwards revised versions Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0534; & Barrier Penetration Database, NUREG/CR-0181 w/o encl
MILLER, J R Division of Operating Reactors 79/01/09 2pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414 Involves pages 1V-5 & 1V-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 App.

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
SODON, L J General Electric Co, Nuclear Energy Products Div 79/02/01, 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
WONON, K W General Electric Co, Nuclear Energy Products Div NEDO-21885 78/06/30 45pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903050120 Forwards planned actions re implementation of personnel search requirements as outlined in Ofc of Nuclear Reactor Regulation staff position Encl withheld (ref 10CFR2 790)
KEPPLER, J O Region 3, Chicago, Office of the Director 79/02/08 1p

7903160277 Confirms telcon of 790202 re obstruction to the flushing action within recirculation line inst thermal sleeve & nozzle annulus
LIU, L Iowa Electric Light & Power Co 79/02/09 1p

7903140337 Unique Rept 78-1 on 781115 during insp of HPCI turbine, two reversing chambers were found w/sections broken & missing, three w/crack indications & two retaining cap screws w/heads missing Cause undetermined All parts replaced
HAMMOND, E L Iowa Electric Light & Power Co 79/02/12 2pp

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EISENHUT, D O Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants" All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15, 10pp.

7903150416 Summarizes meeting w/util re NRC review & evaluation, suitability of safe-end repair welds & removal & consequences of shield lead plug & carbon steel fragments in facility primary sys
IPPOLITO, T A Operating Reactors Branch 3 79/02/15 4pp

7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity" w/affidavit for proprietary status Rept withheld (ref 10CFR2 790).
SODON, L J General Electric Co, Nuclear Energy Products Div 79/02/26 5pp.

7903230011 "BER of Interim Assessments of MSIV Actuations in Mark I Containment Plants"
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations
Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRIMES, B K Assistant Director for Engineers & Projects 79/02/27 1p

7903190040 Responds to 790223 ltr Approves two requested changes re plus or minus two months tolerance to required March 1 completion date for annual Operator Requalification Program activities
COLLINS, P F Operator Licensing Branch 79/02/28 1p

7903070269 Forwards suppl to util's 790222 submittal, encl errata & add info requested by NRC re lead smear supporting tests
LIU, L Iowa Electric Light & Power Co 79/03/01 9pp

7903090378 In response to 790125 ltr requesting all info re HPCI failures at facility, advises that event is discussed in LER 78-25 dtd 780721 & IE Insp Rept 50-331/78-16, both available in PDR & LPDR
FELTON, J M Division of Rules and Records 79/03/01 1p

7903120459 Provides summary of 790213 meeting in Bethesda, MD w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads w/encl attendees list & meeting handouts
BU, T M Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D O Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects 79/03/01 8pp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
GRIMES, B Division of Operating Reactors 79/03/01 22pp

7903090211 Forwards addl info re recirculation inlet safe-end repair program
LIU, L Iowa Electric Light & Power Co 79/03/03 9pp

7903140300 Confirms 790305 conversation re containment purge & vent valves Util will restrict valve opening position so valve can close against design basis accident conditions
LIU, L Iowa Electric Light & Power Co 79/03/05 1p

7903200235 Informs of telcon w/Gary Wallin of Citizens United for Responsible Energy in response to request to augment inservice insp of modified safe-ends
STELLIG, V Division of Operating Reactors 79/03/05 1p

7903230037 Discusses resolution of issues re repair activities of eight recirculation sys inlet nozzle safe-ends Resolution of items & NRC position re plant startup provided to L Root & H Rehrauer in 790305 telcon
KEPPLER, J O Region 3, Chicago, Office of the Director 79/03/06 2pp.

7903200364 Intends to submit revised effluent & environ Tech Specs & Offsite Dose Calculation Manual by 790430
LIU, L Iowa Electric Light & Power Co 79/03/15 1p

7903210293 Clarifies issues re repairs of eight recirculation sys inlet nozzle safe-ends Items requiring resolution finding that test done in conformance hydrostatic test completion; audit of safe-end repair program & adequacy of repair welds
KEPPLER, J O Region 3, Chicago, Office of the Director 79/01/16 2pp

7903070474 Forwards IE Insp Rept 50-331/78-30 on 781114-17 & 1206-08 & notice of violation
FIORELLI, O Region 3, Chicago, Reactor Operations Nuclear Support Branch, 79/01/18 2pp

7903070477 Notice of violation from insp on 781115-17 & 1206-08
* Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/17, 1p

7903070479 IE Insp Rept 50-331/78-30 on 781114-17 & 1206-08
Noncompliance noted failure to follow procedures during pipe repair related activities
JACKIW, I N, SHAFFER, W D, KNOP, R C Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/17 6pp

DOCKETED SERIES

123

DOCKET 50-331 Duane Arnold Energy Center

7903090056 Forwards IE Insp Rept 50-331/78-33 on 78112-16 & 21-22 & notice of violation
KEPLER, J G Region 3, Chicago, Office of the Director 79/01/22 2pp

7903090058 Notice of violation from insp on 78112-16, 21-22
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/18 5pp

7903090061 IE Insp Rept 50-331/78-33 on 78112-16, 21-22 Noncompliance noted involving control of special processes & calibr control
FOSTER, J C, MORELJUG, C E, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/18 24pp

7903130119 Forwards IF Insp Rept 50-331/78-31 on 78125-30 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/26 2pp

7903130127 IE Insp Rept 50 331/78-31 on 79125-30 No noncompliance noted Major areas inspected review of corrective action to comply w/immediate action ltr dtd 78117 re replacement of recirculation nozzle safe-ends
KEY, W J, HARRISON, J, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/26 7pp

7903060472 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids " Schedules replacement of parts at 9-year intervals during refueling outage
WALLACE, J A Iowa Electric Light & Power Co 79/02/02 2pp

7903150171 Forwards IE Insp Rept 50-331/79-01 on 790109-11 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/07 2pp

7903150173 IE Insp Rept 50-331/79-01 on 790109-11 No noncompliance noted Major areas inspected followup activities relative to qualification of electrical cable splices
HUGHES, J, DANIELS, F T, SPESSARD, R L Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/30 3pp

7903050377 Ack receipt of 790122 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-331/78-29
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/08 1p

7903050402 Responds to NRC 78122B ltr re violations noted in IE Insp Rept 50-331/78-29 Corrective actions effluent monitoring sys tests will be issued directly to electrical maint dept & listed on monthly surveillance test issuance list
WALLACE, J A Iowa Electric Light & Power Co 79/01/22 2pp

7903220433 Forwards IE Insp Rept 50-331/79-04 on 790131 & 0201-02 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/15 2pp

7903220436 IE Insp Rept 50-331/79-04 on 790131 & 0201-02 No noncompliance noted Major areas inspected emergency planning, confirmatory measurements & review of ETS occurrences
GRANT, W B, ESSIOT, T A Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/14 8pp

7903080346 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
KEPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903090398 Forwards IE Insp Rept 50-331/79-03 on 790201 Notice of violation withheld (ref 10CFR2 790)
HIND, J A Region 3, Chicago, Safeguards Branch 79/02/20 2pp.

7903090401 IE Insp Rept 50-331/79-03 on 790201 Noncompliance noted physical barrier, access requirements & testing & maintenance Details withheld (ref 10CFR2 790)
BELANDER, D L, HIND, J A, MADEDA, T J Region 3, Chicago, Safeguards Branch 79/02/15 1p

7903140090 Ack receipt of 790209 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-331/78-30
HEISHMAN, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/28 1p

7903140100 Responds to NRC ltr re violation noted in IE Insp Rept 50-331/78-30 Corrective actions personnel re-instructed on operation of plant systems & equipment under subnormal conditions
WALLACE, J A Iowa Electric Light & Power Co 79/02/09 2pp

7903080360 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
KEPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903140379 Remits fee of \$4,000 for Tech Spec changes re augmented inservice insp of modified safe-ends of eight recirculation sys inlet lines, as contained in ltrs dtd 790222, 790301 & 790303 W/o encl
LIU, L Iowa Electric Light & Power Co 79/03/05 1p

7903270646 Responds to 781129 ltr requesting NRC suspend Iowa Electric Light & Power Co license pending mod to include augmented inservice insp program Agrees program is needed Forwards amended Tech Specs & suppl matl W/o encl
DENTON, H R Office of Nuclear Reactor Regulation 79/03/05 2pp

7903270007 Rept of 790305 telcon during which K Mayer committed util to immediately follow 781013 interim inservice insp program until final program is incorporated into Tech Specs
IPPOLITO, T A Operating Reactors Branch 3 79/03/06 1p

7903130035 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
KEPLER, J G Region 3, Chicago, Office of the Director 79/03/08, 1p

7903190555 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
KEPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903150425 Forwards 1978 Annual Exposure Rept Notes that approx 800 man-rem is attributable to repair of recirculation riser safe-ends
HAMMOND, E Iowa Electric Light & Power Co 79/02/01 2pp

7903050186 Forwards semiannual rept on radioactive effluent releases for July-Dec 1978
HAMMOND, E L Iowa Electric Light & Power Co 79/02/23 1p

7903050189 Semiannual rept on radioactive effluent releases for July-Dec 1978
* Iowa Electric Light & Power Co 79/02/23 9pp

7903050368 Forwards semiannual rept on radioactive effluent releases for July-Dec 1978
HAMMOND, E L Iowa Electric Light & Power Co 79/02/23 1p

7903050369 Semi-annual operating rept of radioactive effluent releases from Jul-Dec 1978
* Iowa Electric Light & Power Co 78/12/31 8pp

7903090184 Forwards "Annual Rept of Facility Changes, Tests & Experiments, 1978 "
HAMMOND, E L Iowa Electric Light & Power Co 79/03/01 1p

7903090163 "Annual Rept of Facility Changes, Tests & Experiments," 1978.
* Iowa Electric Light & Power Co 79/03/01 24pp

7903200379 Forwards monthly operating rept for Feb 1979.
HAMMOND, E L Iowa Electric Light & Power Co. 79/03/13 1p

7903200380 Monthly operating rept for Feb 1979
VAN BICKEL, J Iowa Electric Light & Power Co 79/03/13 7pp

7903280346 Forwards "Annual Environ Operating Rept for 1978 "
HAMMOND, E L Iowa Electric Light & Power Co 79/03/21 1p

7903280349 "Annual Environ Operating Rept for 1978 "
* Iowa Electric Light & Power Co 78/12/31 160pp

7903300312 Forwards "Annual Radiological Environ Operating Rept for 1978 "
HAMMOND, E L Iowa Electric Light & Power Co 79/03/27 1p

DOCKETED SERIES

DOCKET 50-331 Duane Arnold Energy Center

7903300215 "Annual Radiological Environ Operating Rept for 1978"
* Iowa Electric Light & Power Co 79/12/31 184pp

7903090365 Requests all info re HPCI failures at Facility & HPCI
implementation dates & actions
DEVO, R Energy Research & Information Foundation 79/01/25 1p

7903090375 LER 78-025/01T-0 on 780519 during HPCI sys surveillance
testing, HPCI pump did not reach required discharge flow
rate Sys declared inoperable Cause unknown Potential cause
thought to be water in turbine
* Iowa Electric Light & Power Co 78/02/06 2pp

7903060305 Forwards LER 79-001/03L-0
HAMMOND, E L Iowa Electric Light & Power Co 79/02/27 1p

7903060314 LER 79-001/03L-0 on 790128 no flow indication noted for
number 3 & 4 jet pumps Caused by failure of personnel to
remove lead shield plug from nozzle & lack of verification
that pipe was clear prior to closure Lead plug removed
VAN SICKEL, J Iowa Electric Light & Power Co 79/02/27 2pp

7903130377 Reportable occurrence during review of equipment & controls,
discovered seven purge valves would not close from full open
position Valves currently being modified
HAMMOND, E L Iowa Electric Light & Power Co 79/03/06 1p

7903190174 Notification of RO during plant startup, suppressor chamber D
concentration was not reduced to less than 4% within 24-h of
placing mode switch in run Drywell O concentration reduced
below 4% within 24-h period
HAMMOND, E L Iowa Electric Light & Power Co 79/03/12 1p

7903190197 Notification of RO during startup, 1 D said drywell-to-
suppression chamber differential pressure was not reached
within 24-h of placing mode switch in run
HAMMOND, E L Iowa Electric Light & Power Co 79/03/12 1p

7903270426 On 790309, surveillance testing determined that "C" & "A"
stack flow monitors were not functioning properly due to
power supply & pneumatic/electric transmitter
difficulties Faulty power supply & monitor replaced
HAMMOND, E L Iowa Electric Light & Power Co 79/03/19 2pp

7903270355 Forwards LER 79-002/01T-0
HAMMOND, E L Iowa Electric Light & Power Co 79/03/20 1p

7903270358 LER 79-002/01T-0 on 790306 containment purge valves CV 4300,
4301, 4302, 4303, 4306, 4307, 4308 not designed to close from
full open position Caused by inadequate design specs Valves
modified to limit opening
VAN SICKEL, J Iowa Electric Light & Power Co 79/03/20 2pp

7903270457 During surveillance testing on 790321, both emergency sys
water sys became inoperable due to strainer plugging Action
initiated immediately to clean strainers Both sys were
operable within 2 5-h
HAMMOND, E L Iowa Electric Light & Power Co 79/03/21 1p

7903280311 Review of reportable occurrences involving primary
containment inerting & drywell-to-suppression chamber
differential pressure indicates all Tech Spec actions
satisfied Occurrences deemed to require 30-day repts
HAMMOND, E L Iowa Electric Light & Power Co 79/03/23 1p

DOCKET 50-332 Barnwell Reprocessing Plant

7903050213 Requests NRC issue a written explanation for staff policy re
repts which suggest buckling conditions Repts should not be
limited to merely buckling criteria
ROISMAN, A Z Natural Resources Defense Council 79/02/02 1p

ate Guard Training/
nr

on

DOCKET 50-333 James A FitzPatrick Nuclear Power Plant

7903200231 Forwards Amend 45 to License DPR-99 & notice of issuance
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 3pp

7903200237 Amend 45 to License DPR-59, incorporating current physical
security plan into license
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55,
"Requirements for Physical Protection of Licensed Activities
in Nuclear Power Reactors Against Industrial Sabotage," to
defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903140437 Forwards addl info to support completion of SER for fire
protection program by mid-March 1979
SCHMIEDER, J R Power Authority State of New York 79/03/07 0pp

7903270443 Submits security contingency plan Requests return of Incl 2
Plan withheld (ref 10CFR2.790)
EARLY, P J Power Authority State of New York 79/03/23 1p

7903290184 Order to show cause re potential piping deficiencies in
safety-related equipment
DENTON, H R Office of Nuclear Reactor Regulation 79/03/11 6pp

7903140382 Forwards Endorsements 38, 39 & 40 to NELIA Policy NF 400 &
Endorsements 32 & 33 to MAELU Policy MF-77
DEEG, F H Power Authority State of New York 79/03/07 7pp

7903140387 Forwards NELIA Binder EB-47 & MAELU Binder XB-47 for 479
DEEG, F H Power Authority State of New York 79/03/07 7pp

7903140222 Forwards revised versions Entry-Control Sys Handbook,
SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; &
Barrier Penetration Database, NUREG/CR-0181 w/o encl
HILLER, J R Division of Operating Reactors 79/01/09 5pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage
& Handling Application" provided on 780414 Involves pages
IV-5 & IV-6 w/modified rationale & corrections
GRINEB, G K Assistant Director for Engineers & Projects
79/01/18 4pp

7903010295 Forwards NEDD-21885, "Mark I Containment Program, Downcomer
Reduced Submergence, Functional Assessment Rept"
BOBON, L J General Electric Co, Nuclear Energy Products Div
79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence
Functional Assessment Rept"
BOBON, L J General Electric Co, Nuclear Energy Products Div
NEDD-21885 78/06/30 45pp

7903190317 NY Dept of Environ Conservation intends to comment on
proposed amend to plant ETS Requests Commission schedule for
hearings & receipt of comments
CURRAN, T P New York, State of 79/02/02 1p

7903020218 Notification of 790214-15 meeting in Bethesda, MD
w/representative of Mark I owners group to discuss
implementation & resolution of Mark I long-term program &
pool swell pressure load definition techniques
GRINEB, G K Assistant Director for Engineers & Projects 79/02/06
1p

7903010061 Forwards safety evaluation of interim assessment of
multiple consecutive safety relief valve actuations, &
sample ltr
EISENHUT, D G Assistant Director for Systems & Projects
79/02/13 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple
Consecutive Safety Relief Valve Actuations in Mark I
Containment Plans" All plants are in conformance w/
acceptance criteria
* Assistant Director for Systems & Projects 79/02/13 10pp

7903200241 Notice of issuance of Amend 45 to License DPR-59
IPPOLITO, T A Operating Reactors Branch 3 79/02/23 2pp

DOCKETED SERIES

125

DOCKET 50-333 James A. FitzPatrick Nuclear Power Plant

7903070254 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary
EISENHUT, D J General Electric Co. Nuclear Energy Products Div
79/02/28 11pp

7903120459 Summary of 790213 meeting in Bethesda, MD w/representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
SU, T M Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D J Assistant Director for Systems & Projects
79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects
79/03/01 8pp

7903070209 Advises of delay in responding to info request re containment purging during normal operation Requests unit not be limited to 90-h per year of purging will justify unlimited purging by 790528
SCHMIEDER, J R Power Authority State of New York 79/03/02 1p

7903070253 Notifies that NEDC-2188B, "Mark I Containment Program-Load Definition Rept" was transmitted to NRC by GE on 781228
SCHMIEDER, J R Power Authority State of New York 79/03/02 1p

7903160248 Forwards application for license amend, proposed changes to Tech Spec Sections 1.0.4, 5.4.7 & 4.11 & Revision 1 to pump & valve test program, dtd 790106 W/check for \$4,000 as Class III amend fee
SCHMIEDER, J R Power Authority State of New York 79/03/09 2pp

7903160213 Forwards proprietary rept NEDC-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity" W/affidavit for proprietary status Rept withheld (ref 10CFR2 790)
EISENHUT, D J General Electric Co. Nuclear Energy Products Div
79/02/26 5pp

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants"
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27 1p

7903160250 Application for amend to License DPR-59, changing Tech Spec Sections 1.0.4, 5.4.7 & 4.11 in order to ensure compliance w/ASME specs for pump & valve test program Revision 1 to "Pump & Valve Program Inservice Insp Update" encl
SCHMIEDER, J R Power Authority State of New York 79/03/09 121pp

7903190330 Forwards supporting info for amend to ETS as aid in evaluating original submittal dtd 770601
LEONARD, J D Power Authority State of New York 79/03/09 7pp

7903290183 Forwards order to show cause re potential piping deficiencies in safety-related equipment
BENTON, H R Office of Nuclear Reactor Regulation 79/03/13 2pp

7903290127 Forwards "Feedwater Nozzle Mod & Improved Feedwater Sparger Installation Rept" & "Control Rod Drive Sys Hydraulic Return Nozzle Insp Rept"
EARLY, P J Power Authority State of New York 79/03/14 2pp

7903290129 "Feedwater Nozzle Mod & Improved Feedwater Sparger Installation Rept" (Vols 1-3)
* Power Authority State of New York 79/03/01 600pp

7903290132 "Control Rod Drive Sys Hydraulic Return Line Nozzle Insp Rept"
* Power Authority State of New York 79/03/01 8pp

7903210126 In response to 790313 order, states that reactor coolant temp will be maintained below 212 F & at sub-critical level
Normal testing planned Requests immediate concurrence w/ action
EARLY, P J Power Authority State of New York 79/03/16 1p

7903290145 Confirms 790319 hand transfer of computer Code SHOCK-2 & SHOCK-3 by A Giambusso Requests hand-delivered documents be treated as proprietary
KENNEDY, W J Stone & Webster Engr 79/03/22 3pp

7903160131 Response to IE Bulletin 78-01, "Bergen-Patterson Hydraulic Shock Suppressor Accumulator Spring Coils" Older style snubbers removed & replaced w/newer style Bergen-Patterson snubbers No damage to accumulator piston U-cup seal found
LEONARD, J D Power Authority State of New York 79/02/05 1p

7903060636 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/09 1p

7903080642 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/16 2pp

7903080487 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208; that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/27 1p

7903220135 Responds to IE Bulletin 79-01 Forwards ltr re results of architect/engineer insp of reactor containment which recommended that several terminal blocks be replaced. These blocks were replaced
LEONARD, J D Power Authority State of New York 79/03/01 6pp

7903280052 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/03/08 1p

7903220215 Forwards "Inservice Insp NIS-1 Data Rept & Summary," resulting from Fall 1978 refueling outage Details program plan, summary of all examination data & required certifications for equipment & personnel
EARLY, P J Power Authority State of New York 79/03/20 63pp

7903080204 Forwards "Effluent & Waste Disposal Semiannual Rept" for July-Dec 1978 & meteorological data per Reg Guide 1.23
LEONARD, J D Power Authority State of New York 79/02/26 1p

7903080206 "Effluent & Waste Disposal Semiannual Rept," July-Dec 1978 W/encl Reg Guide 1.23 meteorological data
* Power Authority State of New York 79/02/26 45pp

7903130276 Forwards monthly operating rept for Feb 1979.
LEONARD, J D Power Authority State of New York 79/03/05 1p

7903130277 Monthly operating rept for Feb 1979
ZUFELT, E Power Authority State of New York 79/03/05 7pp

7903080292 Forwards "Reactor Containment Bldg Integrated Leak Test"
LEONARD, J D Power Authority State of New York 79/03/06 1p

7903080299 "Reactor Containment Bldg Integrated Leak Rate Test Type A, B & C Periodic Tests for Jan 1976 to Nov 1978"
* Power Authority State of New York 79/03/06 75pp

7903060184 Forwards LER 79-009/03L-0
LEONARD, J D Power Authority State of New York 79/03/01 1p

7903060187 LER 79-009/03L-0 on 790203 rod control drive rendered inoperable in order to repair leak in control rod drive sys hydraulic control unit Upon completion of repair, all components returned to svc
CHILDS, W V Power Authority State of New York 79/03/01 2pp

7903060238 Forwards LER 79-010/03L-0
LEONARD, J D Power Authority State of New York 79/03/01 1p

DOCKETED SERIES

DOCKET 90-333 James A. FitzPatrick Nuclear Power Plant

7903060242 LER 79-010/03L-0 on 790202 step increase in indicated core flow caused by earlier failure of square root computation module for jet pump square root computation module replaced w/identical unit & core flow evaluation test completed
CHILDS, W V Power Authority State of New York 79/03/01 2pp

7903200432 Forwards LER 79-011/03L-0
LEONARD, J D Power Authority State of New York 79/03/15 1p

7903200436 LER 79-011/03L-0 on 790214 drywell atmospheric sample isolation valve 27-SDV-1238 blew a fuse caused by shorted valve solenoid incident occurred 790306 Will submit followup rept when valve replacement is completed
CHILDS, W V Power Authority State of New York 79/03/15 2pp

7903290028 Forwards LER 79-014/01T-0
LEONARD, J D Power Authority State of New York 79/03/21 1p

7903290032 LER 79-014/01T-0 on 790312 calculations in piping stress analysis are being redone on accelerated basis by architect/engineer Shutdown will continue until all problems are resolved Final rept on matter is forthcoming
CHILDS, W V Power Authority State of New York 79/03/21 2pp

DOCKET 90-334 Beaver Valley Power Station, Unit 1

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903260240 Forwards revised Chapter B of physical security plan which provides details of safeguards contingency plan Plan withheld (ref 10CFR2 790)
WOOLEVER, E J Duquesne Light Co 79/03/22 1p

7903300581 Forwards show cause order from Commission requiring facility to remain shut down until further notice due to potential piping deficiencies
DENTON, H R Office of Nuclear Reactor Regulation 79/03/13 3pp

7903300584 Order to show cause re potentially deficient piping design Orders facility to be placed in cold shutdown within 48-h
DENTON, H R Office of Nuclear Reactor Regulation 79/03/13 6pp

7903210179 Forwards Endorsements 31 & 32 to ANI Policy NF-226 & Endorsements 26 & 27 to MAELU Policy MF-B7
BARNETT, J E Conover & Associates, Inc Insurance 79/03/14 3pp

7903280337 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PUR Appropriate utility have been notified
ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903140222 Forwards revised versions Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181 w/o encl
MILLER, J R Division of Operating Reactors 79/01/09 2pp

7903070027 Responds to 790129 note re mod to prevent water hammer Mo's were in accordance w/QA programs in effect at time SER will focus on generic problem of prevention
LAINAS, G Plant Systems Branch 79/02/09 2pp

7903070031 Requests findings that structural mods to prevent water hammer were per NRC acceptance criteria
SCHWENCER, A Operating Reactors Branch 1 79/01/29 1p

7903140189 Forwards safety evaluation rept re water hammer potential Tech evaluation by consultant encl
SCHWENCER, A Operating Reactors Branch 1 79/02/12 2pp

7903140190 Safety evaluation re steam generator water hammer Finds existing preventive measures are adequate
* Operating Reactors Branch 1 79/02/12 17pp

7903140491 Requests registration as user of Model AP-100 Provides name & address of contact re package
DUNN, C N Duquesne Light Co 79/02/16 1p

7903080209 Notification of 790223 meeting w/util in Bethesda, MD for util & Westinghouse presentation, staff discussion of sys improvement project
WIGGINTON, D Operating Reactors Branch 1 79/02/21 1p

7903210523 Util 771213 response indicates review of potential boron dilution incidents has shown FSAR analysis of event still represents most limiting case No further action necessary
SCHWENCER, A Operating Reactors Branch 1 79/02/21 2pp

7903210001 Forwards "Solid Radioactive Waste Packaging QA Program"
DUNN, C N Duquesne Light Co 79/02/23 1p

7903210004 "Solid Radioactive Waste Packaging QA Program"
* Duquesne Light Co 79/02/23 3pp

7903220483 Forwards Amend 16 to License DPR-66 security plan evaluation rept & notice of issuance Security plan withheld (ref 10CFR2 790)
SCHWENCER, A Operating Reactors Branch 1 79/02/27 4pp

7903220487 Amend 16 to License DPR-66, incorporating physical security plan into license
Operating Reactors Branch 1 79/02/27 2pp

7903220495 Notice of issuance of Amend 16 to License DPR-66
SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903210062 Notice of 790313 meeting w/Duquesne Light Co to discuss radiological effluent std Tech Specs
WIGGINTON, D Operating Reactors Branch 1 79/03/02 1p

7903220100 Notification of 790308 meeting in Bethesda, MD w/util to review pipe stress calculations for 6 inch safety injection lines
WIGGINTON, D Operating Reactors Branch 1 79/03/06 1p

7903120232 Forwards addl info requested at 790223 meeting re proposed steam break protection sys
DUNN, C N Duquesne Light Co 79/03/07 6pp

7903130399 Forwards "Containment Liner Test Channel at Beaver Valley Power Station"
DUNN, C N Duquesne Light Co 79/03/07 2pp

7903130401 "Containment Liner Test Channel at Beaver Valley Power Station"
* Duquesne Light Co 79/03/01 46pp

7903150286 Notification that license amend application to incorporate requirements of 10CFR50 App I into Tech Specs will not be completed by requested date of 780315
DUNN, C N Duquesne Light Co 79/03/08 1p

7903300535 Summary of 790308 meeting w/S&W to discuss pipe stress calculations using PIPESTRESS code
WIGGINTON, D Operating Reactors Branch 1 79/03/15 4pp

7903290145 Confirms 790319 hand transfer of computer Code SHOCK-2 & SHOCK-3 by A Giambusso Requests hand-delivered documents be treated as proprietary
KENNEDY, W J Stone & Webster Engr 79/03/22 3pp

DOCKETED SERIES

127

DOCKET 50-334 Beaver Valley Power Station, Unit 1

7903070503 Forwards IE Insp Rept 50-334/78-31 on 781101-06 & 1208 No noncompliance noted
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/16 2pp

7903070506 IE Insp Rept 50-334/78-31 on 781101-06 & 1208 No noncompliance noted Major areas inspected containment integrated leak rate test
KOHLE, J E, SMITH, T, STREETER, J F Region 3, Chicago, Reactor Operations Nuclear Support Branch 78/12/19 Bpp

7903070143 Ack receipt of 790130 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-334/78-34
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/02/08 1p

7903070145 Responds to NRC 790110 ltr re violations noted in IE Insp Rept 50-334/78-34 Corrective actions immediate confirmation that relays for both diesel generator field flash circuits were properly positioned
DUNN, C N Duquesne Light Co 79/01/30 3pp

7903070151 Forwards IE Insp Rept 50 334/78-34 on 781218-20 & notice of violation
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/10 2pp

7903070152 Notice of violation from insp on 781218-20
* Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/09 1p

7903070155 IE Insp Rept 50-334/78-34 on 781218-20 Noncompliance noted failure to incorporate & implement procedure revision for testing & failure to document performance of required actions
BECKMAN, D A, KEIMIG, R R Region 1, Philadelphia, Reactor Operations Nuclear Support Branch 79/01/09 1pp

7903140649 Forwards IF Info Notice 79-03, "Limitorque Valve Gearing Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 2pp

7903080260 Forwards IL Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080504 Informs recipients of IC Bulletin 79-01, "Environment Qualification of Class 1B Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903300351 Ack receipt of 790315 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-334/79-01
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/03/15 1p

7903300355 Responds to NRC 790208 ltr re violations noted in IE Insp Rept 50-334/79-01 Corrective actions log is now being used to ensure sample records are filed on time
DUNN, C N Duquesne Light Co 79/03/01 2pp

7903300360 Forwards IE Insp Rept 50-334/79-01 on 790108-12 & notice of violation
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/08 2pp

7903300364 Notice of violation from insp on 790108-12
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/08 1p

7903300369 IE Insp Rept 50-334/79-01 on 790108-12 Noncompliance noted shipping radioactive matl w/o license & failure to maintain records
THOMAS, L H, CROCKER, H W Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/02/07 7pp

7903060439 Forwards Jan 1979 discharge monitoring repts submitted to PA Dept of Environ Resources
MDORE, G W Duquesne Light Co 79/02/28 14pp

7903080214 Forwards "Semiannual Effluent & Waste Disposal Rept" Info on strontium 89 & 90 analysis for fourth quarter & dose estimations for third & fourth quarters will be forwarded by 790316
DUNN, C N Duquesne Light Co 79/03/02 1p

7903150231 Forwards monthly operating rept for Feb 1979
DUNN, C N Duquesne Light Co 79/03/09 1p

7903150232 Monthly operating rept for Feb 1979
SPITZNUGLE, A E Duquesne Light Co 79/03/06 3pp

7903140398 Discusses LER 79-007/01T on 790303 during maint on 1B trip valve to turbine driven steam generator auxiliary feedwater pump, nut & washer were discovered in line Caused by nut & washer coming from 1 of 3 check valves upstream
WERLING, J A Duquesne Light Co 79/03/06 2pp

7903210089 Confirms 790313 telcon re potential pipe stress problems at facility Engineering review of stress calculations began
790310 Plant placed in hot shutdown on 790309 & in cold shutdown on 790313 Ref LER 78-053/01T-0
WERLING, J A Duquesne Light Co 79/03/13 2pp

7903210002 Forwards LER 77-006/01T-1
WERLING, J A Duquesne Light Co 79/03/14 2pp

7903210005 LER 77-006/01T-1 on 770126 review of pipe stress due to feedwater line vibrations noted six seismically inadequate snubbers on feedwater lines Caused by poor design verification during plant const
WERLING, J A Duquesne Light Co 79/03/14 2pp

7903260273 Forwards LER 79-007/01T-0
WERLING, J A Duquesne Light Co 79/03/19 2pp

7903260279 LER 79-007/01T-0 on 790305 steam driver auxiliary feedwater pump declared inoperable because 1B steam supply trip valve would not close Caused by missing nut & washer on 1C steam generator supply check valve Nut & washer replaced
WERLING, J A Duquesne Light Co 79/03/19 2pp

DOCKET 50-335 St Lucie Plant, Unit 1

7903070116 Forwards revisions to security plan prior to release of security plan evaluation rept so that measures may be incorporated Encl withheld (ref 10CFR2 790)
REID, R W Operating Reactors Branch 4 79/01/26 2pp

7903050367 Denies 790110 request for exemptions from several areas of facility security plan where const completion &/or hardware availability will delay plan implementation Suggests immediate mod of plan
STELLIG, V Division of Operating Reactors 79/02/02 3pp

7903230035 Forwards Federal Register notice amending 10CFR73 55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903200043 Forwards Amend 30 to License DPR-67 & notice of issuance & availability
REID, R W Operating Reactors Branch 4 79/02/28 3pp

7903200045 Amend 30 to License DPR-67, incorporating current approved physical security plan into license
REID, R W Operating Reactors Branch 4 79/02/28 2pp

7903200046 Notice of issuance of Amend 30 to License DPR-67
REID, R W Operating Reactors Branch 4 79/02/28 2pp

7903270511 Forwards safeguards contingency plan, to be withheld (ref 10CFR2 790) Plan will become effective 30 days after NRC approval
UHRIG, R C Florida Power & Light Co 79/03/23 1p

7903290019 Forwards "Annual Rept 1978"
UHRIG, R E Florida Power & Light Co 79/03/20 1p

7903290023 "Annual Rept 1978"
MCDONALD, M Florida Power & Light Co 79/03/20 38pp

7903190333 Forwards Endorsement 24 to MAELU Policy MF-8B, amending 1978 std & reserve premiums
DUCK, J R Marsh & McLennan, Inc 79/03/09 2pp

7903140222 Forwards revised versions Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; & Barrier Penetration Database, NUREG/CR-0181 W/o encl
MILLER, J R Division of Operating Reactors 79/01/09 2pp

DOCKETED SERIES

DOCKET 50-335 St Lucie Plant, Unit 1

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects
79/01/18 4pp

7903040569 Notification of 790214 meeting w/FL Power & Light Co in Bethesda, MD to discuss diesel generator surveillance
submittal
GRDTEHUIS, M Operating Reactors Branch 1 79/02/12 1p

7903140572 Responds to 781218 ltr informing NRC of plans to chemically clean secondary side of steam generators Concludes that NRC review & approval is required before operation may resume after proposed chemical cleaning
STELLO, V Division of Operating Reactors 79/02/15 2pp

7903010298 Forwards request to amend App A of License DPR-67 to support Cycle 3 operation of unit W/"Reload Safety Evaluation" describing Tech Spec changes Concludes change will not involve unreviewed safety question W/Class 3 amend fee
UHRIG, R E Florida Power & Light Co 79/02/22 78pp

7903140345 Notification of 790306 meeting w/FL Power & Light Co to discuss chemical cleaning of steam generators
ERICKSON, P G Operating Reactors Branch 4 79/02/26 1p

7903260363 Responds to 771208 review of potential boron dilution incidents at facility, which indicated FSAR analysis still represents most limiting case No further action is necessary
REID, R W Operating Reactors Branch 4 79/03/01 2pp

7903200180 Responds to 790222 request for info Forwards EIA & associated license amend, Federal Register notice, & transmittal ltr
GRIMES, B K Assistant Director for Engineers & Projects
79/03/05 1p

7903200187 Forwards Amend 29 to License DPR-67, EIA & notice of issuance
REID, R W Operating Reactors Branch 4 79/01/24 3pp

7903200213 Notice of issuance of Amend 29 to License DPR-67 & negative declaration
REID, R W Operating Reactors Branch 4 79/01/24 8pp

7903200144 Act receipt of 790222 application for amend to License DPR-67 Requests payment of Class IV amend fee
MILLER, W O Atomic Safety and Licensing Appeal Panel 79/03/07 1p

7903140385 Requests permission to replace 42 safety-related hydraulic snubbers during upcoming refueling outage scheduled in Apr 1979 Requests revised Table 3.7-2 to use in finalizing snubber replacement plans
UHRIG, R E Florida Power & Light Co 79/03/08 1p

7903260081 Notification of refund of Class IV & two Class I licensing fees sent w/application on 790119
MILLER, W O License Fee Management Branch 79/03/12 1p

7903190246 Requests amend to App A of License DPR-67 adding requirements for liquid & gaseous effluent instrumentation & calibr No unreviewed safety questions are involved
UHRIG, R E Florida Power & Light Co 79/03/15 66pp

7903080275 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 5L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140548 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903210138 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903210589 Forwards IE Circular 79-04, "Loose Locking Nut on Limiting Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903150293 Forwards "Annual Rept 1978"
UHRIG, R E Florida Power & Light Co 79/02/28 1p

7903150295 "Annual Rept 1978"
* Florida Power & Light Co 79/02/28 56pp

7903200082 Confirms Reportable Occurrence 335-79-3 on 790206 two safety injection tanks were below specified boron concentration Cause still being investigated Will possibly request change in Tech Spec 3.5.1
WETHY, C M Florida Power & Light Co 79/02/07 1p

7903130291 Forwards LER 79-003/01T-0
SCHMIDT, A D Florida Power & Light Co 79/02/20 1p

7903130294 LER 79-003/01T-0 on 790206 boron concentration fell below Tech Spec min Caused by improper flushing after partial fill before startup Proper techniques reemphasized to personnel
SCHOPPMAN, M A Florida Power & Light Co 79/02/20 1p

7903130325 Forwards LER 79-001/03L-0
SCHMIDT, A D Florida Power & Light Co 79/02/22 2pp

7903130326 LER 79-001/03L-0 on 790123 2 control element assemblies on drive mechanism 43 stuck B" withdrawn when tripped Caused by mechanical interference or yoke misalignment Motor housing removed & control element assembly freed
SCHOPPMAN, M A Florida Power & Light Co 79/02/22 1p

7903130332 Forwards LER 79-002/03L-0
SCHMIDT, A D Florida Power & Light Co 79/02/27 1p

7903130339 LER 79-002/03L-0 on 790128 during startup, control element assembly 41 dropped twice while being manually withdrawn Cause unknown CFA realigned both times & operated normally after second realignment
SCHOPPMAN, M A Florida Power & Light Co 79/02/27 1p

7903200376 Forwards LER 79-004/03L-0
SCHMIDT, A D Florida Power & Light Co 79/03/05 1p

7903200377 LER 79-004/03L-0 on 790205 discovered two misalignments in control element assembly Caused by faulty upper electric limit reed switches Faulty switches to be replaced during next refueling outage
SCHOPPMAN, M A Florida Power & Light Co 79/03/05 1p

7903230152 Forwards LER 78-045/03L-1
SCHMIDT, A D Florida Power & Light Co 79/03/05 1p

7903230155 LER 78-045/03L-1 on 790305 during power operation, digital data processing sys malfunctioned Caused by error in program installed by licensee in June 1978 Program error corrected
SCHOPPMAN, M A Florida Power & Light Co 79/03/05 2pp

7903240235 Forwards LER 79-005/03L-0
SCHMIDT, A D Florida Power & Light Co 79/03/08 1p

7903260239 LER 79-005/03L-0 on 790208 steam driven auxiliary feedwater pump IC failed to start Caused by tripped overspeed trip mechanism Reason for trip is unknown
SCHOPPMAN, M A Florida Power & Light Co 79/03/08 1p

DOCKETED SERIES

129

DOCKET 50-335 St Lucie Plant, Unit 1

7903260221 Forwards LER 79-006/03L-0
SCHMIDT, A D Florida Power & Light Co 79/03/09 1p

7903260225 LER 79-006/03L-0 on 790209 control element assembly fail to
core bottom Caused by failed power supply unit Faulty unit
replaced
SCHOPPMAN, M A Florida Power & Light Co 79/03/09 1p

DOCKET 50-336 Millstone Nuclear Power Station, Unit 2

7903230035 Forwards Federal Register notice amending 10CFR73 55,
"Requirements For Physical Protection of Licensed Activities
in Nuclear Power Reactors Against Industrial Sabotage," to
defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903202094 Requests info on evacuation plans for Suffolk County
residents in case of accident at any of 5 nearby nuclear
plants Expresses concern re safety of inhabitants within
prescribed "emergency planning zone"
ARM, G Affiliation Unknown 79/01/03 3pp

7903260275 Advises that A Partridge has been replaced by L Battencourt
on current list for distribution of correspondence
concerning license amends
COUNCIL, W G Northeast Utilities 79/03/20 1p

7903130376 Forwards Endorsement 53 to Policy MF-52 amending liability
limit in item 4 to \$36,000,000
SEGER, R M Northeast Utilities 79/03/06 2pp

7903160159 Forwards Endorsement 5B to Policy NF-173
SEGER, R M Northeast Utilities 79/03/09 2pp

7903140222 Forwards revised versions Entry-Control Sys Handbook,
SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0554; &
Barrier Penetration Database, NUREG/CR-0181 w/o encl
MILLER, J R Division of Operating Reactors 79/01/09 2pp

7903120535 Forwards staff recommendations re general contents of
Offsite Dose Calculation Manual to be submitted w/proposed
radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects
79/01/18 4pp

7903060510 Requests payment of Class I & III fees re application for
amends to Licenses DPR-21 & DPR-65
BIGGS, R M License Fee Management Branch 79/02/09 1p

7903140565 Forwards Federal Register notice of proposed issuance of
license amend
REID, R W Operating Reactors Branch 4 79/02/09 2pp

7903140567 Notice of proposed issuance of amend to License DPR-65
authorizing operation at 2,700 MWt in lieu of current
licensed level of 2,560 MWt
REID, R W Operating Reactors Branch 4 79/02/09 4pp

7903060293 Forwards rept on "Neutron Shield Design Qualification" NRC
concerns raised during 781128 meeting are addressed in rept
items on shield movement, leakage & pressure relief valves
discussed in forwarding ltr
COUNCIL, W G Northeast Utilities 79/02/23 300pp

7903190044 Forwards Amend 59 to License DPR-21 & Amend 4B to License
DPR-67 & notice of issuance Security plan evaluation rept
withheld (ref 10CFR2 790)
ZIEMANN, D L Operating Reactors Branch 2 79/02/23 3pp

7903190050 Amend 59 to License DPR-21 & Amend 4B to License DPR-65,
incorporating physical security plan
ZIEMANN, D L Operating Reactors Branch 2 79/02/23 4pp

7903190052 Notice of issuance of Amend 59 to License DPR-21 & Amend 4B
to License DPR-65
ZIEMANN, D L Operating Reactors Branch 2 79/02/23 2pp

7903060279 Supports proposed license amend to increase rated thermal
power to 2,700 MWt, starting w/Cycle 3 operation Forwards
addl info re control rod ejection, main steam line rupture &
seized rotor event
COUNCIL, W G Northeast Utilities 79/02/27 3pp

7903060249 Forwards proposed changes to Tech Specs re recent
organizational changes within util
COUNCIL, W G Northeast Utilities 79/02/28 6pp

7903070243 Advises NRC of recent investigation re encl bldg design
Util has determined that existence of non-seismically
designed & supported lines which penetrate encl bldg is
acceptable
COUNCIL, W G Northeast Utilities 79/03/01 3pp

7903260389 Forwards Amend 49 to License DPR-65, safety evaluation &
notice of issuance
REID, R W Operating Reactors Branch 4 79/03/01 3pp

7903260393 Amend 49 to License DPR-65, incorporating requested Tech Spec
changes re engineered safety feature actuation sys &
radiation monitoring instrumentation
REID, R W Operating Reactors Branch 4 79/03/01 17pp

7903260396 Safety evaluation supporting Amend 49 to License DPR-65
* Office of Nuclear Reactor Regulation 79/03/01 6pp

7903260398 Notice of issuance of Amend 49 to License DPR-65,
REID, R W Operating Reactors Branch 4 79/03/01 2pp

7903140278 Forwards proposed amend to License DPR-65, changing Tech
Specs to incorporate reactor coolant pump speed sensing sys
w/affidavit & oversized drawing
COUNCIL, W G Northeast Utilities 79/03/02 17pp

7903200439 "QA Program Topical Rept," NU-QA-1, Revision 3
SHUTZER, D C, DIEDRICK, D G Northeast Utilities NU-QA-1
79/03/05 100pp

7903260219 Documents review of NRC handling of 770404 request re
surveillance requirement for incore detector calibr &
771031 request for changes to reporting requirements
Concludes amend request is withdrawn by 780908 ltr
GRIMES, B K Assistant Director for Engineering 79/03/12 10pp

7903220226 Requests amend to Licenses DPR-21 & DPR-65 incorporating
encl revisions to radiological effluent Tech Specs Revisions
to site environ Tech Specs encl No unreviewed safety
questions are involved
COUNCIL, W G Northeast Utilities 79/03/13 135pp

7903300376 Forwards results of non-LOCA safety analysis necessary to
support Cycle 3 operation at 2,700 MWt
COUNCIL, W G Northeast Utilities 79/03/22 52pp

7903300389 Forwards info requested in 781228 ltr Describes loop
current stop response method of in situ response time
testing of resistance temperature detectors
COUNCIL, W G Northeast Utilities 79/03/28 4pp

7903070332 Forwards IE Insp Repts 50-245/78-38 & 50-336/78-35 on
781211-14 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/23
2pp

7903070340 IE Insp Repts 50-245/78-38 & 50-336/78-35 on 781211-14 No
noncompliance noted Major areas inspected security program
JONES, E W, ROBERTS, M, DEULIN, J W Region 1, Philadelphia,
Safeguards Branch 79/01/16 1p

7903060640 Forwards IE Info Notice 79-03, "Limitorque Valve Geared
Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director,
79/02/09 1p

7903130221 Ack receipt of 790131 ltr informing NRC of steps taken to
correct violations noted in IE Insp Rept 50-336/78-37
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/02/13 1p

7903130228 Responds to NRC 790110 ltr re violations noted in IE Insp
Rept 50-336/78-37 Corrective actions supervisors informed of
violation, status board will be developed, test control list
will be updated & reviewed by impartial individual
COUNCIL, W G Northeast Nuclear Energy Co (Northeast Utilities)
79/01/31 2pp

7903130233 Forwards IE Insp Rept 50-336/78-37 on 781220-22 & notice of
violation
BRUNNER, E J Region 1, Philadelphia, Reactor Operations Nuclear
Support Branch 79/01/10 2pp

DOCKETED SERIES

DOCKET 50-336 Millstone Nuclear Power Station, Unit 2

DOCKET 50-338 North Anna Power Station, Unit 1

- 7903130238 Notice of violation from insp on 781220-22
* Region 1, Philadelphia, Reactor Operations Nuclear Support
Branch 79/01/09 1p
- 7903130241 IE Insp Rept 50-336/78-37 on 781220-22 Noncompliance noted
failure to conduct surveillance test per Tech Specs
RAYMOND, W J, MCCABE, E C Region 1, Philadelphia, Reactor
Operations Nuclear Support Branch 79/01/09 8pp
- 7903080438 Forwards IE Info Notice 79-01, "Degradation of Engineered
Safety Features"
ORIER, B H Region 1, Philadelphia, Office of the Director
79/02/16 2pp
- 7903080492 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," did 790208, that valve
limit switch identified as NAMCO Model 83CHL should read
SL3CHL
ORIER, B H Region 1, Philadelphia, Office of the Director
79/02/27 1p
- 7903280040 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs
Using Concrete Expansion Anchor Bolts"
ORIER, B H Region 1, Philadelphia, Office of the Director
79/03/08 1p
- 7903030339 Util determined certain stem-mounted limit switches on
safety-related valves may not be suitable for svc in
LOCA containment Forwards list of specific switch types &
valves on which switches are installed
COUNSIL, W O Northeast Utilities 79/03/23 2pp
- 7903060338 "Semiannual Radioactive Effluents Release Rept. 780701-1231"
* Northeast Utilities 79/03/01 55pp
- 7903070234 Forwards "Annual Operating Rept for 1978"
OPEKA, J F Northeast Utilities 79/03/01 1p
- 7903070235 "Annual Operating Rept for 1978"
* Northeast Utilities, 78/12/31 50pp
- 7903190245 Forwards monthly operating rept for Feb 1979
OPEKA, J F Northeast Utilities 79/03/09 1p
- 7903190252 Monthly operating rept for Feb 1979
HOWLETT, O H Northeast Utilities 79/03/01 4pp
- 7903010266 Forwards LER 78-019/03X-1
OPEKA, J F Northeast Utilities 79/02/23 1p
- 7903010267 LER 78-019/03X-1 on 780803 while operating 13U diesel for
surveillance, leaking injector pump noted Diesel declared
inoperable Caused by crack in valve cage of injector pump
* Northeast Utilities 79/02/23 1p
- 7903200399 Forwards LER 79-004/03L-0
OPEKA, J F Northeast Utilities 79/03/08 1p
- 7903200404 LER 79-004/03L-0 on 790130 reactor protection sys reactor
coolant loop tests exceeded Tech Spec response time Cause
unknown Resistance temp detector will be replaced during
Spring 1979 outage
CROCKETT, J Northeast Utilities 79/03/08 2pp
- 7903200407 Forwards LER 79-003/03L-0
OPEKA, J F Northeast Utilities 79/03/14 1p
- 7903200414 LER 79-003/03L-0 on 790216 control element assembly 68
dropped to zero steps resulting in control element assembly
misalignment & tilt to max 029 No component failures
Control element assembly recovered.
BATES, R W Northeast Utilities 79/03/16 1p
- 7903260244 Forwards LER 79-005/03L-0
OPEKA, J F Northeast Utilities 79/03/16 1p
- 7903260246 LER 79-005/03L-0 on 790216 malfunction in computer resulted
in control element assembly pulse counting position being
inoperable Cause traced to circuit card in computer memory;
no fault discerned. Card contacts cleaned
* Northeast Utilities 79/03/16 1p
- 7903120590 Forwards Amend 9 to License NPF-4 incorporating site
security plan W/encl Federal Register notice & security plan
evaluation rept Security plan withheld (ref 10CFR2 790)
FARR, O D Light Water Reactors Branch 3 79/02/23 4pp
- 7903120593 Amend 9 to License NPF-4 re site security plan
FARR, O D Light Water Reactors Branch 3 79/02/23 2pp
- 7903120596 Notice of issuance of Amend 9 to License NPF-4
FARR, O D Light Water Reactors Branch 3 79/02/23 2pp
- 7903270420 Forwards amend to "Security Program" & recent mgt
reorganization Amend withheld (ref 10CFR2 790)
STALLINGS, C M Virginia Electric & Power Co 79/03/23 1p
- 7903210041 Forwards NUREG/CR-0400, "Risk Assessment Review Group Rept to
NRC" W/o encl
GOLDBERG, S C Branch 2 79/01/29 1p
- 7903050077 Forwards Nuclear Reactor Regulation safety evaluation issued
in connection w/proceedings
GOLDBERG, S C Branch 2 79/02/02 1p
- 7903060398 Requests facility allowable settlement not be increased
Requests hearing Asks why util waited until 780428 to rept
major pump house sinking in Aug 1977
HOLLAND, F S Affiliation Unknown 79/02/02 1p
- 7903050022 Strongly objects to increase in settlement limit at facility
& util's dishonest & incompetent performance Wants operating
license revoked
MARSHALL, M M Affiliation Unknown 79/02/03 2pp
- 7903200551 Urges ASLAB not to increase foundation settlement allowance
w/o public hearing Suggests possible revocation of license
in order to gain cooperation
* Truth in Power 79/02/07 1p
- 7903200557 Urges ASLAB to refuse to increase util's allowable
settlement Believes public hearing should be held Feels
license should be revoked
LEMON, V Affiliation Unknown 79/02/11 1p
- 7903200564 Expresses concern re plant const on fault line & soil
conditions which permit uneven settling of plant equipment
Urges ASLAB refuse to increase allowable settlement Requests
a public hearing be held
SELDEN, M M Affiliation Unknown 79/02/16 1p
- 7903200570 Urges consideration of license revocation & initiation of
public hearings re risky settlement conditions at plants
Asks for exploration of unresolved safety questions to
clarify NRC & util roles in alleged cover-up of info
MEREDITH, M Citizens Energy Forum 79/02/12 1p
- 7903220481 Expresses concern about facility, especially seismic bldg
settlement & spent fuel risks Questions facility's
financial justification Requests public hearing be held
TOBIAS, B Affiliation Unknown 79/02/03 1p
- 7903220486 Requests hearing re facility's allowable settlement & util's
withholding of hazardous settlement info from ASLB
SABBAND, A D, SABBAND, S R Affiliation Unknown 79/02/08 1p
- 7903220490 Requests allowable settlement not be increased Requests
hearings be held re util's withholding hazardous settlement
info from ASLB ASLB should consider license revocation
MITCHELL, A F Affiliation Unknown 79/02/05 1p
- 7903220494 Requests ASLAB refuse to increase facility's allowable
settlement, hold public hearings on dangerous settlement
conditions & consider suspension or revocation of operating
license for withholding info from ASLAB
ARONTEANU, S Affiliation Unknown 79/02/07 1p
- 7903220499 Requests public hearings on settlement conditions at plant
Urges ASLAB consider revocation of plant operating license
for withholding hazardous info Util cannot be trusted to
think or act in public interest
KOEHN, J L Affiliation Unknown 79/02/09 2pp

DOCKETED SERIES

131

DOCKET 90-338 North Anna Power Station, Unit 1

7903220506 Requests util's foundation settlement allowance not be increased w/o public hearing of evidence States util has withheld essential info & revocation of license should be considered
DAVIS, R P Truth in Power 79/02/07 1p

7903060399 Ack receipt of 790202 ltr Informs that Board is actively considering pumphouse settlement matter
DUFLD, M E Atomic Safety and Licensing Appeal Panel 79/02/09 1p

7903060400 Urges allowable settlement increase not be permitted for pumphouse Util acted dishonestly & irresponsibly many times, including withholding settlement info Suggests license be revoked
CLARK, L Affiliation Unknown 79/02/02 1p

7903060402 Concerned about continued mishandling of facility by util Urges public hearing re withholding of pumphouse settlement info
CAMPBELL, M P Affiliation Unknown 79/02/05 1p

7903060403 Expresses apprehension about settlement of cooling water pumphouse, which is built on a fault & unstable saprolite soil Urges hearing to prove that human lives are the most important consideration
DIETRICH, M Affiliation Unknown 79/02/03 1p

7903060404 Urges Board not to increase allowable settlement & requests hearing Also urges investigation of revocation of operating license, since util withheld info until after license was granted
BRADBEN, W Affiliation Unknown 79/02/03 2pp

7903060406 Expresses concern that nothing is being done to protect local citizens Urges license for facility not be granted due to pumphouse sinking & false statements by util
VAUGHAN, J B Affiliation Unknown 79/02/01 1p

7903060407 Requests Board not to increase allowable settlement & to investigate revocation of license because util withheld hazardous settlement info from Board
PEARLER, K Affiliation Unknown 79/02/05 1p

7903060410 Urges Board not to increase allowable pumphouse settlement Suggests revocation of facility license States those living near plant are frightened
VAUGHAN, M B Affiliation Unknown 79/02/01 1p

7903060412 Requests Board to hold public hearing on settlement conditions at site, since all buildings are affected Requests allowable settlement not be increased
MILLAR, F Potomac Alliance 79/02/01 1p

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPPORD, C Affiliation Unknown 79/02/19 3pp

7903150077 Ack receipt of 790204 ltr ASLAB has pumphouse settlement matter under active consideration Order will be issued
DUFLD, M E Atomic Safety and Licensing Appeal Panel 79/02/21 1p

7903150080 Suggests revocation of operating license, holding public hearings & prohibition of increased pumphouse settlement
KELLAR, D Affiliation Unknown 79/02/04 1p

7903210404 Forwards NRC policy statement re reactor safety study, review by Lewis Committee (NUREG/CR-0400) & survey of NRC uses of WASH-1400 All documents have been furnished to ASLB & ASLAB panel members w/o encl
GOLDBERG, S C Branch 2 79/02/21 1p

7903150189 ALAB-529, ordering evidentiary hearing on safety issues re possibility of missile damage & pump house settlement Prepared testimony to be filed by 790406
DUFLD, M E Atomic Safety and Licensing Appeal Panel 79/02/28 13pp.

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790309
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 3pp

7903050372 Amend of Condition 4 endorsement to Policy MF-57 to reflect change in liability from \$31,500,000 to \$36,000,000
QERAB, T Nuclear Energy Liability Insurance Association 79/02/01 1p

7903140366 Forwards Endorsement 16, amending conditions of Policy MF-96 Endorsement does not increase policy limits
KELLEY, P J Johnson & Higgins Insurance 79/03/05 2pp

7903280315 Informs that proposed cooperative interest of NC Electric Membership Corp is less than 20 MW & that of Old Dominion Electric Cooperative is between 20 & 80 MW
FLEXNER, D L Justice, Dept of 79/03/22 2pp

7903200574 Urges ASLB not to increase allowable settlement, hold public hearing re settlement conditions & investigate revocation of license for withholding info
WILLIS, J Affiliation Unknown 79/02/19 1p

7903060298 Provides info re 790203 rept on water hammer analysis for recirculation spray coolers Gives name & address of reporting individual, facility & activity or component affected, name of supplying firm & defect description
BROWN, S C Virginia Electric & Power Co 79/02/09 3pp

7903140129 Requests \$4,000 approval fee for request for relief from pump & valve testing requirements
MILLER, W D License Fee Management Branch 79/02/23 1p

7903200311 Responds to 780929 ltr & agrees to withhold "Westinghouse Reactor Protection Sys/Engineered Safety Features Actuation Sys Setpoint Methodology" from disclosure (ref 10CFR2 790)
FARR, O D Light Water Reactors Branch 3 79/03/01 2pp

7903090234 Forwards Amend 17 to License NPF-4
STALLINGS, C M Virginia Electric & Power Co 79/03/06 3pp

7903090236 Amend 17 to License NPF-4, modifying radiological effluent Tech Specs Discusses Offsite Dose Calculation Manual & continuous monitors
* Virginia Electric & Power Co 79/03/06 76pp

7903200429 Notification of 790308 meeting w/util in Bethesda, MD, to discuss Appeal Board decision ALAB-529
FARR, O D Light Water Reactors Branch 3 79/03/06 3pp

7903260339 Forwards Amend B to License NPF-4, safety evaluation & notice of issuance & availability
FARR, O D Light Water Reactors Branch 3 79/03/06 3pp

7903260340 Amend B to License NPF-4 implementing fire protection program following second refueling outage
BOYD, R S Division of Project Management 79/03/06 6pp

7903260341 Notice of issuance of Amend B to License NPF-4
FARR, O D Light Water Reactors Branch 3 79/03/06 2pp

7903260343 Safety evaluation supporting Amend B to License NPF-4, re implementation of fire protection program
* Office of Nuclear Reactor Regulation 79/02/28 22pp

7903150351 Notification of completion of review of Tech Specs surveillance requirements & preoperational testing associated w/reactor startup Advises that certain surveillance stds will be due before refueling date
STALLINGS, C M Virginia Electric & Power Co 79/03/07 5pp

7903120251 Provides detailed discussion of responsibilities & qualifications of key station personnel as suppl to proposed Tech Spec Change 14 dtd 781226 w/encl Tech Spec 6.4.1 revision indicating training responsibility
STALLINGS, C M Virginia Electric & Power Co 79/03/08 35pp

7903200284 Forwards "Svc Water Reservoir & Spray Sys Performance Testing & Evaluation" w/documentation supporting proprietary status. Rept withheld (ref 10CFR2 790)
BROWN, B C Virginia Electric & Power Co 79/03/08 9pp

7903200350 Requests amend to License NPF-4, deferring surveillance requirements re Type B & C leak tests, reactor protection & engineered safety features response time, safety injection, containment depressurization & instrument calibr w/check
STALLINGS, C M Virginia Electric & Power Co 79/03/13 7pp

7903220223 Forwards \$4,000 check for Class III fee for requested change to pump & valve inservice testing program
BAUM, E A Virginia Electric & Power Co. 79/03/15 2pp

7903270327 Forwards requested suppl info re startup physics test results
STALLINGS, C M Virginia Electric & Power Co 79/03/20 8pp.

DOCKETED SERIES

DOCKET 50-338 North Anna Power Station, Unit 1

7903300373 FSAR Amend 65, dtd 790112, applies to Unit 1 as update only, not as application on request for NRC review. No unreviewed safety question is involved.
STALLINGS, C M Virginia Electric & Power Co 79/03/27 1p

7903130190 Forwards IE Insp Repts 50-338/78-45 & 50-339/78-38 on 781211-29. No noncompliance noted.
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/24 2pp

7903130200 IE Insp Repts 50-338/78-45 & 50-339/78-38 on 781211-29. No noncompliance noted. Major areas inspected IERs, followup on IE circulars, environ repts & organization changes, test engineer qualifications, fuel storage & plant tour.
KIDD, M S, CANTRELL, F S Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/23 13pp

7903010021 Ack receipt of 790126 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-338/78-42.
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/02 1p

7903010028 Responds to NRC 790105 ltr re violations noted in IE Insp Rept 50-338/78-42. Corrective actions applicable operating procedures are being revised to include condition verifying automatic stop oil pressure is below setpoint.
STALLINGS, C M Virginia Electric & Power Co 79/01/26 3pp

7903090123 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features".
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080521 Responds to 781220 request for notices of violation from 780401-1220. Forwards requested info.
DAVIS, J G Office of Inspection & Enforcement 79/02/21 6pp

7903080524 Ack receipt of 781213 ltr. Requests lists of notices of violation from 780401-1220 & NRC enforcement actions re cumulative notices of violation, particularly re radiation safety miscalculations.
ALLEN, J North Anna Environmental Coalition 78/12/20 1p

7903080314 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read BL3CML.
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140433 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210151 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903220019 Forwards IE Circular 79-04, "Loose Locking Nut on Limbtorque Valve Operators".
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/14 2pp

7903050138 Forwards "Whole Body Exposures Rept" for 1978.
STALLINGS, C M Virginia Electric & Power Co 79/02/27 2pp

7903070382 Forwards "Annual Whole Body Exposure Rept" & "Radioactive Effluent Release Rept".
STALLINGS, C M Virginia Electric & Power Co 79/03/01 1p

7903070383 "Annual Whole Body Exposure Rept" for 1978.
STAFFORD, A H., HOPPER, D M, CARTWRIGHT, W R. Virginia Electric & Power Co 79/12/31 3pp

7903070385 "Radioactive Effluent Release Rept," July-Dec 1978.
QUEENER, R F, HOPPER, D M, CARTWRIGHT, W R. Virginia Electric & Power Co 79/12/31 115pp

7903190175 Forwards monthly operating rept for Feb 1979.
STALLINGS, C M Virginia Electric & Power Co 79/03/14 1p

7903190178 Monthly operating rept for Feb 1979.
MARTIN, W R Virginia Electric & Power Co 79/03/02 5pp

7903200221 Forwards "Environ Radiological Monitoring Program," quarterly rept for Jul-Sept 1978. Concludes field monitoring & assay effort are adequate re program objectives. No significant change noted in background levels.
BAUM, E A Virginia Electric & Power Co 79/03/15 1p

7903060244 LER 79-014/03L-0 on 790202 pressurizer level indicator indicated high over allowable range. Caused by voltage drift in associated level transmitter. Appropriate channel placed in trip condition & transmitter recalibr.
CARTWRIGHT, W R Virginia Electric & Power Co 79/02/28 2pp

7903080216 Forwards LER 79-015/03L-0.
STALLINGS, C M Virginia Electric & Power Co 79/03/02 1p

7903080221 LER 79-015/03L-0 on 790204 rod F08 indicators in disagreement. Caused by voltage drift in signal conditioning card. Card recalibrated & functional checks performed satisfactorily.
STALLINGS, C M Virginia Electric & Power Co 79/03/02 2pp

7903130275 Forwards LER 79-009/03L-0.
STALLINGS, C M Virginia Electric & Power Co 79/03/09 1p

7903130310 LER 79-009/03L-0 on 790212 during normal operation, snubber support for C steam generator atmosphere discharge line found damaged. Caused by use of support as anchor for chain fall. Support replaced.
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/08 2pp

7903140394 Forwards LERs 78-100/01X-1, 79-006/03X-1, 79-013/03L-0, 79-018/03L-0 & 79-019/03L-0.
STALLINGS, C M Virginia Electric & Power Co 79/03/12 1p

7903140400 LER 78-100/01X-1 on 781108 field mod to reactor vessel lower head insulation was not seismically analyzed per FSAR. Caused by personnel error. Structural analysis performed & new mod is under development.
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/09 2pp

7903140407 LER 79-006/03X-1 on 790111 damaged wiper seal found on hydraulic suppressor I-FW-HS8-233 & suppressor found inoperable on bypass line. Caused by improperly set poppet valves. Suppressor replaced w/operable spare.
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/09 2pp

7903200228 "Environ Radiological Monitoring Program," quarterly rept for Jul-Sept 1978.
* Virginia Electric & Power Co 78/09/30 100pp

7903300356 Forwards radiological environ operating rept for 1978. No adverse environ impact has resulted from operations.
STALLINGS, C M Virginia Electric & Power Co 79/03/27 1p

7903300361 "Annual Environ Radiological Monitoring Program Rept, 1978".
QUEENER, R F, HOPPER, D M, SMITH, C R Virginia Electric & Power Co 79/03/27 90pp

7903140473 Submits info re missing parts of AC & DC solenoid operated valves name & address of reporting individual facility, activity, component affected, firm constructing or supplying facility, description of defect & report date.
BROWN, B C Virginia Electric & Power Co 79/02/23 3pp

7903050280 Forwards LER 79-020/03L-0.
STALLINGS, C M Virginia Electric & Power Co 79/02/27 1p

7903050286 LER 79-020/03L-0 on 790131 fire door S54-9 was found to be non-functional. Caused by recently installed electric door strike slipping out of adjustment.
CARTWRIGHT, W R Virginia Electric & Power Co 79/02/27 2pp

7903050180 Forwards LER 79-021/99T-0.
STALLINGS, C M Virginia Electric & Power Co 79/02/28 1p

7903050183 LER 79-021/99T-0 on 790212 meteorological air temp change in temp indication was observed to be "off-scale" low. Caused by faulty resistance temp detector. Temp element replaced.
CARTWRIGHT, W R Virginia Electric & Power Co 79/02/27 2pp

7903060241 Forwards LER 79-014/03L-0.
STALLINGS, C M Virginia Electric & Power Co 79/03/01 1p

7903140414 LER 79-013/03L-0 on 790214 during normal operation, fire door S71-7 between auxiliary bldg & health physics found non-functional. Caused by bent phase on left door. Phase taped out of way & new phase installed.
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/09 2pp

DOCKETED SERIES

133

DOCKET 50-338 North Anna Power Station, Unit 1

7903140418 LER 79-018/03L-0 on 790214 during Mode 1 operation at 98/ power, main steam trip valve 1-TV-MS-111B leaked excessively & was isolated for repair Caused by deteriorated internal gasket Valve isolated & gasket replaced
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/09 2pp

7903140422 LER 79-019/03L-0 on 790216 during surveillance, emergency diesel generator 1H did not reach 900 revolutions per minute in required 10-s Probable cause was low ambient air temp Conditions of first start were not reproducible
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/09 2pp

7903230137 Forwards LFR 79-027/03L-0
STALLINGS, C M Virginia Electric & Power Co 79/03/19 1p

7903230141 LER 79-027/03L-0 on 790228 axial flux difference deviated greater than 5% from target Caused by xenon transient occurring during startup operation Corrected by boration by reactor operator
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/16 2pp

7903270572 Forwards LER 79-023/03L-0, 79-025/03L-0 & 79-031/03L-0
STALLINGS, C M Virginia Electric & Power Co 79/03/22 1p

7903270577 LER 79-023/03L-0 on 790303 disagreement noted between group & individual indication for rod D-10 Caused by voltage drift in conditioning card Calibr & functional checks were performed
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/21 2pp

7903270584 LFR 79-025/03L-0 on 790228 power range channel N42 placed i tripped condition Caused to allow replacement of erratic Delta Flux indicator Indicator replaced & power range detector returned to svc
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/21 2pp

7903270591 LER 79-031/03L-0 on 790302 surveillances of engineered safety feature pumps not performed within interval Caused by personnel error due to long period from preoperational tests to operation Surveillances will be performed
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/21 2pp

7903300368 Forwards LFRs 79-022/03L-0 & 79-028/03L-0
STALLINGS, C M Virginia Electric & Power Co 79/03/27 1p

7903300370 LER 79-028/03L-0 on 790225 greater than 12-step disagreement noted among rod position indication, computer position indication & demand signal indication for Rod 9 Caused by voltage drift in signal conditioning card
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/26 2pp

7903300372 LER 79-022/03L-0 on 790227 power supply to post DBA H recombiner deenergized rendering recombiner inoperable for 4-h Caused by deenergizing of motor control center to perform voltage measurements
CARTWRIGHT, W R Virginia Electric & Power Co 79/03/26 1p

DOCKET 50-339 North Anna Power Station, Unit 2

7903200570 Urges consideration of license revocation & initiation of public hearings re risky settlement conditions at plants Asks for exploration of unresolved safety questions to clarify NRC & util roles in alleged cover-up of info
MEREDITH, M Citizens Energy Forum 79/02/12 1p

7903200574 Urges ASLB not to increase allowable settlement; hold public hearing re settlement conditions & investigate revocation of license for withholding info
WILLS, J Affiliation Unknown 79/02/19 1p

7903080031 Forwards NRC recommendations for general contents of Offsite Dose Calculation Manual
PARR, D D Light Water Reactors Branch 3 79/02/14 8pp

7903030271 Addresses effects of radiation-induced deterioration of collar/saddle shield matl to be used in suppl neutron shield Matl will undergo radiation-thermal test; Foresees no potential for shield matl deterioration in first 4 years
BROWN, S C Virginia Electric & Power Co 79/03/01 3pp

7903200311 Responds to 780929 ltr & agrees to withhold "Westinghouse Reactor Protection Sys/Engineered Safety Features Actuation Sys Setpoint Methodology" from disclosure (ref 10CFR2 790)
PARR, D D Light Water Reactors Branch 3 79/03/01 2pp

7903200429 Notification of 790308 meeting w/util in Bethesda, MD, to discuss Appeal Board decision ALAB-529
PARR, D D Light Water Reactors Branch 3 79/03/06 3pp

7903200284 Forwards "Svc Water Reservoir & Spray Sys Performance Testing & Evaluation" w/documentation supporting proprietary status Rept withheld (ref 10CFR2 790)
BROWN, S C Virginia Electric & Power Co 79/03/08 9pp

7903220217 Provides addl info re modified startup physics testing program, per NRC request
STALLINGS, C M Virginia Electric & Power Co 79/03/16 19pp

7903270570 Forwards drawings omitted from 790312 ltr which should be inserted behind notes re ASME Code Class I components
STALLINGS, C M Virginia Electric & Power Co 79/03/23 3pp

7903300223 Per NUREG-0094, describes license training program designed to upgrade personnel currently licensed at Unit 1 & personnel obtaining licenses at Unit 2
STALLINGS, C M Virginia Electric & Power Co 79/03/27 2pp

7903300373 FSAR Amend 65, dtd 790112, applies to Unit 1 as update only, not as application on request for NRC review No unreviewed safety question is involved
STALLINGS, C M Virginia Electric & Power Co 79/03/27 1p

7903120590 Forwards Amend 9 to License NPF-4 incorporating site security plan W/encl Federal Register notice & security plan evaluation rept Security plan withheld (ref 10CFR2 790)
PARR, D D Light Water Reactors Branch 3 79/02/23 4pp

7903120593 Amend 9 to License NPF-4 re site security plan
PARR, D D Light Water Reactors Branch 3 79/02/23 2pp

7903120596 Notice of issuance of Amend 9 to License NPF-4
PARR, D D Light Water Reactors Branch 3 79/02/23 2pp

7903270420 Forwards amend to "Security Program" & recent mgt reorganization Amend withheld (ref 10CFR2 790)
STALLINGS, C M Virginia Electric & Power Co, 79/03/23 1p

7903210041 Forwards NUREG/CR-0400, "Risk Assessment Review Group Rept to NRC" w/o encl
GOLDBERG, S C Branch 2 79/01/29 1p

7903030097 Forwards Nuclear Reactor Regulation safety evaluation issued in connection w/proceedings
GOLDBERG, S C Branch 2 79/02/02 1p

7903060398 Requests facility allowable settlement not be increased Requests hearing Asks why util waited until 780428 to rept major pump house sinking in Aug 1977
HOLLAND, F B Affiliation Unknown 79/02/02 1p.

7903030022 Strongly objects to increase in settlement limit at facility & util's dishonest & incompetent performance Wants operating license revoked
MARSHALL, M M Affiliation Unknown 79/02/03 2pp

7903200551 Urges ASLAB not to increase foundation settlement allowance w/o public hearing Suggests possible revocation of license in order to gain cooperation
* Truth in Power 79/02/07 1p

7903200557 Urges ASLAB to refuse to increase util's allowable settlement Believes public hearing should be held Feels license should be revoked
LEMIGN, V Affiliation Unknown 79/02/11 1p

7903200564 Expresses concern re plant const on fault line & soil conditions which permit uneven settling of plant equipment Urges ASLAB refuse to increase allowable settlement Requests a public hearing be held
SELDEN, M M Affiliation Unknown 79/02/16 1p.

7903220481 Expresses concern about facility, especially seismic bldg settlement & spent fuel risks Questions facility's financial justification Requests public hearing be held
TOBIAS, S Affiliation Unknown 79/02/03 1p

7903220486 Requests hearing re facility's allowable settlement & util's withholding of hazardous settlement info from ASLB
BASSANO, A D, BASSANO, S R Affiliation Unknown 79/02/08 1p.

DOCKETED SERIES

DOCKET 50-339 North Anna Power Station, Unit 2

- 790320490 Requests allowable settlement not be increased Requests hearings be held re util's withholding hazardous settlement info from ASLB ASLB should consider license revocation MITCHELL, A F Affiliation Unknown 79/02/05 1p
- 790320494 Requests ASLB refuse to increase facility's allowable settlement, hold public hearings on dangerous settlement conditions & consider suspension or revocation of operating license for withholding info from ASLB ARQUINTEANU, S Affiliation Unknown 79/02/07 1p
- 790320499 Requests public hearings on settlement conditions at plant Urges ASLB consider revocation of plant operating license for withholding hazardous info Util cannot be trusted to think or act in public interest KOEHNE, J L Affiliation Unknown 79/02/09 2pp
- 790320506 Requests util's foundation settlement allowance not be increased w/o public hearing of evidence States util has withheld essential info & revocation of license should be considered DAVIS, R P Truth in Power 79/02/07 1p
- 7903060399 Ack receipt of 790202 ltr Informs that Board is actively considering pumphouse settlement matter DUFLD, M E Atomic Safety and Licensing Appeal Panel 79/02/09 1p
- 7903060400 Urges allowable settlement increase not be permitted for pumphouse Util acted dishonestly & irresponsibly many times, including withholding settlement info Suggests license be revoked CLARK, L Affiliation Unknown 79/02/02 1p
- 7903060402 Concerned about continued mishandling of facility by util Urges public hearing re withholding of pumphouse settlement info CAMPBELL, M P Affiliation Unknown 79/02/05 1p
- 7903060403 Expresses apprehension about settlement of cooling water pumphouse, which is built on a fault & unstable saprolite soil Urges hearing to prove that human lives are the most important consideration DIETRICH, M Affiliation Unknown 79/02/03 1p
- 7903060404 Urges Board not to increase allowable settlement & requests hearing Also urges investigation of revocation of operating license, since util withheld info until after license was granted BRADBEN, W Affiliation Unknown 79/02/03 2pp
- 7903060406 Expresses concern that nothing is being done to protect local citizens Urges license for facility not be granted due to pumphouse sinking & false statements by util VAUGHAN, J B Affiliation Unknown 79/02/01 1p
- 7903060407 Requests Board not to increase allowable settlement & to investigate revocation of license because util withheld hazardous settlement info from Board FEASLER, K Affiliation Unknown 79/02/05 1p
- 7903060410 Urges Board not to increase allowable pumphouse settlement Suggests revocation of facility license States those living near plant are frightened VAUGHAN, M B Affiliation Unknown 79/02/01 1p
- 7903060412 Requests Board to hold public hearing on settlement conditions at site, since all buildings are affected Requests allowable settlement not be increased MILLAR, F Potomac Alliance 79/02/01 1p
- 7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Evc encl KEPFORD, C Affiliation Unknown 79/02/19 37pp
- 7903150077 Ack receipt of 790204 ltr ASLB has pumphouse settlement matter under active consideration Order will be issued DUFLD, M E Atomic Safety and Licensing Appeal Panel 79/02/21 1p
- 7903150080 Suggests revocation of operating license, holding public hearings & prohibition of increased pumphouse settlement KELLAR, D Affiliation Unknown 79/02/04 1p
- 7903210404 Forwards NRC policy statement re reactor safety study, review by Lewis Committee (NUREG/CR-0400) & survey of NRC uses of WASH-1400 All documents have been furnished to ASLB & ASLB panel members W/o encl GOLDBERG, B C Branch 2 79/02/21 1p
- 7903150189 ALAB-529, ordering evidentiary hearing on safety issues re possibility of missile damage & pump house settlement Prepared testimony to be filed by 790406 DUFLD, M E Atomic Safety and Licensing Appeal Panel 79/02/29 13pp
- 7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305 SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp
- 7903050372 Amend of Condition 4 endorsement to policy MF-57 changing liability from \$31,500,000 to \$35,000,000 GERAS, T Nuclear Energy Liability Insurance Association 79/02/01 1p
- 7903140366 Forwards Endorsement 16, amending conditions of Policy MF-96 Endorsement does not increase policy limits KELLEY, P J Johnson & Higgins Insurance 79/03/05 2pp
- 7903280315 Informs that proposed cooperative interest of NC Electric Membership Corp is less than 20 MW % that of Old Dominion Electric Cooperative is between 20 & 80 MW FLEXNER, D L Justice, Dept of 79/03/22 2pp
- 7903090234 Forwards Amend 17 to License NPF-4 STALLINGS, C M Virginia Electric & Power Co 79/03/06 3pp
- 7903090236 Amend 17 to License NPF-4, modifying radiological effluent Tech Specs Discusses Offsite Dose Calculation Manual & continuous monitors * Virginia Electric & Power Co 79/03/06 76pp
- 7903140615 Informs that NRC will be informed of corrective actions in response to IE Bulletin 78-08 upon receipt of operating license BROWN, S C Virginia Electric & Power Co 79/01/18 1p
- 7903130190 Forwards IF Insp Repts 50-338/78-45 & 50-339/78-38 on 781211-29 No noncompliance noted LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/24 2pp
- 7903130200 IE Insp Repts 50-338/78-45 & 50-339/78-38 on 781211-29 No noncompliance noted Major areas inspected LERs, followup on IE circulars, environ repts & organization changes, test engineer qualifications, fuel storage & plant tour KIDD, M B, CANTRELL, F S Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/23 13pp
- 7903130219 Forwards IE Insp Rept 50-339/79-03 on 790109-12 No noncompliance noted MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/29 2pp
- 7903130224 IE Insp Rept 50-339/79-03 on 790109-12 No noncompliance noted Major areas inspected fire protection & prevention procedures, equipment installations & practices MILLER, W H, GIBBONS, T D, BRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/26 4pp
- 7903150010 Forwards IE Insp Rept 50-339/79-02 on 790109-12 No noncompliance noted MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/31 2pp
- 7903150017 IE Insp Rept 50-339/79-02 on 790109-12 No noncompliance noted Major areas inspected instrumentation work, activities & QC records & electrical work, work activities, & QC records GIBBONS, T D Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/31 4pp
- 7903090123 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp
- 7903080314 Informs recipients of IF Bulletin 79-01, "Environ Qualification of Class 1E Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp
- 7903140433 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

DOCKETED SERIES

135

DOCKET 50-339 North Anna Power Station, Unit 2

DOCKET 50-341 Enrico Fermi Atomic Power Plant, Unit 2

7903150294 Requests exemption for inservice insp from applicable ASME codes Provides specific info identifying applicable code requirement, justification for relief requests & alternative insp methods
STALLINGS, C M Virginia Electric & Power Co 79/03/12 20pp

7903210151 Forwards IF Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903220019 Forwards IF Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903200221 Forwards "Environ Radiological Monitoring Program," quarterly rept for Jul-Sept 1978 Concludes field monitoring & assay effort are adequate re program objectives No significant change noted in background levels
BAUM, E A Virginia Electric & Power Co 79/03/15 1p

7903200228 "Environ Radiological Monitoring Program," quarterly rept for Jul-Sept 1978
* Virginia Electric & Power Co 78/09/30 100pp

7903200159 Telcon Rept util informed Region 2 of potential hydraulic transient (water hammer) in recirculation spray coolers during operation in post LOCA environ Magnitude of transient & applicability to Unit 1 have not been determined
* Virginia Electric & Power Co 79/02/05 1p

7903210539 Submits info required by 10CFR21 re lack of seismic supports & missile protection for emergency diesel generator mufflers Investigation is proceeding to determine corrective action
BROWN, S C Virginia Electric & Power Co 79/02/05 2pp

7903140473 Submits info re missing parts of AC & DC solenoid operated valves name & address of reporting individual facility, activity, component affected, firm constructing or supplying facility, description of defect & report date
BROWN, S C Virginia Electric & Power Co 79/02/23 3pp

7903020263 Notification of correction of deficiency implementing administrative procedures whereby reactor operator will review flux traces Also considering hardware/software mods All possible safety questions adequately corrected
BROWN, S C Virginia Electric & Power Co 79/02/27 2pp

7903020291 Final rept per 10CFR50.55(a), re failure to seismically analyze field mod to reactor vessel insulation Westinghouse & Stone & Webster changed reactor vessel insulation support structure to prevent incore instrumentation tube stress.
BROWN, S C Virginia Electric & Power Co 79/02/27 1p

7903020325 Suppl 790216 ltr re axial power distribution monitoring sys defect in addition to administrative procedures to lower input values, alternate methods for lowering addl penalty on measured input values in sys
BROWN, S C Virginia Electric & Power Co 79/02/27 2pp

7903050240 Suppl 790216 final rept re deficiency in calculating axial flux shape Fj(Z) Administrative procedures have been implemented to account for in-core moveable detector background signal Believes problem is corrected
BROWN, S C Virginia Electric & Power Co 79/02/27 2pp

7903050246 Suppl 790216 final rept on correction of calculation method for axial power distribution monitoring sys Feels proposed administrative procedures satisfactorily resolve nonconservatism problems
BROWN, S C Virginia Electric & Power Co 79/02/27 2pp

7903060446 Provides 30-day interim deficiency rept on recirculation coolers re pump startup transient NRC will be informed of results & any corrective action required to guarantee operability of coolers
BROWN, S C Virginia Electric & Power Co 79/03/02 1p

7903060465 Discovered that exhaust mufflers seismic support plates had been omitted from diesel generator Corrective actions initiated & will be completed prior to fuel loading
BROWN, S C Virginia Electric & Power Co 79/03/02 2pp

7903140509 Proposes plan to enable NRC inspectors to enter site during off hours w/o compromising security
HINES, E Detroit Edison Co 79/02/09 2pp

7903090106 Forwards recommendations for general content of Offsite Dose Calculation Manual (ODCM) required w/radiological effluent Tech Specs for PWR & BWR facilities
STOLZ, J F Light Water Reactors Branch 1 79/02/13 7pp

7903120601 Forwards approved revised schedule for radiological safety review of application for operating license Issuance date for SER cannot be advanced
STOLZ, J F Light Water Reactors Branch 1 79/02/15 3pp

7903070255 Based on NPDES Permits M10039110 & M10037028 & ALAB-515, util concludes it is not required to conduct preoperational aquatic monitoring program at const site Forwards one year aquatic monitoring program for NRC review
JENS, W H Detroit Edison Co 79/02/23 30pp

7903150414 Forwards requests for addl info re FBAR Info sought pertains to effluent treatment, power systems, steam bypass, design bases & physical protection of facility
STOLZ, J F Light Water Reactors Branch 2 79/02/23 27pp

7903070296 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary
SODON, L J General Electric Co , Nuclear Energy Products Div 79/02/28 11pp

7903200278 Summary of 790206-07 meetings w/Detroit Edison to discuss calculated asymmetric loads on reactor vessel support caused by break of primary sys pipe near reactor vessel nozzle, & hydrodynamic loads on torus & components
KINTNER, L L Light Water Reactors Branch 1 79/02/28 5pp

7903120439 Summary of 790213 meeting in Bethesda, MD w/representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
SU, T M Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D G Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects, 79/03/01 8pp

7903200109 Forwards for review Detroit Edison proposed pre-operational aquatic monitoring program for Fermi 2, NRC review & Detroit Edison 790223 ltr stating they will not conduct such a pre-operational aquatic monitoring program
BALLARD, R L Environmental Project Branch 1 79/03/02 1p

7903220117 Repts completion of evaluation for proposed pre-operational & operational aquatic monitoring programs & finds them adequate, provided changes shown in enclosure are adopted
BALLARD, R L Environmental Project Branch 1 79/03/02 5pp

7903150291 Accepts revised licensing schedule
JENS, W H Detroit Edison Co 79/03/05 1p

7903260370 Notification of 790328 meeting in Bethesda, MD w/Detroit Edison Co to discuss operating license review
KINTNER, L L Light Water Reactors Branch 1 79/03/08 2pp.

7903260297 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients. W/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl
VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 4pp.

7903300513 Request for addl info by 790427 re matl & structural engineering
STOLZ, J F Light Water Reactors Branch 1 79/03/16 8pp.

DOCKETED SERIES

DOCKET 50-341 Enrico Fermi Atomic Power Plant, Unit 2

7903130254 Forwards Suppl 5 to Environ Rept (operating license stage) w/responses to questions in NRC 780922 & 781130 ltrs Supporting documentation encl
JENS, W H Detroit Edison Co 79/01/31 3pp

7903130261 Suppl 5 to Environ Rept (operating license stage) Responds to NRC 780922 & 781130 questions w/supporting matls aerial view of site, repts on aquatic ecology, heat dissipation sys, economic aspects, forecasting, conservation & reliability
* Detroit Edison Co 79/01/31 215pp

7903130334 Forwards responses to NRC environ review questions & responses to R Zussman at Argonne Natl Lab This info will be incorporated into App A 4 of Suppl 6 to ER in Mar 1979
JENS, W H Detroit Edison Co 79/03/06 6pp

7903190234 Forwards Certificate of Bvc for Suppl 5 to Environ Rept
MATERS, B H Detroit Edison Co 79/03/07 4pp

7903050026 Requests addl info by 790223 to complete preparation of EIS
BALLARD, R L Environmental Project Branch 1 79/02/12 3pp

7903070459 Forwards draft stipulation between parties Informs of discussion of final clarification of contentions on 790202 W/o encl
MCURREN, H J Branch 1 79/01/30 1p

7903080081 Forwards SAND77-1927, "Transport of Radionuclides in Urban Environments Working Draft Assessment" Also forwards SECY-78-311 & 311A, indicating NRC review of rept's impact on current regulatory policy W/a encl
BLACK, R L Branch 1 79/02/02 2p

7903050135 Forwards stipulation of contentions for signature by parties
BLACK, R L Branch 1 79/02/05 6pp

7903230103 Forwards for signature stipulation of contentions which is simplified version of 790205 stipulation Requests signed & dtd return if acceptable W/o encl
BLACK, R L Branch 1 79/02/22 1p

7903210068 Forwards Certificate of Bvc which indicates that appropriate parties have been served w/Amend 20 to amended & substituted application for licenses
MATERS, B H Detroit Edison Co 79/03/15 3pp

7903080250 Forwards Amend 20 to license application w/additions & mods to FSAR
THOMAS, E B LeBoeuf, Lamb, Leiby & MacRae 79/03/07 2pp

7903080255 Amend 20 to FSAR
* Detroit Edison Co 79/03/01 181pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept"
WONQ, K W General Electric Co, Nuclear Energy Products Div NEDO-21885 78/06/30 45pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
ORINES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EIBENHUT, D G Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plans" All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp

DOCKET 50-341 Enrico Fermi Atomic Power Plant, Unit 2

7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity" W/affidavit for proprietary status Rept withheld (ref IOCFR2 790)
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/26 9pp

7903230011 "SER of Interim Assessments of MBIV Actuations in Mark I Containment Plans"
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
GRIMES, B Division of Operating Reactors 79/03/01 22pp

7903290176 Forwards statement by HR Denton before House Committee on Interior & Insular Affairs re spent fuel storage facilities
DENTON, H R Office of Nuclear Reactor Regulation 79/03/14 20pp

7903070526 Forwards IE Insp Rept 50-341/79-01 on 790111 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/29 2pp

7903070529 IE Insp Rept 50-341/79-01 on 790111 No noncompliance noted Major areas discussed preoperational & routine operational insp program in radiation protection & radwaste mgt areas
HUETER, L J, MILLER, D E, FISHER, W L Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/23 2pp

7903150339 Forwards IE Insp Rept 50-341/79-02 on 790109-12 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/07 2pp

7903150345 IE Insp Rept 50-341/79-02 on 790109-12 No noncompliance noted Major areas inspected followups on Rept 50-341/78-03 of 780404, cond spray pump deficiency rept, safety procedures & components & reactor internals
PHILLIPS, H S, WESCOTT, H H, HAYES, D W Region 3, Chicago, Office of the Director 79/02/06 15pp

7903260114 Forwards IE Insp Rept 50-341/79-03 on 790124-26 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/14 2pp

7903260118 Notice of violation from insp on 790124-26
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/14 1p

7903260119 IE Insp Rept 50-341/79-03 on 790124-26 Noncompliance noted welds did not meet procurement documents & magnetic particle exam was improperly performed on weld
NAIDU, K R, SUERMANN, J F, SPESSARD, R L Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/12 14pp

7903080339 Forwards IE Info Notice 79-04, "Degradation of Engineers' Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903070458 Ack receipt of 790206 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-341/78-18
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/22 1p

7903070463 Responds to NRC ltr re violations noted in IE Insp Rept 50-341/78-18 Corrective actions instructions given to assure liquid penetrant matls removed after insps
HINES, E Detroit Edison Co. 79/02/06 6pp

7903080359 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read BL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

DOCKETED SERIES

137

DOCKET 50-341 Enrico Fermi Atomic Power Plant, Unit 2

7903150034 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190001 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903140367 Deficiency rept on RHR heat exchanger relief valve Current design does not conform to ASME stds Larger relief valves will be installed
FAHRNER, W J Detroit Edison Co 79/03/02 1p

7903230358 Ack receipt of 790221 interim deficiency rept re torus ring beam weld indications Final rept will be reviewed upon receipt
FIDRELLI, O Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/03/08 1p

DOCKET 50-344 Trojan Nuclear Plant, Unit 1

7903010459 Responds to 781229 ltr re physical security plan on reporting requirements, screening program, & loss of offsite electrical power
CLARK, R A Reactor Safeguards Licensing Branch 79/02/06 3pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903220346 Forwards Amend 3B to NPF-1 & notice of issuance
SCHWENCER, A Operating Reactors Branch 3 79/02/27 4pp

7903220352 Amend 3B to NPF-1, incorporating site security plan Plan withheld (ref 10CFR2 790)
SCHWENCER, A Operating Reactors Branch 1 79/02/27 2pp

7903190390 Limited appearance urging preparation of an EIA in conjunction w/application for interim operation as required by regulations
NEPOM, D L Nepom & Ross 78/10/25 3pp

7902070069 Informs that NRC will not respond to licensee's 790115 motion because of ASLB's 790118 order allowing NRC response to stay application to exceed 14 pages Licensee satisfied
GRAY, J R Office of the Executive Legal Director 79/01/23 1p

7903090159 Forwards list of request for design change work items for which field work may be performed within next few weeks Items will not affect load carrying capability of any major shear wall Certificate of Svc encl
JOHNSON, R W Portland General Electric Co 79/01/29 5pp

7903060530 Informs NRC that author will be making argument for State of OR per Board 790125 order
SANDVIK, R M Oregon, State of 79/01/31 1p

7903050238 Identifies counsel for licensee per Board 790125 order
* Portland General Electric Co 79/02/01 1p

7903150367 Motion for rescheduling of oral argument due to atty's inability to appear on 790216 & notice of appearance of M Rose on behalf of SM Garrett & Coalition for Safe Power
GARRETT, S M Coalition for Safe Power 79/02/03 1p

7903140188 Intervenor's joint brief on exceptions Urges reversal of ASLB 790221 partial initial decision changing that ASLB erred in its rulings Certificate of Svc encl
ROSOLIE, E, Coalition for Safe Power BELL, N Affiliation Unknown 79/02/05 38pp

7903060713 Informs of progress of NRC review & evaluation of PGE-1020, "Rept on Design Mod for Trojan Control Building" & responds to licensee's suggested schedule w/updated suggested schedule
GRAY, J R Branch 1 79/02/08 3pp

7903140331 Consolidated intervenors' request for waiver of double spacing requirement for formal documents in order to reduce financial burden Certificate of Svc encl
BELL, N Affiliation Unknown 79/02/08 2pp

7903140347 Forwards list of requests for design changes & other work items to suppl previous lists Items will not affect load carrying capacity of any major shear wall
JOHNSON, R W Portland General Electric Co 79/02/09 5pp

7903160006 Consolidated intervenors' interrogatories to Portland General Electric Co
BELL, N Affiliation Unknown 79/02/09 5pp

7903160010 Consolidated intervenors' interrogatories to NRC Certificate of Svc encl.
BELL, N Affiliation Unknown 79/02/09 4pp

7903210301 Due to conflict of schedule, requests that control bldg prehearing conference be moved to 790320 in response to ASLB 790208 ltr, requests ASLB consider extending deadline for filing interrogatories beyond 790328
ROSOLIE, E Coalition for Safe Power 79/02/13 2pp

7903220116 Licensee's responses to 790129 interrogatories from N Bell Objects to Interrogatories 1, 4-6, 9 & 10 Affidavits & Certificate of Svc encl
JOHNSON, R W, BROEHL, D J, LANDREV, B T Portland General Electric Co 79/02/20 15pp

7903090008 Denies 790208 motion of consolidated intervenors to waive double spacing requirements for filed documents
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/22 1p

7903140318 Grants extension until 790307 for NRC to respond to consolidated intervenors' interrogatories
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/27 1p

7903220274 Licensee's responses to consolidated intervenor's 790209 interrogatories Objects to Part D of every interrogatory & to certain other interrogatories Affidavits, related documents & Certificate of Svc encl
JOHNSON, R W Portland General Electric Co 79/03/01 75pp

7903220305 Notification of prehearing conference in Portland, OR, on 790329-30 re Phase II control bldg proceeding, Conference will consider intervenors' contentions, scheduling matters & status of NRC review of mod
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/08 2pp

7903260204 Response to 790306 questions re "Guide to Content of Tech Specs for Nuclear Reactors" Guide is still available to public in its original form, but is superseded by four NUREG's Guide encl
GRAY, J R Branch 1 79/03/08 34pp

7903000254 Rejects contentions 4 & 10(c)-(f) of Safe Haven Ruling inadvertently omitted from ASLB 790309 order.
LUTON, E Atomic Safety and Licensing Board Panel 79/03/20 1p

7903000547 Memorandum amending ALAB-531 by adding word "blanket" at end of text appearing on Page 12 of slip opinion.
DUFLD, M E Atomic Safety and Licensing Appeal Panel. 79/03/22 1p

7903060227 Forwards Endorsement 35 to ANI Policy NF-225 & Endorsement 29 to MAELU Policy NF-86
WILSON, F R Portland General Electric Co 79/02/27 3pp.

7903130286 Forwards Endorsement 36 to ANI Policy NF-225, indicating return premium of \$92,952.84
WILSON, F R Portland General Electric Co 79/03/06 2pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer heatup rate Tech Spec inconsistency, Reactor coolant sys temp rate limited to 60 F per hour, due to design of Westinghouse PWR, Appropriate utils have been notified
ANDERSON, T 78/10/27 2 -

790314
SAND
BARR
HILL

790308
& H
IV-5
GRIM
79/0

790313
ther
for
BCHW

DOCKETED SERIES

DOCKET 50-344 Trojan Nuclear Plant, Unit 1

7903140200 Forwards Amend 36 to License NPF-1
SCHWENCER, A Operating Reactors Branch 1 79/02/12 3pp

7903140201 Amend 36 to License NPF-1, revising surveillance testing
program for auxiliary feedwater pumps & clarifying testing
requirement for control room emergency ventilation sys
SCHWENCER, A Operating Reactors Branch 1 79/02/12 7pp

7903140203 Safety evaluation supporting Amend 36 to License NPF-1
Concludes change will not harm populace or environ
* Office of Nuclear Reactor Regulation 79/02/12 3pp

7903140206 Notice of issuance of Amend 36 to License NPF-1
SCHWENCER, A Operating Reactors Branch 1 79/02/12 2pp

7903200522 Requests response to staff positions & addl info to complete
NRC review of licensee's 780929 ltr re installation of
isolation switches at local control stations for
safe-shutdown equipment
SCHWENCER, A Operating Reactors Branch 1 79/02/14 4pp.

7903220328 Forwards Amend 37 to NPF-1
SCHWENCER, A Operating Reactors Branch 1 79/02/26 3pp

7903220332 Amend 37 to NPF-1 revising limiting conditions for operation
& surveillance requirements for safety-related hydraulic
shock suppressors
SCHWENCER, A Operating Reactors Branch 1 79/02/26 10pp

7903220334 Safety evaluation rept supporting Amend 37 to NPF-1
* Operating Reactors Branch 1 79/02/26 3pp

7903220339 Notice of issuance of Amend 37 to NPF-1
SCHWENCER, A Operating Reactors Branch 1 79/02/26 2pp

7903070249 Forwards response to NRC question re minimum operating temp
for supports & extent to which matl temps have been measured
at various points on supports during operation
GOODWIN, C Portland General Electric Co 79/02/27 5pp

7903220356 Notice of issuance of Amend 38 to License NPF-1
SCHWENCER, A Operating Reactors Branch 1 79/02/27 3pp

7903070245 Forwards addl info provided by Bechtel re proposed control
bldg mod suppl info on shear wall specimen test program &
addl info re lateral stiffnesses & response spectra
determination Plans submittal of design mod rept in March
BROEHL, D J Portland General Electric Co 79/02/28 41pp

7903060491 Clarifies review of control bldg wall sections mentioned in
790228 ltr New info does not affect 780919 suppl structural
evaluation & has no impact on licensee's analysis &
conclusions for interim operation
BROEHL, D J Portland General Electric Co 79/03/02 3pp

7903120299 Forwards replies to request for addl info re voltages on
safety related station svc electrical buses New undervoltage
protection will be installed & in svc by Dec 1980 W/enc1
appropriate affidavit
DUNN, C N Duquesne Light Co 79/03/07 4pp

7903290174 Forwards Amend 40 to License NPF-1, safety evaluation &
notice of issuance & availability
SCHWENCER, A Operating Reactors Branch 1 79/03/13 3pp

7903210211 Forwards License Change Application 50 to amend License
NPF-1 re radiological Tech Specs Certificate of Svc &
Class III fee encl
GOODWIN, C Portland General Electric Co 79/03/15 2pp

7903210215 License Change Application 50 to amend License NPF-1 re
radiological Tech Specs
GOODWIN, C Portland General Electric Co 79/03/15 60pp

7903220277 Forwards License Change Application 26, Revision 1, requesting
amend to NPF-1
GOODWIN, C Portland General Electric Co 79/03/20 3pp

7903220280 License Change Application 26, Revision 1, requesting amend
NPF-1 to update inservice insp & inservice testing programs
GOODWIN, C Portland General Electric Co 79/03/20 50pp

7903270467 Forwards summary of radiation surveys confirming modified
biological shield design effectiveness Results are for water
bags over insp ports & no shielding over reactor cavity
annulus Neutron dose rates lower than expected
GOODWIN, C Portland General Electric Co 79/03/20 3pp

7903290012 Forwards License Change Application 53 to amend License
NPF-1 Clarifies position re implementation of security
contingency plan training schedule Encl withheld
(ref 10CFR2 790)
GOODWIN, C Portland General Electric Co 79/03/23 3pp

7903080003 Forwards IE Insp Rept 50-344/78-28 on 781204-31 No
noncompliance noted.
CREWS, J L Region 5, San Francisco, Reactor Operations Nuclear
Support Branch 79/01/17 2pp

7903080005 IE Insp Rept 50-344/78-28 on 781204-31 No noncompliance
noted Major areas inspected plant operations, maint, calibr,
security, QA program procedures, facility mods, procurement,
startup testing & LER followup
MALMRDS, M H, STERNBERG, D M Region 5, San Francisco, Reactor
Operations Nuclear Support Branch 79/01/17 9pp

7903080017 Forwards IE Insp Rept 50-344/79-02 on 790117-19 No
noncompliance noted
CREWS, J L Region 5, San Francisco, Reactor Operations Nuclear
Support Branch 79/01/31 2pp

7903080021 IE Insp Rept 50-344/79-02 on 790117-19 No noncompliance
noted Major areas inspected LERs, response to IE bulletins &
circulars, surveillance of pipe support & restraint sys &
post-refueling startup test & surveillance
JOHNSON, P H, HORN, A J, STERNBERG, D M Region 5, San
Francisco, Reactor Operations Nuclear Support Branch 79/01/31
5pp

7903190315 Forwards IE Info Notice 79-04, "Degradation of Engineering
Safety Features"
ENGELKEN, R H Region 5, San Francisco, Office of the Director
79/02/16 1p

7903140375 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model 83CML should read
SL3CPL
ENGELKEN, R H Region 5, San Francisco, Office of the Director
79/02/27 1p

7903140583 States that IE Bulletin 79-01, "Environ Qualification of
Class IE Equipment (correction)" was issued to listed
licensees in Region 5
* Region 5, San Francisco, Office of the Director 79/02/27 1p

7903270005 Responds to 790126 ltr addressing those questions not
answered by J Hanchett re design errors & related safety
considerations W/enc1 IE Insp Rept 50-344/78-15 on
780816-18
STELLQ, V. Division of Operating Reactors 79/03/06 10pp

7903130065 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design
Using Concrete Expansion Anchor Bolts"
ENGELKEN, R H Region 5, San Francisco, Office of the Director
79/03/08 1p

7903190488 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
ASME SA-312 Type 304 Stainless Steel Pipe Spools
Manufactured by Youngstown Welding & Engineering Co"
ENGELKEN, R H Region 5, San Francisco, Office of the Director
79/03/12 1p.

7903210407 Forwards IE Circular 79-04, "Loose Locking Nut on Limiting
Valve Operators"
ENGELKEN, R H Region 5, San Francisco, Office of the Director
79/03/16 1p

DOCKETED SERIES

139

DOCKET 50-344 Trojan Nuclear Plant, Unit 1

7903260318 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors"
ENELKEN, R H Region 5, San Francisco, Office of the Director
79/03/20 1p

7903300340 Ack receipt of 790313 ltr informing NRC of steps taken to correct deviation noted in IE Insp Rept 50-344/79-04
CRENS, J L Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/03/21 1p

7903300344 Responds to NRC 790220 ltr re deviation noted in IE Insp Rept 50-344/79-04 Delay of corrective actions due to internal procedural changes for Plant Review Board resulting in less people involved with LCR preparation
GODWIN, C Portland General Electric Co 79/03/13 2pp

7903300345 Forwards IE Insp Rept 50-344/79-04 on 790102-31 & notice of deviation
CRENS, J L Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/02/20 2pp

7903300346 Notice of deviation from insp on 790102-31
* Region 5, San Francisco, Office of the Director 79/02/16 1p

7903300347 IE Insp Rept 79 344/79-04 on 790102-31 Deviation noted licensee corrective action not completed by date identified in LER
MALMROS, M H Region 5, San Francisco, Office of the Director
STERNBERG, D M Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/02/16 8pp

7903060343 Forwards "Annual Rept for 1978"
WITHERS, B D Portland General Electric Co 79/03/01 1p

7903060348 "Annual Rept for 1978"
* Portland General Electric Co 79/03/01 158pp

7903080217 "Effluent & Waste Disposal Semi-Annual Rept," Jul-Dec 1978
* Duquesne Light Co 79/03/02 48pp

7903190276 Forwards monthly operating rept for Feb 1979
WITHERS, B D Portland General Electric Co 79/03/07 1p

7903190284 Monthly operating rept for Feb 1979
BAIR, G O Portland General Electric Co 79/03/07 4pp

7903260208 Util's 781107 response to NRC 770926 request to review potential boron dilution incidents is satisfactory & no further action is necessary
SCHWENGER, A Operating Reactors Branch 1 79/02/27 2pp

7903060005 Transcript of 790215 oral argument before Appeal Board in Portland, OR re storage pool mod & amend to License NEP-1 Pp 1-123
ROSENTHAL, A S, BUCK, J H, JOHNSON, W R Atomic Safety and Licensing Board Panel 79/02/15 124pp

DOCKET 50-346 Davis-Besse Nuclear Power Station, Unit 1

7903050385 Forwards revised cases & revised App A to modified amended industrial security plan Plan withheld (ref 10CFR2 790)
ROE, L E Toledo Edison Co 79/02/23 1p

7903230035 Forwards Federal Register notice amending 10CFR73 55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903070251 Forwards Revision 5 to fire hazard analysis rept
ROE, L E Toledo Edison Co 79/02/28 4pp

7903270418 Forwards 790313 "Safeguards Contingency Plan" Plan withheld (ref 10CFR2 790)
ROE, L E Toledo Edison Co 79/03/23 1p

7903270364 Forwards Endorsement 27 to NELIA Policy NF-236
LLOYD, R D Marsh & McLennan, Inc 79/03/22 2pp

7903140222 Forwards revised versions Entry-Control Sys Handbook, SAND77-1033; Intrusion Detection Sys Handbook, SAND76-0354; & Barrier Penetration Database, NUREG/CR-0181 W/o encl
MILLER, J R Division of Operating Reactors 79/01/09 2pp

7903120535 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects
79/01/18 4pp

7903050532 Requests submittal of seismic reanalysis & evaluation for NRC review Forwards guidelines to be followed
REID, R W Operating Reactors Branch 4 79/01/30 10pp

7903120327 Forwards engineering design package for mod & safety evaluation for steam generator dual level setpoint for auxiliary feedwater control W/oversized drawings available in Central Files only
ROE, L E Toledo Edison Co 79/02/26 4pp

7903120331 Safety evaluation for steam generator dual level setpoint for auxiliary feedwater control
DOMHECK, C P Toledo Edison Co 79/02/26 3pp

7903230198 Responds to questions raised re possession of radioactive waste matl at site & during shipment to Chem-Nuclear waste burial grounds Licensee is responsible for assuring compliance w/NRC regulations
STELLO, V Division of Operating Reactors 79/02/28 3pp

7903230202 Responds to 771110 application requesting authorization to use mobil solidification units for radwaste handling operations Not necessary to issue matls license for operation, but license amend may be required
CUNNINGHAM, R E Assistant Director for Fuel Cycle Safety & Licensing 78/09/14 2pp

7903220383 Summary of 790302 meeting w/util re seismic reanalysis of Facility List of attendees & format examples encl
VISSING, G S Operating Reactors Branch 4 79/03/06 5pp

7903270046 Forwards staff positions developed in response to 771027 ltr re diesel generator lockout problem Requests response within 30 days, describing how staff positions are being met
REID, R W Operating Reactors Branch 4 79/03/06 2pp

7903120270 Discusses forthcoming application for amend to License NPF-3 incorporating NRC's Radiological Environ Tech Specs (RETBS) into license Concludes amend is exempt from fees Forwards safety evaluation Tech Spec changes & affidavit encl
ROE, L E Toledo Edison Co 79/03/16 43pp

7903080057 Forwards IE Insp Rept 50-346/78-29 on 781025-29, 1101-03, 1115-17, 1127-30 & 1211 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/23 2pp

7903080062 Notice of violation from insp on 781025-29, 1101-03, 1115-17, 1127-30 & 1211
* Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/22 2pp

7903080070 IE Insp Rept 50-346/78-29 on 781025-29, 1101-03, 1115-17, 1127-30 & 1211 Noncompliance noted inoperable diesel fire pump & failure to follow procedures
TAMBLING, T N, RIDEN, M D, KNOP, R C Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/22 14pp

7903150059 IE Insp Rept 50-346/79-02 on 790108-11 Noncompliance noted, lack of control for required reading lists & failure to conduct drills at required frequency
MASBE, R E, LITTLE, W S Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/28 4pp

7903150048 Forwards IE Insp Rept 50-346/79-02 on 790108-11 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/01 2pp

7903150034 Notice of violation from insp on 790108-11
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/01 1p

7903150428 Forwards IE Insp Rept 50-346/78-30 on 781031-1102, 1220-22 & 790112-15 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/07 2pp

7903150432 IE Insp Rept 50-346/78-30 on 781031-1102, 1220-22 & 790112-15 No noncompliance noted Major areas inspected power ascension testing & unresolved items
CREWELL, J B, SMITH, J D, STREETER, J F Region 3, Chicago, Office of the Director 79/02/05 17pp

DOCKETED SERIES

DOCKET 50-346 Davis-Besse Nuclear Power Station, Unit 1

7903080348 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903200271 Ack receipt of 790209 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-346/78-274
HIND, J A Region 3, Chicago, Safeguards Branch 79/02/28 1p

7903200276 Responds to NRC 790126 ltr re violations noted in IE Insp Rept 50-346/78-274 Corrective actions withheld (ref 10CFR2 790)
GRANT, J S Toledo Edison Co 79/02/09 1p

7903080366 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class 1E Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CHL should read SL3CHL
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903210008 Ack receipt of 790216 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-346/78-274
HEISHMAN, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/03/05 1p

7903210014 Responds to NRC 790125 ltr re violation noted in IE Insp Rept 50-346/78-274 Corrective actions preparation of repts re water sys loss of redundancy & operating in degraded mode
GRANT, J S Toledo Edison Co 79/02/16 5pp

7903150046 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903150427 Ack receipt of 790223 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-346/79-02
HEISHMAN, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/03/09 1p

7903150434 Responds to NRC 790201 ltr re violation noted in IE Insp Rept 50-346/79-02 Corrective actions program established to track training of fire brigade personnel, station fire specialist selected
GRANT, J S Toledo Edison Co 79/02/23 2pp

7903190562 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903070374 Forwards "Semiannual Radioactive Liquid & Gaseous Release Rept," July-Dec 1978
MURRAY, T D Toledo Edison Co 79/02/22 1p

7903070379 "Semiannual Radioactive Liquid & Gaseous Release Rept," July-Dec 1978
* Toledo Edison Co 79/02/22 46pp

7903140320 Forwards monthly operating rept for Feb 1979
MURRAY, T D Toledo Edison Co 79/03/08 1p

7903140323 Monthly operating rept for Feb 1979, CABA, E C Toledo Edison Co 79/02/28 13pp

7903290094 Forwards "Annual Environ Operating Rept, 1978"
GRANT, J S Toledo Edison Co 79/03/27 1p

7903290096 "Annual Environ Operating Rept, 1978"
* Toledo Edison Co 79/03/27 400pp

7903070319 Updated RO NP-33-77-64 on 770827 reactor coolant pump 1-1-2 tripped, removing reactor coolant pump from operation Caused by damaged surge capacitors Capacitors on all four reactor coolant pump motors replaced w/units of new design.
LINGENFELTER, J, BEELER, T Toledo Edison Co 77/09/22 2pp

7903070224 Forwards RO NP-09-79-04
GRANT, J S Toledo Edison Co 79/02/21 1p

7903070226 RO NP-09-79-04 on 790126 station vent monitor RE 2024 generated excessive noise later pump for station vent monitor RE 2025 seized Caused by normal vane wear & low flow during testing Pumps for both monitors replaced
* Toledo Edison Co 79/02/21 2pp

7903050310 Forwards LER 78-088/03L-1
MURRAY, T D Toledo Edison Co 79/02/22 1p

7903050314 LER 78-088/03L-1 on 780731 during power reduction, positive moderator temp coefficient & adjustment to reactor demand station resulted in rapid decrease in coolant sys average temp Caused by operator error
HARLEY, J Toledo Edison Co 78/08/28 3pp

7903050337 Forwards LERs 78-066/99X-1, 78-107/03L-1, & 78-083/03L-1
MURRAY, T D Toledo Edison Co 79/02/22 1p

7903050342 LER 78-066/99X-1 on 780429 during transient at 20% power, reactor coolant sys pressure dropped to approx 1620 psig & safety features actuation sys Channels 1 & 3 tripped Caused opening of feedwater valves due to sys sensitivity
BATCHELOR, B Toledo Edison Co 78/07/28 1p

7903050344 LER 78-107/03L-1 on 781031 during diesel generator monthly test, room temp rose to 110 F & outside air damper would not open Caused by damper linkage being out of adjustment & bound in guide
HARTIGAN, J P Toledo Edison Co 78/11/27 1p

7903050347 LER 78-083/03L-1 on 780720 containment vessel-to-annulus differential pressure exceeded Tech Spec limit by 1 inch Purge of containment bldg commenced Caused by inadequate monitoring of pressure increase by shift check
FULMER, S Toledo Edison Co 78/08/15 1p

7903050172 Forwards LER 79-018/03L-0
MURRAY, T D Toledo Edison Co 79/02/26 1p

7903050176 LER 79-018/03L-0 on 790130 valves SP17A2 & SP17B2 lifted below setpoint range & declared inoperable Caused by loose spindle on main steam line code safety valve SP17A2
BROWN, R A Toledo Edison Co 79/02/26 3pp

7903050179 Forwards LER 79-017/03L-0
MURRAY, T D Toledo Edison Co 79/02/26 1p

7903050182 LER 79-017/03L-0 on 790130 photoelectric smoke detector DS 8605-E in emergency diesel generator 1-1 area not functional Caused by failure of detector New detector ordered & fire watch patrol established in area
CHESKO, R C Toledo Edison Co 79/02/26 2pp

7903050273 Forwards LER 79-019/03L-0
MURRAY, T D Toledo Edison Co 79/02/27 1p

7903050279 LER 79-019/03L-0 on 790129 suction & discharge valves on containment spray pump were closed Caused by personnel error
FULMER, S Toledo Edison Co 79/02/27 2pp

7903060464 Forwards LER 79-020/03L-0
MURRAY, T D Toledo Edison Co 79/02/28 1p

7903060475 LER 79-020/03L-0 on 790205 10 of 10 main steam safety valves found outside setpoint range Believed caused by changing ambient conditions at valve locations Valves adjusted & retested satisfactorily
BROWN, R A Toledo Edison Co 79/02/28 3pp

7903060468 Forwards LER 79-021/03L-0
MURRAY, T D Toledo Edison Co 79/02/28 1p

7903060474 LER 79-021/03L-0 on 790205 containment high pressure alarms were received & safety features actuation sys Channel 2 erroneously tripped Cause unknown No deficiencies found from surveillance tests Channel returned to operation
KOVACH, B A Toledo Edison Co 79/02/28 2pp

7903160142 Informs of failure to complete action statement of Tech Spec 3 B 1 i within specified time when Startup Transformer O1 was de-energized & isolated to perform maint on 790228 Caused by personnel error
MURRAY, T D Toledo Edison Co 79/02/28 1p

7903130396 Forwards LER 79-022/03L-0
MURRAY, T D Toledo Edison Co 79/03/07 1p

7903130400 LER 79-022/03L-0 on 790208 diesel fire pump battery electrolyte level in four cells was below top of cell plates Caused by procedural error Levels restored, pump declared operable & unit removed from action statement
HARLEY, J W Toledo Edison Co 79/03/07 3pp

DOCKETED SERIES

141

DOCKET 50-346 Davis-Besse Nuclear Power Station, Unit 1

7903160114 Forwards LER 79-024/03L-0
MURRAY, T D Toledo Edison Co 79/03/12 1p

7903160120 LER 79-0P4/03L-0 on 790214 fire alarm panel C4706 signalled, indicating laundry room detector D8B630 as source Detector declared inoperable as no cause for signal found Cause of event undetermined Possibly due to gases or dust
FULMER, S Toledo Edison Co 79/03/12 2pp

7903160146 Forwards LER 79-023/01T-0
MURRAY, T D Toledo Edison Co 79/03/12 1p

7903160152 LER 79-023/01T-0 on 790228 Startup Transformer O1 taken out of svc surveillance tests not performed within one hour, contrary to Tech Spec requirements Caused by personnel error Testing completed as soon as error realized
BROWN, D H Toledo Edison Co 79/03/12 3pp

7903160209 Forwards LER 79-025/03L-0
MURRAY, T D Toledo Edison Co 79/03/12 1p

7903160210 LER 79-025/03L-0 on 790213 Ohio Edison relay testing activated transfer trip receiving relay & tripped switchyard breakers Caused by failure of util to notify Toledo Edison before performing relay testing
DIBERT, D J Toledo Edison Co 79/03/12 3pp

7903200377 RO on 790103 while performing ECCS subsystem monthly rept, HPI pump 1-1 was started & then secured due to low flow indication Caused by recirculation line being frozen Line blown Free
MURRAY, T D Toledo Edison Co 79/03/12 1p

7903200351 Forwards LER 79-028/03L-0
MURRAY, T D Toledo Edison Co 79/03/15 1p

7903200353 LER 79-028/03L-0 on 790217 borated water storage tank Channel 1 level transmitter tripped Caused by inadequate piping insulation & poor location of heat trace temp sensor Piping line thawed Transmitter now operational
NAYLOR, R Toledo Edison Co 79/03/15 3pp

7903200354 Forwards LER 79-026/03L-0
MURRAY, T D Toledo Edison Co 79/03/15 1p

7903200357 LER 79-026/03L-0 on 790215 Sys 7 computer tripped, Caused by computer core cooling fan seizing & overheating Fan replaced
BORYSIAK, M Toledo Edison Co 79/03/15 2pp

7903200361 Forwards LER 79-027/03L-0
MURRAY, T D Toledo Edison Co 79/03/15 1p

7903200366 LER 79-027/03L-0 on 790216 absolute position indication amplifier for Rod 9 of Group 5 was inoperable Caused by failure of integrated circuit chip in amplifier integrated circuit chip replaced
HITCHENS, D C Toledo Edison Co 79/03/15 2pp

7903230167 Forwards LER 78-113/03L-1
MURRAY, T D Toledo Edison Co 79/03/15 1p

7903230170 LER 78-113/03L-1 on 781110 fluctuating signals from absolute position indicator for Control Rod 4 of Group 3 caused asymmetric rod alarms Caused by intermittent failure of position indicator tube Tube replaced
KOVACH, S A Toledo Edison Co 78/12/07 3pp.

7903230161 Forwards LER 79-029/01T-0
MURRAY, T D Toledo Edison Co 79/03/16 1p

7903230162 LER 79-029/01T-0 on 790306 during valve lineup, auxiliary operator mistakenly closed borated water storage tank isolation valves DH7A & DH7B Caused by personnel error. Valves opened immediately
BROWN, D H Toledo Edison Co 79/03/16 3pp

7903230128 Forwards corrected copy of Page 1 of suppl info for LER 79-029
MURRAY, T D Toledo Edison Co 79/03/19 2PP

7903230165 Forwards LER 79-031/03L-0
MURRAY, T D Toledo Edison Co 79/03/19 1p.

7903230168 LER 79-031/03L-0 on 790219 two computer points were not updating Caused by procedural deficiency & random failures of Bailey computer sys Surveillance test has been revised
MARLEY, J W Toledo Edison Co 79/03/19 3pp

7903260222 Forwards LER 79-030/03L-0
MURRAY, T D Toledo Edison Co 79/03/19 1p

7903260227 LER 79-030/03L-0 on 790220 auxiliary feedwater valve could not be closed, rendering Auxiliary Feedwater Sys 1-1 inoperable Caused by faulty torque switch Heavier duty was installed & sys declared operable
NAYLOR, R Toledo Edison Co 79/03/19 2pp

7903270474 Forwards LER 79-017/03L-1
MURRAY, T D Toledo Edison Co 79/03/20 1p

7903270479 LER 79-017/03L-1 on 790130 photo electric smoke detector in emergency diesel generator area not functional Caused by failure of detector DS 9605-E New detector ordered & installed
CHESKO, R C Toledo Edison Co 79/02/26 2PP.

7903270283 Forwards suppl info sheet for LER NP-33-77-56 Failed switch refurbished by vendor & returned to station as spare
MURRAY, T D Toledo Edison Co 79/03/21 2pp

7903270428 Forwards LER 79-033/03L-0
MURRAY, T D Toledo Edison Co 79/03/21 1p

7903270433 LER 79-033/03L-0 on 790224 low flow noted on post-accident radiation monitor Caused by bearing seizure Further investigation revealed pump not operating Unit placed in action statement & pump replaced
ADAMS, J Toledo Edison Co 79/03/21 2pp

7903270545 Forwards LER 79-032/03L-0
MURRAY, T D Toledo Edison Co 79/03/21 1p

7903270551 LER 79-032/03L-0 on 790222 main steam safety valve 6P17B1 lifted early while unit was about 15% power following Unit runback Cause uncertain Valves 6P17A1/B1 found outside design setpoint Valves adjusted Investigation continuing
BROWN, R A Toledo Edison Co 79/03/21. 3pp

7903270596 Forwards LER 78-040/03L-1 & 78-084/03L-1
MURRAY, T D Toledo Edison Co 79/03/21 1p

7903270600 LER 78-040/03L-1 on 780422 review of reactor operator log determined that Group 5 control rods 100% zone ref light had not been checked at required frequency Caused by personnel error Process computer reminder program developed
MARLEY, J Toledo Edison Co 78/03/18. 2pp

7903270603 LER 78-084/03L-1 on 780724 floor drain check valve found out of floor drain in mechanical penetration room 4 Caused by workmen's error Valve replaced & drains tagged
GEORGE, T C Toledo Edison Co 78/08/18 2pp

7903290120 Forwards LER 79-034/01T-0
MURRAY, T D Toledo Edison Co 79/03/23 1p

7903290124 LER 79-034/01T-0 on 790103 HPI Pump 1-1 was stopped due to low recirculation flow indication, Caused by inability of heat trace to maintain HPI pump recirculation line temp above freezing. Heat increased
BROWN, D H Toledo Edison Co 79/03/23 4pp

DOCKET 50-348 Joseph M Farley Nuclear Plant, Unit 1

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p.

7903200365 Forwards compensatory measures to be used pending full implementation of security plan w/changes Plan withheld (ref 10CFR2 790)
CLAYTON, F L Alabama Power Co 79/03/12 1p

7903190250 Forwards revised pages to rept "Fire Protection Program Re-evaluation"
CLAYTON, F L Alabama Power Co 79/03/19 15pp

DOCKETED SERIES

DOCKET 50-348 Joseph M Farley Nuclear Plant, Unit 1

7903280276 Security contingency plan Plan withheld (ref 10CFR2 790)
 GRAHAM, R H , HAIRSTON, W Q , HUISMAN, D B Alabama Power Co
 79/03/23 1p

7903160255 Transcript of 790308 antitrust oral argument held in
 Bethesda, MD Pp 1-283
 FARRAR, M C , SALZMAN, R S , SHARFMAN, J E Atomic Safety and Licensing
 Appeal Panel 79/03/08 283pp

7903280357 In response to 780925 ltr, summarizes info re pressurizer
 heatup rate Tech Spec inconsistency Reactor coolant sys temp
 rate limited to 60 F per hour, due to design of Westinghouse
 PWR Appropriate utils have been notified
 ANDERSON, T M Westinghouse Electric Corp 78/10/27 3pp

7903150101 Provides comments on preliminary "Final Rept on Model
 Testing of Containment Sump Recirculation Intakes," prepared
 by Canada Hydraulic Lab Includes reactor safety
 distribution list for consultant repts
 MACAHO, E D , NAKATO, T Iowa, Univ of NRC-03-078-130
 7903150101 78/12/18 6pp

7903140222 Forwards revised versions Entry-Control Sys Handbook,
 SAND77-1033, Intrusion Detection Sys Handbook, SAND76-0534, &
 Barrier Penetration Database, NUREG/CR-0181, W/o encl
 MILLER, J R Division of Operating Reactors 79/01/09 2pp

7903080173 Forwards add to "Review & Acceptance of Spent Fuel Storage
 & Handling Application" provided on 780414 Involves pages
 IV-5 & IV-6 w/modified rationale & corrections
 GRIMES, B K Assistant Director for Engineers & Projects
 79/01/18 4pp

7903140325 Forwards Amend 8 to License NPF-2, & related safety
 evaluation & notice of issuance
 SCHWENCER, A Operating Reactors Branch 1 79/02/13 3pp

7903140327 Amend 8 to license NPF-2 re fuel rod bow penalty, ECCS
 subsystem, spent fuel assemblies, quarter-core flux maps,
 secondary water chemistry & pressurizer heatup rate
 SCHWENCER, A Operating Reactors Branch 1 79/02/13 30pp

7903140330 Safety evaluation supporting Amend 8 to License NPF-2
 * Office of Nuclear Reactor Regulation 79/02/13 9pp

7903140332 Notice of issuance of Amend 8 to License NPF-2
 SCHWENCER, A Operating Reactors Branch 1 79/02/13 3pp

7903220370 Forwards Amend 9 to License NPF-2, security plan evaluation
 rept & notice of issuance Security plan evaluation rept
 withheld (ref 10CFR2 790)
 SCHWENCER, A Operating Reactors Branch 1 79/02/26 3pp

7903220372 Amend 9 to License NPF-2, incorporating security plan into
 license
 * Operating Reactors Branch 1 79/02/26 2pp

7903220379 Notice of issuance of Amend 9 to License NPF-2
 SCHWENCER, A Operating Reactors Branch 1 79/02/26 2pp

7903060159 Forwards results of required ECCB reanalysis utilizing Feb
 1978 Westinghouse evaluation model Confirms ECCB sys
 performance meets acceptance criteria of 10CFR50.46
 CLAYTON, F L Alabama Power Co 79/03/01 80pp

7903060266 Forwards four environ surveillance program repts re plant
 impact on Chattahoochee River
 CLAYTON, F L Alabama Power Co 79/03/01 1p

7903060276 "Environ Non-Radiological Monitoring of Aquatic Community
 in Chattahoochee River, 1975-78"
 * Alabama Power Co 79/03/01 163pp

7903060281 "Analysis of Joseph M Farley Nuclear Plant's Contribution
 to Chemicals in Chattahoochee River"
 * Alabama Power Co 79/03/01 60pp

7903060284 "Analysis of Joseph M Farley Nuclear Plant's Contribution
 to Increases in Temp of Chattahoochee River"
 * Alabama Power Co 79/03/01 21pp

7903060289 "Summary Rept on Monitoring of Fog Conditions at Farley
 Nuclear Plant, Dec 1977 to Nov 1978"
 * Alabama Power Co 79/03/01 60pp

7903220292 Forwards Amend 10 to License NPF-2, safety evaluation &
 notice of issuance
 SCHWENCER, A Operating Reactors Branch 1 79/03/02 3pp

7903220294 Amend 10 to License NPF-2, incorporating changes to Tech
 Specs re radial peaking factor limits & setpoint for
 reactor trip after turbine trip Tech Spec changes encl
 SCHWENCER, A Operating Reactors Branch 1 79/03/02 41pp

7903220298 Safety evaluation supporting Amend 10 to License NPF-2
 * Office of Nuclear Reactor Regulation 79/03/02 6pp

7903220301 Notice of issuance of Amend 10 to License NPF-2
 SCHWENCER, A Operating Reactors Branch 1 79/03/02 2pp

7903260230 Forwards proposed changes to operating license NPF-2 Tech
 Specs involving overpressurization mitigating sys spec SER
 supporting change encl
 CLAYTON, F L Alabama Power Co 79/03/21 12pp

7903080578 Forwards IE Info Notice 79-04, "Degradation of Engineered
 Safety Features"
 O'REILLY, J P Region 2, Atlanta, Office of the Director
 79/02/16 2pp

7903070466 Ack receipt of IE Insp Rept 50-348/79-02 on 790108-12 No
 proprietary info
 CLAYTON, F L Alabama Power Co 79/02/19 1p

7903070468 Forwards IE Insp Rept 50-348/79-02 on 790108-12 No
 noncompliance noted
 LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear
 Support Branch 79/02/02 2pp

7903070469 IE Insp Rept 50-348/79-02 on 790108-12 No noncompliance
 noted Major areas inspected LERs, unresolved & open items &
 followup on noncompliance
 HARDIN, A K , CANTRELL, F S Region 2, Atlanta, Reactor
 Operations Nuclear Support Branch 79/01/30 6pp

7903070444 Ack receipt of 790212 ltr informing NRC of steps taken to
 correct violations noted in IE Insp Rept 50-348/78-27
 LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support
 Branch 79/02/22 2pp

7903070448 Forwards addl info re 781217 response to violations noted in
 IE Insp Rept 50-348/78-27 Discusses control room drawings &
 controlled manuals located in plant maint dept
 CLAYTON, F L Alabama Power Co 79/02/12 2pp

7903080266 Informs recipients of IE Bulletin 79-01, "Environ
 Qualification of Class IE Equipment," dtd 790208, that valve
 limit switch identified as NAMCO Model 83CML should read
 813CML.
 O'REILLY, J P Region 2, Atlanta, Office of the Director
 79/02/28 2pp

7903130143 Ack receipt of IE Insp Rept 50-348/79-03 on 790123-26 No
 proprietary info
 CLAYTON, F L Alabama Power Co 79/03/01 1p

7903130154 Forwards IE Insp Rept 50-348/79-03 on 790123-26 No
 noncompliance noted
 LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear
 Support Branch 79/02/22 2pp

7903130159 IE Insp Rept 50-348/79-03 on 790123-26 No noncompliance
 noted Major areas inspected safety limits, limiting safety
 sys settings, LER followup, followup items of noncompliance,
 inspector-identified items & independent insp
 HARDIN, A K , HINCKLEY, D O , CANTRELL, F S Region 2, Atlanta,
 Reactor Operations Nuclear Support Branch 79/02/21 3pp

7903140539 Ack receipt of IE Insp Rept 50-348/79-05 on 790122-24 No
 proprietary info
 CLAYTON, F L Alabama Power Co 79/03/05 1p

7903140542 Forwards IE Insp Rept 50-348/79-05 on 790122-24 No
 noncompliance noted
 LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear
 Support Branch 79/02/21 2pp

7903140546 IE Insp Rept 50-348/79-05 on 790122-24 No noncompliance
 noted Major areas inspected area of preparations for
 refueling
 VOGT-LOWELL, R , MARTIN, R D Region 2, Atlanta, Reactor
 Operations Nuclear Support Branch 79/02/20 4pp

DOCKETED SERIES

143

DOCKET 50-348 Joseph M. Farley Nuclear Plant, Unit 1

7903140532 Forwards IF Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 1p

7903210115 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 2pp

7903210565 Forwards IF Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903010305 Forwards "Semiannual Radioactive Effluent Release Rept" for July-Dec 1978
CLAYTON, F L Alabama Power Co 79/02/23 1p

7903010307 "Semiannual Radioactive Effluent Release Rept" for Jul-Dec 1978
* Alabama Power Co 78/12/31 80pp

7903210144 Forwards monthly operating rept for Feb 1979
CLAYTON, F L Alabama Power Co 79/03/14 1p

7903210147 Monthly operating rept for Feb 1979
HAIRSTON, W G Alabama Power Co 79/03/01 8pp

7903270554 Forwards "Annual Environ Operating Rept, Part B Radiological," for 1978
CLAYTON, F L Alabama Power Co 79/03/22 1p

7903270555 "Annual Environ Operating Rept, Part B Radiological," for 1978
* Alabama Power Co 79/03/22 58pp

7903190262 Forwards LFR 79-007/03L-0, LER 79-008/03L-0, LER 79-009/03L-0, LER 79-010/03L-0, & 79-011/03L-0
CLAYTON, F L Alabama Power Co 79/03/14 1p

7903190272 LER 79-007/03L-0 on 790212 during review of surveillance test data, noted that RCS leakage test (FNP-1-STP-9.0) had not been done within time specified. Caused by personnel failure. Supervisors instructed re matter.
HAIRSTON, W G Alabama Power Co 79/03/14 1p

7903190277 LER 79-008/03L-0 on 790214 during review of surveillance test FNP-1-STP-15.0, containment main personnel & emergency air leak outer doors failed to meet acceptance criteria. Leakage probably caused by dirty door seals &/or seal set.
HAIRSTON, W G Alabama Power Co 79/03/14 3pp

7903190286 LFR 79-009/03L-0 on 790216 during plant startup w/reactor & steam generator controls manual & steam dumps in automatic, steam dumps occurred Temp average reduced to 93B F. Personnel restructured.
HAIRSTON, W G Alabama Power Co 79/03/14 1p

7903190298 LER 79-010/03L-0 on 790218 while doing FNP-1-STP-215 1B, steam flow/feed flow bistable (FB47BA) failed to meet Table 2-1 trip setpoint valve. Caused by bistable setpoint drift below that specified in surveillance test. Bistable adjusted.
HAIRSTON, W G Alabama Power Co 79/03/14 1p

7903190310 LER 79-011/03L-0 on 790221 while doing FNP-1-STP-2B 7.L08P BIF Sequence failed to meet time requirement for picking up Step 6. Caused by agastat timer setpoint drift. Agastat timer adjusted & satisfactorily retested.
HAIRSTON, W G Alabama Power Co 79/03/14 1p

7903210131 Forwards LER 79-012/03L-0
CLAYTON, F L Alabama Power Co 79/03/16 1p

7903210139 LFR 79-012/03L-0 on 790214 review of solid state protective sys train A/B operability test indicated that portion of program did not verify spray test actuation logic. Caused by sys train design change. Procedure modified.
HAIRSTON, W G Alabama Power Co 79/03/16 3pp

7903280314 Forwards LFR 79-013/03L-0
CLAYTON, F L Alabama Power Co 79/03/22 1p

7903280318 LER 79-013/03L-0 on 790227 BIF sequencer found in test mode rendering 1 2A diesel generator inoperable. Caused by faulty switch mechanism. Sequencer repaired.
HAIRSTON, W G Alabama Power Co 79/03/22 1p

DOCKET 50-352 Limerick Generating Station, Unit 1

7903230009 Notification of 790321 meeting in Los Gatos, CA w/ representatives from Mark II owners group to discuss Mark II LOCA & safety relief valve pool dynamic loads
ANDERSON, C J Containment Systems Branch 79/03/12 12pp

7903080448 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
ORIER, B H Region 1, Philadelphia, Office of the Director
79/02/16 1p

7903080518 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML.
ORIER, B H Region 1, Philadelphia, Office of the Director
79/02/27 1p

7903200197 Ack receipt of 790216 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/78-11 & 50-353/78-07
ORIER, B H Region 1, Philadelphia, Office of the Director
79/03/02 1p

7903200200 Responds to NRC 790125 ltr re violation noted in IE Insp Repts 50-352/78-11 & 50-353/78-07. Corrective actions contractor superintendent instructed that all dewatering shall be into approved siltation basins.
BOYER, V S Philadelphia Electric Co 79/02/16 2pp

7903200206 Forwards IE Insp Rept 50-352/78-11 & 50-353/78-07 on 781211-14 & notice of violation.
SMITH, G F Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/25 2pp

7903200209 Notice of violation from insp on 781211-14
* Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/23 1p

7903200214 IE Insp Rept 50-352/78-11 & 50-353/78-07 on 781211-14. Noncompliance noted failure to control untreated wastewater discharge from site.
SHANABAKY, W H, JACKSON, T J, STOHR, J P Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/23 9pp

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II"
SODON, L J General Electric Co, Nuclear Energy Products Div 79/03/16 1p

7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II"
UPPAL, I S General Electric Co, Nuclear Energy Products Div 79/03/16 12pp

7903280288 Forwards "Vent Clearing Pool Boundary Loads for Mark II Plants," presenting alternative load spec based on conservative application of 4T test data, replacing spec identified in NUREG-0487.
SODON, L J General Electric Co 79/03/20 6pp

7903290085 Forwards proprietary copies of alternate load spec info document applicable to wetwell walls, to replace info in NUREG-0487. Encl withheld (ref 10CFR2.790) w/affidavit.
SODON, L J General Electric Co, Nuclear Energy Products Div 79/03/20 5pp

7903290130 Review of intergranular stress corrosion cracking completed. Changed piping mat'l or design to have no nonconforming or svc-sensitive piping. Replacing sections of piping w/316L stainless steel w/max carbon content of .02%
BOYER, V S Philadelphia Electric Co 79/03/26 5pp

7903190139 Responds to 790123 ltr requesting info on environ forecasting & monitoring. Environ impacts were accurately predicted in all cases & monitoring continues.
MOORE, V A Assistant Director for Environmental Projects 79/03/02 3pp

7903080429 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant"
ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903230009 Notification of 790321 meeting in Los Gatos, CA w/ representatives from Mark II owners group to discuss Mark II LOCA & safety relief valve pool dynamic loads
ANDERSON, C J Containment Systems Branch 79/03/12 12pp

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II"
SODON, L J General Electric Co, Nuclear Energy Products Div 79/03/16 1p

DOCKET 50-352 Limerick Generating Station, Unit 1

7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II "
UPPAL, I S General Electric Co ,Nuclear Energy Products Div
79/03/16 12pp (

7903280288 Forwards "Vent Clearing Pool Boundary Loads for Mark II
Plants," presenting alternative load spec based on
conservative application of AT test data, replacing spec
identified in NUREG-0487
SOBON, L J General Electric Co 79/03/20 6pp

7903290085 Forwards proprietary copies of alternate load spec info
document applicable to wetwell walls, to replace info in
NUREG-0487 Encl withheld (ref 10CFR2 790) W/affidavit
SOBON, L J General Electric Co ,Nuclear Energy Products Div
79/03/20 5pp

7903290130 Review of intergranular stress corrosion cracking completed
Changed piping matl or design to have no nonconforming or
svc-sensitive piping Replacing sections of piping W/316L
stainless steel w/max carbon content of .02%
BOYER, V S Philadelphia Electric Co 79/03/26 5pp

7903190139 Responds to 790123 ltr requesting info on environ
forecasting & monitoring Environ impacts were accurately
predicted in all cases & monitoring continues
MOORE, V A Assistant Director for Environmental Projects
79/03/02 3pp

DOCKET 50-353 Limerick Generating Station, Unit 2

7903060629 Forwards IE Info Notice 79-03, "Limitorque Valve Geared
Limit Switch Lubricant "
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/09 1p

7903080448 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features "
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/16 1p

7903080518 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model S3CML should read
BL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/27 1p

7903200197 Ack receipt of 790216 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-352/78-11 &
50-353/78-07
GRIER, B H Region 1, Philadelphia, Office of the Director
79/03/02 1p

7903200200 Responds to NRC 790125 ltr re violation noted in IE Insp
Repts 50-352/78-11 & 50-353/78-07 Corrective actions
contractor superintendent instructed that all dewatering
shall be into approved siltation basins
BOYER, V S Philadelphia Electric Co 79/02/16 2pp

7903200206 Forwards IE Insp Rept 50-352/78-11 & 50-353/78-07 on
781211-14 & notice of violation
SMITH, Q F Region 1, Philadelphia, Fuel Facility & Materials
Safety Branch 79/01/23 2pp

7903200209 Notice of violation from insp on 781211-14
&
Region 1, Philadelphia, Fuel Facility & Materials Safety
Branch 79/01/23 1p

7903200293 Forwards proposed staff position for Mark I long-term
program implementation schedules
EISENHUT, D G Assistant Director for Systems & Projects
79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I
facilities requesting schedules & commitments re expected
mod completion dates, use of safety relief valve discharge
devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects
79/03/01 6pp

7903230109 Opposes storage of spent fuel, enlargement of spent fuel
pools & any storage within the Township of Lower Alloways
Creek, NJ Requests programs for permanent disposal outside
Township
DONELSON, S E Lower Alloways Creek, NJ 79/02/16 3pp

7903150200 Intervenor's response per ALAB-509 in opposition to
"de minimus" theory Alleges theory ignores issue of
significant & substantial releases of radon-222 to environ
Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 3/pp

7903140358 Extends, until 790309, time for NRC consideration of SC Van
Ness petition for review of ALAB-518 & any answer thereto
CHILK, S J Office of the Secretary of the Commission 79/02/27
1p

7903160011 Forwards corrected pages 3, 5, & 8 to licensee's 790221
answer to joint intervenors' petition for review of
ALAB-518
CONNER, T B Conner, Moore & Corber 79/02/27 4pp

7903230277 Forwards responses to ALAB-509 Thirty-day period for
responses to documents shall run from 790305
SKRUTSKI, R H Atomic Safety and Licensing Appeal Panel 79/03/01
5pp

7903220303 Extends until 790319 time for NRC consideration of SC Van
Ness' petition for review of ALAB-518
CHILK, S J Office of the Secretary of the Commission 79/03/09
1p

7903290206 Forwards resolution by Lower Alloways Creek Township
Committee against expansion of increased spent fuel storage
at Salem & Hope Creek nuclear plants
WILLIAMS, H A Senate 79/03/12 4pp

7903220361 Requests change of svc list mailing address to 50 Beale
Street, P O Box 3965, San Francisco, CA 94119
MORRIS, H E Bechtel Power Corp (subs of Bechtel Corp) 79/02/20
1p

7903010295 Forwards NE80-21885, "Mark I Containment Program, Downcomer
Reduced Submergence, Functional Assessment Rept "
SOBON, L J General Electric Co ,Nuclear Energy Products Div
79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence,
Functional Assessment Rept "
WENIG, K W General Electric Co Nuclear Energy Products Div
NE80-21885 78/06/30 45pp

7903020218 Notification of 790214 15 meeting in Bethesda, MD
w/representative of Mark I owners group to discuss
implementation & resolution of Mark I long-term program &
pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06
1p

DOCKETED SERIES

145

DOCKET 50-354 Hope Creek Nuclear Station, Unit 1

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants "
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
GRIMES, B Division of Operating Reactors 79/03/01 22pp

7903060621 Forwards IF Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080391 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080459 Informs recipients of IE Bulletin 79-01 "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903280021 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/03/08 1p

DOCKET 50-355 Hope Creek Nuclear Station, Unit 2

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
BOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/01 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary
BOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/28 11pp

7903120459 Summary of 790213 meeting in Bethesda, MD w/representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
BU, T M Containment Systems Branch 79/03/01 16pp

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D G Assistant Director for Systems & Projects 79/03/01 4pp

7903200304 Directs recipients to send encl sample ltrs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long term program
GRIMES, B Assistant Director for Engineers & Projects 79/03/01 8pp

7903230109 Opposes storage of spent fuel, enlargement of spent fuel pools & any storage within the Township of Lower Alloways Creek, NJ Requests programs for permanent disposal outside Township
DONELSON, S E Lower Alloways Creek, NJ 79/02/16 3pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Evc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903140359 Extends, until 790309, time for NRC consideration of SC Van Ness petition for review of ALAB-518 & any answer thereto
CHILK, S J Office of the Secretary of the Commission 79/02/27 1p

7903160011 Forwards corrected pages 3, 5, & 8 to licensee's 790221 answer to joint intervenors' petition for review of ALAB-518
CONNOR, T B Connor, Moore & Corber 79/02/27 4pp

7903230277 Forwards response to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903220303 Extends until 790319 time for NRC consideration of SC Van Ness' petition for review of ALAB-518
CHILK, S J Office of the Secretary of the Commission 79/03/09 1p

7903290206 Forwards resolution by Lower Alloways Creek Township Committee against expansion of increased spent fuel storage at Salem & Hope Creek nuclear plants
WILLIAMS, H A Senate 79/03/12 4pp

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept "
WONOK, K W General Electric Co, Nuclear Energy Products Div NEDO-21885 78/06/30 45pp

7903020218 Notification of 790214-15 meeting in Bethesda, MD w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample ltr
EISENHUT, D G Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rept of Interim Assessments of Multiple Consecutive Safety Relief Valve Actuations in Mark I Containment Plants " All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp

7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity " w/affidavit for proprietary status Rept withheld (ref LOCFR2 790)
BOBON, L J General Electric Co, Nuclear Energy Products Div 79/02/26 5pp

7903230011 "SER of Interim Assessments of MSIV Actuations in Mark I Containment Plants "
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903200443 Exempts operating BWR facilities w/Mark I containment design from General Design Criterion 50, while long-term program is conducted Forwards sample ltrs to be sent to Mark I licensees setting forth requirements for schedules
GRIMES, B Division of Operating Reactors 79/03/01 22pp

7903060621 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080391 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080459 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903280021 Forwards IF Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
GRIER, B H Region 1, Philadelphia, Office of the Director 79/03/08 1p

DOCKET 50-358 William H Zimmer Nuclear Station, Unit 1

7903150022 Requests addl info to complete review of FSAR, Forwards request for lead plant load acceptance criteria, comments on impulses, memo re pool dynamic load combinations for containment & piping & generic position on Mark II plants
STOLZ, J F Light Water Reactors Branch 1 79/02/01 12pp

7903200316 Responds to 790116 ltr Reviews procedure for scheduling license examinations Plans on administering written examinations during Sept 1978 & operating examinations during Nov 1979 Requests approved procedures by May 1979
COLLINS, P F Operator Licensing Branch 79/03/05 2pp

7903090088 Forwards staff recommendations for general content of an Offsite Dose Calculation Manual (ODCM) which is required under radiological effluent Tech Specs for PWR & BWR facilities
STOLZ, J F Light Water Reactors Branch 1 79/02/12 7pp

DOCKETED SERIES

DOCKET 50-358 William H. Zimmer Nuclear Station, Unit 1

- 7903090081 Requests addl info to continue review of application for operating license Positions & requests based on info contained in application, as amended, through Revision 52
STOLZ, J F Light Water Reactors Branch 1 79/02/16 5pp
- 7903210049 Discusses equipment qualification for seismic & hydrodynamic loads at facility Equipment & supports must be designed for multi-frequency, multi-axis vibration Forwards request for addl info
BOYD, R S Division of Project Management 79/02/23 7pp
- 7903060248 Responds to Encl 1 & 2 of NRC 790201 ltr re lead plant Mark II acceptance criteria
BORGMANN, E A Cincinnati Gas & Electric Co 79/03/02 14pp
- 7903270043 Notification of 790315 meeting w/Mark II lead plants to discuss mechanical & equipment qualification Meeting cancelled
PELTIER, I A Light Water Reactors Branch 1 79/03/08 4pp
- 7903230009 Notification of 790321 meeting in Los Gatos, CA w/representatives from Mark II owners group to discuss Mark II LOCA & safety relief valve pool dynamic loads
ANDERSON, C J Containment Systems Branch 79/03/12 12pp
- 7903300552 Summarizes ACRS findings on facility Notes unresolved issues, containment acceptance criteria, EECS analysis & organizational matters Finds plant can be operated w/o undue risk if issues are resolved
CARBON, M W ACRS - Advisory Committee on Reactor Safeguards 79/03/13 3pp
- 7903200440 Notification of 790315 meeting w/Mark II lead plants in Bethesda, MD, to discuss mechanical & electrical equipment qualification
PELTIER, I A Light Water Reactors Branch 1 79/03/15 4pp
- 7903290311 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients W/lttr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl.
VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 3pp
- 7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II"
BOBON, L J General Electric Co, Nuclear Energy Products Div 79/03/16 1p
- 7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II"
UPPAL, I S General Electric Co, Nuclear Energy Products Div 79/03/16 12pp
- 7903280289 Forwards "Vent Clearing Pool Boundary Loads for Mark II Plants," presenting alternative load spec based on conservative application of 4T test data, replacing spec identified in NUREG-0487
BOBON, L J General Electric Co 79/03/20 6pp
- 7903290085 Forwards proprietary copies of alternate load spec info document applicable to wetwell walls, to replace info in NUREG-0487 Encl withheld (ref 10CFR2 790), w/affidavit
BOBON, L J General Electric Co, Nuclear Energy Products Div 79/03/20 5pp
- 7903280254 Forwards Revision 6 to industrial security plan, constituting Amend 91 to application Encl withheld (ref 10CFR2 790)
BORGMANN, E A Cincinnati Gas & Electric Co 79/03/23 2pp
- ect facility Attention is drawn to
esign & NRC position on
ion backfill mats during
for Light Water Reactors
- 7903060170 Forwards Revision 12 to "Fire Protective Cable Tray Fire Tests."
BORGMANN, E A Cincinnati Gas & Electric Co 79/03/01 1p
- 7903060195 "Fire Protective Cable Tray Fire Tests," Rept 1978 through Jan 1979
BANTA, F. L Cincinnati Gas & Electric Co 78-9-PP-1 79/02/14 67pp
- 7903080581 Grants extension until 790116 to answer interrogatories
Expects timely, responsive answers
WETTERHANN, M J Connors, Moore & Corber 79/01/09 2pp
- 7903050002 Responds to applicant's motion to dismiss Miami Valley Power Project as a party Argues ASLB should require MVPP to respond to applicant's 781219 interrogatories & order dismissal of MVPP if it does not comply
BARTH, C A Branch 3 79/02/08 4pp
- 7903160303 Memo re applicant's 790129 motion to dismiss Miami Valley Power Project as party Orders MVPP to answer 781219 Interrogatories 4 through 21 within 14 days
BECHHOEFER, C Atomic Safety and Licensing Board Panel 79/02/22 5pp
- 7903300090 Forwards ASLB order issued before receipt of 790216 ltr Ltr will be served on other parties to proceeding W/o encl
BECHHOEFER, C Atomic Safety and Licensing Board Panel 79/02/22 1p
- 7903300095 Answers to applicant's second set of interrogatories are forthcoming
KOSIK, L S 79/02/16 1p
- 7903080480 Establishes schedule for completion of discovery & data for prehearing conference Requests arrangements be made for site tour
BECHHOEFER, C Atomic Safety and Licensing Board Panel 79/02/23 2pp
- 7903210586 In response to 790221 ltr to ASLB chairman, informs that acceptance criteria for GC Mark II containment were issued 780914 Forwards FES, SER, 10CFR2, 10CFR50 & 10CFR51 W/o encls
BARTH, C A Branch 3 79/03/05 1p
- 7903300385 Forwards "Annual Rept 1978"
BORGMANN, E A Cincinnati Gas & Electric Co 79/03/26 1p
- 7903300393 "Annual Rept 1978"
DICKHONER, W H, YEAGER, J Cincinnati Gas & Electric Co 78/12/31 82pp
- 7903220218 Forwards Endorsements 7, 8, 9, 10 & 11 to NELIA Policy NF-249
FLYNN, J D Cincinnati Gas & Electric Co 79/03/13 8pp
- 7903020326 Submits Revision 54 to FSAR, constituting Amend 87 to application
BORGMANN, E A Cincinnati Gas & Electric Co 79/02/28 30pp
- 7903130393 Submits Certificate of Svc of Amend 84, in form of Revision 54 to FSAR
BORGMANN, E A Cincinnati Gas & Electric Co 79/03/06 2pp
- 7903190304 Forwards Revision 55 to FSAR which constitutes Amend 89 to application
BORGMANN, E A Cincinnati Gas & Electric Co 79/03/16 2pp
- 7903190305 FSAR Revision 55, constituting Amend 89 to application
* Cincinnati Gas & Electric Co 79/03/16 70pp
- 7903270368 Forwards Certificate of Svc for Amend 89 to license application, submitted as Revision 55 to FSAR
BORGMANN, E A Cincinnati Gas & Electric Co 79/03/22 2pp
- 7903060584 Forwards IE Insp Rept 50-358/78-27 on 781116-17 & 1121 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/03 2pp
- 7903060588 Notice of violation from Insp on 781116-17 & 1121
* Region 3, Chicago, Office of the Director 78/12/29 1p
- 7903060592 IE Insp Rept 50-358/78-27 on 781116-17 & 1121 Noncompliance noted rigid support welded to essential piping w/o matl & welder's identification
VIN, I T, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/12/29 8pp
- 7903020274 Forwards IE Insp Rept 50-358/78-31 on 781212-15 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/18 2pp
- 7903020277 IE Insp Rept 50-358/78-31 on 781212-15 No noncompliance noted. Major areas inspected piping sys ready for turnover for preoperational testing & review of suppression pool structural mods
VANDEL, T E, MAIDU, K R, HAYES, D W Region 3, Chicago, Office of the Director 79/01/17 13pp

DOCKETED SERIES

147

DOCKET 50-358 William H. Zimmer Nuclear Station, Unit 1

7903160188 Forwards IE Insp Rept 50-358/78-30 on 781108-09 & 1212-13 & notice of violation
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/01 2pp

7903160216 Notice of violation from insp on 781108-09 & 1212-13
* Region 3, Chicago, Office of the Director 79/01/20 1p

7903160218 IE Insp Rept 50-358/78-30 on 781108-09 & 1212-13 Noncompliance noted failure to calibr & maintain instruments within necessary limits & failure to follow established procedures to comply w/applicable codes
WARD, K D, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/20 6pp

7903190035 Forwards IE Insp Rept 50-358/78-32 on 781228-29 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/01 2pp

7903190038 Notice of violation from insp on 781228-29
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/29 1p

7903190041 IE Insp Rept 50-358/78-32 on 781228-29 Noncompliance noted inadequate corrective action re nonconforming memoranda re QA procedure
YIN, I T, HARRISON, J J, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/29 6pp

7903150151 Forwards IE Insp Rept 50-358/79-01 on 790103-06 & 08, notice of violation & notice of deviation
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/07 2pp

7903150156 Notice of violation from insp on 790103-06 & 08
* Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/05 1p

7903150161 Notice of deviation from insp on 790103-06 & 08
* Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/05 1p

7903150168 IE Insp Rept 50-358/79-01 on 790103-06 & 08 Noncompliance noted failure to follow procedure re draining reactor vessel & failure to comply w/FSAR commitment in Reg Guide 1.37
MAURA, F A, STREETER, J F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/05 6pp

7903060593 Ack receipt of 790122 ltr informing NRC of steps taken to correct noncompliance noted in 781221 ltr
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 1p

7903140355 Notes IF Insp Rept 50-358/78-31 contains misleading terms re unresolved item item concerns core structure only Requests item be clarified
BORGMANN, E A Cincinnati Gas & Electric Co 79/02/13 1p

7903080429 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903150069 Ack receipt of 790206 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-358/78-27
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/27 1p

7903150074 Responds to NRC ltr re violation noted in IE Insp Rept 50-358/78-27 Corrective actions hangers were ordered for structural welds
BORGMANN, E A Cincinnati Gas & Electric Co 79/02/06 2pp

7903280035 Forwards IF Insp Rept 50-358/79-04 on 790123-26 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/27 2pp

7903280038 IE Insp Rept 50-358/79-04 on 790123-26 No noncompliance noted. Major areas inspected: radiation protection, preoperational insp of liquid, solid & gaseous waste sys
* Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/21 7pp

7903080354 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read BL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903200189 Forwards IF Insp Rept 50-358/79-01 on 790123-26 & notice of violation
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/03/05 2pp

7903200196 IE Insp Rept 50-358/79-01 on 790123-26 Noncompliance noted use of unapproved procedures, inadequate review of test procedures & thermometers not installed in weld rod ovens
WESCOTT, H H, DANIELSON, D H, KNOPF, R C Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/03/01 14pp

7903200191 Notice of violation from insp on 790123-26
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/03/01 2pp

7903150025 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190544 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903200192 Forwards corrected pages to IE Insp Rept 50-358/79-07
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/03/12 3pp

7903260092 Ack receipt of 790301 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-358/78-32
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/03/15 1p

7903260095 Responds to NRC ltr re violation noted in IE Insp Rept 50-358/78-32 Corrective actions memo in conflict w/ procedures rescinded & procedures changed
BORGMANN, E A Cleveland Electric Illuminating Co 79/03/01 2pp

7903260202 Ack receipt of 790221 interim rept re piping suspension sys design & installation Corrective actions will be monitored; final rept will be reviewed upon receipt
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/03/02 1p

7903260388 Ack receipt of 790214 final rept re diesel engine turbo charger failures Review will be completed during future insp
FIORELLI, G Region 3, Chicago, Office of the Director 79/03/02 1p

7903160319 Ack receipt of 790119 final report re tolerance of alignment pins welded into reactor pressure vessel core support plate
FIORELLI, G Region 3, Chicago, Office of the Director 79/03/06 1p

7903080032 Transcript of 790227 ACRS subcommittee meeting in Washington, DC Pp 1-157
BENDER, M, PLESSSET, M ACRS - Advisory Committee on Reactor Safeguards 79/02/27 157pp

DOCKET 50-361 San Onofre Nuclear Station, Unit 2

79

79

design
ROOD, H Light Water Reactors Branch 2 79/02/09 3pp.

7903150399 Notification of 790214 meeting w/Southern CA Edison Co in Bethesda, MD, to discuss reactor svc bldg open items
ROOD, H Light Water Reactors Branch 2 79/02/09 3pp.

DOCKET 50-361 San Onofre Nuclear Station, Unit 2

7903140104 Describes staff's recommendations for general contents of Offsite Dose Calculation Manual Manual required w/proposed radiological effluent Tech Specs
BAER, R L Light Water Reactors Branch 2 79/02/13 5pp

7903140381 Forwards repts on heat treatment recommendations, prototype study for heat treatment & effects of units on marine environments required by state of CA as condition for thermal exception to use elevated discharge temps
BASKIN, K P Southern California Edison Co 79/02/26 5pp

7903140386 "Prototype Study for Heat Treatment Procedures, Final Rept." re Phase III thermal tolerance studies 1977-1978
* Southern California Edison Co 78-RD-132 78/12/31 58pp

7903140395 "Spatial & Temporal Patterns off San Onofre from Aug 1976-Sept 1978 & Relationships of These Patterns to Unit Cooling Sys." & "Preliminary Rept of Patterns of Cooling Operation of Unit"
CONNELL, J H, MECHALAS, D H, MIHURSKY, J A Southern California Edison Co 79/01/31 225pp

7903120311 In response to 790112 ltr, forwards partial response to audit request items & audit request item submittal schedule W/encl test repts re trial batches w/preliminary cylinders
BARBIN, K P Southern California Edison Co 79/02/28 58pp

7903270612 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
ISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903210032 Notification of 790307-09 meeting w/Southern CA Edison & Bechtel in Bethesda, MD, to discuss seismic/structural audit open items
RODD, H Light Water Reactors Branch 2 79/03/05 3pp

7903260105 Forwards request for addl info for review of OL application Requests response by 790327
REGAN, W H Environmental Project Branch 2 79/03/09 3pp

7903280317 Forwards evaluation of archaeological, historical & cultural resources potentially affected by facility, in response to NRC 781002 ltr
BASKIN, K P Southern California Edison Co 79/03/16 2pp

7903280322 "Archaeological/Historical Survey of San Onofre-to-Encina 230 kV Transmission Line " W/oversized drawings
ECKHARDT, L C Southern California Edison Co 79/01/31 160pp

7903280325 "Archaeological/Historical Survey of San Onofre-to-Mission 230 kV Transmission Line " W/oversized drawings
ECKHARDT, L C Southern California Edison Co 79/01/31 190pp

7903280328 "Cultural Resources & High Voltage Transmission Line from Onofre to Santiago Substation & Black Star Canyon"
BEAN, L J, COOLEY, T G, COTTRELL, M G Southern California Edison Co. 79/03/16 180pp

7903300309 Forwards three archaeological, historical & cultural repts associated w/plant transmission lines W/o encl
THIERER, I Affiliation Unknown 79/03/21 2pp

7903080292 In response to 781130 NRC request, DES has been reviewed. Forwards comments generated from review
DRAKE, J H Southern California Edison Co 79/02/02 54pp

7903200093 Forwards Federal, state & local agency comments received re plant DES Requests review & response to comments by 790312
REGAN, W H Environmental Project Branch 2 79/03/01 3pp

7903150276 In response to 790301 request, forwards comments from various govt agencies re DES review Also forwards responses to comments of intervenors
DRAKE, J H Southern California Edison Co 79/03/12 25pp

7903300529 Forwards list of open items, addl questions & positions which must be resolved prior to completion of SER Requests that items be addressed in FSAR
BAER, R L Light Water Reactors Branch 2 79/03/15 30pp

7903270331 Submits revised pages to physical security plan Encl withheld (ref 10CFR2 790)
HEAD, J T Southern California Edison Co 79/03/23 1p

7903050254 Confirms 790207 deposition of R Carstens, changing 790104 notice, to continue day to day until completed
CASEY, S B Chickering & Gregory 79/01/31 1p

7903090180 Intervenor's comments on DES Identifies DES deficiencies in its assessment of environ effects & consideration of alternatives Requests adequate DES or denial of operating licenses Certificate of Svc encl
WHARTON, R J Wharton, R J 79/01/31 11pp

7903220259 Requests NRC stop opening of Diablo Canyon & stop constr at San Onofre on basis of unresolved safety questions
OLSEN, P Affiliation Unknown 79/02/23 1p

7903140231 Forwards opinion re plant licensing Alleges NUREG-0490 does not justify operation of facility Blames failure to rely on seismology & unreliability of WASH-1400
LEWIS, M L Affiliation Unknown 79/03/06 1p

7903150362 Notices of deposition of R Carstens on 790228 re U prices & related matters Certificate of Svc encl
CASEY, S B Chickering & Gregory KOCHEK, C R Southern California Edison Co 79/02/13 4pp

7903200246 Forwards Amend 14 to FSAR Requests exemption from fracture toughness requirements, reactor vessel survey requirements & primary reactor containment leakage testing for water-cooled power plants
DRAKE, J H Southern California Edison Co 79/03/13 3pp

7903200253 Amend 14 to FSAR providing addl info to satisfy commitments made in FSAR & containing corrections, clarifications & additions to FSAR info W/7 oversized drawings
* Southern California Edison Co 79/03/13 300pp

7903210278 Forwards repts referenced in responses to NRC questions 361 34, 361 35 & 36 Responses submitted to NRC on 790313 as part of Amend 14 to FSAR W/oversized drawings by Fugro, Inc & Woodward-Clyde re seismic reflection profiles
BASKIN, K P Southern California Edison Co 79/03/16 90pp

7903210283 "Late Quaternary Evolution of Camp Pendleton, San Onofre State Beach Coastal Area, Northwestern San Diego County, CA " Analyzes various aspects of regional geology & hypothesizes origins of major landforms
SHLEMON, R J Southern California Edison Co 78/01/31 123pp

7903210285 "Late Quaternary Rates of Deformation, Laguna Beach, San Onofre State Beach, Orange & San Diego Counties, CA " Analyzes regional geology north & northwest of facilities, especially late quaternary structural displacements
SHLEMON, R J Southern California Edison Co 78/10/31 40pp

7903210287 "Suppl to Generalized Sub-Surface Geological & Geophysical Study, Capistrano Area, Orange County, CA," prepared to revise Nov 1975 rept by same name, in partial response to NRC question 361 35 re Capistrano Embayment
WEST, J C Southern California Edison Co 75/11/30 27pp

7903260300 Forwards affidavit attesting completion of direct distribution of FSAR Amend 14
HAYNES, J G Southern California Edison Co 79/03/19 3pp

7903120496 Forwards IE Insp Repts 50-361/78-18 & 50-362/78-14 on 781127-1201 No noncompliance noted
SPENCER, O S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/08 2pp

7903120499 IE Insp Repts 50-361/78-18 & 50-362/78-14 on 7901127-1201 No noncompliance noted Major areas inspected licensee action on previous insp findings: electrical components, svs work observation & record review, QA audit
PATE, R J, KIRSCH, D F, HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/08 12pp

7903120488 Forwards IE Insp Repts 50-361/78-20 & 50-362/78-16 on 781201-29 No noncompliance noted
SPENCER, O S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/25 2pp

7903120491 IE Insp Repts 50-361/78-20 & 50-362/78-16 on 781201-29 No noncompliance noted Major areas inspected const activities including piping handling & storage, piping post-weld heat treatment, reactor pressure vessel & internals protection
PATE, R J, HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/24 5pp

DOCKET 50-361 San Onofre Nuclear Station, Unit 2

7903150251 Provides updated info for responses to IE Bulletin 77-05/05A "Electrical Connector Assemblies," & 77-07 "Containment Electrical Penetration Assemblies at Nuclear Power Plants Under Const "

BASKIN, K P Southern California Edison Co 79/01/31 2pp

7903120503 Forwards IF Insp Repts 50-361/79-04 & 50-362/79-04 on 790116-18 No noncompliance noted

BODK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/02 2pp

7903120507 IE Insp Repts 50-361/79-04 & 50-362/79-04 on 790116-18 No noncompliance noted Major areas inspected preoperational environ monitoring program, action on previous findings & tour of facilities

FISH, R F, BAIRD, J B, BODK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/01 7pp

7903190089 Forwards IE Insp Rept 50-361/79-02 & 50-362/79-02 on 790123-25 No noncompliance noted

CREWS, J L Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/02/07 2pp

7903190074 IE Insp Rept 50-361/79-02 & 50-362/79-02 on 790123-25 No noncompliance noted Major areas inspected overall preoperational test program administrative controls

CANTER, H L, MILLER, L F, FAULKENBERRY, B Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/02/06 5pp

7903190098 Forwards IE Insp Repts 50-361/79-03 & 50-362/79-03 on 790123-26 No noncompliance noted

SPENCER, G S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/02/09 2pp

7903190104 IE Insp Repts 50-361/79-03 & 50-362/79-03 on 790123-26 No noncompliance noted Major areas inspected const activities, containment post tensioning sys, safety-related components & auxiliary intake cooling sys

ECKHARDT, J H, VORDERBRUGGEN, HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/02/08 5pp

7903190517 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "

ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/16 1p

7903140377 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CHL should read SL3CHL

ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/27 1p

7903140583 States that IE Bulletin 79-01, "Environ Qualification of Class IE Equipment (correction)" was issued to listed licensees in Region 5

* Region 5, San Francisco, Office of the Director 79/02/27 1p

7903150300 Ack receipt of 790222 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-361/79-01 & 50-362/79-01

SPENCER, G S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/03/07 1p

7903150304 Responds to NRC 790131 ltr re violations noted in IE Insp Repts 50-361/79-01 & 50-362/79-01 Corrective actions training sessions on revised procedures conducted

MOORE, J B Southern California Edison Co 79/02/22 3pp

7903150307 Forwards IE Insp Repts 50-361/79-01 & 50-362/79-01 on 790108-11 & notice of violation

SPENCER, G S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/31 2pp

7903150308 Notice of violation from insp on 790108-11

* Region 5, San Francisco, Office of the Director 79/01/31 2pp

7903150309 IE Insp Repts 50-361/79-01 & 50-362/79-01 on 790108-11 Noncompliance noted discrepancies noted in governing record used as calibr control

ALBERT, W O Region 5, San Francisco, Office of the Director

HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/31 5pp

7903150065 Forwards IF Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts

ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/08 1p

7903190494 Forwards IF Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "

ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/12 1p

7903210412 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "

ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/16 1p

7903260320 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors "

ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/20 1p

7903140531 Ack receipt of 790201 ltr forwarding revised final rept re cracking of stainless steel liner plate matl used in const

ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/16 1p

7903140541 Forwards revised final rept describing changes in crack monitoring & investigation plans re cracking of stainless steel liner plate used in spent fuel handling & storage facilities

MOORE, J B Southern California Edison Co 79/02/01 1p

7903140547 Revised final rept describing mod to program for monitoring cracking of stainless steel plates used in spent fuel handling & storage facilities Caused by residual stresses in liner plate in field welding operations

MOORE, J B Southern California Edison Co 79/02/01 2pp

7903060458 Forwards deficiency rept re surface defects in carbon steel pipe

MOORE, J B Southern California Edison Co 79/02/22 1p

7903060460 Describes deficiency in carbon steel main steam sys piping program of investigation & corrective action

* Southern California Edison Co 79/02/22 2pp

DOCKET 50-362 San Onofre Nuclear Station, Unit 3

7903270186 Forwards application for SNM license w/o encl

DRAKE, J H Southern California Edison Co 78/07/31 1p

7903060560 Forwards memo summarizing 781201 meeting to discuss dewatering well cavities

ROOD, H Light Water Reactors Branch 2 78/12/19 3pp

7903070302 Notification of 790213 meeting to discuss facility fuel design

ROOD, H Light Water Reactors Branch 2 79/02/09 3pp

7903150399 Notification of 790214 meeting w/Southern CA Edison Co in Bethesda, MD, to discuss reactor svr bldg open items

ROOD, H Light Water Reactors Branch 2 79/02/09 3pp

7903140104 Describes staff's recommendations for general contents of Offsite Dose Calculation Manual required w/proposed radiological effluent Tech Specs

BAER, R L Light Water Reactors Branch 2 79/02/15 8pp

7903140381 Forwards repts on heat treatment recommendations, prototype study for heat treatment & effects of units on marine environ, as required by state of CA as condition for thermal exception to use elevated discharge temps

BASKIN, K P Southern California Edison Co 79/02/26 5pp

7903140386 "Prototype Study for Heat Treatment Procedures, Final Rept," re Phase III thermal tolerance studies 1977-1978

* Southern California Edison Co 78-RD-132 78/12/31 58pp

7903140395 "Spatial & Temporal Patterns off San Onofre from Aug 1976-Sept 1978 & Relationships of These Patterns to Unit Cooling Sys," & "Preliminary Rept of Patterns of Cooling Operation of Unit "

CONNELL, J H, MECHALAS, B H, MIHUREKY, J A Southern California Edison Co 79/01/31 225pp

DOCKETED SERIES

DOCKET 50-362 San Onofre Nuclear Station, Unit 3

7903120311 In response to 790112 ltr, forwards partial response to audit request items & audit request item submittal schedule w/enc1 test repts re trial batches w/preliminary cylinders
BASKIN, K P Southern California Edison Co 79/02/28 58pp

7903270412 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation. Believes continued plant operation does not constitute undue risk
ISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903210032 Notification of 790307-09 meeting w/Southern CA Edison & Bechtel in Bethesda, MD, to discuss seismic/structural audit open items
ROOD, H Light Water Reactors Branch 2 79/03/05 3pp

7903260105 Forwards request for addl info for review of OL application. Requests response by 790327
REGAN, W H Environmental Project Branch 2 79/03/09 3pp

7903280317 Forwards evaluation of archaeological, historical & cultural resources potentially affected by facility, in response to NRC 781002 ltr
BASKIN, K P Southern California Edison Co 79/03/16 2pp

7903280325 "Archaeological/Historical Survey of San Onofre-to-Mission 230 kV Transmission Line " W/oversized drawings
ECKHARDT, L C Southern California Edison Co 79/01/31 190pp

7903280328 "Cultural Resources & High Voltage Transmission Line from Onofre to Santiago Substation & Black Star Canyon "
BEAN, L J, COOLEY, T G, COITRELL, M G Southern California Edison Co 79/03/16 180pp

7903300309 Forwards three archaeological, historical & cultural repts associated w/plant transmission lines W/o enc1
THIERER, I Affiliation Unknown 79/03/21 2pp

7903080252 In response to 781130 NRC request, DES has been reviewed; forwards comments generated from review
DRAKE, J H Southern California Edison Co 79/02/02 54pp

7903200093 Forwards federal, state & local agency comments received re plant DES Requests review & response to comments by 790312
REGAN, W H Environmental Project Branch 2 79/03/01 3pp

7903150276 In response to 790301 request, forwards comments from various govt agencies re DES review. Also forwards responses to comments of intervenors
DRAKE, J H Southern California Edison Co 79/03/12 25pp

7903300529 Forwards list of open items, addl questions & positions which must be resolved prior to completion of SER
Requests that items be addressed in FSAR
BAER, R L Light Water Reactors Branch 2 79/03/15 30pp

7903270331 Submits revised pages to physical security plan Enc1 withheld (ref 10CFR2 790)
HEAD, J T Southern California Edison Co 79/03/23 1p

7903050294 Confirms 790207 deposition of R Carstens, changing 790104 notice, to continue day to day until completed
CASEY, S B Chickering & Gregory 79/01/31 1p

7903090180 Intervenor's comments on DES identifies DFS deficiencies in its assessment of environ effects & consideration of alternatives. Requests adequate DES or denial of operating license Certificate of Svc enc1
WHARTON, R J Wharton, R. J. 79/01/31 11pp

7903220222 Urges that Diablo Canyon not be opened & that const be stopped at San Onofre
BYERS, A. Affiliation Unknown 79/02/22 1p

7903220259 Requests NRC stop opening of Diablo Canyon & stop constr at San Onofre on basis of unresolved safety questions
OLSEN, P Affiliation Unknown. 79/02/23 1p

7903140231 Forwards opinion re plant licensing. Alleges NUREG-0490 does not justify operation of facility. Blames failure to rely on seismicity & instability re NUREG-1490

7903150362 Notifies of deposition of R Carstens on 790228 re U Prices & related matters Certificate of Svc enc1
CASEY, S B Chickering & Gregory KOCHER, C R Southern California Edison Co 79/02/13 4pp

7903200246 Forwards Amend 14 to FSAR Requests exemption from fracture toughness requirements, reactor vessel survey requirements & primary reactor containment leakage testing for water-cooled power plants
DRAKE, J H Southern California Edison Co 79/03/13 3pp

7903200253 Amend 14 to FSAR providing addl info to satisfy commitments made in FSAR & containing corrections, clarifications & additions to FSAR info W/7 oversized drawings
Southern California Edison Co 79/03/13 300pp

7903210278 Forwards repts referenced in responses to NRC questions 361 34, 361 35 & 36 Responses submitted to NRC on 790313 as part of Amend 14 to FSAR W/oversized drawings by Fugro, Inc & Woodward-Clyde re seismic reflection profiles
BASKIN, K P Southern California Edison Co 79/03/16 90pp

7903210283 "Late Quaternary Evolution of Camp Pendleton, San Onofre State Beach Coastal Area, Northwestern San Diego County, CA " Analyzes various aspects of regional geology & hypothesizes origins of major landforms
SHLEHON, R J Southern California Edison Co 78/01/31 123pp

7903210285 "Late Quaternary Rates of Deformation, Laguna Beach, San Onofre State Beach, Orange & San Diego Counties, CA " Analyzes regional geology north & northwest of facilities, especially late quaternary structural displacements
SHLEHON, R J Southern California Edison Co 78/10/31 40pp

7903210287 "Suppl to Generalized Sub-Surface Geological & Geophysical Study, Capistrano Area, Orange County, CA," prepared to revise Nov 1979 rept by same name, in partial response to NRC question 361 35 re Capistrano Embayment
WEST, J C Southern California Edison Co 75/11/30 27pp

7903260300 Forwards affidavit attesting completion of direct distribution of FSAR Amend 14
HAYNES, J O Southern California Edison Co 79/03/19 3pp

7903120496 Forwards 1E Insp Repts 50-361/78-18 & 50-362/78-14 on 781127-1201 No noncompliance noted
BPENCER, Q S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/08 2pp

7903120499 1E Insp Repts 50-361/78-18 & 50-362/78-14 on 7901127-1201 No noncompliance noted Major areas inspected licensee action on previous insp findings: electrical components, sys work observation & record review: QA audit
PATE, R J, KIRSCH, D F, HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/05 12pp

7903120488 Forwards 1E Insp Repts 50-361/78-20 & 50-362/78-16 on 781201-29 No noncompliance noted
BPENCER, Q S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/25 2pp

7903120491 1E Insp Repts 50-361/78-20 & 50-362/78-16 on 781201-29 No noncompliance noted Major areas inspected const activities including piping handling & storage, piping post-weld heat treatment, reactor pressure vessel & internals protection
PATE, R J, HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/24 5pp

7903150251 Provides updated info for responses to 1E Bulletin 77-05/03A "Electrical Connector Assemblies," & 77-07 "Containment Electrical Penetration Assemblies at Nuclear Power Plants Under Const "
BASKIN, K P Southern California Edison Co 79/01/31 2pp

7903120503 Forwards 1E Insp Repts 50-361/79-04 & 50-362/79-04 on 790116-18 No noncompliance noted
ROOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/02 2pp

7903120507 1E Insp Repts 50-361/79-04 & 50-362/79-04 on 790116-18 No noncompliance noted Major areas inspected preoperational environ monitoring program action on previous findings & tour of facilities
FIBER, R F, BAIRD, J D, ROOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/01 7pp

DOCKETED SERIES

151

DOCKET 50-362 San Onofre Nuclear Station, Unit 3

7903190089 Forwards IE Insp Rept 50-361/79-02 & 50-362/79-02 on 790123-25 No noncompliance noted
CREWS, J L Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/02/07 2pp

7903190094 IE Insp Rept 50-361/79-02 & 50-362/79-02 on 790123-25 No noncompliance noted Major areas inspected overall preoperational test program administrative controls
CARTER, H L, MILLER, L F, FAULKENBERRY, B Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/02/06 5pp

7903190098 Forwards IE Insp Repts 50-361/79-03 & 50-362/79-03 on 790123-26 No noncompliance noted
SPENCER, G S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/02/09 2pp

7903190104 IE Insp Repts 50-361/79-03 & 50-362/79-03 on 790123-26 No noncompliance noted Major areas inspected const activities, containment post tensioning sys, safety-related components & auxiliary intake cooling sys
ECKHARDT, J H, VORDERBRUEGGEN, HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/02/08 5pp

7903190517 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/16 1p

7903140377 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read BL3CML
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/27 1p

7903140583 States that IE Bulletin 79-01, "Environment Qualification of Class IE Equipment (correction)" was issued to listed licensees in Region 5
Region 5, San Francisco, Office of the Director 79/02/27 1p

7903150300 Ack receipt of 790222 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-361/79-01 & 50-362/79-01
SPENCER, G S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/03/07 1p

7903150304 Responds to NRC 790131 ltr re violations noted in IE Insp Repts 50-361/79-01 & 50-362/79-01 Corrective actions training sessions on revised procedures conducted
MOORE, J B Southern California Edison Co 79/02/22 3pp

7903150307 Forwards IE Insp Repts 50-361/79-01 & 50-362/79-01 on 790108-11 & notice of violation
SPENCER, G S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/31 2pp

7903150308 Notice of violation from insp on 790108-11
Region 5, San Francisco, Office of the Director 79/01/31 2pp

7903150309 IE Insp Repts 50-361/79-01 & 50-362/79-01 on 790108-11 Noncompliance noted discrepancies noted in governing record used as calibr control
ALBERT, W O Region 5, San Francisco, Office of the Director
HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/31 5pp

7903150066 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/08 1p

7903190494 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME BA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
ENGELKEN, R H Region 5, San Francisco, Office of the Director. 79/03/12 1p

7903210412 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/16 1p

7903260320 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/20 1p

7903140531 Ack receipt of 790201 ltr forwarding revised final rept re cracking of stainless steel liner plate matl used in const
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/16 1p

7903140541 Forwards revised final rept describing changes in crack monitoring & investigation plans re cracking of stainless steel liner plate used in spent fuel handling & storage facilities
MOORE, J B Southern California Edison Co 79/02/01 1p

7903140547 Revised final rept describing mod to program for monitoring cracking of stainless steel plates used in spent fuel handling & storage facilities Caused by residual stresses in liner plate in field welding operations
MOORE, J B Southern California Edison Co 79/02/01 2pp

7903060458 Forwards deficiency rept re surface defects in carbon steel pipe
MOORE, J B Southern California Edison Co 79/02/22 1p

7903060460 Describes deficiency in carbon steel main steam sys piping program of investigation & corrective action
Southern California Edison Co 79/02/22 2pp

DOCKET 50-363 Forked River Nuclear Station, Unit 1

7903140127 Requests \$1,200 fee for proposed amend to Const Permit CPR-96
MILLER, W D License Fee Management Branch 79/02/23 1p

7903270614 Forwards NUREG-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," which focuses on recent problems w/ degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903120318 Forwards IE Insp Rept 50-363/78-16 on 781219-21 No noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/17 2pp

7903120525 IE Insp Rept 50-363/78-16 on 781219-21 No noncompliance noted Major areas inspected QA program for fabrication & installation of containment liner & for installation of miscellaneous steel
NARROW, L, SANDERS, W F, MCGAUGHY, R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/16 7pp

7903200296 Forwards IE Insp Rept 50-363/79-01 on 790123-25 No noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/07 2pp

7903200310 IE Insp Rept 50-363/79-01 on 790123-25 No noncompliance noted Major areas inspected QA program for fabrication & installation of containment liner, status of Morrison-Knudsen QA program mod & outstanding items
NARROW, L, SANDERS, W F, MCGAUGHY, R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/06 5pp

7903050533 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant"
ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080397 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080464 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read BL3CML
ORIER, B H Region 1, Philadelphia, Office of the Director. 79/02/27 1p

DOCKET 50-364 Joseph H Farley Nuclear Plant, Unit 2

7903090122 Forwards NRC recommendations for general contents of Offsite Dose Calculation Manual required w/ radiological effluent Tech Specs from FWR & BWR facilities
STOLZ, J F. Light Water Reactors Branch 1 79/02/13. 7pp.

DOCKETED SERIES

DOCKET 50-364 Joseph M. Farley Nuclear Plant, Unit 2

7903270611 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation. Believes continued plant operation does not constitute undue risk.
EISENHUT, D G Assistant Director for Systems & Projects
79/03/02 3pp

7903260039 Ack receipt of 790223 ltr informing NRC of steps taken to correct violations noted in combined IE Insp Repts 70-135/78-27 & 70-135/78-28, 79-364/78-30 & 70-364/78-31
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/03/05 1p

7903200365 Forwards compensatory measures to be used pending full implementation of security plan w/changes. Plan withheld (ref 10CFR2 790)
CLAYTON, F L Alabama Power Co 79/03/12 1p

7903190250 Forwards revised pages to rept "Fire Protection Program Re-evaluation"
CLAYTON, F L Alabama Power Co 79/03/19 15pp

7903280276 Security contingency plan. Plan withheld (ref 10CFR2 790)
GRAHAM, R H, HAIRSTON, W G, HUISMAN, D B Alabama Power Co
79/03/23 1p

7903160255 Transcript of 790308 antitrust oral argument held in Bethesda, MD. Pp 1-283
FARRAR, M C, BALZMAN, R S, SHARFMAN, J E Atomic Safety and Licensing Appeal Panel 79/03/08 283pp

7903060289 "Summary Rept on Monitoring of Fog Conditions at Farley Nuclear Plant, Dec 1977 to Nov 1978"
* Alabama Power Co 79/03/01 66pp

7903070549 Forwards IE Insp Rept 50-364/78-20 on 781211-14 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/09 2pp

7903070553 Notice of violation from insp on 781211-14
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/05 1p

7903070557 IE Insp Rept 50-364/78-20 on 781211-14 Noncompliance noted lack of written procedures defining responsibilities for preservice insp
CROWLEY, B R, CONLON, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/05 4pp

7903070495 Ack receipt of 790205 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-364/78-20
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/14 1p

7903070499 Responds to NRC 790109 ltr re violation noted in IE Insp Rept 50-364/78-20. Corrective action add'l clarification being provided for general responsibilities already delineated in existing plant procedures. Approval expected by 790301
CLAYTON, F L Alabama Power Co 79/02/05 2pp

7903080559 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080266 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140532 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 1p

7903210115 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 2pp

7903210565 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903010305 Forwards "Semiannual Radioactive Effluent Release Rept" for July-Dec 1978
CLAYTON, F L Alabama Power Co 79/02/23 1p

7903010307 "Semiannual Radioactive Effluent Release Rept" for Jul-Dec 1978
* Alabama Power Co 78/12/31 80pp

7903220111 Forwards corrective action to extension to diesel generator problem re river water pumps. Present Unit 1 operation is not affected but design changes will be set before Unit 2 operating license is issued
BARTON, A R Alabama Power Co 78/10/16 5pp

7903200172 Forwards deficiency rept re swing diesel generators 1C & 1-2A & river water pumps
BARTON, A R Alabama Power Co 78/11/17 1p

7903200245 Deficiency rept on 780620.0815 & 1016 potential exists to render diesel generator 1C & 1-2A inoperable if loss of offsite power or LOCA occurs. Failure could leave entire plant w/no river water pumps available
* Alabama Power Co 78/11/17 8pp

DOCKET 50-366 Edwin I. Hatch Nuclear Plant, Unit 2

7903300517 Denies 790221 request for exemption of 781201 amend application from fee payments. Option of amending license rather than delaying issuance was for util's convenience
MILLER, W G License Fee Management Branch 79/03/16 2pp

7903190341 Denies 790130 request for delay in implementing security plan beyond 790223 date. Suggests immediate suppl to plan, describing compensatory measures for each item requiring add'l time for completion
STELLIO, V Office of Nuclear Reactor Regulation 79/02/21 2pp

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee part-down searches until 790801
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903200133 Forwards Amend 64 to License DPR-57 & Amend 5 to NPF-5 & notice of issuance & availability
IPPOLITO, T A Operating Reactors Branch 3 79/02/26 3pp

7903200138 Amend 64 to License DPR-57 & Amend 5 to NPF-5, incorporating physical security plan into license
IPPOLITO, T A Operating Reactors Branch 3 79/02/26 4pp

7903200147 Notice of issuance of Amends 64 & 5 to Licenses DPR-57 & NPF-5, respectively
IPPOLITO, T A Operating Reactors Branch 3 79/02/26 2pp

7903140449 Submits suppl to security plan describing compensatory measures being provided to implement 10CFR73.55 until full implementation can be achieved. Full implementation scheduled for 790424. Suppl withheld (ref 10CFR2 790)
WHITMER, C F Georgia Power Co 79/03/02 1p

7903290034 Informs that safeguard contingency plan submittal will be delayed until 790330, due to revisions requested by NRC in 790323 telcon
EHRENSPERGER, W Georgia Power Co 79/03/23 1p

7903140222 Forwards revised versions Entry-Control Sys Handbook, BAND77-1033; Intrusion Detection Sys Handbook, BAND76-0954; & Barrier Penetration Database, NUREG/CR-0181. W/o encl
MILLER, J R Division of Operating Reactors 79/01/09 2pp

7903080173 Forwards mod to "Review & Acceptance of Spent Fuel Storage & Handling Application" provided on 780414. Involves pages IV-5 & IV-6 w/modified rationale & corrections
GRIMES, B K Assistant Director for Engineers & Projects
79/01/18 4pp

7903010295 Forwards NEDO-21885, "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept."
SOBON, L J General Electric Co, Nuclear Energy Products Div
79/02/01 1p

7903010310 "Mark I Containment Program, Downcomer Reduced Submergence, Functional Assessment Rept."
WONG, K W General Electric Co, Nuclear Energy Products Div
NEDO-21885 78/06/30 45pp

DOCKETED SERIES

153

DOCKET 50-366 Edwin I Hatch Nuclear Plant, Unit 2

7903020218 Notification of 790214-15 meeting in Bethesda, MD, w/representative of Mark I owners group to discuss implementation & resolution of Mark I long-term program & pool swell pressure load definition techniques
GRIMES, C Assistant Director for Engineers & Projects 79/02/06 1p

7903060317 Requests \$4,000 Class III fee within 15 days to amend License NPF-5
DIGGS, R M License Fee Management Branch 79/02/09 1p

7903010061 Forwards safety evaluation of interim assessment of multiple-consecutive safety relief valve actuations, & sample 1tr
EISENHUT, D G Assistant Director for Systems & Projects 79/02/15 2pp

7903010070 "Safety Evaluation Rpt of Interim Assessments of Multiple-Consecutive Safety Relief Valve Actuations in Mark I Containment Plants " All plants are in conformance w/ acceptance criteria
* Assistant Director for Systems & Projects 79/02/15 10pp

7903160213 Forwards proprietary rept NEDE-23545-P, "Mark I Containment Program, Suppression Pool Swell Test Program, LDR Load Test- Generic Sensitivity " W/affidavit for proprietary status Rept withheld (ref 10CFR2 790)
SODON, L J General Electric Co, Nuclear Energy Products Div 79/02/26 5pp

7903200084 Safety evaluation supporting Amend 4 to License NPF-5
* Office of Nuclear Reactor Regulation 79/02/27 2pp

7903050383 Proposes amend to License DPR-5, incorporating definition of operability of core spray sys W/encl Category III amend fee
WHITHER, C F Georgia Power Co 79/02/27 6pp

7903200078 Forwards Amend 4 to License NPF-5 & notice of issuance & availability
IPPOLITO, T A Operating Reactors Branch 3 79/02/27 2pp

7903200080 Amend 4 to License NPF-5, incorporating changes to Tech Specs re turbine control valve fast closure setpoint
IPPOLITO, T A Operating Reactors Branch 3 79/02/27 2pp

7903200086 Notice of issuance of Amend 4 to License NPF-5
IPPOLITO, T A Operating Reactors Branch 3 79/02/26 2pp

7903230011 "SFR of Interim Assessments of MSIV Actuations in Mark I Containment Plants "
* Assistant Director for Engineers & Projects 79/02/27 12pp

7903230083 Forwards safety evaluation rept on interim assessments of multiple-consecutive safety relief valve actuations
Concludes that continued operation of Mark I BWR facilities is acceptable subj to corrective actions
GRIMES, B K Division of Operating Reactors 79/02/27 1p

7903070256 Forwards Jan 1979 Mark I containment program activity review Lists meetings held & provides brief task-by-task summary
SODON, L J General Electric Co, Nuclear Energy Products Div 79/02/28 11pp

7903200142 Notification of 790316 meeting w/Georgia Power in Bethesda, MD, to discuss licensee's submittal of Tech Specs on radiological effluents
VERRELLI, D M Operating Reactors Branch 3 79/02/28 2pp

7903060292 In response to 790129 request, forwards addl info re processing of solid waste
WHITHER, C F Georgia Power Co 79/03/01 4pp

7903120459 Provides summary of 790213 meeting in Bethesda, MD, w/ representatives of Mark I owner's group program committee to discuss generic Mark I program re safety relief valve loads W/encl attendees list & meeting handouts
BU, T M Containment Systems Branch, 79/03/01 16pp

7903200035 Requests fees for amends to DPR-57 & NPF-5
MILLER, W O License Fee Management Branch 79/03/01 1p

7903200283 Forwards proposed staff position for Mark I long-term program implementation schedules
EISENHUT, D G Assistant Director for Systems & Projects, 79/03/01 4pp

7903200304 Directs recipients to send encl sample 1trs to BWR Mark I facilities requesting schedules & commitments re expected mod completion dates, use of safety relief valve discharge devices & licensing fees for long-term program
GRIMES, B Assistant Director for Engineers & Projects 79/03/01 8pp

7903210508 Forwards Amend 6 to License NPF-5, safety evaluation & notice of issuance
IPPOLITO, T A Operating Reactors Branch 3 79/03/02 1p

7903210515 Amend 6 to License NPF-5, incorporating revision of limiting conditions for operation & associated surveillance requirements for core spray sys
IPPOLITO, T A Operating Reactors Branch 3 79/03/02 2pp

7903210517 Safety evaluation supporting Amend 6 to License NPF-5
* Office of Nuclear Reactor Regulation 79/03/02 3pp

7903210520 Notice of issuance of Amend 6 to License NPF-5
IPPOLITO, T A Operating Reactors Branch 3 79/03/02 2pp

7903270100 Discusses status of Mark I containment long-term program Requests schedule showing time periods for installation of specific plant mods Discusses safety relief valve discharge device installation & forwards staff evaluation
STELLO, V Division of Operating Reactors 79/03/12 17pp

7903260229 Util believes NRC erred in requesting payment of \$5,600 fee for proposed changes to Tech Specs Forwards fee & reserves right to request an exemption & refund per 10CFR170 22
WHITHER, C F Georgia Power Co 79/03/19 1p

7903290121 Forwards proposed amend to Tech Specs, altering requirements for plant startup repts by eliminating partial summary rept on status of startup & power escalation test nine months after initial criticality Check for amend fee encl
EHRENSPERGER, W Georgia Power Co 79/03/23 4pp

7903010350 Forwards IE Insp Rept 50-366/78-52 on 781219-22. No noncompliance noted
LONG, F J Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/15 2pp

7903010355 IE Insp Rept 50-366/78-52 on 781219-22 No noncompliance noted Major areas inspected startup test activities
VOGT-LOWELL, R, GRAHAM, M J, MARTIN, R D Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/12 4pp

7903050575 Responds to IE Bulletin 78-14, "Deterioration of Buna-N Components in ASCO Solenoids " Parts ordered & replacement will begin during spring outage for Unit 1 Unit 2 change-out has not been scheduled
STAFFA, R W Georgia Power Co 79/02/03 2pp

7903070309 Ack receipt of 790126 1tr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-321/78-40 & 50-366/78-49
BUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/14 1p

7903070514 Responds to NRC 790104 1tr re violations noted in IE Insp Repts 50-321/78-40 & 50-366/78-49, Corrective actions aerial surveys scheduled for 1979 until soil stabilization is documented
STAFFA, R W Georgia Power Co 79/01/26 1p

7903070517 Forwards IE Insp Repts 50-321/78-40 & 50-366/78-49 on 781204-08 & notice of violation
BUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/04 2pp

7903070525 IE Insp Repts 50-321/78-40 & 50-366/78-49 on 781204-08, Noncompliance noted deficiencies in QA procedures & semi-annual surveys
CUNNINGHAM, A L, HUFHAM, J W Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/02 4pp

7903080533 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director, 79/02/16 2pp

7903150283 Ack receipt of 790215 1tr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-321/79-01 & 50-366/79-01
BUTHERLAND, J T, Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/26 1p

DOCKETED SERIES

DOCKET 50-366 Edwin I Hatch Nuclear Plant, Unit 2

7903150287 Responds to NRC 790125 ltr re violations noted in IE Insp Repts 50-321/79-01 & 50-366/79-01 Corrective actions closer checking of unlocked high radiation doors, caliber of neutron instruments & review of qualifications
STAFFA, R W Georgia Power Co 79/02/15 3pp

7903150289 Forwards IE Insp Repts 50-321/79-01 & 50-366/79-01 on 790103-05 & notice of violation
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/25 2pp

7903150292 Notice of violation from insp on 790103-05
* Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/25 2pp

7903150297 IE Insp Rept 50-321/79-01 & 50-366/79-01 on 790103-05 Noncompliance noted failure to keep entrance to high radiation area locked; failure to label containers of radioactive matl & failure to calibr survey instrument
HOBEY, C M, GIBSON, A F Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/25 7pp

7903120332 Ack receipt of 790202 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-321/78-43 & 50-366/78-53
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/27 1p

7903120335 Responds to NRC 790116 ltr re violations noted in IE Insp Repts 50-321/78-43 & 50-366/78-53 Corrective actions monthly readings on pressurized containment penetrations were immediately performed
STAFFA, R W Georgia Power Co 79/02/02 1p

7903120387 Forwards IE Insp Repts 50-321/78-43 & 50-366/78-53 on 78111-1215 & notice of violation
LONG, F J Region 2, Atlanta, Reactor Operations Nuclear Support Branch, 79/01/16 2pp

7903120393 Notice of violation from insp on 78111-1215
* Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/16 1p

7903120400 IE Insp Repts 50-321/78-43 & 50-366/78-53 on 78111-1215 Noncompliance noted failure to follow standing orders
DANCE, H C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/15 3pp

7903080278 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read B13CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903130165 Ack receipt of IE Insp Repts 50-321/79-02 & 50-366/79-02 on 790114-16 No proprietary info
STAFFA, R W Georgia Power Co 79/02/28 1p

7903130173 Forwards IE Insp Repts 50-321/79-02 & 50-366/79-02 on 790114-16 No noncompliance noted
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/06 2pp.

7903130178 IE Insp Repts 50-321/79-02 & 50-366/79-02 on 790114-16 No noncompliance noted Major areas inspected security plan, physical barrier, lighting, access control & compensatory measures.
FUCHKO, J M, GILLESPIE, F P Region 2, Atlanta, Safeguards Branch 79/02/06 4pp

7903140517 Ack receipt of IE Insp Rept 50-366/79-04 on 790116-19 No proprietary info
STAFFA, R W Georgia Power Co 79/03/02 1p

7903140521 Forwards IE Insp Rept 50-366/79-04 on 790116-19 No noncompliance noted
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/14 2pp

7903140536 IE Insp Rept 50-366/79-04 on 790116-19 No noncompliance noted Major areas inspected startup testing activities
VOGT-LOWELL, R, MARTIN, R D Region 2, Atlanta, Reactor Operations Nuclear Support Branch, 79/02/13 4pp

7903140520 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp.

7903201442 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903260072 Ack receipt of 790306 ltr informing NRC of steps taken to correct violation noted in IE Insp Repts 50-321/78-34 & 50-366/78-42
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/03/14 1p

7903260076 Responds to NRC 790306 ltr re violation noted in IE Insp Repts 50-321/78-34 & 50-366/78-42 Corrective actions resurvey will be conducted w/calibrated instruments, instruments will henceforth be checked before use
STAFFA, R W Georgia Power Co 79/03/06 1p

7903270539 Ack receipt of 790307 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-321/79-03 & 50-366/79-03
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/14 1p

7903270548 Responds to NRC 790215 ltr re violations noted in IE Insp Rept 50-321/79-03 & 50-366/79-03 Corrective actions revision of plant procedure to require proper notification of personnel re drywell sump leakage
STAFFA, R W Georgia Power Co 79/03/07 1p

7903270553 Forwards IE Insp Repts 50-321/79-03 & 50-366/79-03 on 790108-12 & notice of violation
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/15 2pp

7903270560 Notice of violation from insp on 790108-12
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/14 1p

7903270566 IE Insp Repts 50-321/79-03 & 50-366/79-03 on 790108-12 Noncompliance noted failure to follow procedures
* Region 2, Atlanta, Office of the Director 79/02/14 1pp

7903210593 Forwards IE Circular 79-04, "Loose Locking Nut on Limiting Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903050336 Forwards "Annual Operating Rept for 1978"
HARRY, M Georgia Power Co 79/02/23 1p

7903050341 "Annual Operating Rept for 1978"
HARRY, M Georgia Power Co 79/02/23 57pp

7903120313 Forwards "Semiannual Rept Plant Radioactive Effluent Releases," For July-Dec 1978
HARRY, M Georgia Power Co 79/02/28 1p

7903120318 "Semiannual Rept Plant Radioactive Effluent Releases," July-Dec 1978
HARRY, M Georgia Power Co 79/02/28 87pp

7903140266 Forwards monthly operating rept for Feb 1979
HARRY, M Georgia Power Co 79/03/09 1p

7903140271 Monthly operating rept for Feb 1979
WILSON, S Georgia Power Co 79/03/05 14pp

7903200400 Notifies NRC that sampling frequency for entrainment monitoring & impingement monitoring has been changed from weekly to monthly, effective 790301 w/encl sections of Environ Program Description Document
WHITMER, C F, Georgia Power Co 79/03/13 3pp

7903010238 Follow-up rept on failure of seismic monitoring instrument on 781117 triaxial time-history accelerometer 2L51-N004 on feedwater loop B inlet line failed functional test Caused by open coil in longitudinal circuit
HARRY, M Georgia Power Co 79/02/13 1p

7903070303 Forwards LER 79-023/03L-0
HARRY, M Georgia Power Co 79/02/27 1p

7903070309 LER 79-023/03L-0 on 790214 outboard MBIV closed in 2 seconds, violating Tech Spec. Caused by failure of seal cartridge bushing, seal assembly & rod packing of Rockwell Mfg Co cylinder. Damaged parts to be repaired & tested
GREENE, T V Georgia Power Co 79/02/28 2pp

DOCKET 50-366 Edwin I Hatch Nuclear Plant, Unit 2

7903130352 Forwards LER 79-022/03L-0
 MANRY, M Georgia Power Co 79/03/02 1p

7903130356 LER 79-022/03L-0 on 790209 floor drain sumps flow transmitters incorrectly calibrated & indicated higher than actual flow Caused by mod of transmitter range w/o revision of calibr procedure Calibr procedure revised
 GREENE, T V Georgia Power Co 79/03/05 2pp

7903130388 Forwards LER 79-025/01T-0
 MANRY, M Georgia Power Co 79/03/05 1p

7903130395 LER 79-025/01T-0 on 790223 upper & lower clevis pins of torus vent header support columns were displaced Caused by vibration Design change issued & is being implemented to weld caps to clevis
 GREENE, T V Georgia Power Co 79/03/05 2pp

7903190176 Forwards LER 79-026/01T-0
 MANRY, M Georgia Power Co 79/03/08 1p

7903190179 LER 79-026/01T-0 on 790228 test revealed 9.84% failure rate in 183 safety-related self drilling anchor bolts Caused by improper installation All safety-related sys hangers of that type to be tested & repaired
 GREENE, T V Georgia Power Co 79/03/08 3pp

7903190171 Forwards LER 79-028/01T-0
 MANRY, M Georgia Power Co 79/03/09 1p

7903190172 LER 79-028/01T-0 on 790303 HPCI turbine exhaust diaphragm pressure instruments 2E41-N012A-D found calibrated w/head correction making setpoint exceed Tech Specs limit Caused by possible procedure error noted when LER 78-096 submitted
 NIX, R T Georgia Power Co 79/03/09 2pp

DOCKET 50-367 Bailey Generating Station

7903230009 Notification of 790321 meeting in Los Gatos, CA w/ representatives from Mark II owners group to discuss Mark II LOCA & safety relief valve pool dynamic loads
 ANDERSON, C J Containment Systems Branch 79/03/12 12pp

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II "
 SOBON, L J General Electric Co ,Nuclear Energy Products Div 79/03/16 1p

7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II "
 UPPAL, I S General Electric Co ,Nuclear Energy Products Div 79/03/16 12pp

7903280288 Forwards "Vent Clearing Pool Boundary Loads for Mark II Plants," presenting alternative load spec based on conservative application of AT test data, replacing spec identified in NUREG-0487
 SOBON, L J General Electric Co 79/03/20 6pp

7903290085 Forwards proprietary copies of alternate load spec info document applicable to wetwell walls, to replace info in NUREG-0487 Encl withheld (ref 10CFR2 790) w/affidavit
 SOBON, L J General Electric Co ,Nuclear Energy Products Div 79/03/20 5pp

7903220405 State of IL's request for hearing on license amend Certificate of Svc encl
 HANSELL, D Illinois, State of 79/03/05 4pp

7903200360 Forwards Annual Financial Rept for 1978
 PETERSEN, A H Northern Indiana Public Service Co 79/02/26 54pp

7903220428 IE Insp Rept 50-367/79-01 on 790130,31 & 0201 No noncompliance noted Major areas inspected, previously noted items of noncompliance & unresolved matters & reported const deficiencies
 MAXWELL, G F, PHILLIPS, H S, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/13 9pp

7903280378 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
 KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903220424 Forwards IE Insp Rept 50-367/79-01 on 790130,31 & 0201, No noncompliance noted
 HEISNMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/14 2pp

7903080362 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
 KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903130040 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
 KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190004 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
 KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903060432 Forwards well charts for 790207-14, Bailey wells w/o recorders for 790214, pond levels for 790214, pneumatic pressure transducers for 790214, water readings for 790214 & rainfall Flint Lake pump station 781101-790131
 BOHN, R J Northern Indiana Public Service Co 79/02/23 33pp

7903120223 Forwards well charts for 790214, Bailey Wells w/o recorders for 790221, pond levels for 790221, pneumatic pressure transducers for 790221, & water meter readings for 790220
 BOHN, R J Northern Indiana Public Service Co 79/03/02 34pp

7903190253 Forwards info re well charts, wells w/o recorders, pond levels, pneumatic pressure transducers & water meter readings for given periods between 790221-28
 BOHN, R J Northern Indiana Public Service Co 79/03/09 35pp

7903260234 Forwards well charts for 790228-307, Bailey wells w/o recorders for 790307, pond levels for 790307, pneumatic pressure transducers for 790307, water meter readings for 790307-07 & USGB wells for 790302-7
 BOHN, R J Northern Indiana Public Service Co 79/03/16 40pp

7903260210 Ack receipt of 790222 final rept re high pressure core spray sys bypass valve, MPL E22-F012 Review will be completed during future insp
 FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/03/02 1p

DOCKET 50-368 Arkansas Nuclear One, Unit 2

7903270609 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
 EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903020362 Forwards compensatory measures to be followed prior to implementation of contingency plan if facility security sys is not operable by 790223 Plan withheld (ref 10CFR2 790)
 RUETER, D A Arkansas Power & Light Co 79/02/15 1p.

7903230205 Ack receipt of 790201 & 790216 submittals re security sys Contingency measures are acceptable per 10CFR50 34(p)
 REID, R W Operating Reactors Branch 4 STOLZ, J F Light Water Reactors Branch 1 79/02/23 1p

7903270400 Forwards safeguards contingency plan submitted as App A to industrial security plan, w/revisions made to table of contents & Section B Encl withheld (ref 10CFR2 790)
 TRIMBLE, D C Arkansas Power & Light Co 79/03/23 1p

7903200363 Forwards Endorsement 36 to NELIA Policy NF-210 & Endorsement 32 to MALEU Policy MF-74
 RUETER, D A Arkansas Power & Light Co 79/03/15 3pp.

7903070193 Forwards revised pages to correct omission in 781113 revisions to Amend 37 to DPR-51 & Amend 5 to NPF-6 W/encl revised environ surveillance organization charts.
 STOLZ, J F Light Water Reactors Branch 1, REID, R W Operating Reactors Branch 4 79/01/31 4pp

7903060438 Forwards proposed Tech Spec & environ Tech Spec changes re reassignment of W Cavanaugh He will continue to serve as officer of Util. W/encl Class II amend fee
 PEYITT, A F Arkansas Power & Light Co 79/02/12 11pp.

7903090092 Forwards staff's recommendations for general contents of an Effluents Dose Calculation Manual required w/radiological effluent Tech Specs from PWR & BWR facilities
 STOLZ, J F Light Water Reactors Branch 1 79/02/12 2pp

DOCKETED SERIES

DOCKET 50-368 Arkansas Nuclear One, Unit 2

7903280024 Forwards Amends 40 & 8 to Licenses DPR-S1 & NPF-6, respectively, & notice of issuance & availability
REID, R W Operating Reactors Branch 4 STOLZ, J F Light
later Reactors Branch 1 79/02/23 3pp

7903280032 Amends 40 & 8 to Licenses DPR-S1 & NPF-6, respectively,
incorporating physical security plans into license
REID, R W Operating Reactors Branch 4 79/02/23 4pp

7903280056 Notice of issuance & availability of Amends 40 & 8 to
Licenses DPR-S1 & NPF-6, respectively
FAIRFILL, M B Operating Reactors Branch 4 79/02/23 2pp

33020348 Forwards amend to 781117 change to Unit 2 Tech Spec 6.5.1.2
Original change was to incorporate software consultant in
Plant Safety Committee membership Amend proposes membership
to be filled by two individuals
CAVANAGH, W Arkansas Power & Light Co 79/02/26 4pp

33190241 Provides answers to questions raised at 790227 meeting &
documents info presented re calculation analysis of min
voltage levels & offsite electric power sys.
REUTER, D A Arkansas Power & Light Co 79/03/13 14pp

33270450 Informs that submittal of radiological Tech Specs will be
made by 790408 Delay caused by fact that these Tech Specs
are currently being reviewed by Safety Review Committee
TRIMBLE, D C Arkansas Power & Light Co 79/03/19 1p

33200083 In response to Bulletin 77-05 & 77-05A, forwards list of
electrical connectors for Class IE devices
WILLIAMS, D H Arkansas Power & Light Co 79/01/30 2pp

33220310 Forwards IE Insp Rept 50-313/78-22 & 50-368/78-29 on
781218-790114 & notice of violation
ADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support
Branch 79/01/30 2pp

7903220312 Notice of violation from insp on 781218-790114
* Region 4, Dallas, Reactor Operations Nuclear Support Branch
79/01/30 10pp

7903220320 IE Insp Rept 50-313/78-22 & 50-368/78-29 on 781218-790114
Noncompliance noted not maintaining jumper & bypass log,
proper closure of fire doors, limiting condition for entering
Mode 2 from Mode 3 & not following procedures
WEBSTERMAN, Y F, BOYTER, N C, MADSEN, G L Region 4, Dallas,
Reactor Construction & Engineering Support Branch 79/01/30
10pp.

3090368 Ack receipt of 790126 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-313/78-21 &
50-368/78-28
ADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support
Branch 79/02/07 1p

7903090373 Responds to NRC 790105 ltr re violations noted in IE Insp
Repts 50-313/78-21 & 50-368/78-28 Corrective actions
appropriate personnel have been verbally reinstructed in
proper method for changing procedure from manual
WILLIAMS, D H Arkansas Power & Light Co 79/01/26 2pp

3090079 Based on 790209 meeting & 790213 telcon, util will revise
reply to 781214 notice of violation contained in Insp Rept
50-368/78-26, to clarify intent to establish offsite Safety
Review Committee
ADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support
Branch 79/02/14 1p

3080415 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features"
EYFRIT, K V Region 4, Dallas, Office of the Director 79/02/16
p.

3090031 Informs recipients of IE Bulletin 79-01, "Environ
qualification of Class IE Equipment," dtd 790208, that valve
fail switch identified as NAMCO Model 83CML should read
L3CML
EYFRIT, K V Region 4, Dallas, Office of the Director 79/02/27
p.

3220331 Ack receipt of 790223 ltr informing NRC of steps taken to
correct violation noted in IE Insp Rept 50-368/78-29
ADSEN, G L Region 4, Dallas, Reactor Operations Nuclear Support
Branch 79/03/09 1p.

7903220336 Responds to NRC 790130 ltr violation noted in IE Insp Rept
50-368/78-29 Corrective actions operators instructed, fire
doors to be checked routinely, work area cleaned
RUETER, D A Arkansas Power & Light Co 79/02/23 3pp

7903010301 Forwards semiannual radioactive effluent rept for third &
fourth quarters of 1978
RUETER, D A Arkansas Power & Light Co 79/02/23 15pp

7903060479 Forwards LERs 79-013/03L-0, 79-014/03L-0 & 79-012/03L-0
RUETER, D A Arkansas Power & Light Co 79/02/26 1p

7903060483 LER 79-013/03L-0 on 790127 control element assembly cluster
(CEAC) deviation alarms received Caused by disturbance of
CEAC cable connections
SHIVELY, C N Arkansas Power & Light Co 79/02/26 1p

7903060487 LER 79-014/03-0 on 790127 plant protection sys "C"
containment bldg pressure transmitter 2PT-3603-0N failed,
causing Hi & Hi-Hi containment pressure trips Caused by
loose output connection, which was subsequently reconnected
SHIVELY, C M Arkansas Power & Light Co 79/02/26 1p

7903060497 LER 79-017/03L-0 on 790127 core protection computer channel
"B" failed, resulting in trips Caused by analog high level
amplifier card improperly seating in connector Card reseated
& functional test conducted
SHIVELY, C M Arkansas Power & Light Co 79/02/26 1p

7903060214 Forwards LER 79-015/03L-0
RUETER, D A Arkansas Power & Light Co 79/02/27 1p

7903060218 LER 79-015/03L-0 on 790128 failure of core protection
computer D & C, resulting in respective channel trips, one
caused by tripped power supply & other appears
non-repetitive Both channels were successfully restarted
SHIVELY, C N Arkansas Power & Light Co 79/02/27 1p

7903060405 Forwards LER 79-016/03L-0
RUETER, D A Arkansas Power & Light Co 79/03/01 1p

7903060408 LER 79-016/03L-0 on 790130 during power escalation testing,
Mode 1 operation, safety injection tank "D" pressure dropped
below Tech Spec limit Caused by excessive leakage due to
oversized valve body Seal ring replaced w/oversized ring
SHIVELY, C N Arkansas Power & Light Co 79/03/01 1p

7903270469 Forwards LERs 78-013/01T-1, 78-015/01T-1, 79-019/03L-0 &
79-020/01T-0
TRIMBLE, D C Arkansas Power & Light Co 79/03/22 2pp

7903270473 LER 78-013/01T-1 on 781107 emergency diesel generator
vendor, Colt Industries, notified util of speed switch design
problem that could potentially fail Switch replaced
w/another part from different vendor
SHIVELY, C N Arkansas Power & Light Co 79/03/22 4pp

7903270477 LER 78-015/01T-1 on 781107 following discovery of improper
speed switch in "A" emergency diesel generator, instrument
technician installed replacement switch w/o approved job
order Caused by personnel error
SHIVELY, C N Arkansas Power & Light Co 79/03/22 4pp

7903270480 LER 79-019/03L-0 on 781031 w/both reactor coolant loops &
associated steam generators in operation, one or more main
steam line safety valves were inoperable Caused by safety
valve gagging w/chronological log describing incidents
SHIVELY, C N Arkansas Power & Light Co 79/03/22 2pp

7903270485 LER 79-020/01T-0 on 781107 during controlled steam lift,
discovered warn ring lockpin had broken on four occasions
Caused by lockpin fragility Lockpins replaced w/ones of
stronger design
SHIVELY, C N Arkansas Power & Light Co 79/03/22 3pp

DOCKET 50-369 William B. McGuire Nuclear Station, Unit 1

7903050539 FOIA request for documents re NRC reevaluation of Rasmussen
Rept
HILEY, J Carolina Environmental Study Group 79/01/21 1p

7903060191 Requests info for review of spent fuel cask accident
analysis to be submitted by 790302 Analysis should identify
& consider any special equipment to be used in handling
Orconee cask w/McGuire cask handling crane
BAER, R L Light Water Reactors Branch 2 79/02/06 4pp

DOCKETED SERIES

157

DOCKET 50-369 William B McGuire Nuclear Station, Unit 1

7903080182 Forwards outstanding review matters needing addl info for review of application Requests response by 790323
BAER,R L Light Water Reactors Branch 2 79/02/08 11pp

7903210132 Forwards request for addl info re containment temp & pressure response to certain postulated main steam line break accidents
VASSALLO,D Assistant Director for Light Water Reactors
79/02/26 2pp

7903190156 Forwards request for addl info re reanalysis of containment response to postulated main steam line break in lower compartment using revised Westinghouse LOTIC-3 ice condenser containment code
BAER,R L Light Water Reactors Branch 2 79/02/27 5pp

7903070232 In response to NRC 790206 request, forwards spent fuel cask drop analysis of NSF-4 truck-type cask Examines three possible cases of dropping or tipping
PARKER,W O Duke Power Co 79/03/02 7pp

7903270606 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT,D G Assistant Director for Systems & Projects
79/03/02 3pp

7903220262 Forwards info supplementing 781005 ltr re qualification of limitorque valve operator terminations & stem-mounted limit switch terminations
PARKER,W O Duke Power Co 79/03/19 60pp

7903270336 Forwards status of outstanding review matters requested in 790208 ltr
PARKER,W O Duke Power Co 79/03/23 3pp

7903270381 In response to 790207 ltr, forwards std Tech Specs re waste solidification
PARKER,W O Duke Power Co 79/03/23 7pp

7903210351 Forwards Suppl 2 to SER for facilities
BAER,R L Light Water Reactors Branch 2 79/03/01 3pp
Available at NTIS

7903220034 Suppl 2 to SER Discusses design criteria, reactor coolant sys, engineered safety features, instrumentation & control, auxiliary sys, steam & power conversion sys & initial test program
* Office of Nuclear Reactor Regulation NUREG-0422 79/03/01
BOPP Available at NTIS

7903270380 Forwards safeguards contingency plan Encl withheld (ref 10CFR2 790)
PARKER,W O Duke Power Co 79/03/23 1p

7903050487 Intervenor's petition to reopen safety phases of licensing proceedings Urges review of pressure suppression containments, lack of rod sys required by WASH-1270 & possible inadequacy of stud bolts
RILEY,J L Carolina Environmental Study Group 79/01/28 5pp

7903050114 Forwards transmittal memo for SAND77-1927, "Transport of Radionuclides in Urban Environs Working Draft Assessment"
HSEFLING,R K Branch 4 79/02/02 4pp

7903060291 Forwards NRC policy statement re reactor safety study, review by the Lewis Committee (NUREG/CR-0400) & survey of NRC uses of WASH-1400 All documents have been furnished to ASLB & ASLAB panel members w/o encl
HSEFLING,R K Branch 4 79/02/15 2pp

7903230290 Orders applicant & NRC to file answers within 10 & 15 days, respectively, to Carolina Environ Study Group's 790128 motion to reopen record
LAZO,R M Atomic Safety and Licensing Board Panel 79/03/07 1p

7903290011 Forwards corporate annual rept, financial forecast & util statement re available sources of funds w/o encl
THIES,A C Duke Power Co 79/03/21 1p

7903260292 Operating license antitrust review info & Amend 1 to CPFR-83
MCCLYMOND,B Antitrust & Indemnity Group 79/03/15 8pp

7903260294 Amend 1 to CPFR-83 re bulk power supply.
DEYOUNG,R C Division of Project Management 78/08/23 7pp

7903010360 Forwards IE Insp Rept 50-369/78-43 on 781218-21 No noncompliance noted
LNO,F J Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/11 2pp

7903010366 IE Insp Rept 50-369/78-43 on 781218-21 No noncompliance noted Major areas inspected facility operating procedures, preparation for hot function testing & review of Tech Specs
COTTELE,W T, DYER,J A, LEWIS,R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/10 8pp

7903020170 Forwards results of 790118 meeting re proposed use of augmented inservice insp to satisfy requirements of General Criterion 4 for limited number of locations in unit piping
BOYD,R S Division of Project Management 79/02/09 4pp

7903070395 Summarizes meeting on 790118 to discuss applicant appeal of NRC position on proposed augmented inservice insp program
Applicant will provide addl info
BIRKEL,R A Light Water Reactors Branch 2 79/02/12 5pp

7903070498 Ack receipt of IE Insp Rept 50-369/79-04 on 790111-12 No proprietary info
PARKER,W O Duke Power Co 79/02/14 1p

7903070501 Forwards IE Insp Rept 50-369/79-04 on 790111-12 No noncompliance noted
KENNA,W B Region 2, Atlanta, Safeguards Branch 79/01/24 2pp

7903070504 IE Insp Rept 50-369/79-04 on 790111-12 No noncompliance noted Major areas inspected facility organization, shipping & receiving, storage & internal control, inventory, records & reports
HODGEE,J W, WILLIAMS,G H Region 2, Atlanta, Safeguards Branch 79/01/24 3pp

7903270622 Forwards IE Insp Rept 50-369/79-06 on 790108-12 No noncompliance noted
LEWIS,R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/14 2pp

7903270628 IE Insp Rept 50-369/79-06 on 790108-12 No noncompliance noted Major areas inspected sys operating procedures, preoperational testing activities, safety committee activities & review of records storage facilities
COTTELE,W T, WEBBMAN,R H, CANTRELL,F S Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/14 7pp

7903260110 Forwards IE Insp Repts 50-369/79-05 & 50-370/79-03 on 790116-19 & notice of violation
MURPHY,C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/15 2pp

7903260113 Notice of violation from insp on 790116-19
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/15 1p

7903260115 IE Insp Repts 50-369/79-05 & 50-370/79-03 on 790116-19 Noncompliance noted pipe hanger nonconformance tags became detached
HUNT,M D, HERDT,A R Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/15 5pp

7903080532 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY,J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080558 Ack receipt of IE Insp Rept 50-369/79-01 on 790102-05 No proprietary info
PARKER,W O Duke Power Co 79/02/19 1p

7903080561 Forwards IE Insp Rept 50-369/79-01 on 790102-05 No noncompliance noted
LEWIS,R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/25 2pp

7903080566 IE Insp Rept 50-369/79-01 on 790102-05 No noncompliance noted Major areas inspected thermal expansion test, vibration testing, hot functional test & preparation of procedures for initial fuel loading & core performance tests
BURNETT,P T, DYER,J A, MARTIN,R D Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/24 4pp

7903080270 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," std 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
O'REILLY,J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

DOCKETED SERIES

DOCKET 50-369 William B McGuire Nuclear Station, Unit 1

7903140539 Ack receipt of IE Insp Repts 50-369/79-03 & 50-370/79-02
No proprietary info
PARKER, W D Duke Power Co 79/02/28 1p

7903140564 Forwards IE Insp Repts 50-369/79-03 & 50-370/79-02 on
790109-11 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear
Support Branch 79/02/05 2pp

7903140569 IE Insp Repts 50-369/79-03 & 50-370/79-02 on 790109-11 No
noncompliance noted Major areas inspected Category 1
structures & supports outside containments, containment
penetrations, main steam line relief valve assembly & dam
SHAN, W D ; BRYANT, J C Region 2, Atlanta, Reactor Construction
& Engineering Support Branch 79/02/05 6pp

7903140543 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate
Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903200047 Ack receipt of 790219 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-369/78-44 &
50-370/78-18
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering
Support Branch 79/03/09 1p

7903200056 Responds to NRC 790123 ltr re violations noted in IE Insp
Repts 50-369/78-44 & 50-370/78-18 Corrective actions
reinstruction re proper disposal of unused welding matl
PARKER, W D Duke Power Co 79/02/19 2pp

7903200060 Forwards IE Insp Repts 50-369/78-44 & 50-370/78-18 on
781227-29 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction &
Engineering Support Branch 79/01/23 2pp

7903200065 Notice of violation from Insp on 781227-29
* Region 2, Atlanta, Office of the Director 79/01/09 1p

7903200069 IE Insp Repts 50-369/78-44 & 50-370/78-14 on 781227-29
Noncompliance noted failure to follow procedure for coated
electrode weld rod control
AND, W P Region 2, Atlanta, Office of the Director BRYANT, J C
Region 2, Atlanta, Reactor Construction & Engineering Support
Branch 79/01/09 4pp

7903210132 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
ASME SA-312 Type 304 Stainless Steel Pipe Spools
Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903230374 Ack receipt of IE Insp Rept 50-369/79-06 No proprietary
info
PARKER, W D Duke Power Co 79/03/13 1p

7903270517 Ack receipt of IE Insp Rept 50-369/79-07 on 790122-25 No
proprietary info
PARKER, W D Duke Power Co. 79/03/13 1p

7903270526 Forwards IE Insp Rept 50-369/79-07 on 790122-25 No
noncompliance noted
LEWIS, R C Region 2, Atlanta, Reactor Operations Nuclear
Support Branch 79/02/15 2pp

7903270533 IE Insp Rept 50-369/79-07 on 790122-25 No noncompliance
noted Major areas inspected preoperational test procedures,
hot functional test performance, preoperational test review
& facility cleanliness.
DONAT, T J Region 2, Atlanta, Reactor Operations Nuclear
Support Branch. 79/02/15 4p

7903210583 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque
Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903270373 Forwards responses to 790209 ltr re proposed augmented
inservice inspector program Responses cover high energy pipe
ruptures, analysis of 16 inch feedwater line & results from
breaks in 10 inch cold leg accumulator line
PARKER, W D Duke Power Co 79/03/22 12pp

7903050539 FOIA request for documents re NRC reevaluation of Rasmussen
Rpt
RILEY, J Carolina Environmental Study Group 79/01/21 1p

7903060191 Requests info for review of spent fuel cask accident
analysis to be submitted by 790302 Analysis should identify
& consider any special equipment to be used in handling
Oconee cask w/McGuire cask handling crane
BAER, R L Light Water Reactors Branch 2 79/02/06 4pp

7903080182 Forwards outstanding review matters needing addl info for
review of application Requests response by 790323
BAER, R L Light Water Reactors Branch 2 79/02/08 11pp

7903210152 Forwards request for addl info re containment temp &
pressure response to certain postulated main steam line
break accidents
VASSALLO, D Assistant Director for Light Water Reactors
79/02/26 2pp

7903190156 Forwards request for addl info re reanalysis of containment
response to postulated main steam line break in lower
compartment using revised Westinghouse LOTIC-3 ice condenser
containment code
BAER, R L Light Water Reactors Branch 2 79/02/27 5pp

7903070232 In response to NRC 790206 request, forwards spent fuel cask
drop analysis of NSF-4 truck-type cask Examines three
possible cases of dropping or tipping
PARKER, W D Duke Power Co 79/03/02 7pp

7903270606 Forwards NUREG-0523, "Summary of Operating Experience
w/Recirculating Steam Generators," which focuses on recent
problems w/degradation Believes continued plant operation
does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects
79/03/02 3pp

7903220262 Forwards info supplementing 781003 ltr re qualification of
limitorque valve operator terminations & stem-mounted limit
switch terminations
PARKER, W D Duke Power Co 79/03/19 60pp

7903270336 Forwards status of outstanding review matters requested in
790208 ltr
PARKER, W D Duke Power Co 79/03/23 3pp

7903270381 In response to 790207 ltr, forwards std Tech Specs re waste
solidification
PARKER, W D Duke Power Co 79/03/23 7pp

7903210531 Forwards Suppl 2 to SER for facilities
BAER, R L Light Water Reactors Branch 2 79/03/01 3pp
Available at NTIS

7903220034 Suppl 2 to SER Discusses design criteria, reactor coolant
sys, engineered safety features, instrumentation & control,
auxiliary sys, steam & power conversion sys & initial test
program
* Office of Nuclear Reactor Regulation NUREG-0422 79/03/01
60pp Available at NTIS

7903270380 Forwards safeguards contingency plan Encl withheld (ref
10CFR2 790)
PARKER, W D Duke Power Co 79/03/23 1p

7903050487 Intervenor's petition to reopen safety phases of licensing
proceedings Urges review of pressure suppression
containments, lack of rod sys required by WASH-1270 &
possible inadequacy of stud bolts
RILEY, J L Carolina Environmental Study Group 79/01/28 3pp

7903050114 Forwards transmittal memo for SAND77-1927, "Transport of
Radionuclides in Urban Environs Working Draft Assessment"
HOEFLING, R K Branch 4, 79/02/02 4pp

7903230290 Orders applicant & NRC to file answers within 10 & 15 days
respectively, to Carolina Environ Study Group's 790128 motion
to reopen record
LAZOR, R M Atomic Safety and Licensing Board Panel 79/03/07 1p

7903290011 Forwards corporate annual rept, financial forecast & util
statement re available sources of funds w/o encl
THIES, A C Duke Power Co 79/03/21 1p

DOCKETED SERIES

159

DOCKET 50-370 William B McGuire Nuclear Station, Unit 2

7903200065 Notice of violation from insp on 781227-29
* Region 2, Atlanta, Office of the Director 79/01/09 1p

7903260292 Operating license antitrust review info & Amend 1 to
CPR-83
MCCLYMOND, R Antitrust & Indemnity Group 79/03/15 8pp

7903200067 IE Insp Repts 50-369/78-44 & 50-370/78-14 on 781227-29
Noncompliance noted failure to follow procedure for coated
electrode weld rod control
ANG, W P Region 2, Atlanta, Office of the Director BRYANT, J C
Region 2, Atlanta, Reactor Construction & Engineering Support
Branch 79/01/09 4pp

7903260294 Amend 1 to CPR-83 re bulk power supply
DEYOUNG, R C Division of Project Management 75/08/25 7pp

7902280257 Forwards IF Info Notice 79-01, "Bergen-Paterson Hydraulic
Shock & Sway Arrestors (HSSA) "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/02 5pp

7903210132 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
ASME SA-312 Type 304 Stainless Steel Pipe Spools
Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903020170 Forwards results of 790118 meeting re proposed use of
augmented inservice insp to satisfy requirements of General
Criterion 4 for limited number of locations in unit piping
BOYD, R S Division of Project Management 79/02/09 4pp

7903210583 Forwards IE Circular 79-04, "Loose Locking Nut on Limiting
Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903070395 Summarizes meeting on 790118 to discuss applicant appeal of
NRC position on proposed augmented inservice insp program
Applicant will provide addl info
BIRKEL, R A Light Water Reactors Branch 2 79/02/12 5pp

7903270373 Forwards responses to 790207 ltr re proposed augmented
inservice inspector program Responses cover high energy pipe
ruptures, analysis of 16 inch feedwater line & results from
breaks in 10 inch cold leg accumulator line
PARKER, W O Duke Power Co 79/03/22 12pp

7903260110 Forwards IE Insp Repts 50-369/79-05 & 50-370/79-03 on
790116-19 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering
Support Branch 79/02/15 2pp

DOCKET 50-372 Atlantic Richfield Co

7903260113 Notice of violation from insp on 790116-19
* Region 2, Atlanta, Reactor Construction & Engineering Support
Branch 79/02/15 1p

7903070188 IE Insp Rept 50-372/79-01 on 790102-05 No noncompliance
noted Major areas inspected preservice insp program,
procedures, work activities & records
VANDORRN, P K, CONLON, T E Region 2, Atlanta, Reactor
Construction & Engineering Support Branch 79/01/12 5pp

7903260115 IE Insp Repts 50-369/79-05 & 50-370/79-03 on 790116-19
Noncompliance noted pipe hanger nonconformance tags became
detached
HUNT, M D, HERDT, A R Region 2, Atlanta, Reactor Construction &
Engineering Support Branch 79/02/15 5pp

DOCKET 50-373 LaSalle County Station, Unit 1

7903080532 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903060693 Notification that 790213 meeting re seismic design
difficulties has been indefinitely postponed
BOURNIA, A Light Water Reactors Branch 3 79/01/30 1p

7903080270 Informs recipients of IF Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model S3CML should read
SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140397 Notification of 790228 meeting in Bethesda, MD w/util
concerning seismic design problem Indicates date, time &
location change
BOURNIA, A Light Water Reactors Branch 3 79/01/30 1p

7903140359 Ack receipt of IE Insp Repts 50-369/79-03 & 50-370/79-02
No proprietary info
PARKER, W O Duke Power Co 79/02/28 1p

7903010326 Notification of 790215 meeting in Bethesda, MD w/util to
discuss open items on initial test program
BOURNIA, A Light Water Reactors Branch 3 79/02/06 2pp

7903140364 Forwards IE Insp Repts 50-369/79-03 & 50-370/79-02 on
790109-11 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear
Support Branch 79/02/05 2pp

7903060314 Forwards amended request for addl info re structural
engineering, as requested in 790124 telcon
PARR, O D Light Water Reactors Branch 3 79/02/06 3pp

7903140567 IE Insp Repts 50-369/79-03 & 50-370/79-02 on 790109-11 No
noncompliance noted Major areas inspected Category 1
structures & supports outside containments, containment
penetrations, main steam line relief valve assembly & dam
SWAN, W B, BRYANT, J C Region 2, Atlanta, Reactor Construction
& Engineering Support Branch 79/02/05 6pp

7903050530 Summarizes meeting on 790206 to discuss fuel load date.
Fourth quarter 1979 date appears realistic, while July 1979
date is optimistic
BOURNIA, A Light Water Reactors Branch 3 79/02/13 3pp

7903090076 Forwards NRC recommendations for preparation of Offsite Di
Calculation Manual & radiological effluent Tech Specs.
PARR, O D Light Water Reactors Branch 3 79/02/14 6pp

7903140343 Forwards IF Info Bulletin 79-02, "Pipe Support Base Plate
Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903190021 Discusses reevaluation of equipment qualification for
seismic & hydrodynamic loads Requests addl info re plans &
schedule for completing response to encl questions
BOYD, R S Division of Project Management 79/02/23 8pp

7903200047 Ack receipt of 790219 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-369/78-44 &
50-370/78-18
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering
Support Branch 79/03/09 1p

7903200020 Requests addl info to complete review of FBAR Addl info
includes alternate shutdown cooling methods in event of
residual heat removal & operability of control rod drives
after cutting & capping return line
PARR, O D Light Water Reactors Branch 3 79/02/28 4pp

7903200056 Responds to NRC 790123 ltr re violations noted in IE Insp
Repts 50-369/78-44 & 50-370/78-18 Corrective actions
reinstruction re proper disposal of unused welding matl
PARKER, W O Duke Power Co 79/02/19 2pp

7903190128 Summary of 790215-16 meeting w/util re open items on init
test program W/encl list of attendees
BOURNIA, A Light Water Reactors Branch 3, 79/03/01 12pp

7903200060 Forwards IE Insp Repts 50-369/78-44 & 50-370/78-18 on
781227-29 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction &
Engineering Support Branch 79/01/23 2pp

7903270043 Notification of 790315 meeting w/Mark II lead plants to
discuss mechanical & equipment qualification Meeting
cancelled
PELTIER, I A Light Water Reactors Branch 1 79/03/08 4pp

DOCKETED SERIES

DOCKET 50-373 LaSalle County Station, Unit 1

7903230009 Notification of 790321 meeting in Los Gatos, CA w/ representatives from Mark II owner group to discuss Mark II LOCA & safety relief valve pool dynamic loads
ANDERSON, C J Containment Systems Branch 79/03/12 12pp

7903200440 Notification of 790315 meeting w/Mark II lead plants in Bethesda, MD, to discuss mechanical & electrical equipment qualification
FELTIER, I A Light Water Reactors Branch 1 79/03/15 4pp

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II"
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/03/16 1p

7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II"
UPPAL, I S General Electric Co, Nuclear Energy Products Div 79/03/16 12pp

7903260288 Forwards "Vent Clearing Pool Boundary Loads for Mark II Plants," presenting alternative load spec based on conservative application of 4T test data, replacing spec identified in NUREG-0487
SOBON, L J General Electric Co 79/03/20 6pp

7903290085 Forwards proprietary copies of alternate load spec info document applicable to wetwell walls, to replace info in NUREG-0487 Encl withheld (ref 10CFR2 790) w/affidavit
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/03/20 5pp

7903270494 Discusses applicant's position re FSAR open items for which responses have already been docketed, but for which staff expresses continuing concern. Issues include environ qualification of equipment & sump level sys
DELGEOERGE, L O Commonwealth Edison Co 79/03/23 8pp

7903060517 Requests addl info re instrumentation & control & QA to complete review of SER
PARR, D D Light Water Reactors Branch 3 79/02/05 7pp

7903140457 In response to SER open items, advises that status of items was reviewed on 790228 Review dealt w/diesel engine air start sys, hydrodynamic stability analyses & low pressure containment leakage testing
DELGEOERGE, L O Commonwealth Edison Co 79/03/07 4pp

7903010112 Notifies of security plan deficiencies which are significant enough to warrant imposition of license conditions. Forwards comments for incorporation into plan Appeal is possible
Encl A withheld (ref 10CFR2 790)
IPPOLITO, T A Operating Reactors Branch 3 79/01/30 3pp

7903190102 Forwards request for addl info re fire protection Staff requirements for min safe shutdown & fire protection sys encl
PARR, D D Light Water Reactors Branch 3 79/02/26 30pp

7903270495 Forwards safeguards contingency plan Withheld (ref 10CFR2 790)
REED, C Commonwealth Edison Co 79/03/23 1p

7903050263 Forwards Endorsement 116 to NELIA NF-43, Endorsement 98 to MAELU MF-22, Endorsement 97 to NELIA NF-187, Endorsement 48 to MAELU MF-54, Endorsement 46 to NELIA NF-201, Endorsement 40 to MAELU MF-64 & Endorsement 9 to NELIA NF-293 for CY 1979
OSTER, J Commonwealth Edison Co 79/02/26 8pp

7903150303 Forwards Amend 43 to facility FSAR
REED, C Commonwealth Edison Co 79/03/09 1p

7903150306 Amend 43 to FSAR Responds to five Second Round questions & contains voluntary text & response revisions
* Commonwealth Edison Co 79/03/09 220pp

7903210193 Forwards affidavit stating that distribution of FSAR Amend 43 has been made per 770526 ltr from OD Parr to B Lee
DELGEOERGE, L O Commonwealth Edison Co 79/03/15 2pp

7903290115 Forwards "Preservice Insp & Testing Plan, Revision 3, March 1979"
DELGEOERGE, L O Commonwealth Edison Co 79/03/15 2pp

7903080108 Forwards IE Insp Repts 50-373/78-28 & 50-374/78-20 on 781031-1103 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/03 2pp

7903080108 Notice of violation from insp on 781031-1103
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/12/26 1p

7903080110 IE Insp Repts 50-373/78-28 & 50-374/78-20 on 781031-1103 Noncompliance noted radiographic rept on feedwater safe & weld was erroneously marked "Acceptable." Actual root radiograph not available to check defect
ERB, C M, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/12/26 4pp

7903070045 Forwards IE Insp Rept 50-373/78-34 on 781226-27 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/19 2pp

7903070049 IE Insp Rept 50-373/78-34 on 781226-27 No noncompliance noted Major areas inspected containment structural integrity test & followup of previously identified unresolved items & items of noncompliance
GALLAGHER, E J, HANSEN, W A, SPESSARD, R L Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/18 9pp

7903070073 Forwards IE Insp Rept 50-373/78-33 on 781205-06 & 19-20 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/19 2pp

7903070078 IE Insp Rept 50-373/78-33 on 781205-06 & 19-20 No noncompliance noted Major areas inspected preoperational test program & review of preoperational test procedures
MAURA, F, STREETER, J F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/17 5pp

7903020413 Forwards IE Insp Repts 50-373/79-01 & 50-374/79-02 on 790110 No noncompliance noted
HIND, J A Region 3, Chicago, Safeguards Branch 79/01/26 2pp

7903020417 IE Insp Repts 50-373/79-01 & 50-374/79-02 on 790110 No noncompliance noted Major areas inspected physical security for receipt, insp, handling & storage of nuclear fuel Details withheld (ref 10CFR2 790)
DELANGER, J L, MAEDA, T J, SCHEFFER, J C Region 3, Chicago, Safeguards Branch 79/01/22 1p

7903130013 Forwards IE Insp Rept 50-373/78-30 on 781128-30 & 122/ No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/01/29 2pp

7903130016 IE Insp Rept 50-373/78-30 on 781128-30 & 122/ No noncompliance noted Major areas inspected preoperational test program, operational staffing, maint/surveillance procedure review, staff training & plant tour
HALKER, R D, JACKLIN, I N, KNOP, R C Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/25 4pp

7903160259 Forwards IE Insp Rept 50-373/79-04 & 50-374/79-01 on 790110-12 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/01 2pp

7903160260 Notice of violation from insp on 790110-12
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/31 1p

7903160262 IE Insp Rept 50-373/79-04 & 50-374/79-01 on 790110-12 Noncompliance noted inadequate insp for anchor bolt installation, inadequate rework & replacement procedure for rejected anchor bolts
VIN, I T, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/31 7pp

7903130066 Forwards IE Insp Repts 50-373/78-31 & 50-374/78-22 on 791206 & 12-13 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 2pp

7903130069 IE Insp Repts 50-373/78-31 & 50-374/78-22 on 781206&12-13 No noncompliance noted Major areas inspected reactor internals work, quality records, Class 1 valves, downcomers-suppression pool & closeout noncompliance items
ERB, C M, HAWKINS, F C, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/29 11pp

7903220458 Forwards IE Insp Repts 50-373/79-02 & 50-374/79-03 on 790111 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/12 2pp

DOCKETED SERIES

161

DOCKET 50-373 LaSalle County Station, Unit 1

7903220466 IE Insp Repts 50-373/79-02 & 50-374/79-03 on 790111 No noncompliance noted Major areas inspected licensee action on previous findings status of reported items involving containment tendon buttonhead cracking & pump deficiencies NEISLER, J H , HAWKINS, F C, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 4pp

7903080419 Forwards IE Info Notice 79-04, 'Degradation of Engineered Safety Features " KEPLER, J G Region 3 Chicago, Office of the Director 79/02/16 1p

7903130403 Ack receipt of 790205 ltr informing NRC of assessment of noncompliance identified in IE Insp Repts 50-373/78-28 & 50-374/78-20 Cites ASME Section III, 1974 edition, paragraph NB-5320, as basis for noncompliance FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/21 2pp

7903130608 Responds to NRC 790105 ltr re violations noted in IE Insp Repts 50-373/78-28 & 50-374/78-20 Corrective actions record in question was for "info only" & was not required Weld integrity verified for completed weld REED, C Commonwealth Edison Co 79/02/05 3pp

7903070556 Ack receipt of 790129 ltr informing NRC of steps taken to correct violations noted in NRC 781226 ltr KEPLER, J G Region 3, Chicago, Office of the Director 79/02/23 1p

7903150400 Forwards IE Insp Repts 50-373/78-32 & 50-374/78-23 on 781130, 1213 14 & 18-20 No noncompliance noted HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/03/28 2pp

7903150407 IE Insp Repts 50-373/78-32 & 50-374/78-23 on 781130, 1213-14 & 18-20 No noncompliance noted Major areas inspected followup on previous insp & bulletins/circulars, & review of const status PHILLIPS, H S , NEISLER, J H , HAYES, D W Region 3, Chicago, Office of the Director 79/01/29 9pp

7903080343 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class 1F Equipment " dtd 790208, that valve limit switch identified as NAMCO Model 93CML should read SL3CML KEPLER, J G Region 3 Chicago, Office of the Director 79/03/01 1p

7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts " KEPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190539 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co. " KEPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903290116 "Preservice Insp & Testing Plan, Revision 3, March 1979 " DELGEOERGE, L O Commonwealth Edison Co 79/03/08 243pp

7903140084 Ack receipt of 790130 ltr per 10CFR50 55(e) re safety relief valve control sys FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/15 1p

DOCKET 50-374 LaSalle County Station, Unit 2

7903060693 Notification that 790213 meeting re seismic design difficulties has been indefinitely postponed BOURNIA, A Light Water Reactors Branch 3 79/01/30 1p

7903140399 Notification of 790228 meeting in Bethesda, MD w/util concerning seismic design problem Indicates date, time & location change BOURNIA, A Light Water Reactors Branch 3 79/01/30 1p

7903010326 Notification of 790213 meeting in Bethesda, MD w/util to discuss open items on initial test program BOURNIA, A Light Water Reactors Branch 3 79/02/06 2pp

7903060514 Forwards amended request for addl info re structural engineering, as requested in 790124 telcon PARR, O D Light Water Reactors Branch 3 79/02/06 3pp

7903050530 Summarizes meeting on 790206 to discuss fuel load date Fourth quarter 1979 date appears realistic, while July 1979 date is optimistic BOURNIA, A Light Water Reactors Branch 3 79/02/13 3pp

7903090076 Forwards NRC recommendations for preparation of Offsite Dose Calculation Manual & radiological effluent Tech Specs PARR, O D Light Water Reactors Branch 3 79/02/14 6pp

7903190021 Discusses reevaluation of equipment qualification for seismic & hydrodynamic loads Requests addl info re plans & schedule for completing response to encl questions BOYD, R S Division of Project Management 79/02/23 8pp

7903200020 Requests addl info to complete review of FSAR Addl info includes alternate shutdown cooling methods in event of residual heat removal & operability of control rod drives after cutting & capping return line PARR, O D Light Water Reactors Branch 3 79/02/28 4pp

7903190128 Summary of 790219-16 meeting w/util re open items on initial test program W/encl list of attendees BOURNIA, A Light Water Reactors Branch 3 79/03/01 12pp

7903270043 Notification of 790319 meeting w/Mark II lead plants to discuss mechanical & equipment qualification Meeting cancelled PELTIER, I A Light Water Reactors Branch 1 79/03/08 4pp

7903230009 Notification of 790321 meeting in Los Gatos, CA w/ representatives from Mark II owners group to discuss Mark II LOCA & safety relief valve pool dynamic loads ANDERSON, C J Containment Systems Branch 79/03/12 12pp

7903200440 Notification of 790315 meeting w/Mark II lead plants in Bethesda, MD, to discuss mechanical & electrical equipment qualification PELTIER, I A Light Water Reactors Branch 1 79/03/15 4pp

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II " BODON, L J General Electric Co, Nuclear Energy Products Div 79/03/16 1p

7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II " UPPAL, I S General Electric Co, Nuclear Energy Products Div 79/03/16 12pp

7903280288 Forwards "Vent Clearing Pool Boundary Loads for Mark II Plants," presenting alternative load spec based on conservative application of 4T test data, replacing spec identified in NUREG-0487 BODON, L J General Electric Co 79/03/20 6pp

7903290085 Forwards proprietary copies of alternate load spec info document applicable to wetwell walls, to replace info in NUREG-0487 Encl withheld (ref 10CFR2 790) W/affidavit BODON, L J General Electric Co, Nuclear Energy Products Div 79/03/20 5pp

7903270494 Discusses applicant's position re FSAR open items for which responses have already been docketed, but for which staff expresses continuing concern Issues include environ qualification of equipment & sump level sys DELGEOERGE, L O Commonwealth Edison Co 79/03/23 8pp

7903060517 Requests addl info re instrumentation & control & QA to complete review of SER PARR, O D Light Water Reactors Branch 3 79/02/05 7pp

790314045/ In response to SER open items, advises that status of items was reviewed on 790228 Review dealt w/diesel engine air start sys, hydrodynamic stability analyses & low pressure containment leakage testing DELGEOERGE, L O Commonwealth Edison Co 79/03/07 4pp

7903010112 Notices of security plan deficiencies which are significant enough to warrant imposition of license conditions, Forwards comments for incorporation into plan Appeal is possible Encl A withheld (ref 10CFR2 790) IPPOLITO, T A Operating Reactors Branch 3 79/01/30 3pp.

7903190102 Forwards request for addl info re fire protection, Staff requirements for min safe shutdown & fire protection sys encl PARR, O D Light Water Reactors Branch 3 79/02/26 30pp

DOCKETED SERIES

DOCKET 50-373 LaSalle County Station, Unit 1

790320009 Notification of 790321 meeting in Los Gatos, CA w/
representatives from Mark II owners group to discuss Mark II
LOCA & safety relief valve pool dynamic loads
ANDERSON, C J Containment Systems Branch 79/03/12 12pp

790320044 Notification of 790315 meeting w/Mark II lead plants in
Bethesda, MD, to discuss mechanical & electrical equipment
qualification
PELTIER, I A Light Water Reactors Branch 1 79/03/15 4pp

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II"
SOBON, L J General Electric Co., Nuclear Energy Products Div
79/03/16 1p

7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II"
UPPAL, I S General Electric Co., Nuclear Energy Products Div
79/03/16 12pp

7903280288 Forwards "Vent Clearing Pool Boundary Loads for Mark II
Plants," presenting alternative load spec based on
conservative application of 4T test data, replacing spec
identified in NUREG-0487
SOBON, L J General Electric Co 79/03/20 6pp

7903290085 Forwards proprietary copies of alternate load spec info
document applicable to wetwell walls, to replace info in
NUREG-0487 Encl withheld (ref 10CFR2 790) w/affidavit
SOBON, L J General Electric Co., Nuclear Energy Products Div
79/03/20 5pp

7903270494 Discusses applicant's position re FSAR open items for which
responses have already been docketed, but for which staff
expresses continuing concern. Issues include environ
qualification of equipment & sump level sys
DELGEORGE, L O Commonwealth Edison Co 79/03/23 8pp

7903060517 Requests addl info re instrumentation & control & QA to
complete review of SER
PARR, O D Light Water Reactors Branch 3 79/02/05 7pp

7903140457 In response to SER open items, advises that status of items
was reviewed on 790228. Review dealt w/diesel engine air
start sys, hydrodynamic stability analyses & low pressure
containment leakage testing
DELGEORGE, L O Commonwealth Edison Co 79/03/07 4pp

7903010112 Notifies of security plan deficiencies which are significant
enough to warrant imposition of license conditions. Forwards
comments for incorporation into plan Appeal is possible
Encl A withheld (ref 10CFR2 790)
IPPOLITO, T A Operating Reactors Branch 3 79/01/30 3pp

7903190102 Forwards request for addl info re fire protection. Staff
requirements for min safe shutdown & fire protection sys
encl
PARR, O D Light Water Reactors Branch 3 79/02/26 30pp

7903270495 Forwards safeguards contingency plan Withheld (ref
10CFR2, 790)
REED, C Commonwealth Edison Co 79/03/23 1p

7903050263 Forwards Endorsement 116 to NELIA NF-43, Endorsement 98 to
MAELU MF-22, Endorsement 97 to NELIA NF-187, Endorsement 48 to
MAELU MF-54, Endorsement 46 to NELIA NF-201, Endorsement 40 to
MAELU MF-64 & Endorsement 9 to NELIA NF-253 for CV 1979
OSTER, J Commonwealth Edison Co 79/02/26 8pp

7903150303 Forwards Amend 43 to facility FSAR
REED, C Commonwealth Edison Co 79/03/09 1p

7903130306 Amend 43 to FSAR Responds to five Second Round questions &
contains voluntary text & response revisions
* Commonwealth Edison Co 79/03/09 220pp

7903210193 Forwards affidavit stating that distribution of FSAR Amend
43 has been made per 770526 ltr from OD Parr to B Lee
DELGEORGE, L O Commonwealth Edison Co 79/03/15 2pp

7903290115 Forwards "Preservice Insp & Testing Plan, Revision 3, March
1979"
DELGEORGE, L O Commonwealth Edison Co 79/03/15 2pp

7903080105 Forwards IE Insp Repts 50-373/78-28 & 50-374/78-20 on
781031-1103 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction &
Engineering Support Branch 79/01/03 2pp

7903080108 Notice of violation from insp on 781031-1103
* Region 3, Chicago, Reactor Construction & Engineering Support
Branch 78/12/26 1p

7903080110 IE Insp Repts 50-373/78-28 & 50-374/78-20 on 781031-1103
Noncompliance noted radiographic rept on feedwater safe &
weld was erroneously marked "Acceptable." Actual root
radiograph not available to check defect
ERB, C M, DANIELSON, D H Region 3, Chicago, Reactor
Construction & Engineering Support Branch 78/12/26 4pp

7903070045 Forwards IE Insp Rept 50-373/78-34 on 781226-27 No
noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction &
Engineering Support Branch 79/01/19 2pp

7903070049 IE Insp Rept 50-373/78-34 on 781226-27 No noncompliance
noted Major areas inspected containment structural integrity
test & followup of previously identified unresolved items &
items of noncompliance
GALLAGHER, E J, HANSEN, W A, SPRESSARD, R L Region 3, Chicago,
Reactor Construction & Engineering Support Branch 79/01/18 7pp

7903070073 Forwards IE Insp Rept 50-373/78-33 on 781205-06 & 19-20 No
noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support
Branch 79/01/19 2pp

7903070078 IE Insp Rept 50-373/78-33 on 781205-06 & 19-20 No
noncompliance noted Major areas inspected preoperational
test program & review of preoperational test procedures
MAURA, F, STREETER, J F Region 3, Chicago, Reactor Operations
Nuclear Support Branch 79/01/17 5pp

7903020413 Forwards IE Insp Repts 50-373/79-01 & 50-374/79-02
on 790110 No noncompliance noted
HIND, J A Region 3, Chicago, Safeguards Branch 79/01/26 2pp

7903020417 IE Insp Repts 50-373/79-01 & 50-374/79-02 on 790110 No
noncompliance noted Major areas inspected physical security
for receipt, insp, handling & storage of nuclear fuel details
withheld (ref 10CFR2 790)
BELANGER, J L, MADDA, T J, SCHEFFER, J C Region 3, Chicago,
Safeguards Branch 79/01/22 1p

7903130013 Forwards IE Insp Rept 50-373/78-30 on 781128-30 & 1227 No
noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support
Branch 79/01/29 2pp

7903130016 IE Insp Rept 50-373/78-30 on 781128-30 & 1227 No
noncompliance noted Major areas inspected preoperational
test program, operational staffing, maint/surveillance
procedure review, staff training & plant tour
WALKER, R D, JACKIM, I N, KNOP, R C Region 3, Chicago, Reactor
Construction & Engineering Support Branch 79/01/29 4pp

7903160239 Forwards IE Insp Rept 50-373/79-04 & 50-374/79-01 on
790110-12 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction &
Engineering Support Branch 79/02/01 2pp

7903160260 Notice of violation from insp on 790110-12
* Region 3, Chicago, Reactor Construction & Engineering Support
Branch 79/01/31 1p

7903160262 IE Insp Rept 50-373/79-04 & 50-374/79-01 on 790110-12
Noncompliance noted inadequate insp for anchor bolt
installation, inadequate repair & replacement procedure for
rejected anchor bolts
VIN, I T, DANIELSON, D H Region 3, Chicago, Reactor
Construction & Engineering Support Branch 79/01/31 7pp

7903130066 Forwards IE Insp Repts 50-373/78-31 & 50-374/78-22 on
791206 & 12-13 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction &
Engineering Support Branch 79/02/08 2pp

7903130069 IE Insp Repts 50-373/78-31 & 50-374/78-22 on 781206 & 12-13 No
noncompliance noted Major areas inspected reactor internals
work, quality records, Class 1 valves, downcomers-suppression
pool & closeout noncompliance items
ERB, C M, HAWKINS, F C, DANIELSON, D H Region 3, Chicago,
Reactor Construction & Engineering Support Branch 79/01/29
11pp

7903280458 Forwards IE Insp Repts 50-373/79-02 & 50-374/79-03 on
790111 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction &
Engineering Support Branch 79/02/12 2pp

DOCKETED SERIES

161

DOCKET 50-3/3 LaSalle County Station, Unit 1

7903220466 IE Insp Repts 50-373/79-02 & 50-374/79-03 on 790111 No noncompliance noted Major areas inspected licensee action on previous findings status of reported items involving containment London buttonhead cracking & pump deficiencies NEISLER, J H , HAWKINS, F C, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 4pp

7903080419 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features " KEPLER, J G Region 3 Chicago, Office of the Director 79/02/16 1p

7903130607 Ack receipt of 790205 ltr informing NRC of assessment of noncompliance identified in IE Insp Repts 50-373/78-28 & 50-374/78-20 Cites ASME Section III, 1974 edition, paragraph NB-5320, as basis for noncompliance FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/21 2pp

7903130608 Responds to NRC 790105 ltr re violations noted in IE Insp Repts 50-373/78-28 & 50-374/78-20 Corrective actions record in question was for "info only" & was not required Weld integrity verified for completed weld REED, C Commonwealth Edison Co 79/02/05 3pp

7903070556 Ack receipt of 790129 ltr informing NRC of steps taken to correct violations noted in NRC 781226 ltr KEPLER, J G Region 3, Chicago, Office of the Director 79/02/23 1p

7903150400 Forwards IE Insp Repts 50-373/78-32 & 50-374/78-23 on 781130, 1213-14 & 18-20 No noncompliance noted Major areas inspected followup on previous insp & bulletins/circulars, & review of const status PHILLIPS, H S , NEISLER, J H , HAYES, D W Region 3, Chicago, Office of the Director 79/01/29 9pp

7903080343 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " dtd 790208, that valve limit switch identified as NAMCO Model S3CM1 should read BL3CM1 KEPLER, J G Region 3 Chicago, Office of the Director 79/03/01 1p

7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts " KEPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190539 Forwards II Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co " KEPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903290116 "Preservice Insp & Testing Plan, Revision 3, March 1979 " DELGEORGE, L O Commonwealth Edison Co 79/03/08 243pp

7903140084 Ack receipt of 790130 ltr per 10CFR50 55(e) re safety relief valve control sys FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/15 1p

DOCKET 50-3/4 LaSalle County Station, Unit 2

7903040693 Notification that 790213 meeting re seismic design difficulties has been indefinitely postponed BOURNIA, A Light Water Reactors Branch 3 79/01/30 1p

7903140399 Notification of 790228 meeting in Bethesda, MD w/util concerning seismic design problem Indicates date, time & location change BOURNIA, A Light Water Reactors Branch 3 79/01/30 1p

7903010326 Notification of 790215 meeting in Bethesda, MD w/util to discuss open items on initial test program BOURNIA, A Light Water Reactors Branch 3 79/02/06 2pp

7903060514 Forwards amended request for addl info re structural engineering, as requested in 790124 telcon PARR, O D Light Water Reactors Branch 3 79/02/06 3pp

7903050530 Summarizes meeting on 790206 to discuss fuel load date Fourth quarter 1979 date appears realistic, while July 1979 date is optimistic BOURNIA, A Light Water Reactors Branch 3 79/02/13 3pp

7903050076 Forwards NRC recommendations for preparation of Offsite Dose Calculation Manual & radiological effluent Tech Specs PARR, O D Light Water Reactors Branch 3 79/02/14 6pp

7903190021 Discusses reevaluation of equipment qualification for seismic & hydrodynamic loads Requests addl info re plans & schedule for completing response to encl questions BOYD, R S Division of Project Management 79/02/23 8pp

7903200020 Requests addl info to complete review of FSAR Addl info includes alternate shutdown cooling methods in event of residual heat removal & operability of control rod drives after cutting & capping return line PARR, O D Light Water Reactors Branch 3 79/02/28 4pp

7903190128 Summary of 790215-16 meeting w/util re open items on initial test program W/encl list of attendees BOURNIA, A Light Water Reactors Branch 3 79/03/01 12pp

7903270043 Notification of 790315 meeting w/Mark II lead plants to discuss mechanical & equipment qualification Meeting cancelled PELTIER, I A Light Water Reactors Branch 1 79/03/08 4pp

7903230007 Notification of 790321 meeting in Los Gatos, CA w/ representatives from Mark II owners group to discuss Mark II LOCA & safety relief valve pool dynamic loads ANDERSON, C J Containment Systems Branch 79/03/12 12pp

7903200440 Notification of 790315 meeting w/Mark II lead plants in Bethesda, MD, to discuss mechanical & electrical equipment qualification PELTIER, I A Light Water Reactors Branch 1 79/03/15 4pp

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II " BOBON, L J General Electric Co , Nuclear Energy Products Div 79/03/16 1p

7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II " UPPAL, I S General Electric Co , Nuclear Energy Products Div 79/03/16 12pp

7903280288 Forwards "Vent Clearing Pool Boundary Loads for Mark II Plants," presenting alternative load spec based on conservative application of AT test data, replacing spec identified in NUREG-04B7 BOBON, L J General Electric Co 79/03/20 6pp

7903290085 Forwards proprietary copies of alternate load spec info document applicable to wetwell walls, to replace info in NUREG-04B7 Encl withheld (ref 10CFR2 790) W/affidavit BOBON, L J General Electric Co , Nuclear Energy Products Div 79/03/20 5pp

7903270494 Discusses applicant's position re FBAR open items for which responses have already been docketed, but for which staff expresses continuing concern Issues include environ qualification of equipment & sump level sys DELGEORGE, L O Commonwealth Edison Co 79/03/23 8pp

7903060517 Requests addl info re instrumentation & control & QA to complete review of SER PARR, O D Light Water Reactors Branch 3 79/02/05 7pp

7903140457 In response to SER open items, advises that status of items was reviewed on 790228 Review draft w/diesel engine air start sys, hydrodynamic stability analyses & low pressure containment leakage testing DELGEORGE, L O Commonwealth Edison Co 79/03/07 4pp

7903010112 Notices of security plan deficiencies which are significant enough to warrant imposition of license conditions Forwards comments for incorporation into plan Appeal is possible Encl A withheld (ref 10CFR2 790) IPPOLITO, T A Operating Reactors Branch 3 79/01/30, 3pp

7903190102 Forwards request for addl info re fire protection Staff requirements for min safe shutdown & fire protection sys encl PARR, O D Light Water Reactors Branch 3 79/02/26 30pp

DOCKETED SERIES

DOCKET 50-374 LaSalle County Station, Unit 2

7903270495 Forwards safeguards contingency plan withheld (ref 10CFR2 790)
REED, C Commonwealth Edison Co 79/03/23 1p

7903150303 Forwards Amend 43 to facility FSAR
REED, C Commonwealth Edison Co 79/03/09 1p

7903150306 Amend 43 to FSAR Responds to five Second Round questions & contains voluntary text & response revisions
* Commonwealth Edison Co 79/03/09 220pp

7903210193 Forwards affidavit stating that distribution of FSAR Amend 43 has been made per 770526 ltr from DO Parr to B Lee
DELGEORGE, L D Commonwealth Edison Co 79/03/15 2pp

7903270115 Forwards "Preservice Insp & Testing Plan, Revision 3, March 1979"
DELGEORGE, L D Commonwealth Edison Co 79/03/15 2pp

7903080105 Forwards IE Insp Repts 50-373/78-28 & 50-374/78-20 on 781031-1103 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/03 2pp

7903080108 Notice of violation from insp on 781031-1103
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/12/26 1p

7903080110 IE Insp Repts 50-373/78-28 & 50-374/78-20 on 781031-1103
Noncompliance noted radiographic rept on feedwater safe & weld was erroneously marked "Acceptable" Actual root radiograph not available to check defect
ERB, C M, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/12/26 4pp

7903020413 Forwards IE Insp Repts 50-373/79-01 & 50-374/79-02 on 790110 No noncompliance noted
HIND, J A Region 3, Chicago, Safeguards Branch 79/01/26 2pp

7903020417 IE Insp Repts 50-373/79-01 & 50-374/79-02 on 790110 No noncompliance noted Major areas inspected physical security for receipt, handling & storage of nuclear fuel details withheld (ref 10CFR2 790)
BELANGER, J L, MADEBA, T J, SCHEFFER, J C Region 3, Chicago, Safeguards Branch 79/01/22 1p

7903160259 Forwards IE Insp Rept 50-373/79-04 & 50-374/79-01 on 790110-12 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/01 2pp

7903160260 Notice of violation from insp on 790110-12
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/31 1p

7903160262 IE Insp Rept 50-373/79-04 & 50-374/79-01 on 790110-12
Noncompliance noted inadequate insp for anchor bolt installation, inadequate rework & replacement procedure for rejected anchor bolts
VIN, J T, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/31 7pp

7903130066 Forwards IE Insp Repts 50-373/78-31 & 50-374/78-22 on 791206 & 12-13 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 2pp

7903130069 IE Insp Repts 50-373/78-31 & 50-374/78-22 on 781206&12-13 No noncompliance noted Major areas inspected reactor internals work, quality records, Class 1 valves, downcomers-suppression pool & closeout noncompliance items
ERB, C M, HAWKINS, F C, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/29 11pp

7903220458 Forwards IE Insp Repts 50-373/79-02 & 50-374/79-03 on 790111 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/12 2pp

7903220466 IE Insp Repts 50-373/79-02 & 50-374/79-03 on 790111 No noncompliance noted Major areas inspected licensee action on previous findings, status of reported items involving containment tendon buttonhead cracking & pump deficiencies
NEISLER, J H, HAWKINS, F C, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 4pp

7903080419 Forwards IF Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903130603 Ack receipt of 790205 ltr informing NRC of assessment of noncompliance identified in IE Insp Repts 50-373/78-28 & 50-374/78-20 Cites ASME Section III, 1974 edition, paragraph NB-5320, as basis for noncompliance
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/21 2pp

7903130608 Responds to NRC 790104 ltr re violations noted in IE Insp Repts 50-373/78-28 & 50-374/78-20 Corrective actions record in question was for "info only" & was not required Weld integrity verified for completed weld
REED, C Commonwealth Edison Co 79/02/05 3pp

7903070556 Ack receipt of 790127 ltr informing NRC of steps taken to correct violations noted in NRC 781226 ltr
KEPLER, J G Region 3, Chicago, Office of the Director 79/02/23 1p

7903150400 Forwards IE Insp Repts 50-373/78-32 & 50-374/78-23 on 781130, 1213-14 & 18-20 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/28 2pp

7903150407 IF Insp Repts 50-373/78-32 & 50-374/78-23 on 781130, 1213-14 & 18-20 No noncompliance noted Major areas inspected followup on previous insp & bulletins/circulars, & review of const status
PHILLIPS, H S, NEISLER, J H, HAYES, D W Region 3, Chicago, Office of the Director 79/01/29 9pp

7903080343 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
KEPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190539 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
KEPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903290116 "Preservice Insp & Testing Plan, Revision 3, March 1979"
DELGEORGE, L D Commonwealth Edison Co 79/03/08 243pp

7903140084 Ack receipt of 790130 ltr per 10CFR50 55(e) re safety relief valve control sys
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/15 1p

DOCKET 50-375 Nuclear Examination Reactor

7903300371 Forwards Amend 2 to License R-118
REID, R W Operating Reactors Branch 4 79/03/21 3pp

7903300378 Amend 2 to License R-118 revising administrative controls portion of Tech Specs to reflect revised organizational structure & make minor editorial changes in definition of of staffing
REID, R W Operating Reactors Branch 4 79/03/21 9pp

DOCKET 50-376 North Coast Nuclear Plant

7903270036 Notification of 790328 meeting in Bethesda, MD, w/Puerto Rico Water Resources Authority to discuss plant geology/seismology review
FROELICH, R W Environmental Project Branch 1 79/03/08 1p

7903210430 Forwards USGS 781213 status review rept re geology & seismology of site Info will be addressed in upcoming NRC site safety evaluation rept
MCGURREN, H J Branch 1 79/02/26 15pp

DOCKETED SERIES

163

DOCKET 90-382 Waterford Generating Station, Unit 3

7903080164 Notification of meeting on 790306 to discuss operating license safety review schedule
BENEDICT, R A Light Water Reactors Branch 2 79/01/26 1p

7903090252 Notification of 790220 meeting in Bethesda, MD. w/utl to discuss const progress to date
BENEDICT, R A Light Water Reactors Branch 2 79/02/14 2pp

7903080160 Notification of 790320-P1 site visit to tour site & discuss staff's technical questions re environ rept for operating license application
COTA, P C Environmental Project Branch 1 79/02/23 2pp

7903270605 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation believes continued plant operation does not constitute risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903270015 Confirms arrangements made for 790320-21 official site visit & meeting re environ review of license application
List of items to be discussed encl
BALLARD, R L Environmental Project Branch 1 79/03/09 17pp

7903260307 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/lttr to major vendors requesting info & NUREG-0460, Vol 3 W/O encl
VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903070215 Forwards proposed mod to preoperational terrestrial ecology monitoring program as described in Suppl 6 to const permit environ rept Urges expansion of program
ASWELL, D L Louisiana Power & Light Co 79/02/23 6pp

7903050042 Establishes ASLB of SJ Wolfe, WH Jordan & M Foreman to rule on petition to intervene &/or requests for hearing, & to preside if hearing is ordered
LAZO, R M Atomic Safety and Licensing Board Panel 79/02/12 2pp

7903140351 Applicant's answer to Save Our Wetlands, Inc & Oystershell Alliance, Inc joint intervention petition Files no opposition to petition & requests notice of hearing be issued & prehearing conference scheduled Certificate of Svc encl
BLAKE, E L Shaw, Pittman, Potts, & Trowbridge 79/02/13 5pp

7903140322 Applicant's answer to LA Consumer's League, Inc intervention petition Questions League's authorization to represent its members & their interests Urges that authorization be required Certificate of Svc encl
BLAKE, E L Shaw, Pittman, Potts, & Trowbridge 79/02/14 6pp

7903140285 Motion to file one day out-of-time Encl responses were delayed due to closing of federal offices
MCGARRIN, H J Branch 1 79/02/21 1p

7903140296 Responds to intervention petitions of Save Our Wetlands, Inc & Oystershell Alliance Inc "Interest" & "aspects of proceeding requirements" have been satisfied
MCGURREN, H J Branch 1 79/02/21 7pp

7903140302 Responds to intervention petition of LA Consumer's League Inc. "Interest" & "aspects of proceeding" requirements have been satisfied Certificate of Svc encl
MCGURREN, H J Branch 1 79/02/21 5pp

7903210314 Confirms 790319 meeting in New Orleans, LA w/LA Consumers' League & utl to discuss contentions
MCGURREN, H J Branch 1 79/02/23 1p

7903210317 Confirms 790316 & 790319 meetings in New Orleans, LA w/Oystershell Alliance & Save Our Wetlands
MCGURREN, H J Branch 1 79/02/23 1p

7903220086 Confirms 790316 meeting in New Orleans, LA w/representatives of Save Our Wetlands, Oystershell Alliance, NRC & LA Power & Light Co to discuss contentions
MCGURREN, H J Branch 1 79/02/23 1p

7903220112 Grants NRC 790221 motion to file out-of-time
WOLFE, S J Atomic Safety and Licensing Board Panel 79/03/02 1p

7903220007 Concludes that intervenors, Save Our Wetlands, Inc, Oystershell Alliance, Inc & LA Consumer's League, Inc have demonstrated standing
WOLFE, S J Atomic Safety and Licensing Board Panel 79/03/07 4pp

7903220400 Notification of 790426 special prehearing conference of parties in New Orleans, LA to discuss key issues, consider intervention petition & establish schedule
WOLFE, S J Atomic Safety and Licensing Board Panel 79/03/08 4pp

7903202365 Forwards Amend 2 to FSAR
ASWELL, D L Louisiana Power & Light Co 79/02/21 1p

7903202365 Amend 2 to FSAR Drawings available in Central Files
ASWELL, D L Louisiana Power & Light Co 79/02/21 569pp

7903060602 Responds to IE Bulletin 78-12, "Atypical Weld Matl in Reactor Pressure Vessel Welds " C-E has not used suspect weld wire heat Proposes revision of bulletin
ASWELL, D L Louisiana Power & Light Co 78/11/30 2pp

7903020070 Forwards IE Insp Rept 50-382/78-16 on 781211-14 No noncompliance noted
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/03 2pp

7903020074 IE Insp Rept 50-382/78-16 on 781211-14 No noncompliance noted Major areas inspected const activities re follow-on review of QA/QC records & observation of handling, rigging & installation of reactor vessel
STEWART, R C, CROSSMAN, W A, HALL, R E Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/03 6pp

7903220224 Forwards IE Insp Rept 50-382/79-01 on 790109-12 No noncompliance noted
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/31 2pp

7903220225 IE Insp Rept 50-382/79-01 on 790109-12 No noncompliance noted Major areas inspected const activities re QA/QC documentation, reactor vessel installation, ASME Class III Code matl & seismic support hanger welds.
STEWART, R C, CROSSMAN, W A Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/31 4pp

7903080425 Forwards IF Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/08 1p

7903080441 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant "
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/09 1p

7903090042 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
SEYFRIT, K V Region 4, Dallas, Office of the Director. 79/02/16 1p

7903260015 Forwards IE Insp Rept 50-382/79-02 on 790123-26 & notice of violation
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/16 2pp

7903260019 Notice of violation from insp on 790123-26
" Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/16 2pp

7903260024 IE Insp Rept 50-382/79-02 on 790123-26 Noncompliance noted surveillance of welding parameters was improperly performed, safety-related batteries were improperly charged
STEWART, R C, CROSSMAN, W A, HALL, R E Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/16 9pp

7903190027 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208; that valve limit switch identified as NAMCO Model 83CML should read SL3CML
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/27 1p

7903280012 Forwards IF Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/08 1p

7903300013 Forwards IF Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/12 1p

DOCKETED SERIES

DOCKET 50-362 Waterford Generating Station, Unit 3

- 7903290329 Forwards IE Circular 79-04, "Loose Locking Nut on Limiting Valve Operators " SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/16 1p
- 7903300180 IE Info Notice 79-05, "Use of Improper Mats in Safety-Related Components " * Office of Inspection & Enforcement 79/03/21 2pp
- 7903300191 Forwards IE Info Notice 79-05, "Use of Improper Mats in Safety-Related Components " SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/21 2pp
- 7903040658 Forwards suggestions for changing FSAR Revision 4 based on review of responses to Second Round questions re Sections 13.2 & 13.5 COLLINS, P F Operator Licensing Branch 79/02/12 3pp
- 7903050080 Forwards NRC recommendations for preparation of Offsite Dos Calculation Manual & radiological effluent Tech Specs PARR, D D Light Water Reactors Branch 3 79/02/14 7pp
- 7903140170 Requests addl info re operator licensing to complete review of application for operating licenses PARR, D D Light Water Reactors Branch 3 79/02/23 4pp
- 7903190355 Forwards request for addl info re reactor analysis Info sought pertains to crud buildup, data base for rod bundles, flow channel distributions & analytic models PARR, D D Light Water Reactors Branch 3 79/02/26 5pp
- 7903270391 Forwards application to Susquehanna River Basin Commission, ER & design rept for const of Pond Hill Reservoir ER & design rept not encl CURTIS, N W Pennsylvania Power & Light Co 79/03/06 6pp
- 7903140415 Forwards Amend 7 to license application as Revision 5 to FSAR CURTIS, N W Pennsylvania Power & Light Co 79/03/12 2pp
- 7903140425 Amend 7 to license application, submitted as Revision 5 to FSAR * Pennsylvania Power & Light Co 79/03/12 200pp
- 7903230009 Notification of 790321 meeting in Los Gatos, CA w/ representatives from Mark II owners group to discuss Mark II LOCA & safety relief valve pool dynamic loads ANDERSON, C J Containment Systems Branch 79/03/12 12pp
- 7903150312 Forwards nonproprietary versions of Kraftwerk Union Aktiengesellschaft documents transmitted 771228 & 780105 Responds to NRC 780428 ltr CURTIS, N W Pennsylvania Power & Light Co 79/03/15 1p
- 7903150313 Rept translated from German "Formation & Oscillations of Spherical Gas Bubble Underwater" WEISSHAUPL Pennsylvania Power & Light Co 78/12/31 24pp
- 7903150316 Rept translated from German "Tests on Mixed Condensation w/Model Quenchers " WERNER, MELCHIOR, SIMON Pennsylvania Power & Light Co 73/09/15 69pp
- 7903150315 Rept translated from German "Calculation Model to Clarify Pressure Oscillations in Suppression Chamber After Vent Clearing " WEISSHAUPL, SCHALL Pennsylvania Power & Light Co 72/03/29 31pp
- 7903150318 Rept translated from German "Condensation & Vent Clearing Tests in GKM w/Perforated Pipes " HOFFMANN, MELCHIOR Pennsylvania Power & Light Co 73/05/10 118pp
- 7903150320 Rept translated from German "Const & Design of Relief Sys w/Perforated Pipe Quencher " BECKER, KOCH Pennsylvania Power & Light Co 73/07/09 91pp
- 7903150321 Rept translated from German "KKB-Vent Clearing w/Perforated Pipe Quencher " BECKER, KOCH Pennsylvania Power & Light Co 73/10/12 139pp
- 7903150322 Rept translated from German "Investigations of Condensation w/Perforated Pipe Quencher w/Small Water Coverage of Quencher Arms " HOFFMANN, BECKER Pennsylvania Power & Light Co 73/12/14 36pp
- 7903150335 Rept translated from German "KKB Const & Task of Relief Sys " KNAPP, BECKER Pennsylvania Power & Light Co 74/01/15 46pp
- 7903150339 Rept translated from German "Experimental Studies of Vent Clearing in Model Test Stand " WERNER Pennsylvania Power & Light Co 75/07/31 73pp
- 7903150344 Rept translated from German "KKB Specification for Blowdown Tests in Non-Nuclear Hot Test " RUPP, W Pennsylvania Power & Light Co 74/10/04 45pp
- 7903150349 Rept translated from German "Expected Values of Blowdown Tests w/Relief Sys in Non-Nuclear Hot Test at Brunsbuttel Nuclear Power Plant & Their Measurement " BECKER Pennsylvania Power & Light Co 74/09/30 63pp
- 7903150354 Rept translated from German "Results of Non-Nuclear Hot Tests w/Relief Sys in Brunsbuttel Nuclear Power Plant " BECKER Pennsylvania Power & Light Co 74/12/20 35pp
- 7903150356 Rept translated from German "Analysis of Loads Measured on Relief Sys During Non-Nuclear Hot Test in KKB " BECKER, FEIST, BURRO Pennsylvania Power & Light Co 75/04/29 141pp
- 7903150360 Rept translated from German "Brunsbuttel Nuclear Power Plant, List of Test Parameters & Most Important Measurement Results of Non-Nuclear Hot Tests w/Pressure Relief Sys " HOFFMANN, SCHMID Pennsylvania Power & Light Co 77/08/01 63pp
- 7903150366 Rept translated from German "KKB Spec for Tests to Supply Relief Value Tests During Nuclear Startup " RUPP Pennsylvania Power & Light Co 75/06/20 12pp
- 7903150372 Rept translated from German "KKB-Nuclear Startup, Results of Tests w/Pressure Relief Sys " GÖBEL Pennsylvania Power & Light Co 76/09/30 16pp
- 7903150374 Rept translated from German "Philippsburg Nuclear Power Plant First Extension Hot Test, Spec for Tests of Relief Valves & Emergency & Suppression Chamber Cooling Systems " RUPP, XEIL Pennsylvania Power & Light Co 75/08/28 49pp
- 7903150371 Rept translated from German "Results of Non-Nuclear Hot Test w/Relief Sys in Philippsburg Nuclear Power Plant " GÖBEL Pennsylvania Power & Light Co 77/03/22 66pp
- 7903150373 Rept translated from German "Philippsburg Nuclear Power Plant, List of Test Parameters & Most Important Measurement Results of Non-Nuclear Hot Tests w/Pressure Relief Sys " HOFFMANN, SCHMID Pennsylvania Power & Light Co 77/08/02 35pp
- 7903150375 Rept translated from German "Air Oscillations During Vent Clearing w/Single & Double Pipes " SCHNABEL, BECKER Pennsylvania Power & Light Co 78/08/31 20pp
- 7903280072 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 w/o encl VASSALL, D B Assistant Director for Light Water Reactors 79/03/15 3pp
- 7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II " SOBDEN, L J General Electric Co, Nuclear Energy Products Div 79/03/16 1p
- 7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II " UPFALL, I S General Electric Co, Nuclear Energy Products Div 79/03/16 12pp
- 7903210340 Forwards affidavit of svc for Amend 7 to operating license application CURTIS, N W Pennsylvania Power & Light Co 79/03/16 2pp
- 7903280288 Forwards "Vent Clearing Pool Boundary Loads for Mark II Plants," presenting alternative load spec based on conservative application of 4T test data, replacing spec identified in NUREG-0487 SOBDEN, L J General Electric Co 79/03/20 6pp
- 7903290085 Forwards proprietary copies of alternate load spec info document applicable to wetwell walls, to replace info in NUREG-0487 Encl withheld (ref 10CFR2 790) w/affidavit SOBDEN, L J General Electric Co, Nuclear Energy Products Div 79/03/20 5pp

DOCKETED SERIES

-165

DOCKET 50-387 Susquehanna Steam Electric Station, Unit 1

7903140318 Forwards Amend 4 to 780720 license application as Revision 1 to Environ Rept
CURTIS, N W Pennsylvania Power & Light Co 79/03/05 4pp

7903140321 Amend 4 to license application, submitted as Revision 1 to Environ Rept, operating license stage
* Pennsylvania Power & Light Co 79/03/05 175pp

7903060440 Forwards Personnel Security Manual Requests App G of plan be withheld (ref 10CFR2 790)
CURTIS, N W Pennsylvania Power & Light Co 79/03/06 1p

7903060537 Explains reasons for submitting, but not enumerating, addl amends subsequent to Sept 1978 petition Will discuss contentions at conference
* Citizens Against Nuclear Dangers 79/01/22 1p

7903070018 Request opportunity to present statement re license application at limited appearance hearings
VATE, N C Lehigh-Pocono Committee of Concern 79/01/22 1p

7903070022 Requests limited appearance at licensing hearings
* Affiliation Unknown 79/01/17 1p

7903070026 Requests to make limited appearance statement at licensing hearings
MCHUGH, D Affiliation Unknown 79/01/29 1p

7903070030 Requests to make limited appearance statement at licensing prehearing
CSALA, M Affiliation Unknown 79/01/25 1p

7903070034 Requests to make limited appearance statement at licensing hearing Suspects validity of safety claims
PERKINS, J Affiliation Unknown 79/01/23 1p

7903090045 Notifies J Lemanowicz & T Halligan will represent Citizens Against Nuclear Dangers in proceedings beginning w/special prehearing conference on 790129-30
LEMONOWICZ, J Citizens Against Nuclear Dangers HALLIGAN, T Affiliation Unknown 79/01/22 1p

7903060702 Answer opposing motion of C Marsh for attys' fees, costs of expert witnesses & miscellaneous costs Urges denial of motion because intervenor does not satisfy NRC conditions for funding Certificate of Svc encl
CUTCHIN, J M Branch 3 79/02/09 5pp

7903010455 Ack receipt of 790105 memo requesting consideration of constituent J Lemanowicz ltr ASLR is considering request for hearing Request for documents under FOIA is being processed
GOSBICK, L V Office of the Executive Director for Operations 79/02/12 2pp

7903220099 Special prehearing conference order Grants four intervention petitions, adopts preliminary schedule & denies requests for financial assistance
BECHHOEFER, C Atomic Safety and Licensing Board Panel 79/03/06 85pp

7903220110 Notice of ASLB hearing Informs of availability of documents & requests info from persons desiring to make limited appearances Public is invited to attend
BECHHOEFER, C Atomic Safety and Licensing Board Panel 79/03/06 4pp

7903280265 Requests applicants' FSAR & environ rept
BECHHOEFER, C Atomic Safety and Licensing Board Panel 79/03/07 1p

7903080001 Forwards IE Insp Repts 50-387/78-23 & 50-388/78-20 on 781204-22 No noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/12 2pp

7903080002 IE Insp Repts 50-387/78-23 & 50-388/78-20 on 781204-22 No noncompliance noted Major areas inspected work activities re installation & welding of reactor coolant pressure boundary & other piping, fire protection & reactor vessel internals.
GALLO, R M, MCGAUGHY, R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/11 10pp

7903140133 Forwards IE Insp Repts 50-387/79-02 & 50-388/79-02 on 790108-11 No noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/31 2pp

7903140135 IE Insp Repts 50-387/79-02 & 50-388/79-02 on 790108-11 No noncompliance noted Major areas inspected instrumentation & electrical equipment & QA documentation & status of circulars & bulletins
FINKEL, A E, EDNETER, S D Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/25 4pp

7903050540 Forwards IF Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080405 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080511 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," std 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903210045 Ack receipt of 790115 ltr re damage to wiring or termination module connectors for equipment
CARLSON, R T Region 1, Philadelphia, Office of the Director 79/01/26 1p

7903010284 Forwards final rept re deficiency concerning spot-welded strut matl
CURTIS, N W Pennsylvania Power & Light Co 79/02/26 2pp

7903010285 Final deficiency rept on spot-welded struts
* Pennsylvania Power & Light Co 78/12/29 18pp

7903150100 Ack receipt of 790202 ltr Anticipates receiving deficiency rept in 60 days
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/27 1p

7903070267 Confirms info provided to NRC inspector on 790227 re deficiency in coax cable Cable had sections which exhibited bubbles in second insulation, first insulation was missing
CURTIS, N W Pennsylvania Power & Light Co 79/02/28 2pp

7903070362 Confirms info provided to NRC inspector on 790227 re reportable deficiency Bachtel has advised that generic problem exists re failure of manufacturer to stake stem nuts fastening certain limitorque motor operators
CURTIS, N W Pennsylvania Power & Light Co 79/03/02 2pp

7903060458 Forwards suggestions for changing FSAR Revision 4 based on review of responses to Second Round questions re Sections 13.2 & 13.5
COLLINS, P F Operator Licensing Branch 79/02/12 3pp

7903050080 Forwards NRC recommendations for preparation of Offsite Do Calculation Manual & radiological effluent Tech Specs
PARR, O D Light Water Reactors Branch 3 79/02/14 7pp

7903140170 Requests addl info re operator licensing to complete review of application for operating licenses
PARR, O D Light Water Reactors Branch 3 79/02/23 4pp

7903190355 Forwards request for addl info re reactor analysis Info sought pertains to crud buildup, data base for rod bundles, flow channel distributions & analytic models
PARR, O D Light Water Reactors Branch 3 79/02/26 5pp

7903270391 Forwards application to Susquehanna River Basin Commissioner ER & design rept for const of Pond Hill Reservoir ER & design rept not encl
CURTIS, N W Pennsylvania Power & Light Co 79/03/06 6pp

7903140415 Forwards Amend 7 to license application as Revision 5 to FSAR
CURTIS, N W Pennsylvania Power & Light Co 79/03/12 2pp

7903140425 Amend 7 to license application, submitted as Revision 5 FSAR
* Pennsylvania Power & Light Co 79/03/12 200pp.

7903230009 Notification of 790321 meeting in Los Oatos, CA w/ representatives from Mark II owners group to discuss Mark II LDCA & safety relief valve pool dynamic loads
ANDERSON, C J Containment Systems Branch. 79/03/12 12pp

DOCKETED SERIES

DOCKET 50-388 Susquehanna Steam Electric Station, Unit 2

7903150312 Forwards nonproprietary versions of Kraftwerk Union Aktiengesellschaft documents transmitted 771228 & 780105
Responds to NRC 780428 ltr
CURTIS, N W Pennsylvania Power & Light Co 79/03/15 1p

7903150313 Rept translated from German "Formation & Oscillations of Spherical Gas Bubble Underwater"
WEISSHAUPL Pennsylvania Power & Light Co 78/12/31 24pp

7903150316 Rept translated from German "Tests on Mixed Condensation w/Model Guenchers"
WERNER, MELCHIOR, SIMON Pennsylvania Power & Light Co 73/05/15 69pp

7903150315 Rept translated from German "Calculation Model to Clarify Pressure Oscillations in Suppression Chamber After Vent Clearing"
WEISSHAUPL, SCHALL Pennsylvania Power & Light Co 72/03/29 31pp

7903150318 Rept translated from German "Condensation & Vent Clearing Tests in GKM w/Perforated Pipes"
HOFFMAN, MELCHIOR Pennsylvania Power & Light Co 73/05/10 118pp

7903150320 Rept translated from German "Const & Design of Relief Sys w/Perforated Pipe Guencher"
BECKER, KOCH Pennsylvania Power & Light Co 73/07/09 91pp

7903150321 Rept translated from German "KKB-Vent Clearing w/Perforated Pipe Guencher"
BECKER, KOCH Pennsylvania Power & Light Co 73/10/12 139pp

7903150322 Rept translated from German "Investigations of Condensation w/Perforated Pipe Guencher w/Small Water Coverage of Guencher Arms"
HOFFMAN, BECKER Pennsylvania Power & Light Co 73/12/14 36pp

7903150335 Rept translated from German "KKB Const & Task of Relief Sys"
KNAPP, BECKER Pennsylvania Power & Light Co 74/01/15 46pp

7903150339 Rept translated from German "Experimental Studies of Vent Clearing in Model Test Stand"
WERNER Pennsylvania Power & Light Co 75/07/31 73pp

7903150344 Rept translated from German "KKB Specification for Blowdown Tests in Non-Nuclear Hot Test"
RUPP, W Pennsylvania Power & Light Co 74/10/04 45pp

7903150349 Rept translated from German "Expected Values of Blowdown Tests w/Relief Sys in Non-Nuclear Hot Test at Brunsbuttel Nuclear Power Plant & Their Measurement"
BECKER Pennsylvania Power & Light Co 74/09/30 62pp

7903150354 Rept translated from German "Results of Non-Nuclear Hot Tests w/Relief Sys in Brunsbuttel Nuclear Power Plant"
BECKER Pennsylvania Power & Light Co 74/12/20 35pp

7903150356 Rept translated from German "Analysis of Loads Measured on Relief Sys During Non-Nuclear Hot Test in KKB"
BECKER, FEIST, BURRO Pennsylvania Power & Light Co 75/04/29 141pp

7903150360 Rept translated from German "Brunsbuttel Nuclear Power Plant, List of Test Parameters & Most Important Measurement Results of Non-Nuclear Hot Tests w/Pressure Relief Sys"
HOFFMAN, SCHMID Pennsylvania Power & Light Co 77/08/01 62pp

7903150366 Rept translated from German "KKB Spec for Tests to Supply Relief Valve Tests During Nuclear Startup"
RUPP Pennsylvania Power & Light Co 75/06/20 12pp

7903150372 Rept translated from German "KKB-Nuclear Startup, Results of Tests w/Pressure Relief Sys"
GOBEL Pennsylvania Power & Light Co 76/09/30 16pp

7903150374 Rept translated from German "Philippsburg Nuclear Power Plant First Extension Hot Test, Spec for Tests of Relief Valves & Emergency & Suppression Chamber Cooling Systems"
RUPP, KEIL Pennsylvania Power & Light Co 75/08/28 49pp

7903150371 Rept translated from German "Results of Non-Nuclear Hot Test w/Relief Sys in Philippsburg Nuclear Power Plant"
GOBEL Pennsylvania Power & Light Co 77/03/22 66pp

7903150373 Rept translated from German "Philippsburg Nuclear Power Plant, List of Test Parameters & Most Important Measurement Results of Non-Nuclear Hot Tests w/Pressure Relief Sys"
HOFFMAN, SCHMID Pennsylvania Power & Light Co 77/08/02 35pp

7903150375 Rept translated from German "Air Oscillations During Vent Clearing w/Single & Double Pipes"
SCHNABEL, BECKER Pennsylvania Power & Light Co 78/08/31 20pp

7903280072 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3
W/o encl
VASSALLO, D B Assistant Director for Light Water Reactors
79/03/15 3pp

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II"
SOBON, L J General Electric Co, Nuclear Energy Products Div
79/03/16 1p

7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II"
UPPAL, I S General Electric Co, Nuclear Energy Products Div
79/03/16 12pp

7903210340 Forwards affidavit of svc for Amend 7 to operating license application
CURTIS, N W Pennsylvania Power & Light Co 79/03/16 2pp

7903280288 Forwards "Vent Clearing Pool Boundary Loads for Mark II Plants," presenting alternative load spec based on conservative application of 4T test data, replacing spec identified in NUREG-0487
SOBON, L J General Electric Co 79/03/20 6pp

7903290085 Forwards proprietary copies of alternate load spec info document applicable to wetwell walls, to replace info in NUREG-0487 Encl withheld (ref 10CFR2 790) w/affidavit
SOBON, L J General Electric Co, Nuclear Energy Products Div
79/03/20 5pp

7903140318 Forwards Amend 4 to 780720 license application as Revision 1 to Environ Rept
CURTIS, N W Pennsylvania Power & Light Co 79/03/05 4pp

7903140321 Amend 4 to license application, submitted as Revision 1 to Environ Rept, operating license stage
* Pennsylvania Power & Light Co 79/03/05 175pp

7903060440 Forwards Personnel Security Manual Requests App Q of plan be withheld (ref 10CFR2 790)
CURTIS, N W Pennsylvania Power & Light Co 79/03/06 1p

7903060837 Explains reasons for submitting, but not enumerating, addl amends subsequent to Sept 1978 petition Will discuss contentions at conference
* Citizens Against Nuclear Dangers 79/01/22 1p

7903070018 Requests opportunity to present statement re license application at limited appearance hearings
TATE, N C Lehigh-Pocono Committee of Concern 79/01/22 1p

7903070022 Requests limited appearance at licensing hearings
* Affiliation Unknown 79/01/17 1p

7903070026 Requests to make limited appearance statement at licensing hearings
KCHUGH, D Affiliation Unknown 79/01/29 1p

7903070030 Requests to make limited appearance statement at licensing prehearing
CBALAN, M Affiliation Unknown 79/01/25 1p

7903070034 Requests to make limited appearance statement at licensing hearing Suspects validity of safety claims
PERKINS, J Affiliation Unknown 79/01/23 1p

7903090045 Notifies I Lemanowicz & T Halligan will represent Citizens Against Nuclear Dangers in proceedings beginning w/special prehearing conference on 790129-30
LEMANOWICZ, I Citizens Against Nuclear Dangers HALLIGAN, T
Affiliation Unknown 79/01/22 1p

7903060702 Answer opposing motion of C Marsh for attys' fees, costs of expert witnesses & miscellaneous costs Urges denial of motion because intervenor does not satisfy NRC conditions for funding Certificate of Svc encl
CUTCHIN, J M Branch 3 79/02/09 5pp

DOCKET 50-388 Susquehanna Steam Electric Station, Unit 2

DOCKET 50-389 St Lucie Plant, Unit 2

7903010455 Ack receipt of 790105 memo requesting consideration of constituent I Lemanowicz ltr ASLB is considering request for hearing Request for documents under FOIA is being processed
 0055ICK,L V Office of the Executive Director for Operations
 79/02/12 2pp

7903270607 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
 EISENHUT,D G Assistant Director for Systems & Projects
 79/03/02 3pp

7903220099 Special prehearing conference order Grants four intervention petitions,adopts preliminary schedule & denies requests for financial assistance
 BECHHOEFER,C Atomic Safety and Licensing Board Panel 79/03/06 85pp

7903090364 Opposes intervenors' 790130 motion to file Certificate of Svc encl
 COLL,N A Sheldon, Hector & Davis 79/02/01 4pp

7903220110 Notice of ASLB hearing Informs of availability of documents & requests info from persons desiring to make limited appearances Public is invited to attend
 BECHHOEFER,C Atomic Safety and Licensing Board Panel 79/03/06 4pp

7903080975 Informs of document containing info potentially relevant to issue of spent nuclear fuel sabotage NRC assessment of info to be made available
 PATON,W D Branch 4 79/02/08 2pp

7903280265 Requests applicants' FSAR & environ rept
 BECHHOEFER,C Atomic Safety and Licensing Board Panel 79/03/07 1p

7903150200 Intervenors' response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ
 Certificate of Svc encl
 KEPFORD,C Affiliation Unknown 79/02/19 37pp

7903080001 Forwards IE Insp Repts 50-387/78-23 & 50-388/78-20 on 781204-22 No noncompliance noted
 CARLSON,R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/12 2pp

7903230277 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
 SKRUTSKI,R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903080002 IE Insp Repts 50-387/78-23 & 50-388/78-20 on 781204-22 No noncompliance noted Major areas inspected work activities re installation & welding of reactor coolant pressure boundary & other piping, fire protection & reactor vessel internals
 GALLO,R M , MCGAUGHY,R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/11 10pp

7903190323 Denies request by util for NRC withholding of financial info from public Info does not meet requirements of 10CFR2 790
 BAER,R L Light Water Reactors Branch 2 79/02/26 4pp

7903140133 Forwards IE Insp Repts 50-387/79-02 & 50-388/79-02 on 790108-11 No noncompliance noted
 CARLSON,R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/31 2pp

7903190327 Responds to 780809 NRC ltr re public availability of util's financial info Forwards guidelines for disclosure of projected future economic performance & proposed safe harbor rule for projections
 COOK,J R Securities & Exchange Commission 78/12/14 48pp

7903140135 IE Insp Repts 50-387/79-02 & 50-388/79-02 on 790108-11 No noncompliance noted Major areas inspected instrumentation & electrical equipment & QA documentation & status of circulars & bulletins
 FINKEL,A E , EBNETER,B D Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/25 6pp

7903290019 Forwards "Annual Rept 1978"
 URIQ,R E Florida Power & Light Co 79/03/20 1p

7903290023 "Annual Rept 1978"
 MCDONALD,M Florida Power & Light Co 79/03/20 38pp

7903050540 Forwards IE Info Notice 79-03, "Limitorque Valve Geared limit Switch Lubricant"
 GRIER,B H Region 1, Philadelphia, Office of the Director
 79/02/09 1p

7903190333 Forwards Endorsement 24 to MAELU Policy MF-88,amending 1978 std & reserve premiums
 DUCK,J R Marsh & McLennan, Inc 79/03/09 2pp

7903080405 Forwards IF Info Notice 79-04, "Degradation of Engineered Safety Features"
 GRIER,B H Region 1, Philadelphia, Office of the Director
 79/02/16 1p

7903020134 Memorandum & order re rules on parties' discovery requests & on motions directed to applicant
 SMITH,I W Atomic Safety and Licensing Board Panel 79/02/09 57pp

7903080511 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208,that valve limit switch identified as NAMCO Model S3CML should read BL3CML
 GRIER,B H Region 1, Philadelphia, Office of the Director
 79/02/27 1p

7903020139 Protective order re procedures for & rules governing production,copying & use of documents,info & other matl released per discovery
 SMITH,I W Atomic Safety and Licensing Board Panel 79/02/09 9pp

7903010284 Forwards final rept re deficiency concerning spot-welded strut matl
 CURTIS,N W Pennsylvania Power & Light Co 79/02/26 2pp

7903220141 Forwards proposed order re addition & deletion of parties Order has been approved by all parties Requests that ltr be treated as motion per ASLB memorandum & order on discovery.
 Draft & Certificate of Svc encl
 JABLON,R A Spiegel & McDiarmid 79/02/27 5pp

7903010285 Final deficiency rept on spot-welded struts
 * Pennsylvania Power & Light Co 78/12/29 18pp

7903150377 Response of intervenor FL Cities to ASLB 790209 order on discovery Modifies or explains several requests Asks for clarification of ASLB ruling on Request 18 & for deletion of applicant's Request 173-175 Certificate of Svc encl
 GUTTMAN,D Spiegel & McDiarmid 79/03/02 15pp

7903150100 Ack receipt of 790202 ltr Anticipates receiving deficiency rept in 60 days
 CARLSON,R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/27 1p

7903230025 Memorandum by util re discovery per ASLB 790209 order. Disputes claims of fact in intervenor FL Cities response; requests clarification of discovery cutoff dates. Objects to Cities' Requests 57-59 & 72-73 Certificate of Svc encl
 DYM,H , GRIBBON,D M , GROSSMAN,J B Covington & Burling. 79/03/02 9pp

7903070267 Confirms info provided to NRC inspector on 790227 re deficiency in coax cable Cable had sections which exhibited bubbles in second insulation,first insulation was missing
 CURTIS,N W Pennsylvania Power & Light Co 79/02/28 2pp.

7903240365 Joint response of NRC & DOJ to ASLB 790209 order Urges ASLB to overrule objections to Joint Requests 56 & 76, Certificate of Svc encl
 BERGER,M G , CALHOUN,M L Justice, Dept of DEWEY,L B Anti-Trust Division 79/03/02 9pp

7903070362 Confirms info provided to NRC inspector on 790227 re reportable deficiency Bechtel has advised that generic problem exists re failure of manufacturer to stake stem nuts fastening certain limitorque motor operators
 CURTIS,N W. Pennsylvania Power & Light Co 79/03/02 2pp

7903080537 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
 O'REILLY,J P Region 2, Atlanta, Office of the Director.
 79/02/16 2pp

DOCKETED SERIES

DOCKET 50-390 Watts Bar Nuclear Plant, Unit 1

DOCKET 50-389 St Lucie Plant, Unit 2

7903080275 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 5L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140548 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903190267 Ack receipt of 790115 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-389/78-12
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/03/08 1p

7903190275 Responds to NRC 781222 ltr re violation noted in IE Insp Rept 50-389/78-12 Corrective actions OC placement point inspectors instructed to maint in-process concrete tests as close as possible to 50-yard intervals
WHRIO, R E Florida Power & Light Co 79/01/15 4pp

7903190279 Forwards IE Insp Rept 50-389/78-12 on 78128-1201 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/22 2pp

7903190283 Notice of violation from insp on 78128-1201
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/22 1p

7903190288 IE Insp Rept 50-389/78-12 on 78128-1201 Noncompliance noted failure to test concrete for air, slump & temp at prescribed frequency
HARRIS, J R ; BRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/22 4pp

7903210138 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903210589 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

DOCKET 50-390 Watts Bar Nuclear Plant, Unit 1

7903050025 Forwards request for addl info & staff positions by 790417 on facility thermal-hydraulic design
VARQA, S A Light Water Reactors Branch 4 79/02/06 6pp

7903060661 Forwards agenda & meeting summary for recent site visit w/encl list of attendees
STAHLE, C Light Water Reactors Branch 4 79/02/06 20pp

7903140515 Informs that util is required to provide an Offsite Dose Calculation Manual w/proposed Tech Specs Forwards NRC recommendations for general contents of manual
VARQA, S A Light Water Reactors Branch 4 79/02/16 7pp

7903210108 Forwards 790228 ltr from TVA to EPA Region IV Administrator describing a two acre unlined pond which will be utilized for landspreading of preoperational metal cleaning solutions
HILLB, L M Tennessee Valley Authority 79/03/13 5pp

7903090155 Forwards comments on PES Submits population info for Meigs County
Q88BORNE, B A Tennessee, State of 79/03/02 3pp

7903200411 Reports structural design deficiencies causing potential changes in stress & displacement pattern of containment vessel Safety implications presently unknown Transient analysis being performed to test stress effect
* Tennessee Valley Authority. 79/02/01 1p.

7903260242 Forwards safeguards contingency plans Plans withheld (ref 10CFR2 790)
GILLELAND, J E Tennessee Valley Authority 79/03/21 1p

7903160170 Forwards "Annual Rept 1978"
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903080141 IE Insp Rept 50-390/79-03 No noncompliance noted Major areas inspected preoperational test program, preoperational test procedure preparation, preparations for fuel receipt & review of testing
WAGNER, A G ; FORD, E J ; MARTIN, R D Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/18 5pp

7903130001 Forwards IE Insp Rept 50-390/79-05 on 790109-12 No noncompliance noted
LEHIS, R C Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/02 2pp

7903130003 IE Insp Rept 50-390/79-05 on 790109-12 No noncompliance noted Major areas inspected operating procedures & tour of plant areas
HINCKLEY, D G Region 2, Atlanta, Reactor Operations Nuclear Support Branch BELISLE, S R DANCE, H C Region 2, Atlanta, Office of the Director 79/02/02 4pp

7903060590 Ack receipt of 790201 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-390/78-32
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/06 1p

7903060594 Responds to NRC 790169 ltr re violation noted in IE Insp Rept 50-390/78-32 Corrective actions documentation revised on pipe supports 1-63-124, 125 & 126 to reflect welding in lieu of bolting
GILLELAND, J E Tennessee Valley Authority 79/02/01 2pp

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment" w/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/08 2pp

7903020376 Forwards IF Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 5L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903160015 Ack receipt of 790228 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-390/79-02 & 50-391/79-02
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/03/08 2pp

7903160016 Responds to NRC 790207 ltr re violations noted in IE Insp Repts 50-390/79-02 & 50-391/79-02 Corrective actions incorrectly located subassembly replaced, sys returned to drawing configuration
GILLELAND, J E Tennessee Valley Authority 79/02/28 2pp

7903160017 Forwards IE Insp Repts 50-390/79-02 & 50-391/79-02 on 790108-12 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/07 2pp

7903160020 Notice of violation from insp on 790108-12
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/06 1p

7903160023 IE Insp Repts 50-390/79-02 & 50-391/79-02 on 790108-12 Noncompliance noted installed pipe subassembly was of different subassembly & serial number than specified by installation drawing
OIRARD, E H ; CONLON, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/06 6pp

7903200217 Ack receipt of 790208 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-390/79-01 & 50-391/79-01
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/03/09 1p

7903200218 Responds to NRC 790117 ltr re violations noted in IE Insp Repts 50-390/79-01 & 50-391/79-01 Corrective actions deficiency rept revised to provide accurate description of nonconformance & personnel instructions
GILLELAND, J E Tennessee Valley Authority 79/02/08 2pp

DOCKETED SERIES

169

DOCKET 50-390 Watts Bar Nuclear Plant, Unit 1

7903200223 Forwards IE Insp Rept 50-390/79-01 & 50-391/79-01 on 790103-05 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 2pp

7903200226 Notice of violation from insp on 790103-05
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 1p

7903200229 IE Insp Rept 50-390/79-01 & 50-391/79-01 on 790103-05 Noncompliance noted failure to control field design changes
VALLISH, E J, BRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 4pp

7903210087 Forwards IF Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903220322 Ack receipt of 790223 ltr w/suppl info re of steps taken to correct violation noted in IE Insp Rept 50-390/78-31
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/03/12 2pp

7903160217 "Annual Rept 1978"
* Tennessee Valley Authority 79/03/16 42pp

7903300228 Submits Amend 38 to FSAR
GILLELAND, J E Tennessee Valley Authority 79/03/26 1p

7903300234 Amend 38 to FSAR, including revised responses to Round 1 & 2 questions, initial Round 2 responses, major design revision re Category 1 structures, revised tables & figures
* Tennessee Valley Authority 79/03/26 120pp

7903140368 Notifies NRC that addl antitrust info requested in 781012 ltr re rate schedules & power exchange agreements has been delayed until 790415 due to TVA rate changes
GILLELAND, J E Tennessee Valley Authority 79/03/07 1p

7903090137 Forwards IE Insp Rept 50-390/79-03 on 790108-11 No noncompliance noted
LONG, F J Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/18 2pp

7903220326 Responds to NRC 790130 telcon questions re violation noted in IE Insp Rept 50 390/78-31 Welders trained, interpass temp requires surveillance only & no written criteria exists for providing temp indicating matl to welders
GILLELAND, J E Tennessee Valley Authority 79/02/25 3pp

7903220028 Forwards IF Circular 79-04, "Loose Locking Nut on Limiterque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903200146 Telcon rept TVA notified resident inspector of design problem in essential raw cooling water piping Break in Class H piping would result in excessive loss of water not considered in sizing pump capacity
* Tennessee Valley Authority 79/01/27 1p

7903200141 Telcon rept TVA notified resident inspector that metal shavings had been found in hydraulic actuators of four auxiliary feedwater control valves supplied by Masoneilan
* Tennessee Valley Authority 79/01/30 1p

7903200398 Forwards first interim rept re potential inferior structural steel containment vessel movement
GILLELAND, J E Tennessee Valley Authority 79/02/01 1p

7903010271 First interim rept on deficiency re piping embedded in structural concrete, initially reported 790112 Evaluation of extent & scope of nonconformance & effects on structural integrity is in progress Identifies two areas of concern
GILLELAND, J E Tennessee Valley Authority 79/02/08 1p

7903010275 Third interim rept on deficiency re possible unconservative pressurizer relief & safety line blowdown analysis, initially reported 780505 New design efforts for nozzle loads on pressurizer now in progress
GILLELAND, J E Tennessee Valley Authority 79/02/08 1p

7903010269 Forwards addl info re damaged truck of auxiliary bldg 125-ton crane Manufacturer used straight wheels, contrary to tapered wheels in original plan
GILLELAND, J E Tennessee Valley Authority 79/02/14 2pp

7903210117 Forwards first interim deficiency rept re tensile anchor capacities lower than assumed in design allowables Plans to submit next rept by 790316
GILLELAND, J E Tennessee Valley Authority 79/03/14 1p

7903210122 First interim rept of lower tensile anchor capacities than assumed in establishing design allowables Analysis of testing plate connection will be forwarded
* Tennessee Valley Authority 79/03/14 1p

7903270522 Forwards first interim rept re deficiency on 790214
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903270527 First interim rept of deficiency on 790214 Distables associated w/certain control loops in auxiliary control room failed in undesirable position due to error in instrumentation wiring
* Tennessee Valley Authority 79/03/16 1p

7903270931 Forwards second interim rept re deficient installation of seismic pipe hanger anchors
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903270542 Const deficiency rept Failure to properly install anchor bolts which attach seismic pipe hanger base plates to concrete walls Caused by lack of concern by craftsmen Corrective action personnel reinstructed
* Tennessee Valley Authority 79/03/16 2pp

DOCKET 50-391 Watts Bar Nuclear Plant, Unit 2

7903050025 Forwards request for addl info & staff positions by 790417 on facility thermal-hydraulic design
VARO, B A Light Water Reactors Branch 4 79/02/06 6pp

7903060661 Forwards agenda & meeting summary for recent site visit W/anc ltr of attendees
STAHL, C Light Water Reactors Branch 4 79/02/06 20pp

7903140515 Informs that util is required to provide an Offsite Dose Calculation Manual w/proposed Tech Specs Forwards NRC recommendations for general contents of manual
VARO, B A Light Water Reactors Branch 4 79/02/16 7pp

7903210108 Forwards 790228 ltr from TVA to EPA Region IV Administrator describing a two acre unlined pond which will be utilized for landspreading of preoperational metal cleaning solutions
MILLS, L M Tennessee Valley Authority 79/03/13 5pp

7903090135 Forwards comments on FEB Submits population info for Meigs County
OSBORNE, B A Tennessee, State of 79/03/02 3pp

7903200411 Reports structural design deficiencies causing potential changes in stress & displacement pattern of containment vessel Safety implications presently unknown Transient analysis being performed to test stress effect
* Tennessee Valley Authority 79/02/01 1p

7903260242 Forwards safeguards contingency plans Plans withheld (ref 10CFR2 790)
GILLELAND, J E Tennessee Valley Authority 79/03/21 1p

7903160170 Forwards "Annual Rept 1978"
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903160217 "Annual Rept 1978"
* Tennessee Valley Authority 79/03/16 42pp

7903300228 Submits Amend 38 to FSAR
GILLELAND, J E Tennessee Valley Authority 79/03/26 1p

7903300234 Amend 38 to FSAR, including revised responses to Round 1 & 2 questions, initial Round 2 responses, major design revision re Category 1 structures, revised tables & figures
* Tennessee Valley Authority 79/03/26 120pp

7903140368 Notifies NRC that addl antitrust info requested in 781012 ltr re rate schedules & power exchange agreements has been delayed until 790415 due to TVA rate changes
GILLELAND, J E Tennessee Valley Authority 79/03/07 1p

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment" W/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/08 2pp

DOCKETED SERIES

7903020376 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 5L3CML O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts " O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903160015 Ack receipt of 790228 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-390/79-02 & 50-391/79-02 MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/03/08 2pp

7903160016 Responds to NRC 790207 ltr re violations noted in IE Insp Repts 50-390/79-02 & 50-391/79-02 Corrective actions incorrectly located subassembly replaced, sys returned to drawing configuration GILLELAND, J E Tennessee Valley Authority 79/02/28 2pp

7903160017 Forwards IE Insp Repts 50-390/79-02 & 50-391/79-02 on 790108-12 & notice of violation MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/07 2pp

7903160020 Notice of violation from insp on 790108-12 * Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/06 1p

7903160023 IE Insp Repts 50-390/79-02 & 50-391/79-02 on 790108-12 Noncompliance noted installed pipe subassembly was of different subassembly & serial number than specified by installation drawing GIRARD, E H , CONLON, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/06 6pp

7903200217 Ack receipt of 790208 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-390/79-01 & 50-391/79-01 MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/03/09 1p

7903200218 Responds to NRC 790117 ltr re violations noted in IE Insp Repts 50-390/79-01 & 50-391/79-01 Corrective actions deficiency rept revised to provide accurate description of nonconformance & personnel instructions GILLELAND, J E Tennessee Valley Authority 79/02/08 2pp

7903200223 Forwards IE Insp Rept 50-390/79-01 & 50-391/79-01 on 790103-05 & notice of violation MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 2pp.

7903200224 Notice of violation from insp on 790103-05 * Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 1p

7903200229 IE Insp Rept 50-390/79-01 & 50-391/79-01 on 790103-05 Noncompliance noted failure to control field design changes VALLIBH, E J , BRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 4pp

7903200398 Forwards first interim rept re potential inferior structural steel containment vessel movement GILLELAND, J E Tennessee Valley Authority 79/02/01 1p

7903010271 First interim rept on deficiency re piping embedded in structural concrete, initially reported 790112 Evaluation of extent & scope of nonconformance & effects on structural integrity is in progress identifies two areas of concern GILLELAND, J E Tennessee Valley Authority 79/02/08 1p

7903010275 Third interim rept on deficiency re possible unconservative pressurizer relief & safety line blowdown analysis, initially reported 780505 New design efforts for nozzle loads on pressurizer now in progress GILLELAND, J E Tennessee Valley Authority 79/02/08 1p

7903010269 Forwards addl info re damaged truck of auxiliary bldg 125-ton crane Manufacturer used straight wheels, contrary to tapered wheels in original plan GILLELAND, J E Tennessee Valley Authority 79/02/14 2pp

7903210117 Forwards first interim deficiency rept re tensile anchor capacities lower than assumed in design allowables Plans to submit next rept by 790516 GILLELAND, J E Tennessee Valley Authority 79/03/14 1p

7903210122 First interim rept of lower tensile anchor capacities than assumed in establishing design allowables Analysis of testing plate connection will be forwarded * Tennessee Valley Authority 79/03/14 1p

7903270522 Forwards first interim rept re deficiency on 790214 GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903270527 First interim rept of deficiency on 790214 Bistables associated w/certain control loops in auxiliary control room failed in undesirable position due to error in instrumentation wiring * Tennessee Valley Authority 79/03/16 1p

7903270531 Forwards second interim rept re deficient installation of seismic pipe hanger anchors GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903270542 Const deficiency rept Failure to properly install anchor bolts which attach seismic pipe hanger base plates to concrete walls Caused by lack of concern by craftsmen Corrective action personnel reinstructed * Tennessee Valley Authority 79/03/16 2pp

DOCKET 50-394 California State Polytech College Res Reactor

7903080277 Forwards "Annual Operating Rept 1978 " Requests info on dismantling reactors ADAMSON, R W California Polytech State Univ 79/02/27 1p

7903080281 "Annual Operating Rept 1978 " * California Polytech State Univ 79/02/26 5pp

DOCKET 50-395 Virgil C Summer Nuclear Station, Unit 1

7903080181 Forwards guidelines for preparation of Offsite Dose Calculational Manual to be submitted w/radiological effluent Tech Specs by PWR & BWR facilities BAER, R L Light Water Reactors Branch 1 79/02/13 8pp

7903070164 Forwards proprietary & nonproprietary tables describing environ qualification of equipment inside & outside containment Applications for withholding CAW-78-86, AW-77-60 & AW-76-39 encl CREWS, E H South Carolina Electric & Gas Co 79/02/15 31pp

7903120489 Request for addl info re plant FSAR sections on containment sys structural engineering, reactor sys, meteorology & initial test program BAER, R L Light Water Reactors Branch 2 79/02/23 12pp

7903050351 Forwards revised & updated drawings as Suppl 3 to wiring schematic package drawings initially submitted 770229 Package reflects matl contained in index of Section 1 7 for facility FSAR CREWS, E H South Carolina Electric & Gas Co 79/02/28 49pp

7903270617 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk EIBENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

DOCKETED SERIES

171

DOCKET 30-395 Virgil C Summer Nuclear Station, Unit 1

7903260303 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 w/o encl
VASSALLQ, D B Assistant Director for Light Water Reactors
79/03/15 4pp

7903260258 Forwards Technical Rept 79-4, "Seismicity Near the VC Summer Nuclear Station, July-Sept 1978," in response to request for addl info
CREWS, E H South Carolina Electric & Gas Co 79/03/21 1p

7903260261 "Seismicity Near the VC Summer Nuclear Station, July-Sept 1978"
* South Carolina Electric & Gas Co TR 79-4 79/03/21 66pp

7903060325 Forwards 790123 ltr to HR Denton from EH Crewes re suppl info on minor seismic events
CONNOR, T B Conner, Moore & Corber 79/01/29 5pp

7903220026 SC Electric & Gas Co answer to Central Electric's amended petition & response to NRC 790126 order Urges that petition is w/o merit & matter should not be referred to Atty General Certificate of Svc encl
CONNOR, T B, RASER, R M Conner, Moore & Corber 79/03/07 38pp

7903290045 Staff response to 790131 amended petition of Central Electric Power Cooperative, Inc, for significant change determination & to 790126 Commission order Certificate of Svc & supporting documentation encl
KHAHANIA, F D, RUTBERG, J Anti-Trust Division 79/03/19 563pp

7903010097 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HSSA)"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/02 4pp

7903010103 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HSSA)"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/02 5pp

7903140504 Follows up 780418 ltr in response to IE Bulletin 78-04 Forwards response to FSAR Question 031 57 Lists steam-mounted limit switches replaced at mfg facility or at plant site
CREWS, E H South Carolina Electric & Gas Co 79/02/13 3pp

7903080545 Forwards IF Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080555 Forwards IF Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 1p

7903080295 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class 1C Equipment" std 790208 that valve limit switch identified as NAMCO Model 53CML should read 5L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140530 Forwards IF Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 1p

7903220191 Ack receipt of 790227 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-395/79-01
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/03/09 1p

7903220194 Responds to NRC 790205 ltr re violation noted in IE Insp Rept 50-395/79-01 Corrective actions NCR-0588 issued to document procedural violation & PCR-B 5106 ASME initiated
JOHNSON, M C South Carolina Electric & Gas Co 79/02/27 2pp

7903220197 Forwards IE Insp Rept 50-395/79-01 on 790109-12 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/05 2pp

7903220233 Notice of violation from insp on 790109-12
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/01 1p

7903220239 IE Insp Rept 50-395/79-01 on 790109-12 Noncompliance noted failure to follow procedures for pipe support installation
COMPTON, R M, MOENOS, I, BRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/01 5pp

7903210148 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903270594 Ack receipt of IE Insp Rept 50-395/79-02 on 790122-25 No proprietary info
JOHNSON, M C South Carolina Electric & Gas Co 79/03/12 2pp

7903270599 Forwards IE Insp Rept 50-395/79-02 on 790122-25 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/22 2pp

7903270604 IE Insp Rept 50-395/79-02 on 790122-25 No noncompliance noted Major areas inspected electrical cable installation, terminations & records, licensee identified items, inspector followup, cable storage areas & records
HARDWICK, R J Region 2, Atlanta, Office of the Director
79/02/22 4pp

7903220017 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 1p

7903280082 Ack receipt of 790316 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-395/79-03
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/16 1p

7903280090 Responds to NRC 790222, 790220 & 790302 ltrs re violations noted in IE Insp Repts 50-395/79-02 & 50-395/79-03 Corrective actions received & released new tape shipment, use of duct tape restricted to external areas
JOHNSON, M C South Carolina Electric & Gas Co 79/03/12 2pp

7903280092 Forwards IE Insp Rept 50-395/79-03 on 790122-25 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/20 2pp

7903280095 Notice of violation from insp on 790122-25
* Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/02/16 1p

7903280098 IE Insp Rept 50-395/79-03 on 790122-25 Noncompliance noted use of unapproved tape on stainless steel piping
GIRARD, E H, CONLON, T E Region 2, Atlanta, Office of the Director 79/02/16 7pp

7903280108 Ack receipt of 790201 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-395/78-30
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/16 1p

7903280112 Responds to NRC 790112 ltr re violations noted in IE Insp Rept 50-395/78-30 Corrective actions contractor's log checked for tool status, tools re calibr
JOHNSON, M C South Carolina Electric & Gas Co 79/02/01 2pp

7903280115 Forwards IE Insp Rept 50-395/78-30 on 781211-14 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/12 2pp

7903280118 Notice of violation from insp on 781211-14
* Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/04 1p

7903280121 IE Insp Rept 50-395/78-30 on 781211-14 Noncompliance noted failure to follow procedures for calibr reviews
GIRARD, E H, HARDWICK, R J, CONLON, T E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/01/04 11pp

7903200136 Telcon rept notification of discrepancies in radiographic technique & potential relevant defects in ASME Code radiography of Class 2 & 3 pipe welds which had been previously reviewed & accepted
* South Carolina Electric & Gas Co 79/02/07 1p

7903190243 Updates 790208 rept re quality of accepted ASME code pipe radiographs per 10CFR50.55(e) Discusses emergency diesel generator deficiencies & rackwell valve operator qualification
JOHNSON, M C South Carolina Electric & Gas Co 79/03/12 3pp

DOCKETED SERIES

DOCKET 50-396 Univ of Virginia Cavalier Reactor

7903130046 Forwards addl guidance re physical security plan License should include total amount of SNM, percent enrichment & amounts exempt & nonexempt
REID, R W Operating Reactors Branch 4 79/02/02 2pp

7903150337 Responds to request for info re amounts & types of SNM to be included in license Requests approval of encl spec changes to security plan Encl withheld (ref 10CFR2 790)
SHRIVER, B L Virginia, Univ of 79/03/09 2PP

DOCKET 50-397 WPPSS Nuclear Project, Unit 2

7903140148 Forwards recommendations for general contents of Offsite Dose Calculation Manual, to be submitted w/proposed radiological effluent Tech Specs
VARGA, S A Light Water Reactors Branch 4 79/02/16 7pp

7903270245 Forwards addl info re emergency planning needed for completion of First Round review Response requested by
790507
VARGA, S A Light Water Reactors Branch 4 79/03/05 8pp

7903260301 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients W/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl
VASSALLD, D B Assistant Director for Light Water Reactors 79/03/15 4pp

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II"
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/03/16 1p

7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II"
UPPAL, I S General Electric Co, Nuclear Energy Products Div 79/03/16 12pp

7903280288 Forwards "Vent Clearing Pool Boundary Loads for Mark II Plants," presenting alternative load spec based on conservative application of 4T test data, replacing that identified in NUREG-0487
SOBON, L J General Electric Co 79/03/20 6pp

7903290085 Forwards proprietary copies of alternate load spec info document applicable to wetwell walls, to replace info in NUREG-0487 Encl withheld (ref 10CFR2 790) W/affidavit
SOBON, L J General Electric Co, Nuclear Energy Products Div 79/03/20 5pp

7903270383 Forwards responses to First Round questions on OL application w/responses to past due questions which have now been completed Info will be incorporated into FSAR amend within four months
RENNBERGER, D L Washington Public Power Supply System 79/03/21 230pp

7903290022 Forwards 790221 ltr giving WA Public Power Supply Sys permission to submit proprietary NUS Rept TR-77-1E, "Fuel Can Interaction Analysis," to Brookhaven Natl Lab for review
RENNBERGER, D L Washington Public Power Supply System 79/03/21 2pp

7903130297 Amend 3 to Environ Rept has been reviewed No changes to comments submitted on 770601 & 780726
* Interior, Dept of, Bureau of Indian Affairs 79/03/06 1p

7903070096 Forwards NRC policy statement re reactor safety study, review by the Lewis Committee (NUREG/CR-0400) & survey of NRC uses of WASH-1400 All documents have been furnished to ASLB & ASLAB panel members W/o encl
PATON, W D Branch 4 79/02/12 1p

7903140500 Util opposes petitioners Darby, Garrett & Hanford Conversion Project addl contention & legal argument Intervention petition should be disposed of on basis of existing record as previously stipulated Certificate of Svc encl
REYNOLDS, N S Debevoise & Lieberman 79/02/15 7pp

7903280107 Responds to petitioner's 790201 addl contention & legal argument, Addl safety contention, parts (a) & (b), should be admitted Parts (c) & (d) are too vague for admission Certificate of Svc encl
PATON, W D Branch 4 79/02/21 6pp

7903220264 Order subsequent to 790125 prehearing conference Denies intervention petitions
COLE, R F, HILL, E E, BOWERS, E S Atomic Safety and Licensing Board Panel 79/03/06 19pp

7903210018 Forwards IE Insp Rept 50-397/79-01 on 790103-03 & notice of violation
SPENCER, O S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/24 2pp

7903210021 Notice of violation from insp on 790103-05
* Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/24 2pp

7903210025 IE Insp Rept 50-397/79-01 on 790103-05 Noncompliance noted cleanliness of safety components
BISHOP, T W, HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch HAIST, D P Region 5, San Francisco, Office of the Director 79/01/24 15pp

7903190324 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/16 1p

7903300348 Forwards IE Insp Rept 50-397/79-02 on 790130-0201 No noncompliance noted
CRENS, J L Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/02/16 2pp

7903300349 IE Insp Rept 50 397/79-02 on 790130-0201 No noncompliance noted Major areas inspected operational staffing, QA for preoperational testing, resolution of comments on overall preoperational test program
JOHNSON, P H, CARLSON, J D Region 5, San Francisco, Office of the Director STERNBERG, K M Region 5, San Francisco, Reactor Operations Nuclear Support Branch 79/02/16 4pp

7903140369 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read S33CML
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/27 1p

7903140583 States that IE Bulletin 79-01, "Environ Qualification of Class IE Equipment (correction)" was issued to listed licensees in Region 5
* Region 5, San Francisco, Office of the Director 79/02/27 1p

7903150070 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/08 1p

7903190495 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/12 1p

7903210416 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/16 1p

7903260323 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors"
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/20 1p

7903220029 Ack receipt of 790222 ltr informing NRC of reportable deficiency involving primary penetration weld design error
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/02 1p

7903220031 Forwards reportable deficiency involving primary containment penetration weld design error
RENNBERGER, D L Washington Public Power Supply System 79/02/22 1p

7903220033 Deficiency rept involving primary containment penetration weld design error, causing thermal stress during operation Penetration X69D will not be used for sampling line
* Washington Public Power Supply System 79/02/22 1p

7903210093 Forwards rept re defective welds in pipe whip restraint brackets inside containment
RENNBERGER, D L Washington Public Power Supply System 79/03/13 1p

7903210095 Rept on defective pipe whip restraint brackets supporting residual heat removal reactor feedwater & main steam piping sys inside containment Defects slag inclusions & porosity Twenty brackets refabricated & 14 repaired
* Washington Public Power Supply System 79/03/13 1p

DOCKETED SERIES

173

DOCKET 50-400 Shearon Harris Nuclear Power Plant, Unit 1

7903010250 Evaluation by util of welding defects in embedments purchased for plant is continuing; 790319 completion anticipated
CHIANGLI, N J Carolina Power & Light Co 79/02/12 1p

7903090250 Report on 790129 site visit to inspect test fills VR-24-4-1 & VR-24-4-2 constructed & tested in Dec 1978 & Jan 1979
Informed applicant of info needs re test fill program & insp of auxiliary dam & dike foundations
THOMPSON, D O Geosciences Branch 79/02/14 2pp

7903210238 Delineates misreading or misunderstanding by TS Erwin of 781228 order It is NC Util Commission's view that NRC should be bound by prior findings on question of need for power in any licensing proceeding
KOGER, R K, WELLS, H A North Carolina, State of 79/02/27 4pp

7903270524 Forwards NURE0-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903270524 Forwards NURE0-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903050011 Requests that hearings be held in evenings & on weekends
EDDLEMAN, W Affiliation Unknown 79/02/02 1p

7903050124 Forwards memo detailing reassignment of personnel in NRC Region II Intends to have hearing record reflect changes
REIS, E J Branch 3 79/02/06 1p

7903050128 Confirms 790201 telcon re reassignment of Region II cadres
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/02 1p

7903070007 Forwards ltr from PS Baggett requesting evening sessions be held for forthcoming hearing Staff has no indication of interest in evening sessions at this time
BARTH, C A Branch 3 79/02/08 1p

7903070011 Requests that upcoming hearings be held in the evenings or on weekends to allow public attendance
BAGGETT, P S Affiliation Unknown 79/01/27 1p

7903160285 Requests evening or weekend hearings to allow for public input
BLONICK, J Affiliation Unknown 79/02/08 2pp

7903060704 Responds to appeal of denial of intervenor status to Kudzu Alliance & W Eddleman Urges affirming denial order because interest requirement not satisfied & contentions raised are beyond NRC licensing authority Certificate of Svc encl
BARTH, C A Branch 3 79/02/09 2pp

7903070147 Answers notice of appeal & appeal brief of Kudzu Alliance & W Eddleman by insisting that if allowed intervention, petitioners must follow NRC Rules of Practice & file specific contentions Certificate of Svc encl
TROWBRIDGE, G F Shaw, Pittman, Potts, & Trowbridge 79/02/09 13pp

7903050237 Seven directions & requests for evidentiary hearings on remanded issues
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/12 2pp

7903050047 ALAB-526 affirming ABLB 790110 order denying joint petition of W Eddleman & Kudzu Alliance to intervene Recent residence near facility does not justify tardy filing & petitioners will not contribute to remanded issue
BUFLD, M E Atomic Safety and Licensing Appeal Panel 79/02/13 5pp

7903060339 Forwards two NRC 790123 & 790206 memoranda re non-capable faults at site
BARTH, C A Branch 3 79/02/13 1p

7903050406 Requests that NRC make RH Wessman available as witness in remand hearings to testify re rept of interview of Ofc of Inspector & Auditor & his memorandum to HC Dance dtd 770214 re Jan 1977 insp of Brunswick He should bring his records
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/14 1p

7903220102 Intervenor requests at least two evening hearings during first weekly session so interested citizens may observe & participate at ASLB's discretion Certificate of Svc encl
MYERS, D P, EDMISTEN, R L North Carolina, State of 79/02/14 2pp

7903140648 Responds to applicant's 790209 answer to intervenors' appeal brief & notice Contends that existing parties will not represent petitioners' interests properly & rejects other arguments in 790209 answer
EDDLEMAN, W Kudzu Alliance 79/02/15 13pp

7903130493 Memorandum & order re order of testimony Requests info from parties as soon as agreement on order of witnesses is reached
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/16 2pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903280308 Requests that hearings be held at night, so that citizens w/ daytime jobs may attend
SMITH, R Affiliation Unknown 79/02/20 1p

7903230277 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903230143 Applicant's response to intervenors' motion to remand and/or reopen record Urges denial of motion because ASLB did not rely on Rasmussen Rept in making its decision Certificate of Svc encl
TROWBRIDGE, G F Shaw, Pittman, Potts, & Trowbridge 79/03/07 5pp

7903000182 Forwards IE Insp Repts 50-400/79-01 & 50-401/79-01 on 790116-19 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/09 2pp

7903200185 IE Insp Repts 50-400/79-01 & 50-401/79-01 on 790116-19 No noncompliance noted Major areas inspected concrete work activities, storage & records of reactor vessel internals & storage & records of matl for safety-related structures.
AND, W P, BRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/08 3pp

7903150072 Follows up 780301 ltr in response to IE Bulletin 78-02 Investigations show no unprotected safety-related terminal blocks in any sys within containment that must function in post-accident environ
MC DUFFIE, M A Carolina Power & Light Co 79/02/15 1p

7903080935 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903150128 Responds to NRC 790209 ltr re IE Insp Rept 50-400/79-01 & 50-401/79-01 No proprietary info
HOWE, P W Carolina Power & Light Co 79/02/21 1p

7903080256 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140465 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903220150 Responds to NRC 790227 ltr re IE Insp Repts 50-400/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on 790123-26 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/08 1p

7903220159 Forwards IE Insp Repts 50-400/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on 790123-26 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/27 2pp

7903220166 Notice of violation from insp on 790123-26, * Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/16 2pp

DOCKETED SERIES

DOCKET 50-400 Shearon Harris Nuclear Power Plant, Unit 1

7903220173 IE Insp Repts 50-400/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on 790123-26 Noncompliance noted lack of document control
BRADLEY, R D, MERDT, A R Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/16 5pp

7903210119 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co." O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903270275 Ack receipt of IE Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03 & 50-403/79-03 on 790205-08 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/14 1p

7903270281 Forwards IE Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03, 50-403/79-03 on 790205-08 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/08 2pp

7903270287 IE Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03, 50-403/79-03 on 790205-08 No noncompliance noted Major areas inspected dams, foundations, containment concrete & penetrations, schedule milestones, const progress & revisions
SWAN, W B, BRYANT, J C Region 2, Atlanta, Office of the Director 79/03/07 5pp

7903280104 Ack receipt of IE Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 on 790205-08 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/15 1p

7903280111 Forwards IE Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 on 790205-08 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/06 2pp

7903280124 IE Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 on 790205-08 No noncompliance noted Major areas inspected containment liner, welding-related spec & procedure requirements, & fitup of svc water piping weld
GIRARD, E H, CONLON, T E Region 2, Atlanta, Office of the Director 79/03/02 4pp

7903210568 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903080536 Transcript of 790227 hearing in Raleigh NC Pp 2, 164-2, 361 W/encl testimony of Panel One
SMITH, I W, LEEDS, J V, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/02/27 271pp

7903080539 Transcript of 790228 hearing in Raleigh, NC Pp 2, 362-2, 621 W/encl testimony of Panel Two
SMITH, I W, LEEDS, J V, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/02/28 318pp

7903090084 Transcript of 790301 hearing in Raleigh, NC Pp 2, 662-2, 896
SMITH, I W, LEEDS, J V, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/03/01 275pp

7903160252 Transcript of 790308 hearing held in Raleigh, NC Pp 3, 507-3, 792
SMITH, I W, LEEDS, J V, BRIGHT, O O Atomic Safety and Licensing Board Panel 79/03/08 285pp

DOCKET 50-401 Shearon Harris Nuclear Power Plant, Unit 2

7903010290 Evaluation by util of welding defects in embedments purchased for plant is continuing; 790319 completion anticipated
CHIANG, N J Carolina Power & Light Co 79/02/12 1p

7903210238 Delineates misreading or misunderstanding by TS Erwin of 781228 order It is NC Util Commission's view that NRC should be bound by prior findings on question of need for power in any licensing proceeding
KODER, R K, WELLS, H A North Carolina, State of 79/02/27 4pp

7903270524 Forwards NUREC-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903050011 Requests that hearings be held in evenings & on weekends
EDDLEMAN, W Affiliation Unknown 79/02/02 1p

7903050124 Forwards memo detailing reassignment of personnel in NRC Region II Intends to have hearing record reflect changes
REIS, E J Branch 3 79/02/06 1p

7903050128 Confirms 790201 telcon re reassignment of Region II cadres
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/02 1p

7903070007 Forwards ltr from PS Baggett requesting evening sessions be held for forthcoming hearing Staff has no indication of interest in evening sessions at this time
BARTH, C A Branch 3 79/02/08 1p

7903070011 Requests that upcoming hearings be held in the evenings or on weekends to allow public attendance
BAGGETT, P S Affiliation Unknown 79/01/27 1p

7903160285 Requests evening or weekend hearings to allow for public input
BLONICK, J Affiliation Unknown 79/02/08 2pp

7903060704 Responds to appeal of denial of intervenor status to Kudzu Alliance & W Eddleman Urges affirming denial order because interest requirement not satisfied & contentions raised are beyond NRC licensing authority Certificate of Svc encl
BARTH, C A Branch 3 79/02/09 7pp

7903070147 Answers notice of appeal & appeal brief of Kudzu Alliance & W Eddleman by insisting that if allowed intervention, petitioners must follow NRC Rules of Practice & file specific Contentions Certificate of Svc encl
TROWBRIDGE, G F Shaw, Pittman, Potts, & Trowbridge 79/02/09 13pp

7903050237 Seven directions & requests for evidentiary hearings on remanded issues
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/12 2pp

7903050047 ALAB-526 affirming ASLR 790110 order denying joint petition of W Eddleman & Kudzu Alliance to intervene Recent residence near facility does not justify tardy filing & petitioners will not contribute to remanded issue
DUFFLO, M E Atomic Safety and Licensing Appeal Panel 79/02/13 3pp

7903060339 Forwards two NRC 790125 & 790206 memoranda re non-capable faults at site
BARTH, C A Branch 3 79/02/13 1p

7903050406 Requests that NRC make RH Weseman available as witness in remand hearings to testify re rept of interview of Ofc of Inspector & Auditor & his memorandum to HC Dance dtd 770214 re Jan 1977 insp of Brunswick He should bring his records
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/14 1p

7903220102 Intervenor requests at least two evening hearings during first weekly session so interested citizens may observe & participate at ASLB's discretion Certificate of Svc encl
MYERS, D P, EDMISTEN, R L North Carolina, State of 79/02/14 2pp

7903140648 Responds to applicant's 790209 answer to intervenors' appeal brief & notice Contains that existing parties will not represent petitioners' interests properly & rejects other arguments in 790209 answer
EDDLEMAN, W Kudzu Alliance 79/02/15 13pp

7903130493 Memorandum & order re order of testimony Requests info from parties as soon as agreement on order of witnesses is reached
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/16 2pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903280308 Requests that hearings be held at night, so that citizens w/ daytime jobs may attend
SMITH, R Affiliation Unknown 79/02/20 1p

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

DOCKETED SERIES

175

DOCKET 50-401 Shearon Harris Nuclear Power Plant, Unit 2

7903230143 Applicant's response to intervenors motion to remand and/or reopen record Urges denial of motion because ASLB did not rely on Rasmussen Rept in making its decision Certificate of Svc encl
TROWBRIDGE, G F Shaw, Pittman, Potts, & Trowbridge 79/03/09 3pp

7903230182 Forwards IE Insp Repts 50-400/79-01 & 50-401/79-01 on 790116-19 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/09 2pp

7903230185 IE Insp Repts 50-400/79-01 & 50-401/79-01 on 790116-19 No noncompliance noted Major areas inspected concrete work activities, storage & records of reactor vessel internals & storage & records of matl for safety-related structures
ANG, W F, BRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/08 3pp

7903150072 Follows up /80301 ltr in response to IE Bulletin 78-02 Investigations show no unprotected safety-related terminal blocks in any sys within containment that must function in post-accident environ
MC DUFFIE, M A Carolina Power & Light Co 79/02/15 1p

7903080535 Forwards IE Info Notice /9-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903150128 Responds to NRC 790209 ltr re IE Insp Rept 50-400/79-01 & 50-401/79-01 No proprietary info
HOWE, P W Carolina Power & Light Co 79/02/21 1p

7903080296 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dts 790208, that valve limit switch identified as NAMCO Model S3CHL should read SL3CHL
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140465 Forwards IF Info Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903220150 Responds to NRC 790227 ltr re IE Insp Repts 50-400/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on 790123-26 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/08 1p

7903220159 Forwards IE Insp Repts 50-400/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on 790123-26 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/27 2pp

7903220166 Notice of violation from insp on 790123-26
Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/16 2pp

7903220173 IE Insp Repts 50-400/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on 790123-26 Noncompliance noted lack of document control
BRADLEY, R D, HCRDT, A R Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/16 5pp

7903210119 Forwards IF Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903270275 Ack receipt of IE Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03 & 50-403/79-03 on 790205-08 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/14 1p

7903270281 Forwards IE Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03, 50-403/79-03 on 790205-08 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/08 2pp

7903270287 IE Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03, 50-403/79-03 on 790205-08 No noncompliance noted Major areas inspected dams, foundations, containment concrete & penetrations, schedule milestones, const progress & revisions
SWAN, W B, BRYANT, J C Region 2, Atlanta, Office of the Director 79/03/07 5pp

7903280104 Ack receipt of IE Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 on 790205-08 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/15 1p

7903280111 Forwards IE Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/06 2pp

7903280124 IE Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 on 790205-08 No noncompliance noted Major areas inspected containment liner, welding-related spec & procedure requirements, & fitup of svc water piping weld
OIRARD, E H, CONLON, T E Region 2, Atlanta, Office of the Director 79/03/02 4pp

7903210568 Forwards IF Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903080536 Transcript of 790227 hearing in Raleigh NC Pp 2,164-2,361 W/encl testimony of Panel One
SMITH, I W, LEEDS, J V, BRIGHT, G O Atomic Safety and Licensing Board Panel 79/02/27 271pp

7903080539 Transcript of 790228 hearing in Raleigh, NC Pp 2,362-2,621 W/encl testimony of Panel Two
SMITH, I W, LEEDS, J V, BRIGHT, G O Atomic Safety and Licensing Board Panel 79/02/28 318pp

7903090084 Transcript of 790301 hearing in Raleigh, NC Pp 2,662-2,896
SMITH, I W, LEEDS, J V, BRIGHT, G O Atomic Safety and Licensing Board Panel 79/03/01 275pp

7903160252 Transcript of 790308 hearing held in Raleigh, NC Pp 3,507-3,792
SMITH, I W, LEEDS, J V, BRIGHT, G O Atomic Safety and Licensing Board Panel 79/03/08 283pp

DOCKET 50-402 Shearon Harris Nuclear Power Plant, Unit 3

7903010250 Evaluation by util of welding defects in embedments purchased for plant is continuing; 790319 completion anticipated
CHARNICK, N J Carolina Power & Light Co 79/02/12 1p

7903210238 Delineates misreading or misunderstanding by TS Erwin of 781228 order It is NC Util Commission's view that NRC should be bound by prior findings on question of need for power in any licensing proceeding
KOEGER, R W, WELLS, H A North Carolina, State of 79/02/27 4pp

7903270524 Forwards NUREG-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHART, D O Assistant Director for Systems & Projects 79/03/02 3pp

7903050011 Requests that hearings be held in evenings & on weekends
EEDLEMAN, W Affiliation Unknown 79/02/02 1p

7903050124 Forwards memo detailing reassignment of personnel in NRC Region II intends to have hearing record reflect changes
REIS, E J Branch 3 79/02/06 1p

7903050128 Confirms 790201 telcon re reassignment of Region II cadre
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/02 1p

7903070007 Forwards ltr from PS Baggett requesting evening sessions be held for forthcoming hearing Staff has no indication of interest in evening sessions at this time
BARTH, C A Branch 3 79/02/08 1p

7903070011 Requests that upcoming hearings be held in the evenings on weekends to allow public attendance
BAGGETT, P S Affiliation Unknown 79/01/27 1p.

7903160285 Requests evening or weekend hearings to allow for public input
BLOTNICK, J Affiliation Unknown 79/02/08 2pp

7903060704 Responds to appeal of denial of intervenor status to Kudzu Alliance & W Eddleman Urges affirming denial order because interest requirement not satisfied & contentions raised are beyond NRC licensing authority Certificate of Svc encl
BARTH, C A Branch 3 79/02/09 9pp

DOCKETED SERIES

DOCKET 50-402 Shearon Harris Nuclear Power Plant, Unit 3

7903070147 Answers notice of appeal & appeal brief of Kudzu Alliance & W Eddleman by insisting that if allowed intervention, petitioners must follow NRC Rules of Practice & file specific contentions Certificate of Svc encl
TROWBRIDGE, G F Shaw, Pittman, Potts, & Trowbridge 79/02/09 13pp

7903050237 Seven directions & requests for evidentiary hearings on remanded issues
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/12 2pp

7903050047 ALAB-526 affirming ASLR 790110 order denying joint petition of W Eddleman & Kudzu Alliance to intervene Recent residence near facility does not justify tardy filing & petitioners will not contribute to remanded issue
DUFLO, M E Atomic Safety and Licensing Appeal Panel 79/02/13 5pp

7903060339 Forwards two NRC /90125 & 790206 memoranda re non-capable faults at site
BARTH, C A Branch 3 79/02/13 1p

7903050406 Requests that NRC make RH Wessman available as witness in remand hearings to testify re rept of interview of Ofc of Inspector & Auditor & his memorandum to HC Dance dtd 770214 re Jan 1977 insp of Brunswick He should bring his records
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/14 1p

7903220102 Intervenor requests at least two evening hearings during first weekly session so interested citizens may observe & participate at ASLR's discretion Certificate of Svc encl
HYERS, D P, EDMISTEN, R L North Carolina, State of 79/02/14 2pp

7903140648 Responds to applicant's 790209 answer to intervenors' appeal brief & notice contends that existing parties will not represent petitioners' interests properly & rejects other arguments in 790209 answer
EDDLEMAN, W Kudzu Alliance 79/02/15 13pp

7903130493 Memorandum & order re order of testimony Requests info from parties as soon as agreement on order of witnesses is reached
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/16 2pp

7903130200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903280308 Requests that hearings be held at night so that citizens w/ daytime jobs may attend
SMITH, R Affiliation Unknown 79/02/20 1p

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903230143 Applicant's response to intervenors' motion to remand and/or reopen record Urges denial of motion because ASLR did not rely on Rasmussen Rept in making its decision Certificate of Svc encl
TROWBRIDGE, G F Shaw, Pittman, Potts, & Trowbridge 79/03/09 5pp

7903150072 Follows up 780301 ltr in response to IE Bulletin 78-02 Investigations show no unprotected safety-related terminal blocks in any sys within containment that must function in post-accident environ
MCDOUFFIE, M A Carolina Power & Light Co 79/02/15 1p

7903080535 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080256 Informs recipients of IF Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NACD Model 83CML should read 8L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140465 Forwards IF Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903220130 Responds to NR 790227 ltr re IE Insp Repts 50-400/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on 790123-26 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/08 1p

7903220159 Forwards IE Insp Repts 50-100/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on /90123 26 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/27 2pp

7903220166 Notice of violation from insp on 790123-26
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/16 2pp

7903220173 IE Insp Repts 50-400/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on /90123-26 Noncompliance noted lack of document control
BRADLEY, R D, HERNDT, A R Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/16 5pp

7903210119 Forwards IF Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903270275 Ack receipt of IE Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03 & 50-403/79-03 on /90205-06 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/14 1p

7903270281 Forwards IF Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03, 50-403/79-03 on /90205-08 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/08 2pp

7903270287 IE Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03, 50-403/79-03 on /90205-08 No noncompliance noted Major areas inspected dams, foundations, containment concrete & penetrations, schedule milestones, const progress & revisions
SHAN, W D, BRYANT, J C Region 2, Atlanta, Office of the Director 79/03/07 5pp

7903280104 Ack receipt of IE Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 on /90205-08 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/15 1p

7903280111 Forwards IF Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/06 2pp

7903280124 IE Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 on /90205-08 No noncompliance noted Major areas inspected containment liner, welding-related spec & procedure requirements, & fitup of svc water piping weld
GIRARD, E H, COHLN, T L Region 2, Atlanta, Office of the Director 79/03/02 4pp

7903210568 Forwards IF Circular 79-04, "Loose Locking Nut on Limbtorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903080536 Transcript of /90227 hearing in Raleigh NC Pp 2, 164-2, 361 W/encl testimony of Panel One
SMITH, I W, LEEDS, J V, BRIGHT, G O Atomic Safety and Licensing Board Panel 79/02/27 271pp

7903080539 Transcript of /90228 hearing in Raleigh, NC Pp 2, 362-2, 621 W/encl testimony of Panel Two
SMITH, I W, LEEDS, J V, BRIGHT, G O Atomic Safety and Licensing Board Panel 79/02/28 318pp

7903090084 Transcript of /90301 hearing in Raleigh, NC Pp 2, 662-2, 896
SMITH, I W, LEEDS, J V, BRIGHT, G O Atomic Safety and Licensing Board Panel 79/03/01 275pp

7903160282 Transcript of 790308 hearing held in Raleigh, NC Pp 3, 507-3, 772
SMITH, I W, LEEDS, J V, BRIGHT, G O Atomic Safety and Licensing Board Panel 79/03/08 285pp

DOCKET 50-403 Shearon Harris Nuclear Power Plant, Unit 4

7903010290 Evaluation by util of welding defects in embedments purchased for plant is continuing 790319 completion anticipated
CHIANQI, N J Carolina Power & Light Co 79/02/12 1p

7903090250 Report on 790129 site visit to inspect test fills VR-24-4-1 & VR-24-4-2 constructed & tested in Dec 1978 & Jan 1979
Informed applicant of info need. re test fill program & insp of auxiliary dam & dike foundations
THOMPSON, D O Sciences Branch 79/02/14 2pp

7903210238 Points out misreading or misunderstanding by TS Erwin of 781228 order It is NC Util Commission view that NRC should be bound by prior findings on question of need for power in any licensing proceeding
KOGER, R W North Carolina, State of 79/02/27 4pp

7903270524 Forwards NUREG 0523, "Summary of Operating Experience W/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903050047 ALAB-526 affirming ASLR 790110 order denying joint petition of W Eddleman & Kudzu Alliance to intervene Recent residence near facility does not justify tardy filing & petitioners will not contribute to remanded issue
DUFFLO, M E Atomic Safety and Licensing Appeal Panel 79/02/13 5pp

7903050011 Requests that hearings be held in evenings & on weekends
EDDLEMAN, W Affiliation Unknown 79/02/02 1p

7903050124 Forwards memo detailing reassignment of personnel in NRC Region II Intends to have hearing record reflect changes
REIS, E J Branch 3 79/02/06 1p

7903050128 Confirms 790201 telcon re reassignment of Region II cadres
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/02 1p

7903070007 Forwards ltr from PS Baggett requesting evening sessions be held for forthcoming hearing Staff has no indication of interest in evening sessions at this time
BARTH, C A Branch 3 79/02/08 1p

7903070011 Requests that upcoming hearings be held in the evenings or on weekends to allow public attendance
BAGGETT, P S Affiliation Unknown 79/01/27 1p

7903100285 Requests evening or weekend hearings to allow for public input
BLONTRICK, J Affiliation Unknown 79/02/08 2pp

7903060704 Responds to appeal of denial of intervenor status to Kudzu Alliance & W Eddleman Urges affirming denial order because interest requirement not satisfied & contentions raised are beyond NRC licensing authority Certificate of Svc encl
BARTH, C A Branch 3 79/02/09 9pp

7903070147 Answers notice of appeal & appeal brief of Kudzu Alliance & W Eddleman by insisting that if allowed intervention, petitioners must follow NRC Rules of Practice & file specific contentions Certificate of Svc encl
TROWBRIDGE, G F Shaw, Pittman, Potts, & Trowbridge 79/02/09 13pp

7903050237 Seven directions & requests for evidentiary hearings on remanded issues
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/12 2pp

7903050406 Requests that NRC make RH Wessman available as witness in remand hearings to testify re rept of interview of OFC of Inspector & Auditor & his memorandum to HC Dance dtd 770214 re Jan 1977 insp of Brunswick He should bring his records
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/14 1p

7903220102 Intervenor requests at least two evening hearings during first weekly session so interested citizens may observe & participate at ASLR's discretion Certificate of Svc encl
MYERS, B P North Carolina, State of 79/02/14 2pp

7903140648 Responds to applicant's 790209 answer to intervenors' appeal brief & notice Contends that existing parties will not represent petitioners' interests properly & rejects other arguments in 790209 answer
EDDLEMAN, W Kudzu Alliance 79/02/15 13pp

7903130495 Memorandum & order re order of testimony Requests info from parties as soon as agreement on order of witnesses is reached

DOCKET 50-403 Shearon Harris Nuclear Power Plant, Unit 4

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903280308 Requests that hearings be held at night, so that citizens w/ daytime jobs may attend
SMITH, R Affiliation Unknown 79/02/20 1p

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R II Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903230143 Applicant's response to intervenors' motion to remand and/or reopen record Urges denial of motion because ASLR did not rely on Resmussen Rept in making its decision Certificate of Svc encl
TROWBRIDGE, G F Shaw, Pittman, Potts, & Trowbridge 79/03/09 5pp

7903150072 follows up 780301 ltr in response to IE Bulletin 78-02 Investigations show no unprotected safety-related terminal blocks in any sys within containment that must function in post-accident environ
MC DUFFIE, M A Carolina Power & Light Co 79/02/15 1p

7903080535 Forwards IF Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080296 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as HAMCO Model 93CML should read EL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140465 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903220150 Responds to NRC 790227 ltr re IF Insp Repts 50-400/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on 790123-26 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/08 1p

7903220159 Forwards IE Insp Repts 50-400/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on 790123-26 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/27 2pp

7903220166 Notice of violation from insp on 790123-26
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/16 2pp

7903220173 IE Insp Repts 50-400/79-02, 50-401/79-02, 50-402/79-01 & 50-403/79-01 on 790123-26 Noncompliance noted lack of document control
BRADLEY, R D Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/16 5pp

7903210119 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in AEME 8A-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903270275 Ack receipt of IE Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03 & 50-403/79-03 on 790205-08 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/14 1p

7903270281 Forwards IE Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03 & 50-403/79-03 on 790205-08 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/08 2pp

7903270287 IE Insp Repts 50-400/79-04, 50-401/79-04, 50-402/79-03, 50-403/79-03 on 790205-08, No noncompliance noted Major areas inspected dams, foundations, containment concrete & penetrations, schedule milestones, const progress & revisions
SWAN, W B Region 2, Atlanta, Office of the Director 79/03/07 5pp

DOCKETED SERIES

DOCKET 50-403 Shearon Harris Nuclear Power Plant, Unit 4

7903280104 Ack receipt of IE Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 on 790205-08 No proprietary info
HOWE, P W Carolina Power & Light Co 79/03/15 1p

7903280111 Forwards IE Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch 79/03/06 2pp

7903280124 IE Insp Repts 50-400/79-05, 50-401/79-05, 50-402/79-04 & 50-403/79-04 on 790205-08 No noncompliance noted Major areas inspected containment liner, welding-related spec & procedure requirements, & fitup of svc water piping weld
GIRARD, E H Region 2, Atlanta, Office of the Director 79/03/02 4pp

7903210568 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903080536 Transcript of 790227 hearing in Raleigh, NC Pp 2, 164-2, 361 W/encl testimony of Panel One
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/27 271pp

7903080539 Transcript of 790228 hearing in Raleigh, NC Pp 2, 362-2, 621 W/encl testimony of Panel Two
SMITH, I W Atomic Safety and Licensing Board Panel 79/02/28 318pp

7903090084 Transcript of 790301 hearing in Raleigh, NC Pp 2, 662-2, 896
SMITH, I W Atomic Safety and Licensing Board Panel 79/03/01 275pp

7903160252 Transcript of 790308 hearing held in Raleigh, NC Pp 3, 507-3, 792
SMITH, I W Atomic Safety and Licensing Board Panel 79/03/08 285pp

DOCKET 50-404 North Anna Power Station, Unit 3

7903210501 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," due to recent problems w/ degradation Believes continued plant operation does not constitute undue risk W/o encl
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903050372 Amend of Condition 4 endorsement to policy MF-37 changing liability from \$31,500,000 to \$35,000,000
GERAS, T Nuclear Energy Liability Insurance Association 79/02/01 1p

7903280315 Informs that proposed cooperative interest of NC Electric Membership Corp is less than 20 MW & that of Old Dominion Electric Cooperative is between 20 & 80 MW
FLEXNER, D L Justice, Dept of 79/03/22 2pp

7903090123 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080314 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140433 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210151 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903220019 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903200221 Forwards "Environ Radiological Monitoring Program," quarterly rept for Jul-Sept 1978 Concludes field monitoring & assay effort are adequate re program objectives No significant change noted in background levels
BAUM, E A Virginia Electric & Power Co 79/03/15 1p

7903200228 "Environ Radiological Monitoring Program," quarterly rept for Jul-Sept 1978
* Virginia Electric & Power Co 78/09/30 100pp

DOCKET 50-405 North Anna Power Station, Unit 4

7903210501 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," due to recent problems w/ degradation Believes continued plant operation does not constitute undue risk W/o encl
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903050372 Amend of Condition 4 endorsement to policy MF-37 changing liability from \$31,500,000 to \$35,000,000
GERAS, T Nuclear Energy Liability Insurance Association 79/02/01 1p

7903280315 Informs that proposed cooperative interest of NC Electric Membership Corp is less than 20 MW & that of Old Dominion Electric Cooperative is between 20 & 80 MW
FLEXNER, D L Justice, Dept of 79/03/22 2pp

7903090123 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080314 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140433 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210151 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903220019 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903200221 Forwards "Environ Radiological Monitoring Program," quarterly rept for Jul-Sept 1978 Concludes field monitoring & assay effort are adequate re program objectives No significant change noted in background levels
BAUM, E A Virginia Electric & Power Co 79/03/15 1p

7903200228 "Environ Radiological Monitoring Program," quarterly rept for Jul-Sept 1978 Describes operational program & quarterly repts & Analysis
* Virginia Electric & Power Co 78/09/30 100pp

DOCKET 50-406 Tuskegee Inst Research Reactor

7903280309 Forwards revised physical security plan for approval Encl withheld (ref 10CFR2 790)
DYBCZAK, Z W Tuskegee Inst 79/03/21 1p

DOCKET 50-407 Univ of Utah Research Reactor

7903060620 Forwards Amend 9 to License R-25 & Amend 3 to License R-126 Finds security plan acceptable Forwards formatted guidelines to rewrite plan for renewal of license R-25
REID, R W Operating Reactors Branch 4 79/01/26 6pp

7903060623 Amend 4 to license R-25, changing security plan
REID, R W Operating Reactors Branch 4 79/01/26 2pp

7903060626 Amend 3 to license R-126, changing security plan
REID, R W Operating Reactors Branch 4 79/01/26 2pp

DOCKETED SERIES

179

DOCKET 50-407 Univ of Utah Research Reactor

790306046 Forwards addl guidance re physical security plan License should reflect total amount of U-235, Pu & U-233 & percent enrichment, amount exempt & amount not exempt
REID, R W Operating Reactors Branch 4 79/02/02 2pp

7903260182 In response to NRC 790202 ltr re use of "Special Nuclear Matl of Low Strategic Significance," forwards addl info re TRIGA fuel, AGN fuel, PuBe Source MRC 228, PuBe Source 3980 & U-235
JENSEN, C M Utah, Univ of 79/03/19 1p

7903230072 Forwards IE Insp Rept 50-407/79-01 on 790123-26 & notice of violation
MADSEN, Q L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/13 2pp

7903230074 Notice of violation from insp on 790123-26
* Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/12 1p

7903230075 IE Insp Rept 50-407/79-01 on 790123-26 Noncompliance noted failure to follow logging procedures
DICKERSON, M W, VERDUCCI, G H, MADSEN, Q L Region 4, Dallas, Reactor Operations Nuclear Support Branch 79/02/12 7pp

DOCKET 50-409 La Crosse Boiling Water Reactor

7903230035 Forwards Federal Register notice amending 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Industrial Sabotage," to defer employee pat-down searches until 790801
BENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903290107 Forwards safeguards contingency plan Plan withheld (ref 10CFR2 790)
LINDER, F Dairyland Power Cooperative 79/03/23 2pp

7903070013 Advises of delay in issuance of safety evaluation & EIA re proposed license amend for LACBWR
WOODHEAD, C P Branch 3 79/01/31 1p

7903210239 Notes that 6AND77-1927 contains potentially relevant info re issue of spent nuclear fuel sabotage Forwards copy of 790122 unclassified transmittal memo Will forward staff assessment of info when available
WOODHEAD, C P Branch 3 79/02/06 2pp

7903130103 "Final Structural Design of fuel Storage Well Crash Pad for LACBWR Nuclear Power Plant"
MUSAIN, I, OBLIGADO, A, YULL, A H Dairyland Power Cooperative NES 01A0426 76/03/31 9pp

7903080100 Forwards mods & corrections to NRC guidance, "Review & Acceptance of Spent Fuel Storage & Handling Applications," sent 780414
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903120335 Forwards staff recommendations re general contents of Offsite Dose Calculation Manual to be submitted w/proposed radiological effluent Tech Specs
GRIMES, B K Assistant Director for Engineers & Projects 79/01/18 4pp

7903140169 Forwards request for clarifications of info submitted 790104 re proposed mods to spent fuel storage facility
ZIEMANN, D L Operating Reactors Branch 2 79/02/14 4pp

7903160257 Summary of 790209 meeting in Bethesda, MD, w/utl to discuss available info on liquefaction potential & appropriate soils properties investigation program for issue resolution w/supporting documentation
METHORE, J S Operating Reactors Branch 2 79/02/15 25pp

7903130090 Forwards Plant Sys Branch input to safety evaluation for utl's proposed mod to spent fuel storage pool
LAINAS, G Plant Systems Branch 79/02/21 2pp

7903130096 Safety evaluation discussing utl application for amend to operating license to increase capacity of spent fuel pool
LAINAS, G Plant Systems Branch 79/02/21 6pp

7903090068 Suppl to summary of 790209 meeting re liquefaction potential at site, stressed need to address post-earthquake stability of pile foundations
HELLER, L W Geosciences Branch 79/02/23 1p

7903020283 In response to 790111 NRC ltr, suggests changes to systematic evaluation program Topic IV-1A, "Operation W/Less than All Loops in Svc"
LINDER, F Dairyland Power Cooperative 79/02/26 2pp

7903070252 Forwards "Refueling Plan for Cycle 6," proposed changes to Tech Specs of provisional License DPR-45 & check to cover amend fee
LINDER, F Dairyland Power Cooperative 79/02/26 2pp

7903070254 "Refueling Plan for Cycle 6"
RAFFETY, S J, BUCK, P Dairyland Power Cooperative 79/02/28 24pp

7903070325 Forwards response to NRC 790214 request for addl info required for review of proposed mod of spent fuel storage pool
LINDER, F Dairyland Power Cooperative 79/03/01 10pp

7903130467 Forwards IE Insp Rept 50-409/78-17 on 781218-21 & notice of violation
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/29 2pp

7903130470 Notice of violation from insp on 791218-21
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/29 1p

7903130472 IE Insp Rept 50-409/78-17 on 781218-21 Noncompliance noted lack of process or engineering control to limit exposure of individuals to airborne concentrations of radioactive matl
GREGG, L R, HATT, J W, FISHER, W L Region 3, Chicago, Office of the Director 79/01/24 12pp

7903150419 In response to NRC 781124 ltr, all relevant info can be found until 781127 ltr
LINDER, F Dairyland Power Cooperative 79/01/30 1p

7903140591 Forwards IE Insp Rept 50-409/79-01 on 790110-12 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/06 2pp

7903140595 IE Insp Rept 50-409/79-01 on 790110-12 No noncompliance noted Major areas inspected review of records, procedures, equipment, employee training, requalification training & fire prevention
RIDEN, M D, LITTLE, W S Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/01 5pp

7903220474 Forwards IE Insp Rept 50-409/79-02 on 790122-26 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/15 2pp

7903220477 Notice of violation from insp on 790122-26
* Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/13 1p

7903220485 IE Insp Rept 50-409/79-02 on 790122-26 Noncompliance noted failure to state 10CFR21 applicability on purchase documents
RIDGWAY, K R, WARRICK, R F Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/13 9pp

7903080347 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903070568 Ack receipt of 790206 ltr informing NRC of steps taken to correct violations noted in NRC 790112 ltr Encl withheld (ref 10CFR2 790)
HIND, J A Region 3, Chicago, Safeguards Branch 79/02/20 1p

7903080358 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 83CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903150033 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

DOCKETED SERIES

DOCKET 50-409 La Crosse Boiling Water Reactor

7903190553 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co." KEPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

7903200517 Ack receipt of 790324 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-409/78-17 DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/03/12 1p

7903200520 Responds to NRC 790129 ltr re violations noted in IE Insp Rept 50-409/78-17 Corrective actions thorough decontamination initiated for radwaste bldg areas transited by personnel, & work area painted w/epoxy paint LINDER, W Duke Power Co 79/02/26 4pp

7903150228 Forwards monthly operating rept for Feb 1979 LINDER, F Dairyland Power Cooperative 79/03/05 1pp

7903150229 Monthly operating rept for Feb 1979 PARNORTH, L G Dairyland Power Cooperative 79/03/07 9pp

DOCKET 50-410 Nine Mile Point Nuclear Station, Unit 2

7903230009 Notification of 790321 meeting in Los Gatos, CA w/ representatives from Mark II owners group to discuss Mark II LOCA & safety relief valve pool dynamic loads ANDERSON, C J Containment Systems Branch 79/03/12 12pp

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II" SOBON, L J General Electric Co, Nuclear Energy Products Div 79/03/16 1p

7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II" UPFAL, I B General Electric Co, Nuclear Energy Products Div 79/03/16 12pp

7903290085 Forwards proprietary copies of alternate load spec info document applicable to wetwell walls, to replace info in NUREG-0487, Encl withheld (ref 10CFR2 790) W/affidavit SOBON, L J General Electric Co, Nuclear Energy Products Div 79/03/20 5pp

7903200569 Forwards IE Insp Rept 50-410/79-01 on 790108-11 No noncompliance noted CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/06 2pp

7903200576 IE Insp Rept 50-410/79-01 on 790108-11 No noncompliance noted Major areas inspected QC programs for structural steel erection & welding, biological shield welding, document control, cadweld welds & outstanding items NARROW, L J, SANDERS, W F, MCQUAGHY, R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/02 10pp

7903060632 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing Limit Switch Lubricant" ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080433 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features" ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080517 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903070260 Followup on notifications of 780421 & 781122 re potentially reportable deficiencies in cadweld sleeves on containment liner knuckle plate Forwards description, analysis & corrective action BARTLETT, J Niagara Mohawk Power Corp 79/02/28 12pp

DOCKET 50-412 Beaver Valley Power Station, Unit 2

7903270574 Forwards NUREG-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903210179 Forwards Endorsements 31 & 32 to ANI Policy NF-226 & Endorsements 26 & 27 to MAELU Policy MF-87 BARNETT, J E Conover & Associates, Inc Insurance 79/03/14 5pp

7903080099 Forwards IE Insp Rept 50 412/78-14 on 781211-14 No noncompliance noted CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/12 2pp

7903080103 IE Insp Rept 50-412/78-14 on 781211-14 No noncompliance noted Major areas inspected const activities in progress, rebar installation for containment interior slab & containment exterior wall concrete placement techniques VARELA, A A, CHAUDHARY, S K, EDNETER, S D Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/10 6pp

7903050529 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing Limit Switch Lubricant" ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903080322 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features" ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080468 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML ORIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903060562 Ack receipt of interim rept "Reactor Containment Liner, Overlay Pad Fillet Weld Crack" CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/31 1p

7903270386 Forwards significant deficiency rept 78-03 re fillet weld crack in reactor containment liner WOODLEVER, E J Duquesne Light Co 79/03/22 1p

7903270387 Significant deficiency rept 78-03 on 781222 final rept on reactor containment liner overlay pad fillet weld Crack found greater than half the thickness of liner matl Cracked area removed & will be replaced * Duquesne Light Co 79/03/22 45pp

DOCKET 50-413 Catawba Nuclear Station, Unit 1

7903050539 FOIA request for documents re NRC reevaluation of Rasmussen Rept RILEY, J Carolina Environmental Study Group 79/01/21 1p

7903260260 Forwards "Electrical Schematics," Vols 1-5 PARKER, W O Duke Power Co 79/03/21 2pp

7903260264 Forwards 10CFR50 33 info for operating license application PARKER, W O Duke Power Co 79/03/21 2pp

7903260268 "License Application, Vol 1," consisting of general info per 10CFR50 31 "Annual Rept 1977" encl * Duke Power Co 79/03/21 82pp

7903260243 Forwards "Environ Rept-DL Stage," Vols 1&2 Security plan forthcoming, pending NRC determination of amend acceptability PARKER, W O Duke Power Co 79/03/21 2pp

7903050487 Intervenor's petition to reopen safety phases of licensing proceedings Urges review of pressure suppression containments, lack of tod sys required by WASH-1270 & possible inadequacy of stud bolts RILEY, J L Carolina Environmental Study Group 79/01/28 5pp

7903290011 Forwards corporate annual rept, financial forecast & util statement re available sources of funds W/O encl THIES, A C Duke Power Co 79/03/21 1p

7903260249 Forwards FSAR, Vol 1-12, Tech Specs & emergency plan PARKER, W O Duke Power Co 79/03/21 2pp

7903260251 FSAR, Vol 1-12 * Duke Power Co 79/03/21 3160pp

7903260253 Proposed Tech Specs * Duke Power Co 79/03/21 400pp

DOCKETED SERIES

181

DOCKET 50-413 Catawba Nuclear Station, Unit 1

7903260257 Emergency Plan
* Duke Power Co 79/03/21 325pp

7902280235 Forwards IF Info Notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HSSA) "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/02 5pp

7903080552 Forwards IF Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/1st of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/09 2pp

7903090129 Forwards II Info Notice 79-04, "Degradation of Engineered Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080249 Informs recipients of IF Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 5L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903150177 Ack receipt of IE Insp Repts 50-413/79-01 & 50-414/79-01 on 790108-09 No proprietary info
DAIL, L C Duke Power Co 79/02/28 1p

7903150179 Forwards IE Insp Repts 50-413/79-01 & 50-414/79-01 on 790108-09 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/15 2pp

7903150202 IE Insp Repts 50-413/79-01 & 50-414/79-01 on 790108-09 No noncompliance noted Major areas inspected welding of reactor coolant, pressure boundary & safety-related piping, & installation of pressurizer lower support
BLAKE, J J, CONLON, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/14 4pp

7903140537 Forwards II Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 1p

7903210127 Forwards II Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903210575 Forwards II Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 1p

DOCKET 50-414 Catawba Nuclear Station, Unit 2

7903050537 FOIA request for documents re NRC reevaluation of Rasmussen Rept
RILEY, J Carolina Environmental Study Group 79/01/21 1p

7901260260 Forwards "Technical Schematics," Vols 1-5
PARKER, W D Duke Power Co 79/03/21 2pp

7903260264 Forwards 10CFR50.33 info for operating license application
PARKER, W D Duke Power Co 79/03/21 2pp

7903260268 "License Application, Vol 1," consisting of general info per 10CFR50.31 "Annual Rept 1977" encl
* Duke Power Co 79/03/21 82pp

7903260243 Forwards "Inviron Rept-DL Stage," Vols 1&2 Security plan forthcoming, pending NRC determination of amend acceptability
PARKER, W D Duke Power Co 79/03/21 2pp

7903050487 Intervenor's petition to reopen safety phases of licensing proceedings Urges review of pressure suppression containment, lack of rod sys required by WASH-1270 & possible inadequacy of stud bolts
RILEY, J L Carolina Environmental Study Group 79/01/28 5pp

DOCKET 50-414 Catawba Nuclear Station, Unit 2

7903290011 Forwards corporate annual rept, financial forecast & util statement re available sources of funds W/o encl
THIES, A C Duke Power Co 79/03/21 1p

7903260249 Forwards FSAR, Vol 1-12, Tech Specs & emergency plan
PARKER, W D Duke Power Co 79/03/21 2pp

7903260251 FSAR, Vol 1-12
* Duke Power Co 79/03/21 3160pp

7903260253 Proposed Tech Specs
* Duke Power Co 79/03/21 400pp

7903260257 Emergency Plan
* Duke Power Co 79/03/21 325pp

7903080552 Forwards IF Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/1st of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/09 2pp

7903090129 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080249 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 5L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903150177 Ack receipt of IE Insp Repts 50-413/79-01 & 50-414/79-01 on 790108-09 No proprietary info
DAIL, L C Duke Power Co 79/02/28 1p

7903150179 Forwards IE Insp Repts 50-413/79-01 & 50-414/79-01 on 790108-09 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/15 2pp

7903150202 IE Insp Repts 50-413/79-01 & 50-414/79-01 on 790108-09 No noncompliance noted Major areas inspected welding of reactor coolant, pressure boundary & safety-related piping, & installation of pressurizer lower support
BLAKE, J J, CONLON, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/14 4pp

7903140537 Forwards II Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 1p

7903210127 Forwards IF Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903210575 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 1p

DOCKET 50-416 Grand Gulf Nuclear Station, Unit 1

7903020389 Notice of site visit on 790306 for routine observation of meteorological aspects of sites
THOMAS, C D Light Water Reactors Branch 1 79/02/10 2pp

7903080177 Forwards recommendations for general contents of Offsite Dose Calculation Manual required w/proposed radiological effluent Tech Specs
STOLZ, J F Light Water Reactors Branch 1 79/02/13 7pp

7903080272 Forwards First Round requests for addl info re FSAR Requests amend to FSAR by 790218 to reflect responses
STOLZ, J F Light Water Reactors Branch 1 79/02/16 29pp

7903080202 Summary of 790201 site visit inspected monitor wells & boring samples Discussed Round One geotechnical engineering questions W/encl attendance list
THOMPSON, D Geosciences Branch 79/02/21 3pp

DOCKETED SERIES

DOCKET 50-416 Grand Gulf Nuclear Station, Unit 1

7903060232 Findings re investigation of normal reactor protection power will be available 790601, not 790301 as previously estimated
MCGAUGHY, J P Mississippi Power & Light Co 79/03/01 1p

7903210518 Requests addl info arising from First Round review of FSAR re auxiliary sys & power sys
STOLZ, J F Light Water Reactors Branch 1 79/03/01 20pp

7903280361 Forwards Revision 0 to topical rept MPL-TOP-1A, "Operational QA Manual," per NRC 761211 instructions
REAVES, T E Mississippi Power & Light Co 79/03/14 1p

7903280363 "Operational QA Manual," Revision 0
STAMPLEY, N L Mississippi Power & Light Co MPL-TOP-1A
79/02/14 89pp

7903280309 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/lttr to major vendors requesting info & forwarding NUREG-0460, Vol 3
W/o encl
VASSALLO, D B Assistant Director for Light Water Reactors
79/03/15 3pp

7903300553 Forwards First Round requests for addl info Requests response as FSAR amend by 790622 to maintain review schedule
STOLZ, J F Light Water Reactors Branch 1 79/03/15 27pp

7903280269 Forwards affidavit of svc for distribution of Amend 2B Affidavit not signed or notarized
MCGAUGHY, J P Mississippi Power & Light Co 79/03/22 2pp

7903290139 Forwards affidavit of svc for distribution of Amend 2B, per NRC 780627 request
MCGAUGHY, J P Mississippi Power & Light Co 79/03/24 2pp

7903160253 Forwards Amend 1 to Final Environ Rept
STAMPLEY, N L Mississippi Power & Light Co 79/03/15 3pp

7903160254 Amend 1 to Final Environ Rept re sys demand & reliability
* Mississippi Power & Light Co 79/03/15 400pp

7903280239 Forwards affidavit of svc for distribution of Amend 1 to Final Environ Rept Affidavit not signed or notarized
MCGAUGHY, J P Mississippi Power & Light Co 79/03/22 2pp

7903290119 Forwards affidavit of svc for distribution of Amend 1 to Final Environ Rept
MCGAUGHY, J P Mississippi Power & Light Co 79/03/26 2pp

7903280280 Forwards contingency plan Encl withheld (ref 10CFR2 790)
STAMPLEY, N L Mississippi Power & Light Co 79/03/22 1p

7903190207 Forwards Amend 2B to FSAR
STAMPLEY, N L Mississippi Power & Light Co 79/03/16 3pp

7903190216 Amend 2B to FSAR re design info, reg guide responses, revised piping & instrumentation diagrams & revisions to Chapter 10
* Mississippi Power & Light Co 79/03/16 450pp

7903130367 Forwards antitrust review info for amend to application for licenses
STAMPLEY, N L Mississippi Power & Light Co 79/02/07 1p

7903130369 Amend to application for licenses, including info for antitrust review
STAMPLEY, N L Mississippi Power & Light Co 79/02/02 150pp

7903280210 Requests addl info re 790207 submittal for operating license antitrust review rate schedules of Itta Bena; organizational opposition info; MS EPA voltage transmission description & transmission description of West MS EPA
TOLSTON, A Antitrust & Indemnity Group 79/03/12 3pp

7903010107 Forwards IF Info Notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HSSA)."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/02 4pp

7903050571 Responds to IE Bulletin 78-10 re Bergen-Paterson hydraulic shock suppressor accumulator spring coils Mechanism is not utilized by util
MCGAUGHY, J P Mississippi Power & Light Co 79/02/06 1p

7903070161 Ack receipt of IF Insp Repts 50-416/78-23 & 50-417/78-23 on 781227-29 No proprietary info
MCGAUGHY, J P Mississippi Power & Light Co 79/02/12 1p

7903130565 Ack receipt of IE Insp Repts 50-416/78-21 & 50-417/78-21 on 781213-15 No proprietary info
MCGAUGHY, J P Mississippi Power & Light Co 79/02/12 1p

7903080584 Forwards IF Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080286 Informs recipients of IC Bulletin 79-01, "Environ Qualification of Class IE Equipment," did 790208, that valve limit switch identified as NAMCO Model 53CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140528 Forwards IF Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 1p

7903210145 Forwards IF Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903220010 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 1p

7903010242 Potential reportable deficiency on 780623 one lot of strut type hanger matl, unacceptable due to weld separation, has been isolated to prevent use Evaluation continues w/ estimated completion by 790401
MCGAUGHY, J P Mississippi Power & Light Co 79/02/07 1p

7903270449 Interim rept of potential reportable deficiency at const site GE failed to establish & implement an approved QA program for electrical work performed under field deviation disposition requests & instructions
MCGAUGHY, J P Mississippi Power & Light Co 79/03/15 1p

DOCKET 50-417 Grand Gulf Nuclear Station, Unit 2

7903020389 Notice of site visit on 790306 for routine observation of meteorological aspects of sites
THOMAS, C O Light Water Reactors Branch 1 79/02/10 2pp

7903080177 Forwards recommendations for general contents of Offsite Dose Calculation Manual required w/proposed radiological effluent Tech Specs
STOLZ, J F Light Water Reactors Branch 1 79/02/13 7pp

7903080272 Forwards First Round requests for addl info re FSAR Requests amend to FSAR by 790218 to reflect responses
STOLZ, J F Light Water Reactors Branch 1 79/02/16 29pp

7903080202 Summary of 790201 site visit Inspected monitor wells & boring samples Discussed Round One geotechnical engineering questions W/encl attendance list
THOMPSON, O Geosciences Branch 79/02/21 3pp

7903060232 Findings re investigation of normal reactor protection power will be available 790601, not 790301 as previously estimated
MCGAUGHY, J P Mississippi Power & Light Co 79/03/01 1p

7903210518 Requests addl info arising from First Round review of FSAR re auxiliary sys & power sys
STOLZ, J F Light Water Reactors Branch 1 79/03/01 20pp

7903280361 Forwards Revision 0 to topical rept MPL-TOP-1A, "Operational QA Manual," per NRC 761211 instructions
REAVES, T E Mississippi Power & Light Co 79/03/14 1p

7903280363 "Operational QA Manual," Revision 0
STAMPLEY, N L Mississippi Power & Light Co MPL-TOP-1A
79/02/14 89pp

DOCKETED SERIES

183

DOCKET 50-417 Grand Gulf Nuclear Station, Unit 2

7903260309 Requests addl info re capability of nuclear steam supply
sys to respond to postulated ATWS transients W/its to major
vendors requesting info & forwarding NUREG-0460, Vol 3
W/o encl
VASSALLO, D B Assistant Director for Light Water Reactors
79/03/15 3pp

7903300553 Forwards First Round requests for addl info Requests
response as FSAR amend by 790622 to maintain review
schedule
STDLEZ, J F Light Water Reactors Branch 1 79/03/15 27pp

7903280269 Forwards affidavit of svc for distribution of Amend 28
Affidavit not signed or notarized
MCGAUGHY, J P Mississippi Power & Light Co 79/03/22 2pp

7903290139 Forwards affidavit of svc for distribution of Amend 28, per
NRC 780627 request
MCGAUGHY, J P Mississippi Power & Light Co 79/03/26 2pp

7903160253 Forwards Amend 1 to Final Environ Rept
STAMFLEY, N L Mississippi Power & Light Co 79/03/15 3pp

7903160254 Amend 1 to Final Environ Rept re sys demand & reliability
" Mississippi Power & Light Co 79/03/15 400pp

7903280259 Forwards affidavit of svc for distribution of Amend 1 to
Final Environ Rept Affidavit not signed or notarized
MCGAUGHY, J P Mississippi Power & Light Co 79/03/22 2pp

7903290119 Forwards affidavit of svc for distribution of Amend 1 to
Final Environ Rept
MCGAUGHY, J P Mississippi Power & Light Co 79/03/26 2pp

7903280280 Forwards contingency plan Encl withheld (ref 10CFR2 790)
STAMFLEY, N L Mississippi Power & Light Co 79/03/22 1p

7903190207 Forwards Amend 28 to FSAR
STAMFLEY, N L Mississippi Power & Light Co 79/03/16 3pp

7903190216 Amend 28 to FSAR re design info, reg guide responses, revised
piping & instrumentation diagrams & revisions to Chapter
13
" Mississippi Power & Light Co 79/03/16 450pp

7903130367 Forwards antitrust review info for amend to application for
licenses
STAMFLEY, N L Mississippi Power & Light Co 79/02/07 1p

7903130369 Amend to application for licenses, including info for
antitrust review
STAMFLEY, N L Mississippi Power & Light Co 79/02/02 150pp

7903280210 Requests addl info re 790207 submittal for operating license
antitrust review late schedules of 11ba Benar organizational
opposition info: MS EPA voltage transmission description &
transmission description of West MS EPA
TOLSTON, A Antitrust & Indemnity Group 79/03/12 3pp

7903010107 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraulic
Shock & Sway Arrestors (HBSA) "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/02 4pp

7903050571 Responds to IE Bulletin 78-10 re Bergen-Paterson hydraulic
shock suppressor accumulator spring coils Mechanism is not
utilized by util
MCGAUGHY, J P Mississippi Power & Light Co 79/02/06 1p

7903070161 Ack receipt of IE Insp Repts 50-416/78-23 & 50-417/78-23 on
781227-29. No proprietary info
MCGAUGHY, J P Mississippi Power & Light Co 79/02/12 1p

7903130565 Ack receipt of IE Insp Repts 50-416/78-21 & 50-417/78-21 on
781213-15. No proprietary info
MCGAUGHY, J P Mississippi Power & Light Co 79/02/12 1p

7903080584 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080286 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model 53CML should read
5L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140528 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate
Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 1p

7903210145 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
ASME SA-312 Type 304 Stainless Steel Pipe Spools
Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903220010 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque
Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 1p

7903010242 Potential reportable deficiency on 780623 one lot of strut
type hanger matl. unacceptable due to weld separation, has
been isolated to prevent use Evaluation continues w/
estimated completion by 790401
MCGAUGHY, J P Mississippi Power & Light Co 79/02/07 1p

7903270449 Interim rept of potential reportable deficiency at const
site GE failed to establish & implement an approved QA
program for electrical work performed under field
deviation disposition requests & instructions
MCGAUGHY, J P Mississippi Power & Light Co 79/03/15 1p

DOCKET 50-423 Millstone Nuclear Power Station, Unit 3

7903200439 "QA Program Topical Rept," NU-GA-1, Revision 3
SWITZER, D C , DIEDRICK, D G Northeast Utilities NU-GA-1
79/03/05 100pp

7903020394 Requests info on evacuation plans for Suffolk County
residents in case of accident at any of 8 nearby nuclear
plants Expresses concern re safety of inhabitants within
prescribed "emergency planning zone "
ARM, G Affiliation Unknown 79/01/03 3pp

7903130376 Forwards Endorsement 53 to Policy MF-52 amending liability
limit in Item 4 to \$25,000,000
BEGER, R M Northeast Utilities 79/03/06 2pp

7903160159 Forwards Endorsement 58 to Policy NF-173
BEGER, R M Northeast Utilities 79/03/09 2pp

7903060640 Forwards IE Info Notice 79-03, "Limitorque Valve Geared
Limit Switch Lubricant "
ORIER, B H Region 1, Philadelphia, Office of the Director.
79/02/09 1p

7903080438 Forwards IE Info Notice 79-01, "Degradation of Engineered
Safety Features "
ORIER, B H Region 1, Philadelphia, Office of the Director
79/02/16 2pp

7903080492 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model 53CML should read
5L3CML
ORIER, B H Region 1, Philadelphia, Office of the Director
79/02/27 1p

7903280040 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs
Using Concrete Expansion Anchor Bolts "
ORIER, B H Region 1, Philadelphia, Office of the Director.
79/03/08 1p

7903080598 Ack receipt of 790129 final rept re vendor QA program
breakdown for TUBECO pipe spools. Will review matter during
next insp
CARLBON, R T Region 1, Philadelphia, Reactor Construction &
Engineering Support Branch 79/02/13 1p.

DOCKETED SERIES

DOCKET 50-423 Millstone Nuclear Power Station, Unit 3

7903270576 Forwards NUREG-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," which focuses on recent problems w/ degradation believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects
79/03/02 3pp

DOCKET 50-424 Alvin W Vogtle Nuclear Plant, Unit 1

7903080533 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080278 Informs recipients of IE Bulletin 79-01, "Environmental Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 63CHL should read SL3CHL
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140520 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903200448 Ack receipt of 790223 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-424/79-01 & 50-425/79-01
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/03/09 1p

7903200455 Responds to NRC 790206 ltr re violations noted in IE Insp Repts 50-424/79-01 & 50-425/79-01 Corrective actions Reinhardt Catalog 620 sieve inspector ordered & procedure for checking sieves will be developed by 790309
STAFFA, R W Georgia Power Co 79/02/23 1p

7903200463 Forwards IE Insp Repts 50-424/79-01 & 50-425/79-01 on 790110-12 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/06 2pp

7903200472 Notice of violation from insp on 790110-12
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/29 1p

7903200475 IE Insp Repts 50-424/79-01 & 50-425/79-01 on 790110-12 Noncompliance noted failure to calibr aggregate test sieves
HARRIS, J R, BRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/29 4pp

7903210142 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903210593 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903220119 Notification of updated evaluation developments to final deficiency rept due 790601 & forwards interim rept discussing embedded plate assemblies
EHRENSPERGER, W Georgia Power Co 79/02/22 1p

7903220120 Interim rept re embedded plate assemblies not installed in compliance w/ design drawings
* Georgia Power Co 79/02/22 2pp

DOCKET 50-425 Alvin W Vogtle Nuclear Plant, Unit 2

7903080533 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080278 Informs recipients of IE Bulletin 79-01, "Environmental Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 63CHL should read SL3CHL
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140520 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903200448 Ack receipt of 790223 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-424/79-01 & 50-425/79-01
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/03/09 1p

7903200455 Responds to NRC 790206 ltr re violations noted in IE Insp Repts 50-424/79-01 & 50-425/79-01 Corrective actions Reinhardt Catalog 620 sieve inspector ordered & procedure for checking sieves will be developed by 790309
STAFFA, R W Georgia Power Co 79/02/23 1p

7903200463 Forwards IE Insp Repts 50-424/79-01 & 50-425/79-01 on 790110-12 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/06 2pp

7903200472 Notice of violation from insp on 790110-12
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/29 1p

7903200475 IE Insp Repts 50-424/79-01 & 50-425/79-01 on 790110-12 Noncompliance noted failure to calibr aggregate test sieves
HARRIS, J R, BRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/29 4pp

7903210142 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903210593 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903220119 Notification of updated evaluation developments to final deficiency rept due 790601 & forwards interim rept discussing embedded plate assemblies
EHRENSPERGER, W Georgia Power Co 79/02/22 1p

7903220120 Interim rept re embedded plate assemblies not installed in compliance w/ design drawings
* Georgia Power Co 79/02/22 2pp

DOCKET 50-433 UC-Santa Barbara Research Reactor

7903300055 IE Insp Repts 50-[443/79-04] & 50-[444/79-02] on 790124-25] No noncompliance noted Major areas inspected allegation that frozen water was present on previously placed concrete prior to subsequent concrete placement
FOLSDOM, B A Region 1, Philadelphia, Office of the Director
79/02/13 7pp

DOCKET SYN-50-43 Floating Nuclear Plant

7903190036 Summary of 790223 technical meeting re reactor site design & schedule for application review Attendance list, organization chart, milestone chart, flow chart & aerospace evaluation of slag line attack issue encl
BIRKEL, R A Light Water Reactors Branch 2 79/02/28 12pp

7903270598 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," which focuses on recent problems w/ degradation believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects
79/03/02 3pp

7903290316 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATHB transients w/ ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3
W/o encl
VASSALLO, D B Assistant Director for Light Water Reactors
79/03/15 3pp

7903280364 Describes status of product assurance organization organization chart encl
HAGA, P B Offshore Power Systems (subs of Westinghouse Electric Corp) 79/03/19 2pp

DOCKETED SERIES

185

DOCKET STN-50-437 Floating Nuclear Plant

7903010207 Comments on FES Part 3 Agrees w/close scrutiny of sites in estuaries, rivers or near barrier islands Believes accident consequences are much greater than for land-based plants Notes use of WASH-1400 in preparation of FES
HEDEMAN, W N Environmental Protection Agency 79/02/26 3pp

7903280366 Ack receipt of 790301 NRC ltr Ack responsibility to provide physical protection features in facility design Commitments will be included in next amend to plant design rept
MAGA, P B Offshore Power Systems (subs of Westinghouse Electric Corp) 79/03/19 1p

7903060040 Advises that applicant opposes Natural Resources Defense Council's 790111 motion for production of documents as unnecessary & w/o merit
CONAN, B I Eckert Seamans, Chertin & Mellott 79/01/26 4pp

7903050257 Requests that applicant be required to file w/ASLB 5 parties copies of all communications w/NRC
ROISMAN, A Z Natural Resources Defense Council 79/01/30 1p

7903050230 Informs that Natural Resource Defense Council missed filing deadline, but plans to file a brief on its contention & remain in the proceeding Certificate of Svc encl
ROISMAN, A Z Natural Resources Defense Council 79/02/12 4pp

7903290117 Forwards telegram sent to ASLB & NRDC withdrawing applicant's motion for dismissal of NRDC's programmatic impact statement
HENRICK, J R Eckert, Seamans, Chertin & Mellott 79/02/14 1p

7903290118 Applicant withdraws motion for dismissal of NRDC's 790206 programmatic impact statement
HENRICK, J R Eckert, Seamans, Chertin & Mellott 79/02/14 1p

7903160201 Denies applicant's 790206 request for 790319 resumption of hearing Suggests informal agreement among parties on at least three dates to be proposed to ASLB
WOLFE, S J Atomic Safety and Licensing Board Panel 79/02/16 1p

7903220065 Motion for summary disposition re failure of FES to consider environ impact & alternatives
ROISMAN, A Z Natural Resources Defense Council 79/02/16 1p

7903220066 NRDC's memorandum in support of summary disposition motion Urges that programmatic review of floating nuclear plants be conducted Certificate of Svc encl
ROISMAN, A Z Natural Resources Defense Council 79/02/16 8pp

7903220071 NRDC statement of matl facts which are not in dispute re Offshore Power Sys's intent to build more than eight floating nuclear plants Certificate of Svc encl
ROISMAN, A Z Natural Resources Defense Council 79/02/16 5pp

7903220077 Intervenor withdraws from active participation in licensing hearings, due to util's withdrawal of order for floating nuclear plants off NJ coast Certificate of Svc encl
ONSDORFF, K A v. VAN NESS, S C New Jersey, State of 79/02/20 4pp

7903260353 Responds to 790110 ltr re NRC position contained in FES, Part 111 Requests that further inquiries be addressed to NRC counsel
SCHINKI, S M Branch 3 79/03/06 2pp

7903210315 Orders public hearing to resume on 790404 in Bethesda, MD, re Atlantic County Citizens Council on Environ's Contentions 3a & 3c
WOLFE, S J Atomic Safety and Licensing Board Panel 79/03/12 1p

7903270011 Explains that floating nuclear plant designer, as well as owner, bears responsibility to factor physical protection into design Requests that commitment to this effect be included in plant design rept 10CFR79.55 encl
BAER, R L Light Water Reactors Branch 2 79/03/01 9pp

7903080548 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 1p

7903080291 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903200094 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 1p

7903210112 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903210563 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 1p

DOCKET 50-438 Bellefonte Nuclear Plant, Unit 1

7903020112 Forwards NRC and EPA evaluation of rept re potential larval fish entrainment TVA has complied w/Condition 3 D(2) of CRR-122 & CRR-123
REGAN, W H Environmental Project Branch 2 79/02/14 23pp

7903050073 Forwards NRC recommendations for preparation of Offsite Dose Calculation Manual & proposed radiological effluent Tech Specs
PARR, Q D Light Water Reactors Branch 3 79/02/14 7pp

7903270544 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problem w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903210392 Requests addl info re effluent treatment sys described in FSAR
PARR, Q D Light Water Reactors Branch 3 79/03/05 3pp

7903260242 Forwards safeguards contingency plans Plans withheld (ref 10CFR2.790)
GILLELAND, J E Tennessee Valley Authority 79/03/21 1p

7903160170 Forwards "Annual Rept 1978"
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903160217 "Annual Rept 1978"
* Tennessee Valley Authority 79/03/16 42pp

7903060375 Forwards IE Insp Repts 50-438/78-22 & 50-439/78-22 on 781218-21 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/11 2pp

7903060377 IE Insp Repts 50-438/78-22 & 50-439/78-22 on 781218-21 No noncompliance noted Major areas inspected containment, reactor coolant pump casing installation, piping & pipe support design
COMPTON, R M, MODENOS, L, DRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/11 5pp

7903070197 Forwards IE Insp Repts 50-438/78-21 & 50-439/78-21 on 781219-22 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/11 2pp

7903070199 IE Insp Repts 50-438/78-21 & 50-439/78-21 on 781219-22 No noncompliance noted Major areas inspected licensee action on previous insp findings, reactor coolant pressure boundary, safety-related piping & QA implementing procedures
BLAKE, J J, CONLON, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/16 6pp

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment" w/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/08 2pp

7903020376 Forwards IE Safety Features "
O'REILLY, J P Reg 79/02/16 2pp

DOCKETED SERIES

DOCKET 50-438 Bellefonte Nuclear Plant, Unit 1

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140352 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 2pp

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903010277 First interim rept on deficiency re piping embedded in structural concrete, initially reported 790112 Evaluation of extent & scope of noncompliance & effects on structural integrity is in progress Identifies two areas of concern
GILLELAND, J E Tennessee Valley Authority 79/02/14 1p

DOCKET 50-439 Bellefonte Nuclear Plant, Unit 2

7903020112 Forwards NRC and EPA evaluation of rept re potential larval fish entrainment TVA has complied w/Condition 3 D(2) of CFRR-122 & CFRR-123
REGAN, W H Environmental Project Branch 2 79/02/14 23pp

7903050073 Forwards NRC recommendations for preparation of Offsite Dose Calculation Manual & proposed radiological effluent Tech Specs
PARR, O D Light Water Reactors Branch 3 79/02/14 7pp

7903270544 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problem w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D O Assistant Director for Systems & Projects
79/03/02 3pp

7903210392 Requests addl info re effluent treatment sys described in FBAR
PARR, O D Light Water Reactors Branch 3 79/03/05 3pp

7903260242 Forwards safeguards contingency plans Plans withheld (ref 10CFR 790).
GILLELAND, J E Tennessee Valley Authority 79/03/21 1p

7903160170 Forwards "Annual Rept 1978"
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903160217 "Annual Rept 1978"
* Tennessee Valley Authority 79/03/16 42pp

7903060375 Forwards IE Insp Repts 50-438/78-22 & 50-439/78-22 on 781218-21 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/11 2pp

7903060379 IE Insp Repts 50-438/78-22 & 50-439/78-22 on 781218-21 No noncompliance noted Major areas inspected containment, reactor coolant pump casing installation, piping & pipe support design.
COMPTON, R M, MODENOS, L, BRYANT, J C Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/11 3pp

7903070197 Forwards IE Insp Repts 50-438/78-21 & 50-439/78-21 on 781219-22 No noncompliance noted.
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/11 2pp

7903070199 IE Insp Repts 50-438/78-21 & 50-439/78-21 on 781219-22 No noncompliance noted Major areas inspected licensee action on previous insp findings, reactor coolant pressure boundary, safety-related piping & QA implementing procedures.
BLAKE, J J, CONLON, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/16 3pp

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment" w/List of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/08 2pp

7903080376 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 2pp

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903010277 First interim rept on deficiency re piping embedded in structural concrete, initially reported 790112 Evaluation of extent & scope of noncompliance & effects on structural integrity is in progress Identifies two areas of concern
GILLELAND, J E Tennessee Valley Authority 79/02/14 1p

DOCKET 50-440 Perry Nuclear Power Plant, Unit 1

7903060596 Notification of 790208 meeting in Bethesda, MD re faults in facility intake & discharge tunnels
LYNCH, M D Light Water Reactors Branch 4 79/01/23 3pp

7903270302 Notification of 790329 meeting w/Cleveland Electric Illuminating Co in Bethesda, Maryland to discuss geologic investigation of faults in intake & discharge tunnels
LYNCH, M D Light Water Reactors Branch 4 79/03/16 2pp

7903090046 Forwards IE Insp Repts 50-440/78-17 & 50-441/78-16 on 781218-20 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/23 2pp

7903090051 IE Insp Repts 50-440/78-17 & 50-441/78-16 on 781218-20 No noncompliance noted Major areas inspected reactor pressure vessel moving procedures, quality records & hardware insp for Class 1 & 2 valves
ERB, C M, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/22 5pp

7903120537 Forwards IE Insp Repts 50-440/78-15 & 50-441/78-14 on 781218-1201 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/24 2pp

7903120542 Notice of violation from insp on 781218-1201
* Region 3, Chicago, Office of the Director 79/01/22 2pp

7903120570 IE Insp Repts 50-440/78-15 & 50-441/78-14 on 781218-1201 Noncompliance noted inadequate measures to control purchased mats or welding processes & inadequate documentation of pressure test repts
KONKLIN, J E, NAIDU, K R, HAYES, D W Region 3, Chicago, Office of the Director 79/01/22 18pp

7903080375 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

DOCKET 50-440 Perry Nuclear Power Plant, Unit 1

7903080353 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model 83CML should read
SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01
1p

7903150028 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs
Using Concrete Expansion Anchor Bolts "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08
1p

7903190546 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
ASME SA-312 Type 304 Stainless Steel Pipe Spools
Manufactured by Youngstown Welding & Engineering Co "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12
1p

7903260097 Ack receipt of 790301 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-440/79-15 &
50-441/79-14
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering
Support Branch 79/03/14 1p

7903260102 Responds to NRC 790124 ltr re violations noted in IE Insp
Repts 50-440/79-15 & 50-441/79-14 Corrective actions welds
have been inspected & repaired / QA procedures established,
pressure test procedure will be revised
DAVIDSON, D R Cleveland Electric Illuminating Co 79/03/01 5pp

7903190111 Ack receipt of 790212 interim rept, re S&M Constructors, Inc's
QA program breakdown
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering
Support Branch 79/03/01 1p

DOCKET 50-441 Perry Nuclear Power Plant, Unit 2

7903060396 Notification of 790208 meeting in Bethesda, MD re faults in
facility intake & discharge tunnels
LYNCH, M D Light Water Reactors Branch 4 79/01/23 3pp

7903270302 Notification of 790329 meeting w/Cleveland Electric
Illuminating Co in Bethesda, Maryland to discuss geologic
investigation of faults in intake & discharge tunnels
LYNCH, M D Light Water Reactors Branch 4 79/03/16 2pp

7903090046 Forwards IE Insp Repts 50-440/78-17 & 50-441/78-14 on
781218-20 No noncompliance noted
HELSHMAN, R F Region 3, Chicago, Reactor Construction &
Engineering Support Branch 79/01/23 2pp

7903090051 IE Insp Repts 50-440/78-17 & 50-441/78-14 on 781218-20 No
noncompliance noted Major areas inspected reactor pressure
vessel moving procedures, quality records & hardware insp
for Class 1 & 2 valves
ERD, C M, DAVIDSON, D H Region 3, Chicago, Reactor
Construction & Engineering Support Branch 79/01/22 3pp

7903120537 Forwards IE Insp Repts 50-440/78-15 & 50-441/78-14 on
781218-1201 & notice of violation
HELSHMAN, R F Region 3, Chicago, Reactor Construction &
Engineering Support Branch 79/01/24 2pp

7903120542 Notice of violation from insp on 781218-1201
* Region 3, Chicago, Office of the Director 79/01/22 2pp

7903080373 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16
1p

7903080353 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model 83CML should read
SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01
1p

7903150028 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs
Using Concrete Expansion Anchor Bolts "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08
1p

7903190546 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
ASME SA-312 Type 304 Stainless Steel Pipe Spools
Manufactured by Youngstown Welding & Engineering Co "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12
1p

7903260097 Ack receipt of 790301 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-440/79-15 &
50-441/79-14
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering
Support Branch 79/03/14 1p

7903260102 Responds to NRC 790124 ltr re violations noted in IE Insp
Repts 50-440/79-15 & 50-441/79-14 Corrective actions welds
have been inspected & repaired & QA procedures established,
pressure test procedure will be revised
DAVIDSON, D R Cleveland Electric Illuminating Co 79/03/01 5pp

7903190111 Ack receipt of 790212 interim rept, re S&M Constructors, Inc's
QA program breakdown
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering
Support Branch 79/03/01 1p

DOCKET 50-443 Seabrook Nuclear Station, Unit 1

7903300538 States NRC requirements re transfers of special nuclear
matl Assigns symbol XTB for activities pending issuance of
license
SPARKS, E Division of Safeguards 79/03/13 1p

7903090413 Requests names & addresses of intervenors in proceedings re
Public Svc Co of NH const permit Also seeks info re current
status of EPA approval of facility cooling sys
PHILLIPS, N P Affiliation Unknown 79/01/31 1p

7903050554 Forwards NRC responses to questions raised by JH Buck re
Pilgrim & Phillips Cove transmission lines
BRENNER, L Branch 3 79/02/09 3pp

7903060329 Responds to ASLAB request by forwarding NRC studies re
population densities & accident risks & related
correspondence W/o encl
CUTCHIN, J M Branch 3 79/02/13 2pp

7903150200 Intervenors' response per ALAB-509 in opposition to
"de minimus" theory Alleges theory ignores issue of
significant & substantial releases of radon-222 to environ
Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903130475 Corrects NRC 790209 proposed ASLAB decision Page 56 left out
"Seabrook in comparison to "
BRENNER, L Branch 3 79/02/21 1p

7903090408 Responds to 790130 request for names & addresses of
intervenors re Public Svc Co of NH const permit proceedings
Forwards svc list
FELTON, J M Division of Rules and Records 79/03/01 2pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for
responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01
5pp

7903220313 Seacoast Anti-Pollution League's argument re hypothetical
alternative site healing. Argues NRC has not made meaningful
study of alternative sites Requests establishment of
rational approach to siting Certificate of Svc encl
BACUS, R A O'Neil, Backus, Spielman 79/03/02 15pp.

7903260170 Supports proposed alternate sites hearing, in case cooling
towers are required at Seabrook, but feels Phillips Cove is
non-viable alternative Certificate of Svc encl
DIGNAN, T., GAD, R K Public Service Co of New Hampshire 79/03/02
11pp

7903200328 Forwards IE Insp Repts 50-443/79-01 & 50-444/79-01 on
790115-18 No noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction &
Engineering Support Branch 79/02/07 2pp

DOCKETED SERIES

DOCKET 50-443 Seabrook Nuclear Station, Unit 1

7903200333 IE Insp Repts 50-443/79-01 & 50-444/79-01 on 790115-18 No noncompliance noted Major areas inspected previously unresolved items, work in progress in const area, reactor pressure vessel unloading & handling & concrete placement FOLSON, S A , BATEMAN, W H , MCGAUGHY, R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/06 7pp

7903060625 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant " GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903300049 Forwards IE Insp Repts 50-443/79-02 & 50-444/79-02 on 790124-25 No noncompliance noted CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/14 2pp

7903300055 IE Insp Repts 50-443/79-02 & 50-444/79-02 on 790124-25 No noncompliance noted Major areas inspected allegation that frozen water was present on previously placed concrete prior to subsequent concrete placement FOLSON, S A , Region 1, Philadelphia, Office of the Director MCGAUGHY, R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/13 7pp

7903080389 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features " GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080460 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903260120 Ack receipt of 790213 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-443/78-16 & 50-444/78-16 CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/28 1p

7903260129 Responds to NRC 790115 ltr re violations noted in IE Insp Repts 50-443/78-16 & 50-444/78-16 Corrective actions structural steel stored property & surveillance of area increased HASELTINE, J D Public Service Co of New Hampshire 79/02/13 1p

7903260131 Forwards IE Insp Repts 50-443/78-16 & 50-444/78-16 on 781212-15 & notice of violation CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/15 2pp

7903260134 Notice of violation from insp on 781212-15 * Region 1, Philadelphia, Office of the Director 79/01/12 1p

7903260140 IE Insp Repts 50-443/78-16 & 50-444/78-16 on 781212-15 Noncompliance noted failure to control matl storage FOLSON, S A , FASANO, A N , MCGAUGHY, R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/12 7pp

7903280025 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts " GRIER, B H Region 1, Philadelphia, Office of the Director 79/03/08 1p

DOCKET 50-444 Seabrook Nuclear Station, Unit 2

7903090413 Requests names & addresses of intervenors in proceedings re Public Svc Co of NH const permit Also seeks info re current status of EPA approval of facility cooling sys PHILLIPS, N P Affiliation Unknown 79/01/31 1p

7903050554 Forwards NRC responses to questions raised by JH Buck re Pilgrim & Phillips Cove transmission lines BRENNER, L Branch 3 79/02/09 3pp

7903060329 Responds to ASLAD request by forwarding NRC studies re population densities & accident risks & related correspondence W/o encl CUTCHIN, J M Branch 3 79/02/13 2pp

7903150200 Intervenor's response per ALAR-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl KEFFORD, C Affiliation Unknown 79/02/19 37pp

7903130475 Corrects NRC 790209 proposed ASLAD decision Page 56 left out "Seabrook in comparison to " BRENNER, L Branch 3 79/02/21 1p

7903090408 Responds to 790130 request for names & addresses of intervenors re Public Svc Co of NH const permit proceedings Forwards s.c list FELTON, J M Division of Rules and Records 79/03/01 2pp

7903230297 Forwards responses to ALAR-509 Thirty-day period for responses to documents shall run from 790303 SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903220313 Seacoast Anti-Pollution League's argument re hypothetical alternative site hearing Argues NRC has not made meaningful study of alternative sites Requests establishment of rational approach to siting Certificate of Svc encl BACUS, R A O'Neil, Backus, Spielman 79/03/02 15pp

7903260170 Supports proposed alternate sites hearing, in case cooling towers are required at Seabrook, but feels Phillips Cove is non-viable alternative Certificate of Svc encl DICAN, T , GAD, R Public Service Co of New Hampshire 79/03/02 11pp

7903200328 Forwards IE Insp Repts 50-443/79-01 & 50-444/79-01 on 790115-18 No noncompliance noted CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/07 2pp

7903200333 IE Insp Repts 50-443/79-01 & 50-444/79-01 on 790115-18 No noncompliance noted Major areas inspected previously unresolved items, work in progress in const area, reactor pressure vessel unloading & handling & concrete placement FOLSON, S A , BATEMAN, W H , MCGAUGHY, R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/06 7pp

7903060625 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant " GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09 1p

7903300049 Forwards IE Insp Repts 50-443/79-02 & 50-444/79-02 on 790124-25 No noncompliance noted CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/14 2pp

7903300055 IE Insp Repts 50-443/79-02 & 50-444/79-02 on 790124-25 No noncompliance noted Major areas inspected allegation that frozen water was present on previously placed concrete prior to subsequent concrete placement FOLSON, S A , Region 1, Philadelphia, Office of the Director MCGAUGHY, R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/13 7pp

7903080389 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features " GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p

7903080460 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903260120 Ack receipt of 790213 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-443/78-16 & 50-444/78-16 CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/02/28 1p

7903260129 Responds to NRC 790115 ltr re violations noted in IE Insp Repts 50-443/78-16 & 50-444/78-16 Corrective actions structural steel stored property & surveillance of area increased HASELTINE, J D Public Service Co of New Hampshire 79/02/13 1p

7903260131 Forwards IE Insp Repts 50-443/78-16 & 50-444/78-16 on 781212-15 & notice of violation CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/15 2pp

DOCKET 50-444 Seabrook Nuclear Station, Unit 2

7903260134 Notice of violation from insp on 781212-15
+ Region 1, Philadelphia Office of the Director 79/01/12
1p

7903260140 IE Insp Repts 50 443/78-16 & 50-444/78-16 on 781212-15
Noncompliance noted failure to control matl storage
FOLGOM, S A, FASAND, A N, MCGAUGHY, R W Region 1, Philadelphia.
Reactor Construction & Engineering Support Branch 79/01/12 7pp

7903280025 Forwards IF Bulletin 79-02, "Pipe Support Base Plate Designs
Using Concrete Expansion Anchor Bolts"
GRIER, B H Region 1 Philadelphia, Office of the Director
79/03/08 1p

DOCKET 50-449 Comanche Peak Steam Electric Sta., Unit 1

7903120422 Summarizes 781024 meeting on geology of site & surrounding
area No seismic problems
NAVENTI, R Light Water Reactors Branch 4 79/01/17 11pp

7903060657 Requests addl info re reg guide & branch technical positions
to complete evaluation of application for operating license
Responses should be submitted by 790301.
VARGA, S A Light Water Reactors Branch 4 79/02/02 44pp

7903060674 Informs of schedule & procedures for review of WCAP-8587
Several applications that reference this rept as basis for
meeting IEEE 383-1974 std will be reviewed Requests addl
info re previous repts on seismic tests
STOLZ, J F Light Water Reactors Branch 1 79/02/06 2pp

7903020178 Forwards plans re review of Class IF equipment qualification
referencing WCAP-8587, "Methodology for Qualifying
Westinghouse PWR-SD Provided NSSS Safety-Related Equipment"
BAER, R L Light Water Reactors Branch 2 79/02/09 4pp

7903140125 Describes NRC recommendations for general contents of
Offsite Dose Calculation Manual required w/radiological
effluent Tech Specs
BAER, R L Light Water Reactors Branch 2 79/02/13 7pp

7903210003 Confirms telcon of 790216 re defective equipment supplied to
Texas Util Generating Co Two AV line switchboards were
shipped w/incorrect ammeters installed Incorrect ammeters
were removed & correct ammeters installed
VERRON, R L General Electric Co 79/02/16 2pp

7903030193 Forwards "Exhibit 3, Garland" erroneously omitted from encl
in 790222 ltr, log number TX-2963
FULLER, S Texas Utilities Services, Inc 79/02/26 2pp

7903150140 Summary of 790213 meeting in Bethesda, MD w/TX Utils
Generating Co to discuss NRC requirements re overhead cranes
& pipe breaks outside containment
BURWELL, S B Light Water Reactors Branch 2 79/02/27 4pp

7903210411 Forwards request for addl info re power sys &
instrumentation & control sys Request that FSAR be amended
to include info sought Response should be submitted by
790323
BAER, R L Light Water Reactors Branch 2 79/02/28 50pp

7903270621 Forwards NUREG-0523, "Summary of Operating Experience
w/Recirculating Steam Generators," which focuses on recent
problems w/degradation Believes continued plant operation
does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects
79/03/02 3pp

7903260267 Notification of 790320-P1 site visit to Glen Rose, TX w/
Caseload Forecast Panel to evaluate constr progress &
independently assess fuel load data
BURWELL, S B Light Water Reactors Branch 2 79/03/09 2pp.

7903260308 Requests addl info re capability of nuclear steam supply
sys to respond to postulated ATWS transients w/ltr to major
vendors requesting info & forwarding NUREG-0460, Vol 3
W/c encl
VASSALLO, D D Assistant Director for Light Water Reactors
79/03/18 3pp

7903280244 Notification of 790327 meeting w/TX Utilities Generating Co
in Bethesda, MD to discuss repair procedures for relocating
misoriented vessel support pads
BURWELL, S B Light Water Reactors Branch 2 79/03/19 2pp

7903020371 Review of environ rept is complete Proposed action will not
affect any projects of DOI, Bureau of Reclamation
WEIMER, R H Interior, Dept of, Bureau of Reclamation 79/02/22
1p

7903070351 Forwards 790212 memo & 790211 ltr of DE Harley re
distribution of Environ Rept
WERNER, R Texas Utilities Services, Inc 79/02/26 4pp

7903260177 Forwards safeguard contingency plan Plan withheld (ref
10CFR2 790)
GARY, R J Texas Utilities Generating Co 79/03/22 2pp

7903090340 Forwards addl info which now completes TX Municipal Power
Agency antitrust info Concerns application for util to
receive ownership interests in facility Draft joint
ownership agreement & draft transmission agreement encl
* Debevoise & Lieberman 78/12/22 20pp

7903220074 State of TX's petition to participate as interested state
State is concerned w/protecting health & safety of its
citizens & in meeting its future energy needs Certificate
of Svc encl
LOWERRE, R W Texas, State of 79/02/13 3pp

7903190153 Forwards NUREG/CR-0400, NRC policy statement re Lewis
Committee's review of WASH-1400, w/FEB & SER W/c encls
CHANDLER, L J Branch 1 79/02/14 1p

7903060333 Answers request for info re participation in licensing
proceeding Forwards info W/c encl
ULMAN, M B Operations & Administrative Division 79/02/15 2pp

7903230140 Applicant would welcome participation of State of TX as
interested state if hearing is held Certificate of Svc encl
REYNOLDS, N S Debevoise & Lieberman 79/02/26 2pp

7903220475 Intervention petition of Citizens Association for Sound
Energy Avers interests affected Affidavits of J Ellis & E
Stinsons & Certificate of Svc encl
ELLIS, J Citizens Association for Sound Energy 79/02/28 6pp

7903300086 Intervention petition & request for hearing filed by TX
Association of Community Organization for Reform Now & West
TX Legal Svc Affidavits of T Thompson & W Garret &
Certificate of Svc encl
GAY, O M West Texas Legal Services 79/03/02 8pp

7903300102 Citizens for Fair Util Regulation's intervention petition
Avers interests to be affected & requests local hearing
Affidavit of NH Jacobson & Certificate of Svc encl
JACOBSON, N H Citizens for Fair Utility Regulation 79/03/03 4pp.

7903210354 Raises no objection to State of TX 790213 petition to
participate as interested party if hearing is ordered
Certificate of Svc encl
CHANDLER, L J Branch 1 79/03/05 2pp

7903280152 Establishes ASLB to rule on intervention petitions & hearing
requests & to preside if hearing is ordered
YORE, J R Atomic Safety and Licensing Board Panel 79/03/09 2pp

7903280293 Requests explanation of why operating licenses are being
considered years before const is completed
NOVICK, J Affiliation Unknown 79/02/28 1p

7903060717 Requests intervenor status in proceedings re application of
TX Utilities Generating Co for operating license
ELLIS, J Citizens Association for Sound Energy 78/12/30 1p

7903050204 Notification to disregard 790102 petition for intervention
by Citizens for Fair Utility Regulation in matters re
operating license antitrust proceeding
LESSY, R P Office of the Executive Legal Director 79/01/05 1p

7903070272 Informs that during Jan 1979 South TX Electric Cooperative
Inc & Medina Electric Cooperative Inc neither initiated nor
received any discovery requests, w/Certificate of Svc encl
JOHN, D F Attn: Gump, Hauer & Feld 79/02/02 4pp

7903020100 DOJ response to Houston Lighting & Power Co objections &
motion for a protective order re DOJ discovery request Urges
denial of util motion & seeks answers to all DOJ
interrogatories Certificate of Svc encl
HARRIS, J L, CLARK, R H, PARMENTER, F H Justice, Dept of
79/02/06 21pp

DOCKETED SERIES

DOCKET 50-445 Comanche Peak Steam Electric Sta., Unit 1

7903090090 Answered DOJ discovery request in Jan 1979 & received interrogatories Answers due w/documents (ref encl agreement) Certificate of Svc encl
BALDUGH, R C Austin, TX 79/02/06 5pp

7903090094 Informs of Tex-La Electric Cooperative's receipt of discovery documents from related District Court case for insp No other discovery activity initiated during Jan Certificate of Svc encl
BURCHETTE, W H Northcutt Ely 79/02/09 4pp

7903050196 "Info Requested by Attorney General for Antitrust Review of TX Municipal Power Agency"
* Texas Utilities Generating Co 78/12/14 200pp

7903070150 Motion for extension of time until 790305 to respond to 790206 motion to compel fuller responses to DOJ first set of interrogatories Certificate of Svc encl
FRANKLIN, W J, BOUKNIGHT, J A Lowenstein, Neuman, Reis, Axelrad & Toll 79/02/14 5pp

7903070422 Advises that "Second Set of Interrogatories & Requests for Production of Documents from Houston Lighting & Power Co to NRC" was hand-delivered on 790212, not 790209 as Certificate of Svc states
BLUME, M B Anti-Trust Division 79/02/14 1p

7903150350 Motion by TX Utils Generating Co for extension of time to respond or file appropriate motions to 790131 discovery request Could not reach counsel for Public Util Board of Brownsville, TX Certificate of Svc encl
KNOTT, J B Debevoise & Lieberman 79/02/14 6pp

7903080547 Requests clarification re Interrogatories 1 & 2 in search set Wants to know whether Houston Lighting & Power wants info on all witnesses NRC may call, or only those addressing Houston Lighting & Power activities
LESSY, R P Anti-Trust Division 79/02/15 1p

7903130055 Grants time extensions to Houston Lighting & Power & TX Utils Generating Co to respond to discovery requests
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/15 2pp

7903150178 Motion for extension of time until 790302 to respond to DOJ 790206 motion to compel, due to late receipt of motion by TX Util Generating Co's counsel Certificate of Svc encl
KNOTT, J B Debevoise & Lieberman 79/02/16 4pp

7903080055 Houston Lighting & Power objections & answers to NRC's initial interrogatories & requests for production of documents Certificate of Svc encl
BARNETT, E W Baker & Botts 79/02/20 36pp

7903050379 Forwards TX Municipal Power Agency (TMPA) response to NRC 790104 ltr requesting addl info re pending request to amend const permits to reflect ownership interest of TMPA
SCHMIDT, H C Texas Utilities Co 79/02/22 1p

7903050381 Responses of four TX cities (Bryan, Denton, Garland, & Greenville) to NRC Question 9 of "Info Requested by Attorney General for Antitrust Review" W/encl data on smaller adjacent electric util sys
PLEITZ, D Naman, Howell, Smith, Lee & Muldrow 79/02/08 6pp

7903090007 Grants 790216 motion extending until 790302 TX Util Generating Co's time to respond to DOJ motion to compel
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/22 1p

7903130577 Application for issuance of subpoenas for deposition of RL Wright & for production of documents to Keeper of Records of Gulf States Util Co Certificate of Svc encl
FOURIER, M R Spiegel & McDiarmid 79/02/22 27pp

7903140633 Houston Lighting & Power Co's objections to Items 5, 6(a), 1(d), 1(g), 8(c), 21, 37(a), 43 & 45 of NRC 790115 discovery request Moves ASLB for a protective order Certificate of Svc encl
FRANKLIN, W J, BARNETT, E W Baker & Botts 79/02/22 8pp

7903230190 Motion for extension of time in which to respond to Houston Lighting & Power Co's second set of interrogatories & document requests Certificate of Svc encl
HARRIS, J L Justice, Dept of 79/02/22 7pp

7903080529 Notification of 790320 prehearing conference in Bethesda, MD to review discovery status of parties & to hear arguments on 790216 joint MQS
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/23 1p

7903220403 Central Power & Light Co's first set of interrogatories to & request for production of documents from Public Util Board of City of Brownsville, TX Certificate of Svc encl
STAHL, D M Isham, Lincoln & Beale 79/02/23 12pp

7903220598 Motion by Central Power & Light for extension until 790323 in which to respond to Houston Lighting & Power Co's first set of interrogatories
STAHL, D M Isham, Lincoln & Beale 79/02/23 6pp

7903150108 Grants extension until 790312 for NRC response to Houston Lighting & Power Co second set of interrogatories & requests for production of documents for good cause shown
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/27 1p

7903220269 Central Power & Light Co's second set of interrogatories & request for production of documents, addressed to Houston Lighting & Power Co
STAHL, D M Isham, Lincoln & Beale 79/02/27 10pp

7903210574 Houston Lighting & Power Co's response to DOJ motion for extension of time Requests ASLB to hold ruling on motion in abeyance until 790320 prehearing conference & urges adoption of fair schedule Certificate of Svc encl
BOUKNIGHT, J A Lowenstein, Neuman, Reis, Axelrad & Toll 79/02/27 9pp

7903220143 Central Power & Light Co's first set of interrogatories & request for production of documents addressed to TX Util Generating Co
* Isham, Lincoln & Beale 79/02/27 9pp

7903140608 Responds to DOJ 790206 request to compel City of Austin, TX, to provide fuller responses Denies motion re Interrogatories 7, 12 & 13 grants motion re Interrogatories 5, 19 & 22
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/28 6pp

7903140645 Allows Central Power & Light Co until 790316 to respond to Houston Lighting & Power Co's interrogatories Defers ruling on DOJ 790222 motion until after 790320 prehearing conference
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/28 2pp

7903230194 Rept on progress of discovery during Feb 1979
HARRIS, J L Justice, Dept of 79/02/28 6pp

7903060251 Forwards response of Brains Electric Power Cooperative Inc to Question 9 of info requested by Attorney General for antitrust review
SCHMIDT, H C Texas Utilities Co 79/03/01 13pp

7903230280 TX Util Co & subsidiaries' answers to NRC's initial interrogatories & requests for production of documents Affidavit of authorization & Certificate of Svc encl
RELYEA, S C Warshaw, Forsythe & Sampsel 79/03/01 24pp

7903220277 TX Util Generating Co's response to DOJ 790206 motion to compel fuller responses Urges denial or mod of motion Certificate of Svc encl
KNOTT, J B Debevoise & Lieberman 79/03/02 10pp

7903220287 TX Util Generating Co's objections & motion for protective orders w/regard to interrogatories & document requests of Brownsville, TX Interrogatories are vague & general; responses would be burdensome Certificate of Svc encl
KNOTT, J B Debevoise & Lieberman 79/03/02 10pp

7903300078 Response of South TX Cooperative, Inc & Median Electric Cooperative, Inc to initial interrogatories & first request for production of documents from Public Util Board of Brownsville, TX Certificate of Svc encl
HUNTER, M McGinnis, Lockridge & Kilgore 79/03/02 6pp

7903180378 Protective order re confidential business info which may be submitted by companies in connection w/this proceeding
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/06 6pp

DOCKETED SERIES

191

DOCKET 50-445 Comanche Peak Steam Electric Sta , Unit 1

7903160307 Grants 790301 joint motion for withdrawal of subpoenas & motions & approves agreement re depositions & documents
MILLER,M E Atomic Safety and Licensing Board Panel 79/03/06 1p

7903220388 Order re Houston Lighting & Power 790115 motion for protective order concerning DDJ discovery request Overrules objections re speculation argument & conjecture Orders until to supply requested facts
MILLER,M E Atomic Safety and Licensing Board Panel 79/03/06 3pp

7903205057 Forwards addl info from TX Municipal Power Agency in response to Question 9 re antitrust review W/o encl
SHAPAR,H K Office of the Executive Legal Director 79/03/07 1p

7903260151 Grants Houston Lighting & Power Co's 790306 motion for extension until 790320 in which to respond to Central Power & Light Co's second set of interrogatories
MILLER,M E Atomic Safety and Licensing Board Panel 79/03/08 1p

7903160185 Informs of status of discovery NRC has received answers & objections from Houston Lighting & Power Co & TX Util Co,was served w/second set of interrogatories from former & plans to continue reviewing documents
BLUME,M B Anti-Trust Division 79/03/09 1p

7903220244 Sustains certain of TX Util Generating 790112 objections re DDJ discovery requests,denies others Grants motion to compel fuller responses to DDJ interrogatories 2(a)&(b),3(a),4,7,9, 12,14-16,20,21,23 & 25
MILLER,M E Atomic Safety and Licensing Board Panel 79/03/09 3pp

7903300241 Grants motion of Gulf States Util to extend until 790411 period in which to respond to ASLB 790226 subpoena for production of documents per request of Public Utils Board of Brownsville,TX
MILLER,M E Atomic Safety and Licensing Board Panel 79/03/13 1p

7903290111 Application by Public Utils Board of Brownsville,TX,for issuance of subpoenas for production of documents from parent & affiliated companies of Central Power & Light Co Certificate of Svc encl
* Spiegel & McDiarmid 79/03/14 9Bpp

7903030192 Forwards "Info Requested by Attorney General for Antitrust Review of TX Municipal Power Agency "
KNOTT,S J B Debevoise & Lieberman 78/12/14 1p

7903140267 Forwards IE Insp Repts 50-445/78-22 & 50-446/78-22 on 781201-31 No noncompliance noted.
SEIDLE,W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/10 2pp

7903140272 IE Insp Repts 50-445/78-22 & 50-446/78-22 on 781201-31 No noncompliance noted Major areas inspected const activities including welding of reactor coolant & emergency core cooling pipe sys,storage & maint of equipment & concrete
TAYLOR,R O , CROSSMAN,W A Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/10 4pp

7903140255 Forwards IE Insp Repts 50-445/79-02 & 50-446/79-02 on 790108-10 No noncompliance noted
SEIDLE,W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/18 2pp

7903140263 IE Insp Repts 50-445/79-02 & 50-446/79-02 on 790108-10 No noncompliance noted Major areas inspected const topics including welding of reactor coolant & safety-related pipe, containment concrete placements,penetration & cable trays
GILBERT,L D , CROSSMAN,W A , HALL,R E Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/17 4pp

7903080428 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
SEYFRIT,K V Region 4, Dallas, Office of the Director 79/02/08, 1p

7903080442 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing Limit Switch Lubricant "
SEYFRIT,K V Region 4, Dallas, Office of the Director, 79/02/09 1p

7903090047 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
SEYFRIT,K V Region 4, Dallas, Office of the Director 79/02/16 1p

7903070284 Ack receipt of 790104 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-445/78-20 & 50-446/78-20
SEIDLE,W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/21 1p

7903070287 Responds to NRC 781218 ltr re violations noted in IE Insp Repts 50-445/78-20 & 50-446/78-20 Corrective actions: specifications revised to eliminate requirement for submittal of radiographs to architect/engineer
GARY,R J Texas Utilities Generating Co 79/01/04 3pp

7903190023 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208,that valve limit switch identified as NAMCO Model 53CHL should read 5L3CHL
SEYFRIT,K V Region 4, Dallas, Office of the Director 79/02/27 1p

7903280008 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
SEYFRIT,K V Region 4, Dallas, Office of the Director 79/03/08 1p

7903300010 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co. "
SEYFRIT,K V Region 4, Dallas, Office of the Director 79/03/12 1p

7903280287 Ack receipt of 790306 ltr informing NRC of steps taken to correct violation noted in IE Insp Repts 50-445/79-03 & 50-446/79-03
SEIDLE,W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/03/13 1p

7903280290 Responds to NRC 790306 ltr re violation noted in IE Insp Repts 50-445/79-03 & 50-446/79-03 Corrective actions "elephant trunk" length increased to reduce concrete free fall,QA procedures changed & emphasized
GARY,R J Texas Utilities Generating Co 79/03/06 3pp

7903300003 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "
SEYFRIT,K V Region 4, Dallas, Office of the Director 79/03/16 1p

7903300200 Forwards IE Info Notice 79-05, "Use of Improper Mats in Safety-Related Components "
SEYFRIT,K V Region 4, Dallas, Office of the Director 79/03/21 2pp

7903270324 W Crossman informed on 790126 of potentially reportable weld metal defects in shop weld between reactor pressure vessel hot leg nozzle "C" & its safe-end Interim response dtd 790219 has been submitted investigation will continue
GARY,R J Texas Utilities Generating Co 79/03/19 1p

DOCKET 50-446 Comanche Peak Steam Electric Sta , Unit 2

7903120422 Summarizes 781024 meeting on geology of site & surrounding area.No seismic problems
NAVENTI,R Light Water Reactors Branch 4 79/01/17 11pp

7903060657 Requests addl info re reg guide & branch technical positions to complete evaluation of application for operating license Responses should be submitted by 790301
VARQA,B A Light Water Reactors Branch 4 79/02/02 44pp

7903060674 Informs of schedule & procedures for review of WCAP-B587. Several applications that reference this rept as basis for meeting IEEE 323-1974 std will be reviewed.Requests addl info re previous repts on seismic tests
STOLZ,J F Light Water Reactors Branch 1 79/02/06 2pp

7903020178 Forwards plans re review of Class IE equipment qualification referencing WCAP-B587, "Methodology for Qualifying Westinghouse PWR-SD Provided NSBB Safety-Related Equipment "
BAER,R L Light Water Reactors Branch 2 79/02/09, 4pp.

7903140125 Describes NRC recommendations for general contents of Offsite Dose Calculation Manual required w/radiological effluent Tech Specs
BAER,R L Light Water Reactors Branch 2, 79/02/13, 7pp

7903210003 Confirms belcon of 790216 re defective equipment supplied to Texas Util Generating Co Two AV line switchboards were shipped w/incorrect ammeters installed incorrect ammeters were removed & correct ammeters installed
YERROW,R L General Electric Co 79/02/16 2pp.

DOCKET 50-446 Comanche Peak Steam Electric Sta , Unit 2

7903050293 Forwards "Exhibit 3, Garland" erroneously omitted from encl
in 790222 ltr, log number TX-2963
FULLER, S Texas Utilities Services, Inc 79/02/26 2pp

7903150140 Summary of 790213 meeting in Bethesda, MD w/ TX Utils
Generating Co to discuss NRC requirements re overhead cranes
& pipe breaks outside containment
BURWELL, S B Light Water Reactors Branch 2 79/02/27 4pp

7903210411 Forwards request for addl info re power sys &
instrumentation & control sys Request that FSAR be amended
to include info sought Response should be submitted by
790323
BAER, R L Light Water Reactors Branch 2 79/02/28 50pp

7903270621 Forwards NUREG-0523, "Summary of Operating Experience
w/Recirculating Steam Generators," which focuses on recent
problems w/degradation Believes continued plant operation
does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects
79/03/02 3pp

7903260367 Notification of 790320-21 site visit to Glen Rose, TX w/
Caseload Forecast Panel to evaluate constt progress &
independently assess fuel load date
BURWELL, S B Light Water Reactors Branch 2 79/03/07 2pp

7903260308 Requests addl info re capability of nuclear steam supply
sys to respond to postulated ATWS transients W/ltr to major
vendors requesting info & forwarding NUREG-0460, Vol 3
W/o encl
VASSALLO, D B Assistant Director for Light Water Reactors
79/03/15 3pp

7903280244 Notification of 790327 meeting w/ TX Utilities Generating Co
in Bethesda, MD to discuss repair procedures for relocating
misoriented vessel support pads
BURWELL, S B Light Water Reactors Branch 2 79/03/19 2pp

7903020371 Review of environ rept is complete Proposed action will not
affect any projects of DOI, Bureau of Reclamation
WEIMER, R H Interior, Dept of, Bureau of Reclamation 79/02/22
1p

7903070351 Forwards 790212 memo & 790211 ltr of DE Harley re
distribution of Environ Rept
WERNER, R Texas Utilities Services, Inc 79/02/26 4pp

7903260177 Forwards safeguard contingency plan Plan withheld (ref
10CFR2 790)
GARY, R J Texas Utilities Generating Co 79/03/22 2pp

7903050340 Forwards addl info which now completes TX Municipal Power
Agency antitrust info Concerns application for util to
receive ownership interests in facility Draft joint
ownership agreement & draft transmission agreement encl
* Debevoise & Lieberman 78/12/22 20pp

7903220074 State of TX's petition to participate as interested state
State is concerned w/protecting health & safety of its
citizens & in meeting its future energy needs Certificate
of Svc encl
LOWERRE, R W Texas, State of 79/02/13 3pp.

7903190153 Forwards NUREG/CR-0400, NRC policy statement re Lewis
Committee's review of WASH-1400, W/FES & SCR W/o encl
CHANDLER, L J Branch 1 79/02/14 1p

7903300102 Citizens for Fair Util Regulation's intervention petition
Avers interests to be affected & requests local hearing
Affidavit of NH Jacobson & Certificate of Svc encl
JACOBSON, N H Citizens for Fair Utility Regulation 79/03/03 4pp

7903210354 Raises no objection to State of TX 790213 petition to
participate as interested party if hearing is ordered
Certificate of Svc encl
CHANDLER, L J Branch 1 79/03/05 2pp

7903280152 Establishes ASLU to rule on intervention petitions & hearing
requests & to preside if hearing is ordered
YORE, J R Atomic Safety and Licensing Board Panel 79/03/09 2pp

7903280293 Requests explanation of why operating licenses are being
considered years before const is completed
NOVICK, J Affiliation Unknown 79/02/28 1p

7903050204 Notification to disregard 790102 petition for intervention
by Citizens for Fair Utility Regulation in matters re
operating license antitrust proceeding
LESSY, R P Office of the Executive Legal Director 79/01/05 1p

7903070272 Informs that during Jan 1979 South TX Electric Cooperative
Inc & Medina Electric Cooperative Inc neither initiated nor
received any discovery requests W/Certificate of Svc encl
JOHN, D F Akin, Gump, Hauer & Feld 79/02/02 4pp

7903020100 DOJ response to Houston Lighting & Power Co objections &
motion for a protective order re DOJ discovery request Urges
denial of util motion & seeks answers to all DOJ
interrogatories Certificate of Svc encl
HARRIS, J L, CLARK, R H, PARMENTER, F H Justice, Dept of
79/02/06 21pp

7903090090 Answered DOJ discovery request in Jan 1979 & received
interrogatories Answers due w/documents (ref encl
agreement) Certificate of Svc encl
BALDWIN, R C Austin, TX 79/02/06 3pp

7903090094 Informs of Tex-La Electric Cooperative's receipt of
discovery documents from related District Court case For
insp No other discovery activity initiated during Jan
Certificate of Svc encl
BURCHETTE, W H Northcutt Ely 79/02/09 4pp

7903050194 "Info Requested by Attorney General for Antitrust Review of
TX Municipal Power Agency"
* Texas Utilities Generating Co 78/12/14 200pp

7903070150 Motion for extension of time until 790305 to respond to
790206 motion to compel fuller responses to DOJ first set of
interrogatories Certificate of Svc encl
FRANKLIN, W J, BOUKHIGHT, J A Lowenstein, Newman, Reis, Axelrad & Toll
79/02/14 3pp

7903070422 Advises that "Second Set of Interrogatories & Requests for
Production of Documents from Houston Lighting & Power Co to
NRC" was hand-delivered on 790212, not 790209 as Certificate
of Svc states
BLUME, M B Anti-Trust Division 79/02/14 1p

7903130350 Motion by TX Utils Generating Co for extension of time to
respond or file appropriate motions to 790131 discovery
request Could not reach counsel for Public Util Board of
Brownsville, TX Certificate of Svc encl
KNOTT, J B Debevoise & Lieberman 79/02/14 6pp

7903080347 Requests clarification re Interrogatories 1 & 2 in search
set Wants to know whether Houston Lighting & Power wants
info on all witnesses NRC may call, or only those addressing
Houston Lighting & Power activities
LESSY, R P Anti-Trust Division 79/02/15 1p

7903130055 Grants time extensions to Houston Lighting & Power & TX
Utils Generating Co to respond to discovery requests
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/15
2pp

7903150178 Motion for extension of time until 790302 to respond to DOJ
790206 motion to compel, due to late receipt of motion by TX
Util Generating Co's counsel Certificate of Svc encl
KNOTT, J B Debevoise & Lieberman 79/02/16 4pp

7903080055 Houston Lighting & Power objections & answers to NRC's
initial interrogatories & requests for production of
documents Certificate of Svc encl
BARNETT, E W Baker & Botts 79/02/20 36pp

7903050379 Forwards TX Municipal Power Agency (TMPA) response to NRC
790104 ltr requesting addl info re pending request to amend
const permits to reflect ownership interest of TMPA
- IMIDT, H C Texas Utilities Co 79/02/22 1p

DOCKET 50-446 Comanche Peak Steam Electric Sta., Unit 2

7903250381 Responses of four TX cities (Bryan, Denton, Garland, & Greenville) to NRC Question 9 of 'Info Requested by Attorney General for Antitrust Review' w/ encl data on smaller adjacent electric utilities
 PLFITZ, D. Hannah, Howell, Smith, Lee, Muldrow 79/02/08 6pp

7903090007 Grants 790114 motion extending until 790302 TX Util Generating Co's time to respond to DOJ motion to compel
 MILLER, M E Atomic Safety and Licensing Board Panel 79/02/22 1p

7903130577 Application for issuance of subpoenas for deposition of RL Wright for production of documents to be kept or Records of Gulf States Util to Certificate of Svc encl
 POIRIER, M H Spiegel & McDiarmid 79/02/22 29pp

7903140533 Houston Lighting & Power Co's objections to Items 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 of NRC 790115 discovery request Moves NRC to a protective order Certificate of Svc encl
 FRANKLIN, W J BRUMLEY, L W Baker & Britts 79/02/22 8pp

7903230190 Motion for extension of time in which to respond to Houston Lighting & Power Co's second set of interrogatories & document requests to be kept or Records of Svc encl
 HARRIS, J L Justice, Dept of 79/02/22 7pp

7903080529 Notification of 790320 prehearing conference in Bethesda, MD to review discovery status of parties & to hear arguments on 790216 joint MJD
 MILLER, M E Atomic Safety and Licensing Board Panel 79/02/23 1p

7903220403 Central Power & Light Co's first set of interrogatories to & request for production of documents from Public Util Board of City of Brownsville, TX Certificate of Svc encl
 STAHL, D M Isham, Lincoln & Beale 79/02/23 12pp

7903260098 Motion by Central Power & Light for extension until 790323 in which to respond to Houston Lighting & Power Co's first set of interrogatories
 STAHL, D M Isham, Lincoln & Beale 79/02/23 6pp

7903150108 Grants extension until 790312 for NRC response to Houston Lighting & Power Co second set of interrogatories & requests for production of documents for good cause shown
 MILLER, M E Atomic Safety and Licensing Board Panel 79/02/27 1p

7903200269 Central Power & Light Co's second set of interrogatories & request for production of documents, addressed to Houston Lighting & Power Co
 STAHL, D M Isham, Lincoln & Beale 79/02/27 10pp

7903210574 Houston Lighting & Power Co's response to DOJ motion for extension of time Requests ASLB to hold ruling on motion in abeyance until 790320 prehearing conference & urges adoption

DOCKET 50-446 Comanche Peak Steam Electric Sta., Unit 2

7903220143 Central Power & Light Co's first set of interrogatories & request for production of documents addressed to TX Util Generating Co
 * Isham, Lincoln & Beale 79/02/27 9pp

7903140608 Responds to DOJ 790206 request to compel City of Austin, TX, to provide fuller responses Denies motion re Interrogatories 7, 12 & 13, grants motion re Interrogatories 5, 19 & 22
 MILLER, M E Atomic Safety and Licensing Board Panel 79/02/28 6pp

7903140645 Allows Central Power & Light Co until 790316 to respond to Houston Lighting & Power Co's interrogatories Defers ruling on DOJ 790222 motion until after 790320 prehearing conference
 MILLER, M E Atomic Safety and Licensing Board Panel 79/02/28 2pp

7903230194 Rept on progress of discovery during Feb 1979
 HARRIS, J L Justice, Dept of 79/02/28 6pp

7903060251 Forwards response of Brazos Electric Power Cooperative Inc to Question 9 of info requested by Attorney General for antitrust review
 SCHMIDT, H C Texas Utilities Co 79/03/01 13pp

7903230280 TX Util Co's subsidiaries answers to NRC's initial interrogatories & requests for production of documents Affidavit of Authorization & Certificate of Svc encl
 RELYEA, S C Weisbaum, Forsythe & Campels 79/03/01 24pp

7903200277 TX Util Generating Co's response to DOJ 790206 motion to compel fuller responses Urges denial of mod of motion Certificate of Svc encl
 KNOTTS, J B Debevoise & Lieberman 79/03/02 10pp

7903200287 TX Util Generating Co's objections & motion for protective orders w/ regard to interrogatories & document requests of Brownsville, TX Interrogatories are vague & general; responses would be burdensome Certificate of Svc encl
 KNOTTS, J B Debevoise & Lieberman 79/03/02 10pp

7903300078 Response of South TX Cooperative, Inc & Median Electric Cooperative, Inc to initial interrogatories & first request for production of documents from Public Util Board of Brownsville, TX Certificate of Svc encl
 HUNTER, M McGinnis, Luchridge & Kilgore 79/03/02 6pp

7903130378 Protective order re confidential business info which may be submitted by companies in connection w/ this proceeding
 MILLER, M E Atomic Safety and Licensing Board Panel 79/03/06 6pp

7903160307 Grants 790301 joint motion for withdrawal of subpoenas & motions & approves agreement re depositions & documents
 MILLER, M E Atomic Safety and Licensing Board Panel 79/03/06 1p

7903220388 Order re Houston Lighting & Power 790115 motion for protective order concerning DOJ discovery request Overrules objections re speculation argument & conjecture Orders util to supply requested facts
 MILLER, M E Atomic Safety and Licensing Board Panel 79/03/06 5pp

7903200057 Forwards addl info from TX Municipal Power Agency in response to Question 9 re antitrust review WJO encl
 SHAPAR, H K Office of the Executive Legal Director 79/03/07 1p

7903260151 Grants Houston Lighting & Power Co's 790306 motion for extension until 790320 in which to respond to Central Power & Light Co's second set of interrogatories
 MILLER, M E Atomic Safety and Licensing Board Panel 79/03/08 1p

7903160185 Informs of status of discovery NRC has received answers & objections from Houston Lighting & Power Co & TX Util Co was served w/ second set of interrogatories from former & plans to continue reviewing documents
 BLUM, M B Anti-Trust Division 79/03/09 1p

7903220244 Sustains certain of TX Util Generating 790112 objections re DOJ discovery requests, denies others Grants motion to compel fuller responses to DOJ interrogatories 2(a), 2(b), 3(a), 4, 7, 9, 12, 14-16, 20, 21, 23 & 25
 MILLER, M E Atomic Safety and Licensing Board Panel 79/03/09 9pp

7903300241 Grants motion of Gulf States Util to extend until 790411 period in which to respond to ASLB 790226 subpoena for production of documents per request of Public Util Board of Brownsville, TX
 MILLER, M E Atomic Safety and Licensing Board Panel 79/03/13 1p

7903290111 Application by Public Util Board of Brownsville, TX, for issuance of subpoenas for production of documents from parent & affiliated companies of Central Power & Light Co, Certificate of Svc encl
 * Spiegel & McDiarmid 79/03/14 98pp

7903050192 Forwards 'Info Requested by Attorney General for Antitrust Review of TX Municipal Power Agency'
 KNOTTS, J B Debevoise & Lieberman 78/12/14 1p

7903140267 Forwards II Insp Repts 50-445/78-22 & 50-446/78-22 on 781201-31 No noncompliance noted
 SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/10 2pp

7903140272 IC Insp Repts 50-445/78-22 & 50-446/78-22 on 781201-31 No noncompliance noted Major areas inspected const activities including welding of reactor coolant & emergency core cooling pipe sys storage & maint of equipment & concrete
 TAYLOR, R G, KNOXSMAN, W A Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/10 6pp

7903140254 Forwards II Insp Repts 50-445/79-02 & 50-446/79-02 on 790108-10 No noncompliance noted
 SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/10 2pp

DOCKETED SERIES

DOCKET 50-446 Comanche Peak Steam Electric Sta., Unit 2

DOCKET 50-447 GESSAR-238

7903140263 IE Insp Repts 50-445/79-02 & 50-446/79-02 on 790108-10 No noncompliance noted Major areas inspected const topics including welding of reactor coolant & safety-related pipe, containment concrete placements, penetration & cable trays GILBERT, L. D., CROSSMAN, W. A., HALL, R. E. Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/17 6pp

7903080428 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment" w/ list of 11 systematic evaluation program plants for which no action is required SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/02/08 1p

7903080442 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing Limit Switch Lubricant" SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/02/09 1p

7903210210 Forwards notice of violation from insp on 790215 SEIDLE, W. C. Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/20 2pp

7903210216 Notice of violation from insp on 790215 Noncompliance noted failure to follow concrete placement procedures * Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/20 1p

7903070284 Ack receipt of 790104 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-445/78-20 & 50-446/78-20 SEIDLE, W. C. Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/21 1p

7903070287 Responds to NRC 781218 ltr re violations noted in IE Insp Repts 50-445/78-20 & 50-446/78-20 Corrective actions specifications revised to eliminate requirement for submittal of radiographs to architect/engineer OARY, R. J. Texas Utilities Generating Co 79/01/04 3pp

7903190025 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read BL3CML SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/02/27 1p

7903280008 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts" SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/03/08 1p

7903300010 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co." SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/03/12 1p

7903280287 Ack receipt of 790306 ltr informing NRC of steps taken to correct violation noted in IE Insp Repts 50-445/79-03 & 50-446/79-03 SEIDLE, W. C. Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/03/13 1p

7903280290 Responds to NRC 790306 ltr re violation noted in IE Insp Repts 50-445/79-03 & 50-446/79-03 Corrective actions "elephant trunk" length increased to reduce concrete free fall, QA procedures changed & emphasized OARY, R. J. Texas Utilities Generating Co 79/03/06 3pp

7903300003 Forwards IF Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators" SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/03/16 1p

7903300200 Forwards IE Info Notice 79-05, "Use of Improper Mats in Safety-Related Components" SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/03/21 2pp

7903270324 W. Crossman informed on 790126 of potentially reportable weld metal defects in shop weld between reactor pressure vessel hot leg nozzle "C" & its safe-end Interim response dtd 790219 has been submitted Investigation will continue OARY, R. J. Texas Utilities Generating Co 79/03/19 1p

7903270320 In response to NRC 790111 ltr, GL has decided that NEDO-24048 should be reviewed under third category, in which costs incurred are assessed to final design approval application w/ table re review of documents sent to NRC SHERWOOD, G. G. General Electric Co, Nuclear Energy Products Div 79/03/13 3pp

7903300383 Requests NRC assessment review of GF preliminary design approval extension submittal Discusses past meetings re deferral or extension SHERWOOD, G. G. General Electric Co, Nuclear Energy Products Div 79/03/21 2pp

DOCKET 50-452 Greenwood Energy Center, Unit 2

7903270582 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," which focuses on recent problems w/ degradation Believes continued plant operation does not constitute undue risk EISENHUT, D. G. Assistant Director for Systems & Projects 79/03/02 3pp

7903260297 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 w/o encl VASSALLO, D. B. Assistant Director for Light Water Reactors 79/03/15 4pp

7903020332 Forwards Amend 14 to PSAR, Vols 1-7 * LeBoeuf, Lamb, Leiby & MacRae 79/03/01 1p

7903020334 Amend 14 to license application Contains revisions to PSAR re changes in unit designs since 1975 HEIDEL, C. M. Detroit Edison Co 79/02/27 4pp

7903020336 Amend 14 to PSAR includes design changes re unitized plants sharing major facilities, use of draft cooling towers & revisions in ASME codes * Detroit Edison Co 78/12/31 3400pp

7903020363 Forwards Suppl 5 to Encl. in Rept. const permit stage, Vols 1-3 JENSEN, W. H. Detroit Edison Co 79/02/27 1p

7903020364 Environ Rept. const permit stage, Suppl 5, Vols 1-3 * Detroit Edison Co 79/02/27 2000pp

7903260269 Forwards Certificate of Svt for Suppl 5 to ER, const permit stage MATERS, D. R. Detroit Edison Co 79/03/14 4pp

7903210173 Forwards Certificate of Svt for Amend 14 to application for licenses MATERS, D. R. Detroit Edison Co 79/03/08 4pp

DOCKET 50-453 Greenwood Energy Center, Unit 3

7903270582 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," which focuses on recent problems w/ degradation Believes continued plant operation does not constitute undue risk EISENHUT, D. G. Assistant Director for Systems & Projects 79/03/02 3pp

7903260297 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 w/o encl VASSALLO, D. B. Assistant Director for Light Water Reactors 79/03/15 4pp

7903020332 Forwards Amend 14 to PSAR, Vols 1-7 * LeBoeuf, Lamb, Leiby & MacRae 79/03/01 1p

7903020334 Amend 14 to license application Contains revisions to PSAR re changes in unit designs since 1975 HEIDEL, C. M. Detroit Edison Co 79/02/27 4pp

DOCKETED SERIES

195

DOCKET 50-453 Greenwood Energy Center, Unit 3

7903020336 Amend 14 to PSAR Includes design changes re unitized plants sharing major facilities, use of draft cooling towers & revisions in ASME codes
* Detroit Edison Co 78/12/31 3400pp

7903020363 Forwards Suppl 5 to Environ Rept. const permit stage.
Vols 1-3
JENS, W H Detroit Edison Co 79/02/27 1p

7903020364 Environ Rept. const permit stage, Suppl 5, Vols 1-3
* Detroit Edison Co 79/02/27 2000pp

7903260269 Forwards Certificate of Svc for Suppl 5 to ER, const permit stage
MATERS, B R Detroit Edison Co 79/03/14 4pp

7903210172 Forwards Certificate of Svc for Amend 14 to application for licenses
MATERS, D R Detroit Edison Co 79/03/08 4pp

DOCKET 50-454 Byron Station, Unit 1

7903060608 Forwards list of addl info needed to complete review of PSAR Sections 13 2 & 13 5 re training programs & procedures
COLLINS, P F Operator Licensing Branch 79/02/12 7pp

7903150277 Establishes schedule for NRC review of application for operating licenses Prospective decision date estimated as Sept 1981
BOYD, R S Division of Project Management 79/02/22 4pp

7903150357 Recommendations & comments re ER in general, rept adequately addresses fish & wildlife resources Description of wetlands in & near plant site & transmission corridor should be included
ST ORES, R L Interior, Dept of, Fish & Wildlife Service 79/03/12 2pp

7903270435 Forwards safeguards contingency plan Withheld (ref 10CFR2 790)
REED, C Commonwealth Edison Co 79/03/23 1p

7903090020 Petition to intervene in licensing proceedings Believes license should not be issued
SHINEFLUG, M J DeKalb Area Alliance for Responsible Energy 79/01/13 4pp

7903090021 Forwards proofs of svc for petition to intervene & affidavit of BL Galbreath
SHINEFLUG, M J DeKalb Area Alliance for Responsible Energy 79/01/16 3pp

7903090140 Petition to intervene in operating license proceedings License should not be granted pending resolution of generic safety problems, spent fuel compaction, Class 9 accidents & seismic-related site problems
JOHNSON, B League of Women Voters of Rockford, IL 79/01/13 5pp

7903090145 Answer to League of Women Voters of Rockford, IL petition to intervene Finds petitioners have satisfied requirement of standing for interest & may submit contentions Certificate of Svc encl
KARMAN, H Branch 1 79/01/29 4pp

7903090037 Ack receipt of petitions to intervene in operating license proceeding & notice of ASLB establishment of rule on petitions to intervene Requests response to petitions
JOHNSON, D League of Women Voters of Rockford, IL 79/01/30 1p.

7903090150 Forwards proof of svc for petition for leave to intervene
JOHNSON, D League of Women Voters of Rockford, IL 79/02/03 3pp.

7903130430 Forwards proof of svc for intervention petition, & affidavit of membership & authorization Certificate of Svc encl
JOHNSON, B. League of Women Voters of Rockford, IL 79/02/03 6pp.

7903130460 Forwards IE Insp Repts 50-454/78-11, 50-455/78-11, 50-456/78-14 & 50-457/78-14 for insp on 781214 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/23 2pp

7903130466 IE Insp Repts 50-454/78-11, 50-455/78-11, 50-456/78-14 & 50-457/78-14 on 781214 No noncompliance noted Major areas inspected licensee corrective actions re reportable deficiencies per 10CFR50 55(a)
KONKLIN, J E, DARRETT, P A, HAYES, D W Region 3, Chicago, Office of the Director 79/01/23 8pp

7903130354 Forwards IE Insp Repts 50-454/78-10 & 50-455/78-10 on 781212, 19 & 790103 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/29 2pp

7903130359 IE Insp Repts 50-454/78-10 & 50-455/78-10 on 781212, 19 & 790103 No noncompliance noted Major areas inspected preoperational environ monitoring, onsite meteorological monitoring review & onsite const environ protection program
AXELSON, W L, ESSIO, T H Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/19 5pp

7903190477 Forwards IE Insp Rept 50-454/79-02 & 50-455/79-02 on 790123-25 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/02 2pp

7903190480 Notice of violation from insp on 790123-25
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/01 1p

7903190493 IE Insp Repts 50-454/79-02 & 50-455/79-02 on 790123-25. Noncompliance noted failure to follow procedure & to provide acceptance criteria in procedure
LEE, E W K, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/01 5pp.

7903220493 Forwards IE Insp Rept 50-454/79-01 & 50-455/79-01 on 790109-11 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/12 2pp

7903220497 Notice of violation from insp on 790109-11
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/09 1p

7903220519 IE Insp Rept 50-454/79-01 & 50-455/79-01 on 790109-11 Noncompliance noted documented instructions & procedures did not exist to assure accomplishment of all design changes
KONKLIN, J E, NAIDU, K R, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/07. 18pp

7903080419 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J Q Region 3, Chicago, Office of the Director 79/02/16 1p

7903080343 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," std 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CHL
KEPPLER, J Q Region 3, Chicago, Office of the Director 79/03/01. 1p

7903130015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J Q Region 3, Chicago, Office of the Director 79/03/08 1p

7903190539 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co"
KEPPLER, J Q Region 3, Chicago, Office of the Director. 79/03/12. 1p

DOCKET 50-455 Byron Station, Unit 2

7903060608 Forwards list of addl info needed to complete review of PSAR Sections 13 2 & 13 5 re training programs & procedures
COLLINS, P. F. Operator Licensing Branch. 79/02/12 7pp

7903150277 Establishes schedule for NRC review of application for operating licenses Prospective decision date estimated as Sept 1981
BOYD, R. B Division of Project Management 79/02/22 4pp.

DOCKETED SERIES

DOCKET 50-455 Byron Station, Unit 2

7903150357 Recommendations & comments re ER in general, rept adequately addresses fish & wildlife resources Description of wetlands in & near plant site & transmission corridor should be included
ST ORES, R L Interior, Dept of, Fish & Wildlife Service 79/03/12 2pp

7903270435 Forwards safeguards contingency plan Withheld (ref 10CFR2 790)
REED, C Commonwealth Edison Co 79/03/23 1p

7903090020 Petition to intervene in licensing proceedings Believes license should not be issued
SHINEFLUG, M J DeKalb Area Alliance for Responsible Energy 79/01/13 4pp

7903090021 Forwards proofs of svc for petition to intervene & affidavit of BL Galbreath
SHINEFLUG, M J DeKalb Area Alliance for Responsible Energy 79/01/16 3pp

7903090160 Petition to intervene in operating license proceedings License should not be granted pending resolution of generic safety problems, spent fuel compaction, Class 9 accidents & seismic-related site problems
JOHNSON, B League of Women Voters of Rockford, IL 79/01/13 5pp

7903050165 Answer to League of Women Voters of Rockford, IL petition to intervene Finds petitioners have satisfied requirement of standing for interest & may submit contentions Certificate of Svc encl
KARMAN, M Branch 1 79/01/29 4pp

7903090037 Ack receipt of petitions for leave to intervene in operating license proceeding & notice of ASLB establishment of rule on petitions for leave to intervene Requests response to petitions
JOHNSON, B League of Women Voters of Rockford, IL 79/01/30 1p

7903090150 Forwards proof of svc for petition for leave to intervene
JOHNSON, B League of Women Voters of Rockford, IL 79/02/03 3pp

7903150430 Forwards proof of svc for intervention petition, & affidavit of membership & authorization Certificate of Svc encl
JOHNSON, B League of Women Voters of Rockford, IL 79/02/03 6pp

7903280006 Requests copy of proposed operating license
DOHERTY, J F Texas Public Interest Research Group 79/03/07 1p

7903130460 Forwards IE Insp Repts 50-454/78-11, 50-455/78-11, 50-456/78-14 & 50-457/78-14 for insp on 781214 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/23 2pp

7903130466 IE Insp Repts 50-454/78-11, 50-455/78-11, 50-456/78-14 & 50-457/78-14 on 781214 No noncompliance noted Major areas inspected licensee corrective actions re reportable deficiencies per 10CFR50 55(e)
KONKLIN, J E, BARRETT, P A, HAYES, D W Region 3, Chicago, Office of the Director 79/01/23 8pp

7903130354 Forwards IE Insp Repts 50-454/78-10 & 50-455/78-10 on 781212, 19 & 790103 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/29 2pp

7903130359 IE Insp Repts 50-454/78-10 & 50-455/78-10 on 781212, 19 & 790103 No noncompliance noted Major areas inspected preoperational environ monitoring, onsite meteorological monitoring review & onsite const environ protection program
AXELSON, W L, EBSIG, T H Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/19 5pp

7903190477 Forwards IE Insp Rept 50-454/79-02 & 50-455/79-02 on 790123-25 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/02 2pp

7903190480 Notice of violation from insp on 790123-25
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/01 1p

7903190493 IE Insp Repts 50-454/79-02 & 50-455/79-02 on 790123-25 Noncompliance noted failure to follow procedure & to provide acceptance criteria in procedure
LEE, E W K, DANIELSON, D H Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/01 5pp.

7903220493 Forwards IE Insp Rept 50-454/79-01 & 50-455/79-01 on 790109-11 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/12 2pp

7903220497 Notice of violation from insp on 790109-11
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/09 1p

7903220519 IE Insp Rept 50-454/79-01 & 50-455/79-01 on 790109-11 Noncompliance noted documented instructions & procedures did not exist to assure accomplishment of all design changes
KONKLIN, J E, NAIDUK, R, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/07 18pp

7903080419 Forwards IE Info Notice 79-04, 'Degradation of Engineered Safety Features'
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903080433 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read BL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190339 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME BA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

DOCKET 50-456 Braidwood Station, Unit 1

7903060608 Forwards list of addl info needed to complete review of FSAR Sections 13.2 & 13.5 re training programs & procedures
COLLINS, P F Operator Licensing Branch 79/02/12 7pp

7903150277 Establishes schedule for NRC review of application for operating licenses Prospective decision date estimated as Sept 1981
BOYD, R S Division of Project Management 79/02/22 4pp

7903270500 Forwards safeguards contingency plan Plan withheld (ref 10CFR2 790)
REED, C Commonwealth Edison Co 79/03/23 1p

7903060295 Answer to B Neiner Farms, Inc, et al, petition to intervene Petitioners have satisfied requirement of interest & may submit contentions Certificate of Svc encl
KARMAN, M Branch 1 79/01/29 4pp

7903090037 Ack receipt of petitions to intervene in operating license proceeding & notice of ASLB establishment of rule on petitions to intervene Requests response to petitions
JOHNSON, B League of Women Voters of Rockford, IL 79/01/30 1p

7903150430 Forwards proof of svc for intervention petition, & affidavit of membership & authorization Certificate of Svc encl
JOHNSON, B League of Women Voters of Rockford, IL 79/02/03 6pp

7903280006 Requests copy of proposed operating license
DOHERTY, J F Texas Public Interest Research Group 79/03/07 1p

7903130460 Forwards IE Insp Repts 50-454/78-11, 50-455/78-11, 50-456/78-14 & 50-457/78-14 for insp on 781214 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/23 2pp

7903130466 IE Insp Repts 50-454/78-11, 50-455/78-11, 50-456/78-14 & 50-457/78-14 on 781214 No noncompliance noted Major areas inspected licensee corrective actions re reportable deficiencies per 10CFR50 55(e)
KONKLIN, J E, BARRETT, P A, HAYES, D W Region 3, Chicago, Office of the Director 79/01/23 8pp

7903130403 Forwards IE Insp Repts 50-456/78-13 & 50-457/78-13 on 781128-30 & 781219 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/29 2pp

DOCKETED SERIES

197

DOCKET 50-456 Braidwood Station, Unit 1

7903130409 Notice of violation from insp on 791128-30 & 781219
* Region 3, Chicago, Reactor Construction & Engineering Support
Branch 79/01/25 1p

7903130418 IE Insp Repts 50-456/78-13 & 50-457/78-13 on 791128-30, &
781219 Noncompliance noted failure to provide GC coverage
procedures or documentation for grouting activities
JONES, C E, HAWKINS, F C, HAYES, D W Region 3, Chicago, Reactor
Construction & Engineering Support Branch 79/01/25 11pp

7903080419 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16
1p

7903130123 Ack receipt of 790126 ltr forwarding copy of written reply
from ASME After review of reply, concluded that no
noncompliance is involved Records will be revised
accordingly Site procedures will also be revised
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering
Support Branch 79/02/21 1p

7903130131 Forwards ASME response to util inquiry re identified
noncompliance on radiographic procedure, which is being held
in abeyance Requests status change of item from infraction
to observation W/encl pertinent correspondence w/ASME
REED, C Commonwealth Edison Co 79/01/26 5pp

7903150039 Responds to NRC ltr re violations noted in IE Insp Repts
50-546/78-08 & 547-547/78-08 Corrective actions lifts
w/suspension to be in accordance w/correct beam
configuration of heaviest object
COUGHLIN, J Public Service Co of Indiana, Inc 79/02/08 4pp

7903080343 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model 83CML should read
SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01
1p

7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs
Using Concrete Expansion Anchor Bolts "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08
1p

7903160054 Ack receipt of 790223 ltr informing NRC of steps taken to
correct violation noted in NRC 790129 ltr
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering
Support Branch 79/03/09 1p

7903160058 Responds to NRC 790129 ltr re violation noted in IE Insp
Repts 50-456/78-13 & 50-457/78-13 Corrective actions
grouting work stopped pending development of grouting
procedure
REED, C Commonwealth Edison Co 79/02/23 2pp

7903190539 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
ASME SA-312 Type 304 Stainless Steel Pipe Spools
Manufactured by Youngstown Welding & Engineering Co "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12
1p

DOCKET 50-457 Braidwood Station, Unit 2

7903060608 Forwards list of addl info needed to complete review of
FSAR Sections 13.2 & 13.5 re training programs & procedures
COLLINS, P F Operator Licensing Branch 79/02/12 7pp

7903150277 Establishes schedule for NRC review of application for
operating licenses Prospective decision date estimated as
Sept 1981.
BOYD, R S Division of Project Management 79/02/22 4pp

7903270900 Forwards safeguards contingency plan Plan withheld
(ref 10CFR2.790)
REED, C Commonwealth Edison Co 79/03/23 1p

7903060295 Answer to B Nainer Farms, Inc. et al. petition to intervene
Petitioners have satisfied requirement of interest & may
submit contentions Certificate of Svc encl
KARMAN, M Branch 1 79/01/29 4pp

7903090037 Ack receipt of petitions to intervene in operating license
proceeding & notice of ASLB establishment of rule on
petitions to intervene Requests response to petitions.
JOHNSON, B League of Women Voters of Rockford, IL 79/01/30. 1p

7903130430 Forwards proof of svc for intervention petition, & affidavit
of membership & authorization Certificate of Svc encl
JOHNSON, B League of Women Voters of Rockford, IL 79/02/03 6pp

7903130460 Forwards IE Insp Repts 50-454/78-11, 50-455/78-11,
50-456/78-14 & 50-457/78-14 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction &
Engineering Support Branch 79/01/23 2pp

7903130466 IE Insp Repts 50-454/78-11, 50-455/78-11, 50-456/78-14 &
50-457/78-14 on 781214 No noncompliance noted Major areas
inspected licensee corrective actions re reportable
deficiencies per 10CFR50.55(e)
KONKLIN, J E Region 3, Chicago, Office of the Director
79/01/23 8pp

7903130403 Forwards IE Insp Repts 50-456/78-13 & 50-457/78-13 on
781128-30 & 781219 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction &
Engineering Support Branch 79/01/29 2pp

7903130409 Notice of violation from insp on 791128-30 & 781219
* Region 3, Chicago, Reactor Construction & Engineering Support
Branch 79/01/25 1p

7903130418 IE Insp Repts 50-456/78-13 & 50-457/78-13 on 791128-30, &
781219 Noncompliance noted failure to provide GC coverage
procedures or documentation for grouting activities
JONES, C E, HAWKINS, F C, HAYES, D W Region 3, Chicago, Reactor
Construction & Engineering Support Branch 79/01/25 11pp

7903080419 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16
1p

7903130123 Ack receipt of 790126 ltr forwarding copy of written reply
from ASME After review of reply, concluded that no
noncompliance is involved Records will be revised
accordingly Site procedures will also be revised
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering
Support Branch 79/02/21 1p

7903130131 Forwards ASME response to util inquiry re identified
noncompliance on radiographic procedure, which is being held
in abeyance Requests status change of item from infraction
to observation W/encl pertinent correspondence w/ASME
REED, C Commonwealth Edison Co 79/01/26 5pp.

7903150039 Responds to NRC ltr re violations noted in IE Insp Repts
50-546/78-08 & 547-547/78-08 Corrective actions lifts
w/suspension to be in accordance w/correct beam
configuration of heaviest object
COUGHLIN, J Public Service Co of Indiana, Inc 79/02/08. App.

7903080343 Informs recipients of IE Bulletin 79-01, "Environ
Qualification of Class IE Equipment," dtd 790208, that valve
limit switch identified as NAMCO Model 83CML should read
SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01
1p

7903150015 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs
Using Concrete Expansion Anchor Bolts "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08
1p

7903160054 Ack receipt of 790223 ltr informing NRC of steps taken to
correct violation noted in NRC 790129 ltr.
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering
Support Branch 79/03/09 1p

7903160058 Responds to NRC 790129 ltr re violation noted in IE Insp
Repts 50-456/78-13 & 50-457/78-13 Corrective actions.
grouting work stopped pending development of grouting
procedure
REED, C Commonwealth Edison Co 79/02/23 2pp

7903190539 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
ASME SA-312 Type 304 Stainless Steel Pipe Spools
Manufactured by Youngstown Welding & Engineering Co "
KEPPLER, J G Region 3, Chicago, Office of the Director. 79/03/12
1p

DOCKET 50-458 River Bend Station, Unit 1

7903080541 Ack receipt of 790201 ltr providing NRC w/addl info re
culvert crossing over Alligator Bayou
BEIDLE, W. C Region 4, Dallas, Reactor Construction & Engineering
Support Branch 79/02/13 1p

DOCKETED SERIES

DOCKET 50-458 River Bend Station, Unit 1

7903080542 Confirms telcon w/R Everett re required 6-month delay in submittal of addl info re environ assessment of culvert crossing Alligator Bayou Will submit hydrology study & mitigating action plan by 790201
HUMPHREYS, L. L. Gulf States Utilities Co 78/12/15 1p

7903080544 Forwards addl info on culvert crossing over Alligator Bayou requested in Audit Repts 50-458/78-04 & 50-459/78-04 Forwards Flood study & discussion of possible mitigating actions re potential environ impacts w/o encls
HUMPHREYS, L. L. Gulf States Utilities Co 79/02/01 7pp

7903130248 Forwards "Alligator Bayou Flood Study, Present Bayou Hydrology "
SEIDLE, W. C. Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/27 1p

7903130251 "Alligator Bayou Flood Study, Present Bayou Hydrology "
* Gulf States Utilities Co 79/02/28 28pp

7903150305 Forwards info re archaeological & historical site surveys resulting from proposed changes to transmission routes Related ltrs & four oversized maps encl
HUMPHREYS, L. L. Gulf States Utilities Co 79/03/06 28pp

7903060663 Informs of status of data requested in IE Bulletin 78-12 Reactor vendor requires more than 60 days for data collection Notes delay until generic approach to identifying atypical weld matl is resolved
HUMPHREYS, L. L. Gulf States Utilities Co 78/11/24 1p

7903080413 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
SEYFRIT, K. V. Region 4, Dallas, Office of the Director. 79/02/08 1p

7903080435 Forwards IE Info Notice 79-03, "Limitorque Valve Gearsed Limit Switch Lubricant "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/02/09 1p

7903090039 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/02/16 1p.

7903190032 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/02/27. 1p.

7903280004 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/03/08 1p.

7903300008 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/03/12 1p.

7903290326 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/03/16. 1p.

7903300193 Forwards IE Info Notice 79-05, "Use of Improper Matls in Safety-Related Components "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/03/21 2pp.

7903130027 Forwards final resolution & corrective action re deficient reinforcing steel supplied by Trans-American Steel. Steel has been removed from site Util considers item closed
HUMPHREYS, L. L. Gulf States Utilities Co. 78/12/29 2pp

7903080542 Confirms telcon w/R Everett re required 6-month delay in submittal of addl info re environ assessment of culvert crossing Alligator Bayou Will submit hydrology study & mitigating action plan by 790201
HUMPHREYS, L. L. Gulf States Utilities Co 78/12/15 1p

7903080544 Forwards addl info on culvert crossing over Alligator Bayou requested in Audit Repts 50-458/78-04 & 50-459/78-04 Forwards Flood study & discussion of possible mitigating actions re potential environ impacts w/o encls
HUMPHREYS, L. L. Gulf States Utilities Co 79/02/01. 7pp

7903130248 Forwards "Alligator Bayou Flood Study, Present Bayou Hydrology "
SEIDLE, W. C. Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/27 1p

7903130251 "Alligator Bayou Flood Study, Present Bayou Hydrology "
* Gulf States Utilities Co 79/02/28 28pp

7903150305 Forwards info re archaeological & historical site surveys resulting from proposed changes to transmission routes Related ltrs & four oversized maps encl
HUMPHREYS, L. L. Gulf States Utilities Co 79/03/06 28pp

7903060663 Informs of status of data requested in IE Bulletin 78-12 Reactor vendor requires more than 60 days for data collection Notes delay until generic approach to identifying atypical weld matl is resolved
HUMPHREYS, L. L. Gulf States Utilities Co 78/11/24 1p

7903080413 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/02/08 1p

7903080435 Forwards IE Info Notice 79-03, "Limitorque Valve Gearsed Limit Switch Lubricant "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/02/09 1p

7903090039 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/02/16 1p

7903190032 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/02/27 1p

7903280004 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/03/08 1p

7903300008 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director. 79/03/12 1p.

7903290326 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/03/16 1p.

7903300193 Forwards IE Info Notice 79-05, "Use of Improper Matls in Safety-Related Components "
SEYFRIT, K. V. Region 4, Dallas, Office of the Director 79/03/21 2pp.

7903130027 Forwards final resolution & corrective action re deficient reinforcing steel supplied by Trans-American Steel. Steel has been removed from site Util considers item closed
HUMPHREYS, L. L. Gulf States Utilities Co. 78/12/29. 2pp

DOCKET 50-460 WPPSS Nuclear Project, Unit 1

DOCKET 50-459 River Bend Station, Unit 2

7903080541 Ack receipt of 790201 ltr providing NRC w/addl info re culvert crossing over Alligator Bayou
SEIDLE, W. C. Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/13 1p

7903210492 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," due to recent problems w/ degradation. Believes continued plant operation does not constitute undue risk.
EISENHUT, D. G. Assistant Director for Systems & Projects 79/03/02 3pp

DOCKETED SERIES

189

DOCKET 50-460 WPPSS Nuclear Project, Unit 1

7903260301 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3
w/o encl
VASSALLO, D B Assistant Director for Light Water Reactors
79/03/15 4pp

7903190524 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
ENGELKEN, R H Region 3, San Francisco, Office of the Director
79/02/16 1p

7903140369 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
ENGELKEN, R H Region 3, San Francisco, Office of the Director.
79/02/27 1p

7903140583 States that IE Bulletin 79-01, "Environment Qualification of Class IE Equipment (correction)" was issued to listed licensees in Region 3
* Region 3, San Francisco, Office of the Director 79/02/27 1p

7903280093 Forwards IE Insp Repts 50-460/79-03 & 50-513/79-03 on 790122-26 & 790221 No noncompliance noted
BOOK, H E Region 3, San Francisco, Fuel Facility & Materials Safety Branch 79/02/27 2pp

7903280103 IE Insp Repts 50-460/79-03 & 50-513/79-03 on 790122-26 & 790221. No noncompliance noted Major areas inspected environ protection program
THOMAS, R D, NORTH, S, BOOK, H E Region 3, San Francisco, Fuel Facility & Materials Safety Branch 79/02/26 3pp

7903150070 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
ENGELKEN, R H Region 3, San Francisco, Office of the Director
79/03/08 1p

7903190493 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
ENGELKEN, R H Region 3, San Francisco, Office of the Director
79/03/12 1p

7903210416 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
ENGELKEN, R H Region 3, San Francisco, Office of the Director
79/03/16 1p

7903260323 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors"
ENGELKEN, R H Region 3, San Francisco, Office of the Director
79/03/20 1p

7903150340 Forwards final rept re reportable deficiency concerning WKM valve overpressurization Valve manufacturer could not guarantee communication between cavity & conduit All valves listed will be modified to ensure overpressurization
REINBERGER, D L Washington Public Power Supply System 79/03/09 3pp

DOCKET 50-461 Clinton Power Station, Unit 1

7903260310 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3
w/o encl
VASSALLO, D B Assistant Director for Light Water Reactors
79/03/15 3pp

7903050357 Forwards "Annual Rept 1978"
MULLER, G E Illinois Power Co 79/02/27 1p.

7903050370 "Annual Rept 1978"
* Illinois Power Co. 79/02/27 28pp

7903130035 Forwards IE Insp Rept 50-461/78-07 on 781219-22 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/29. 2pp

7903130041 IE Insp Rept 50-461/78-07 on 781219-22 No noncompliance noted Major areas inspected safety-related equipment receipt & storage protection, containment structures & electrical cables work & records review
VANDEL, T E, HAWKINS, F C, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/29. 20pp.

7903080380 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903080361 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903150037 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08. 1p.

7903160062 Ack receipt of 790214 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-401/78-06
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/09. 1p

7903160067 Responds to NRC 790112 ltr re violation noted in IE Insp Rept 50-461/78-06 Corrective actions supplier instructed in welding requirements & will establish caliber program
GERSTNER, W C Illinois Power Co 79/02/14 2pp

7903190003 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12. 1p.

7903150217 Forwards info re potential reportable const deficiency concerning defective welds in drywell wall platework Welds have been repaired; reportable occurrence rept will not be submitted
GERSTNER, W C Illinois Power Co 79/03/07. 4pp

DOCKET 50-462 Clinton Power Station, Unit 2

7903260310 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3
w/o encl
VASSALLO, D B Assistant Director for Light Water Reactors.
79/03/15 3pp

7903030337 Forwards "Annual Rept 1978."
MULLER, G E. Illinois Power Co 79/02/27 1p.

7903050370 "Annual Rept 1978"
* Illinois Power Co 79/02/27 28pp.

7903080380 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G. Region 3, Chicago, Office of the Director 79/02/16 1p

7903080361 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
KEPPLER, J G. Region 3, Chicago, Office of the Director 79/03/01. 1p

7903150037 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts."
KEPPLER, J G Region 3, Chicago, Office of the Director. 79/03/08 1p

7903190003 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J. G Region 3, Chicago, Office of the Director. 79/03/12 1p

DOCKET 50-463 Fulton Generating Station, Unit 1

7903210446 Forwards 10CFR2, 10CFR50, 10CFR51, 10CFR100 & NUREG-0180 re early site review process, in response to 790205 telcon request, w/o encls
GRAY, J R Branch 1 79/03/02 1p

DOCKETED SERIES

DOCKET 50-464 Fulton Generating Station, Unit 2

7903210446 Forwards 10CFR2, 10CFR50, 10CFR51, 10CFR100 & NUREG-0180 re early site review process, in response to 790205 telcon request w/o encls
GRAY, J R Branch 1 79/03/02 1p

DOCKET 50-466 Allens Creek Nuclear Station, Unit 1

7903070208 Forwards responses to Questions 2, 3, 5, 6, 7, 10, 19 & 20 from NRC 790205 ltr re alternative sites
MCGUIRE, W F Houston Lighting & Power Co 79/02/22 37pp

7903210304 Forwards responses to Questions 9, 11, 12, 14-16 & 22 from "Alternative Site Visit Questions" of 790205 W/agricultural statistics for 1977 & TX water resources data for water year 1977 W/oversized drawing
MCGUIRE, W F Houston Lighting & Power Co 79/03/09 46pp

7903280064 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients W/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl
VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903230180 Forwards Amend 51 to PSAR W/affidavit
TURNER, E A Houston Lighting & Power Co 79/03/21 3pp

7903230181 Amend 51 to PSAR, containing written documentation of commitments made to NRC by telcon re site characteristics
TURNER, E A Houston Lighting & Power Co 79/03/21 4pp

7903230182 Responds to issues in PSAR & Suppl 1 to SER Have completed review of purchasing uncontrolled mineral interests within exclusion area of facility Util now controls all mineral interests within exclusion area
TURNER, E A Houston Lighting & Power Co 78/07/19 13pp

7903070194 Responds to 790130 petition of K Hooker for suspension of proceedings Urges denial of petition as erroneous & irrelevant Certificate of Svc encl
NEWMAN, J R , CULP, R H Lowenstein, Newman, Reis, Axelrad & Toll 79/02/09 6pp

7903300574 Requests correspondence re facility & opportunity to make limited appearance at const permit hearing
CYPRUS, O B Affiliation Unknown 79/02/14 1p

7903050565 Informs that NRC did not receive TX PIRG motion for admission of two contentions until 790209 & will therefore file response by 790301
SOHINKI, S M Branch 3 79/02/15 2pp

7903130036 Discovery procedures to begin 790216 & end 790402 Prehearing conference to be held 790417
WOLFE, S J Atomic Safety and Licensing Board Panel 79/02/16 2pp

7903140420 Denies 790130 petition for suspension of proceedings because it was filed by K Hooker, who was denied admission as a party on 790209
WOLFE, S J Atomic Safety and Licensing Board Panel 79/02/16 2pp

7903140448 Forwards DOE comments re NRC final suppl to NUREG-0470
SOHINKI, S M Branch 3 79/02/16 1p

7903210319 Applicant's response to TX PIRG 790202 motion for admission of two contentions Urges ASLB to deny motion as issues raised should not be considered in licensing proceedings Certificate of Svc encl
CULP, R H , NEWMAN, J R Lowenstein, Newman, Reis, Axelrad & Toll 79/02/16 7pp

7903190005 Notifies of appeal of ASLB 790209 order denying intervention
VOMACKA, A National Lawyers Guild, Houston Chapter 79/02/22 1p

7903190011 Appeals 790209 denial of intervention status Argues residency in proximity of site confers standing & contention re right to privacy is sufficient Certificate of Svc encl
VOMACKA, A National Lawyers Guild, Houston Chapter 79/02/22 3pp

7903160174 Appeals denial of intervenor status Due to lack of notification of denial, status as party should be granted Requests ruling that NRC may consider ultimate disposal of nuclear wastes
DEBREMAECKER, J Affiliation Unknown 79/02/23 2pp

7903210417 Forwards ltr & info re Lewis Rept (NUREG/CR-0400) resulting from review of WASH-1400 W/o encl
SOHINKI, S M Branch 3 79/02/23 1p

7903260100 Requests directed certification of three questions to ASLB re denial of contentions Certificate of Svc encl
SCOTT, J Texas Public Interest Research Group 79/02/23 7pp

7903130503 Notice & supporting brief of appeal ASLB 790209 order denying intervention petition Urges admission of contentions 2-3 & 7 of 780929 stipulation w/NRC Certificate of Svc encl
DOHERTY, J F Affiliation Unknown 79/02/24 15pp

7903130508 Motion for admission of contentions previously abandoned as "Class 9 accident" Contends reactor risk & large radioactivity release accidents issue should be admitted
DOHERTY, J F Affiliation Unknown 79/02/24 5pp

7903130500 Requests appeal from denial of intervention petition
HOOKER, K Affiliation Unknown 79/02/27 1p

7903130502 Urges reversal of ASLB denial of intervention petition, as petition was in substantial compliance w/NRC regulations & contentions raise valid issues Certificate of Svc encl
HOOKER, K Affiliation Unknown 79/02/27 16pp

7903140051 Requests suspension of proceedings Contends EIS is deficient & legal requirements have not been satisfied
HARRACK, D Affiliation Unknown 79/02/27 1p

7903140635 Notification of appeal re ASLB denial of intervention petition.
POTTHOFF, F H Affiliation Unknown 79/02/27 1p

7903140638 Requests one-day extension for filing appeal brief
POTTHOFF, F H Affiliation Unknown 79/02/27 1p

7903150104 Brief & notice of appeal from ASLB 790209 denial of intervention petition Rejection of contention re location of transmission corridor was based on incorrect assumption
RENTFRO, W E Affiliation Unknown 79/02/27 2pp

7903210313 Notice & brief of appeal Objects to NRC's failure to inform public re hearings & to allow public input Related documents encl
FRAMSON, R S , FRAMSON, M B Affiliation Unknown 79/02/27 11pp

7903210316 Appeals 790212 denial of intervention status Objects to NRC attitude re implementation of NEPA & placing burden on one asking for info Related documents encl
HARRACK, D Affiliation Unknown 79/02/27 15pp

7903140632 Urges acceptance of Contention 4 re development of solar & wind energy in TX as a superior alternative to nuclear station
POTTHOFF, F H Affiliation Unknown 79/03/01 3pp

7903210355 Request for extension, until 790308, to respond to TX PIRG's 790202 motion for admission of two contentions Certificate of Svc encl
SOHINKI, S M Branch 3 79/03/01 3pp

7903210362 Notice of reconstitution of ASLB for const permit proceeding
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 1p

7903210464 Provides info re limited appearance statement Explains method for participation in proceeding, since petition for leave to intervene has been denied
SOHINKI, S M Branch 3 79/03/01 2pp

7903210310 Brief responding to appeals from 790209 denial of intervention & to TX PIRG's petition for directed certification must be filed by 790319 NRC & applicant should inform ASLB re status of alternate site inquiry
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/05 3pp

7903220308 Intervenor TX PIRG first set of interrogatories to Houston Lighting & Power Co
SCOTT, J M Texas Public Interest Research Group 79/03/05 3pp

DOCKET 50-467 Allens Creek Nuclear Station, Unit 2

7903070208 Forwards responses to Questions 2, 3, 5, 6, 7, 10, 19 & 20 from NRC 790205 ltr re alternative sites
MCGUIRE, W F Houston Lighting & Power Co 79/02/22 37pp

DOCKETED SERIES

DOCKET 50-467 Aliens Creek Nuclear Station, Unit 2

7903210304 Forwards responses to Questions 9, 11, 12, 14-18 & 22 from "Alternative Site Visit Questions" of 790205 W/agricultural statistics for 1977 & TX water resources data for water year 1977 W/oversized drawing
MCQUIRE, W F Houston Lighting & Power Co 79/03/09 46pp

DOCKET 50-468 Laguna Verde Station

7903290292 Recently received cable advising facility attachment info for units had not been completed IAEA safeguards will be applied if nuclear matl arrives prior to attachment completion
SHEA, J R Office of International Programs SECY-79-121B 79/02/26 1p

DOCKET STN-50-470 CESSAR System 80

7903210490 Summary of 790212 meeting w/C-E re acceptance review of CESSAR FSAR & standardization policy matters related to C-E's application for Type-1 final design approval for Sys 80 design W/list of attendees & revised agenda
VILLALVA, I Standardization Branch 79/03/01 6pp

DOCKET 50-471 Pilgrim Nuclear Power Station, Unit 2

7903270583 Forwards NUREG-0523, "Summary of Operating Experience W/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903190292 Questions legal procedures re abbreviated recirculation of FES suppl re alternative sites analysis Asserts truncated procedure is improper
ABBOTT, W S Simmonds, Winslow, Willis & Abbott 79/01/09 2pp

7903120468 Forwards draft suppl to plant FES (NUREG-0530) & Federal Register notice
REGAN, W H Environmental Project Branch 2 79/02/28 2pp

7903120472 Notice of availability of draft suppl to FES (NUREG-0530)
REGAN, W H Environmental Project Branch 2 79/02/16 3pp

7903120480 Draft suppl to FES
* Office of Nuclear Reactor Regulation NUREG-0530 79/02/28 188pp

7903210321 Forwards Federal Register notice announcing availability of draft suppl to FES re alternative sites
SMITH, B H Branch 2 79/02/28 3pp

7903140293 Dept has no comments on draft suppl to FES (NUREG-0530)
COTNER, M L Agriculture, Dept of 79/03/09 1p

7903190200 Responds to 790228 ltr requesting comments on draft suppl to FES (NUREG-0530) Notes omission on Page 1 & suggests inclusion of plan & location map of selected site
HEINEMANN, J M Federal Energy Regulatory Commission 79/03/14 1p.

7903280356 Discusses transmission line corridor impact on woodlands Believes Rocky Point location would cause least ecological damage Concur that Dunstable site is inappropriate because of unavoidable impact on wetlands
VANDENBURG, D O Agriculture, Dept of 79/03/23 1p

7903060545 Provides comments on NRC 790116 statement of outstanding issues in proceeding re alternative sites, financial qualification, need for power & NRC Reactor Safety Study
ABBOTT, W S Simmonds, Winslow, Willis & Abbott 79/01/25 5pp

7903070348 A&M Cleeton's request for info re financial qualifications from Boston Edison in ltrs to NRC Certificate of Svc encl
ABBOTT, W S Affiliation Unknown 79/01/25 2pp

7903070314 A&M Cleeton motion to reopen hearing record re need for power & file updated testimony due to matl change since 770701 Wants Boston Edison 771231 forecast & MA Energy Facilities Siting Council 781024 decision considered
ABBOTT, W S Affiliation Unknown 79/01/25 3pp

7903070318 A&M Cleeton's motion to compel NRC to provide detailed evaluation of impact of 790119 decision re 1975 Reactor Safety Study so parties may determine whether safety issues should be reopened Certificate of Svc encl
ABBOTT, W S Affiliation Unknown 79/01/25 2pp

7903130019 Requests right to raise Class 9 issue at proceeding after Commission announces its decision on matter
CORKIN, C Massachusetts, State of 79/02/06 1p

7903140183 Opposes intervenor Cleeton's 790125 motions because relief sought is unnecessary Related correspondence & MA Dept of Public Util decision DPU 19494 encl
LEWALD, D H Ropes & Gray STODDLEY, D O Boston Edison Co 79/02/09 24pp

7903080190 Opposes Cleeton's 790125 Motion 1 requesting that hearing on financial qualifications of applicants be deferred because NRC policy favors going forward & advantages of an early resolution outweigh delay
SMITH, B H Branch 2 79/02/14 10pp

7903080194 Opposes Cleeton's 790125 Motion 3 re reopening record or need for power issue because MA Energy Facility Siting Council decision has not been shown to contain new info or info which would materially change facts in record
SMITH, B H Branch 2 79/02/14 2pp

7903080200 Responds to Cleeton's Motion 4 requesting NRC evaluation of impact of NRC policy statement on Reactor Safety Study & Lewis Panel review Agrees to provide evaluation by 790301 Certificate of Svc encl
SMITH, B H Branch 2 79/02/14 3pp

7903120575 Per ASLB 790115 order re status of review, forwards draft suppl to FES (NUREG-0530) Notifies that NRC is ready to proceed on financial qualifications issue & respond to questions on remaining uncontested issues
SMITH, B H Branch 2 79/02/22 2pp

7903260359 Informs of classified document containing info potentially relevant to issue of sabotage of spent nuclear fuel & of NRC assessment of info to be made available
SMITH, B H Branch 2 79/03/08 1p

7903140466 Based on 790116 telcon & previous NRC 781208 decision, financial schedules & forecasts submitted 780623 & 30 do not meet 10CFR2.790 requirements & will be placed in NRC PDR & LPDR W/relevant communications
PARR, D D Light Water Reactors Branch 3 79/02/26 3pp

7903140469 Forwards addl financial info in response to 780531 request. Requests proprietary treatment for certain matl (ref 10CFR2.790)
BUTLER, R M Boston Edison Co 78/06/23 2pp.

7903140474 Forwards addl financial info in response to 780531 request. Requests proprietary treatment of certain matl (ref 10CFR2.790)
BUTLER, R M Boston Edison Co 78/06/30 5pp

7903220273 "Annual Rept 1978"
* Boston Edison Co 79/02/28 24pp

7903050212 Forwards Endorsement 1 to MAELU Policy XB-31
FOULSHAM, P A Boston Edison Co 79/02/26 2pp

7903060452 Annual rept re personnel & man-rem exposure by job function
MCQUIRE, P J Boston Edison Co 79/02/28 3pp.

DOCKET 50-472 Pilgrim Nuclear Power Station, Unit 3

7903220275 "Annual Rept 1978"
* Boston Edison Co 79/02/28 24pp

7903050212 Forwards Endorsement 1 to MAELU Policy XB-31
FOULSHAM, P A Boston Edison Co 79/02/26 2pp

7903060452 Annual rept re personnel & man-rem exposure by job function
MCQUIRE, P J Boston Edison Co 79/02/28 3pp

DOCKETED SERIES

DOCKET STN-50-477 Atlantic Generating Station, Unit 1

7903300553 Ack receipt of 781219 PSAR Amend 33 withdrawing application
Forwards related Federal Register notice
BOYD, R B Division of Project Management 79/03/16 5pp

7903300564 Notice of withdrawal of application for const permits &
facility licenses
BAER, R L Light Water Reactors Branch 2 79/03/16 2pp

7903150219 Notice of intervenor Atlantic County Citizens Council on the
Environ substitution of counsel KA Onsdorff will substitute
for RW Potter Certificate of Svc encl
ONSDORFF, K A Affiliation Unknown 79/02/06 4pp

7903080537 Responds to intervenor Atlantic County's brief in support of
motion to impose terms & conditions Urges denial of 781229
motion for failure to comply w/10CFR2 730(b) & for lack of
meritorious request for relief Certificate of Svc encl
BOHINKI, B M Branch 3 79/02/12 6pp

7903150236 Denies intervenors' joint motion for failure to comply w/
Rules of Practice re time for filing brief No statutory
authority for imposition of atty's fees
WOLFE, B J Atomic Safety and Licensing Board Panel 79/02/15 4pp

7903150401 Order dismissing proceeding after 781220 withdrawal of
application of util
WOLFE, B J Atomic Safety and Licensing Board Panel 79/02/15 1p

DOCKET STN-50-478 Atlantic Generating Station, Unit 2

7903300563 Ack receipt of 781219 PSAR Amend 33 withdrawing application
Forwards related Federal Register notice
BOYD, R B Division of Project Management 79/03/16 5pp

7903300564 Notice of withdrawal of application for const permits &
facility licenses
BAER, R L Light Water Reactors Branch 2 79/03/16 2pp

7903150219 Notice of intervenor Atlantic County Citizens Council on the
Environ substitution of counsel KA Onsdorff will substitute
for RW Potter Certificate of Svc encl
ONSDORFF, K A Affiliation Unknown 79/02/06 4pp

7903080557 Responds to intervenor Atlantic County's brief in support of
motion to impose terms & conditions Urges denial of 781229
motion for failure to comply w/10CFR2 730(b) & for lack of
meritorious request for relief Certificate of Svc encl
BOHINKI, B M Branch 3 79/02/12 6pp

7903150236 Denies intervenors' joint motion for failure to comply w/
Rules of Practice re time for filing brief No statutory
authority for imposition of atty's fees
WOLFE, B J Atomic Safety and Licensing Board Panel 79/02/15 4pp

7903150401 Order dismissing proceeding after 781220 withdrawal of
application of util
WOLFE, B J Atomic Safety and Licensing Board Panel 79/02/15 1p

DOCKET STN-50-480 REBAR-41

7903070180 Summary of 780915 meeting w/Westinghouse to discuss future
licensing plans for standardized NBSB designs W/list of
attendees & outline of Westinghouse presentation
O'REILLY, P. D. Standardization Branch, 78/10/05 18pp.

DOCKET STN-50-482 Wolf Creek Generating Station

593 Forwards NUREG-0523, "Summary of Operating Experience
irculation Steam Generators," which focuses on recent

7903080591 Forwards NUREG/CR-0400, "Risk Assessment Review Group Rept
to the US NRC" (Lewis Rept) Commission presently developing
policy statement re rept
LEWIS, S. H Office of the Executive Legal Director 79/01/23 1p

7903150200 Intervenor's response per ALAB-509 in opposition to
"de minimus" theory Alleges theory ignores issue of
significant & substantial releases of radon-222 to environ
Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for
responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01
5pp

7903230304 Forwards NRC policy statement re reactor safety study, review
by Lewis Committee (NUREG/CR-0400) & survey of NRC uses of
WASH-1400 All documents have been furnished to ASLB & ASLB
members
LEWIS, S. H Branch 2 79/03/05 2pp

7903120413 Requests current status rept re facility const problems
WINN, L House of Rep 79/02/12 1p

7903280339 Requests any info available on soundness of foundation of
reactor in order to respond to constituent's ltr
WHITTAKER, B House of Rep 79/03/01 1p

7903070166 Forwards IE Insp Rept 50-482/78-16 on 781120-22 No
noncompliance noted
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering
Support Branch 79/01/18 2pp.

790307016B IE Insp Rept 50-482/78-16 on 781120-22 No noncompliance
noted Major areas inspected aspects of QA program relating
to control of design & procurement, overall conduct of audit
program & document control
OBERG, C A, MATTIA, J, CROSSMAN, W A Region 4, Dallas, Reactor
Construction & Engineering Support Branch 79/01/17 8pp

7903060605 Requests assessment of concrete strength of reactor building
base mat based on strength data obtained w/90-day test
cylinders, & evaluation of base mat load carrying capacity
BOYD, R B Division of Project Management 79/02/08 2pp

7903060607 Forwards WR Waugh's recommendations for testing base mat
cylinder remnants Requests NRC comments
KOESEYER, Q L Kansas Gas & Electric Co 79/01/16 3pp

7903080424 Forwards IE Bulletin 79-01, "Environ Qualification of Class
IE Equipment " W/list of 11 systematic evaluation program
plants for which no action is required
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/08
1p.

7903080437 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing
Limit Switch Lubricant "
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/09
1p

7903090048 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features "
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/16
1p

7903210343 Forwards IE Insp Rept 50-482/78-13 on 781113-16 & 1206-08 &
notice of violation
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/16
4pp

7903210546 Notice of violation from Insp on 781113-16 & 1206-08
* Region 4, Dallas, Office of the Director. 79/02/15 3pp

7903210554 IE Insp Rept 50-482/78-13 on 781113-16 & 1206-08
Noncompliance noted. Failure to establish mix design per
specifications & procedures, failure to meet concrete
criteria, failure to provide complete info & failure to test
OBERG, C. R, CROSSMAN, W A, HALL, R E Region 4, Dallas, Office of
the Director 79/02/15 40pp

7903210570 Forwards "Rept of Investigation of KS Gas & Electric Study
of Low Concrete Cylinder Strengths of Reactor Containment
Bldg Base Mat " Concludes util study does not assure
structural adequacy of base mat concrete
HAMM, R. C Hamm Engineers, Inc 79/02/02 1p

790321057B "Rept of Investigation of KS Gas & Electric Study of Low
Concrete Cylinder Strengths of Reactor Containment Bldg Base
Mat, "
HAMM, R. C. Hamm Engineers, Inc NRC-05-77-186 79/02/02 50pp

DOCKETED SERIES

203

DOCKET STN-50-482 Wolf Creek Generating Station

7903070238 Ack receipt of 781228 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-482/78-12
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/21 1p

7903070239 Responds to NRC 781129 ltr re violations noted in IE Insp Rept 50-482/78-12 Corrective actions welding procedures will be reviewed, heaters given new cables, motor maint procedures changed to include motor shaft rotation
KOESTER, G L Kansas Gas & Electric Co 78/12/28 3pp

7903190022 Informs recipients of IC Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read SL3CML
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/27 1p

7903290193 Agrees that placement of concrete in safety-related structures other than containment bldg may now continue as result of IE Insp Rept 50-482/79-03 on 790220-23 Notes that base mat concrete issue is unresolved
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/05 2pp

7903280007 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/08 1p

7903300015 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/12 1p

7903300005 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/16 1p

7903300203 Forwards IE Info Notice 79-05, "Use of Improper Mats in Safety-Related Components"
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/21 2pp

DOCKET STN-50-483 Calloway Plant, Unit 1

7903210468 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," due to recent problems w/ degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903260312 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3
H/s encl
VASSALL, D B Assistant Director for Light Water Reactors 79/03/13 3pp

7903220351 Per 790111 ltr, forwards project agreement to Appeal Board which was promised at conclusion of oral argument in show cause proceeding
REYNOLDS, W B Shaw, Pittman, Potts, & Trowbridge 79/01/16 1p

7903070566 Affirms ASLB 780928 decision may suspend const permit until builder cooperates w/NRC investigation Does not decide issue of NRC authority to protect discharged "whistleblowers"
DUFLO, M E Atomic Safety and Licensing Appeal Panel 79/02/23 38pp

7903130018 Forwards IE Insp Repts 50-483/78-13 & 50-486/78-03 on 781120-22 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/01 2pp

7903130021 IE Insp Rept 50-483/78-13 & 50-486/78-03 on 781120-22 No noncompliance noted Major areas inspected QA programs re design & procurement control, conduct of audit program & document control
SCHWEIBINZ, E R, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch MATTIA, J C Region 1, Philadelphia, Office of the Director 79/01/25 8pp

7903130030 Forwards IE Insp Rept 50-483/78-14 on 781204-06 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/01 2pp

7903130033 IE Insp Rept 50-483/78-14 on 781204-06 No noncompliance noted Major areas inspected action on bulletins & circulars, site tour, safety-related piping records, observation of work, welding & nondestructive examination
SCHWEIBINZ, E R, HANSEN, W A, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/26 14pp

7903220411 Forwards IE Insp Rept 50-483/79-01 & 50-486/79-01 on 790130-31 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/13 2pp

7903220418 IE Insp Repts 50-483/79-01 & 50-486/79-01 on 790130-31 No noncompliance noted Major areas inspected licensee actions on bulletins & circulars
SCHWEIBINZ, E R, HANSEN, W A, HAYES, D W Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/14 5pp

7903080385 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903080367 Informs recipients of IE Bulletin 79-01, "Environment Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903190047 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190563 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

DOCKET STN-50-484 Tyrone Energy Park, Unit 1

7903270506 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environment Certificate of Evt encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903150384 Objection of intervenors Ecology Action of Oswego & Northern Thunder to ALAB-509 because "de minimus" theory re radon emission is absurd Requests hearing to consider evidence of other approaches to cost benefit analysis
IHRTG, R Northern Thunder 79/02/19 22pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903230271 Forwards NRC policy statement re reactor safety study, review by Lewis Committee (NUREG/CR-0400) & survey of NRC uses of WASH-1400 All documents have furnished to ASLB & ASLB panel members
LEWIS, B H Branch 2 79/03/05 1p

7903130024 Forwards IE Insp Rept 50-484/78-02 on 781120-22 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/01 2pp

7903130028 IE Insp Rept 50-484/78-02 on 781120-22 No noncompliance noted Major areas inspected QA program re design & procurement control, conduct of audit program & document control
SCHWEIBINZ, E R, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch MATTIA, J C Region 1, Philadelphia, Office of the Director 79/01/25 8pp

7903080341 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

DOCKET STN-50-484 Tyrone Energy Park, Unit 1

7903080364 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903140034 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1pp

7903140038 IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts" Reviews numerous failures & deficiencies of concrete expansion anchors Requests verification of safety & design requirements
* Region 3, Chicago, Office of the Director 79/03/08 3pp

7903190007 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

DOCKET STN-50-485 Sterling Power Project Nuclear, Unit 1

7903270512 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," which focuses on recent problems w/ degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903150183 Extends until 790302 time for NRC consideration of petition for review of ALAB-502 filed by Ecology Action of Oswego
CHILK, B J Office of the Secretary of the Commission 79/02/16 1p

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFDRB, C Affiliation Unknown 79/02/19 37pp

7903180384 Objection of intervenor's Ecology Action of Oswego & Northern Thunder to ALAB-509 because "de minimus" theory re radon emission is absurd Requests hearing to consider evidence of other approaches to cost benefit analysis
IHRIOR, R Northern Thunder 79/02/19 22pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903140610 Extends until 790309 time for NRC consideration of petition for review of ALAB-502, filed by Ecology Action of Oswego
CHILK, B J Office of the Secretary of the Commission 79/03/02 1p

7903220360 Recommends NRC deny petition of Ecology Action of Oswego for review of ASLAB decision ALAB-502 Discussion of other arguments raised by Ecology Action & draft order denying review of ALAB-502 encl
FITZGERALD, J A Office of the General Counsel SECY-A-79-6 79/01/16 18pp

7903220366 Decision ALAB-502 affirming ASLAB 770826 decision re all issues except those concerning need for power & environ impact of radon releases
DUFLO, M E Atomic Safety and Licensing Appeal Panel 78/10/19, 27pp.

7903260154 Grants in part Ecology Action of Oswego's petition to review ALAB-502. Issue to be heard is whether ASLAB correctly interpreted NRC's "obviously superior" std for rejecting applicant's proposed site Briefs due by 790409
CHILK, B J Office of the Secretary of the Commission 79/03/08 2pp

7903060616 Forwards IE Info Notice 79-03, "Limitorque Valve Seared Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/09, 1p

7903080259 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 1p.

7903080462 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903260036 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/03/08 1p

DOCKET STN-50-486 Calloway Plant, Unit 2

7903210468 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," due to recent problems w/ degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903260312 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients W/itr to major vendors requesting info & forwarding NUREG-0460, Vol 3
W/o encl
VABGALLO, D G Assistant Director for Light Water Reactors 79/03/15 3pp

7903220331 Per 790111 ltr, forwards project agreement to Appeal Board which was promised at conclusion of oral argument in show cause proceeding
REYNOLDS, W B Shaw, Pittman, Potts, & Troubridge 79/01/16 1p

7903070566 Affirms ASLB 780928 decision may suspend const permit until builder cooperates w/NRC investigation Does not decide issue of NRC authority to protect discharged "whistleblowers"
DUFLO, M E Atomic Safety and Licensing Appeal Panel 79/02/23 38pp

7903130018 Forwards IE Insp Repts 50-483/78-13 & 50-486/78-03 on 781120-22 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/01 2pp

7903130021 IE Insp Rept 50-483/78-13 & 50-486/78-03 on 781120-22 No noncompliance noted Major areas inspected QA programs re design & procurement control, conduct of audit program & document control
SCHWEIBINZ, E R, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch MATTIA, J C Region 1, Philadelphia, Office of the Director 79/01/25 6pp

7903220411 Forwards IE Insp Rept 50-483/79-01 & 50-486/79-01 on 790130-31 No noncompliance noted
FIORELLI, G Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/13 2pp

7903220418 IE Insp Repts 50-483/79-01 & 50-486/79-01 on 790130-31 No noncompliance noted Major areas inspected licensee actions on bulletins & circulars
SCHWEIBINZ, E R, KNOP, R C Region 3, Chicago, Reactor Operations Nuclear Support Branch 79/02/14 5pp

7903080386 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903080367 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903190563 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

DOCKET STN-50-488 Perkins Nuclear Station, Unit 1

7903150281 Forwards "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete"
DAHL, L C Duke Power Co 79/02/21 1p

7903150288 "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete"
RABBAT, B G, RUSSELL, H O Duke Power Co 79/02/28 30pp

DOCKET STN-50-488 Perkins Nuclear Station, Unit 1

7903050415 Advises that RP Wilson replaces R Roberson re all correspondence in proceeding
WILSON, R P South Carolina, State of 79/01/25 1p

7903150110 Forwards resolution by Montgomery County Board of Commissioners opposing licensing & const of facility
MCAULAY, H P Montgomery County, NC 79/02/13 1p

7903150112 Resolution opposing licensing & const of facility based on tremendous consumption of water by cooling towers & large increase in electricity rates
MCAULAY, H P, CRANFORD, T Montgomery County, NC 79/02/13 3pp

7903200265 Applicant's further suppl proposed findings of fact & conclusions of law Certificate of Svc encl
MCGARRY, J M Duke Power Co 79/02/23 82pp

7903260346 Interveners' motion to reopen record & for addl hearings re reactor safety & geological study Further suppl proposed findings of fact proposed conclusions of law Certificate of Svc encl
PFEFFERKORN, W G Pfefferkorn & Cooley, P A 79/03/05 25pp

7903220073 Urges prompt decision in favor of plant license because of need for energy independence from OPEC countries & cost of delay in developing alternate sources
STYLES, J S Affiliation Unknown 79/03/05 1p

7903290011 Forwards corporate annual rept, financial forecast & util statement re available sources of funds W/o encl
THIES, A C Duke Power Co 79/03/21 1p

7903080552 Forwards IF Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/09 2pp

7903090129 Forwards IF Info Notice 79-04, "Degradation of Engineered Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080249 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140537 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 1p

7903210127 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903210575 Forwards IC Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 1p

DOCKET STN-50-489 Perkins Nuclear Station, Unit 2

7903150281 Forwards "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete "
DAIL, L C Duke Power Co 79/02/21 1p

7903150288 "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete "
RABBAT, B G, RUSSELL, H G Duke Power Co 79/02/28 30pp

7903050415 Advises that RP Wilson replaces R Roberson re all correspondence in proceeding
WILSON, R P South Carolina, State of 79/01/25 1p

7903200265 Applicant's further suppl proposed findings of fact & conclusions of law Certificate of Svc encl
MCGARRY, J M Duke Power Co 79/02/23 82pp

7903260346 Interveners' motion to reopen record & for addl hearings re reactor safety & geological study Further suppl proposed findings of fact proposed conclusions of law Certificate of Svc encl
PFEFFERKORN, W G Pfefferkorn & Cooley, P A 79/03/05 25pp

7903290011 Forwards corporate annual rept, financial forecast & util statement re available sources of funds W/o encl
THIES, A C Duke Power Co 79/03/21 1p

7902280235 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HSSA) "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/02 5pp

7903080552 Forwards IF Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/09 2pp

7903090129 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080249 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140537 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 1p

7903210127 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903210575 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 1p

DOCKET STN-50-490 Perkins Nuclear Station, Unit 3

7903150281 Forwards "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete "
DAIL, L C Duke Power Co 79/02/21 1p

7903150288 "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete "
RABBAT, B G, RUSSELL, H G Duke Power Co, 79/02/28 30pp

7903050415 Advises that RP Wilson replaces R Roberson re all correspondence in proceeding
WILSON, R P South Carolina, State of 79/01/25 1p

7903150110 Forwards resolution by Montgomery County Board of Commissioners opposing licensing & const of facility
MCAULAY, H P Montgomery County, NC 79/02/13 1p

7903150112 Resolution opposing licensing & const of facility based on tremendous consumption of water by cooling towers & large increase in electricity rates
MCAULAY, H P, CRANFORD, T Montgomery County, NC 79/02/13 3pp

7903200265 Applicant's further suppl proposed findings of fact & conclusions of law Certificate of Svc encl
MCGARRY, J M Duke Power Co 79/02/23 82pp

7903260346 Interveners' motion to reopen record & for addl hearings re reactor safety & geological study Further suppl proposed findings of fact proposed conclusions of law Certificate of Svc encl
PFEFFERKORN, W G Pfefferkorn & Cooley, P A 79/03/05 25pp

7903220073 Urges prompt decision in favor of plant license because of need for energy independence from OPEC countries & cost of delay in developing alternate sources
STYLES, J B Affiliation Unknown 79/03/05 1p

DOCKETED SERIES

DOCKET STN-50-490 Perkins Nuclear Station, Unit 3

7903290011 Forwards corporate annual rept, financial forecast & util statement re available sources of funds W/o encl
THIES, A C Duke Power Co 79/03/21 1p

7903280235 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HSSA) "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/02 5pp

7903080552 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/09 2pp

7903090129 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080249 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/26 2pp

7903140537 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 1p

7903210127 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903210575 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 1p

DOCKET STN-50-491 Cherokee Nuclear Station, Unit 1

7903150281 Forwards "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete."
DAIL, L C Duke Power Co 79/02/21 1p

7903150288 "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete "
RABBIT, B G Duke Power Co 79/02/28 30pp

7903050415 Advises that RP Wilson replaces R Roberson re all correspondence in proceeding.
WILSON, R P South Carolina, State of 79/01/25 1p

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl.
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903290011 Forwards corporate annual rept, financial forecast & util statement re available sources of funds, W/o encl
THIES, A C Duke Power Co 79/03/21 1p

7903080249 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140537 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 1p

7903210127 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

7903210575 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 1p

DOCKET STN-50-492 Cherokee Nuclear Station, Unit 2

7903150281 Forwards "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete "
DAIL, L C Duke Power Co 79/02/21 1p

7903150288 "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete "
RABBIT, B G Duke Power Co 79/02/28 30pp

DOCKET STN-50-492 Cherokee Nuclear Station, Unit 2

7903050415 Advises that RP Wilson replaces R Roberson re all correspondence in proceeding
WILSON, R P South Carolina, State of 79/01/25 1p

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903290011 Forwards corporate annual rept, financial forecast & util statement re available sources of funds W/o encl
THIES, A C Duke Power Co 79/03/21 1p

7903280235 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HSSA) "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/02 5pp

7903080552 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/09 2pp

7903090129 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903080249 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model B3CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140537 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 1p

7903210127 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 1p

DOCKET STN-50-492 Cherokee Nuclear Station, Unit 2

7903210575 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "

O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 1p

DOCKET STN-50-493 Cherokee Nuclear Station, Unit 3

7903150281 Forwards "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete "

DALL, L C Duke Power Co 79/02/21 1p

7903150288 "Tests to Evaluate Coefficient of Static Friction Between Steel & Concrete "

RABBIT, B G Duke Power Co 79/02/28 30pp

7903050415 Advises that RP Wilson replaces R Roberson re all correspondence in proceeding

WILSON, R P South Carolina, State of 79/01/25 1p

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory. Alleges theory ignores issue of significant & substantial releases of radon-222 to environ

Certificate of Svc encl

KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305

SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903290011 Forwards corporate annual rept, financial forecast & util statement re available sources of funds w/o encl

THIES, A C Duke Power Co 79/03/21 1p

7902280235 Forwards IE Info Notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HSA) "

O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/02 5pp

7903080552 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " w/list of 11 systematic evaluation program plants for which no action is required

O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/09 2pp

7903090129 Forwards IF Info Notice 79-04, "Degradation of Engineered Safety Features "

O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080249 Informs recipients of IF Bulletin 79-01, "Environ Qualification of Class 1 IE Equipment," dtd 790308 that valve limit switch identified as NAMCO Model 53CML should read 5L3CML

O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140537 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "

O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 1p

7903210127 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "

O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 1p

7903210575 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "

O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 1p

DOCKET 50-496 Montague Nuclear Power Station, Unit 1

7903200421 Forwards Revision 3 to "QA Program Topical Rept," NU-QA-1 & responses to questions in NRC 781221 ltr Revision 3 replaces former QA topical rept, submitted 780201

COUNCIL, W O Northeast Utilities 79/03/09 5pp

7903200439 "QA Program Topical Rept," NU-QA-1, Revision 3

SWITZER, D C Northeast Utilities NU-QA-1 79/03/05 100pp

7903130376 Forwards Endorsement 53 to Policy MF-52 amending liability limit in item 4 to \$36,000,000

SEGER, R M Northeast Utilities 79/03/06 2pp

7903160159 Forwards Endorsement 58 to Policy NF-173

SEGER, R M Northeast Utilities 79/03/09 2pp

7903150047 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "

KEPFER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

DOCKET 50-497 Montague Nuclear Power Station, Unit 2

7903200421 Forwards Revision 3 to "QA Program Topical Rept," NU-QA-1 & responses to questions in NRC 781221 ltr Revision 3 replaces former QA topical rept, submitted 780201

COUNCIL, W O Northeast Utilities 79/03/09 5pp

7903200439 "QA Program Topical Rept," NU-QA-1, Revision 3

SWITZER, D C Northeast Utilities NU-QA-1 79/03/05 100pp

7903130376 Forwards Endorsement 53 to Policy MF-52 amending liability limit in item 4 to \$36,000,000

SEGER, R M Northeast Utilities 79/03/06 2pp

7903160159 Forwards Endorsement 58 to Policy NF-173

SEGER, R M Northeast Utilities 79/03/09 2pp

DOCKET STN-50-498 South Texas Project, Unit 1

7903060524 Requests addl info for review of FSAR Specific info required includes reactor physics, effluent treatment, radiological assessment & hydrology

PARR, D D Light Water Reactors Branch 3 79/02/02 7pp

7903050083 Forwards NRC recommendations for preparation of Offsite Dose Calculation Manual & radiological effluent Tech Specs

PARR, D D Light Water Reactors Branch 3 79/02/14 7pp

7903080585 Forwards request for addl info by 790521 to complete FSAR review re mat's integrity, reactor fuels, accident & analysis, emergency planning, geology/seismology & geotechnical engineering

PARR, D D Light Water Reactors Branch 3 79/02/14 24pp

7903190019 Forwards request for addl info for review of FSAR re containment sys

PARR, D D Light Water Reactors Branch 3 79/02/23 8pp

7903190056 Requests addl meteorology info to continue review of FSAR Info includes ambient air temp, design wind velocity, atmospheric stability conditions & reliability of control room access to meteorological info

PARR, D D Light Water Reactors Branch 3 79/02/26 8pp

7903270515 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," which focuses on recent problems w/degradation. Believes continued plant operation does not constitute undue risk

EISENHUT, D O Assistant Director for Systems & Projects 79/03/02 3pp

7903260199 Forwards request for addl info re mechanical engineering in order to complete review of FSAR

TURNER, E A Houston Lighting & Power Co 79/03/09 38pp

7903280064 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 w/o encl.

VASSALL, D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903120263 No comments on Amend 2 to Environ Rept.

WEIMER, R H Interior, Dept of, Bureau of Reclamation 79/03/02 1p

7903140290 No comments on Amend 2 to Environ Rept

ROGERS, U E Interior, Dept of 79/03/06 1p

7903070305 Forwards NUREG/CR-0400, "Risk Assessment Review Group to US NRC" dtd Sept 1978 w/o encl.

MCOURREN, H J Branch 1 79/02/02 1p

7903060707 Responds to amended suppl petition of D Marke petition to intervene Urges denial of petitions for failing to satisfy intervention requirements Certificate of Svc encl

MCOURREN, H J Branch 1 79/02/06 9pp

DOCKET STN-50-498 South Texas Project, Unit 1

7903210307 Supports intervention petitions of D Marke, Austin Citizens for Economical Energy & Citizens Concerned about Nuclear Power, Inc because they raise important contentions & can make valuable contribution Certificate of Svc encl
LOWERRE, R W Texas, State of 79/02/19 5pp

7903130546 Petition to intervene by Citizens for Equitable Utils, Inc. filed late due to group's unawareness of proceedings Argues standing as matter of right & discretion Lists nine contentions Authorization & Certificate of Svc encl
BUCHORN, P Affiliation Unknown 79/02/23 26pp

7903220075 Forwards NRC's "Rules of Practice" & informs of procedures re limited appearances Will send notices of hearings
MCGURREN, H J Branch 1 79/02/16 1p

7903220317 Opposition by util to intervene petition of Citizens for Equitable Utils Petition does not show good cause for untimeliness & fails to demonstrate ability to assist proceeding Certificate of Svc encl
NEWMAN, J R Lowenstein, Newman, Reis, Axelrad & Toll 79/03/02 29pp

7903130522 Joint MGS for production of documents & deposition issued by ASLB on 790131 on application by Central Power & Light Movants, five manufacturers not parties in proceedings, argue subpoenas are too broad Certificate of Svc encl
COHN, R E, LEIDL, R J Butler, Binion, Rice, Cook & Knapp 79/02/16 17pp

7903050156 Informs of status of review of discovery documents re West TX Util Co, et al, vs TX Electric Svc Co by Public Util Board of Brownsville, TX Interrogatories & document requests have been filed, served & corrected Certificate of Svc encl
POIRIER, M R Spiegel & McDiarmid 79/02/01 5pp

7903050352 Discovery status rept of Central Power & Light Co for Jan 1979 Initial interrogatories & request for production of documents received Extension of time for response requested Applies for subpoena issuances
RYAN, T G Isham, Lincoln & Beale 79/02/01 6pp

7903060259 Forwards Certificate of Svc for response by City of San Antonio to first set of interrogatories & request for production of documents From DOJ City has received & initiated no other discovery requests in Jan
WOOD, J C Matthews, Nowlin, MacFarlane & Barrett 79/02/02 4pp

7903020100 DOJ response to Houston Lighting & Power Co objections & motion for a protective order re DOJ discovery request Urges denial of util motion & seeks answers to all DOJ interrogatories Certificate of Svc encl
HARRIS, J L, CLARK, R H, PARMENTER, F H Justice, Dept of 79/02/06 21pp

7903090090 Answered DOJ discovery request in Jan 1979 & received interrogatories Answers due w/ documents (ref encl agreement) Certificate of Svc encl
BALOUGH, R C Austin, TX 79/02/06 5pp.

7903020144 Houston Lighting & Power Co's first set of written interrogatories to Central Power & Light Co, Requests response within 14 days Certificate of Svc encl
BARNETT, E W Baker & Botts 79/02/07 49pp

7903090094 Informs of Tex-La Electric Cooperative's receipt of discovery documents from related District Court case for insp. No other discovery activity initiated during Jan Certificate of Svc encl
BURCHETTE, W H Northcutt Elg 79/02/09 4pp

7903200470 In response to 790131 ltr, advises that all documents made available re antitrust proceeding were also made available to representatives of Spiegel & McDiarmid
SAMPSEL, M D Warsham, Forsythe & Sampsels 79/02/09. 1p

7903220057 Typographical error exists on Page 2 of Houston Lighting & Power Co's Interrogatory 2 The date "January 1, 1968," should be substituted for "January 1, 1978" in the third line Svc list encl.
BARNETT, E W Baker & Botts 79/02/12. 6pp

7903070422 Advises that "Second Set of Interrogatories & Requests for Production of Documents from Houston Lighting & Power Co to NRC" was hand-delivered on 790212, not 790209 as Certificate of Svc states
BLUME, M B Anti-Trust Division 79/02/14 1p

7903150350 Motion by TX Utils Generating Co for extension of time to respond or file appropriate motions to 790131 discovery request Could not reach counsel for Public Util Board of Brownsville, TX Certificate of Svc encl
KNOTT, J B Debevoise & Lieberman 79/02/14 6pp

7903080547 Requests clarification re Interrogatories 1 & 2 in search set Wants to know whether Houston Lighting & Power wants info on all witnesses NRC may call, or only those addressing Houston Lighting & Power activities
LESSY, R P Anti-Trust Division 79/02/15 1p

7903130055 Grants time extensions to Houston Lighting & Power & TX Utils Generating Co to respond to discovery requests
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/15 2pp

7903070524 Forwards transcript of final argument before US District Court in Dallas W/o encl
BLUME, M B Anti-Trust Division 79/02/16 1p

7903150178 Motion for extension of time until 790302 to respond to DOJ 790206 motion to compel, due to late receipt of motion by TX Util Generating Co's counsel Certificate of Svc encl
KNOTT, J B Debevoise & Lieberman 79/02/16 4pp

7903080055 Houston Lighting & Power objections & answers to NRC's initial interrogatories & requests for production of documents Certificate of Svc encl
BARNETT, E W Baker & Botts 79/02/20 36pp

7903090007 Grants 790216 motion extending until 790302 TX Util Generating Co's time to respond to DOJ motion to compel
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/22 1p

7903130577 Application for issuance of subpoenas for deposition of RL Wright & for production of documents to Keeper of Records of Gulf States Util Co Certificate of Svc encl
POIRIER, M R Spiegel & McDiarmid 79/02/22 29pp

7903140633 Houston Lighting & Power Co's objections to Items 5.6(e), 11d, 11g, 8(c), 21, 37(a), 43 & 45 of NRC 790115 discovery request Moves ASLB for a protective order Certificate of Svc encl
FRANKLIN, W J, BARNETT, E W Baker & Botts 79/02/22 8pp

7903230190 Motion for extension of time in which to respond to Houston Lighting & Power Co's second set of interrogatories & document requests Certificate of Svc encl
HARRIS, J L Justice, Dept of 79/02/22 7pp

7903080529 Notification of 790320 prehearing conference in Bethesda, MD to review discovery status of parties & to hear arguments on 790216 joint MGS
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/23 1p

7903140625 Opposition by Public Utils Board of Brownsville, TX, to joint MGS filed on 790216 Argues that requested info is relevant to decision ASLB must make Certificate of Svc encl
POIRIER, M Spiegel & McDiarmid 79/02/23 10pp

7903220403 Central Power & Light Co's first set of interrogatories to & request for production of documents from Public Util Board of City of Brownsville, TX Certificate of Svc encl
STAHL, D M Isham, Lincoln & Beale 79/02/23 12pp.

7903260098 Motion by Central Power & Light for extension until 790323 in which to respond to Houston Lighting & Power Co's first set of interrogatories
STAHL, D M Isham, Lincoln & Beale 79/02/23 6pp

7903150108 Grants extension until 790312 for NRC response to Houston Lighting & Power Co second set of interrogatories & requests for production of documents for good cause shown
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/27 1p

3200269 Central Power & Light Co's second set of interrogatories & request for production of documents, addressed to Houston Lighting & Power Co
STAHL, D M Isham, Lincoln & Beale 79/02/27 10pp

DOCKETED SERIES

209

DOCKET STN-50-498 South Texas Project, Unit 1

7903210974 Houston Lighting & Power Co's response to DOJ motion for extension of time Requests ASLB to hold ruling on motion in abeyance until 790320 prehearing conference & urges adoption of fair schedule Certificate of Svc encl
BOUMNIGHT, J A Lowenstein, Newman, Reis, Axelrad & Toll 79/02/27 9pp

7903220143 Central Power & Light Co's first set of interrogatories & request for production of documents addressed to TX Util Generating Co
* Isham, Lincoln & Beale 79/02/27 9pp

7903140608 Responds to DOJ 790206 request to compel City of Austin, TX, to provide fuller responses Denies motion re Interrogatories 7, 12 & 13; grants motion re Interrogatories 5, 19 & 22
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/28 6pp

7903140645 Allows Central Power & Light Co until 790316 to respond to Houston Lighting & Power Co's interrogatories Defers ruling on DOJ 790222 motion until after 790320 prehearing conference
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/28 2pp

7903230194 Rept on progress of discovery during Feb 1979
HARRIS, J L Justice, Dept of 79/02/28 6pp

7903260349 Central Power & Light Co's objections & motions for protective order re certain interrogatories & document requests from Public Util Board of Brownsville, TX Affidavit of WC Price & Certificate of Svc encl
RYAN, T O Isham, Lincoln & Beale 79/02/28 11pp

7903140601 Joint motion for protective order to ensure confidentiality of info & documents produced by movants & to allow for development of evidence Proposed order & Certificate of Svc encl
COHN, R E , LEIDL, R J Butler, Binion, Rice, Cook & Knapp 79/03/01 19pp

7903140642 Joint motion for withdrawal of application for subpoenas & motions, per agreement of movants on production of witnesses, subj to issuance of protective order Certificate of Svc encl
RYAN, T O Isham, Lincoln & Beale COHN, R E , LEIDL, R J Butler, Binion, Rice, Cook & Knapp 79/03/01 13pp

7903230280 TX Util Co & subsidiaries' answers to NRC's initial interrogatories & requests for production of documents Affidavit of authorization & Certificate of Svc encl
RELYEA, B C Worsham, Forsythe & Sampaio 79/03/01 24pp

7903200277 TX Util Generating Co's response to DOJ 790206 motion to compel fuller responses Urges denial of mod of motion Certificate of Svc encl
KNOTTB, J B Debevoise & Lieberman 79/03/02 10pp

7903200287 TX Util Generating Co's objections & motion for protective orders w/r regard to interrogatories & document requests of Brownsville, TX Interrogatories are vague & general; responses would be burdensome Certificate of Svc encl
KNOTTB, J B Debevoise & Lieberman 79/03/02 10pp

7903200478 Submits Feb 1979 progress rept for Houston Lighting & Power Co Certificate of Svc encl
FRANKLIN, W J Lowenstein, Newman, Reis, Axelrad & Toll 79/03/02 4pp

7903300078 Response of South TX Cooperative, Inc & Median Electric Cooperative, Inc to initial interrogatories & first request for production of documents from Public Util Board of Brownsville, TX Certificate of Svc encl
HUNTER, M McQuinnis, Lochridge & Kilgore 79/03/02 6pp

7903150378 Protective order re confidential business info which may be submitted by companies in connection w/this proceeding
MILLER, M E Atomic Safety and Licensing Board Panel, 79/03/06 6pp

7903150307 Grants 790301 joint motion for withdrawal of subpoenas & motions & approves agreement re depositions & documents
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/06 1p

7903220388 Order re Houston Lighting & Power 790115 motion for protective order concerning DOJ discovery request Overrides objections re speculation argument & conjecture Orders util to supply requested facts
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/06 5pp

7903260131 Grants Houston Lighting & Power Co's 790306 motion for extension until 790320 in which to respond to Central Power & Light Co's second set of interrogatories
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/08 1p

7903160185 Informs of status of discovery NRC has received answers & objections from Houston Lighting & Power Co & TX Util Co, was served w/second set of interrogatories from former & plans to continue reviewing documents
BLUME, M B Anti-Trust Division 79/03/09 1p

7903220244 Sustains certain of TX Util Generating 790112 objections re DOJ discovery requests; denies others Grants motion to compel fuller responses to DOJ interrogatories 2(a)&(b), 3(a), 4, 7, 9, 12, 14-16, 20, 21, 23 & 25
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/09 5pp

7903280076 Motion by Public Utils Board of City of Brownsville, TX, for clarification of 790307 ASLB order granting Central Power & Light & Utils Board joint motion for withdrawal of subpoenas & motions Certificate of Svc encl
FOIRIER, M Spiegel & McDiarmid 79/03/12 6pp

7903300241 Grants motion of Gulf States Util to extend until 790411 period in which to respond to ASLB 790226 subpoena for production of documents per request of Public Utils Board of Brownsville, TX
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/13 1p

7903290111 Application by Public Utils Board of Brownsville, TX, for issuance of subpoenas for production of documents from parent & affiliated companies of Central Power & Light Co Certificate of Svc encl
* Spiegel & McDiarmid 79/03/14 98pp

7903140267 Forwards IE Insp Repts 50-498/78-18 & 50-499/78-18 on 781219-22 No noncompliance noted
BEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/09 2pp

7903140289 IE Insp Repts 50-498/78-18 & 50-499/78-18 on 781219-22 No noncompliance noted Major areas inspected const activities re post tensioning, concrete placement, housekeeping, equipment storage & previous insp
HUBACEK, W G , CROSSMAN, W A Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/09 5pp

7903070080 Ack receipt of 790122 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-498/78-17 & 50-499/78-17
BEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/07 1p

7903070085 Responds to NRC 781221 ltr re violations noted in IE Insp Repts 50-498/78-17 & 50-499/78-17 Corrective actions radiator qualification inen & test results re 12-23

DOCKET STN-50-498 South Texas Project, Unit 1

7903080423 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/08 1p

7903080436 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant "
SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/09 1p

7903260034 Forwards IE Insp Rept 50-498/79-02 & 50-499/79-02 on 790123-26 & 790130-0202 & notice of violation
BEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/15 2pp

DOCKETED SERIES

DOCKET STN-50-498 South Texas Project, Unit 1

7903260043 Forwards IE Insp Repts 50-498/79-01 & 50-499/79-01 on
 * 790123-26 & 790130-0202 & notice of violation
 SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering
 Support Branch 79/02/16 2pp

7903260047 Notice of violation from insp on 790123-26 & 790130-0202
 * Region 4, Dallas Reactor Construction & Engineering Support
 Branch 79/02/16 1p

7903260051 IE Insp Repts 50-498/79-01 & 50-499/79-01 on 790123-26 &
 790130-0202 Noncompliance noted transcription of cadwelding
 examination checklist records took place w/o documented
 instructions, procedures, or drawings
 HUBACEK, W G, CROSSMAN, W G, HALL, R E Region 4, Dallas,
 Reactor Construction & Engineering Support Branch 79/02/13 9pp

7903190029 Informs recipients of IE Bulletin 79-01, "Environ
 Qualification of Class IE Equipment," dtd 790208, that valve
 limit switch identified as NAMCO Model S3CHL should read
 SL3CHL
 SEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/27
 1p

7903210198 Ack receipt of 790108 & 790214 ltrs informing NRC of steps
 taken to correct violations noted in IE Insp Repts
 50-498/78-16 & 50-499/78-16
 SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering
 Support Branch 79/03/02 1p

7903210201 Responds to NRC 790117 ltr re violations noted in IE Insp
 Repts 50-498/78-16 & 50-499/78-16 Corrective actions
 training conducted in housekeeping insp procedures, megger
 testing & warehouse maint card sys
 TURNER, E A Houston Lighting & Power Co 79/02/14 1p

7903280018 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs
 Using Concrete Expansion Anchor Bolts"
 SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/08
 1p

7903300012 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
 ASME SA-312 Type 304 Stainless Steel Pipe Spools
 Manufactured by Youngstown Welding & Engineering Co."
 SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/12
 1p

7903290324 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque
 Valve Operators"
 SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/16
 1p

7903300196 Forwards IE Info Notice 79-05, "Use of Improper Matls in
 Safety-Related Components"
 SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/21,
 2pp.

7903190168 Forwards interim rept on reportable deficiency re improper
 anchor bolt matl first reported on 790208 Final rept will be
 submitted 790401
 TURNER, E A Houston Lighting & Power Co 79/03/08 1p

7903190169 On 790208 util notified NRC of potentially reportable
 deficiency re installation of anchor bolts mfg from
 improper matl by Brown & Root Caused by failure of QC
 personnel to verify requisitions
 * Houston Lighting & Power Co 79/03/08 2pp

DOCKET STN-50-499 South Texas Project, Unit 2

7903220403 Central Power & Light Co's first set of interrogatories to &
 request for production of documents from Public Util Board
 of City of Brownsville, TX Certificate of Svc encl
 STAHL, D M Isham, Lincoln & Seale 79/02/23 12pp

7903190056 Requests addl meteorology info to continue review of FEAR
 Info includes ambient air temps, design wind velocity,
 atmospheric stability conditions & reliability of control
 room access to meteorological info
 PARR, O D Light Water Reactors Branch 3 79/02/26 8pp

7903270315 Forwards NUREG-0523, "Summary of Operating Experience w/
 Recirculating Steam Generators," which focuses on recent
 problems w/ degradation Believes continued plant operation
 does not constitute undue risk
 EISENHUT, D G Assistant Director for Systems & Projects
 79/03/02 3pp

7903260199 Forwards request for addl info re mechanical engineering in
 order to complete review of FEAR
 TURNER, E A Houston Lighting & Power Co 79/03/09 38pp

7903280064 Requests addl info re capability of nuclear steam supply sys
 to respond to postulated ATWS transients W/ltr to major
 vendors requesting info & forwarding NUREG-0460, Vol 3
 W/c encl
 VASSALLO, D B Assistant Director for Light Water Reactors
 79/03/15 3pp

7903120263 No comments on Amend 2 to Environ Rept
 WEIMER, R H Interior, Dept of, Bureau of Reclamation 79/03/02
 1p

7903140290 No comments on Amend 2 to Environ Rept
 ROGERS, U E Interior, Dept of 79/03/06 1p

7903070305 Forwards NUREG/CR-0400, "Risk Assessment Review Group to US
 NRC" dtd Sept 1978 W/c encl
 MCGURREN, H J Branch 1 79/02/02 1p

7903060707 Responds to amended suppl petition of D Marke petition to
 intervene Urges denial of petitions for failing to satisfy
 intervention requirements Certificate of Svc encl
 MCGURREN, H J Branch 1 79/02/06 9pp

7903210307 Supports intervention petitions of D Marke, Austin Citizens
 for Economical Energy & Citizens Concerned about Nuclear
 Power, Inc because they raise important contentions & can
 make valuable contribution Certificate of Svc encl
 LOWERRE, R W Texas, State of 79/02/19 5pp

7903130546 Petition to intervene by Citizens for Equitable Utils, Inc.
 filed late due to group's unawareness of proceedings Argues
 standing as matter of right & discretion lists nine
 contentions Authorization & Certificate of Svc encl
 BUCHORN, P Affiliation Unknown 79/02/23 26pp

7903220075 Forwards NRC's "Rules of Practice" & informs of procedures
 re limited appearances Will send notices of hearings
 MCGURREN, H J Branch 1 79/02/16 1p

7903220317 Opposition by util to intervene petition of Citizens for
 Equitable Utils Petition does not show good cause for
 untimeliness & fails to demonstrate ability to assist
 proceeding Certificate of Svc encl
 NEWMAN, J R Lowenstein, Newman, Reis, Axelrad & Toll 79/03/02 29pp

7903130522 Joint MGS for production of documents & deposition issued
 by ASLB on 790131 on application by Central Power & Light
 Movants, five manufacturers not parties in proceedings, argue
 subpoenas are too broad Certificate of Svc encl
 COHN, R E, LEIDL, R J Butler, Binion, Rice, Cook & Knapp 79/02/16
 17pp

7903050156 Informs of status of review of discovery documents re West
 TX Util Co, et al, vs TX Electric Svc Co by Public Util Board
 of Brownsville, TX Interrogatories & document requests have
 been filed, served & corrected Certificate of Svc encl
 POIRIER, M R Spiegel & McDermid 79/02/01 5pp

7903050352 Discovery status rept of Central Power & Light Co for Jan
 1979 Initial interrogatories & request for production of
 documents received Extension of time for response requested
 Applies for subpoena issuances
 RYAN, T O, Isham, Lincoln & Seale 79/02/01, 6pp

DOCKETED SERIES

211

DOCKET STN-50-499 South Texas Project, Unit 2

- 7903060259 Forwards Certificate of Svc for response by City of San Antonio to first set of interrogatories & request for production of documents from DDJ City has received & initiated no other discovery requests in Jan
WOOD, J C Matthews, Nowlin, Macfarlane & Barrett 79/02/02 4pp
- 7903020100 DOJ response to Houston Lighting & Power Co objections & motion for a protective order re DOJ discovery request Urges denial of util motion & seeks answers to all DOJ Interrogatories Certificate of Svc encl
HARRIS, J L Justice, Dept of 79/02/06 21pp
- 7903090090 Answered DOJ request in Jan 1979 & received interrogatories Answers due w/documents (ref encl agreement) Certificate of Svc encl
BALCUGH, R C Austin, TX 79/02/06 5pp
- 7903020144 Houston Lighting & Power Co's first set of written interrogatories to Central Power & Light Co Requests response within 14 days Certificate of Svc encl
BARNETT, E W Baker & Botts 79/02/07 49pp
- 7903090094 Informs of Tex-La Electric Cooperative's receipt of discovery documents from related District Court case for Insp No other discovery activity initiated during Jan Certificate of Svc encl
BURCHETTE, W H Northcutt Ely 79/02/09 4pp
- 7903200470 In response to 790131 ltr, advises that all documents made available re antitrust proceeding were also made available to representatives of Spiegel & McDiarmid
SAMPels, M D Worsham, Forsythe & Sampels 79/02/09 1p
- 7903220057 Typographical error exists on Page 2 of Houston Lighting & Power Co's Interrogatory 2 The date "January 1, 1968," should be substituted for "January 1, 1978" in the third line Svc list encl
BARNETT, E W Baker & Botts 79/02/12 6pp
- 7903070150 Motion for extension of time until 790305 to respond to 790206 motion to compel fuller responses to DOJ first set of Interrogatories Certificate of Svc encl
FRANKLIN, W J Lowenstein, Newman, Reis, Axelrad & Toll 79/02/14 5pp
- 7903070422 Advises that "Second Set of Interrogatories & Requests for Production of Documents from Houston Lighting & Power Co to NRC" was hand-delivered on 790212, not 790209 as Certificate of Svc states
BLUME, M B Anti-Trust Division 79/02/14 1p
- 7903150350 Motion by TX Utils Generating Co for extension of time to respond or file appropriate motions to 790131 discovery request Could not reach counsel for Public Util Board of Brownsville, TX Certificate of Svc encl
KNOTTS, J B Debevoise & Lieberman 79/02/14 6pp
- 7903080547 Requests clarification re interrogatories 1 & 2 in search info on all witnesses NRC may call, or only those addressing Houston Lighting & Power activities
LESSBY, R P Anti-Trust Division 79/02/15 1p
- 7903130055 Grants time extensions to Houston Lighting & Power & TX Utils Generating Co to respond to discovery requests
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/15 2pp
- 7903070524 Forwards transcript of final argument before US District Court in Dallas W/o encl
BLUME, M B Anti-Trust Division 79/02/16 1p
- 7903150178 Motion for extension of time until 790302 to respond to DOJ 790206 motion to compel, due to late receipt of motion by TX Util Generating Co's counsel, Certificate of Svc encl
KNOTTS, J B Debevoise & Lieberman 79/02/16 4pp
- 7903080035 Houston Lighting & Power objections & answers to NRC's initial interrogatories & requests for production of documents Certificate of Svc encl
BARNETT, E W Baker & Botts 79/02/20 36pp
- 7903090007 Grants 790216 motion extending until 790302 TX Util Generating Co's time in which to respond to DOJ motion to compel
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/22 1p
- 7903130577 Application for issuance of subpoenas for deposition of RL Wright & for production of documents to Keeper of Records of Gulf States Util Co Certificate of Svc encl
POIRIER, M R Spiegel & McDiarmid 79/02/22 29pp
- 7903140633 Houston Lighting & Power Co's objections to items 5, 6, 8, 11(d), 11(g), 8(c), 21, 37(a), 43 & 45 of NRC 790115 discovery request Moves ASLB for a protective order Certificate of Svc encl
FRANKLIN, W J Baker & Botts 79/02/22 8pp
- 7903230190 Motion for extension of time in which to respond to Houston Lighting & Power Co's second set of interrogatories & document requests Certificate of Svc encl
HARRIS, J L Justice, Dept of 79/02/22 7pp
- 7903080529 Notices of prehearing conference to be held on 790320 in Bethesda, MD, to review discovery status of parties & to hear arguments on 790216 joint MGS
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/23 1p
- 7903140625 Opposition by Public Utils Board of Brownsville, TX, to joint MGS filed on 790216 Argues that requested info is relevant to decision ASLB must make Certificate of Svc encl
POIRIER, M Spiegel & McDiarmid 79/02/23 10pp
- 7903260098 Motion by Central Power & Light extension until 790323 in which to respond to Houston Lighting & Power Co's first set of interrogatories
STAHL, D M Isham, Lincoln & Beale 79/02/23 6pp
- 7903150108 Grants extension until 790312 for NRC response to Houston Lighting & Power Co second set of interrogatories & requests for production of documents for good cause shown
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/27 1p
- 7903200269 Central Power & Light Co's second set of interrogatories & request for production of documents, addressed to Houston Lighting & Power Co
STAHL, D M Isham, Lincoln & Beale 79/02/27 10pp
- 7903210574 Houston Lighting & Power Co's response to DOJ motion for extension of time Requests ASLB hold ruling on motion in abeyance until 790320 prehearing conference & urges adoption of fail schedule Certificate of Svc encl
DOUMNIGHT, J A Lowenstein, Newman, Reis, Axelrad & Toll 79/02/27 9pp
- 7903220143 Central Power & Light Co's first set of interrogatories & request for production of documents addressed to TX Util Generating Co
+ Isham, Lincoln & Beale 79/02/27 7pp
- 7903140608 Responds to DOJ 790206 request to compel City of Austin, TX, to provide fuller responses Denies motion re Interrogatories 7, 12 & 13; grants motion re Interrogatories 5, 19 & 22
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/28 6pp
- 7903140645 Allows Central Power & Light Co until 790316 to respond to Houston Lighting & Power Co's interrogatories Defers ruling on DOJ 790222 motion until after 790320 prehearing conference
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/28 2pp
- 7903230194 Rept on progress of discovery during Feb 1979
HARRIS, J L Justice, Dept of 79/02/28 6pp

79

7

DOCKETED SERIES

DOCKET STN-50-499 South Texas Project, Unit 2

7903230280 TX Util Co & subsidiaries' answers to NRC's initial interrogatories & requests for production of documents Affidavit of authorization & Certificate of Svc encl
RELYEA, S C Worsham, Forsythe & Sampsel 79/03/01 24pp

7903200277 TX Util Generating Co's response to DOJ 790206 motion to compel fuller responses Urges denial or mod of motion Certificate of Svc encl
KNOTTB, J B Debevoise & Lieberman 79/03/02 10pp

7903200287 TX Util Generating Co's objections & motion for protective orders w/regard to interrogatories & document requests of Brownsville, TX Interrogatories are vague & general; responses would be burdensome Certificate of Svc encl
KNOTTB, J B Debevoise & Lieberman 79/03/02 10pp

7903200478 Submits Feb 1979 progress rept for Houston Lighting & Power Co Certificate of Svc encl
FRANKLIN, W J Lowenstein, Neuman, Reis, Axelrad & Toll 79/03/02 4pp

7903200078 Response of South TX Cooperative, Inc & Median Electric Cooperative, Inc to initial interrogatories & first request for production of documents from Public Util Board of Brownsville, TX Certificate of Svc encl
HUNTER, H McGinnis, Lochridge & Kilgore 79/03/02 6pp

7903150378 Protective order re confidential business info which may be submitted by companies in connection w/this proceeding
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/06 6pp

7903160307 Grants 790301 joint motion for withdrawal of subpoenas & motions & approves agreement re depositions & documents
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/06 1p.

7903220388 Order re Houston Lighting & Power 790115 motion for protective order concerning DOJ discovery request Overrules objections re speculation argument & conjecture Orders util to supply requested facts
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/06 5pp

7903260151 Grants Houston Lighting & Power Co's 790306 motion for extension until 790320 in which to respond to Central Power & Light Co's second set of interrogatories
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/08 1p

7903070080 Ack receipt of 790122 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-498/78-17 & 50-499/78-17
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/07 1p

7903070085 Responds to NRC 781221 ltr re violations noted in IE Insp Repts 50-498/78-17 & 50-499/78-17 Corrective actions cadwelder qualification insp & test results reviewed
TURNER, E A Houston Lighting & Power Co 79/01/22 2pp

7903080423 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/1st of 11 systematic evaluation program plants for which no action is required
BEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/08 1p

7903080436 Forwards IE Info Notice 79-03, "Limitorque Valve Gearing Limit Switch Lubricant "
BEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/09 1p

7903260034 Forwards IE Insp Rept 50-498/79-02 & 50-499/79-02 on 790123-26 & 790130-0202 & notice of violation
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch, 79/02/13 2pp

7903260038 Notice of violation from insp on 790123-26 & 790130-0202 *
Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/13 1p.

7903260056 IE Insp Rept 50-498/79-02 & 50-499/79-02 on 790123-26 & 790130-0202 Noncompliance noted. blueprints were not identified as superseded, nor were they controlled
HUBACEK, W G, CROSBMAN, W A, HALL, R E Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/12, 8pp.

7903160185 Informs of status of discovery NRC has received answers & objections from Houston Lighting & Power Co & from TX Util Co was served w/second set of interrogatories from former & plans to continue reviewing documents
BLUME, M B Anti-Trust Division 79/03/09 1p

7903220244 Sustains certain of TX Util Generating 790112 objections re DOJ discovery requests; denies others Grants DOJ motion to compel fuller responses as to interrogatories 2(a)&(b), 3(a), 4, 7, 9, 12, 14-16, 20, 21, 23 & 25
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/09 5pp

7903280076 Motion by Public Utilis Board of City of Brownsville, TX, for clarification of 790307 ASLB order granting Central Power & Light & Utilis Board joint motion for withdrawal of subpoenas & motions Certificate of Svc encl
POIRIER, M Spiegel & McDiarmid 79/03/12 6pp

7903200241 Grants motion of Gulf States Util to extend until 790411 period in which to respond to ASLB 790226 subpoena for production of documents per request of Public Utilis Board of Brownsville, TX
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/13 1p

7903290111 Application by Public Utilis Board of Brownsville, TX, for issuance of subpoenas for production of documents from parent & affiliated companies of Central Power & Light Co Certificate of Svc encl
* Spiegel & McDiarmid 79/03/14 98pp

7903140287 Forwards IE Insp Repts 50-498/78-18 & 50-499/78-18 on 781219-22 No noncompliance noted
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/09 2pp

7903140289 IE Insp Repts 50-498/78-18 & 50-499/78-18 on 781219-22 No noncompliance noted Major areas inspected const activities re post tensioning, concrete placement, housekeeping, equipment storage & previous insp
HUBACEK, W G, CROSBMAN, W A Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/09 5pp

7903090044 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
BEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/16 1p

7903260043 Forwards IE Insp Repts 50-498/79-01 & 50-499/79-01 on 790123-26 & 790130-0202 & notice of violation
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/16 2pp

7903260047 Notice of violation from insp on 790123-26 & 790130-0202 *
Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/16 1p

7903260051 IE Insp Repts 50-498/79-01 & 50-499/79-01 on 790123-26 & 790130-0202 Noncompliance noted transcription of cadwelding examination checklist records took place w/o documented instructions, procedures, or drawings
HUBACEK, W G, CROSBMAN, W G, HALL, R E Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/02/13 9pp

7903190029 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read BL3CML.
BEYFRIT, K V Region 4, Dallas, Office of the Director 79/02/27 1p.

7903210198 Ack receipt of 790108 & 790214 ltrs informing NRC of steps taken to correct violations noted in IE Insp Repts 50-498/78-16 & 50-499/78-16
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch, 79/03/02 1p

7903210201 Responds to NRC 790117 ltr re violations noted in IE Insp Repts 50-498/78-16 & 50-499/78-16 Corrective actions training conducted in housekeeping insp procedures, megger testing & warehouse maint card sys
TURNER, E A Houston Lighting & Power Co 79/02/14 1p.

7903280018 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
BEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/08 1p

DOCKETED SERIES

213

DOCKET STN-50-499 South Texas Project, Unit 2

7903300012 Forwards IF Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co " SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/12 1p

7903290324 Forwards IF Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators " SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/16 1p

7903300196 Forwards IE Info Notice 79-05, "Use of Improper Matls in Safety-Related Components " SEYFRIT, K V Region 4, Dallas, Office of the Director 79/03/21 2pp

7903190168 Forwards interim rept on reportable deficiency re improper anchor bolt matl first reported on 790208 Final rept will be submitted 790601 TURNER, E A Houston Lighting & Power Co 79/03/08 1p

7903190169 On 790205 util notified NRC of potentially reportable deficiency re installation of anchor bolts mfg from improper matl by Brown & Root Caused by failure of QC personnel to verify requisitions * Houston Lighting & Power Co 79/03/08 2pp

7903220272 Util believes that any unit design & component fabrication scheduled to occur 790313 & 791101 can proceed w/o affecting reactor backup scram sys, increased reactor coolant sys pressure relief capacity & long-term cooldown valves. ROE, L E Toledo Edison Co 79/03/13 1p

7903050264 Forwards Amend 26 to application for licenses, as Revision 22 to PSAR incorporating changes to main steam & feedwater line breaks outside containment ROE, L E Toledo Edison Co 79/03/02 2pp

7903050268 Amend 26 to application for license submitted as Revision 22 to PSAR ROE, L E Toledo Edison Co 79/02/28 65pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl KEPPFORD, C Affiliation Unknown 79/02/19 37pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305 SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903270364 Forwards Endorsement 27 to NELIA Policy NF-236 LLOYD, R D Marsh & McLennan, Inc 79/03/22 2pp

DOCKET 50-500 Davis-Besse Nuclear Power Station, Unit 2

7903020174 Informs util of proposed action that may be necessary to resolve concerns identified in NUREG-0460, "Anticipated Transients w/o Scram for LWRs " BOYD, R S Division of Project Management 79/02/08 3pp

7903270521 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903220272 Util believes that any unit design & component fabrication scheduled to occur 790313 & 791101 can proceed w/o affecting reactor backup scram sys, increased reactor coolant sys pressure relief capacity & long-term cooldown valves ROE, L E Toledo Edison Co 79/03/13 1p

7903050264 Forwards Amend 26 to application for licenses, as Revision 22 to PSAR incorporating changes to main steam & feedwater line breaks outside containment ROE, L E Toledo Edison Co 79/03/02 2pp

7903050268 Amend 26 to application for license submitted as Revision 22 to PSAR ROE, L E Toledo Edison Co 79/02/28 65pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl KEPPFORD, C Affiliation Unknown 79/02/19 37pp

DOCKET STN-50-502 Haven Nuclear Plant, Unit 1

7903060613 Forwards request for addl info for PSAR review Info must be available by 790402 Forwards First Round questions for which responses have not been received PARR, O D Light Water Reactors Branch 3 79/02/06 34pp

7903090078 Notification of 790307 meeting w/util in Bethesda, MD to discuss util's investigation of Lake Michigan faulting & its relationship to Haven Nuclear Plant GAPRA, R Light Water Reactors Branch 3 79/02/16 1p

7903120133 Forwards request for addl info to continue evaluation of PSAR Info requested includes matls engineering, structural engineering & hydrology Requests notification if 790402 submittal date cannot be met PARR, O D Light Water Reactors Branch 3 79/02/16 13pp

7903190144 Approves 790130 request for withholding info (ref 10CFR2.790) re steam line break releases to containment & justification of design basis for emergency sys. PARR, O D Light Water Reactors Branch 3 79/02/26 2pp

7903210475 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generator," due to recent problems w/ degradation Believes continued plant operation does not constitute undue risk EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903140442 Ack receipt of NRC 790224 ltr forwarding addl requests for info re PSAR & site addendum W/exception of Items 130 27, 130 29 & 130 31, will provide responses to requests by 790402. BURSTEIN, B Wisconsin Electric Power Co 79/03/07 1p

7903300589 Summary of 790307 meeting in Bethesda, Md w/util re geologic investigation of possible faulting under Lake Michigan. GAPRA, R A Light Water Reactors Branch 3 79/03/15 5pp

7903260406 Informs of completion of review of Amend 17 to PSAR. Determines Section 13.2 should be revised. COLLINS, P F Operator Licensing Branch 79/03/05 2pp

7903270564 Reviews Amend 12 to ER covering const effects on terrain, vegetation & wildlife, intake sys & const of transmission lines LAPDINT, D F Interior, Dept of, Fish & Wildlife Service 79/03/23 2pp

7903270298 Forwards preliminary physical security plan Plan withheld (ref 10CFR2.790). BURSTEIN, B Wisconsin Electric Power Co 78/12/19 1p

7903140079 Forwards request for addl info re preliminary physical security plan Info withheld (ref 10CFR2.790) W/o encl, PARR, O D Light Water Reactors Branch 3 79/02/16 2pp

DOCKET 50-501 Davis-Besse Nuclear Power Station, Unit 3

7903020174 Informs util of proposed action that may be necessary to resolve concerns identified in NUREG-0460, "Anticipated Transients w/o Scram for LWRs " BOYD, R S Division of Project Management 79/02/08 3pp

7903270521 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

DOCKETED SERIES

DOCKET 50-513 WPPSS Nuclear Project, Unit 4

7903140369 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that limit switch identified as NAMCO Model 83CML should read 8L3CML
ENGELKEN, R H Region 5, San Francisco, Office of the Director
79/02/27 1p

7903140583 States that IE Bulletin 79-01, "Environ Qualification of Class IE Equipment (correction)" was issued to listed licensees in Region 5
+ Region 5, San Francisco, Office of the Director 79/02/27 1p

7903280093 Forwards IE Insp Repts 50-440/79-03 & 50-513/79-03 on 790122-26 & 790221 No noncompliance noted
BODOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/27 2pp

7903280103 IE Insp Repts 50-440/79-03 & 50-513/79-03 on 790122-26 & 790221 No noncompliance noted Major areas inspected environ protection program
THOMAS, R D, NORTH, S, BODOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/26 5pp

7903150070 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
ENGELKEN, R H Region 5, San Francisco, Office of the Director
79/03/08 1p

7903190495 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
ENGELKEN, R H Region 5, San Francisco, Office of the Director
79/03/12 1p

7903210416 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
ENGELKEN, R H Region 5, San Francisco, Office of the Director
79/03/16 1p

7903260323 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors"
ENGELKEN, R H Region 5, San Francisco, Office of the Director
79/03/20 1p

7903150340 Forwards final rept re reportable deficiency concerning WKM valve overpressurization Valve manufacturer could not guarantee communication between cavity & conduit All valves listed will be modified to ensure overpressurization
RENSBERGER, D L Washington Public Power Supply System 79/03/09 3pp.

DOCKET 50-514 Pebble Springs Nuclear Plant, Unit 1

7903190394 Forwards proposed agenda for 790221 meeting in Portland, OR, w/Bonneville Power Administration to discuss power transmission grids. Forwards FES & NRC suppl testimony on Seabrook W/o encls
BALLARD, R L Environmental Project Branch 1 79/02/14 3pp

7903200291 Plan to schedule 790401 as target date for draft of alternative site study Cost reimbursement arrangements will be formalized shortly
BALLARD, R L Environmental Project Branch 1 79/02/15 3pp

7903210208 Notes that SAND77-1927 contains potentially relevant info re issue of spent nuclear fuel sabotage Forwards copy of 790122 Unclassified transmittal memo. Will forward staff assessment of info when available
BORDENICK, B M Branch 4 79/02/07 2pp.

7903300520 Forwards requests for updated financial info
VARGA, S A Light Water Reactors Branch 4 79/03/07 9pp.

DOCKET 50-515 Pebble Springs Nuclear Plant, Unit 2

7903190394 Forwards proposed agenda for 790221 meeting in Portland, OR, w/Bonneville Power Administration to discuss power transmission grids Forwards FES & NRC suppl testimony on Seabrook W/o encls
BALLARD, R L Environmental Project Branch 1 79/02/14 3pp.

7903200291 Plan to schedule 790401 as target date for draft of alternative site study Cost reimbursement arrangements will be formalized shortly
BALLARD, R L Environmental Project Branch 1 79/02/15 3pp

7903210208 Notes that SAND77-1927 contains potentially relevant info re issue of spent nuclear fuel sabotage Forwards copy of 790122 unclassified transmittal memo Will forward staff assessment of info when available
BORDENICK, B M Branch 4 79/02/07 2pp

7903300520 Forwards requests for updated financial info
VARGA, S A Light Water Reactors Branch 4 79/03/07 9pp

DOCKET STN-50-516 Jamesport Nuclear Station, Unit 1

7903050065 Forwards notice of availability of partial initial decision & initial decision of ASLB
REGAN, W H Environmental Project Branch 2 79/02/08 2pp

7903190586 Responds to 790103 ltr expressing concern re time available for evacuation of people of Suffolk County, NY, in event of core melt accident Assures that 50-mile radius evacuation would not be required
DEYOUNG, R C Division of Site Safety & Environmental Analysis 79/03/01 3pp

7903270497 Forwards NUREG-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," due to recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903290312 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATHS transients W/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl
VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903220510 Forwards 781222 order directing remand, reopening Jamesport record on issues of need, comparative economics & alternatives W/o encl
LIKE, I Reilly, Like & Schneider 78/12/27 1p

7903260096 Forwards Lewis Committee Rept (NUREG/CR-0400) W/o encl
BORDENICK, B M Branch 4 79/01/10 1p

7903050440 Applicant's opposition to Suffolk County, NY's 790108 request for stay Opposes requestino proof of any 10CFR2 78B(e) criteria W/Certificate of Svc
REVELEY, W T Long Island Lighting Co 79/01/20 10pp

7903130072 Motion for extension of time until 790226 in which to file brief on exceptions to 781226 initial decision Granted by ASLAB 790212 Certificate of Svc encl
LIKE, I Suffolk County, NY 79/02/06 4pp

7903070435 Informs of document containing info potentially relevant to issue of sabotage of spent nuclear fuel, NRC assessment of significance of info is being conducted
BORDENICK, B M Branch 4 79/02/08 2pp

7903270272 Ack receipt of 790208 ltr advising of classified document re issue of sabotage of spent nuclear fuel at facility Requests aid in bringing draft document to attention of local law enforcement officials
LIKE, I Reilly, Like & Schneider 79/02/14 1p

7903020394 Requests info on evacuation plans for Suffolk County residents in case of accident at any of 5 nearby nuclear plants Expresses concern re safety of inhabitants within prescribed "emergency planning zone"
ARM, G Affiliation Unknown 79/01/03 3pp

7903050536 Forwards IE Info Notice 79-03, "Limitorque Valve Ceased Limit Switch Lubricant"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/07 1p

7903080410 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/16 2pp

7903080456 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read 8L3CML
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

DOCKETED SERIES

217

DOCKET STN-50-517 Jamesport Nuclear Station, Unit 2

7903280370 Identifies conflict between ACI Standard 318-71 & mechanical piping codes re min test pressures & holding times for leak testing of piping to be embedded in concrete Believes ACI requirements are excessive Plans to revise PSAR accordingly GILLELAND, J E Tennessee Valley Authority 79/03/21 2pp

7903270009 Identifies conflict between ACI Standard 318-71 & mechanical piping codes re min test pressures & holding times for leak testing of piping to be embedded in concrete Believes ACI requirements are excessive Plans to revise PSAR accordingly GILLELAND, J E Tennessee Valley Authority 79/03/21 2pp

7903070096 Opposes exceptions of intervenors, WN Young, et al, to ASLB 781031 decision on motion for summary disposition Urges that decision be affirmed as intervenors' issues are foreclosed & not appropriate at this stage Certificate of Svc encl PATON, W D Branch 4 79/02/01 11pp

7903070123 Forwards memo informing of document containing info potentially relevant to issue of sabotage of spent nuclear fuel & of NRC assessment of info to be made available PATON, W D Branch 4 79/02/08 2pp

7903150200 Intervenor's response per ALAB-309 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl KEPPORD, C Affiliation Unknown 79/02/19 37pp

7903080084 Intervenor's reply re their appeal of ASLB 781031 decision Contains that operation impacts on endangered species was an open issue & ASLB was correct in addressing it Certificate of Svc encl ELLIS, L J Ellis, L J PYLE, R B Pyle, R B 79/02/20 6pp

7903230297 Forwards responses to ALAB-309 Thirty-day period for responses to documents shall run from 790305 SKRUTEKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01. 5pp

7903160170 Forwards "Annual Rept 1978 " GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903160217 "Annual Rept 1978 " * Tennessee Valley Authority 79/03/16 42pp.

7903070165 Forwards IE Insp Repts 50-518/79-02, 50-519/79-02, 50-520/79-02 & 50-521/79-02 No noncompliance noted MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 2pp.

7903070170 IE Insp Repts 50-518/79-02, 50-519/79-02, 50-520/79-02 & 50-521/79-02 on 790102-05 No noncompliance noted Major inspected, electrical QA implementing procedures Per Class IE components & observation of physical storage of motors WALTERS, D K Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/16 6pp

7903150078 Forwards IE Insp Rept 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03 on 790108-11 Noncompliance noted Failure to control deviation requests MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/18 2pp

7903150083 Notice of violation from insp on 790108-11 * Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 1p

7903150090 IE Insp Rept 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03 on 790108-11 Noncompliance noted Failure to control deviation requests BURDETTE, T E, HERDT, A R Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17. 7pp

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required O'REILLY, J P Region 2, Atlanta, Office of the Director. 79/02/08 2pp.

7903080340 Responds to NRC 781220 ltr re violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16. Corrective actions distribution changed for const specifications & 60-day revision requirements reiterated GILLELAND, J E Tennessee Valley Authority 79/01/11. 3pp.

7903050065 Forwards notice of availability of partial initial decision & initial decision of ASLB REGAN, W H Environmental Project Branch 2 79/02/08 2pp

7903190586 Responds to 790103 ltr expressing concern re time available for evacuation of people of Suffolk County, NY, in event of core melt accident Assures that 50-mile radius evacuation would not be required DEYOUNG, R C Division of Site Safety & Environmental Analysis 79/03/01 3pp

7903270497 Forwards NUREG-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," due to recent problems w/degradation Believes continued plant operation does not constitute undue risk EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903290312 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients W/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl VASSALLO, D B Assistant Director for Light Water Reactors. 79/03/18 3pp

7903220510 Forwards 781222 order directing remand, reopening Jamesport record on issues of need, comparative economics & alternatives W/o encl LIKE, I Reilly, Like & Schneider 78/12/27 1p

7903260096 Forwards Lewis Committee Rept (NUREG/CR-0400) W/o encl BORDENICK, B M Branch 4 79/01/10 1p

7903050440 Applicant's opposition to Suffolk County, NY's 790108 request for stay Opposes request, no proof of any IOCFR2 78B(e) criteria W/Certificate of Svc REVELLY, W T Long Island Lighting Co 79/01/20 10pp

7903130072 Motion for extension of time until 790226 in which to file brief on exceptions to 781226 initial decision Granted by ASLAB 790212 Certificate of Svc encl LIKE, I Suffolk County, NY 79/02/06 4pp

7903070435 Informs of document containing info potentially relevant to issue of sabotage of spent nuclear fuel NRC assessment of significance of info is being conducted BORDENICK, B M Branch 4 79/02/08 2pp.

7903270272 Ack receipt of 790208 ltr advising of classified document re issue of sabotage of spent nuclear fuel at facility Requests aid in bringing draft document to attention of local law enforcement officials LIKE, I Reilly, Like & Schneider 79/02/14 1p

7903020394 Requests info on evacuation plans for Suffolk County residents in case of accident at any of 5 nearby nuclear plants Expresses concern re safety of inhabitants within prescribed "emergency planning zone " ARM, G Affiliation Unknown 79/01/03 3pp

7903050536 Forwards IE Info Notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant " GRIER, B H Region 1, Philadelphia, Office of the Director. 79/02/09 1p

7903080410 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features " GRIER, B H Region 1, Philadelphia, Office of the Director. 79/02/16. 2pp.

7903080456 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read S3CML GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/27 1p

DOCKET STN-50-518 Hartsville Nuclear Plant, Unit 1

7903210482 Forwards NUREG-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," due to recent problems w/ degradation Believes continued plant operation does not constitute undue risk EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

DOCKETED SERIES

DOCKET STN-50-518 Hartsville Nuclear Plant, Unit 1

7903070528 Ack receipt of 790208 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/14 1p

7903070533 Responds to NRC 790118 ltr re violations noted in IE Insp Repts 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03
Corrective actions decision to be made soon to either delete deviation request from QA or establish firmer control
GILLELAND, J E Tennessee Valley Authority 79/02/08 3pp

7903020374 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/14 2pp

7903080294 Ack receipt of 790111 & 0214 ltrs informing NRC of steps taken to correct violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/21 1p

7903080334 Responds to NRC 790119 ltr re violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16
Corrective actions proper document distribution procedure reemphasized to personnel
GILLELAND, J E Tennessee Valley Authority 79/02/14 3pp

7903080340 Responds to NRC 781220 ltr re violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16
Corrective actions distribution changed for const specifications & 60-day revision requirements reiterated
GILLELAND, J E Tennessee Valley Authority 79/01/11 3pp

7903080344 Forwards IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16 on 781127-30 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/20 2pp

7903080418 Notice of violation from insp on 781127-30
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch, 78/12/15 1p

7903080440 IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16 on 781127-30 Noncompliance noted failure to control issue of specification changes.
CROWLEY, B R, LENAHEAN, J J, CONLON, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/15 14pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08, 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ABME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director, 79/03/12 2pp

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16, 2pp

7903010236 Follows up 781006 rept(NCR CHE/PB-78-11) on use of non-ABME components on primary containment personnel access airlocks
Expects final rept to be transmitted by 790816 Sufficient info not yet available.
GILLELAND, J E Tennessee Valley Authority 79/02/13 1p

DOCKET STN-50-519 Hartsville Nuclear Plant, Unit 2

7903210482 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," due to recent problems w/ degradation Believes continued plant operation does not constitute undue risk.
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903280370 Identifies conflict between ACI Standard 318-71 & mechanical piping codes re min test pressures & holding times for leak testing of piping to be embedded in concrete Believes ACI requirements are excessive Plans to revise PSAR accordingly
GILLELAND, J E Tennessee Valley Authority 79/03/21 2pp

7903070396 Opposes exceptions of intervenors, WN Young, et al, to ASLB 781031 decision on motion for summary disposition Urges that decision be affirmed as intervenors' issues are foreclosed & not appropriate at this stage Certificate of Svc encl
PATON, W D Branch 4 79/02/01 11pp

7903070123 Forwards memo informing of document containing info potentially relevant to issue of sabotage of spent nuclear fuel & of NRC assessment of info to be made available
PATON, W D Branch 4 79/02/08 2pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903080084 Intervenor's reply re their appeal of ASLB 781031 decision Contains that operation impacts on endangered species was an open issue & ASLB was correct in addressing it Certificate of Svc encl
ELLIS, L J Ellis, L J PYLE, R D Pyle, R D 79/02/20 6pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903160170 Forwards "Annual Rept 1978"
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903160217 "Annual Rept 1978"
* Tennessee Valley Authority 79/03/16 42pp

7903070143 Forwards IE Insp Repts 50-518/79-02, 50-519/79-02, 50-520/79-02 & 50-521/79-02 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 2pp

7903070170 IE Insp Repts 50-518/79-02, 50-519/79-02, 50-520/79-02 & 50-521/79-02 on 790102-05 No noncompliance noted Major inspected electrical QA implementing procedures for Class IE components & observation of physical storage of motors
WALTERS, D K Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/16 6pp

7903150078 Forwards IE Insp Rept 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03 on 790108-11 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/18 2pp

7903150083 Notice of violation from insp on 790108-11
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 1p

7903150090 IE Insp Rept 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03 on 790108-11 Noncompliance noted failure to control deviation requests
BURDETTE, T E, HERDT, A R Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17, 7pp

7902210144 Forwards IF Bulletin 79-01, "Environ Qualification of Class IE Equipment" w/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/08 2pp

7903070528 Ack receipt of 790208 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/14 1p

7903070533 Responds to NRC 790118 ltr re violations noted in IE Insp Repts 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03
Corrective actions decision to be made soon to either delete deviation request from QA or establish firmer control
GILLELAND, J E Tennessee Valley Authority 79/02/08 3pp

7903020374 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

DOCKET STN-50-519 Hartsville Nuclear Plant, Unit 2

7903080296 Ack receipt of 790111 & 0214 ltrs informing NRC of steps taken to correct violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/21 1p

7903080334 Responds to NRC 790119 ltr re violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16
Corrective actions proper document distribution procedure reemphasized to personnel
GILLELAND, J E Tennessee Valley Authority 79/02/14 3pp

7903080340 Responds to NRC 781220 ltr re violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16
Corrective actions distribution changed for const specifications & 60-day revision requirements reiterated
GILLELAND, J E Tennessee Valley Authority 79/01/11 3pp

7903080344 Forwards IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16 to 781127-30 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/20 2pp

7903080418 Notice of violation from insp on 781127-30
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/15 1p

7903080440 IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16 on 781127-30 Noncompliance noted failure to control issue of specification changes
CROWLEY, B R, LENAHAN, J J, CONLON, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/15 14pp

7903080300 Informs recipients of IF Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 5L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210087 Forwards IF Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903010236 Follows up 781006 rept(NCR CHT/PB-78-11) on use of non-ASME components on primary containment personnel access airlocks
Expects final rept to be transmitted by 790814 Sufficient info not yet available
GILLELAND, J E Tennessee Valley Authority 79/02/15 1p

DOCKET STN-50-520 Hartsville Nuclear Plant, Unit 3

7903210482 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," due to recent problems w/ degradation
Believes continued plant operation does not constitute undue risk
EISENHUT, D O Assistant Director for Systems & Projects 79/03/02 3pp

7903280370 Identifies conflict between ACI Standard 318-71 & mechanical piping codes re min test pressures & holding times for leak testing of piping to be embedded in concrete
Believes ACI requirements are excessive
Plans to revise PSAR accordingly
GILLELAND, J E Tennessee Valley Authority 79/03/21 2pp

7903070396 Opposes exceptions of intervenors, W N Young, et al, to ASLB 781031 decision on motion for summary disposition
Urges that decision be affirmed as intervenors' issues are foreclosed & not appropriate at this stage
Certificate of Svc encl.
PATON, W D Branch 4 79/02/01 11pp

7903070123 Forwards memo informing of document containing info potentially relevant to issue of sabotage of spent nuclear fuel & of NRC assessment of info to be made available
PATON, W D Branch 4 79/02/08 2pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory
Alleges theory ignores issue of significant & substantial releases of radon-222 to environ
Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903080084 Intervenor's reply re their appeal of ASLB 781031 decision.
Contents that operation impacts on endangered species was an open issue & ASLB was correct in addressing it
Certificate of Svc encl
ELLIS, L J Ellis, L J PYLE, R B Pyle, R B 79/02/20 6pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903160170 Forwards "Annual Rept 1978"
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903160217 "Annual Rept 1978"
* Tennessee Valley Authority 79/03/16 42pp

7903070165 Forwards IE Insp Repts 50-518/79-02, 50-519/79-02, 50-520/79-02 & 50-521/79-02 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 2pp

7903070170 IE Insp Repts 50-518/79-02, 50-519/79-02, 50-520/79-02 & 50-521/79-02 on 790102-03 No noncompliance noted
Major inspected electrical QA implementing procedures for Class IE components & observation of physical storage of motors
WALTERS, D K Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/16 6pp

7903150078 Forwards IE Insp Rept 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03 on 790108-11 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/18 2pp

7903150083 Notice of violation from insp on 790108-11
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 1p

7903150090 IE Insp Rept 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03 on 790108-11 Noncompliance noted failure to control deviation requests
BURDETTE, T E, HERDT, A R Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 7pp

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment"
W/ list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/08 2pp

7903070528 Ack receipt of 790208 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/14 1p

7903070533 Responds to NRC 790118 ltr re violations noted in IE Insp Repts 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03
Corrective actions decision to be made soon to either delete deviation request from QA or establish firmer control
GILLELAND, J E Tennessee Valley Authority 79/02/08 3pp

7903020376 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080296 Ack receipt of 790111 & 0214 ltrs informing NRC of steps taken to correct violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/21 1p

7903080334 Responds to NRC 790119 ltr re violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16
Corrective actions proper document distribution procedure reemphasized to personnel
GILLELAND, J E Tennessee Valley Authority 79/02/14 3pp

7903080340 Responds to NRC 781220 ltr re violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16
Corrective actions distribution changed for const specifications & 60-day revision requirements reiterated
GILLELAND, J E Tennessee Valley Authority 79/01/11 3pp

DOCKET STN-50-520 Hartsville Nuclear Plant, Unit 3

7903080344 Forwards IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16 on 781127-30 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/20 2pp

7903080418 Notice of violation from insp on 781127-30
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/15 1p

7903080440 IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16 on 781127-30 Noncompliance noted failure to control issue of specification changes
CROWLEY, B R, LENAHER, J J, CONLON, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/15 14pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 53CML should read 5L3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Design: Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903010236 Follows up 781006 rept(NCR CHT/PB-78-11) on use of non-ASME components on primary containment personnel access airlocks. Expects final rept to be transmitted by 790816. Sufficient info not yet available
GILLELAND, J E Tennessee Valley Authority 79/02/15 1p

DOCKET STN-50-521 Hartsville Nuclear Plant, Unit 4

7903210482 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," due to recent problems w/ degradation. Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 1pp

7903290009 Identifies conflict between ACI Standard 318-71 & mechanical piping codes re min test pressures & holding times for leak testing of piping to be embedded in concrete. Believes ACI requirements are excessive. Plans to revise PSAR accordingly
GILLELAND, J E Tennessee Valley Authority 79/03/21 2pp

7903070396 Opposes exceptions of intervenors, W.N. Young, et al, to ASLB 781031 decision on motion for summary disposition. Urges that decision be affirmed as intervenors' issues are foreclosed & not appropriate at this stage. Certificate of Evc encl
PATON, W. D Branch 4 79/02/01 11pp

7903070123 Forwards memo informing of document containing info potentially relevant to issue of sabotage of spent nuclear fuel & of NRC assessment of info to be made available
PATON, W. D Branch 4 79/02/08 2pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory. Alleges theory ignores issue of significant & substantial releases of radon-222 to environ. Certificate of Evc encl
KEPPORD, C Affiliation Unknown 79/02/19 37pp

7903080084 Intervenor's reply re their appeal of ASLB 781031 decision. Contents that operation impacts on endangered species was an open issue & ASLB was correct in addressing it. Certificate of Evc encl
ELLIS, L J Ellis, L J 79/02/20 6pp

7903230277 Forwards responses to ALAB-509. Thirty-day period for responses to documents shall run from 790303
BKRUTSKI, R. M Atomic Safety and Licensing Appeal Panel 79/03/01 3pp

7903160170 Forwards "Annual Rept 1978"
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903160217 "Annual Rept 1978"
* Tennessee Valley Authority 79/03/16 42pp

7903070165 Forwards IE Insp Repts 50-518/79-02, 50-519/79-02, 50-520/79-02 & 50-521/79-02. No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 2pp

7903070170 IE Insp Repts 50-518/79-02, 50-519/79-02, 50-520/79-02 & 50-521/79-02 on 790102-05. No noncompliance noted. Major inspected electrical QA implementing procedures for Class IE components & observation of physical storage of motors
WALTERS, D K Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/16 6pp

7903150078 Forwards IE Insp Rept 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03 on 790108-11 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/18 2pp

7903150083 Notice of violation from insp on 790108-11
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 1p

7903150090 IE Insp Rept 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03 on 790108-11. Noncompliance noted failure to control deviation requests
BURDETTE, T E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/17 7pp

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment." W/ list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/08 2pp

7903080340 Responds to NRC 781220 ltr re violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16. Corrective actions distribution changed for const specifications & 60-day revision requirements reiterated
GILLELAND, J E Tennessee Valley Authority 79/01/11 3pp

7903070528 Ack receipt of 790208 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/14 1p

7903070533 Responds to NRC 790118 ltr re violations noted in IE Insp Repts 50-518/79-03, 50-519/79-03, 50-520/79-03 & 50-521/79-03. Corrective actions decision to be made soon to either delete deviation request from QA or establish firmer control
GILLELAND, J E Tennessee Valley Authority 79/02/08 3pp

7903020376 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080296 Ack receipt of 790111 & 0214 ltrs informing NRC of steps taken to correct violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/02/21 1p

7903080334 Responds to NRC 790119 ltr re violations noted in IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16. Corrective actions proper document distribution procedure reemphasized to personnel
GILLELAND, J E Tennessee Valley Authority 79/02/14 3pp

7903080344 Forwards IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16 on 781127-30 & notice of violation
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/20 2pp

7903080418 Notice of violation from insp on 781127-30
* Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/15 1p

7903080440 IE Insp Repts 50-518/78-16, 50-519/78-16, 50-520/78-16 & 50-521/78-16 on 781127-30. Noncompliance noted. Failure to control issue of specification changes
CROWLEY, B R Region 2, Atlanta, Reactor Construction & Engineering Support Branch 78/12/15 14pp

DOCKET STN-50-521 Hartsville Nuclear Plant, Unit 4

7903080300 Informs recipients of IE Bulletin 79-01, "Environment
Qualification of Class IE Equipment," dtd 790208, that valve
isnt switch identified as NAMCO Model S3CML should read
SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate
Designs Using Concrete Expansion Anchor Bolts"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/08 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in
ASME SA-312 Type 304 Stainless Steel Pipe Spools
Manufactured by Youngstown Welding & Engineering Co."
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/12 2pp

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitonque
Valve Operators"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/03/16 2pp

7903010236 Follows up 781006 rept(NCR CHT/PB-78-11) on use of non-ASME
components on primary containment personnel access airlocks
Expects final rept to be transmitted by 790314 Sufficient
info not yet available
GILLELAND, J E Tennessee Valley Authority 79/02/15 1p

DOCKET STN-50-522 Skagit Nuclear Power Project, Unit 1

7903060688 Notification of 790223 meeting w/NRC, USGS & Puget Sound
Power & Light re aeromagnetic survey of site
PELTIER, I A Light Water Reactors Branch 1 79/02/09 2pp

7903060318 Ack receipt of FY 78 Annual Rept Info re flow through the
river bottom & history of radiation leaks will be sent when
available Forwards list of articles for Skagit Sys
Cooperative biologists
LEECH, P H Environmental Project Branch 2 79/02/13 3pp

7903060696 Summarizes 790122 meeting w/util re facility review schedule
& best method for submittal of new info
WASTLER, S L Geosciences Branch 79/02/13 6pp

7903060427 Forwards proprietary aeromagnetic data in response to NRC
questions of June 1978 w/encl affidavit of JE Mecca re
proprietary status of info (ref 10CFR2 790)
MECCA, J E Puget Sound Power & Light Co 79/02/23 4pp

7903220036 Summary of util 790223 presentation of aeromagnetic data of
site area w/encl attendance list
PELTIER, I A Light Water Reactors Branch 1 79/03/05 13pp

7903290303 Requests addl info re capability of nuclear steam supply
sys to respond to postulated ATWS transients w/1tr to major
vendors requesting info & forwarding NUREG-0460, Vol 3 W/O
encl
VASSALLO, D B Assistant Director for Light Water Reactors
79/03/19 3pp

7903280247 Notification of 790418 meeting w/NRC, USGS, & Puget Sound
Power & Light in Bethesda, MD to discuss applicant's
presentation of site regional tectonics
PELTIER, I A Light Water Reactors Branch 1 79/03/19 2pp

7903070393 States NRC position re State of WA's legislative
determination of need for power Determination may be
considered as indication of need, but not as dispositive re
need for facility Certificate of Svc encl
SHANBON, D T Branch 1 79/02/02 5pp

7903190581 Advises Board that NRC is providing parties w/BAND77-1927,
SECY-78-311 & SECY-78-311A
BLACK, R L Branch 1 79/02/02 2pp

7903060688 Forwards testimonies by NRC, applicant & Skagitonians
Concerned About Nuclear Plants W/O encl
BLACK, R L Branch 1 79/02/06 2pp

7903070563 Memo by intervenors re status of "need for power" issue
under state law ASLB must consider compatibility of
licensing action w/NEPA Certificate of Svc encl
LEED, R M Leed, Roger M 79/02/08 7pp

7903150181 Applicants' comments re State of WA's determinations on need
for power Urges that determinations provide suppl
justifications on need for power Certificate of Svc encl
THOMSEN, F T, LITTLE, D S Perkins, Cole, Stone, Olsen & Williams
79/02/09 12pp

7903160123 Request mod of Post-Conference Order 2 to require submittal
of statements of issues by 790226 because issues have
undergone extensive consideration Requests answers to this
motion by 790220 Certificate of Svc encl
LITTLE, D S Perkins, Cole, Stone, Olsen & Williams 79/02/12 5pp

7903070088 Energy Facility Site Evaluation Council of State of WA brief
on need for power question Urges that, by choosing state forum
& losing, intervenor should not be allowed to renew issue
before NRC w/supporting documentation
GARR, T F, GORTON, S Washington, State of 79/02/13 31pp

7903070945 Forwards NRC responses to 790109 interrogatories &
affidavits of L Battelman, RP Daniss & S Wastler
SHANBON, D T Branch 1 79/02/15 15pp

7903070546 Supplies responses re seismological studies to intervenor's
790109 interrogatories & request for production to NRC dtd
790109
MORRIS, R H Interior, Dept of 79/02/07 2pp

7903150389 Draft of applicants' revised statement of issues replacing
"Applicants' List of Principal Issues," dtd 790109
THOMSEN, F T Perkins, Cole, Stone, Olsen & Williams 79/02/16
11pp

7903200083 Intervenor's response to applicant's 790212 motion for mod
Post-Conference Order 2 re shortening of filing time Urges
denial of motion because intervenor cannot comply by 790226
Certificate of Svc encl
GENDLER, M W, LEED, R M Leed, Roger M 79/02/20 4pp

7903300076 Opposition by intervenor to applicants' 790212 motion for mod
of Post-Conference Order 2 Asserts burden of filing by
790226 would be too great Certificate of Svc encl
STACHON, E Forelans on Board 79/02/20 5pp

7903270641 Applicants' revised statement of issues, per ASLB 790208
order Certificate of Svc encl
THOMSEN, F T Perkins, Cole, Stone, Olsen & Williams 79/02/22
17pp

7903080463 Denies applicants' motion for mod of Post-Conference
Order 2 Affirms 790309 as date for parties to file new
interim statement of issues
DEALE, V D Atomic Safety and Licensing Board Panel 79/02/23 1p

7903200049 Urges denial of intervenor tribes' petition for review of
ASLB decision vacating & remanding ASLB decision granting
intervention issue is inappropriate for NRC review
Certificate of Svc encl
SHANBON, D T Branch 1 79/03/05 10pp

7903210291 Applicants' answer in opposition to Indian tribes' petition
for review of denial of intervention status Certificate of
Svc encl
THOMSEN, F T, LITTLE, D S Perkins, Cole, Stone, Olsen & Williams
79/03/07 10pp

7903260174 Orders ASLB to address merits of petition for review of
ALAD-523 filed by intervenor tribes
CHILK, S J Office of the Secretary of the Commission 79/03/08
1p

7903220092 Discusses present & projected needs for energy in State of
WA Quotes statistical predictions showing population will
continue to outstrip energy supply & that need for
plant is greater now than during 1977 WA energy crisis
ADAIR, F S Washington, State of 79/02/22 2pp

DOCKETED SERIES

DOCKET STN-50-523 Skagit Nuclear Power Project, Unit 2

7903060318 Act receipt of FY 78 Annual Rept info re flow through the river bottom & history of radiation leaks will be sent when available Forwards list of articles for Skagit Sys Cooperative biologists
LEECH, F H Environmental Project Branch 2 79/02/13 3pp

7903060696 Summarizes 790122 meeting w/util re facility review schedule & best method for submittal of new info
WASTLER, S L Geosciences Branch 79/02/13 6pp

7903060427 Forwards proprietary aeromagnetic data in response to NRC questions of June 1978 w/encl affidavit of JE Mecca re proprietary status of info (ref IOCFR2 790)
MECCA, J E Puget Sound Power & Light Co 79/02/23 4pp

7903220036 Summary of util 790223 presentation of aeromagnetic data of site area w/encl attendance list
PELTIER, I A Light Water Reactors Branch 1 79/03/05 13pp

7903290303 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl
VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903280247 Notification of 790418 meeting w/NRC, USGS, & Puget Sound Power & Light in Bethesda, MD to discuss applicant's presentation of site regional tectonics
PELTIER, I A Light Water Reactors Branch 1 79/03/19 2pp

7903190581 Advises Board that NRC is providing parties w/SAND77-1927, SECY-78-311 & SECY-78-311A
BLACK, R L Branch 1 79/02/02 2pp

7903060668 Forwards testimonies by NRC, applicant & Skagitonians Concerned About Nuclear Plants W/o encl
BLACK, R L Branch 1 79/02/06 2pp

7903070563 Memo by intervenors re status of "need for power" issue under state law ASLB must consider compatibility of licensing action w/NEPA Certificate of Svc encl
LEED, R M Lead, Roger M 79/02/08 7pp

7903150181 Applicants' comments re State of WA's determinations on need for power Urges that determinations provide suppl justifications on need for power Certificate of Svc encl
THOMSEN, F T, LITTLE, D S Perkins, Cole, Stone, Olsen & Williams 79/02/09 12pp

7903160123 Request mod of Post-Conference Order 2 to require submittal of statements of issues by 790226 because issues have undergone extensive consideration Requests answers to this motion by 790220 Certificate of Svc encl
LITTLE, D S Perkins, Cole, Stone, Olsen & Williams 79/02/12 5pp.

7903070088 Energy Facility Site Evaluation Council of State of WA brief on need for power question Urges that, by choosing state forum & losing, intervenor should not be allowed to renew issue before NRC w/supporting documentation
CARR, T F, GORTON, S Washington, State of 79/02/13 31pp

7903070545 Forwards NRC responses to 790109 interrogatories & affidavits of L Gittleman, RP Denise & S Wastler
SWANSON, D T Branch 1 79/02/15 15pp

7903070546 Supplies responses re seismological studies to intervenor's 790109 interrogatories & request for production to NRC dtd 790109
MORRIS, R H Interior, Dept of 79/02/07 2pp

7903150389 Draft of applicants' revised statement of issues replacing "Applicants' List of Principal Issues," dtd 790109
THOMSEN, F T Perkins, Cole, Stone, Olsen & Williams 79/02/16 11pp

7903150387 Forwards draft of applicants' revised statement of issues, dtd 790216, per ASLB Post-Conference Order 2 Final submission to be mailed by 790223
THOMSEN, F T Perkins, Cole, Stone, Olsen & Williams 79/02/16 2pp.

7903200053 Intervenor's response to applicant's 790212 motion for mod Post-Conference Order 2 re shortening of filing time Urges denial of motion because intervenor cannot comply by 790226 Certificate of Svc encl
GENDLER, M W, LEED, R M Lead, Roger M 79/02/20 4pp

7903000076 Opposition by intervenor to applicants' 790212 motion for mod of Post-Conference Order 2 Asserts burden of filing by 790226 would be too great Certificate of Svc encl
STACHON, E Forelaws on Board 79/02/20 5pp

7903270641 Applicants' revised statement of issues, per ASLB 790208 order Certificate of Svc encl
THOMSEN, F T Perkins, Cole, Stone, Olsen & Williams 79/02/22 17pp

7903080463 Denies applicants' motion for mod of Post-Conference Order 2 Affirms 790309 as date for parties to file new interim statement of issues
DEALE, V D Atomic Safety and Licensing Board Panel 79/02/23 1p

7903200049 Urges denial of intervenor tribes' petition for review of ASLB decision vacating & remanding ASLB decision granting intervention issue is inappropriate for NRC review Certificate of Svc encl
SWANSON, D T Branch 1 79/03/05 10pp

7903210251 Applicants' answer in opposition to Indian tribes' petition for review of denial of intervention status Certificate of Svc encl
THOMSEN, F T, LITTLE, D S Perkins, Cole, Stone, Olsen & Williams 79/03/07 10pp p

7903260174 Orders ASLB to address merits of petition for review of ALAB-523 filed by intervenor tribes
CHILK, S J Office of the Secretary of the Commission 79/03/08 1p

7903280324 Requests that NRC assure that concerns of nearby Indian tribe members be analyzed prior to issuance of const permit
UDALL, M K Senate 79/03/08 1p

DOCKET STN-50-528 Palo Verde Nuclear Station, Unit 1

7903010331 Notices of 790208-09 meeting to tour site & discuss status of const Meeting cancelled
STRIGHT, R L Light Water Reactors Branch 3 79/01/15 2pp

7903270573 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903280067 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl
VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903070218 Forwards proof of svc for Amend 20 to PSAR
VANBRUNT, E E Arizona Public Service Co 79/03/02 2pp

7903070368 Forwards proof of svc for Amend 20 to PSAR served upon H Atkinson, Chairman of Board of Supervisors of Maricopa, AZ, on 790302
VAN BRUNT, E E Arizona Public Service Co 79/03/02 2pp

7903300392 "Annual Rept 1978 "
* Arizona Public Service Co 79/02/22 36pp

7903060334 Forwards IE Insp Rept 50-528/78-07, 50-529/78-06 & 50-530/78-05 No noncompliance noted
BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/01/19 2pp

7903060341 IE Insp Repts 50 528/78 07, 50-529/78-06 & 50-530/78-05 on 781204-06 No noncompliance noted Major areas inspected audits of environ program & implementation of environ protection const permit requirements
NORTH, H S, BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/01/19 7pp

7903190506 Forwards IF Info Notice 79-04, "Degradation of Engineered Safety Features "
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/16 1p

7903140383 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model S3CML should read SL3CML
ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/27 1p

DOCKET STN-50-528 Palo Verde Nuclear Station, Unit 1

7903140583 States that IE Bulletin 79-01, "Environ Qualification of Class IE Equipment (correction)" was issued to listed licensees in Region 5
 * Region 5, San Francisco, Office of the Director 79/02/27 1p

7903150042 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/08 1p

7903190472 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/12 1p

7903210401 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/16 1p

7903260316 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/20 1p

DOCKET STN-50-529 Palo Verde Nuclear Station, Unit 2

7903010331 Notifies of 790208-09 meeting to tour site & discuss status of const Meeting cancelled
 STRIGHT, R L Light Water Reactors Branch 3 79/01/15 2pp

7903270573 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
 EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903280067 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients W/lttr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl
 VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903070218 Forwards proof of svc for Amend 20 to PSAR
 VANBRUNT, E E Arizona Public Service Co 79/03/02 2pp

7903070368 Forwards proof of svc for Amend 20 to PSAR served upon H Atkinson, Chairman of Board of Supervisors of Maricopa, AZ, on 790302
 VAN BRUNT, E E Arizona Public Service Co 79/03/02 2pp

7903300392 "Annual Rept 1978"
 * Arizona Public Service Co 79/02/22 36pp

7903060334 Forwards IE Insp Rept 50-528/78-07, 50-529/78-06 & 50-530/78-05 No noncompliance noted
 BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/01/19 2pp

7903060341 IE Insp Repts 50-528/78-07, 50-529/78-06 & 50-530/78-05 on 781204-06 No noncompliance noted Major areas inspected audits of environ program & implementation of environ protection const permit requirements
 NORTH, H S, BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/01/19 7pp

7903190506 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/16 1p

7903140383 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CHL should read SL3CHL
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/27 1p

7903140583 States that IE Bulletin 79-01, "Environ Qualification of Class IE Equipment (correction)" was issued to listed licensees in Region 5
 * Region 5, San Francisco, Office of the Director 79/02/27 1p

7903150042 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Design Using Concrete Expansion Anchor Bolts"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/08 1p

7903190472 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co."
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/12 1p

7903210401 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/16 1p

7903260316 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/03/20 1p

DOCKET STN-50-530 Palo Verde Nuclear Station, Unit 3

7903010331 Notifies of 790208-09 meeting to tour site & discuss status of const Meeting cancelled
 STRIGHT, R L Light Water Reactors Branch 3 79/01/15 2pp

7903270573 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
 EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903280067 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients W/lttr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl
 VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903070218 Forwards proof of svc for Amend 20 to PSAR
 VANBRUNT, E E Arizona Public Service Co 79/03/02 2pp

7903070368 Forwards proof of svc for Amend 20 to PSAR served upon H Atkinson, Chairman of Board of Supervisors of Maricopa, AZ, on 790302
 VAN BRUNT, E E Arizona Public Service Co 79/03/02 2pp

7903300392 "Annual Rept 1978"
 * Arizona Public Service Co 79/02/22 36pp

7903060334 Forwards IE Insp Rept 50-528/78-07, 50-529/78-06 & 50-530/78-05 No noncompliance noted
 BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/01/19 2pp

7903060341 IE Insp Repts 50-528/78-07, 50-529/78-06 & 50-530/78-05 on 781204-06 No noncompliance noted Major areas inspected audits of environ program & implementation of environ protection const permit requirements
 NORTH, H S, BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/01/19 7pp

7903190506 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features"
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/16 1p

7903140383 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CHL should read SL3CHL
 ENGELKEN, R H Region 5, San Francisco, Office of the Director 79/02/27 1p

DOCKETED SERIES

DOCKET STN-50-530 Palo Verde Nuclear Station, Unit 3

7903260316 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors"
ENGELKEN, R H Region 3, San Francisco, Office of the Director
79/03/20 1p

DOCKET STN-50-531 GESSAR-251

7903070100 Responds to 781130 ltr re extension of Preliminary Design Approval 9 & 10 for GESSAR-251 & 238, respectively Request for extension will be reviewed six months prior to expiration
HELTENES, C J Standardization Branch 79/02/12 2pp

7903270320 In response to NRC 790117 ltr, GE has decided that NEDD-2404B should be reviewed under third category, in which costs incurred are assessed to final design approval application W/table re review of documents sent to NRC
SHERWOOD, D G General Electric Co, Nuclear Energy Products Div
79/03/13 3pp

DOCKET STN-50-532 BOP SAR

7903290165 Forwards Amend 9 to SAR, in response to NRC 790124 ltr discussing preliminary design approval extension
BOICE, C W C F Braun & Co 79/03/09 1p

7903290168 App A, Amend 9 to SAR, "Extension Review Matter for Preliminary Design Approvals"
* C F Braun & Co 79/03/09 130pp

DOCKET STN-50-535 GABBAR-6

7903070271 Forwards 1979 Advance Premium Endorsement 10B to ANI Policy NF-34
CORREA, C Marsh & McLennan, Inc 79/02/28 2pp.

7903070273 Forwards 1979 Advance Premium Endorsement 4A to MAELU Policy MF-59
CORREA, C Marsh & McLennan, Inc 79/02/28 2pp.

7903150348 Forwards Endorsements 75 & 76 for calendar years 1972 & 1973 Endorsements 74 & 75 for calendar years 1975 & 1976, Endorsements 105-107 for calendar years 1977 & 1978
CORREA, C Marsh & McLennan, Inc 79/03/12 18pp.

7903270294 Forwards Endorsement 96 to ANI Policy NF-34
CORREA, C Marsh & McLennan, Inc 79/03/21 3pp

7903290123 Forwards Endorsements 26, 28-40, 44 & 45 to MAELU Policy MF-59.
CORREA, C Marsh & McLennan, Inc 79/03/21 21pp

DOCKET 50-537 Clinch River Breeder Reactor

7903090226 Forwards item-by-item assessment of resolvability of open items in NRC staff review Requests resumption of NRC-DOE safety review & technical interchange activities
CAFFEY, L W Energy, Dept of, Clinch River Breeder Reactor Plant
79/03/05 18pp

7903060294 Forwards affidavit confirming distribution of Amend 4B to PSAR to local officials & EPA
COPELAND, R L Energy, Dept of 79/02/28 2pp

DOCKET 50-538 Memphis State Univ Research Reactor

7903300394 Requests amend to License R-127 to allow power operation at 20 watt levels continuously & 1,000 watt levels intermittently
JONES, D W Memphis State Univ 79/03/23 1p.

7903210558 Submits followup rept to occurrence at AON-201 reactor facility on 790125 per Section 6.9.2 of App A to License R-127 Electrical power outage occurred during reactor operation Svc restored in 3-h
JONES, D W Memphis State Univ 79/01/29 5pp.

DOCKET STN-50-545 RESAR-35

7903070180 Summary of 780915 meeting w/Westinghouse to discuss future licensing plans for standardized NSSB designs W/list of attendees & outline of Westinghouse presentation
D'REILLY, P D Standardization Branch 78/10/05 18pp

DOCKET STN-50-546 Marble Hill Nuclear Station, Unit 1

7903010323 Notification of 790227-28 site visit to Plainfield, IN by Caseload Forecast Panel to assess status of const W/encl proposed agenda
WILSON, J N Light Water Reactors Branch 4 79/02/06 5pp

7903150275 Ack receipt of NRC 790301 concurrence to addl conditions for Archeological Site 12-JE-119/120 W/agreement to conditions, Executive Director has no objections to NRC determination of no adverse effect
TANNENBAUM, J E Advisory Council on Historic Preservation
79/03/08 1p

7903150278 Apologizes for delay in returning 781018 ltr w/NRC concurring signature Delay due to need for applicant's commitment re addl conditions to mitigation plan & assurance from IN Historic Preservation Officer
BALLARD, R L Environmental Project Branch 1 79/02/28 1p

7903050194 Responds to 781201 decision ALAB-509 Requests info re radon in the milling & mining of U & long-term radon emission mgt Urges completion of GEIS on mill tailings to provide basis for public input Certificate of Svc encl
FREY, D G Sassafras Audubon Society 79/01/09 3pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903230277 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903060574 Forwards IE Insp Repts 50-546/78-08 & 50-547/78-08 on 781106-09 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/08 2pp

7903060577 Notice of violation from insp on 781106-09
* Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/12/28 2pp

7903060582 IE Insp Repts 50-546/78-08 & 50-547/78-08 on 781106-09 Noncompliance noted failure to follow procedures re handling equipment & failure to provide adequate insp of cadvelding activities
SCHWEIBINZ, E R, GALLAGHER, E J, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/12/28 21pp

7903130075 Forwards IE Insp Repts 50-546/78-10 & 50-547/78-10 on 781212-14 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 2pp

7903130080 IE Insp Rept 50-546/78-10 & 50-547/78-10 on 781212-14 No noncompliance noted Major areas inspected previous insp findings & site tour.
SCHWEIBINZ, E R, JONES, C E, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/20 3pp

7903220509 Forwards IE Insp Repts 50-546/79-01 & 50-547/79-01 on 790110-12 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/14 2pp

7903220515 IE Insp Repts 50-546/79-01 & 50-547/79-01 on 790110-12 No noncompliance noted Major areas inspected radiographic testing activities & licensee evaluation of potential reportable item
SCHWEIBINZ, E R, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/12 4pp

DOCKETED SERIES

225

DOCKET STN-50-546 Marble Hill Nuclear Station, Unit 1

7903080373 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903150027 Ack receipt of 790208 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-546/78-08 & 50-547/78-08
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/27 1p

7903080365 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903150045 Forwards IF Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190008 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co. "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

DOCKET STN-50-547 Marble Hill Nuclear Station, Unit 2

7903010323 Notification of 790227-28 site visit to Plainfield, IN by Caseload Forecast Panel to assess status of const W/encl proposed agenda
WILSON, J M Light Water Reactors Branch 4 79/02/06 5pp

7903150275 Ack receipt of NRC 790301 concurrence to addl conditions for Archeological Site 12-JE-119/120 W/agreement to conditions, Executive Director has no objections to NRC determination of no adverse effect
TANNENBAUM, J E Advisory Council on Historic Preservation 79/03/08 1p

7903150278 Apologizes for delay in returning 781018 ltr w/NRC concurring signature Delay due to need for applicant's commitment re addl conditions to mitigation plan & assurance from IN Historic Preservation Officer.
BALLARD, R L Environmental Project Branch 1 79/02/28 1p

7903050194 Responds to 781201 decision ALAB-509 Requests info re radon in the milling & mining of U & long-term radon emission mgt Urges completion of QGIS on mill tailings to provide basis for public input Certificate of Svc encl
FREY, D O Sassafraes Audubon Society 79/01/09 3pp

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903060576 Forwards IE Insp Repts 50-546/78-08 & 50-547/78-08 on 781106-09 & notice of violation
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/08 2pp

7903060577 Notice of violation from insp on 781106-09
* Region 3, Chicago, Reactor Construction & Engineering Support Branch, 78/12/28 2pp

7903060582 IE Insp Repts 50-546/78-08 & 50-547/78-08 on 781106-09 Noncompliance noted failure to follow procedures re handling equipment & failure to provide adequate insp of coldwelding activities
SCHWEIBINZ, E R, GALLAGHER, E J, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/12/28 21pp

7903130075 Forwards IE Insp Repts 50-546/78-10 & 50-547/78-10 on 781212-14 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/08 2pp

7903130080 IE Insp Rept 50-546/78-10 & 50-547/78-10 on 781212-14 No noncompliance noted Major areas inspected previous insp findings & site tour
SCHWEIBINZ, E R, JONES, C E, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/01/20 3pp

7903220509 Forwards IE Insp Repts 50-546/79-01 & 50-547/79-01 on 790110-12 No noncompliance noted
HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/14 2pp

7903220515 IE Insp Repts 50-546/79-01 & 50-547/79-01 on 790110-12 No noncompliance noted Major areas inspected radiographic testing activities & licensee evaluation of potential reportable item
SCHWEIBINZ, E R, HAYES, D W Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/12 4pp

7903080373 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/02/16 1p

7903150027 Ack receipt of 790208 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-546/78-08 & 50-547/78-08
FIORELLI, G Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/27 1p

7903080365 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/01 1p

7903150045 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/08 1p

7903190008 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co. "
KEPPLER, J G Region 3, Chicago, Office of the Director 79/03/12 1p

DOCKET 50-549 Greene County Nuclear Power Plant

7903060105 Summarizes 790112 meeting in Bethesda, MD w/util re tentative conclusions of NRC environ review, especially re Lehigh cement matter Lists items discussed re Lehigh Portland Cement Co claims & site disadvantages
BURWELL, S, BAJWA, S Office of Nuclear Reactor Regulation CUNNINGHAM, O Office of the Executive Legal Director 79/02/02 3pp

7903270534 Forwards NUREG-0523, "Summary of Operation Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D O Assistant Director for Systems & Projects 79/03/02 3pp

7903140324 In response to NRC 790131 ltr, plant will be designed & constructed to implement design options prior to final decision on ATWS issue
EARLY, P J Power Authority State of New York 79/03/07 2pp.

7903070012 FES re const of facility
* Division of Site Safety & Environmental Analysis NUREG-0512 79/01/31 720pp Available at NTIS

7903300097 Responds to 790220 ltr Reason comments on FES appear more reduced in size is fact they were received on legal size paper & had to be put through reducing copier in order to fit on page for printing
REQAN, W H Environmental Project Branch 2, 79/03/09 1p

7903300103 Would like to know why FES is more reduced in size than other statements.
BERNER, M Affiliation Unknown 79/02/20 1p

7903300115 Comments on DES depth of analysis is far from conclusive. Athens & Cementon sites have different characteristics & environ alternatives to proposed transmission lines should be explored
PALMER, H D Affiliation Unknown 76/04/30 7pp

DOCKET 50-549 Greene County Nuclear Power Plant

7903280033 Requests extension of time to make discovery requests re testimony & proposed exhibits
ENGEL, D A New York, State of 79/02/27 1p

7903280037 Motion of Dept of Environ Conservation for extension of time to submit discovery requests
ENGEL, D A New York, State of 79/02/27 2pp

7903300155 Forwards Cementon Civic Association's motion for extension of time
NICKOLITCH, J A Cementon Civic Association 79/02/27 1p

7903300157 Motion for extension of time until 790314 in which to file testimony & exhibits
NECKOLITCH, J A Affiliation Unknown 79/02/27 2pp

7903210452 Requests indication from recipients if they wish to continue receiving filings & NRC correspondence Otherwise names will be deleted
LEWIS, S H Branch 2 79/02/28 2pp

7903280362 Forwards testimony re transportation, meteorological impacts & socioeconomic impacts, on behalf of Green County, NY, municipalities
BUTZEL, A K Butzel & Kass 79/03/02 150pp

7903220287 Objections to certain interrogatories & request for production of documents proounded by Power Authority of NY Interrogatories not relevant to matters in controversy or require addl research Certificate of Svc encl
LEWIS, S H, MOORE, J C Branch 2 79/03/05 17pp

7903260083 Notification of prehearing conference in Albany, NY, on 790314 to establish presentation of evidence for evidentiary hearings resuming on 790402
GOODHOPE, A C Atomic Safety and Licensing Board Panel 79/03/08 2pp

7903210267 Rules on motions for summary disposition of certain contentions re health & safety filed by applicant & NRC Denies applicant's motion for summary disposition
FERGUSON, G A, COLE, R F, GOODHOPE, A C Atomic Safety and Licensing Board Panel 79/03/09 48pp

7903120002 Forwards IE Insp Rept 50-549/78-02 on 781219-20 No noncompliance noted
CARLSON, R T Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/17 2pp

7903120004 IE Insp Rept 50-549/78-02 on 781219-20 No noncompliance noted Major areas inspected project status & implementation of QA directives, including organization, procurement & audits
FOLSON, S A, MCQUAGHY, R W Region 1, Philadelphia, Reactor Construction & Engineering Support Branch 79/01/16 4pp

DOCKET STN-50-550 GLESSAR-238 BOP Interface

7903070100 Responds to 781130 ltr re extension of Preliminary Design Approval 9 & 10 for GLESSAR-251 & 238, respectively Request for extension will be reviewed six months prior to expiration
HELTENES, C J Standardization Branch 79/02/12 2pp

7903270320 In response to NRC 790117 ltr, GE has decided that NEDO-24048 should be reviewed under third category, in which costs incurred are assessed to final design approval application W/table re review of documents sent to NRC
SHERWOOD, G O General Electric Co, Nuclear Energy Products Div 79/03/13 3pp

DOCKET 50-552 Montalto di Castro (ENCL-6), Unit 1

7903090315 Requests withdrawal of 790110 application for amend of license, re addl intermediate consignees Objectives of amend served by issuance of License XCDM-169
WILSON, B D General Electric Co, Nuclear Energy Products Div 79/02/20 1p

7903150387 Forwards draft of applicants' revised statement of issues, dtd 790216, per ASLB Post-Conference Order 2 Final submission to be mailed by 790223
THOMSEN, F T Perkins, Cole, Stone, Olsen & Williams 79/02/16 2pp

7903300120 Offers comments on DES Believes schools in 5 mile radius of plant are too close in case of accidents Hudson River water will be used as make-up water for cooling towers & will be returned sterile of life
BERNER, M Affiliation Unknown 76/04/29 5pp

7903150218 FES incomplete until requirements of Natl Historic Preservation Act of 1966 Section 106 are met
UTLEY, R M Advisory Council on Historic Preservation 79/03/12 2pp

7903050550 Forwards NRC testimony in suppl to FES; draft ltr, list of Greene County FES sections & contentions to which they are addressed W/encl professional qualifications of RM Rush, NE Hinkle & E Peele
LEWIS, S H Branch 2 79/02/09 34pp

7903070404 Notifies that Power Authority of State of NY applied for discharge permit & requested verification of best available intake technology Recommendations for permit have been made & hearings will be held by 790402
MADISON, S R New York, State of 79/02/09 9pp

7903080289 Forwards final two pieces of NRC suppl testimony re decommissioning, Price-Anderson Act & witnesses' qualifications
LEWIS, S H Branch 2 79/02/16 2pp

7903080297 Suppl testimony on decommissioning & stipulated contentions
CALKINS, G D Fuel Process Systems Standards Branch
MURPHY, T D Division of Site Safety & Environmental Analysis
WOOD, R S Antitrust & Indemnity Group 79/02/16 18pp

7903080303 Suppl testimony re Price-Anderson Act Responds to Citizens to Preserve Hudson Valley Contention II-B(i)(iv)
CHIPMAN, G L Accident Analysis Branch COPLAN, S M Cost Benefit Analysis Branch CONGEL, F J Division of Site Safety & Environmental Analysis 79/02/16 12pp

7903260141 Belatedly forwards testimony of RE Henshaw re terrestrial ecology
ENGEL, D A New York, State of 79/02/21 28pp

7903220464 Forwards request for 2-week extension of time in which to file testimony & exhibits on behalf of Lehigh Portland Cement Co
WHITE, A F DeGraff, Foy, Conway & Holt-Harris 79/02/23 1p

7903220469 Lehigh Portland Cement Co's motion for extension of time until 790316 in which to file testimony & exhibits Lehigh has been investigating new info made available 790201 Affidavit of AF White encl
WHITE, A F DeGraff, Foy, Conway & Holt-Harris 79/02/23 8pp

7903300071 Greene County, NY's interrogatories to NRC re NUREG-0512 Answers requested on or before 790309 Certificate of Svc encl
BUTZEL, A K Butzel & Kass 79/02/23 22pp

7903070361 Joint order on motion by intervenor Lehigh Portland Cement Co for extension of time to file testimony & exhibits Extension until 790316 granted for good cause shown Other discovery directed to Lehigh must be filed by 790326
GOODHOPE, A C Atomic Safety and Licensing Board Panel COHEN, E D New York, State of 79/02/27 2pp

7903220003 Requests ltr from MH Church be placed in docket file
ABRAHAM, K Region 1, Philadelphia, Office of the Director 79/02/27 1p

7903220005 Is opposed to proposed nuclear power plants in New York State Favors development of solar energy
CHURCH, M H Affiliation Unknown 79/02/07 1p

7903220011 Responds to 790207 ltr Comments on closing down Indian Point Unit 1 Forwards NRC position on issues raised, licensing position papers on routine emissions of radioactivity & decommissioning of nuclear facilities
ABRAHAM, K Region 1, Philadelphia, Office of the Director 79/02/27 2pp

7903260348 Supports NY State Dept of Environ Conservation's request to NRC for production of documents
ENGEL, D A New York, State of 79/02/27 1p

7903260350 Supports NY State Dept of Environ Conservation's interrogatories to NRC Interrogatories re FES encl
ENGEL, D A New York, State of 79/02/27 3pp

DOCKETED SERIES

227

DOCKET STN-50-553 Phipps Bend Nuclear Plant, Unit 1

7903140137 Approves conceptual design of intake structure shoreline screening device Expresses concern re conditions for screen bypassing, such conditions should be specified prior to operation
REGAN, W H Environmental Project Branch 2 79/02/23 2pp

7903290009 Identifies conflict between ACI Standard 318-71 & mechanical piping codes re min test pressures & holding times for leak testing of piping to be embedded in concrete Believes ACI requirements are excessive Plans to revise PSAR accordingly
GILLELAND, J E Tennessee Valley Authority 79/03/21 2pp

7903080592 Forwards NUREG/CR-0400, "Risk Assessment Review Group Rept to the US NRC" (Lewis Rept) Commission presently developing policy statement re rept
GOLDBERG, S C Office of the Executive Legal Director 79/01/23 1p

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903160170 Forwards "Annual Rept 1978 "
GILLELAND, J E Tennessee Valley Authority 79/03/14 1p

7903160217 "Annual Rept 1978 "
* Tennessee Valley Authority 79/03/16 42pp

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/08 2pp

7903020376 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140552 Forwards II Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903280028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903010236 Follows up 781006 rept(NCR CHT/PB-78-1)on use of non-ASME components on primary containment personnel access airlocks Expects final rept to be transmitted by 790816 Sufficient info not yet available
GILLELAND, J E Tennessee Valley Authority 79/02/15 1p

DOCKET STN-50-554 Phipps Bend Nuclear Plant, Unit 2

7903140137 Approves conceptual design of intake structure shoreline screening device Expresses concern re conditions for screen bypassing, such conditions should be specified prior to operation
REGAN, W H Environmental Project Branch 2 79/02/23 2pp

7903290009 Identifies conflict between ACI Standard 318-71 & mechanical piping codes re min test pressures & holding times for leak testing of piping to be embedded in concrete Believes ACI requirements are excessive Plans to revise PSAR accordingly
GILLELAND, J E Tennessee Valley Authority 79/03/21 2pp

7903080592 Forwards NUREG/CR-0400, "Risk Assessment Review Group Rept to the US NRC" (Lewis Rept) Commission presently developing policy statement re rept
GOLDBERG, S C Office of the Executive Legal Director 79/01/23 1p

7903150200 Intervenor's response per ALAB-509 in opposition to "de minimus" theory Alleges theory ignores issue of significant & substantial releases of radon-222 to environ Certificate of Svc encl
KEPFORD, C Affiliation Unknown 79/02/19 37pp

7903230297 Forwards responses to ALAB-509 Thirty-day period for responses to documents shall run from 790305
SKRUTSKI, R M Atomic Safety and Licensing Appeal Panel 79/03/01 5pp

7903160170 Forwards "Annual Rept 1978 "
GILLELAND, J E Tennessee Valley Authority 79/03/14 1p

7903160217 "Annual Rept 1978 "
* Tennessee Valley Authority 79/03/16 42pp

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/08 2pp

7903020376 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CML should read SL3CML
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903280028 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

7903010236 Follows up 781006 rept(NCR CHT/PB-78-1)on use of non-ASME components on primary containment personnel access airlocks Expects final rept to be transmitted by 790816 Sufficient info not yet available
GILLELAND, J E Tennessee Valley Authority 79/02/15 1p

DOCKET STN-50-556 Black Fox Station, Unit 1

7903280010 FOIA request for Reel Rept
HUNT, B D Affiliation Unknown 79/02/13 1p

7903190343 Summary of 790123 meeting in Bethesda, MD w/Public Svc Co of OK & its agents re const permit application
THOMAS, C O Light Water Reactors Branch 1 79/02/15 7pp

7903280020 Denial of FOIA request for nuclear reactor study re GE's boiling water nuclear steam supply sys (Reel Rept) & related sub-task force repts which serve as appendices
WOLFE, S J Atomic Safety and Licensing Board Panel 79/03/23 2pp

7903080201 Forwards applicants' testimony of Conrad, Engmann & Connolly on Contentions 8 & 9 re fire protection in rebuttal to NRC 781208 direct testimony Witness will testify on 790224
GALLO, J Isham, Lincoln & Beale 79/02/09 16pp

7903070073 Amend to 790105 protective order to reflect bases for ASLII ruling
WOLFE, S J Atomic Safety and Licensing Board Panel 79/02/12 1p

DOCKETED SERIES

DOCKET STN-50-556 Black Fox Station, Unit 1

7903190328 Forwards applicants' rebuttal testimony by Gang & Walker re ASLB Question 10-4 concerning "QA - Special Processes" Witnesses will testify on 790224
GALLD, J Isham, Lincoln & Beale 79/02/12 8pp

7903070408 Notifies of appearance of JR Farris on behalf of intervenors, Citizens Action for Safe Energy, I Younghein & L Burrell Certificate of Svc encl
FARRIS, J R Green, Feldman, Hall & Woodard 79/02/13 4pp

7903080579 Forwards applicants' testimony responding to ASLB's 790119 question re stability criteria for containment vessel design Witness will testify on 790221 w/related correspondence, design specs & svc list encl
GALLD, J Isham, Lincoln & Beale 79/02/13 46pp

7903090101 Wants facility const stopped because of sanctity of life
* Sunbelt Alliance, Oklahoma City 79/02/15 1p

7903090213 Informs of document containing info potentially relevant to issue of sabotage of spent nuclear fuel NRC assessment of info to be made available w/o encl
DAVIS, L D Branch 4 79/02/15 2pp

7903210064 Updates 781207 ltr re waste disposal permit application Forwards draft permit & documents
MURPHY, P M Isham, Lincoln & Beale 79/02/19 12pp.

7903260103 State of OK's petition to participate as interested state Notices of appearance of JO Thomas & CS Rogers & Certificate of Svc encl
THOMAS, J O , ROGERS, C S Oklahoma, State of 79/02/27 6pp

7903260018 Forwards intervenors' motion to suppl record Requests info re matters to be argued at hearing
DALTON, A T Dalton, A T 79/03/01 1p

7903260025 Intervenors' motion to suppl record w/Tulsa Urban Study, prepared by US Army Corps of Engineers Excerpt from study & Certificate of Svc encl
DALTON, A T Dalton, A T 79/03/01 6pp

7903160193 Objects to delays in const due to numerous hearings Sees need for greater electrical power in area Suggests governmental interference is causing unnecessary delays in energy development
BROOKS, K V Affiliation Unknown 78/02/18 1p

7903160198 Protests introduction of Reed Rept in closed sessions of Black Fox health & safety hearings Expresses skepticism of fairness of process Requests all sessions be opened to public
HUNT, B D Sunbelt Alliance, Oklahoma City 79/02/13 1p

7903190076 Responds to 790218 ltr re licensing delays in issuance of permit Anticipates Licensing Board will decide whether const permits should be issued sometime this spring
ENGELHARDT, T F Deputy Executive Legal Director 79/03/08 1p

7903190084 Expresses concern over delay in const Cites cost to taxpayers of frequent hearings & increased amount of electrical power that will be needed within next five years
BROOKS, K V Affiliation Unknown 79/02/18 1p

7903260237 Forwards loan guarantee commitments & station ownership agreement in response to NRC request Asks receipt of documents be noted in SER Suppl 2 & that no financial qualification conditions be imposed on const permits
EWING, T N Public Service Co of Oklahoma 79/03/21 73pp

7903140277 Forwards 1E Insp Repts 50-556/79-01 & 50-557/79-01 on 790109-10 No noncompliance noted
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering Support Branch 79/01/25 2pp

7903080630 Transcript of 790220 hearing in Tulsa, OK Pp 7666-7796 W/encl exhibit, "Testimony for Radiological Contentions No 16"
WOLFE, S J , PURDOM, P W , SHON, F J Atomic Safety and Licensing Board Panel 79/02/20 198pp

7903080513 Transcript of 790221 hearing in Tulsa, OK Pp 7797-7998 W/encl exhibits
WOLFE, S J , PURDOM, P W , SHON, F J Atomic Safety and Licensing Board Panel 79/02/21 263pp

7903080496 Transcript of a 790222 hearing in Tulsa, OK Pp 7999-8088 W/encl exhibits
WOLFE, S J , PURDOM, P W , SHON, F J Atomic Safety and Licensing Board Panel 79/02/21 120pp

7903080528 Transcript of 790223 hearing in Tulsa, OK Pp 8089-8290 W/encl exhibits
WOLFE, S J , PURDOM, P W , SHON, F J Atomic Safety and Licensing Board Panel 79/02/23 473pp

7903130272 Transcript of 790226 hearing held in Tulsa OK Pp 8291-8445 W/encl exhibits & testimony
WOLFE, S J , PURDOM, P W , SHON, F J Atomic Safety and Licensing Board Panel 79/02/26 425pp

7903080509 Transcript of a 790227 hearing in Tulsa, OK Pp 8447-8499 W/encl exhibits
WOLFE, S J , PURDOM, P W , SHON, F J Atomic Safety and Licensing Board Panel 79/02/27 73pp

7903080531 Transcript of a 790228 hearing in Tulsa, OK Pp 8500-8601 W/encl exhibits
WOLFE, S J , PURDOM, P W , SHON, F J Atomic Safety and Licensing Board Panel 79/02/28 113pp

7903000534 Forwards corrected Page 8599 from 790228 hearing transcript
SIMPSON, M A ACE Federal Reporters, Inc 79/03/14 2pp

DOCKET STN-50-557 Black Fox Station, Unit 2

7903280010 FOIA request for Reed Rept
HUNT, B D Affiliation Unknown 79/02/13 1p

7903190343 Summary of 790123 meeting in Bethesda, MD w/Public Svc Co of OK & its agents re const permit application
THOMAS, C D Light Water Reactors Branch 1 79/02/15 7pp

7903280020 Denial of FOIA request for nuclear reactor study re OE's boiling water nuclear steam supply sys (Reed Rept) & related sub-task force repts which serve as appendices
WOLFE, S J Atomic Safety and Licensing Board Panel 79/03/23 2pp

7903080201 Forwards applicants' testimony of Conrad, Engmann & Connolly on Contentions 8 & 9 re fire protection in rebuttal to NRC 781208 direct testimony Witness will testify on 790224
GALLD, J Isham, Lincoln & Beale 79/02/09 16pp

7903070075 Amend to 790105 protective order to reflect bases for ASLB ruling
WOLFE, S J Atomic Safety and Licensing Board Panel 79/02/12 1p

7903150328 Forwards applicants' rebuttal testimony by Gang & Walker re ASLB Question 10-4 concerning "QA - Special Processes" Witnesses will testify on 790224
GALLD, J Isham, Lincoln & Beale 79/02/12 8pp

7903070408 Notifies of appearance of JR Farris on behalf of intervenors, Citizens Action for Safe Energy, I Younghein & L Burrell Certificate of Svc encl
FARRIS, J R Green, Feldman, Hall & Woodard 79/02/13 4pp

7903080579 Forwards applicants' testimony responding to ASLB's 790119 question re stability criteria for containment vessel design Witness will testify on 790221 w/related correspondence, design specs & svc list encl
GALLD, J Isham, Lincoln & Beale 79/02/13 46pp

7903090101 Wants facility const stopped because of sanctity of life
* Sunbelt Alliance, Oklahoma City 79/02/15 1p

7903090213 Informs of document containing info potentially relevant to issue of sabotage of spent nuclear fuel NRC assessment of info to be made available w/o encl
DAVIS, L D Branch 4 79/02/15 2pp

DOCKET STN-50-557 Black Fox Station, Unit 2

7903210064 Updates 78120/ ltr re waste disposal permit application
Forwards draft permit & documents
MURPHY, P M Isham, Lincoln & Beale 79/02/19 12pp

7903260103 State of OK's petition to participate as interested state
Notices of appearance of JO Thomas & CS Rogers &
Certificate of Svc encl
THOMAS, J G, ROGERS, C S Oklahoma, State of 79/02/27 6pp

7903260018 Forwards intervenors' motion to suppl record Requests info
re matters to be argued at hearing
DALTON, A T Dalton, A T 79/03/01 1p

7903260025 Intervenor's motion to suppl record w/Tulsa Urban Study,
prepared by US Army Corps of Engineers Except from study &
Certificate of Svc encl
DALTON, A T Dalton, A T 79/03/01 6pp

7903160193 Objects to delays in const due to numerous hearings Sees
need for greater electrical power in area Suggests
governmental interference is causing unnecessary delays in
energy development
BROOKS, K V Affiliation Unknown 78/02/18 1p

7903160198 Protests introduction of Reed Rept in closed sessions of
Black Fox health & safety hearings Expresses skepticism of
fairness of process Requests all sessions be opened to
public
HUNT, B D Sunbelt Alliance, Oklahoma City 79/02/13 1p

7903190076 Responds to 790218 ltr re licensing delays in issuance of
permit Anticipates Licensing Board will decide whether const
permits should be issued sometime this spring
ENGELHARDT, T F Deputy Executive Legal Director 79/03/08 1p

7903190084 Expresses concern over delay in const Cites cost to
taxpayers of frequent hearings & increased amount of
electrical power that will be needed within next five years
BROOKS, K V Affiliation Unknown 79/02/18 1p

7903260237 Forwards loan guarantee commitments & station ownership
agreement in response to NRC request Asks receipt of
documents be noted in SER Suppl 2 & that no financial
qualification conditions be imposed on const permits
EWING, T N Public Service Co of Oklahoma 79/03/21 73pp.

7903140279 Forwards IE Insp Repts 50-556/79-01 & 50-557/79-01 on
790109-10 No noncompliance noted
SEIDLE, W C Region 4, Dallas, Reactor Construction & Engineering
Support Branch 79/01/25 2pp

7903140283 IE Insp Repts 50-556/79-01 & 50-557/79-01 on 790109-10 No
noncompliance noted Major areas inspected const activities &
status, personnel indoctrination & vendor surveillance
records
HUBACEK, W G, CROSSMAN, W A Region 4, Dallas, Reactor
Construction & Engineering Support Branch 79/01/24 3pp

7903060011 Transcript of 790219 hearing in Tulsa, OK Pp 7494-7665
WOLFE, S J, PURDOM, P W, SHON, F J Atomic Safety and Licensing Board
Panel 79/02/19 172pp

7903080630 Transcript of 790220 hearing in Tulsa, OK Pp 7666-7796 W/encl
exhibits, "Testimony for Radiological Contentions No 16"
WOLFE, S J, PURDOM, P W, SHON, F J Atomic Safety and Licensing Board
Panel 79/02/20 198pp

7903080513 Transcript of 790221 hearing in Tulsa, OK Pp 7797-7998
W/encl exhibits
WOLFE, S J, PURDOM, P W, SHON, F J Atomic Safety and Licensing Board
Panel 79/02/21 263pp

7903080496 Transcript of a 790222 hearing in Tulsa, OK Pp 7999-8086.
W/encl exhibits
WOLFE, S J, PURDOM, P W, SHON, F J Atomic Safety and Licensing Board
Panel 79/02/22 180pp

7903080528 Transcript of 790223 hearing in Tulsa, OK Pp 8089-8290.
W/encl exhibits
WOLFE, S J, PURDOM, P W, SHON, F J Atomic Safety and Licensing Board
Panel 79/02/23 475pp

7903130272 Transcript of 790226 hearing held in Tulsa OK Pp 8291-8445
W/encl exhibits & testimony
WOLFE, S J, PURDOM, P W, SHON, F J Atomic Safety and Licensing Board
Panel 79/02/26 425pp

7903080509 Transcript of a 790227 hearing in Tulsa, OK Pp 8447-8499
W/encl exhibits
WOLFE, S J, PURDOM, P W, SHON, F J Atomic Safety and Licensing Board
Panel 79/02/27 73pp

7903080531 Transcript of a 790228 hearing in Tulsa, OK Pp 8500-8601
W/encl exhibits
WOLFE, S J, PURDOM, P W, SHON, F J Atomic Safety and Licensing Board
Panel 79/02/28 113pp

7903300534 Forwards corrected Page 8599 from 790228 hearing transcript
SIMPSON, M A ACE Federal Reporters, Inc 79/03/14 2pp

DOCKET 50-560 BOPSSAR

7903010334 Forwards NRC 790117 ltr which was sent to GE w/info
re impact of revised fee schedule on review of post-
preliminary design approval matters
HELMES, C J Standardization Branch 79/02/02 1p

7903120136 Summary of 790126 ACRS subcommittee & 790209 full ACRS
meetings Meeting covered BOPSSAR/BSAR-205 application Full
committee indicated they would write favorable ltr to
Commission
BNEILL, J Standardization Branch 79/02/16 1p

7903150177 Forwards ACRS Rept. BOPSSAR/BSAR-205
HELMES, C J Standardization Branch 79/02/26 2pp

7903150180 Committee believes balance of plant design proposed in
BOPSSAR is acceptable for preliminary design approval
Safety-related equipment & protection against industrial
sabotage should be considered
CARBON, M W ACRS - Advisory Committee on Reactor Safeguards
79/02/16 2pp

DOCKET STN-50-566 Yellow Creek Nuclear Plant, Unit 1

7903270844 Forwards NUREG-0523, "Summary of Operating Experience
w/Recirculating Steam Generators," which focuses on recent
problem w/degradation Believes continued plant operation
does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects
79/03/02 3pp

7903290009 Identifies conflict between ACI Standard 318-71 & mechanical
piping codes re min test pressures & holding times for leak
testing of piping to be embedded in concrete Believes ACI
requirements are excessive Plans to revise PSAR accordingly
GILLELAND, J E Tennessee Valley Authority 79/03/21 2pp

7903160170 Forwards "Annual Rept 1978"
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903160217 "Annual Rept 1978"
* Tennessee Valley Authority 79/03/16 42pp

7903090005 Forwards IE Insp Repts 50-556/79-01 & 50-557/79-01 on
790109-12 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering
Support Branch 79/01/26 2pp

7903090006 IE Insp Repts 50-556/79-01 & 50-557/79-01 on 790109-12 No
noncompliance noted Major areas inspected const status, QA
records & audits, control of wild matl, civil design drawing
review & action on previous items
GOUGE, M J, HENDY, A R Region 2, Atlanta, Reactor Construction
& Engineering Support Branch 79/01/26 6pp

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class
IE Equipment" w/list of il systematic evaluation program
plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/08 2pp

7903020376 Forwards IE Info Notice 79-04, "Degradation of Engineered
Safety Features"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/16 2pp

7903280063 Forwards IE Insp Repts 50-556/79-02 & 50-557/79-02 on
790123-26 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support
Branch. 79/02/16 2pp

DOCKETED SERIES

DOCKET STN-50-566 Yellow Creek Nuclear Plant, Unit 1

7903280065 IE Insp Repts 50-566/79-02 & 50-567/79-02 on 790123-26 No noncompliance noted Major areas inspected const status & plant structures, site preparation, foundations & previously reported unresolved items
SWAN, W B , BRYANT, J C Region 2, Atlanta, Office of the Director 79/02/15 5pp

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CHL should read SL3CHL
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limbtorque Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

DOCKET STN-50-567 Yellow Creek Nuclear Plant, Unit 2

7903270544 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problem w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903290009 Identifies conflict between ACI Standard 318-71 & mechanical piping codes re min test pressures & holding times for leak testing of piping to be embedded in concrete Believes ACI requirements are excessive Plans to revise PSAR accordingly
GILLELAND, J E Tennessee Valley Authority 79/03/21 2pp

7903160170 Forwards "Annual Rept 1978 "
GILLELAND, J E Tennessee Valley Authority 79/03/16 1p

7903160217 "Annual Rept 1978 "
* Tennessee Valley Authority 79/03/16 42pp

7903090005 Forwards IE Insp Repts 50-566/79-01 & 50-567/79-01 on 790109-12 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/26 2pp

7903090006 IE Insp Repts 50-566/79-01 & 50-567/79-01 on 790109-12 No noncompliance noted Major areas inspected: const status, QA records & audits, control of weld matl, civil design drawing review & action on previous items
GOUGE, M J , HERDT, A R Region 2, Atlanta, Reactor Construction & Engineering Support Branch 79/01/26 6pp

7902210164 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment " W/list of 11 systematic evaluation program plants for which no action is required
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/08 2pp

7903020376 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/16 2pp

7903280063 Forwards IE Insp Repts 50-566/79-02 & 50-567/79-02 on 790123-26 No noncompliance noted
MURPHY, C E Region 2, Atlanta, Reactor Operations Nuclear Support Branch. 79/02/16 2pp

7903280065 IE Insp Repts 50-566/79-02 & 50-567/79-02 on 790123-26 No noncompliance noted Major areas inspected const status & plant structures, site preparation, foundations & previously reported unresolved items
SWAN, W B , BRYANT, J C Region 2, Atlanta, Office of the Director 79/02/15 5pp.

7903080300 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 83CHL should read SL3CHL
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/28 2pp

7903140552 Forwards IE Info Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/08 2pp

7903210087 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/12 2pp

7903220028 Forwards IE Circular 79-04, "Loose Locking Nut on Limbtorque Valve Operators "
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/03/16 2pp

DOCKET STN-50-568 NEP Nuclear, Unit 1

7902280083 Ack 781129 phone calls to R Julian of GSA re projected use of Guonset Point Naval Air Station & preparation of GSA impact statements for both Guonset Point & Charlestown air stations
FERRELL, C Accident Analysis Branch 78/11/29 2pp

7903020181 Forwards map showing proposed Rights-of-way for units Requests map showing location of Narragansett tribal reservation including portion protected by historical landmark legislation
BALLARD, R L Environmental Project Branch 1 79/02/06 3pp

7903080163 Notification of meeting on 790228 to discuss proposed revetment design criteria
STRAIGHT, R I Light Water Reactors Branch 3 79/02/09 3pp

7903070028 Requests an antitrust review of MA Municipal Wholesale Electric Co
SHAPAR, H K Office of the Executive Legal Director 79/02/22 1p

7903140666 Responds to encl util /81201 ltr to DOI discussing plans for access control in immediate environ of proposed plant NRC const permit application cannot be resolved until GSA makes final decision on site
VASSALLO, D D Assistant Director for Light Water Reactors 79/02/23 6pp

7903200032 Summarizes meeting w/New England Power on 790228 to discuss applicants' plan for design of revetment & structural backfill W/encl list of attendees
STRAIGHT, R L Light Water Reactors Branch 3 79/03/02 4pp

7903270580 Forwards NUREG-0523, "Summary of Operating Experience w/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903260298 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATHS transients W/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl
VASSALLO, D D Assistant Director for Light Water Reactors 79/03/15 4pp

7903270456 Forwards 790124 ltr to C Andrus from AK Morse re location of proposed Moonstone Beach facility Requests rept of siting studies & proposals for nuclear facilities in RI
* Interior, Dept of, Fish & Wildlife Service 79/03/20 2pp

7903280316 Evaluates effect of total loss of onsite & offsite AC electrical power Simultaneous loss of both sources is highly unlikely since multiple single failures are required for such occurrence
HARRINGTON, J New England Power Co 79/03/22 7pp

7903150343 Forwards Amend N12 to PSAR
STEVEN, J R New England Power Co 79/03/13 2pp

DOCKET STN-50-568 NEP Nuclear, Unit 1

7903150346 Amend N12 to PSAR Includes text revisions, reanalysis of LOCA & miscellaneous changes
* New England Power Co 79/02/28 400pp

7903280367 Forwards affidavit of distribution of PSAR Amend 12
HARRINGTON, J New England Power Co 79/03/20 3pp

7903150311 Forwards current schedule for remainder of environ review
Schedule assumes timely receipt of EPA input to FES W/EPA
770928 ltr
DEYOUNG, R C Division of Site Safety & Environmental Analysis
79/02/16 7pp

7903090333 Notice of withdrawal of BN Capaldo & new entry of
FJ Williams as counsel for intervenor Town of Hopkinton,
as of 781204 Certificate of Svc encl
CAPALDO, B N, WILLIAMS, F J Hopkinton, RI 78/12/27 4pp

7903060297 Informs of status of NRC SER & DES expects to issue DES
790330 & FES 790813 SER depends on nine outstanding issues
CUTCHIN, J M Branch 3 79/02/12 2pp

7903190461 Forwards notice of withdrawal of appearance & new entry
NACCARATO, V J Nardone, Turo & Naccarato 79/02/16 1p

7903190468 Notice of substitution of JR Payne for VJ Naccarato as
counsel on behalf of Westerly, RI, effective 781204
Certificate of Svc encl
NACCARATO, V J, PAYNE, J R Nardone, Turo & Naccarato 79/02/16
4pp

7903120402 Requests consideration of 790122 ltr from J Feldman re use
of nuclear power
PELL, C Senate 79/02/08 1p

7902210095 Vol 4 of Revision 3 to "General & Financial Info." including
annual repts & info re ME Public Svc Co Withheld (ref
10CFR2 790)
* New England Power Co 79/01/31 200pp

7903200500 Notice of receipt of addl antitrust info filed on 790115 re
two addl ownership participants Forwards deadline for
submission of public views
PARR, O D Light Water Reactors Branch 3 79/03/12 2pp

7903260376 Ack receipt on 790115 of addl antitrust info re ME Public
Svc Co & MA Municipal Wholesale Electric Co Federal Register
notice encl
PARR, O D Light Water Reactors Branch 3 79/03/13 1p

7903260384 Ack receipt on 790115 of addl antitrust info re ME Public
Svc Co & MA Municipal Wholesale Electric Co Federal Register
Federal Register notice encl
PARR, O D Light Water Reactors Branch 3 79/03/13 1p

7903260386 Ack receipt on 790115 of addl antitrust info re ME Public
Svc Co & MA Municipal Wholesale Electric Co Federal Register
notice encl
PARR, O D Light Water Reactors Branch 3 79/03/13 1p

7903280127 Ack receipt on 790115 of addl antitrust info pertaining to
ME Public Svc Co & MA Municipal Wholesale Electric Co
Federal Register notice encl
PARR, O D Light Water Reactors Branch 3 79/03/13 1p

DOCKET STN-50-569 NEP Nuclear, Unit 2

7903020181 Forwards map showing proposed rights-of-way for units
Requests map showing location of Narragansett tribal
reservation, including portion protected by historical
landmark legislation
BALLARD, R L Environmental Project Branch 1 79/02/06 5pp

7903080163 Notification of meeting on 790228 to discuss proposed
revetment design criteria
STRIGHT, R L Light Water Reactors Branch 3 79/02/09 3pp

7903070028 Requests an antitrust review of MA Municipal Wholesale
Electric Co
SHAFAR, H K Office of the Executive Legal Director 79/02/22 1p

7903140666 Responds to encl until 781201 ltr to DDI discussing plans for
access control in immediate environ of proposed plant NRC
const permit application cannot be resolved until GSA makes
final decision on site
VASSALLO, D B Assistant Director for Light Water Reactors
79/02/23 6pp

7903200032 Summarizes meeting w/New England Power on 790228 to discuss
applicants' plan for design of revetment & structural
backfill W/encl list of attendees
STRIGHT, R L Light Water Reactors Branch 3 79/03/02 4pp

7903270580 Forwards NUREG-0523, "Summary of Operating Experience w/
Recirculating Steam Generators," which focuses on recent
problems w/degradation Believes continued plant operation
does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects
79/03/02 3pp

7903260298 Requests addl info re capability of nuclear steam supply
sys to respond to postulated ATWS transients W/ltr to major
vendors requesting info & forwarding NUREG-0460, Vol 3 W/o
encl
VASSALLO, D B Assistant Director for Light Water Reactors
79/03/15 4pp

7903270456 Forwards 790124 ltr to C Andrus from AK Morse re location of
proposed Moonstone Beach facility Requests rept of siting
studies & proposals for nuclear facilities in RI
* Interior, Dept of, Fish & Wildlife Service 79/03/20 2pp

7903280316 Evaluates effect of total loss of onsite & offsite AC
electrical power Simultaneous loss of both sources is highly
unlikely since multiple single failures are required for
such occurrence
HARRINGTON, J New England Power Co 79/03/22 7pp

7903150343 Forwards Amend N12 to PSAR
STEVENS, J R New England Power Co 79/03/13 2pp

7903150346 Amend N12 to PSAR Includes text revisions, reanalysis of LOCA
& miscellaneous changes
* New England Power Co 79/02/28 400pp

7903280367 Forwards affidavit of distribution of PSAR Amend 12
HARRINGTON, J New England Power Co 79/03/20 3pp

7903150311 Forwards current schedule for remainder of environ review
Schedule assumes timely receipt of EPA input to FES W/EPA
770928 ltr
DEYOUNG, R C Division of Site Safety & Environmental Analysis
79/02/16 7pp

7903090333 Notice of withdrawal of BN Capaldo & new entry of
FJ Williams as counsel for intervenor Town of Hopkinton,
as of 781204 Certificate of Svc encl
CAPALDO, B N, WILLIAMS, F J Hopkinton, RI 78/12/27 4pp

7903060297 Informs of status of NRC SER & DES expects to issue DES
790330 & FES 790813 SER depends on nine outstanding issues
CUTCHIN, J M Branch 3 79/02/12 2pp

7903190461 Forwards notice of withdrawal of appearance & new entry
NACCARATO, V J Nardone, Turo & Naccarato 79/02/16 1p

7903190468 Notice of substitution of JR Payne for VJ Naccarato as
counsel on behalf of Westerly, RI, effective 781204
Certificate of Svc encl
NACCARATO, V J, PAYNE, J R Nardone, Turo & Naccarato 79/02/16
4pp

7903120402 Requests consideration of 790122 ltr from J Feldman re use
of nuclear power
PELL, C Senate 79/02/08 1p

7902210095 Vol 4 of Revision 3 to "General & Financial Info." including
annual repts & info re ME Public Svc Co Withheld (ref
10CFR2 790)
* New England Power Co 79/01/31 200pp

7903200500 Notice of receipt of addl antitrust info filed on 790115 re
two addl ownership participants Forwards deadline for
submission of public views
PARR, O D Light Water Reactors Branch 3 79/03/12 2pp

DOCKETED SERIES

DOCKET STN-50-569 NEP Nuclear, Unit 2

7903260376 Ack receipt on 790115 of addl antitrust info re ME Public Bvc Co & MA Municipal Wholesale Electric Co Federal Register notice encl
PARR,D D Light Water Reactors Branch 3 79/03/13 1p

7903260384 Ack receipt on 790115 of addl antitrust info re ME Public Bvc Co & MA Municipal Wholesale Electric Co Federal Register notice encl
PARR,D D Light Water Reactors Branch 3 79/03/13 1p

7903260386 Ack receipt on 790115 of addl antitrust info re ME Public Bvc Co & MA Municipal Wholesale Electric Co Federal Register notice encl
PARR,D D Light Water Reactors Branch 3 79/03/13 1p

7903280127 Ack receipt on 790115 of addl antitrust info pertaining to ME Public Bvc Co & MA Municipal Wholesale Electric Co Federal Register notice encl
PARR,D D Light Water Reactors Branch 3 79/03/13 1p

DOCKET STN-50-572 RESAR-414

7903070180 Summary of 780915 meeting w/Westinghouse to discuss future licensing plans for standardized NSSB designs W/list of attendees & outline of Westinghouse presentation
O'REILLY,P D Standardization Branch 78/10/05 18pp

7903060587 Summary of 781201 meeting in Bethesda, MD w/Westinghouse Electric Corp to discuss plans for standardized designs focuses on ME plans to submit FDA-2 for RESAR-412 design W/encl 412 model description
O'REILLY,P D Standardization Branch 78/12/13 5pp

7903060083 Summary of 781201 meeting in Bethesda, MD w/Westinghouse re RESAR-414 integrated protection sys design verification program status & future plans W/encl proposed documentation & summary of R&D info
O'REILLY,P D Standardization Branch 78/12/19 9pp

7903070157 Summary of 781215 meeting in Bethesda, MD w/Westinghouse re RESAR-414 integrated protection sys W/list of attendees, response to NRC guidelines re design verification, validation & schedule
O'REILLY,P D Standardization Branch 79/01/13 24pp

7903070141 Summarizes 780911 meeting to discuss addl review effort for RESAR-414 integrated protection sys Staff requested Westinghouse to submit comments on defense in depth by 790914 Next meeting scheduled for 780918
JOYCE,J Electric, Instrumentation & Control Systems Branch 79/02/08 5pp

7903060692 Summarizes 781003 meeting to discuss addl review effort for RESAR-414 integrated protection sys NRC agreed that addl refinement of defense-in-depth guidelines & positions would be required.
JOYCE,J Electric, Instrumentation & Control Systems Branch 79/02/12 6pp

7903060062 Summarizes 780926 meeting re addl review effort for RESAR-414 integrated protection sys. Purpose of meeting to brief NRC on preliminary conclusions re defense-in-depth assessment of facility. W/encl list of attendees.
JOYCE,J Electric, Instrumentation & Control Systems Branch 79/02/12 5pp

DOCKET STN-50-580 Erie Nuclear Plant, Unit 1

7903140180 SER re const. Suppl 1
* Office of Nuclear Reactor Regulation NUREG-0423 79/01/25 75pp Available at NTIS

7903270586 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk.
EISENHUT,D.G. Assistant Director for Systems & Projects 79/03/02 3pp.

7903260305 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATHS transients, W/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl.
VABBALLO,D.B. Assistant Director for Light Water Reactors 79/03/13 4pp

7903090083 Motion to dismiss intervenors E Stebbins & Coalition for Safe Electric Power as parties because contentions were dismissed & intervenors defaulted on responsibilities as parties Certificate of Svc encl
CHURCHILL,B W Shaw, Pittman, Potts, & Trowbridge 79/02/16 8pp

7903300588 Requests convening of radiological health & safety phase of const permit hearing Related SER suppl was issued in Jan Certificate of Svc encl
SILBERG,J E Shaw, Pittman, Potts, & Trowbridge 79/03/05 3pp

DOCKET STN-50-581 Erie Nuclear Plant, Unit 2

7903140180 SER re const. Suppl 1
* Office of Nuclear Reactor Regulation NUREG-0423 79/01/25 75pp Available at NTIS

7903270586 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk.
EISENHUT,D.G. Assistant Director for Systems & Projects 79/03/02 3pp

7903260305 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATHS transients W/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/o encl.
VABBALLO,D.B. Assistant Director for Light Water Reactors 79/03/13 4pp

7903090083 Motion to dismiss intervenors E Stebbins & Coalition for Safe Electric Power as parties because contentions were dismissed & intervenors defaulted on responsibilities as parties Certificate of Svc encl
CHURCHILL,B W Shaw, Pittman, Potts, & Trowbridge 79/02/16 8pp

7903300588 Requests convening of radiological health & safety phase of const permit hearing Related SER suppl was issued in Jan Certificate of Svc encl
SILBERG,J E Shaw, Pittman, Potts, & Trowbridge 79/03/05 3pp

DOCKET 50-582 Sundesert, Unit 1

7903270529 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk.
EISENHUT,D.G. Assistant Director for Systems & Projects 79/03/02 3pp

7903210230 Notes that SAND77-1927 contains potentially relevant info re issue of spent nuclear fuel sabotage Forwards copy of 790122 unclassified transmittal memo Will forward NRC assessment of info when available
BORDENICK,B M Branch 4 79/02/07 3pp

DOCKET 50-583 Sundesert, Unit 2

7903270529 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk.
EISENHUT,D.G. Assistant Director for Systems & Projects 79/03/02 3pp

7903210230 Notes that SAND77-1927 contains potentially relevant info re issue of spent nuclear fuel sabotage Forwards copy of 790122 unclassified transmittal memo Will forward NRC assessment of info when available
BORDENICK,B M Branch 4 79/02/07 3pp

DOCKET STN-50-584 GIBBSAR, Gibbs & Hill

7903230281 Responds to 790108 ltr requesting guidance or clarification re GIBBSAR design Current policy is to discourage inclusion of options within a single preliminary design approval
BOYD,R S Division of Project Management 79/03/08 3pp

7903190215 Forwards Amend 10 to GIBBSAR
PRIETO,R Gibbs & Hill, Inc (subs of Dravo Corp) 79/03/09 1p

7903190225 Amend 10 to GIBBSAR supporting application for preliminary approval of std plant design W/oversized drawings.
PRIETO,R Gibbs & Hill, Inc (subs of Dravo Corp) 79/03/09 277pp

DOCKET STN-80-591 ESSAR, EBASCO Services

7903150440 Summary of 790123 meeting between NRC & Ebasco re ESSAR review schedule Topics included Ebasco changes in regulatory requirements & review of three referenced NSSS designs
SHELL, J C Standardization Branch 79/03/01 1p

DOCKET STN-80-592 Palo Verde Nuclear Station, Unit 4

7903140293 Specifies three mods that may be necessary to resolve NRC concerns re ATWS Requests commitment that plant design will not preclude these mods
PARR, O D Light Water Reactors Branch 3 79/02/14 3pp

7903200459 Forwards info re alternative transmission line routes, as requested in NRC 790220 ltr
VAN BRUNT, E E Arizona Public Service Co 79/02/20 22pp

7903210156 Forwards "Biological Assessment of Proposed Transmission Line Corridors Linking Valley & Mira Loma Substations" & map Map not encl
VAN BRUNT, E E Arizona Public Service Co 79/02/20 2pp

7903210162 "Biological Assessment of Proposed Transmission Line Corridors Linking Valley & Mira Loma Substations"
* Arizona Public Service Co 78/12/31 40pp

7903020316 Objects to 790102 conclusions & recommendations of Regulatory Requirements Review Committee Meeting 81 re application of Alternate 4 as contrary to NRC standardization policy
VANBRUNT, E E Arizona Public Service Co 79/02/28 2pp

7903270573 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problem w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903120255 Opposes suggested changes in stations' design to implement NUREG-0460, Vol 3 Requests reconsideration in light of standardization program & industry support
VANBRUNT, E E Arizona Public Service Co 79/03/07 3pp

7903200389 Notification of 790321 meeting w/AZ Public Svc to discuss seepage analysis & proposed design basis groundwater level
STRIOTH, R L Light Water Reactors Branch 3 79/03/07 2pp

7903210187 Requests NRC comments on const of 500 kV transmission line interconnection between facilities of AZ Public Svc Co & San Diego Gas & Electric Co
VANBRUNT, E E Arizona Public Service Co 79/03/12 5pp

7903280067 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients W/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/a encl
VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903270295 Notification of 790329 meeting w/ACRS subcommittee in Phoenix, Arizona to discuss review of const permit application by Arizona Public Svc Co
STRIOTH, R L Light Water Reactors Branch 3 79/03/16 2pp

7903070222 Forwards proof of svc for Amend 3 to PSAR, served upon listed officials on 790302, per 10CFR2 101(a)(3)
VANBRUNT, E E Arizona Public Service Co 79/03/02 4pp

7903130029 Forwards BFR in connection w/application for const permit & Federal Register notice
PARR, O D Light Water Reactors Branch 3 79/03/01 2pp

7903130038 Notice of availability of SER re proposed plant
PARR, O D Light Water Reactors Branch 3 79/03/01 2pp

7903130065 SER re application for const permit
* Office of Nuclear Reactor Regulation NUREG-0520 79/02/28 500pp Available at NTIS

7903220273 Forwards SER for ACRS review Four issues in Section 1.8 remain outstanding & will require resolution before issuance of const permit
VASSALLO, D B Assistant Director for Light Water Reactors 79/03/01 1p

7903090369 Forwards petition for co-intervention of Palo Verde Nuclear Intervenor
BARD, L Affiliation Unknown 79/02/14 1p

7903090377 Petition for co-intervention by Palo Verde Nuclear Intervenor Expresses concern for safety & welfare of members in case of accident & agrees w/contentions filed by L Brad on 780911
RHODES, L Palo Verde Nuclear Intervenor 79/02/14 1p

7903060261 Responds to 790110 ltr urging Commission to fund intervention proceedings Concludes such action is inappropriate
HENDRIE, J M Commission 79/02/26 1p

7903210402 Forwards written statement of M Reader as limited appearance Statement concerns moral obligation programs versus technology needs
SOHINKI, S M Branch 3 79/02/26 53pp

7903220139 Notice of appearance of CA Bischoff on behalf of joint applicants Certificate of Svc encl
BISCHOFF, C A Snell & Wilmer 79/02/26 3pp

7903260192 Discusses stipulation of applicant, NRC & L Bard re contentions to be admitted Parties have agreed that certain stipulations in intervention petition are to be withdrawn & replaced w/other stipulations W/Certificate of Svc
SOHINKI, S M Branch 3 79/02/26 4pp

7903210450 Forwards 10CFR2.20, 30, 51, 71, 73 & 100, per 790221 prehearing conference discussion
SOHINKI, S M Branch 3 79/02/27 1p

7903230136 Amend 3 to intervention petition Contains three contentions re transportation of hazardous materials
BARD, L Affiliation Unknown 79/03/02 1p

7903210398 Responds to Palo Verde Nuclear Intervenor 790214 petition for co-intervention ASLB should grant petitioner reasonable time to amend defects identified in pleading Certificate of Svc encl
SOHINKI, S M Branch 3 79/03/06 8pp

7903280153 Grant L Bard's intervention petition & four petitions to participate Sets schedule for completion of public hearing & filing date for limited appearance requests
LAZO, R M Atomic Safety and Licensing Board Panel 79/03/06 7pp

7903300392 "Annual Rept 1978"
* Arizona Public Service Co 79/02/22 36pp

7903050117 Confirms 790223 meeting in Bethesda, MD
GOLDBERG, J R Anti-Trust Division 79/02/09 1p

7903020351 In response to NRC request for advice, advises that no antitrust hearing on applications is necessary
SHENEFIELD, J H Justice, Dept of 79/02/22 4pp.

7903190067 Forwards addl antitrust info re section 105c of Atomic Energy Act of 1954, as amended, re expanded ownership of facility
SALTZMAN, J Antitrust & Indemnity Group 79/02/28 1p

7903120565 Forwards IE Insp Repts 50-592/78-02 & 50-593/78-02 on 781106-08 No noncompliance noted
SPENCER, G B Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/31 2pp

7903120571 IE Insp Repts 50-592/78-02 & 50-593/78-02 on 781106-08 No noncompliance noted Major areas inspected, QA program re design & procurement activities, audits & site investigations
VORDERBRUGGEN, J, HUTSON, T W, HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/30 7pp

7903080519 Transcript of special prehearing conference in Phoenix, AZ Pg 1-106
LAZO, R M, GILINSKY, V, STODER, G J Atomic Safety and Licensing Board Panel 79/02/21 106pp

DOCKETED SERIES

DOCKET STN-50-593 Palo Verde Nuclear Station, Unit 3

7903140293 Specifies three mods that may be necessary to resolve NRC concerns re ATWS Requests commitment that plant design will not preclude these mods
PARR,D D Light Water Reactors Branch 3 79/02/14 3pp

7903200459 Forwards info re alternative transmission line routes, as requested in NRC 790220 ltr
VAN BRUNT,E E Arizona Public Service Co 79/02/20 22pp

7903210156 Forwards "Biological Assessment of Proposed Transmission Line Corridors Linking Valley & Mira Loma Substations" & map Map not encl
VAN BRUNT,E E Arizona Public Service Co 79/02/20 2pp

7903210162 "Biological Assessment of Proposed Transmission Line Corridors Linking Valley & Mira Loma Substations"
* Arizona Public Service Co 78/12/31 40pp

7903020316 Objects to 790102 conclusions & recommendations of Regulatory Requirements Review Committee Meeting B1 re application of Alternate 4 as contrary to NRC standardization policy
VANBRUNT,E E Arizona Public Service Co 79/02/28 2pp

7903270373 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problem w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT,D G Assistant Director for Systems & Projects 79/03/02 3pp

7903120255 Opposes suggested changes in stations' design to implement NUREG-0460, Vol 3 Requests reconsideration in light of standardization program & industry support
VANBRUNT,E E Arizona Public Service Co 79/03/07 3pp

7903200389 Notification of 790321 meeting w/AZ Public Svc to discuss seepage analysis & proposed design basis groundwater level
STRIGHT,R L Light Water Reactors Branch 3 79/03/07 2pp

7903210187 Requests NRC comments on const of 500 kV transmission line interconnection between facilities of AZ Public Svc Co & San Diego Gas & Electric Co
VANBRUNT,E E Arizona Public Service Co 79/03/12 3pp

7903280067 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 W/a encl
VASSALLO,D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903270295 Notification of 790329 meeting w/ACRS subcommittee in Phoenix, Arizona to discuss review of const permit application by Arizona Public Svc Co
STRIGHT,R L Light Water Reactors Branch 3 79/03/16 2pp

7903070222 Forwards proof of svc for Amend 3 to PSAR, served upon listed officials on 790302, per 10CFR2.101(a)(3)
VANBRUNDY,E E Arizona Public Service Co 79/03/02 4pp

7903130029 Forwards SER in connection w/application for const permit & Federal Register notice
PARR,D D Light Water Reactors Branch 3 79/03/01 2pp

7903130038 Notice of availability of SER re proposed plant
PARR,D D Light Water Reactors Branch 3 79/03/01 2pp

7903130065 SER re application for const permit
* Office of Nuclear Reactor Regulation NUREG-0520 79/02/28 500pp Available at NTIS

7903220273 Forwards SER for ACRS review Four issues in Section I B remain outstanding & will require resolution before issuance of const permit
VASSALLO,D B Assistant Director for Light Water Reactors 79/03/01 2pp

7903060261 Responds to 790110 ltr urging Commission to fund intervention proceedings Concludes such action is inappropriate
HENDRIE,J M Commission 79/02/26 1p

7903210402 Forwards written statement of M Reader as limited appearance Statement concerns moral obligation programs versus technology needs
SOHINKI,S M Branch 3 79/02/26 53pp

7903220139 Notice of appearance of CA Bischoff on behalf of joint applicants Certificate of Svc encl
BISCHOFF,C A Snell & Wilmer 79/02/26 3pp

7903260152 Discusses stipulation of applicant, NRC & L Bard re contentions to be admitted Parties have agreed that certain stipulations in intervention petition are to be withdrawn & replaced w/other stipulations w/Certificate of Svc
SOHINKI,S M Branch 3 79/02/26 4pp

7903210450 Forwards 10CFR2.20.50.51, 71.73 & 100, per 790221 prehearing conference discussion
SOHINKI,S M Branch 3 79/02/27 1p

7903230136 Amend 3 to intervention petition Contains three contentions re transportation of hazardous mats
BARD,L Affiliation Unknown 79/03/02 1p

7903210398 Responds to Palo Verde Nuclear intervenors 790214 petition for co-intervention ASLB should grant petitioner reasonable time to amend defects identified in pleading Certificate of Svc encl
SOHINKI,S M Branch 3 79/03/06 8pp

7903280153 Grant L Bard's intervention petition & four petitions to participate Sets schedule for completion of public hearing & filing date for limited appearance requests
LAZD,R M Atomic Safety and Licensing Board Panel 79/03/06 7pp

7903300392 "Annual Rept 1978"
* Arizona Public Service Co 79/02/22 36pp

7903050117 Confirms 790223 meeting in Bethesda, MD
GOLDBERG,J R Anti-Trust Division 79/02/09 1p

7903020351 In response to NRC request for advice, advises that no antitrust hearing on applications is necessary
SHENEFIELD,J H Justice, Dept of 79/02/22 4pp

7903190067 Forwards addl antitrust info re section 105c of Atomic Energy Act of 1954, as amended, re expanded ownership of facility
SALTZMAN,J Antitrust & Indemnity Group 79/02/28 1p

7903120565 Forwards IF Insp Repts 50-592/78-02 & 50-593/78-02 on 781106-08 No noncompliance noted
SPENCER,O S Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/31 2pp

7903120571 IE Insp Repts 50-592/78-02 & 50-593/78-02 on 781106-08 No noncompliance noted Major areas inspected QA program re design & procurement activities, audits & site investigations
VORDERBRUEGGEN, HUTSON,T W, HAYNES,R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/30 7pp

7903080519 Transcript of special prehearing conference in Phoenix, Ar
Pp 1-106
LAZD,R M, GILINSKY,V, STORER,Q J Atomic Safety and Licensing Board Panel 79/02/21 106pp

DOCKET STN-50-595 QAISAR, Gilbert Associates

7903150290 Forwards Amend 3 to SAR, w/technical & editorial changes Requests future NRC correspondence be sent to H Lorenz, Group Vice President
LORENZ,H Gilbert Associates, Inc 79/03/14 22Bpp

DOCKET STN-50-596 New Haven, Unit 1

7903010004 Forwards Federal Register notice of hearing, notice of receipt of application & availability of environ rept Display ad placed in two local papers, Const permit & operating license applications now docketed
PARR,D D Light Water Reactors Branch 3 79/02/06 2pp

DOCKETED SERIES

235

DOCKET STN-50-596 New Haven, Unit 1

7903010005 Notice of hearing of application for const permits for two PWRs located in Oswego County, NY Hearing to be conducted by ASLB Discusses radiological & environ issues re Atomic Energy Act
CHILKIS, J Office of the Secretary of the Commission 79/02/05 11pp

7903010007 Notice of receipt of application for const permits & operating licenses & availability of environ rept Discusses related hearing & licensing procedures
DROHERICK, A W Light Water Reactors Branch 3 79/02/02 4pp

790309033B Provides info to assist in bringing maps up-to-date re plant const
PARR, D D Light Water Reactors Branch 3 79/02/06 1p

7903130263 Forwards questions re instrumentation & control
PARR, D D Light Water Reactors Branch 3 79/02/16 5pp

7903130455 Notification of 790227 meeting w/NY State Electric & Gas Corp to discuss instrumentation & control acceptance review questions
CAPRA, R Light Water Reactors Branch 3 79/02/16 2pp

7903210276 Notification of date change of meeting w/NY State Electric & Gas Corp. from 790227 to 790228 Purpose of meeting is to discuss instrumentation & control sys acceptance review questions
CAPRA, R Light Water Reactors Branch 3 79/02/16 1p

7903210279 Notification of 790306 meeting w/NY State Electric & Gas Corp in Albany, NY, to discuss administrative procedures to be followed in amending Environ Rept
SELLS, D E Environmental Project Branch 2 79/03/01 3pp

7903270620 Forwards NUREG-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903150285 Forwards data tape containing meteorological & air quality data used in impact analysis Also forwards hard copy printout of first & last 50 records to fulfill requirements of Reg Guide 1.70, Section 2.3.3
KINTIGH, A L New York State Electric & Gas Corp 79/03/09 1p

7903260288 Forwards ltrs sent to town supervisors at each alternative site per 10CFR2.101 & applicable news releases on alternate site selections Describes meetings w/local officials at each site location
RAY, M J New York State Electric & Gas Corp 79/03/21 37pp

7903300215 Forwards two oversize maps of site & vicinity showing relationship of site to nearby streams, both pre- & post-const Responds to acceptance review question
KINTIGH, A E New York State Electric & Gas Corp 79/03/28 1p

7903150252 Forwards affidavit of svc for Amend 1 to PSAR & const permit application
KINTIGH, A E New York State Electric & Gas Corp 79/03/12 4pp

7903300366 Forwards Amend 2 to PSAR
KINTIGH, A E Public Service Electric & Gas Co of New Jersey 79/03/23 2pp

7903300367 Amend 2 to PSAR W/oversize drawings
Public Service Electric & Gas Co of New Jersey 79/03/23 200pp

7903070323 Offers no objections to NY State Electric & Gas Corp environ rept re coverage of mineral resources & mining
THOMSON, R D Interior, Dept of, Bureau of Mines 79/03/02 1p

7903230173 Forwards Amend 1 to Environ Rept
KINTIGH, A E New York State Electric & Gas Corp 79/03/16 13pp

7903230177 Environ Rept Amend 1, comprised of page changes & responses to NRC 790119 request for addl info
New York State Electric & Gas Corp 79/03/16 1600pp

7903190045 Forwards agreement between NRC & State of NY for Public Svc Commission of NY to provide sections for DES & FES
ODSICK, L V Office of the Executive Director for Operations 79/02/26 13pp

7903210337 Forwards comments on const stage environ rept re archaeological resources Believes more field investigation of site area should be done, w/clarification as to exactly what type of testing was performed
DELAPORE, C T Interior, Dept of 79/03/15 2pp

7903300168 Wishes to intervene in matter of const & operation of proposed facility Concerned specifically w/impact of const on safe transportation of children & impact on change in school population
VDNINSKI, P Mexico Academy & Central School ME, NY 79/02/26 2pp

7903090087 Informs of ways to participate in NRC proceedings in response to J Bishop 790201 ltr Forwards 790209 Federal Register notice & 10CFR2 "Rules of Practice for Domestic Licensing Proceedings" W/o encls
SHAPAR, H K Office of the Executive Legal Director 79/02/28 2pp

7903260178 NY State Energy Ofc's petition to participate as interested state Certificate of Svc encl
KLIMBERG, S B New York, State of 79/03/05 4pp

7903160236 Forwards affidavit of svc & svc list, per NRC 790119 request
KINTIGH, A E New York State Electric & Gas Corp 79/03/13 3pp

DOCKET STN-50-597 New Haven, Unit 2

7903010004 Forwards Federal Register notice of hearing, notice of receipt of application & availability of environ rept Display ad placed in two local papers Const permit & operating license applications now docketed
PARR, D D Light Water Reactors Branch 3 79/02/06 2pp

7903010005 Notice of hearing of application for const permits for two PWRs located in Oswego County, NY Hearing to be conducted by ASLB Discusses radiological & environ issues re Atomic Energy Act
CHILKIS, J Office of the Secretary of the Commission 79/02/05 11pp

7903010007 Notice of receipt of application for const permits & operating licenses & availability of environ rept Discusses related hearing & licensing procedures
DROHERICK, A W Light Water Reactors Branch 3 79/02/02 4pp

790309033B Provides info to assist in bringing maps up-to-date re plant const
PARR, D D Light Water Reactors Branch 3 79/02/06 1p

7903130263 Forwards questions re instrumentation & control
PARR, D D Light Water Reactors Branch 3 79/02/16 5pp

7903130455 Notification of 790227 meeting w/NY State Electric & Gas Corp to discuss instrumentation & control acceptance review questions
CAPRA, R Light Water Reactors Branch 3 79/02/16 2pp

7903210276 Notification of date change of meeting w/NY State Electric & Gas Corp. from 790227 to 790228 Purpose of meeting is to discuss instrumentation & control sys acceptance review questions
CAPRA, R Light Water Reactors Branch 3 79/02/16 1p

7903210279 Notification of 790306 meeting w/NY State Electric & Gas Corp in Albany, NY, to discuss administrative procedures to be followed in amending Environ Rept
SELLS, D E Environmental Project Branch 2 79/03/01 3pp

7903270620 Forwards NUREG-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," problems w/degradation Believes does not constitute undue risk
EISENHUT, D G Assistant 79/03/02 3pp

7903150285 Forwards data tape containing meteorological & air quality data used in impact analysis Also forwards hard copy printout of first & last 50 records to fulfill requirements of Reg Guide 1.70, Section 2.3.3
KINTIGH, A E New York State Electric & Gas Corp 79/03/09 1p

7903150252 Forwards affidavit of svc for Amend 1 to PSAR & const permit application
KINTIGH, A E New York State Electric & Gas Corp 79/03/12 4pp

7903300366 Forwards Amend 2 to PSAR
KINTIGH, A E Public Service Electric & Gas Co of New Jersey 79/03/23 2pp

DOCKETED SERIES

DOCKET STN-50-593 Palo Verde Nuclear Station, Unit 5

7903140293 Specifies three mods that may be necessary to resolve NRC concerns re ATWS Requests commitment that plant design will not preclude these mods
PARR, O D Light Water Reactors Branch 3 79/02/14 3pp

7903200459 Forwards info re alternative transmission line routes, as requested in NRC 790220 ltr
VAN BRUNT, E E Arizona Public Service Co 79/02/20 22pp

7903210154 Forwards "Biological Assessment of Proposed Transmission Line Corridors Linking Valley & Mira Loma Substations" & map Map not encl
VAN BRUNT, E E Arizona Public Service Co 79/02/20 2pp

7903210162 "Biological Assessment of Proposed Transmission Line Corridors Linking Valley & Mira Loma Substations"
* Arizona Public Service Co 78/12/31 40pp

79032020316 Objects to 790102 conclusions & recommendations of Regulatory Requirements Review Committee Meeting 81 re application of Alternate A as contrary to NRC standardization policy
VANBRUNT, E E Arizona Public Service Co 79/02/28 2pp

7903270573 Forwards NUREG-0523, "Summary of Operating Experience w/Recirculating Steam Generators," which focuses on recent problem w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903120255 Opposes suggested changes in stations' design to implement NUREG-0460, Vol 3 Requests reconsideration in light of standardization program & industry support
VANBRUNT, E E Arizona Public Service Co 79/03/07 3pp

7903200389 Notification of 790321 meeting w/AZ Public Svc to discuss seepage analysis & proposed design basis groundwater level
STRIGHT, R L Light Water Reactors Branch 3 79/03/07 2pp

7903210187 Requests NRC comments on Const of 500 kV transmission line interconnection between facilities of AZ Public Svc Co & San Diego Gas & Electric Co
VANBRUNT, E E Arizona Public Service Co 79/03/12 5pp

7903280067 Requests addl info re capability of nuclear steam supply sys to respond to postulated ATWS transients w/ltr to major vendors requesting info & forwarding NUREG-0460, Vol 3 w/o encl
VASSALLO, D B Assistant Director for Light Water Reactors 79/03/15 3pp

7903270295 Notification of 790329 meeting w/ACRS subcommittee in Phoenix, Arizona to discuss review of const permit application by Arizona Public Svc Co
STRIGHT, R L Light Water Reactors Branch 3 79/03/16 2pp

7903070222 Forwards proof of svc for Amend 3 to PSAR, served upon listed officials on 790302, per 10CFR2 101(a)(3)
VANBRUNT, E E Arizona Public Service Co 79/03/02 4pp

7903130029 Forwards SER in connection w/application for const permit & Federal Register notice.
PARR, O D Light Water Reactors Branch 3 79/03/01 2pp

7903130038 Notice of availability of SER re proposed plant
PARR, O D Light Water Reactors Branch 3 79/03/01 2pp

7903060261 Responds to 790110 ltr urging Commission to fund intervention proceedings Concludes such action is inappropriate
HENDRIE, J M Commission 79/02/26 1p

7903210402 Forwards written statement of M Reader as limited appearance Statement concerns moral obligation programs versus technology needs
SCHINK, S M Branch 3 79/02/26 33pp

7903220139 Notice of appearance of CA Bischoff on behalf of Joint Applicants Certificate of Svc encl
BISCHOFF, C A Snell & Wilmer 79/02/26 3pp

7903260152 Discusses stipulation of applicant, NRC & L Bard re contentions to be admitted Parties have agreed that certain stipulations in intervention petition are to be withdrawn & replaced w/other stipulations w/Certificate of Svc
SCHINK, S M Branch 3 79/02/26 4pp

7903210450 Forwards 10CFR2.20 50, 51, 71, 73 & 100, per 790221 prehearing conference discussion
SCHINK, S M Branch 3 79/02/27 1p

7903230136 Amend 3 to intervention petition Contains three contentions re transportation of hazardous materials
BARD, L Affiliation Unknown 79/03/02 1p

7903210398 Responds to Palo Verde Nuclear Intervenor's 790214 petition for co-intervention ASLR should grant petitioner reasonable time to amend defects identified in pleading Certificate of Svc encl
SCHINK, S M Branch 3 79/03/06 8pp

7903280153 Grant L Bard's intervention petition & four petitions to participate Sets schedule for completion of public hearing & filing date for limited appearance requests
LAZD, R M Atomic Safety and Licensing Board Panel 79/03/06 7pp

7903300392 "Annual Rept 1978"
* Arizona Public Service Co 79/02/22 36pp

7903050117 Confirms 790223 meeting in Bethesda, MD
GOLDBERG, J R Anti-Trust Division 79/02/09 1p

7903020351 In response to NRC request for advice, advises that no antitrust hearing on applications is necessary
SHENEFIELD, J H Justice, Dept of 79/02/22 4pp

7903190067 Forwards addl antitrust info re section 103c of Atomic Energy Act of 1954, as amended, re expanded ownership of facility
SALZMAN, J Antitrust & Indemnity Group 79/02/28 1p

7903120565 Forwards IE Insp Repts 50-592/78-02 & 50-593/78-02 on 781104-08 No noncompliance noted
SPENCER, O B Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/31 2pp

7903120571 IE Insp Repts 50-592/78-02 & 50-593/78-02 on 781104-08 No noncompliance noted Major areas inspected QA program re design & procurement activities, audits & site investigations
VORDERBRUEGGEN, HUTSON, T W, HAYNES, R C Region 5, San Francisco, Reactor Construction & Engineering Support Branch 79/01/30 7pp

7903080519 Transcript of special prehearing conference in Phoenix, Ar Pp 1-106
LAZD, R M, GELINSKY, V, STUBER, Q J Atomic Safety and Licensing Board Panel 79/02/21 106pp

DOCKET STN-50-595 GAISSAR, Gilbert Associates

7903150290 Forwards Amend 3 to SAR, w/technical & editorial changes Requests future NRC correspondence be sent to H Lorenz, Group Vice President
LORENZ, H Gilbert Associates, Inc 79/03/14 228pp

DOCKET STN-50-596 New Haven, Unit 1

7903010004 Forwards Federal Register notice of hearing, notice of receipt of application & availability of environ rept Display ad placed in two local papers Const permit & operating license applications now docketed
PARR, O D Light Water Reactors Branch 3 79/02/06 2pp

DOCKET STN-50-596 New Haven, Unit 1

7903010005 Notice of hearing of application for const permits for two PWRs located in Oswego County, NY Hearing to be conducted by ASLB Discusses radiological & environ issues re Atomic Energy Act
CHILK, S J Office of the Secretary of the Commission 79/02/05 11pp

7903010007 Notice of receipt of application for const permits & operating licenses & availability of environ rept Discusses related hearing & licensing procedures
DROMERICK, A W Light Water Reactors Branch 3 79/02/02 4pp

7903090338 Provides info to assist in bringing maps up-to-date re plant const
PARR, O D Light Water Reactors Branch 3 79/02/06 1p

7903130263 Forwards questions re instrumentation & control
PARR, O D Light Water Reactors Branch 3 79/02/16 5pp

7903130455 Notification of 790227 meeting w/NY State Electric & Gas Corp to discuss instrumentation & control acceptance review questions
CAPRA, R Light Water Reactors Branch 3 79/02/16 2pp

7903210276 Notification of date change of meeting w/NY State Electric & Gas Corp, from 790227 to 790228 Purpose of meeting is to discuss instrumentation & control sys acceptance review questions
CAPRA, R Light Water Reactors Branch 3 79/02/16 1p

7903210279 Notification of 790306 meeting w/NY State Electric & Gas Corp in Albany, NY, to discuss administrative procedures to be followed in amending Environ Rept
SELLS, D E Environmental Project Branch 2 79/03/01 3pp

7903270620 Forwards NUREG-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903150285 Forwards data tape containing meteorological & air quality data used in impact analysis Also forwards hard copy printout of first & last 90 records to fulfill requirements of Reg Guide 1.70, Section 2.3.3
KINTIGH, A E New York State Electric & Gas Corp 79/03/09 1p

7903260288 Forwards ltrs sent to town supervisors at each alternative site per 10CFR 101 & applicable news releases on alternate site selections Describes meetings w/local officials at each site location
RAY, M J New York State Electric & Gas Corp 79/03/21 37pp

7903300215 Forwards two oversize maps of site & vicinity showing relationship of site to nearby streams, both pre- & post-const Responds to acceptance review question
KINTIGH, A E New York State Electric & Gas Corp 79/03/28 1p

7903150252 Forwards affidavit of svc for Amend 1 to PSAR & const permit application
KINTIGH, A E New York State Electric & Gas Corp 79/03/12 4pp

7903300366 Forwards Amend 2 to PSAR
KINTIGH, A E Public Service Electric & Gas Co of New Jersey 79/03/23 2pp

7903300367 Amend 2 to PSAR W/oversize drawings
* Public Service Electric & Gas Co of New Jersey 79/03/23 200pp

7903070323 Offers no objections to NY State Electric & Gas Corp environ rept re coverage of mineral resources & mining
THOMSON, R D Interior, Dept of, Bureau of Mines 79/03/02 1p

7903230173 Forwards Amend 1 to Environ Rept
KINTIGH, A E New York State Electric & Gas Corp 79/03/16 13pp

7903230177 Environ Rept Amend 1, comprised of page changes & responses to NRC 790119 request for addl info
* New York State Electric & Gas Corp 79/03/16 1600pp

7903190045 Forwards agreement between NRC & State of NY for Public Svc Commission of NY to provide sections for DEB & FEB
GOSSICK, L V Office of the Executive Director for Operations 79/02/26 13pp

7903210337 Forwards comments on const stage environ rept re archaeological resources Believes more field investigation of site area should be done, w/clarification as to exactly what type of testing was performed
DELAPORE, C T Interior, Dept of 79/03/15 2pp

7903300168 Wishes to intervene in matter of const & operation of proposed facility Concerned specifically w/impact of const on safe transportation of children & impact on change in school population
VONINSKI, P Mexico Academy & Central School ME, NY 79/02/26 2pp

7903090087 Informs of ways to participate in NRC proceedings in response to J Bishop 790201 ltr Forwards 790209 Federal Register notice & 10CFR2 "Rules of Practice for Domestic Licensing Proceedings" W/o encls
SHAPAR, H K Office of the Executive Legal Director 79/02/28 2pp

7903260178 NY State Energy Ofc's petition to participate as interested state Certificate of Svc encl
KLIMBERG, S B New York, State of 79/03/05 4pp

7903160236 Forwards affidavit of svc & svc list, per NRC 790119 request
KINTIGH, A F New York State Electric & Gas Corp 79/03/13 3pp

DOCKET STN-50-597 New Haven, Unit 2

7903010004 Forwards Federal Register notice of hearing, notice of receipt of application & availability of environ rept Display ad placed in two local papers Const permit & operating license applications now docketed
PARR, O D Light Water Reactors Branch 3 79/02/06 2pp

7903010005 Notice of hearing of application for const permits for two PWRs located in Oswego County, NY Hearing to be conducted by ASLB Discusses radiological & environ issues re Atomic Energy Act
CHILK, S J Office of the Secretary of the Commission 79/02/05 11pp

7903010007 Notice of receipt of application for const permits & operating licenses & availability of environ rept Discusses related hearing & licensing procedures
DROMERICK, A W Light Water Reactors Branch 3 79/02/02 4pp

7903090338 Provides info to assist in bringing maps up-to-date re plant const
PARR, O D Light Water Reactors Branch 3 79/02/06 1p

7903130263 Forwards questions re instrumentation & control
PARR, O D Light Water Reactors Branch 3 79/02/16 5pp

7903130455 Notification of 790227 meeting w/NY State Electric & Gas Corp to discuss instrumentation & control acceptance review questions
CAPRA, R Light Water Reactors Branch 3 79/02/16 2pp.

7903210276 Notification of date change of meeting w/NY State Electric & Gas Corp, from 790227 to 790228 Purpose of meeting is to discuss instrumentation & control sys acceptance review questions
CAPRA, R Light Water Reactors Branch 3 79/02/16 1p

7903210279 Notification of 790306 meeting w/NY State Electric & Gas Corp in Albany, NY, to discuss administrative procedures to be followed in amending Environ Rept
SELLS, D E Environmental Project Branch 2 79/03/01 3pp

7903270620 Forwards NUREG-0523, "Summary of Operating Experience W/ Recirculating Steam Generators," which focuses on recent problems w/degradation Believes continued plant operation does not constitute undue risk
EISENHUT, D G Assistant Director for Systems & Projects 79/03/02 3pp

7903150285 Forwards data tape containing meteorological & air quality data used in impact analysis Also forwards hard copy printout of first & last 90 records to fulfill requirements of Reg Guide 1.70, Section 2.3.3
KINTIGH, A E New York State Electric & Gas Corp. 79/03/09 1p

7903150252 Forwards affidavit of svc for Amend 1 to PSAR & const permit application
KINTIGH, A F New York State Electric & Gas Corp 79/03/12 4pp

7903300366 Forwards Amend 2 to PSAR
KINTIGH, A E Public Service Electric & Gas Co of New Jersey. 79/03/23 2pp

DOCKETED SERIES

DOCKET STN-50-597 New Haven, Unit 2

7903300357 Amend 2 to PSAR w/oversize drawings
* Public Service Electric & Gas Co of New Jersey 79/03/23
200pp

7903070323 Offers no objections to NY State Electric & Gas Corp
environ rept re coverage of mineral resources & mining
THOMSON, R D Interior, Dept of, Bureau of Mines 79/03/02 1p

7903230173 Forwards Amend 1 to Environ Rept
KINTIGH, A E New York State Electric & Gas Corp 79/03/16 13pp

7903230177 Environ Rept Amend 1, comprised of page changes & responses
to NRC 790119 request for addl info
* New York State Electric & Gas Corp 79/03/16 1600pp

7903190045 Forwards agreement between NRC & State of NY for Public Svc
Commission of NY to provide sections for DES & FES
GOSBICK, L V Office of the Executive Director for Operations
79/02/26, 13pp

7903210337 Forwards comments on const stage environ rept re
archaeological resources. Believes more field investigation
of site area should be done, w/clarification as to exactly
what type of testing was performed
DELAPORE, C T Interior, Dept of 79/03/15 2pp

7903300168 Wishes to intervene in matter of const & operation of
proposed facility. Concerned specifically w/impact of const
on safe transportation of children & impact on change in
school population
VONINSKI, P Mexico Academy & Central School ME, NY 79/02/26 2pp

7903090087 Informs of ways to participate in NRC proceedings in
response to J Bishop 790201 ltr Forwards 790209 Federal
Register notice & 10CFR2 "Rules of Practice for Domestic
Licensing Proceedings " W/o encls
SHAPAR, H K Office of the Executive Legal Director 79/02/28 2pp

7903240178 NY State Energy Ofc's petition to participate as interested
state. Certificate of Svc encl
KLIMBERG, S B New York, State of 79/03/03 4pp

7903140236 Forwards affidavit of svc & svc list, per NRC 790119 request
KINTIGH, A E New York State Electric & Gas Corp 79/03/13 3pp

7903300215 Forwards two oversize maps of site & vicinity showing
relationship of site to nearby streams, both pre- & post-
const. Responds to acceptance review question
KINTIGH, A E New York State Electric & Gas Corp 79/03/28 1p

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0008 Battelle Columbus Labs.

7903200219 Forwards revised & updated pages to physical protection plan
dtd 770610 reflecting revised operational procedures & new
closed circuit TV mon Encl being withheld (ref 10CFR2 790)
TOY, H L Battelle Memorial Institute, Columbus Laboratories
79/01/23 3pp

7903140036 Forwards IE Insp Rept 70-008/79-01 & 30-5728/79-01 on
790109-12 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety
Branch 79/02/01 2pp

7903140040 IE Insp Rept 70-008/79-01 & 30-5728/79-01 on 790109-12 No
noncompliance noted. Major areas inspected: organization,
criticality safety, facility changes, safety committees,
operations review, training, & exposure control
Region 3, Chicago, Office of the Director 79/01/29

-008/79-02 on 790117-19 & notice of
forwards Branch 79/02/08 2pp

/02/08 1p

noted

7903140348 Forwards annual measurement review audit of License SNM-7,
conducted in May 1978
TOY, H L Battelle Memorial Institute, Columbus Laboratories
79/02/13 4pp

7903230235 Responds to 781121 ltr Comments on safeguards contingency
plan acceptable if corrections are made Info subj to
disclosure per 10CFR2 12
MCCORKLE, G W Physical Security Licensing Branch 79/03/06
4pp

7903220170 Ack receipt of 790220 ltr transmitting security training &
qualification plan Will process plan as amend to License
SNM-7 Requests payment of major safeguards amend fee
WIESS, D License Fee Management Branch 79/03/08 1p

7903220183 Ack receipt of 790301 ltr informing NRC of steps taken to
correct violation noted in IE Insp Rept 70-008/79-02
HINDS, J A Region 3, Chicago, Safeguards Branch 79/03/09 1p

7903220187 Responds to NRC 790218 ltr re violation noted in IE Insp
Rept 70-008/79-02 Corrective actions accounting & shipping
procedures revised & responsibilities reassigned
TOY, H L Battelle Memorial Institute, Columbus Laboratories
79/03/01 2pp

7903280069 Clarifies position re implementation & reporting changes to
approved fundamental nuclear matl control plans Provides
guidance for determining if change would decrease program
effectiveness Describes applicable fees
PARTLOW, J O Material Control Licensing Branch 79/03/21 2pp

DOCKET 70-0025 Rockwell International Corp

7903140451 Forwards IE Insp Rept 70-025/78-08 on 781121 & 1128-1201
No noncompliance noted
BOOK, H E Region 5, San Francisco, Fuel Facility & Materials
Safety Branch 79/01/26 2pp

7903140475 IE Insp Rept 70-025/78-08 on 791121 & 1128-1201 No
noncompliance noted Major areas inspected radiation safety
plans, work procedures, commitments & restricted area access
entry permits
CODLEY, W J, FISH, R F, BOOK, H E Region 5, San Francisco, Fuel
Facility & Materials Safety Branch 79/01/26 8pp

7903040180 Approves request for temporary exception to certain
requirements of 10CFR73 60(a)(1) Amends Section 9 O of Amend
MPP-1 to License SNM-21
MCCORKLE, G W Physical Security Licensing Branch 79/02/08
2pp

7903140512 Informs that ME Remley & RD Barto plan to attend NRC 790327-
28 meeting
REMLEY, M E Rockwell International Corp 79/02/09 1p

7903120019 Forwards IE Insp Rept 70-025/79-01 on 790122-24 & notice of
violation Insp rept & notice of violation withheld (ref
10CFR2 790)
MORDEHAUS, L R Region 5, San Francisco, Office of the Director,
79/02/14 2pp

7903260029 Requests mod of "Safeguards Contingency Plan for Rockwell
International Energy Sys Group, Headquarters Facility" before
submital can be approved
MCCORKLE, G W Physical Security Licensing Branch 79/02/14 1p

7903230068 Forwards ESO-79-4, "Security Personnel Training &
Qualification Plan for Rockwell Intl Energy Sys Group
Headquarters Facility " Encl withheld (ref 10CFR2 790)
REMLEY, M E Rockwell International Corp 79/02/19 2pp

DOCKET 70-0027 Babcock & Wilcox Co

7903200325 Statistical model for propagation of measurement uncertainty
around MUF will be submitted later than originally
announced. Representative model will be submitted as soon as
possible.
MCCLANAHAN, H H Babcock & Wilcox Co 79/01/22 1p

7902280075 Ack receipt of 790105 ltr informing NRC of steps taken to
correct violation re License SNM-42 noted in IE Insp Rept
70-27/78-22
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/01/23 1p

DOCKETED SERIES

237

DOCKET 70-0025 Rockwell International Corp

7903050020 Discusses 790123 meeting w/B&W in Bethesda, MD re proposed
mods to License SNM-42 authorizing changes to emergency
evacuation plans & radiation safety control program
KETTLACH, N Fuel Process & Fab Branch MCCLANAHAN, H H
Babcock & Wilcox Co 79/01/24 2pp

7903130619 Forwards IE Insp Rept 70-027/79-01 on 790208-12 No
noncompliance noted
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials
Safety Branch 79/02/01 2pp

7903130625 IE Insp Rept 70-027/79-01 on 790208-12 No noncompliance
noted Major areas inspected safety committees, training,
operations review, nuclear critical safety, nonroutine
events & unresolved items
KAHLE, J B, POTTER, J P Region 2, Atlanta, Fuel Facility &
Materials Safety Branch 79/02/02 5pp

DOCKET 70-0027 Babcock & Wilcox Co

7902270101 Confirms results of 790123 meeting Advises LEMUF model
should be near completion in early March Although method
used to calculate item uncertainty to meet intent of
10CFR70.58(i) was approved, addl info is requested
PARTLICH, J G Material Control Licensing Branch 79/02/05 1p

7903270279 Forwards responses to questions & commitments made during
790201-08 telcons re submittals dtd 780715 & 790126 W/page
changes to current license to incorporate responses
DAHERON, M G Babcock & Wilcox Co 79/02/07 16pp

7903130105 Ack receipt of 790207 ltr informing NRC of steps taken to
correct noncompliance noted in IE Insp Rept 70-27/78-23
MENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/15 1p

7903130111 Responds to NRC 790103 ltr re violations noted in IE Insp
Rept 70-27/78-23 Corrective actions withheld
(ref 10CFR2 790)
EWING, J F Babcock & Wilcox Co 79/01/10 1p

7903130117 Forwards IE Insp Rept 70-27/78-23 on 781219-20 & notice of
violation Notice of violation withheld (ref 10CFR2 790)
MENNA, W B Region 2, Atlanta, Safeguards Branch 79/01/03
2pp

7903130121 IE Insp Rept 70-27/78-23 on 781219-20 Noncompliance noted
Failure to regularly process & recover items of scrap w/
measurement uncertainty of over 10% Details withheld
(ref 10CFR2 790)
TODD, G A, WILLIAMS, G H Region 2, Atlanta, Safeguards Branch
79/01/03 1p

7903260167 Forwards revised plan for security personnel training &
equipment requirements Enclosure withheld (ref 10CFR2 790)
DAHERON, M G Babcock & Wilcox Co 79/02/19 2pp

7903130340 Forwards IE Circular 79-03, "Inadequate Guard Training/
Qualification & Falsified Training Records"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/23 1p

7903290269 Ack receipt of 790131 ltr informing NRC of corrective
actions taken in response to Internal Diversion Path
Assessment on 781128-30 Finds measures acceptable Encl
contains proprietary info (ref 10CFR2 790)
MCCORMALE, G W Physical Security Licensing Branch 79/02/27 1p

7903160021 Requests refund of amend fee to B&W since licensing review
has been completed
MILLER, W D License Fee Management Branch 79/03/05 1p

7903200222 Manpower expenditures required for review of Amend MPP-1 to
License SNM-42 were only \$302 NRC will refund \$6,698
MILLER, W D License Fee Management Branch 79/03/05 1p

7903220176 Ack receipt of 790219 ltr transmitting security training &
qualification plan Will process plan as amend to License
SNM-42 Requests payment of major safeguards amend fee
WEISS, D License Fee Management Branch 79/03/08 1p

7903280035 Clarifies position re implementation & reporting changes to
approved fundamental nuclear matl control plans Provides
guidance for determining if change would decrease program
effectiveness Describes applicable fees
PARLOW, J G Material Control Licensing Branch 79/03/20 2pp

DOCKET 70-0033 Texas Instruments

7903130081 Forwards application for renewal of License SNM-23 & check
for \$76,800 Fee Requests withholding of HFIR Floor Plan
Drawing 9T-15599 (ref 10CFR 2 790)
SHERMAN, F L Texas Instruments, Inc 79/02/15 2pp

7903130084 HFIR project renewal application for License SNM-23 W/24
oversize drawings
HOPPER, C M, SHERMAN, F L Texas Instruments, Inc. 79/02/15
194pp

7903130094 "Environ Info Rept for 1979 HFIR Facility License Renewal by
NRC " W/2 oversize drawings
* Texas Instruments, Inc 79/02/19 98pp.

7903210281 Forwards responses to comments re clarification &
alterations to emergency plan submitted 781025
HOPPER, C M Texas Instruments, Inc 79/02/02 50pp

7903202098 Forwards suppl info to semiannual effluent & waste disposal
rept for Jul-Dec 1978 Covers all gaseous releases, solid
waste & irradiated fuel shipments
TALAN, D B Texas Instruments, Inc 79/02/05 4pp

7903260186 Summary of meeting w/TX Instruments re proposed responses to
NRC comments on emergency plan, dtd 781025, renewal
application scheduled for submittal by 790301 & associated
ER
KETTLACH, N Fuel Process & Fab Branch 79/02/05 1p

7903220471 Forwards IE Insp Rept 70-033/79-01 on 790116-19 No
noncompliance noted
HARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/07
2pp

7903220478 IE Insp Rept 70-033/79-01 on 790116-19 No noncompliance
noted Major areas inspected nuclear matl control &
accounting re measurement & statistical control
BISSETT, P H, SHAUB, E T Region 1, Philadelphia, Office of the
Director JOYNER, J H Region 1, Philadelphia, Safeguards
Branch 79/02/05 4pp

7903230247 Forwards copies of General Criteria for Security Personnel
to replace Chapter 5 in "Plan for the Protection of Nuclear
Facilities & Nuclear Matl " Attachments withheld
(ref 10CFR2 790)
GONZALES, B, SHERMAN, F L Texas Instruments, Inc 79/02/15. 1p.

7903090069 Forwards IE Circular 79-03, "Inadequate Guard Training/
Qualification & Falsified Training Records"
GRIER, B H, Region 1, Philadelphia, Office of the Director.
79/02/23 1p

7903300025 Forwards license conditions being added to Amend MPP-1 to
License SNM-23 for addl physical protection measures
Conditions withheld (ref 10CFR2 790)
BURNETT, R F Division of Safeguards 79/03/07 1p

DOCKET 70-0036 Combustion Engineering

7903260193 Forwards Revision 1 to Hematite Emergency Plan as result of
comments discussed at 781117 meeting Encl discusses plan for
low enriched oxide conversion plant
ESKRIDGE, H E Combustion Engineering, Inc 79/02/13 1p

7903260196 Discusses plant, site & general emergencies, organizational
control, emergency alerts, facilities, equipment, review &
updating of plans & procedures
* Combustion Engineering, Inc 79/02/13 42pp.

7903270648 Forwards more detailed measurement control program
description & revised process flow diagrams Advises that
investigation of "traceability" of U assay stds is not
complete Encls withheld (ref 10CFR2 790).
ESKRIDGE, H E Combustion Engineering, Inc 79/02/16. 3pp.

7903300467 Forwards IE Insp Rept 70-036/79-03 on 790212 No
noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety
Branch. 79/02/27 2pp

7903300471 IE Insp Rept 70-036/79-03 on 790212 No noncompliance noted.
Major areas inspected: plant radiological effluent samples &
comparative check of plant environ samples
AKELSON, W L, ESSIG, T H, Region 3, Chicago, Fuel Facility &
Materials Safety Branch 79/02/22 8pp

DOCKET 70-0036 Combustion Engineering

7903130063 Forwards IE Insp Rept 70-036/78-05 on 780619-23
No noncompliance noted
HIND, J A Region 3, Chicago, Safeguards Branch 79/03/01 2pp

7903130067 IE Insp Rept 70-036/78-05 on 780619-23 & 0705-07 No noncompliance noted Major areas inspected statistical evaluation, sampling & inventory verification of physical inventory Details withheld (ref 10CFR2 790)
PATTERSON, J P, FINLEY, A G, HIND, J A Region 3, Chicago, Safeguards Branch 79/02/23 1p

7903270489 Forwards IE Insp Rept 70-036/79-01 on 790129-0202 No noncompliance noted
HIND, J A Region 3, Chicago, Safeguards Branch 79/03/02 2pp

7903270496 IE Insp Rept 70-036/79-01 on 790129-0202 No noncompliance noted Major areas inspected organization & operation, measurement & statistical control, shipping & receiving storage & internal control Details withheld (ref 10CFR2 790)
FINLEY, A G, PATTERSON, J P, HIND, J A Region 3, Chicago, Reactor Construction & Engineering Support Branch 79/02/28 1p

7903300518 In response to request from H Eskridge re info provided L Drey, forwards NRC 790301 response to L Drey's questions re Facility W/P encl
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/03/15 1p

7903280023 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J G Material Control Licensing Branch 79/03/20 2pp

DOCKET 70-0102 Amherst College

7903050519 Act receipt of 781221 ltr informing NRC of steps taken to correct violations noted in insp on 781107 Awaits notification of completion of negotiations per 790104 telcon
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director 79/01/15 1p

7903050525 Responds to NRC 781120 ltr re violations noted in insp on 781107 Corrective actions user not named in current license is included in reapplication, Form NRC3 posted & radiation safety activities being reorganized
HOHLAND, D P Amherst College 78/12/21 1p

7903050531 Forwards notice of violation from insp on 781107
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director 78/11/20 2pp.

7903050537 Notice of violation from insp on 781107 Noncompliance noted person not named in license used & supervised use of licensed matl, records not properly maintained, tests not conducted & notices not adequately posted
* Region 2, Atlanta, Office of the Director 78/11/20 2pp

DOCKET 70-0124 Teledyne Isotopes

7903060322 Informs vendor that license SNM-107 is in effect until application for renewal has been finally determined
CROW, W T Fuel Process & Fab Branch 79/01/26 1p

7903130053 Forwards IE Insp Rept 70-124/79-01 on 790110.
No noncompliance noted.
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/26 2pp

7903130058 IE Insp Rept 70-124/79-01 on 790110 No noncompliance noted Major areas inspected nuclear matl control & accounting including action on old items & audit of matl status rept
COHEN, I, JOYNER, J Region 1, Philadelphia, Safeguards Branch. 79/01/23 2pp.

DOCKET 70-0135 Babcock & Wilcox Co

7903060681 Forwards IE Insp Rept 70-135/78-24 & 70-364/78-29 on 781204-08 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/04 2pp.

DOCKET 70-0135 Babcock & Wilcox Co

7903060686 IE Insp Rept 70-135/78-24 & 70-364/78-29 on 781204-08 No noncompliance noted Major areas inspected matl control & accounting re Type II ponds burials, physical inventory & measurements & statistical controls
GOBY, A, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/03 3pp

7903090426 Forwards IE Insp Rept 70-135/78-26 on 781211-15 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/17 2pp

7903090428 IE Insp Rept 70-135/78-26 on 781211-15 No noncompliance noted Major areas inspected nuclear matl control & accounting of U (measurement of U in UF6 & shipper/receiver difference receipts of UF6)
ZIBULSKY, H, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/17 1p

7903010015 Refers to 790124 phone conversation re U-bearing sludge in hold tank Beta tank & associated waste sys will not resume operation until source of sludge has been determined & corrective action completed
GRIER, B H Region 1, Philadelphia, Office of the Director 79/01/24 1p

7903060640 Comments on safeguards contingency plans Finds it acceptable if certain specified additions are made Requests submittal of appropriate revisions for prompt plan approval Encl to 780915 ltr being withheld (ref 10CFR2 790)
MCCORKLE, G W Physical Security Licensing Branch 79/01/29 3pp

7903280277 Forwards LIA supporting license renewals for B&W
ROUSE, L C Fuel Reprocess & Recycle Branch 79/02/09 1p

7903300011 Forwards IE Insp Repts 70-135/78-31 & 70-364/78-33 on 781205-31 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/12 2pp

7903300021 IE Insp Rept 70-135/78-31 & 70-364/78-33 on 781205-31 No noncompliance noted Major areas inspected nuclear matl control & accounting, physical security, nuclear/industrial safety & radiation protection
KUSHNER, W L Region 1, Philadelphia, Office of the Director
JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/02/09 3pp

7903190154 Requests all documents re losses, HUF & inventory differences of source & SNM at H&W facility at Apollo, PA
RIVERS, B J Affiliation Unknown 79/02/16 2pp

7903190158 In response to 790216 ltr requesting info re nuclear matl at Apollo, PA facility, advises that NUREG-0350 & NUREG-0430, Vol 1, Number 1 are available in PDR for info
FELTON, J H Division of Rules and Records 79/03/23 1p

7903140483 Accepts revised measurement control plan did 780918, which has been incorporated into fundamental nuclear matl control plan Forwards new matl control & accounting requirements for license Requests assessment of unaccounted matl
PARTLOW, J G Material Control Licensing Branch 79/02/21 6pp

7903090067 Forwards IE Circular 79-03, "Inadequate Guard Training/Qualification & Falsified Training Records"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/23 1p

7903210888 Responds to 780915 ltr re site safeguards contingency plan Forwards corrections to be made for NRC acceptance NRC will withhold encl to 780915 ltr (ref 10CFR2 790)
MCCORKLE, G W Physical Security Licensing Branch 79/02/28 7pp

7903260046 Responds to NRC 790131 ltr re violations noted in IE Insp Repts 70-135/78-27, 70-135/78-28, 70-364/78-30 & 70-364/78-31 Corrective actions installation of monitoring meter & roll paper placed across contaminated change line area
AUSTIN, M A Babcock & Wilcox Co 79/02/23 3pp

DOCKETED SERIES

239

DOCKET 70-0135 Babcock & Wilcox Co

7903260054 Forwards combined IE Insp Repts 70-135/78-27 & 70-135/78-28, 70-364/78-30 & 70-364/78-31 on 781218-29 & notice of violation
MARTIN, W C Region 1, Philadelphia, Safeguards Branch
79/01/31 2pp

7903260060 Notice of violation from insp on 781218-29
* Region 1, Philadelphia, Office of the Director 79/01/29
1p

7903260068 IE Insp Repts 70-135/78-27 & 70-135/78-28, 70-364/78-30 & 70-364/78-31 on 781218-29 Noncompliance noted personnel smoking on surface controlled contamination break area w/o washing
SMITH, Q C , JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/29 1p

7903220165 Ack receipt of 790214 ltr transmitting security training & qualification plan Will process plan as amend to Licenses SNM-145 & SNM-414 Requests payment of major safeguards amend fee
HEISS, D License Fee Management Branch 79/03/08 1p

7903280030 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J G Material Control Licensing Branch 79/03/20 2pp

7903260146 In response to 790216 request forwards NUREG-0430, Vol 1, No 2 Rept is forwarded simultaneously w/public release of info w/o encl
FELTON, J H Division of Rules and Records 79/03/23 1p

DOCKET 70-0143 Nuclear Fuel Services

7903010471 Updates status on stack fluoride monitoring program Estimated operational date of 790131 delayed to 790315
MANSER, W C Nuclear Fuel Services, Inc (subs of Getty Oil Co)
79/01/31 1p

7903130097 Forwards IE Insp Rept 70-143/79-01 on 790108-12 No noncompliance noted
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/01 2pp

7903130101 IE Insp Rept 70-143/79-01 on 790108-12 No noncompliance noted Major areas inspected licensee coordination w/offsite support groups, emergency facilities, equipment & procedures, determination of radioactive release
PERROTTI, D J , TROJANDSKI, R , HUFHAM, J W Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/01 14pp

7903000119 Date for submittal of safeguards contingency plan has been changed from 790205 to 790219 to permit public comment
MICHEL, C J Nuclear Fuel Services, Inc (subs of Getty Oil Co)
79/02/02 1p

7903080144 Informs of possible attendance of three nuclear fuel employees at NRC 790327-28 Unclassified Industry Guidance Seminar
MICHEL, C J Nuclear Fuel Services, Inc (subs of Getty Oil Co)
79/02/12 1p

7903080586 Informs that Clark, Kitchen & Newman will attend NRC 790327-28 meeting
CLARK, J R Nuclear Fuel Services, Inc (subs of Getty Oil Co)
79/02/12 1p

7903230365 Forwards site security training plan upgrading security personnel selection, training & qualification Plan withheld (ref 10CFR2 790)
MICHEL, C J Nuclear Fuel Services, Inc (subs of Getty Oil Co)
79/02/16 2pp

7903260007 Forwards safeguards contingency plan, Rev 1, withheld (ref 10CFR2 790)
CLARK, J R Nuclear Fuel Services, Inc (subs of Getty Oil Co)
79/02/16 2pp

7903000474 Forwards IF Insp Rept 70-143/79-05 on 790123-25 & notice of violation Notice & insp rept withheld (ref 10CFR2 790)
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/16 2pp

7903000480 IE Insp Rept summary 70-143/79-05 on 790123-25 Noncompliance noted failure to make initial calibr for three nondestructive assay eqs using four stds
BATES, J W , ROBERTSON, J S , WILLIAMS, Q W Region 2, Atlanta, Safeguards Branch 79/02/16 1p

7903120429 Ack receipt of 790213 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-143/78-34
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/21 1p

7903120435 Responds to NRC 790119 ltr re violations noted in IE Insp Rept 70-143/78-34 Corrective actions withheld (ref 10CFR2 790)
MANSER, W C Nuclear Fuel Services, Inc (subs of Getty Oil Co)
79/02/13 1p

7903120439 Forwards IE Insp Rept 70-143/78-34 on 781211-790105 & notice of violation Withheld (ref 10CFR2 790)
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/01/19 2pp

7903120444 IE Insp Rept 70-143/78-34 Noncompliance noted failure to enter shipments & receipts on NRC-741 matl transaction rept
LEE, T D , WILLIAMS, Q H Region 2, Atlanta, Safeguards Branch 79/01/19 1p

7903120453 Forwards IE Insp Rept 79-143/79-06 on 790208-09 No noncompliance noted
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/21 2pp

7903120458 IE Insp Rept 70-143/79-06 on 790208-09 No noncompliance noted Major areas inspected testing/maint, I&E Circular 78-17 & corrective actions to prior items of noncompliance
TOBIN, W J Region 2, Atlanta, Safeguards Branch 79/02/21 1p

7903120139 Forwards IE Circular 79-03, "Inadequate Guard Training/Qualification & Falsified Training Records"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/23 1p

7903150274 Confirms & defines requirements re necessary revisions to Section 3.5.3 of physical security plan
PARTLOW, J G Material Control Licensing Branch 79/02/27 2pp

7903260325 Responds to 781229 ltr Joint response to Condition 2.13 forthcoming Mod acceptable in Condition 9.3.36 Determines attachments of 781229 ltr to be proprietary (ref 10CFR2 790) Financial info disclosed under 10CFR9.12
HCCORKLE, G W Physical Security Licensing Branch 79/03/05 1p

7903160263 Ack receipt of 790216 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-143/79-02
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/03/08 1p

7903160265 Responds to NRC 790125 ltr re violations noted in IE Insp Rept 70-143/79-02 Corrective actions withheld from disclosure (ref 10CFR2 790)
MANSER, W C Nuclear Fuel Services, Inc (subs of Getty Oil Co)
79/02/16 1p

7903160266 Forwards IE Insp Rept 70-143/79-02 on 790109-11 Notice of violation withheld (ref 10CFR2 790)
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/01/25 2pp

7903160267 IE Insp Rept 70-143/79-02 on 790109-11 Noncompliance noted Details withheld (ref 10CFR2 790)
TOBIN, W J , GILLCSPIE, F Region 2, Atlanta, Safeguards Branch 79/01/25 1p

7903160272 Ack receipt of 790301 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-143/79-03
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/03/08 1p

7903160273 Responds to NRC 790208 ltr re violations noted in IE Insp Rept 70-143/79-03 Corrective actions pressure differential gauge installed, & composite samples of shipments will be analyzed
MANSER, W C Nuclear Fuel Services, Inc (subs of Getty Oil Co)
79/03/01 3pp

7903160275 Forwards IE Insp Rept 70-143/79-03 & notice of violation
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/08 2pp

7903160282 Notice of violation from insp on 790115-19
* Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/06 1p

7903160284 IE Insp Rept 70-143/79-03 on 790115-19 Noncompliance noted failure to provide filter differential pressure gauge & failure to perform quarterly radionuclide analyses of composites of sewer & storm sewer samples
COLLINS, D M , GIBSON, A F Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/06 8pp

DOCKET 70-0152 Purdue Univ

7903260041 IE Insp Rept 70-152/79-01 on 790130-31 Noncompliance noted
insensitive criticality monitor
PECK, C C Region 3, Chicago, Office of the Director 79/02/14
6pp

7903260037 Forwards IE Insp Rept 70-152/79-01 on 790130-31 & notice of
violation
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety
Branch 79/02/15 2pp

7903260040 Notice of violation from insp on 790130-31
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety
Branch 79/02/15 1p

7903160070 Ack receipt of 790219 ltr informing NRC of steps taken to
correct violation noted in NRC 790215 ltr
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety
Branch 79/03/09 1p

7903160074 Responds to NRC 790215 ltr re violation noted in IE insp
Corrective actions second criticality monitor reinstalled
after maint & calibr of seven connections to alarms
completed
ZIEMER, P L Purdue Univ 79/02/19 1p

DOCKET 70-0157 Texas

7903190351 IE Insp Findings & Licensee Ack dtd 790208 of License
SNM-180 Insp findings no noncompliance noted
HARRISON, H C Region 4, Dallas, Office of the Director 79/02/08
1p

DOCKET 70-0184 Westinghouse Electric Corp Water Reactor

7903190142 Ack receipt of 790118 ltr informing NRC of steps taken to
correct violation noted in IE Insp Rept 70-0184/78-01
MCCLINTOCK, R O Region 1, Philadelphia, Fuel Facility & Materials
Safety Branch 79/01/30 1p

7903190166 Responds to NRC 790102 ltr re violation noted in IE Insp
Rept 70-0184/78-01 Corrective actions add written specs re
procurement, handling & processing of UO2 for uranyl nitrate
production Next conversion is mid-1980
TRANCHON, R C Westinghouse Electric Corp 79/01/18 2pp

7903190167 Discusses insp 70-0184/78-01 on 781213 & forwards notice of
violation
MCCLINTOCK, R O Region 1, Philadelphia, Fuel Facility &
Materials Safety Branch 79/01/02 2pp

7903190170 Notice of violation from insp on 781213 failure to conduct
surveys of radiation exposure & failure to survey air
discharges during conversion of U oxide to U nitrate on
770616
* Region 1, Philadelphia, Fuel Facility & Materials Safety
Branch 79/01/02 1p

DOCKET 70-0263 Army, Dept of

7903060018 Ack receipt of 781220 ltr informing NRC of steps taken to
correct violation noted in Insp Repts 40-2253/78-02 &
70-263/78-02
MCCLINTOCK, R O Region 1, Philadelphia, Fuel Facility & Materials
Safety Branch 79/01/18 1p

7903060020 Responds to NRC 781124 ltr re violations noted in Insp Repts
40-2253/78-02 & 70-263/78-02 Corrective actions radiation
surveys of U machine shop effluents will be performed
monthly.
WRIGHT, E S Agriculture, Dept of 78/12/20 2pp

7903060023 Forwards IE Insp Repts 40-2253/78-02 & 70-263/78-02 on
781109 & notice of violation Insp repts withheld (ref
10CFR2 790)
MCCLINTOCK, R O Region 1, Philadelphia, Fuel Facility &
Materials Safety Branch 78/11/24 2pp.

7903060025 Notice of violation from insp on 781109, failure to conduct
surveys of concentrations of effluents in unrestricted
areas
* Region 1, Philadelphia, Fuel Facility & Materials Safety
Branch 78/11/24 1p

DOCKET 70-0270 Missouri

7903270134 Forwards IE Insp Repts 50-186/79-02 & 70-270/79-01 on
790221-23 No noncompliance noted
HIND, J A Region 3, Chicago, Safeguards Branch 79/03/06 2pp

7903270141 IE Insp Repts 50-186/79-02 & 70-270/79-01 on 790221-23 No
noncompliance noted Major areas inspected nuclear matl
control & accountability requirements of Module B5102
Details withheld (ref 10CFR2 790)
FINLEY, A G, PATTERSON, J P, HIND, J A Region 3, Chicago,
Safeguards Branch 79/03/05 1p

DOCKET 70-0364 Parks Township Site, Babcock & Wilcox Co

7903060681 Forwards IE Insp Rept 70-135/78-24 & 70-364/78-29 on
781204-08 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/04
2pp

7903060686 IE Insp Rept 70-135/78-24 & 70-364/78-29 on 781204-08 No
noncompliance noted Major areas inspected matl control &
accounting re Type II ponds burials, physical inventory &
measurements & statistical controls
GODY, A, JOYNER, J H Region 1, Philadelphia, Safeguards Branch
79/01/03 8pp

7903070065 Notification of 790213 meeting w/B&W in Silver Spring, MD to
discuss ventilation & fire protection design bases
BURKHARDT, W Fuel Reprocess & Recycle Branch 79/01/30 1p

7903280277 Forwards CIA supporting license renewals for B&W
ROUSE, L C Fuel Reprocess & Recycle Branch 79/02/09 1p

7903300011 Forwards IE Insp Repts 70-135/78-31 & 70-364/78-33 on
781205-31 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/12
2pp

7903300021 IE Insp Rept 70-135/78-31 & 70-364/78-33 on 781205-31 No
noncompliance noted Major areas inspected nuclear matl
control & accounting, physical security, nuclear/industrial
safety & radiation protection
KUSHNER, W L Region 1, Philadelphia, Office of the Director
JOYNER, J H Region 1, Philadelphia, Safeguards Branch
79/02/09 3pp

7903190154 Requests all documents re losses, MUF & inventory differences
of source & SNM at B&W facility at Apollo, PA
RIVERS, B J Affiliation Unknown 79/02/16 2pp

7903190158 In response to 790216 ltr requesting info re nuclear matl at
Apollo, PA facility, advises that NUREG-0350 & NUREG-0430, Vol
1, Number 1 are available in PDR for info
FELTON, J M Division of Rules and Records 79/03/23 1p

7903130504 Accepts measurement control plan, incorporated in fundamental
matl control plan, & forwards related amendments to License
SNM-414 Requests an assessment of potential MUF bias Plan
withheld (ref 10CFR2 790)
PARTLOW, J G Material Control Licensing Branch 79/02/21 7pp

7903140134 In response to 781115 ltr re comprehensive evaluation rept
for Leechburg facility, advises that suggested changes have
been made Measures indicated in response to NRC observations
are adequate
BURNETT, R F Division of Safeguards 79/02/21 1p

7903210535 Forwards "Increment of Analysis, An Estimate of Airborne
Release of Pu from B&W Plant as a Result of Severe Wind
Hazard & Earthquake"
ROUSE, L C Fuel Reprocess & Recycle Branch 79/02/21 1p

7903210544 "Increment of Analysis, An Estimate of Airborne Release of Pu
from B&W Plant as a Result of Severe Wind Hazard &
Earthquake"
MISHIMA, J, SCHWENDIMAN, L C Battelle Memorial Institute, Pacific
Northwest Laboratory AYER, J E Fuel Process & Fab. Branch
FIN B-2073 PNL-2812 78/10/31 71pp Available at NTIS

7903090067 Forwards IC Circular 79-03, "Inadequate Guard Training/
Qualification & Falsified Training Records"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/23 1p

DOCKETED SERIES

241

DOCKET 70-0364 Parke Township Site, Babcock & Wilcox Co

7903260201 Summary of 790214 meeting w/B&W re ventilation & fire protection design bases
BURKHARDT, W Fuel Reprocess & Recycle Branch 79/02/28 1p

7903260046 Responds to NRC 790131 ltr re violations noted in IE Insp Repts 70-135/78-27, 70-135/78-28, 70-364/78-30 & 70-364/78-31
Corrective actions installation of monitoring meter & roll paper placed across contaminated change line area
AUSTIN, M A Babcock & Wilcox Co 79/02/23 3pp

7903260054 Forwards combined IE Insp Repts 70-135/78-27 & 70-135/78-28 70-364/78-30 & 70-364/78-31 on 781218-29 & notice of violation
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/31 2pp

7903260060 Notice of violation from insp on 781218-29
* Region 1, Philadelphia, Office of the Director 79/01/29 1p

7903260068 IE Insp Repts 70-135/78-27 & 70-135/78-28, 70-364/78-30 & 70-364/78-31 on 781218-29 Noncompliance noted personnel smoking in surface controlled contamination break area w/a washing
SMITH, G C, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/29 1p

7903260165 Ack receipt of 790214 ltr transmitting security training & qualification plan Will process plan as amend to Licenses SNM-145 & SNM-414 Requests payment of major safeguards amend fee
WEISS, D License Fee Management Branch 79/03/08 1p

7903260197 Requests amend fee to process change to License SNM-414 re possession limit of matl in Fab 9 storage vault
WEISS, D License Fee Management Branch 79/03/08 1p

7903280030 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J G Material Control Licensing Branch. 79/03/20 2pp

7903260146 In response to 790216 request forwards NUREG-0430, Vol 1, No 2 Rept is forwarded simultaneously w/public release of info w/o encl
FELTON, J M Division of Rules and Records 79/03/23 1p

DOCKET 70-0371 United Nuclear Corp

7903090429 Forwards IE Insp Rept 70-371/78-18 on 791025-26 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 78/11/21 2pp

7903090431 IE Insp Rept 70-371/78-18 on 781025-26 No noncompliance noted Major areas inspected facility operation & review of circumstances w/receipt of empty container of SNM
WOLTER, E, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 78/11/21 1p

7903120430 Forwards IE Insp Rept 70-371/78-17 on 781221 Notice of violation withheld (ref 10CFR2 790)
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 78/12/21 2pp

7903070289 Forwards IE Insp Rept 70-371/78-20 on 781204-08 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/10 2pp

7903070296 IE Insp Rept 70-371/78-20 on 781204-08 No noncompliance noted Major areas inspected nuclear matl control & accounting, including measurement & statistical control
SHAUB, E T., BISSETT, P H, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/02 1p

7903090407 Ack receipt of 781215 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-371/78-19
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/29 1p

7903090410 Forwards IE Insp Rept 70-371/78-19 on 781107-09 & notice of violation
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 78/11/24 2pp

7903090414 Notice of violation from insp on 781107-09 Portions withheld (ref 10CFR2 790)
* Region 1, Philadelphia, Safeguards Branch 79/11/22 1p

7903090417 IE Insp Rept 70-371/78-19 on 781107-09 Noncompliance noted SNM content of portion of receipt not measured Details withheld (ref 10CFR2 790)
COHEN, I, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 78/11/22 2pp

7903140626 Forwards IE Info Notice 79-02, "Attempted Extortion--Low Enriched U"
GRIER, B H Region 1, Philadelphia, Office of the Director. 79/02/02 1p

7903120419 Ack receipt of 790116 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-371/78-17
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/05 2pp

7903120441 IE Insp Rept 70-371/78-17 on 781023-27 Noncompliance noted failure to provide NRC w/explanation & investigative action re ID exceeding calculated LEID Details withheld (ref 10CFR2 790)
HOLDY, D J, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 78/12/15 1p

7903210082 Confirms 790202 telcon & will submit reply to NRC 790102 ltr re emergency plan for license SNM-368 by 790301
KIRK, W F United Nuclear Corp 79/02/05 1p

7903190311 Forwards IE Insp Rept 70-371/78-22 on 781218-22 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/06 2pp

7903190314 IE Insp Rept 70-371/78-22 on 781218-22 No noncompliance noted Major areas inspected physical protection, security plan implementation, physical barriers, access controls, keys, locks, combinations & alarm sys
SHEPHERD, R E, SMITH, R H, DEVLIN, J W Region 1, Philadelphia, Safeguards Branch 79/02/02 1p

7903260284 Amend 11 to License SNM-368 to incorporate authorization for use of horizontal fuel spacing criterion
CROW, W T Fuel Process & Fab Branch 79/02/06 2pp

7903300359 Forwards IE Insp Rept 70-371/79-02 on 790115-19 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/12 2pp

7903300363 IE Insp Rept 70-371/79-02 on 790115-19 No noncompliance noted Major areas inspected nuclear matl control & accounting in areas of licensee action on previous insp findings, measurement & statistical controls
WOLTER, E, COHEN, I Region 1, Philadelphia, Office of the Director JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/02/08 1p

7903300061 Requests registration as user of Certificate of Compliance 6357 for License SNM-368
KIRK, W F. United Nuclear Corp 79/02/16 1p

7903190323 Ack receipt of 781130 revised measurement control plan & 790110 revision Forwards revised License Conditions 2 1 & 4 of Amend MPP-1 to License SNM-368
PARTLOW, J G Material Control Licensing Branch. 79/02/21 7pp

7903090063 Forwards IE Circular 79-03, "Inadequate Guard Training/Qualification & Falsified Training Records"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/23 1p

7903140093 Ack receipt of 790206 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-371/78-21 Ltr withheld (ref 10CFR2 790)
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/28 1p

7903140098 IE Insp Rept 70-371/78-21 on 781211-15 Noncompliance noted failure to assure accurate identification & measurements of quantities of SNM shipped by licensee
WOLTER, E, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/09 1p

7903140095 Forwards IE Insp Rept 70-371/78-21 on 781211-15 & notice of violation Notice withheld (ref 10CFR2 790)
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/17 2pp

DOCKETED SERIES

DOCKET 70-0371 United Nuclear Corp

7903210400 Ack receipt of 780919 safeguards contingency plan Forwards comments directing revision & rearrangement needed for NRC acceptance Plan withheld (ref 10CFR2 790)
MCCORMACKLE, G U Physical Security Licensing Branch 79/02/28 4pp

7903280027 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J O Material Control Licensing Branch 79/03/20 2pp

DOCKET 70-0398 Commerce, Dept of

7903070201 Forwards IE Insp Rept 70-398/78-02 on 781212-15 No noncompliance noted
MARTIN, W O Region 1, Philadelphia, Safeguards Branch 79/01/10 2pp

7903070204 IE Insp Rept 70-398/78-02 on 781212-15 No noncompliance noted Major areas inspected nuclear matl control & accounting, including matl control areas, physical inventory & records & repts
COHEN, I J DELLA RATTI, A J JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/08 6pp

7903280016 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J O Material Control Licensing Branch 79/03/20 2pp

DOCKET 70-0559 Luther College

7903020465 Ack receipt of 790112 & 790122 ltrs, informing NRC of steps taken to correct noncompliance identified in 781205 ltr
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch NRC 79/01/30 1p

7903020469 Second response to infractions of License SNM-546 will not use neutron howitzer (stored in controlled access area); should not be subj to 6-month insp
KOELTZOW, D E Luther College DE, Iowa 79/01/22 1p

DOCKET 70-0572 Monsanto Research Corp

7903160312 Forward IE Insp Rept 79-572/78-01 on 781219-20 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/16 2pp

7903160317 IE Insp Rept 70-572/78-01 on 781219-20 No items of noncompliance Major areas inspected emergency planning
GRANT, W B, ESSIOT, T H Region 3, Chicago, Office of the Director 79/01/12 5pp

DOCKET 70-0593 Williams College

7903270173 Ack receipt of 790108 completed survey questionnaire Will investigate actions during subsequent program insp
Questionnaire encl
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director 79/01/23 3pp

DOCKET 70-0687 Union Carbide Corp

7903200587 Grants Amend MPP-3 to Matl/Byproduct License SNM-639 re amount of U-235 allowed & plant protection
BURNETT, R F Division of Safeguards 79/01/30 2pp

7903280041 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J O Material Control Licensing Branch 79/03/20 2pp

DOCKET 70-0698 Walter Milt Site

7903290140 Requests amend to License SNM-770 to change Condition B of license re quantity of matl which licensee may possess at any one time Forwards amend fee
DIPIAZZA, R P Westinghouse Electric Corp 79/01/26 2pp

DOCKET 70-0734 General Atomic Co

7903230244 Submits "Security Guard Training & Qualification Plans." & check to cover fee for NRC review Encl withheld
(ref 10CFR2 790)
MOWRY, W R General Atomic Co (subs of Gulf Oil Corp) 79/02/20 3pp

7903230066 Forwards info re use of "power of test" as measure of stds verification adequacy & suggests rewording section of matl control program in response to NRC 780918 ltr Encl withheld
(ref 10CFR2 790)
PARTLOW, J O Material Control Licensing Branch 79/02/12 1p

7903260290 Requests that contingency plan be revised before it can be approved
MCCORMACKLE, G W Physical Security Licensing Branch 79/03/13 2pp

DOCKET 70-0737 Clark Univ

7903050558 Ack receipt of 781221 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 78-01
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director 79/01/15 1p

7903050566 Responds to NRC 781208 ltr re violation & deviation noted in 781116 insp rpt Corrective actions tested plutonium in sealed source & posted Form 3 notices in appropriated areas
ALLEN, H C Clark Univ, Worcester, Mass 78/12/21 1p

7903050569 Forwards notice of violation from insp on 781116
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director 78/12/05 2pp

7903050576 Notice of violation from insp on 781116 Noncompliance noted Failure to test sealed source containing plutonium at required interval & failure to post appropriate signs
Region 2, Atlanta, Office of the Director 78/12/05 1p

DOCKET 70-0754 Vallecitos Nuclear Center

7903070025 Prohibits intervenors from any further discovery after willful refusal to comply w/ASLB 781024 order directing responses to licensee's 780626 interrogatories
LUTON, E Atomic Safety and Licensing Board Panel 79/01/15 1p

7903290186 Supplies info re request to document change in activity in Cell 3, once used to process fission product Moly 99 Cell 3 has been idle for months & GE wishes to utilize it for routine nondestructive tests on irradiated reactor fuel
MOSECHNER, R A General Electric Co, Nuclear Energy Products Div 79/01/30 1p

7903090026 Requests suspension of activities under License SNM-960 in light of recent geological findings by NRC Possible hazards exist
HINKEL, L. Tri-City Ecology Center 79/02/01 1p

7903200232 Safeguards contingency plan transmitted by 780908 ltr has been reviewed & found acceptable if minor revisions are made Encl withheld (ref 10CFR2 790)
MCCORMACKLE, G W Physical Security Licensing Branch 79/02/07 1p

7903270013 Forwards corrected pages to 771112 submittal of summarized oral info re operation of facilities licensed under SNM-960.
DARMITZEL, R W General Electric Co, Nuclear Energy Products Div 79/02/21 17pp

DOCKETED SERIES

243

DOCKET 70-0754 Vallecitos Nuclear Center

7903280252 Forwards 790201 ltr from Tri-City Ecology Center requesting NRC to suspend activities under license SNM-960, similar to request from Friends of Earth Two petitions have been consolidated for consideration
DIRCKS, W J Office of Nuclear Material Safety & Safeguards
79/02/23 1p

7903280254 Ack receipt of request for NRC to suspend activities under License SNM-960 Explains NRC has consolidated request w/encl Friends of the Earth similar petition under 10CFR2 206 Will take appropriate action w/o encl
DIRCKS, W J Office of Nuclear Material Safety & Safeguards
79/02/23 1p

7903160269 Ack receipt of 790207 ltr informing NRC of steps taken to correct violation noted in 790126 notice of violation Finds corrective actions adequate Encl withheld (ref 10CFR2 790)
NORDERHAUG, L R Region 5, San Francisco, Safeguards Branch
79/03/07 1p

7903220179 Ack receipt of 790216 ltr transmitting security training & qualification plan Will process plan as amend to License SNM-960 Requests payment of major safeguards amend fee
WEISS, D License Fee Management Branch 79/03/08 1p

7903300590 Requests NRC issue final SFR at earliest possible date to resolve uncertainty re tectonic faulting & to assure safety of all those in area
STARK, F H House of Rep 79/03/08 1p

7903280049 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J Q Material Control Licensing Branch 79/03/20 2pp

7903130107 Forwards IE Insp Rept 70-154/79-01 on 790129-0221 Noncompliance noted Insp rept withheld (ref 10CFR2 790)
NORDERHAUG, L R Region 5, San Francisco, Safeguards Branch
79/02/26 2pp

DOCKET 70-0820 United Nuclear Corp

7903010463 Requests 10 day extension for reporting fuel recovery operation physical inventory because of large number of small jobs processed
GREGG, R J United Nuclear Corp 78/12/27 1p

7903030454 Special safeguards review of 781207 raised question of adequacy of mgt controls over security organization Requests feedback No addl licensing actions indicated per analysis of matl
BURNETT, R F Division of Safeguards 79/01/23 2pp

7903030577 Forwards semiannual rept for License SNM-777 re quantities of radioactive matl in effluents released to unrestricted areas from 780701 to 790101
CRONIN, D F United Nuclear Corp 79/01/26 3pp

7903200127 In response to NRC 781109 ltr, forwards suggestions re ground water monitoring & waste water lagoon water supply well & reeffinate ponds should be sampled monthly All above-ground lagoons should be eliminated as soon as possible
WARNER, D L Affiliation Unknown 79/02/01 1p

7903140626 Forwards IE Info Notice 79-02, "Attempted Extortion--Low Enriched U"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/02 1p

7903240191 Forwards process flow diagram & description of proposed process for evaluation re lagoon U recovery
GREGG, R J United Nuclear Corp 79/02/02 App

7903260088 Responds to 790125 ltr informing NRC of corrective actions New security manager named & employees w/questionable veracity have resigned Actions were taken w/o regard to validity of findings
BOWERS, C E United Nuclear Corp 79/02/09 2pp

7903030245 Refunds overpayment of amend fee for License SNM-777
MILLER, W O Office of Administration 79/02/13 1p

7903060001 Ack receipt of 790115 ltr transmitting training & qualification plan per App B Licensing review for amend of SNM-777 sub j to major safeguards fee of \$8,300
CABELL, A B License Fee Management Branch 79/02/13 1p

7903120020 Ack receipt of 790203 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-820/78-28
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/14 1p

7903120021 Responds to NRC 790126 ltr re violations noted in IE Insp Rept 70-820/78-28 Corrective actions withheld (ref 10CFR2 790)
BOWERS, C E United Nuclear Corp 79/02/05 1p

7903120022 Forwards IE Insp Rept 70-820/78-28 on 781218-22 Notice of violation withheld (ref 10CFR2 790)
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/26 2pp

7903120026 IE Insp Rept 70-820/78-28 on 781218-22 Noncompliance noted Items in item control area w/o tamper-safing devices applied & measurement control audit rept not documented
GODV, A, ZIBULSKY, H, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/23 1p

7903090071 Forwards IE Circular 79-03, "Inadequate Guard Training/Qualification & Falsified Training Records"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/23 1p

7903150258 Ack receipt of 790215 ltr requesting amend to License SNM-777 Requests proposed changes be resubmitted in format of Section 200 of license Determines administrative fee to be \$150
WEISS, D License Fee Management Branch 79/02/28 1p

7903080337 Forwards check submitted for 781227 request to delay 781204 inventory Ack 790206 receipt of check for request
WEISS, D License Fee Management Branch 79/03/06 1p

7903300237 Ack receipt of 790301 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-820/79-01
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/03/14 1p

7903300245 Responds to NRC 790213 ltr re violations noted in IE Insp Rept 70-820/79-01 Corrective actions operations personnel were restructured in criticality limits and procedures
BOWERS, C E United Nuclear Corp 79/03/01 3pp

7903300260 Forwards IE Insp Rept 70-820/79-01 on 790108-16 & notice of violation
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/13 2pp

7903300265 Notice of violation from insp on 790108-16
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/13 3pp

7903300276 IE Insp Rept 70-820/79-01 on 790108-16 Noncompliance noted criticality safety limits exceeded, failure to follow radiological safety procedures re washing, smoking & contamination survey
GODV, A, SMITH, Q, JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/02/13 7pp

7903280057 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J Q Material Control Licensing Branch 79/03/20 2pp

DOCKET 70-0823 Optovac

7903270318 Ack receipt of survey questionnaire re handling of matl under License SNM-750 Will investigate actions during subsequent insp w/encl questionnaire
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director
79/01/23 3pp

DOCKET 70-0824 Babcock & Wilcox Co

7903060666 Forwards "Physical Protection Plan B" for protection of an irradiated fuel assembly Documents withheld (ref 10CFR2 790)
OLSEN, A F Babcock & Wilcox Co 78/12/21 2pp

7903060183 Responds to 780926 & 781005 ltrs re submission of safeguard contingency plans applicable to Lynchburg Research Ctr, LRC does not possess SNM in quantity sufficient to trigger implementation of requirements
MCCORMACK, G W Physical Security Licensing Branch 79/01/29 2pp

DOCKETED SERIES

DOCKET 70-0824 Babcock & Wilcox Co

7903050019 Review schedule for license renewal application has been prepared according to "Agreement on Interface & Div of Responsibility Between NMSS & IE," w/minor adjustment
Lists milestones in review schedule Requests IE input
CROW, W T Division of Fuel Cycle & Material Safety 79/02/06 2pp

7903260205 Requests technical assistance of DP Notley for fire safety review of SNM license renewal application submitted by B&W
Lynchburg Research Center Application not encl
CROW, W T Division of Fuel Cycle & Material Safety 79/02/13 1p

7903150415 Requests registration as user of Model 7-100
OLSEN, A F Babcock & Wilcox Co 79/02/16 1p

7903280039 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J G Material Control Licensing Branch 79/03/20 2pp

7903080503 Forwards IE Circular 79-03, "Inadequate Guard Training/Qualification & Falsified Training Records"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/23 1p

DOCKET 70-0846 Clarke College

7903140073 IE Insp Findings & Licensee Ack dtd 790209 of License SNM-799 Insp findings no noncompliance noted
WILBORN, L Region 4, Dallas, Office of the Director 79/02/09 1p

DOCKET 70-0859 Bridgeport

7903230283 Ack receipt of completed survey questionnaire on 790209 Will investigate actions during subsequent program insp
W/questionnaire encl
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director 79/02/16 3pp

DOCKET 70-0875 Kent State Univ

7903050489 IE Insp Findings & Licensee Ack dtd 781129 of Licenses SNM-895 & 34-00124-02 Insp findings no noncompliance noted
SRENIANSKI, D J Region 3, Chicago, Office of the Director 78/11/29 1p

DOCKET 70-0893 Florida Institute of Technology

7903200588 IE Insp Findings & Licensee Ack dtd 790118 of License SNM-844 Insp findings no noncompliance noted
WOODBRUFF, R L Region 2, Atlanta, Office of the Director 79/01/18 1p

DOCKET 70-0920 Rensselaer Polytechnical Inst

7903260189 Requests renewal of License SNM-910
RYAN, R M Rensselaer Polytechnic Inst 79/02/23 1p

DOCKET 70-0948 Gannon College ER

7903130610 Ack receipt of completed survey questionnaire re handling of matl under License SNM-920 Will investigate actions during subsequent program insp W/questionnaire encl
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director 79/02/26 3pp

DOCKET 70-0984 Battelle Mem Inst

7903190400 Forwards IE Insp Rept 70-984/78-04 on 781113-16 No noncompliance noted
BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/01/25 2pp

7903190413 IE Insp Rept 70-984/78-04 on 781113-16 No noncompliance noted Major areas inspected organization/inventory, operations review/criticality studies/internal review & audit/dosimetry experience
COOLEY, M J Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/01/25 6pp

DOCKET 70-1004 Marshalltown Community College MA

7903060606 Ack receipt of 790109 ltr informing NRC of steps taken to correct violations noted in 781203 ltr re License SNM-969 No activity is in accordance w/NRC requirements unless authorized in license, even if amend is pending
KEPPLER, J G Region 3, Chicago, Office of the Director 79/01/26 1p

7903060611 Responds to NRC 781205 ltr re violations noted in Insp Rept Corrective actions detector will be accurately calibrated, plutonium source checked, license conditions & NRC Form 3 posted Explains reasons for delayed compliance
KEGEL, P L Marshalltown Comm College 1A/MA 79/01/09 2pp

DOCKET 70-1050 St Francis College LO

7903130620 Ack receipt of completed survey questionnaire re handling of matl under License SNM-1003 Will investigate actions during subsequent program insp W/questionnaire encl
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director 79/02/16 3pp

DOCKET 70-1100 Combustion Engineering, Inc

7903080416 Forwards IE Insp Rept 70-1100/78-11 on 781128-30 No noncompliance noted
MARTIN, W O Region 1, Philadelphia, Safeguards Branch 79/01/10 2pp

7903080420 IE Insp Rept 70-1100/78-11 on 781128-30 No noncompliance noted Major areas inspected nuclear matl control & accounting, including organization, operations, measurements, storage, internal control & mgt of matl control sys
COHEN, I , JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/08 4pp

7903290299 Amends License SNM-1067 authorizing addition of exhaust sys to Bldg 17 annex for recycle powder area & establishing corrective action level for control of gaseous effluents from Windsor Facility, subj to Condition 25
CROW, W T Fuel Process & Fab Branch 79/02/13 1p

7903120032 Ack receipt of 790205 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-1100/78-12
MARTIN, W O Region 1, Philadelphia, Safeguards Branch 79/02/14 1p

7903120034 Responds to NRC 790117 ltr re violations noted in IE Insp Rept 70-1100/78-12 Corrective actions calculation of inventory difference bias recomputed
LICHTENBERGER, H Combustion Engineering, Inc 79/02/03 1p

7903120036 Forwards IE Insp Rept 70-1100/78-12 Notice of violation withheld (ref 10CFR2 790)
MARTIN, W O Region 1, Philadelphia, Safeguards Branch 79/01/17 2pp

7903120038 IE Insp Rept 70-1100/78-12 on 781212-14 Noncompliance noted Failure to correctly determine inventory difference bias for matl balance period ending 780713 Details withheld (ref 10CFR2 790)
HOLDBY, D J , JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/12 1p

7903290151 Forwards copies of measurement control program which has been revised consistent w/comments received from NRC Program withheld (ref 10CFR2 790)
LICHTENBERGER, H Combustion Engineering, Inc 79/02/15 1p

7903280023 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J G Material Control Licensing Branch 79/03/20 2pp

DOCKETED SERIES

245

DOCKET 70-1111 Elizabethtown College

7903130605 Ack receipt of completed survey questionnaire re handling of matl under license SNM-1063 Will investigate actions during subsequent program insp w/questionnaire encl
MCCLEINTOCK, R O Region 1, Philadelphia, Office of the Director
79/02/16 3pp

DOCKET 70-1113 Wilmington Manufacturing Dept

7903060615 Forwards IE Insp Rept 70-1113/78-23 on 781205-08 & notice of violation
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch
78/12/21 2pp

7903060617 Notice of violation from insp on 781205-08
* Region 2, Atlanta, Fuel Facility & Materials Safety Branch
78/12/20 1p

7903060622 IE Insp Rept 70-1113/78-23 on 781205-08 Noncompliance noted main line block valve was not closed, causing accidental release of SNM on 781203
PATTER, J P Region 2, Atlanta, Fuel Facility & Materials Safety Branch
78/12/20 10pp

7903290172 Submits revisions to App C of fundamental nuclear matl control plan for fuel fabrication facility Revisions clarify calibr frequencies & traceability of specific stds used in safeguards-related measurement sys Withheld (ref 10CFR2 790)
KAPLAN, A L General Electric Co ,Nuclear Energy Products Div
79/01/29 2pp

7903050492 Ack receipt of 790116 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 70-1113/78-21
KEENA, W B Region 2, Atlanta, Safeguards Branch 79/02/06 1p

7903050498 Forwards requested addl info re response to Insp Rept 70-1113/78-21 Wishes to discuss matter in detail Attachments withheld (ref 10CFR2 790)
KAPLAN, A L General Electric Co ,Nuclear Energy Products Div
79/01/16 1p

7903120482 Forwards IE Insp Rept 70-1113/79-01 on 790115-18 No noncompliance noted
KEENA, W B Region 2, Atlanta, Safeguards Branch 79/02/15 2pp

7903120486 IE Insp Rept 70-1113/79-01 on 790215 No noncompliance noted Major areas inspected licensee action on previously identified noncompliance item & facility organization
TODD, G A , WILLIAMS, G H Region 2, Atlanta, Safeguards Branch
79/02/15 1p

7903130234 Ack receipt of IE Insp Rept 70 1113/79-02 on 790213 No noncompliance noted
KAPLAN, A L General Electric Co ,Nuclear Energy Products Div
79/02/15 1p

7903130236 Forwards IE Insp Rept 70-1113/79-02 on 790115-18 No noncompliance noted
KEENA, W B Region 2, Atlanta, Safeguards Branch 79/02/13 2pp

7903130237 IE Insp 70-1113/79-02 on 790115-18 No noncompliance noted Major areas inspected verification of export shipment of SNM
TODD, G A WILLIAMS, G H Region 2, Atlanta, Safeguards Branch,
79/02/13 3pp

7903140006 Forwards IE Insp Rept 70-1113/79-05 on 790205 No noncompliance noted
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/21 2pp

7903140008 IE Insp Rept 70-1113/79-05 on 790205 No noncompliance noted Major areas inspected plant operation & circumstances surrounding theft of 60 kg low enriched U
WILLIAMS, G H , GILLESPIE, F P , O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/21 2pp

7903150310 Ack receipt of IE Insp Rept 70-1113/79-01 on 790115-18.
KAPLAN, A L General Electric Co 79/02/23, 1p

7903200185 Forwards response to NRC questions re 790109 emergency plan for fuel fabrication plant in Wilmington, NC New emergency plan encl.
KAPLAN, A L General Electric Co ,Nuclear Energy Products Div
79/02/27 7pp

7903200203 Emergency plan for Wilmington, NC Fuel fabrication plant
* General Electric Co ,Nuclear Energy Products Div 79/02/27 95pp

7903260206 Lists questions posed by RL Stevenson to A Kaplan, consulting engineer for GE, Wilmington, NC, during 790207 telcon re Wilmington plant emergency plan, PC 78129A Response requested by 790216
STEVENSON, R L Fuel Process & Fab Branch 79/02/27 4pp

7903260067 Forwards revised emergency plan for License SNM-1097 in response to NRC 790227 ltr Encl withheld (ref 10CFR2 790)
KAPLAN, A L General Electric Co ,Nuclear Energy Products Div
79/02/28 1p

7903280013 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J G Material Control Licensing Branch 79/03/20 2pp

DOCKET 70-1143 Plutonium Fuels Development Lab

7903120014 Forwards IE Insp Rept 70-1143/78-23 on 781204 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/24 2pp

7903120016 IE Insp Rept 70-1143/78-23 on 781204 No noncompliance noted Major areas inspected safeguard controls
KUSHNER, W L , JOYNER, H Region 1, Philadelphia, Safeguards Branch 79/01/23 3pp

7903130092 Forwards IE Insp Rept 70-1143/78-22 on 781227-28 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/26 2pp

7903130099 IE Insp Rept 70-1143/78-22 on 781227-28 No noncompliance noted Major areas inspected nuclear matl control & accounting including verification of U & Pu inventories
DELLARATTA, A , COHEN, I , JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/25 3pp

7903190318 Forwards IE Insp Rept 70-1143/78-21 on 781218-20 No noncompliance noted
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/01/29 2pp

7903190322 IE Insp Rept 70-1143/78-21 on 781218-20 No noncompliance noted Major areas inspected licensee actions on previous insp findings, measurement & statistical controls
HOLODY, D J , JOYNER, J H Region 1, Philadelphia, Safeguards Branch 79/01/25 1p

7903020035 Ack receipt of 790119 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-1143/78-17
MARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/01 1p

7903020047 Responds to NRC 781218 ltr re violations noted in IE Insp Rept 70-1143/78-17 Corrective actions formally established required training records, NRC-741 form reviewed & completed nuclear matl transactions repts
DOLLARD, W J Westinghouse Electric Corp 79/01/19 3pp

7903020063 Notice of violation from Insp on 781113-17
* Region 1, Philadelphia, Safeguards Branch 78/12/14 2pp

7903020073 IE Insp Rept 70-1143/78-17 on 781113-17 Noncompliance noted failure to document training of accountability clerk, failure to correctly complete Form NRC-741 receiving document, & failure to audit certain matl control activities
DELLARATTA, A , COHEN, I , JOYNER, J H Region 1, Philadelphia, Safeguards Branch 78/12/14 1p

7903140503 Forwards IE Info Notice /9-02, "Attempted Extortion--Low Enriched U"
GRIER, B H Region 1, Philadelphia, Office of the Director
79/02/02 1p

7903220085 Forwards addl info re "Nuclear Criticality Safety Analyses" requested for application for renewal of License SNM-1120
DIPAZZA, R P Westinghouse Electric Corp 79/02/02 1p

7903220088 "Summary of Criticality Safety Analyses"
* Westinghouse Electric Corp 79/02/06 21pp

DOCKETED SERIES

DOCKET 70-1143 Plutonium Fuels Development Lab

7903210542 Summary of 790208 meeting w/Hestinghouse in Silver Spring, MD Battelle calculations used to justify max permissible value used in license renewal application for control of nuclear criticality safety
BROWNE, W D Fuel Reprocess & Recycle Branch 79/02/08 1p

7903300386 Forwards IE Insp Rept 70-1143/79-01 on 790108-11 No noncompliance noted
HARTIN, W G Region 1, Philadelphia, Safeguards Branch 79/02/14 2pp

7903300357 IE Insp Rept 70-1143/79-01 on 790108-11 No noncompliance noted Major areas inspected physical protection program
ROGERS, M E, HCKEWM, L Region 1, Philadelphia, Office of the Director
DEVLIN, J W Region 1, Philadelphia, Safeguards Branch 79/02/09 1p

7903090060 Forwards IF Circular 79-03, "Inadequate Guard Training/Qualification & Falsified Training Records"
GRIER, B H Region 1, Philadelphia, Office of the Director 79/02/23 1p

7903220145 Ack receipt of 790129 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-1143/78-20
SMITH, G H Region 4, Dallas, Fuel Facility & Materials Safety Branch 79/02/28 2pp

7903220156 Responds to NRC 790118 ltr re violations noted in IE Insp Rept 70-1143/78-20 Corrective actions issued instruction ltr on posting safety signs & instructed staff on requirements of thorium possession
DOLLARD, W J Westinghouse Electric Corp 79/01/29 3pp

7903220161 Forwards IE Insp Rept 70-1143/78-20 on 781213-15 & notice of violation
SMITH, G H Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/18 2pp

7903220163 Notice of violation from insp on 781213-15
* Region 1, Philadelphia, Office of the Director 79/01/16 2pp

7903220168 IE Insp Rept 70-1143/78-20 on 781213-15 Noncompliance noted failure to post safety sign, failure to maintain inventory of U & unauthorized possession of thorium
ROTH, J Region 1, Philadelphia, Office of the Director
CROCKER, H W Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 79/01/16 10pp

7903220182 Ack receipt of 790219 ltr transmitting security training & qualification plan, Will process plan as amend to License SNM-1120 Requests payment of major safeguards amend fee
WEISS, D License Fee Management Branch 79/03/08 1p

7903280019 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J G Material Control Licensing Branch 79/03/20 2pp

DOCKET 70-1151 Westinghouse Electric Corp

7903220293 Ack receipt of 790223 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-1151/79-01
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/03/07 1p

7903220296 Responds to NRC 790130 ltr re violations noted in IE Insp Rept 70-1151/79-01 Corrective actions withheld (ref 10CFR2 790)
GOODWIN, W L, D'AMORE, H Westinghouse Electric Corp 79/02/23 1p

7903280019 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J G Material Control Licensing Branch 79/03/20 2pp

DOCKET 70-1173 Mercyhurst College

7903270247 Ack receipt of survey questionnaire re handling of matl under License SNM-1143 Will investigate actions during subsequent insp w/encl questionnaire
MCCLINTOCK, R D Region 1, Philadelphia, Office of the Director 79/01/25 3pp

DOCKET 70-1193 Cimarron Facility

7903210277 IE Insp Rept 70-1193/79-01 on 790223-26 Noncompliance noted security organization & access controls Details withheld (ref 10CFR2 790)
MAEDA, T, J, SCHEFFER, J C, HIND, J A Region 3, Chicago, Safeguards Branch 79/02/16 2pp

7903270017 Forwards production procedure KM-NP-31-6, "Glove & Bag Changing," & updated sections of facility emergency manual re procedures to follow in event of accidental criticality
SINKE, G J Kerr-McGee Nuclear Corp (subs of Kerr-McGee Corp) 79/02/09 13pp

7903080316 Forwards IF Circular 79-03, "Inadequate Guard Training/Qualification & Falsified Training Records"
O'REILLY, J P Region 2, Atlanta, Office of the Director 79/02/23 1p

7903210266 Forwards IE Insp Rept 70-1193/79-01 on 790226 Notice of violation withheld (ref 10CFR2 790)
HIND, J A Region 3, Chicago, Safeguards Branch 79/02/26 2pp

DOCKET 70-1195 Montclair State College

7903140361 W/regard to questionnaire & examination of License SNM-1100, there have been no individual radiation exposures beyond limits, source is stored in secure condition & is used about once a month
MCCLINTOCK, R D Region 1, Philadelphia, Office of the Director 79/01/10 1p

DOCKET 70-1201 UF & Conversion Facility, Commercial Nuc Fuel Plant

7903120056 Forwards IF Insp Rept 70-1201/79-04 No noncompliance noted
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/01/26 2pp

7903120052 IE Insp Rept 70-1201/79-04 on 790118-19 No noncompliance noted Major areas inspected physical inventory
CLAY, E L, WILLIAMS, G H Region 2, Atlanta, Safeguards Branch 79/01/26 2pp

7903210073 Responds to 781108 request & forwards revised Measurement Control Plan Encl being withheld (ref 10CFR2 790)
ZEFF, D W Babcock & Wilcox Co 79/01/31 2pp

7903060716 Forwards effluent monitoring results for July 1978 to Dec 1978 Gives statistics on particulate gaseous effluents & liquid effluents
ZEFF, D W Babcock & Wilcox Co 79/02/02 2pp

7903060709 Informs of amended License Conditions 4 & 6 & 2 & addition of new Conditions 6 & 5 & 4 & 6 in response to 790105 ltr Amend covers bias valve calculation & limit of error correction Detailed info withheld (ref 10CFR2 790)
PARTLOW, J G Material Control Licensing Branch 79/02/08 2pp

DOCKETED SERIES

247

DOCKET 70-1201 UF & Conversion Facility, Commercial Nuc Fuel Plant

7903260104 Forwards IE Insp Rept /O-1201/79-05 on 790130-0202

No noncompliance noted
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/02/15 2pp

7903260107 IE Insp Rept 70-1201/79-05 on 790130-0202 No noncompliance noted Major areas inspected records & repts
HODGES, J W, WILLIAMS, G H Region 2, Atlanta, Safeguards Branch 79/02/15 2pp

7903230031 Forwards IE Insp Rept /9-1201/79-03 No noncompliance noted
KENNA, W B Region 2, Atlanta, Safeguards Branch 79/03/02 2pp

7903230040 IE Insp Rept 70-1201/79-03 on 790122-25 No noncompliance noted Major areas inspected previously noted items, program for matl control & accounting of special nuclear matl shipped & received Details withheld (ref 10CFR2 790)
JONES, D W, WILLIAMS, G H Region 2, Atlanta, Safeguards Branch 79/03/02 1p

7903270415 Ack receipt of 790301 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 70-1201/79-02
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/03/13 1p

7903270424 Responds to NRC 790216 ltr re violation noted in IE Insp Rept 70-1201/79-02 Corrective actions probe adjusted & secured
SILK, E J Babcock & Wilcox Co., Nuclear Material Div 79/03/01 3pp

7903270427 Forwards IE Insp Repts /O-1201/79-02 on 790115-19 & notice of violation
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/16 2pp

7903270431 Notice of violation from insp on 790115-19
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/16 1p

7903270437 IE Insp Rept 70-1201/79-02 on 790216 Noncompliance noted failure to isokinetically sample pelletizing recirculation sys; failure to include one source of airborne effluent in semiannual rept
MILLSAP, W J, GIBSON, A R Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/02/16 11pp

7903280062 Clarifies position re implementation & reporting changes to approved fundamental nuclear matl control plans Provides guidance for determining if change would decrease program effectiveness Describes applicable fees
PARTLOW, J G Material Control Licensing Branch 79/03/20 2pp

DOCKET 70-1220 General Electric Co /NFS-4 pkg

7903080590 Denies 780726 application for amend to License SNM-1270 to permit GE to delegate certain surveillance & acceptance activities re delivery of matl to carrier for transport
CUMMINGHAM, R E Division of Fuel Cycle & Material Safety 79/02/16 1p

DOCKET 70-1224 Teleflex

7903270315 Ack receipt of survey questionnaire re handling of matl under License SNM-1164 Will investigate actions during subsequent insp W/enc1 questionnaire
MCCLINTOCK, R D Region 1, Philadelphia, Office of the Director 79/01/23 3pp

DOCKET 70-1257 Mixed Oxide Fabrication Plant, Exxon Nuclear Co

7903260281 Amend 16 to License SNM-1227 to include decommissioning plan & financial commitment
CROW, W T Division of Fuel Cycle & Material Safety 79/01/22 1p

7903280292 Reviews Exxon Nuclear Co 780615 amend application & suppl's transmitted by 781212 & 790109 ltrs Recommends amend to License SNM-1227 be issued to incorporate decommissioning plan & financial commitment
STEVENSON, R L, CROW, W T Fuel Process & Fab Branch 79/01/22 2pp

7903020020 Forwards XN-NF-12, "Nuclear Matls Safeguards Procedures Description for Fuels Fabrication Plants", Revision B Encl withheld (ref 10CFR2 790)
MILSON, R Exxon Nuclear Co., Inc (subs of Exxon Corp) 79/01/30 1p

7903220081 Forwards rept of plant discharges of U & Pu-235 required by 10CFR70 59 for period 780701 to 781231
MECHODOUM, W S Exxon Nuclear Co., Inc (subs of Exxon Corp) 79/02/05 8pp

7903260326 Amend 17 to License SNM-1227 to include emergency plan
CROW, W T Division of Fuel Cycle & Material Safety 79/02/05 1p

7903270649 Reviews emergency plan, XN-NF-02, Revision 9, "Richland Fuel Fabrication Plants, Emergency Plan, Part 1, Sept 1978 " Plan is acceptable & authorizing amend should be issued
STEVENSON, R L Fuel Process & Fab Branch 79/02/05 5pp

7903140430 Forwards IE Insp Rept 70-1257/78-08 on 781205-08 No noncompliance noted
BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/08 2pp

7903140441 IE Insp Rept 70-1257/78-08 on 781205-08 No noncompliance noted Major areas inspected organization, facility changes & mods, internal review & audit, criticality safety analyses & employee training
COOLEY, W J, BOOK, H E Region 5, San Francisco, Fuel Facility & Materials Safety Branch 79/02/08 8pp

7903150324 Ack receipt of 780605 revised measurement control plan Finds stds verification (power of test) is inadequately described Forwards revision of Sections 1 O through B O to License SNM-1227
PARTLOW, J G Material Control Licensing Branch 79/02/21 6pp

7903220162 Ack receipt of 790220 ltr transmitting security training & qualification plan Will process plan as amend to License SNM-1227 Requests payment of major safeguards amend fee
WEISS, D License Fee Management Branch 79/03/08 1p

DOCKET 70-1306 Texas A & M Univ

7903190372 IE Insp Findings & Licensee Ack dtd 790208 of License SNM-1457 Insp findings no noncompliance noted
WILBORN, L Region 4, Dallas, Office of the Director 79/02/08 1p

DOCKET 70-1308 Morris Fuel Storage Expansion

7903130040 Forwards matl in support of application for renewal of License SNM-1265 for 20 years to receive, possess, store & transfer irradiated fuel W/check for \$32,000 fee & repts NEDO-21326, NEDO-20776 & NEDO-20969B2
DAWSON, D M General Electric Co, Nuclear Energy Products Div 79/02/27 4pp

7903130048 "Consolidated Safety Analysis Rept," Volumes 1 & 2 & Apps B-1, B-2, B-3, B-4, B-5, B-6, B-7, B-9, B-10, B-11, B-12, B-13 & B-14 (siting studies) W/microfiche
General Electric Co, Nuclear Energy Products Div NEDO-21326 79/01/31 800pp

7903130051 "Spent Fuel Svc Operation QA Plan"
ZAHN, L L General Electric Co, Nuclear Energy Products Div NEDO-20776 78/07/14 80pp

7903130054 "Operating Experience Irradiated Fuel Storage"
EGER, K J General Electric Co, Nuclear Energy Products Div NEDO-20969B2 79/01/31 60pp

7903190047 Forwards IE Insp Rept 70-1308/78-07 on 781204-06 & 11-12 No noncompliance noted
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/01/14

7903190051
noncompliance
organization
audits, sa
PECK, C G
Facility

7903280270 F1
NEDE-21894,
reissued 11
decrease of
ROUSE, L C.

7903290146 Fo
Withheld (r
BOWDON, D M
79/02/15

DOCKETED SERIES

DOCKET 70-1308 Morris Fuel Storage Expansion

7903080284 Forwards IE Circular 79-03, "Inadequate Guard Training/Qualification & Falsified Training Records"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/23 1p

7903230234 Forwards Revision A4 of NEDO-21326, "Consolidated SAR, Morris Operation," along w/comparison of draft & final versions of revisions, w/notations re differences
DAWSON, D M General Electric Co 79/02/23 45pp

7903270637 Ack 781222 ltr transmitting decommissioning plan Forwards questions resulting from review
ROUSE, L C Fuel Reprocess & Recycle Branch 79/03/01 3pp

7903300566 Forwards "Annual Rept 1977" supporting application for renewal of License SNM-1263
DAWSON, D M General Electric Co, Nuclear Energy Products Div
79/03/08 1p

7903300568 "Annual Rept 1977"
* General Electric Co, Nuclear Energy Products Div 77/12/31
48pp

7903220432 Forwards IE Insp Rept 70-1308/79-01 on 790226-28 Notice of violation withheld from disclosure (ref 10CFR2 790)
HIND, J A Region 3, Chicago, Safeguards Branch 79/03/14 2pp

7903220456 IE Insp Rept 70-1308/79-01 on 790306-07 Noncompliance notes access controls, keys, locks, combinations & detection aids
Details withheld (ref 10CFR2 790)
CREED, J R, HOWELL, J C, HIND, J A Region 3, Chicago, Safeguards Branch 79/03/14 1p

DOCKET 70-1309 Morris Fuel Storage

7903080284 Forwards IE Circular 79-03, "Inadequate Guard Training/Qualification & Falsified Training Records"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/23 1p

DOCKET 70-1342 Coratomic

7903060585 Forwards "Semiannual Rept, Mar-Aug 1978," for Coratomic C-100 series radioisotopic-powered cardiac pacer clinical implant program
PURDY, D L Coratomic, Inc 79/01/23 1p

7903060587 "Semiannual Rept, Mar-Aug 1978," for Coratomic C-100 series radioisotopic-powered cardiac pacer clinical implant program
for SNM-1319
* Coratomic, Inc 79/01/23 88pp

DOCKET 70-1349 Hospital Pavia SA

7903060575 Responds to NRC 791103 ltr re violations noted in insp of License SNM-1372 Corrective actions all physicians advised that written rept must be filed re death of pacemaker patient within 24-h of occurrence
PAVIA, M J Hospital Pavia 79/01/08 1p

7903060578 Discusses insp of activities under License SNM-1372 & forwards notice of violation
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 78/11/03 2pp

7903060581 Notice of violation from insp on 780927-29, Noncompliance noted failure to notify NRC of death of pacemaker bearer within 24-h of death
* Region 2, Atlanta, Fuel Facility & Materials Safety Branch 78/11/03 1p

7903060566 Ack receipt of 790108 ltr informing NRC of steps taken to correct violations noted during insp of License SNM-1372
SUTHERLAND, J T Region 2, Atlanta, Fuel Facility & Materials Safety Branch 79/01/15 1p

DOCKET 70-1359 IRT Corp

7903260191 Informs of forthcoming move to new facilities Requests extension of License SNM-1403 until 800331 W/check for \$190 fee
HERTZ, R L IRT Corp 79/02/06 1p

DOCKET 70-1380 Morris Operations Spent Fuel Storage Facility

7903050590 In response to FOIA 770908 request for documents, info has been placed in Region III files
FELTON, J M Division of Rules and Records 79/01/30 3pp

DOCKET 70-1430 Oklahoma

7903260380 Discusses IE Insp of License SNM-1387 on 790131 & forwards notice of violation
DAVIS, A B Region 3, Chicago, Fuel Facility & Materials Safety Branch 79/02/07 2pp

7903260383 Notice of violation from insp on 790131 Noncompliance noted appropriate rept not made after death of pacemaker patient & loss of contact w/other pacemaker patient
* Region 3, Chicago, Office of the Director 79/02/07 1p

DOCKET 70-1432 Recycle Fuels Plant

7903060571 Forwards IF Info Notice 79-02, "Attempted Extortion--Low Enriched U"
O'REILLY, J P Region 2, Atlanta, Office of the Director
79/02/02 3pp

DOCKET 70-1621 Canover & Associates

7903210179 Forwards Endorsements 31 & 32 to ANI Policy NF-226 & Endorsements 26 & 27 to MAELU Policy MF-87
BARNETT, J E Canover & Associates, Inc Insurance 79/03/14 5pp

DOCKET 70-1717 Norwalk Hosp ND

7903200037 Ack receipt of 790130 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 70-1717/78-01
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director
79/02/08 1p

7903200048 Responds to NRC 790115 ltr re violation noted in IE Insp Rept 70-1717/78-01 Corrective actions charts on patients in whom pacemakers were implanted will remain in Cardiology Dept & will be updated
BRADY, N A Norwalk Hosp 79/01/30 2pp

7903200052 Forwards IE Insp Rept 70-1717/78-01 on 781228 & notice of violation
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director
79/01/15 2pp

7903200059 Notice of violation from insp on 781228 Noncompliance noted hospital files did not contain required info for pacemaker patients
* Region 1, Philadelphia, Office of the Director 79/01/15 1p

DOCKET 70-1729 Fuel Rec & Stor Sta, Allied Chem Corp

7903070018 Requests receipt of all documents re possibility that facility might be considered an away-from-reactor storage facility for commercial nuclear waste Points out group's status as a qualified party to proceeding
THOMAS, R B Environmentalists, Inc 79/02/01 1p

7903160270 Responds to 790201 ltr re use of facility as away-from-reactor storage facility for commercial nuclear waste No info available to forward
ENGELHARDT, T F Deputy Executive Legal Director 79/02/21 1p

7903190346 Responds to 790201 ltr No documents exist on use of Barnwell for storage of commercial nuclear waste Will notify of meetings on subj
ENGELHARDT, T F Deputy Executive Legal Director 79/02/21 1p

7903190349 Requests info re use of Barnwell as away-from-reactor storage facility for commercial nuclear waste Informs of intent to continue as active party in proceeding
THOMAS, R B Affiliation Unknown 79/02/01 1p

DOCKETED SERIES

249

DOCKET 70-1816 Cordis Corp

7903050424 IE Insp Findings & Ack dtd 790117 of License XSNM-771 Insp Findings no noncompliance items
WOODRUFF, R L Region 2, Atlanta, Office of the Director
79/01/17 1p

DOCKET 70-2141 The Rutland Hosp

7903270211 Discusses IE Insp 30-7587/79-01 & 70-2141/79-01 on 790117 No noncompliance noted Major areas inspected radiation safety & future use of nuclear pacemakers
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director
79/01/29 2pp

DOCKET 70-2199 Vet Admin Hosp WA

7903270219 Summarizes IE Insp 30-123/79-01, 30-1314/79-01 & 70-2199/01 on 790111-12 Major areas inspected radiation safety & compliance w/NRC rules & regulations
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director
79/01/24 2pp

DOCKET 70-2219 Exxon Nuclear Co

7903270098 Forwards application for special nuclear matl license for proposed experimental test facility (ETF), current list of company officers & descriptive matl assessing environ effects of evolving ETF design & location
MILSON, R Exxon Nuclear Co, Inc (subs of Exxon Corp) 79/02/24 11pp

7903270103 Application for special nuclear matl license to receive, possess & convert U enriched in U-235 in experimental test facility (ETF) for analytic purposes, instrument calibr & wavelength std
* Exxon Nuclear Co, Inc (subs of Exxon Corp) XN-EL-29
79/02/28 30pp

7903300339 Ack receipt of 790226 submittal for updating 1976 application for special nuclear matl license No addl fee required
WEISS, D License Fee Management Branch 79/03/15 1p

DOCKET 70-2223 Gaddard Memorial Hosp

7903190072 Summarizes IE Insp 70-2223/78-01 on 781221 of activities authorized by Licenses 20-09496-01 & SNM-1621 No noncompliance noted
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director
79/01/10 2pp

DOCKET 70-2243 New Jersey Institute of Technology

7903230274 Ack receipt of completed survey questionnaire on 790209 Will investigate actions during subsequent program Insp W/questionnaire encl
MCCLINTOCK, R O Region 1, Philadelphia, Office of the Director
79/02/16 3pp

DOCKET 70-2325 Westinghouse Electric Corp

7903120178 Executive Branch position re Westinghouse application for amend of license to increase authorized matl by 888 kg U-235 for export to Switzerland License should be granted Ltrs of assurance encl
MCSENZD, L V State, Dept of 79/02/23 4pp

DOCKET 70-2555 Exxon Nuclear Co

7903140643 Forwards IE Insp Repts 70-2555/79-01 & 70-2814/79-01 on 790115 No noncompliance noted Repts withheld (ref 10CFR2 790)
NORDEHAUG, L R Region 5, San Francisco, Safeguards Branch
79/02/08 2pp

DOCKET 70-2602 Reactor Experiments

7903190344 Requests withdrawal of application XSNM-1140 for export to Pakistan
HEIMAN, D Reactor Experiments, Inc 79/02/14 1p

DOCKET 70-2609 Commonwealth Edison Co

7903260278 Per application dtd 790115, License SNM-1802 is amended to read "3,000 kg of U-235 at a max enrichment of 3 1% " All other conditions remain the same
CROW, W T Division of Fuel Cycle & Material Safety 79/01/22 1p

7903280189 Recommends license amend requested by Commonwealth Edison Co be issued Amend increases max allowable enrichment to 3 1%
DELANEY, J C, CROW, W T Fuel Process & Fab Branch 79/01/22 1p

DOCKET 70-2623 McGuire Spent Fuel Pool

7903060166 Advises of plans to apply for amend to license & revision of Tech Specs to permit high density rereacking of spent fuel pool for increased storage
PORTER, W L Duke Power Co 79/01/23 4pp

7903060600 NRDC request, due to complexity of issue, for extension of time to appeal 790109 order denying intervention Desires 21 days from ASLB ruling on objections or 10 days from separate ruling Certificate of Svc encl
ROISHAN, A Z Natural Resources Defense Council 79/01/29 7pp

7903050411 Notifies of withdrawal from active intervention Requests removal from svc list except for notice of time & place for hearings & permission to make limited appearances
Certificate of Svc encl
BLOCH, J Safe Energy Alliance 79/01/30 2pp

7903050114 Forwards transmittal memo for SAND77-1927, "Transport of Radionuclides in Urban Environments Working Draft Assessment."
HOFELING, R K Branch 4 79/02/02 4pp

7903060564 Errata sheet re amend of matl license for spent fuel storage
ROUSE, L C Fuel Reprocess & Recycle Branch 79/02/02 2pp

7903050422 Grants applicant's 790126 motion of extension until 790212 within which to file brief in opposition to appeal & brief of intervenor, NC PIRO
CHILK, S J Office of the Secretary of the Commission 79/02/05 1p

7903060667 Responds to NRDC motion for extension of time to appeal ASLB's 790109 suppl order & objections to applicant's response Supports NRDC motion & objects to applicant's argument as legally incorrect Certificate of Svc encl
KETCHEN, E C Branch 4 79/02/05 8pp

7903020420 Orders appointment of ASLAB for proceedings re matls license amend
CHILK, S J Office of the Secretary of the Commission 79/02/06, 1p.

7903060714 Responds to NRDC's request for extension of time to file an appeal from 790109 order denying intervention & subsequent order rejecting NRDC's objections Opposes extended delay, finds one week extension appropriate W/Certificate of Svc
KETCHEN, E Branch 4 79/02/06 5pp

7903080608 Presents draft order delegating Commission's review authority & functions in spent fuel transfer proceeding, for approval W/draft order
FITZGERALD, J A Office of the General Counsel SECY-A-79-9, 79/01/22 4pp

7903070423 Opposes NRDC request for extension of time in which to file appeal Intervenor has had sufficient time; Duke Power Co desires timely disposition of its application Certificate of Svc encl
MCQARRY, J M Duke Power Co 79/02/07 7pp

7903140631 Objection to intervenor Carolina Environ Study Group's discovery requests & motion for protective order Urges denial of 781218 request items 44A, 45A, 46A & 64A as irrelevant to contentions
PORTER, W L Duke Power Co 79/02/09, 2pp

7903070571 Responds to 790127 appeal & brief of Davidson chapter of NC PIRO Urges denial of appeal due to untimeliness of petition, lack of meritorious contention & no grounds for discretionary intervention Certificate of Svc encl
MCQARRY, J M Duke Power Co 79/02/12, 16pp

7903020200 Reverses 790109 decision & allows NRDC to intervene in proceeding on discretionary basis, per 790212 stipulation of parties.
DUFLO, M E Atomic Safety and Licensing Appeal Panel, 79/02/13, 2pp

DOCKETED SERIES

DOCKET 70-2623 McGuire Spent Fuel Pool

7903020202 Stipulation of parties withdrawing opposition to NRDC's
descretionary intervention
ROISMAN, A Z Natural Resources Defense Council HOEFLING, R R
Branch 4 KNOITTS, J B Duke Power Co 79/02/12 4pp

7903060346 Forwards errata sheet modifying portions of SER & EIA
HOEFLING, R K Branch 4 79/02/13 3pp

7903130447 Confirms 790214 telcon informing that delayed NRC responses
to interrogatories will be served by 790215
HOEFLING, R K Branch 4 79/02/14 1p

7903190134 Suggests that ASLB rule on disputed contentions & after
discovery period, hold prehearing conference to finalize
schedule for motions, testimony & commencement of hearing
Certificate of Svc encl
HOEFLING, R K Branch 4 79/02/14 4pp

7903160294 Requests reinstatement to active intervention status
Certificate of Svc encl
BELK, D R Safe Energy Alliance 79/02/15 2pp

7903190157 Responds to Carolina Environ Study Group 790121
Interrogatories 106-108 W/encl correspondence
BPITALNY, B B Fuel Process & Fab Branch 79/02/15 15pp

7903080048 Notifies of ASLB conference w/NRDC, NRC & applicant in
Bethesda, MD, on 790313 to consider NRDC contentions & rule
on admissibility; requests expedited exchange of pleadings &
responses
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/16
2pp

7903200323 Responds to applicant's objection & motion for protective
order Urges that questions are relevant to matters of
inquiry. Certificate of Svc encl
BLUM, S Blum & Shelley 79/02/16 3pp

7903160163 Moves that ASLB receive late NRC response to NC PIRG appeal
of suppl order dtd 790109 Delay due to unexpected closing of
federal offices
KETCHEN, E O Branch 4 79/02/22 2pp

790316016B In response to NC PIRG's appeal of denial of intervention,
urges that denial was correct, as petition was untimely &
proper contention was not presented Certificate of Svc encl
KETCHEN, E O Branch 4 79/02/22 2pp

7903080196 Rules on discovery, contentions & scheduling Admits certain
contentions & directs parties to proceed w/discovery &
preparation for hearings
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/23
7pp

7903090125 ALAB-528, reversing & remanding ASLB 790109 order re denial
of intervention to Davidson chapter of NC PIRG Orders that
Davidson's participation be consolidated w/intervenor
Carolina Action
DUFFLO, M E Atomic Safety and Licensing Appeal Panel 79/02/26,
11pp

7903130503 Grants intervention to Davidson chapter of NC PIRG per
ASLB-528 790226 Contention held admissible & participation
is consolidated w/intervenor Carolina Action Directs PIRG to
verify status of its representative
MILLER, M E Atomic Safety and Licensing Board Panel 79/02/27
2pp

7903210241 Responds to Carolina Environ Study Group's 790204
Interrogatory 116 dtd 790204
KETCHEN, E O Branch 4 79/02/27 5pp

7903230210 Forwards Dcone-McGuire EIA W/o encl
HOEFLING, R K Branch 4 79/02/28 1p.

7903070232 In response to NRC 790206 request, forwards spent fuel cask
drop analysis of NSF-4 truck-type cask Examines three
possible cases of dropping or tipping
PARKER, W D Duke Power Co 79/03/02 7pp

7903280281 Requests recommendations in writing re schedule for
completion of all prehearing actions for amend to SNM-1773
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/06 1p.

7903280312 Requests notification of decision reached by NRC re pending
appeal for shutdown of units due to safety factors
DERRICK, B House of Rep 79/03/06 1p

7903280070 Admits Contentions 1-6 submitted by NRDC Contentions concern
storage of spent fuel, federal involvement, alternatives to
proposed action & shipment of spent fuel
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/16
4pp

7903290181 Interrogatories submitted to Carolina Action & request for
production of documents Certificate of Svc encl
MCARRY, J M Duke Power Co 79/03/16 33pp

7903200530 Transcript of 790313 meeting in Bethesda, MD Pp 1-166
MILLER, M E LUEBKE, E A Atomic Safety and Licensing Board Panel
79/03/13 166pp

DOCKET 70-2639 Massachusetts, Univ of

7903050515 Discusses 7B1130 insp of activities under license SNM-1763
Confirms inactive status of license No noncompliance noted
MCCLINTOCK, R D Region 1, Philadelphia, Office of the Director
7B/12/14 1p

DOCKET 70-2693 State

7903140113 Application by GE for license to export 9,691 kg U-235 to
Mexico
WILSON, B D General Electric Co 77/08/31 1p

DOCKET 70-2705 St Francis Medical Center Hosp

7903190054 IE Insp Findings & Licensee Ack dtd 790207 of License
SNM-1774 Insp findings no noncompliance noted
BURGIN, R E Region 3, Chicago, Office of the Director 79/02/07
1p

DOCKET 70-2718 Virginia Electric Power Co

7903300523 Recommends extending expiration date of License SNM-1801 to
791201, per util request
DELANEY, J C Fuel Process & Fab Branch 79/02/26 2pp

7903280260 Amends License SNM-1801 changing expiration date to 790120
or upon conversion of const permit CPPR-7B to operating
license, in response to 790131 ltr
CROW, W T Fuel Process & Fab Branch 79/02/27 1p

7903260262 Forwards check for \$100 to extend Indemnity Agreement
through 800221
STALLINGS, C M Virginia Electric & Power Co 79/03/20 1p

DOCKET 70-2726 General Electric Co

7903090110 Amend 1 to import license, extending date of expiration from
790401 to 820401 for import of 140 kg low enriched U from
France
OPLINGER, G G Commission 79/02/16 1p

DOCKET 70-2738 Edlow International Co

7903270197 Urges curtailment of shipment of degraded or failed spent
fuel into US from India's Tarapur reactor
LEWIS, M Affiliation Unknown 79/02/16 1p

DOCKET 70-2814 Exxon Nuclear Co

7903140643 Forwards IE Insp Repts 70-2555/79-01 & 70-2814/79-01 on
790115 No noncompliance noted Repts withheld
(ref 10CFR2 790)
HORDERHAUG, L R Region 5, San Francisco, Safeguards Branch
79/02/08 2pp

DOCKETED SERIES

251

DOCKET 70-2830 Burnham City Hosp CH

7903200454 IE Insp Findings & Licensee Ack dtd 790220 of License
SNM-1812 Insp findings no items of noncompliance noted
BURNHAM, R E Region 3, Chicago, Office of the Director 79/02/20
1p

DOCKET 70-2838 Cincinnati Gas & Electric Co

7903200482 Requests amend to Matl/Byproduct License SNM-1823
authorizing possession & use of one Pu-Be neutron source
FLANN, J D Cincinnati Gas & Electric Co 79/02/02 2pp

DOCKET 70-2882 Southern California Edison Co

7903270186 Util applying for SNM License Encl copies of application
(Encl not attached)
DRAKE, J H Southern California Edison Co 78/07/31 1p

DOCKET 70-2885 Commonwealth Edison

7903260372 Amend 1 to License SNM-1833 license will read "3,000 kg of
U-235 at max enrichment of 3 1% "
CROW, W T Division of Fuel Cycle & Material Safety 79/01/22 1p

7903280194 Recommends license amend requested by Commonwealth Edison Co
be issued Amend increases max allowable enrichment to 3 1%
DELANEY, J C, CROW, W T Fuel Process & Fab Branch 79/01/23
1p

DOCKET 70-2901 Southern California Edison Co

7903270186 Forwards application for SNM license w/o encl
DRAKE, J H Southern California Edison Co 78/07/31 1p

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0003 Exxon Nuclear Co, Inc

7903270145 Forwards Revision 1 to XN-NF-439, "QA Program for Nuclear
Fuels Dept Shipping Containers," updating organizational
titles & responsibilities
MILSON, R Exxon Nuclear Co, Inc (subs of Exxon Corp) 79/03/06
3pp

7903270148 "QA Program For Nuclear Fuels Dept Shipping Containers "
* Exxon Nuclear Co, Inc (subs of Exxon Corp) XN-NF-439
79/03/01 3app

DOCKET 71-0036 EIT Grinnell Corp

7903300502 Forwards request for addl info to complete review of QA
program
MACDONALD, C E Transportation Branch 79/03/21 2pp

DOCKET 71-0090 Combustion Engineering Co, Inc

7903300057 In order to approve QA program, requests statements that
quality-related activities will be performed w/specifed
equipment & under suitable environ conditions Requests
equipment that records are identifiable & retrievable
MACDONALD, C E Transportation Branch 79/03/13 2pp

DOCKET 71-0202 Pacific Gas & Electric Co

7903260111 Requests reference of specific docketed info which describes
Unit 3 operational QA program
MACDONALD, C E Transportation Branch 79/03/13 1p

DOCKET 71-0210 Gulf Oil Corp

7903050057 Responds to 781215 ltr following 781207 submittal of QA
program under protest Protest & comments will be considered
in connection w/NRC action on petition for rulemaking w/
correspondence & QA program
MACDONALD, C E Transportation Branch 79/01/09 1p

DOCKET 71-0211 Boston Edison Co

7903290173 Forwards QA program approval for radioactive matl packages
MACDONALD, C E Transportation Branch 79/03/21 2pp

DOCKET 71-0244 Automaton Indus, Inc

7903080037 Forwards "QA Program" for facility
SANTORO, M P Automation Industries, Inc 78/12/27 1p

7903080046 "QA Program" for License 37-00611-09
SANTORO, M P Automation Industries, Inc 78/12/19 17pp

DOCKET 71-0265 Navy, Dept of

7903090017 Forwards QA plan for USS Sperry
JOHANNESMEYER, C Navy, Dept of 78/12/29 1p

7903090019 QA plan for packaging of radioactive matl for USS Sperry
WILLIS, J L Navy, Dept of 78/12/29 10pp

DOCKET 71-0266 Duke Power Co

7903070539 Informs of licensee compliance w/QA requirements of 10CFR71
re transport packages Program is applicable to activities
at present & future facilities
PARKER, W D Duke Power Co 79/01/11 3pp

DOCKET 71-0267 Army, Dept of

7903090022 Review shipments of specifically licensed matl do not exceed
quantities of type "A" matls as defined in 10CFR71 4(g),
71.1 & 71.7(b) No plans to establish QA program
PAROLA, M P Army, Dept of 79/01/15 1p

DOCKET 71-0268 Navy, Dept of

7903080052 Forwards USS Orion QA program for radioactive matl shipping
packages in fulfillment of License 31-18096-01 Excerpts from
Orion's administrative controls & protection procedures encl.
SKORUPSKI, S S Navy, Dept of 79/01/16 80pp

DOCKET 71-0269 Lehigh Testing Laboratories, Inc

7903140641 "QA Program for Transporting Packages of Radioactive Matl as
Required by 10CFR71 51," Revision A Program to be used for
training, not for design & fabrication of shipping packages
* Lehigh Testing Laboratories, Inc 79/01/02 9pp.

DOCKET 71-0270 Factory Mutual Engineering Corp

7903190062 Forwards draft QA program for transportation packaging
LAWRENCE, R B, RICHARDEON, C A Factory Mutual Research Corp
79/01/25 4pp

DOCKET 71-0271 Ridihaigh, Eggers & Associates

7903190079 Forwards QA program per 10CFR71
RIDIHALGH, J L Ridihaigh, Eggers & Associates. 79/01/29 1p

7903190086 QA program per 10CFR71
* Ridihaigh, Eggers & Associates 78/12/19 15pp.

DOCKET 71-0272 Crane Co

7903140644 Submits QA program & organizational structure for comment
ECKERT, O W Crane Co 79/02/08 5pp

DOCKET 71-0273 Navy, Dept of

7903130122 Forwards USS H/W Gilmore plan for handling & audit of
shipping containers Requests continued authority to ship
radioactive source matl in container Models 416, 41026, 43848,
& 5006U
ALLEN, J E Navy, Dept of 79/02/03 55pp

DOCKETED SERIES

DOCKET 71-0274 Navy, Dept of

7903190358 Forwards QA program for use of shipping containers, recommending approval
COLLIER, B H Navy, Dept of 79/02/12 1p

7903190361 QA program for use of shipping containers for radioactive sources in special form
FORBETH, J P Navy, Dept of 79/01/05 14pp

DOCKET 71-0275 Duquesne Light

7903210001 Forwards "Solid Radioactive Waste Packaging QA Program"
DUNN, C N Duquesne Light Co 79/02/23 1p

7903210004 "Solid Radioactive Waste Packaging QA Program"
* Duquesne Light Co 79/02/23 36pp

DOCKET 71-0276 Navy, Dept of

7903300178 Submarine Base Instruction 9090 1 "QA Requirements for Transportation Packaging" to establish requirements for Mat'l/Byproduct License 53-10226-01
MATHIS, H L Navy, Dept of 79/02/14 8pp

DOCKET 71-0277 Allied Chemical Corp

7903270117 Forwards QA program covering cylinders for transport of U hexafluoride for License SUB-526
THOMAS, J H Allied Chemical Corp 79/02/15 2pp

7903270119 QA program for design, fabrication, assembly, testing, insp. use & maint. of vessels used for storage & shipment of U hexafluoride
* Allied Chemical Corp 78/12/01. 60pp

DOCKET 71-0361 Model PAT-3, Ramsay Engineering Co

7903220491 Requests registration of listed organizations as users of PAT-1 plutonium shipping package
PATTERSON, D E Energy, Dept of 79/03/06 1p

DOCKET 71-4986 Model RA-2, Exxon Nuclear Co, Inc

7903190097 Requests revision of Certificate of Compliance 4986 for RA series shipping packages w/18 oversize drawings & check for required licensing fee
KAPLAN, A L General Electric Co, Nuclear Energy Products Div 79/01/08 34PP.

7903190239 Ack receipt of 790105 ltr requesting amend to Certificate of Compliance 4986 w/amend fee
CABELL, A B License Fee Management Branch 79/01/26 1p

7903070548 In response to 780530 ltr requesting revision of Certificate of Compliance 4986, subsequently issued 780607, requests add'l fee payment based on error in classifying amend fee
CABELL, A B Office of Administration 79/01/29 2pp

7903260030 Requests registration as user of Models RA-1, RA-2, RA-3 & RJ-4 packaging
FITZBINKONS, T R Energy, Dept of 79/03/08 1p

DOCKET 71-5026 Model BC-4B-220, Atcor, Inc

7903160025 Notification of registration as user of Models BC-4B-220, Vandenberg, LL-2B-4, PB-1 & AL3390 in response to 790119 request
MACDONALD, C E Transportation Branch 79/03/07 1p

DOCKET 71-5450 Model RCC-1, -2, -3, Westinghouse Electric Corp

7903150256 Requests revision of Certificate of Compliance 5450 to include RCC-4 shipping package as described in encl addendum
DIPIAZZA, R P Westinghouse Electric Corp 79/02/15 4pp

DOCKET 71-5552 Model Gas Cylinder Fire Impact Shield, Energy, Dept of

7903210227 Forwards ORNL/ENG/TM-5, "SAR for Packaging ORNL Gas-Cylinder & Impact Shield," field ofc evaluation, & certificate of compliance
BROBST, W A Energy, Dept of 78/07/31 1p

7903210235 Certificate of compliance for model gas cylinder fire impact shield
TRAVIS, W H Energy, Dept of 78/06/28 8pp

7903210240 "SAR for Packaging ORNL Gas-Cylinder Fire & Impact Shield"
EVANS, J H, LEVINE, D L, EVERSOLE, R E Oak Ridge National Laboratory ORNL/ENG/TM-5 77/10/31 126pp

DOCKET 71-5595 Model L&M ORNL Uranium Shielded Cask, Energy, Dept of

7903220012 Forwards Certificate of Compliance 5595, SAR for packaging & field ofc evaluation
BROBST, W A Energy, Dept of 78/08/03 1p

7903220024 Certificate of Compliance 5595 for Oak Ridge lab models L & M packaging DOE review of rept ORNL/Eng/TM-4 concludes requirements have been met
TRAVIS, W H Energy, Dept of 78/04/28 10pp

7903220030 "SAR for Packaging ORNL U-Shielded Shipping Cask"
BOULET, J A, EVANS, J H, CHIPLEY, K K Oak Ridge National Laboratory ORNL/ENG/TM-4 77/11/30 176pp Available at NTIS

7903090029 Responds to 780813 request for review of Models L & M ORNL U-shielded shipping casks, & forwards request for add'l info needed to complete review
MACDONALD, C E Transportation Branch 79/01/24 2pp

DOCKET 71-5597 Model Tungsten Shielded Cask, Energy, Dept of

7903300275 Forwards ORNL/ENG/TM-3, "SAR for Packaging ORNL Tungsten-Shielded Cask," field ofc evaluation & certificate of compliance
BROBST, W A Energy, Dept of 78/07/31 1p

7903300288 Certificate of Compliance for ORNL tungsten-shielded cask
TRAVIS, W H Commission 77/04/18 8pp

7903300299 "SAR for Packaging ORNL Tungsten-Shielded Cask"
EVANS, J H, LEVINE, D L, JUST, R A Oak Ridge National Laboratory ORNL/ENG/TM-3 77/10/31 100pp Available at NTIS

DOCKET 71-5805 Model Atcor UNDB Cask, Atcor, Inc

7903200081 Requests administrative change to Certificate of Compliance 5805 Revision 7 to reflect updates of drawings Mod-139-1 Revision D, 0999-D-03 Revision 0 & 0999-D-07 Revision 0
oversized drawings encl
REYOLDS, L E Chem-Nuclear Systems, Inc 79/01/24 1p

7903160025 Notification of registration as user of Models BC-4B-220, Vandenberg, LL-2B-4, PB-1 & AL3390 in response to 790119 request
MACDONALD, C E Transportation Branch 79/03/07 1p

DOCKET 71-5907 Model ORNL In-Pile Capsule, Energy, Dept of

7903300493 Forwards Certificate of Compliance 5907, SAR for packaging & field ofc evaluation
BROBST, W A Energy, Dept of 78/07/31 1p

7903300500 Certificate of Compliance 5907 for ORNL in-pile capsule shipping cask
TRAVIS, W H Energy, Dept of 78/05/02 2pp

7903300505 "SAR for Packaging ORNL In-Pile Capsule Shipping Cask"
EVANS, J H, CHIPLEY, K K, HAYNIE, C B Oak Ridge National Laboratory W-7405-ENG-26 ORNL/ENG/TM-10 77/11/30 208pp

DOCKETED SERIES

253

DOCKET 71-5916 Model 2501, Monsanto Research Corp

7903280331 Forwards Certificate of Compliance 5916, Revision 2, for Model 2501 shipping container
MACDONALD, C E Transportation Branch 79/03/13 2p

7903280333 Certificate of Compliance 5916, Revision 2, for Model 2501
MACDONALD, C E Transportation Branch 79/03/13 3pp

DOCKET 71-5957 Model BHI-1, Energy, Dept of

7903300062 Requests that DOE, Richland Operations Office, be registered as user of Model BHI-1 container
FITZSIMMONS, T R Energy, Dept of 79/02/23 1p

DOCKET 71-6056 Model B3-1, Nuclear Engineering Co

7903290305 Explains termination of authorization to deliver licensed matl to courier for transport under 10CFR71 Requests
submittal of QA program as condition for registration
MACDONALD, C E Transportation Branch 79/03/09 1p

DOCKET 71-6144 Model 6144, Nuclear Engineering Co

7902270007 Requests registration as user of Nuclear Engineering Co Model 6144 shipping package
CROMWELL, W H South West Nuclear Co 79/01/29 1p

7903220087 Notification of registration as user of Model 6144 in response to 790205 request
MACDONALD, C E Transportation Branch 79/03/05 1p

7903270543 Notification of registration as user of Model 6144 in response to 790129 request
MACDONALD, C E Transportation Branch 79/03/13 1p

DOCKET 71-6227 Model DT-5, Union Carbide Corp

7903070538 Forwards review of SAR for packaging of enriched uranium
BROBST, W A Energy, Dept of 77/11/02 4pp

7903070540 Analytical evaluation made of unirradiated enriched U metal shipping package to demonstrate package complies w/all regulations re transport of fissile matl
Union Carbide Corp Y-DD 192 74/06/20 25pp

DOCKET 71-6244 Model 6244, Chem-Nuclear Systems, Inc

7903220484 Requests amend to Certificate of Compliance 6244 to reflect update of drawing N-69-12-43B, Revision B w/enc1 Revision C of drawing
REYNOLDS, L E Chem-Nuclear Systems, Inc 79/02/23 1p

7903300190 Requests addl info re packaging containment vessel closure bolt matl & sufficiency of prescribed torque to maintain seal
MACDONALD, C E Transportation Branch 79/03/16 1p

DOCKET 71-6275 Model LL-2B-4, Chem-Nuclear Systems, Inc

7903160025 Notification of registration as user of Models BC-4B-220, Vandenburgh, LL-2B-4, PB-1 & AL3390 in response to 790119 request
MACDONALD, C E Transportation Branch 79/03/07 1p

DOCKET 71-6346 Model FSV-1, General Atomic Co

7903150406 In response to NRC 781201 ltr, forwards addl info supporting cask design relating to alternate lid closure & associated impact limiter
MOMERY, W R General Atomic Co (subs of Gulf Oil Corp) 79/02/27 550p

DOCKET 71-6357 Model NNFD-10, Babcock & Wilcox

7903300066 Withdraws request for waiver of certain NNFD-10 package specs described in application to amend License SNM-42 for shipment of fissile radioactive matl
GRIFFIN, W E Babcock & Wilcox Co 70/10/06 1p

7903300061 Requests registration as user of Certificate of Compliance 6357 for License SNM-36B
KIRK, W F United Nuclear Corp 79/02/16 1p

DOCKET 71-6375 Model PB-1, Chem-Nuclear Systems, Inc

7903200091 Requests administrative change to Certificate of Compliance 6375 Revision 5 dtd 780829 to reflect update to drawing 00-000-52 Revision D Change adds four lugs at top of container Oversized drawing enc1
REYNOLDS, L E Chem-Nuclear Systems, Inc 79/01/24 1p

7903260026 Requests registration as user of Chem-Nuclear Systems, Inc Model PB-1
LEONARD, J D Power Authority State of New York 79/02/28 1p

7903160025 Notification of registration as user of Models BC-4B-220, Vandenburgh, LL-2B-4, PB-1 & AL3390 in response to 790119 request
MACDONALD, C E Transportation Branch 79/03/07 1p

DOCKET 71-6387 Model 60, Battelle Memorial Institute

7903210070 Forwards SAR for Model 6387, field ofc evaluation, & certificate of compliance
BROBST, W A Energy, Dept of 78/07/31 10pp

7903210075 Certificate of Compliance for Model 6387
TIERNAN, M W Energy, Dept of 78/06/02 4pp

7903210080 "HEDL Model 60 Unirradiated Fissionable Matl Shipping Container, SAR for Packaging"
SMITH, F M, ROGERS, C A, COLTON, L B Hanford Engineering Development Laboratory TC-13B-R-01 78/01/31 65pp

7903200144 Notification of registration as user of Model 60 package
MACDONALD, C E Transportation Branch 79/03/01 1p

DOCKET 71-6400 Model Super Tiger, Westinghouse Electric Corp

7903010484 Provides further response to 780908 ltr, transmitting revision to Certificate of Compliance 6400 re Pu waste shipments Objects to new restrictions Urges reconsideration of revision
AUSTIN, M A Babcock & Wilcox Co 78/12/27 3pp

7903140589 Responds to 781227 application to ship low levels of Pu-bearing wastes in Super Tiger packaging Requests info demonstrating that Pu is in nonrespirable form or that inner containers will maintain integrity after test
MACDONALD, C E Transportation Branch 79/02/26 2pp

7903300578 Responds to NRC 790226 ltr requesting review of special requirements for Pu shipments Describes packaging Requests mod of Certificate of Compliance 6400 Revision 4 or extension of Certificate 6400 Revision 3, thru 840131
AUSTIN, M A Babcock & Wilcox Co 79/03/12 3pp

DOCKET 71-6574 Model HN-200, Hittman Nuclear & Development Corp

7903220089 Notification of registration as user of Model HN-200 in response to 790109 request
MACDONALD, C E Transportation Branch 79/03/05 1p

DOCKET 71-6581 Model 5103R-1 & 1A, Exxon Nuclear Co, Inc

7903060687 Forwards refund for overpayment of Revision 9 to Certificate of Compliance 6581
MILLER, W D License Fee Management Branch 79/02/14 1p

DOCKET 71-6601 Model LL-50-100, Chem-Nuclear Systems, Inc

7903200087 Requests administrative change to Certificate of Compliance 6601 Revision 5 dtd 781004 Change is to reflect updates to drawing 1042-D-0001 Revision A & drawing 1042-D-0021 Revision C Changes relocate cask lifting device Drawing enc1
REYNOLDS, L E Chem-Nuclear Systems, Inc 79/01/24 1p

DOCKETED SERIES

DOCKET 71-6639 Model MH-1A, Army, Dept of

7903090096 Forwards three revised pages to "Amend to SAR for Packaging TRIGA Fuel in MH-1A Spent Fuel Shipping Cask," dtd 790102 GENSER, J R Ridihaigh, Eggers & Associates 79/01/31 4pp

7903160089 Forwards Certificate of Compliance 6639, Revision 4 for Model MH-1A shipping package Approves use of package for shipment of radioactive matl & For shipment per 49CFR173.393a MACDONALD, C E Transportation Branch 79/02/23 2pp

7903160094 Certificate of Compliance 6639, Revision 4 for Model MH-1A shipping package MACDONALD, C E Transportation Branch 79/02/23 4pp

7903260050 Requests registration as user of MH-1A fissile radioactive matl shipping cask WARE, C Army, Dept of 79/02/27 1p

DOCKET 71-6642 Model 4 5 Ton Cf, Energy, Dept of

7903060698 Requests registration as user of Model 4 5 ton Cf shipping container CUNNINGHAM, G E General Electric Co, Nuclear Energy Products Div 79/02/07 1p

7903220076 Notification of registration as user of Model 4 5 ton Cf in response to 790207 request MACDONALD, C E Transportation Branch 79/03/03 1p

DOCKET 71-9007 Model 520, Argonne National Laboratory

7902270002 Requests authorization as shipper under same terms & conditions as listed in Certificate of Compliance 9007 KEENEY, W P Argonne National Laboratory - Argonne West 79/01/26 1p

7903220082 Notification of registration as user of Model 520 in response to 790126 request MACDONALD, C E Transportation Branch 79/03/05 1p

DOCKET 71-9009 Model FL 10-1, General Electric Co

7903070054 Requests registration as user of container Model FL 10-1 REMLEY, H E Rockwell International Corp 79/02/07 1p

7903220093 Notification of registration as user of Model FL 10-1 in response to 790207 request MACDONALD, C E Transportation Branch 79/03/05 1p

DOCKET 71-9010 Model NLI-1/2, NL Industries, Inc

7903300182 Announces relocation of Nuclear Transportation Dept from Wilmington, DE to Albany, NY WILLIAMS, C E NL Industries, Inc 79/02/01 1p

7903200148 Requests registration as user of NLI-1/2 radioactive shipping container, Anticipates Using casks by mid-June 1979 EMBWILER, T R Battelle Memorial Institute, Columbus Laboratories 79/02/21 1p

DOCKET 71-9013 Model 521, Isomedix, Inc.

7903070534 Notification of expiration of Certificate of Compliance 9013 for Model 521 Renewal may be requested, MACDONALD, C E Transportation Branch 79/01/23 1p

DOCKET 71-9023 Model NLI-10/24, NL Industries, Inc.

7903300182 Announces relocation of Nuclear Transportation Dept from Wilmington, DE to Albany, NY WILLIAMS, C E NL Industries, Inc 79/02/01 1p

7903200593 Requests addl info re 781010 application for amend to Model Number NLI-10/24 packaging approval List of info required encl. MACDONALD, C E Transportation Branch 79/03/01 3pp

DOCKET 71-9032 Model 650, Technical Operations, Inc

7902270072 Requests registration as shipper using container & camera licensed under NRC Certificates 9032 & 9033 KIRANT, E M Argonne National Laboratory 79/02/01 1p

7903220096 Notification of registration as user of Models 650, 660 & 660E in response to 790201 request MACDONALD, C E Transportation Branch 79/03/05 1p

DOCKET 71-9033 Model 660 & 660E, Technical Operations, Inc

7903060627 Forwards Certificate of Compliance 9033 for Models 660 & 660E Approval constitutes authority to use packages for shipment of radioactive matls MACDONALD, C E Transportation Branch 79/02/01 4pp

7903060639 Certificate of Compliance 9903 for Models 660 & 660E MACDONALD, C E Transportation Branch 79/02/01 2pp

7903150267 Requests deletion of J Miller from NRC mailing list, since his employment was terminated in 1974 MARANS, M P National Testing Laboratories, Inc 79/02/12 1p

7903140652 Informs that Models 660 & 660E have been deleted from License 45-09428-02 MOBERG, A J Newport News Shipbuilding & Dry Dock Co (subs of TENNECO Corp) 79/02/21 1p

7903220090 Notification of registration as user of Models 660 & 660E in response to 790108 request MACDONALD, C E Transportation Branch 79/03/05 1p

7903220096 Notification of registration as user of Models 650, 660 & 660E in response to 790201 request MACDONALD, C E Transportation Branch 79/03/05 1p

DOCKET 71-9044 Model GE-1600, General Electric Co

7903150191 Requests registration as user of Model GE-1600 Util intends to ship fuel pins from selected irradiated fuel assemblies as part of a fuel examination program MOODY, D E Vermont Yankee Nuclear Power Corp 79/02/12 1p

7903200234 Notification of registration as user of Model GE-1600 MACDONALD, C E Radioisotopes Licensing Branch 79/03/01 1p

DOCKET 71-9070 Model N-55, Energy, Dept of

7903120582 Notifies of intent to ship Type B quantity of radioactive matl in Model N-55 container by Chem-Nuclear Sys Inc GREGORY, W D Rochester, Univ of, Medical Center 79/01/08 1p

7903270016 Requests registration as user of Model N-55 SHELLEY, W J Kerr-McGee Nuclear Corp (subs of Kerr-McGee Corp) 79/02/22 1p

7903220084 Notification of registration as user of Model N-55 in response to 790108 request MACDONALD, C E Transportation Branch 79/03/05 1p

DOCKET 71-9074 AP-100

7903140491 Requests registration as user of Model AP-100 Provides name & address of contact re package DUNN, C N Duquesne Light Co 79/02/16 1p

DOCKET 71-9079 HN-100 Series 2

7903280284 Confirms 790125 telephone agreement re discontinuing use of driver checklist for radioactive matl shipments Forwards form ltr to customers MACDONALD, C E Transportation Branch 79/03/12 3pp

DOCKETED SERIES

255

DOCKET 71-9080 Model HN-600, Hittman Nuclear & Development Corp

7903280284 Confirms 790125 telephone agreement re discontinuing use of driver checklist for radioactive matl shipments Encloses form ltr to customers
MACDONALD, C E Transportation Branch 79/03/12 3pp

DOCKET 71-9081 Model CNSI-1600, Chem-Nuclear Systems, Inc

7903190340 Informs of planned shipment of irradiated reactor power monitors & other core internals in Model CNSI-1600
FOX, H S Tennessee Valley Authority 79/02/13 1p

DOCKET 71-9086 Model HN-100 Series 1, Hittman Nuclear & Development

7903280284 Confirms 790125 telephone agreement re discontinuing use of driver checklist for radioactive matl shipments Forwards form ltr to customers
MACDONALD, C E Transportation Branch 79/03/12 3pp

DOCKET 71-9088 Model NLS-Hf, Transportation, Dept of

7903070542 Based on review of application submitted by Schlumberger Well Svc on 790105, Model NLS-RF shipping container meets IAEA requirements
MACDONALD, C E Transportation Branch 79/01/16 1p

DOCKET 71-9089 Model HN-100 S

7903280284 Confirms 790125 telephone agreement re discontinuing use of driver checklist for radioactive matl shipments Forwards form ltr to customers
MACDONALD, C E Transportation Branch 79/03/12 3pp

DOCKET 71-9090 Model 480M, Allied Chemical Corp

7903220240 Forwards license application for type 48HX cylinders for shipment of natural assay UF6 & notice to holders of KY-697 dtd 790306 covering corrections to rept
HART, R J Energy, Dept of 79/03/06 2pp

7903220241 license application for type 48HX cylinder for shipment of natural assay UF6
BLUE, S C , GORDON, T R , STITT, D H Union Carbide Corp KY-697 79/02/26 48pp

DOCKET 71-9092 Model HN-300, Hittman Nuclear & Development Corp

7903280284 Confirms 790125 telephone agreement re discontinuing use of driver checklist for radioactive matl shipments Forwards form ltr to customers
MACDONALD, C E Transportation Branch 79/03/12 3pp

DOCKET 71-9093 Model HN-400, Hittman Nuclear & Development Corp

7903280284 Confirms 790125 telephone agreement re discontinuing use of driver checklist for radioactive matl shipments Forwards form ltr to customers
MACDONALD, C E Transportation Branch 79/03/12 3pp

DOCKET 71-9094 Model CNSI-14-195-H, Chem-Nuclear Systems, Inc

7902270037 Requests registration as user of Model CNSI 14-195H radioactive matls shipping cask
FRANCO, F F Omaha Public Power District 79/02/01 1p

7903120605 Requests registration as user of Models 7-100 & 14-195
STEINMEYER, K P Connecticut Yankee Atomic Power Co 79/02/21 1p

7903230209 Notification of registration as user of Model CNSI-14-195-H/-100 in response to 790221 request
MACDONALD, C E Transportation Branch 79/02/27 1p

7903220079 Notification of registration as user of Model CNSI-14-195H in response to 790201 request
MACDONALD, C E Transportation Branch 79/03/15 1p

DOCKET 71-9098 Model UCC-20WC-2, Union Carbide Corp

7903210071 Responds to 781117 request for addl info re leak testing & maint program for Model UCC-20WC-1 container Detailed evaluation of current procedures for leak testing program encl
VOTH, M H Union Carbide Corp 79/01/16 6pp

7903220498 Forwards Revision 1 of Certificate of Compliance 9098 for Model UCC-20WC-2 shipping package
MACDONALD, C E Transportation Branch 79/03/12 1p

7903220501 Certificate of Compliance 9098, Revision 1, for radioactive matl shipping package Model UCC-20WC-2
MACDONALD, C E Transportation Branch 79/03/12 3pp

DOCKET 71-9108 Model AL-33-90, Atcor, Inc

7903160025 Notification of registration as user of Models BC-4B-220, Vandenberg, LI-2B-4, PD-1 & AL3390 in response to 790119 request
MACDONALD, C E Transportation Branch 79/03/07 1p

DOCKET 71-9111 CN6-BOA, Chem-Nuclear Systems

7903200153 Notification of registration as user of Model CN6-BOA
MACDONALD, C E Transportation Branch 79/03/01 1p

DOCKET 71-9113 Model 7-100, Chem-Nuclear Systems, Inc

7903150415 Requests registration as user of Model 7-100
OLSEN, A F Babcock & Wilcox Co 79/02/16 1p

7903120605 Requests registration as user of Models 7-100 & 14-195
STEINMEYER, K P Connecticut Yankee Atomic Power Co 79/02/21 1p

7903230209 Notification of registration as user of Model CNSI-14-195-H/-100 in response to 790221 request
MACDONALD, C E Transportation Branch 79/02/27 1p

DOCKET 71-9120 Model TN-12, Transnuclear Corp

7903020014 Provides info re suitability of TN-12 containment vessel steels from a fracture toughness point of view, responding to 790110 meeting request Details design & test criteria
GOLDMANN, K Transnuclear, Inc 79/01/31 3pp

DOCKET 71-9124 Model L2-1B1 & L3-1B1, Nuclear Engineering Co, Inc

7903070536 Withdraws 780602 application for approval to deliver quantities of radioactive matls greater than Type A in Models L2-1B1 & L3-1B1
BAER, T S Nuclear Engineering Co, Inc (subs of Teledyne, Inc) 79/01/15 1p

DOCKET 71-9125 Model AL-M1, Energy, Dept of

7903090024 Forwards Certificate of Compliance 9125, Revision 0 for AL-M1 shipping package
MACDONALD, C E Transportation Branch 79/01/15 1p

7903090025 Certificate of Compliance 9125 Revision 0 for Model AL-M1 shipping package
MACDONALD, C E Transportation Branch 79/01/15 3pp

DOCKET 71-9126 Gamma Industries

7903300545 Informs that no addl fee is required for review of application dtd 780620
MILLER, W O License Fee Management Branch 79/03/14 1p

DOCKETED SERIES

DOCKET 71-9127 Gamma Industries

7903300545 Informs that no addl fee is required for review of application dtd 780620
MILLER, W D License Fee Management Branch 79/03/14 1p

DOCKET 71-9128 Gamma Industries

7903300545 Informs that no addl fee is required for review of application dtd 780620
MILLER, W D License Fee Management Branch 79/03/14 1p

DOCKET 71-9132 T-3, Nuclear Packaging

7903210368 Responds to 781020 request for approval to deliver Model T-3 package to carrier for transport & requests addl info on structure, containment, criticality, acceptance tests & maint program
MACDONALD, C E Transportation Branch 79/03/05 4pp

DOCKET 71-9186 S-6213 Energy, Dept of

7903300185 Request for addl info re 780309 application for amend to Model S-6213 power unit shipping container
MACDONALD, C E Transportation Branch 79/03/15 7pp

DOCKET 71-9507 Model A1-M1, Energy, Dept of

7903050088 Forwards response to NRC 781208 request for addl info in review of Model AL-M1 Notices concern re ratcheting when containment vessel may escape from drum
BROBST, W A Energy, Dept of 79/02/02 4pp

DOCKET 71-9851 ORNL Lithium Hydroxide Fire/Impact Shield

7903300300 Forwards SAR, field ofc evaluation & Certificate of Compliance 9851
BROBST, W A Energy, Dept of 78/07/31 1p

7903300303 Certificate of Compliance 9851
TRAVIS, W H Commission 77/09/02 11pp

7903300308 "SAR for Li Hydroxide Fire & Impact Shield"
EVANS, J H, EVERSOLE, R E, JUST, R A Oak Ridge National Laboratory W-7405-ENG-26 ORNL/ENG/TN-8 77/11/30 138pp
Available at NTIS

DOCKET 71-9852 DT-14 Energy

7903300184 Forwards Certificate of Compliance 9852, SAR & field ofc evaluation
BROBST, W A Energy, Dept of 78/02/02 1p

7903300189 Certificate of Compliance 9852 for Union Carbide Corp Model DT-14 packaging
TRAVIS, W H Energy, Dept of 78/05/22 3pp

7903300201 "SAR for Y-12 Plant Model DT-14 Package for Enriched U"
HOPPER, C M Union Carbide Corp Y/DD-244 78/01/31 24pp

NONDOCKETED ITEMS

257

7812200038 Responds to 781025 request for NRC views on Congressman Bingham's & Udall's resolution re nuclear licensing reform legislation NRC will submit its views before Congress convenes in early 1979
HENDRIE, J M Commission 78/11/28 1p.

7901220139 Comments on Rasmussen Study, WASH-1400, re potential risk assessments incorporated into revised procedures for LWR insp program
REBELDON, M L T Region 1, Philadelphia, Office of the Director 79/01/03 1p

7903060610 License application for General Atomic Co to export one compensated ion chamber with upper extension tube to Italy
MCURRY, H R General Atomic Co (subs of Gulf Oil Corp) 79/02/01 1p

7902200049 Submits schedule for providing NRC w/responses to request for addl info re core spray distribution program
LEVINE, A J General Electric Co, Nuclear Energy Products Div WF-013-79 79/01/15 2pp

7902210130 Responds to 781218 request for info on load combinations Questions asked will involve substantial effort & response should be sent by 790401
MATTHEWS, R J Division of Systems Safety 79/01/26 1p

7902210134 Requests responses to 3 generic questions on load combinations
WARD, J E Atomic Industrial Forum 78/12/18 3pp

7902220163 Responds to questions from preliminary design approval (PDA) holder re revised fee schedule by forwarding 790117 ltr re post-PDA submittals
HELTENES, C J Standardization Branch 79/02/02 1p

7902220170 Informs that fee schedule application to post-preliminary design approval submittals depends on NRC review & type of request by approval holder
BOYD, R B Division of Project Management 79/01/17 3pp

7902220173 Responds to questions from preliminary design approval (PDA) holder re revised fee schedule by forwarding 790117 ltr re post-PDA submittals
HELTENES, C J Standardization Branch 79/02/02 1p

7902220174 Informs that fee schedule application to post-preliminary design approval submittals depends on NRC review & type of request by approval holder
BOYD, R B Division of Project Management 79/01/17 3pp

7902220178 Responds to questions from preliminary design approval (PDA) holder re revised fee schedule by forwarding 790117 ltr re post-PDA submittals
HELTENES, C J Standardization Branch 79/02/02 1p

7902220180 Informs that fee schedule application to post-preliminary design approval submittals depends on NRC review & type of request by approval holder
BOYD, R B Division of Project Management 79/01/17 3pp

7903210083 License application for Westinghouse to export 12BF3 proportional counters to West Germany
POCHAL, W F Westinghouse Electric Corp 79/02/23 3pp

7902260015 Ack receipt of 781113 ltr re NRC approval of transport of nuclear wastes over Route 209 in PA Neither NRC nor DDT control specific truck routes Forwards NUREG-0170 & notice of DDT rulemaking W/o NUREG-0170
HENDRIE, J M Commission 78/12/28 5pp

7902260241 Reg Guide 2 & "Emergency Planning for Research Reactors"
KINCOR, R B Office of Standards Development 79/01/31 10pp.

7902270011 In response to request for analysis of "Investigations Related to Migration of Raffinates from Existing Cotter Tailings Impoundments," concludes that major zone of ground water contamination is shallow ground water flow sys
WILLIAMS, R E Idaho, Univ of 79/01/29 10pp

7902270042 Proposed tailings mgt plan for Phillips Uranium Corp meets NRC performance objectives; final evaluation cannot be made until issues re seepage, reclamation plan & groundwater source are clarified
NELSON, J D, SHEPHERD, T A Affiliation Unknown, 11896 79/02/01 3pp

7902280247 Forwards Murley 790122 ltr re FY79 midyear review for NRC research programs at Sandia Labs
FELT, R Division of Reactor Safety Research 79/01/30 1p.

7902280256 Notification of meeting re midyear review of research programs, scheduled for 790223, 26 & 27 Agenda encl
MURLEY, T E Division of Reactor Safety Research 79/01/22 2pp

7903300032 ACS & NRDC comments on amend to 10CFR21 & request for amend POLLARD, R Union of Concerned Scientists ROISMAN, A Z Natural Resources Defense Council 79/03/02 14pp

7903010001 Notification of contract execution, Mod 3 to "Emergency Vehicles for Response to Nuclear Incidents" Contractor Watkins-Burdette Motor, Inc
WAGGINS, E J Administrative Contracts Branch NRC-05-78-303 79/02/05 1p

7903010003 Mod 3, changing place of delivery to "Emergency Vehicles for Response to Nuclear Incidents"
MEDROW, L A K Administrative Contracts Branch NRC-05-78-303 79/02/05 1p

7903010011 Notification of contract execution, Mod 1 to "Hot-Pressing, Swelling & Gas Release of UO2 During Steady-State & Transient Conditions" Contractor Purdue Univ
MAGY, H Research Contracts Branch FIN B-6313 NRC-04-78-231 78/12/01 1p

7903010014 Mod 1, extending period of performance for one year at no addl cost to "Hot-Pressing, Swelling & Gas Release of UO2 During Steady-State & Transient Conditions"
MORTON, W V Research Contracts Branch, HENTSCHEL, W F Purdue Univ FIN B-6313 NRC-04-78-231 78/12/08 2pp

7903010016 Ack receipt of 790119 ltr informing NRC of steps taken to correct deviations noted in QA Program Insp Rpt
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch 79/01/31 1p

7902270050 Reviews proposed mgt plan for Anderson mill tailings impoundment Plan generally meets performance objectives
NELSON, J D, SHEPHERD, T A Affiliation Unknown 11899 79/01/24 2pp

7902270055 Describes diversion structure for Bakum Mineral Resources at proposed tailings impoundment near Marquez, NM Adequate diversion structure can be designed to divert flood waters from tailings impoundment
NELSON, J D Affiliation Unknown 79/01/26 3pp

7902270130 Review of Cotter Corp responses to evaluation of tailing mgt program & suppl to design rept is complete Furnishes comments re responses & proposed changes in tailings mgt plan
NELSON, J D, SHEPHERD, T A Affiliation Unknown 11905, 79/01/31 3pp

7902270150 Submits comments re new data having potential effect on regulatory process H embrittlement of Zircaloy fuel cladding ruptured in a simulated LOCA study
LEVINE, B Office of Nuclear Regulatory Research 78/12/20, 4pp

7902270300 Responds to questions from preliminary design approval (PDA) holder re revised fee schedule by forwarding 790117 ltr re post-PDA submittals
HELTENES, C J Standardization Branch 79/02/02 1p

7902270301 Informs that fee schedule application to post-preliminary design approval submittals depends on NRC review & type of request by approval holder
BOYD, R B Division of Project Management 79/01/17 3pp

7902270302 Responds to questions from preliminary design approval (PDA) holder re revised fee schedule by forwarding 790117 ltr re post-PDA submittals
HELTENES, C J Standardization Branch 79/02/02, 1p.

7902270379 Forwards rept re concentration of radioactive matl in unrestricted area in excess of ten times limit set forth for U in 10CFR20, App B, Table 2, Column 2. No excessive exposure to any individual resulted
AUSTIN, M A Babcock & Wilcox Co., Nuclear Material Div 79/01/22 2pp

7903010017 Responds to NRC 781219 ltr re violations noted in QA Program Insp Rpt 79900265/78-01 Corrective actions: calibr thermometer was promptly obtained & satisfactory evaluation made of temp of component & pressurizing medium.
RICKARD, C L General Atomic Co (subs of Gulf Oil Corp), 79/01/19 2pp

NONDOCKETED ITEMS

- 7903010019 Forwards QA Program Insp 99900265/78-01 on 781127-1201 & notice of deviation
PATAPQVB,U Region 4, Dallas, Vendor Inspection Branch
78/12/19 2pp
- 7903010022 Notice of deviation from insp on 781127-1201
* Region 4, Dallas, Vendor Inspection Branch 78/12/19 1p
- 7903010026 QA Program Insp Rept 99900265/78-01 on 781127-1201
Noncompliance noted equipment was not provided to monitor temp of component & pressurizing medium during low temp hydrostatic test of two pressure vessels
BUTTON, J W, WHITESELL, D E Region 4, Dallas, Vendor Inspection Branch 78/12/19 9pp
- 7903010030 Interim progress rept of cost-benefit analysis group Lists anticipated & attained schedules for major milestones, including statement casework, technical projects & research projects
TEPEL, R C Oak Ridge National Laboratory FIN B-0411 79/01/10 4pp
- 7903010035 License for Chase Nuclear (UB) to export 93 pieces Zircaloy-2 extruded tubes to Italy
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/02/02 1p
- 7903010039 Amend 1 to GE export license including Helix Process Sys as another party to license
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/02/01 1p
- 7903010042 License for Teledyne Wah Chang Albany to export 32,000 lb Zircaloy tube shells to Canada
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/02/01 1p
- 7903010047 License for George Uhe Co, Inc to export 793 795 kg heavy water to West Germany
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/02/02 1p
- 7903010051 Notification of contract execution, Mod 2 to "Environ Surveillance for Measuring Concentrations of Radioactivity & Radiation Levels in Environ of Commission-Licensed Activities Located in CA" Contractor-State of CA
BAIDEN, L. Research Contracts Branch FIN B-5103
NRC-05-77-105 78/11/13 1p
- 7903010055 Mod 2, provides funding for FY79 in the amount of \$264,000 to "Environ Surveillance for Measuring Concentrations of Radioactivity & Radiation Levels in the Environ of Commission-Licensed Activities Located in CA"
MORTON, K V Division of Contracts FIN B-5103 NRC-05-77-105
79/01/25 1p
- 7903010084 Forwards informal monthly progress rept for Nov 1978
BURNETTE, O W General Electric Co., Nuclear Energy Products Div
NRC-04-76-215 78/12/11 2pp
- 7903010089 "BNR Blowdown/ECCS Program, 38th Monthly Rept, Nov 1978"
BURNETTE, O W General Electric Co., Nuclear Energy Products Div
NRC-04-76-215 78/11/30 2pp
- 7903010124 Notices of 790202 meeting to discuss merits of issuing license to Edlow Intl for export of special nuclear matl to India. Meeting closed to public attendance.
CHILK, B J Office of the Secretary of the Commission 79/01/30 1p
- 7903010129 License for Westinghouse to export two compensated ionization chambers, Type B074, to Italy.
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/02/08 1p
- 7903010133 License for Chase Nuclear (UB) to export 11 Zircaloy-2 extruded tubes to Italy
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/02/08 1p
- 7903010255 Comments on proposed policy re licensing geologic repositories for high-level radioactive waste. Suggests possible policy changes & proposes specific NRC actions
Requests response
ROISMAN, A Z Natural Resources Defense Council 79/01/30 33pp
- 7903010348 Ack receipt of 790119 ltr re reproduction of documents NRC preparing contract w/Northern CA Power Authority (NCPA) re payment for documents reproduced for the NRC
GOLDBERG, J R Anti-Trust Division 79/02/05 1p
- 7903010373 Transcript of 790208 meeting in Washington, DC re Ofc of Project Mgt briefing on Senior Executive Svc Pp 1-59
HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 79/02/08 60pp
- 7903020001 NUREG/CF-0591
"Current Usage of Containers for SNM Storage, Transfer & Measurement"
ALVAR, K R, ATWELL, T L, BRAMBLETT, R L IRT Corp FIN B-0151 IRT
B179-004 79/01/31 57pp Available at NTIS
- 7903020003 "PBF/LOFT Lead Rod Test Program Experiment Operating Spec, Revision 1"
VARACALLE, D J Idaho National Engineering Laboratory FIN A-6111
TFBP-TR-302 79/02/09 67pp
- 7903020005 Transcript of 790201 public meeting briefing on EEO program Pp 1-38
HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 79/02/01 39pp
- 7903020008 Transcript of 790201 public meeting re discussion of decision in B-3 rulemaking Pp 1-49
HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 79/02/01 50pp
- 7903020011 Comments on proposed policy re geologic repositories for high level waste. CEO's final regulations for NEPA procedural implementation should be considered in proceedings
JAMIESON, B Council on Environmental Quality 79/01/26 2pp
- 7903020019 Requests appraisal of info in Honicker petition. Believes nuclear power facilities are too dangerous to operate. Many people have difficulty adjusting to new scientific knowledge
LARESON, D Affiliation Unknown 79/02/01 1p
- 7903020091 NUREG/CR-0580
"Two-Phase Flow Phenomena in Nuclear Reactor Technology, Quarterly Progress Rept 9, June-Aug 1978"
LAHEY, R T Rensselaer Polytechnic Inst NRC-04-76-301 79/01/31 74pp Available at NTIS
- 7903020092 NUREG/CR-0365
"Physical Protection of Nuclear Matl In-Transit, Quarterly Rept (Jan-Mar 1978)"
RINNE, R L Sandia Laboratories FIN A-1173 78/09/30 32pp Available at NTIS
- 7903020107 NUREG/CF-0380
"Analysis of Populations of Boring & Fouling Organisms in Vicinity of Oyster Creek Nuclear Generating Station," seventh quarterly rept, Mar-May 1978
HOAGLAND, K E, CROCKET, L, ROCHESTER, M Lehigh Univ
AT(49-24)-0347 79/01/31 40pp Available at NTIS
- 7903020117 "Code Assessment & Applications Program, Code Data Comparison For Bemscales Mod-3 Integral Test S-07-6"
MECHAM, D C EG & G, Inc FIN A-6047 CAAP-TR-038 79/02/12 58pp
- 7903020123 Describes metallurgy & matls research presentations of 6th Water Reactor Safety Research Info Meeting held 781106-09
ZUDANS, Z Franklin Institute Research Laboratory 78/11/21 5pp
- 7903020128 "Dosimetry Measurement Ref Data Base for LWR Pressure Vessel Irradiation Surveillance," Nov-Dec 1978
MCQARRY, E D Commerce, Dept of, National Bureau of Standards
AT-(4925)9008 79/01/19 5pp
- 7903020185 Transcript of 790201 public meeting in Washington, DC re A Kranish FOIA appeal
CHILK, B J Office of the Secretary of the Commission 79/02/01 17pp
- 7903020188 SECY-79-17
Suppl earlier paper re FOIA appeal of A Kranish (78-A-18)
Final administrative action will be to send encl from Ofc of General Counsel 79018 memo
KELLEY, J L Office of the General Counsel 79/01/08 3pp
- 7903020251 Forwards safety evaluation of WCAP-8720 (proprietary) & WCAP-8785 (nonproprietary) "Improved Analytical Models Used in Westinghouse Fuel Rod Design Computations," Rept acceptable if certain conditions are met
STOLZ, J F Light Water Reactors Branch 79/02/09 42pp
- 7903020281 Ack receipt of 781120 & 781222 ltrs informing NRC of steps taken to correct deviations noted in QA Program Insp Rept 99900112/78-02
PATAPQVB,U Region 4, Dallas, Vendor Inspection Branch
79/01/03 1p

NONDOCKETED ITEMS

259

7903020286 Responds to 781211 request for written statements resolving deficiencies found in QA program re periodic re-evaluation of calibr cycle by Insp Supervisor Master Calibr log must now be initiated by Supervisor upon completion
RUDDY, A J Ametek, Inc 78/12/22 2pp

7903020290 Ack receipt of 781120 ltr & requests addl info re method to be used to preclude recurrence of failure of Insp Supervisor to periodically re-evaluate calibr cycles of equipment listed in Procedure CM-1005
POTAFDVS, U Region 4, Dallas, Vendor Inspection Branch 78/12/11 1p

7903020293 Responds to NRC 781020 ltr re violations in QA Program Insp Rept 99900112/78-02 Corrective actions outline of auditing methods on file, draft of calibr procedure CM-1005 on file, calibr log redesigned, supervisor to review log monthly
RUDDY, A J Ametek, Inc 78/11/20 3pp

7903020296 Forwards QA Program Insp 99900112/78-02 on 781002-06 & notice of deviation
POTAFDVS, U Region 4, Dallas, Vendor Inspection Branch 78/10/20 2pp

7903020298 Notice of violation from insp on 781002-06
a Region 4, Dallas, Vendor Inspection Branch 78/10/19 2pp

7903020303 QA Program Insp Rept 99900112/78-02 on 781002-06 Noncompliance noted auditor indoctrination & training records not maintained & calibr program requirements not fully implemented for three separate items as required
OLLER, R E, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 78/10/19 10pp

7903020385 License for Mitsubishi Intl Corp to export 319 kg U-235 to Japan
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/02 2pp

7903020388 License for Mitsubishi Intl Corp to export 784 kg U-235 to Japan
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/02 2pp

7903020391 Requests response to several questions re NRC's plan of action for 16 power plants whose safety was repudiated by Lewis study States further delay in addressing issues raised by Rasmussen Rept will damage nuclear power development
GOODLING, W, ERTEL, A E House of Rep 79/02/09 2pp

7903020400 Requests action to expedite technical review of CENPD-255, "Class IE Qualification"
MCWARD, E Boston Edison Co 79/01/19 2pp

7903020403 Provides review comments on Reg Guide 3.44 Recommends meeting w/representatives of ANS-2 19 to assure that Reg Guide 3.44 & ANS-2 19 reflect same basic approach to questions of ISFSI W/specific comments
HEIN, G E Harding-Lawson Associates 79/01/31 4pp

7903020404 Comments on Reg Guide 1.142, "Safety-Related Concrete Structures for Nuclear Power Plants" ASME Code applies to structures that resist pressure & does not see why ACI349 will not provide functional design W/detailed comments
ORR, R G Offshore Power Systems (subs of Westinghouse Electric Corp) ACI-R80-120 79/02/01 5pp

7903020406 Comments on Reg Guide 5.5B, "Considerations for Establishing Traceability of Special Nuclear Matl Accounting Measurements" Feels guide is significant step in right direction Forwards specific comments
EISENHOWER, E H, YOLKEN, H T Commerce, Dept of, National Bureau of Standards 79/01/22 6pp

7903020410 License for Baginaw Steering Gear to export 12 ball assemblies & parts for loading/unloading fuel elements into reactors to South Korea
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/02 2pp

7903030012 Executive Branch position re General Atomic Co applicatic to export 1080 lb of nuclear grade graphite to France
License should be granted W/enc1 end-use statement
MOSENZO, L V State, Dept of 79/02/05 3pp

7903030014 Application for license to export reactor control rods, reactor pressure tubes, zirconium tubes & reactor internals to Japan
TANAKA, N Mitsubishi International Corp (subs of Mitsubishi Corp) PIT-L-0778, 79/02/02 4pp

7903050029 Notification of contract execution, Mod 14 to "Steam Water Mixing & Sys Hydrodynamics" Contractor Battelle Columbus Labs
MYNATT, A Research Contracts Branch FIN A-404B 79/01/03 1p

7903050031 Mod 14 increasing scope of work to "Steam Water Mixing & Sys Hydrodynamics"
MORTON, K V Division of Contracts FIN A-404B 78/12/27 2pp

7903050034 Summarizes 790206 DDE/NRC meeting re nuclear waste mgt activities at Ofc of Nuclear Waste Isolation, & programs at Hanford & Nevada test site Safety design decisions are made w/o NRC W/viewgraphs
BOYLE, R R High Level & Transuranic Waste Branch 79/02/09 207pp

7903050035 Notification of contract execution, Mod 2 to "Development of Methodology for & Design Validation, Tests & Implementation of Resources Mgt Sys" Contractor Science Mgt Corp
BAIRDEN, L Research Contracts Branch, FIN B-1264 79/01/23 1p

7903050037 Mod 2, extending period of performance from 770928 to 790302 to "Development of Methodology for & Design Validation, Tests & Implementation of Resources Mgt Sys"
MORTON, K V Division of Contracts FIN B-1264 79/01/27 1p

7903050039 Notification of contract execution, Mod 2 to "Licensee Performance Evaluation" Contractor Teknekron, Inc
BAIRDEN, L Research Contracts Branch, FIN B-1231 79/01/10 1p

7903050041 Mod 2, modifying contract requirements & extending period of performance from 771110 to 790514 to "Licensee Performance Evaluation"
MORTON, K V Division of Contracts FIN B-1231 79/01/10 2pp

7903050043 Notification of contract execution "Effective Technical Presentations," awarded to LJ Hampton Associates
HOYLE, A Purchasing Section NRC-10-79-380 79/02/01 1p

7903050048 Contract for "Effective Technical Presentations"
HARRETT, D J Division of Contracts 79/02/01 5pp

7903050050 Notification of contract execution, Mod 1 to "Studies of Gas-Liquid Flow Patterns" Contractor Univ of Houston
HAGEY, H Research Contracts Branch FIN D-6273 79/02/08 1p

7903050054 Mod 1, increasing funds from \$66,404 to \$142,979 to "Studies of Gas-Liquid Flow Patterns"
MORTON, K V Research Contracts Branch FIN D-6273 79/02/08 5pp

7903050061 Forwards NRC evaluation of CENPD-252-P, "Blowdown Analysis Method, Method for Analysis of Blowdown-Induced Forces in a Reactor Vessel" Requests resubmittal as an approved rept
BAER, R L Light Water Reactors Branch 2 79/02/02 1p

7903050064 Evaluation of CENPD-252-P, "Blowdown Analysis Method, Method for Analysis of Blowdown-Induced Forces in a Reactor Vessel" Concludes CEFLASH-4B code is acceptable for evaluating subcooled decompression response after LOCA
* Light Water Reactors Branch 2, 79/02/12 19pp

7903050075 Finds MD program for regulation of agreement matl adequate Urges incorporation of latest version of NRC-suggested state regulations, Forwards comments on technical aspects
RYAN, R Q Office of State Programs 79/02/08 3pp

NONDOCKETED ITEMS

- 7903050093 Notifies that WCAP-9179 Revision 1 has been approved for withholding from public disclosure per proprietary affidavit AW-77-47
STOLZ, J F Light Water Reactors Branch 1 79/02/08 2pp
- 7903050102 Responds to 781124 request for Executive Branch views on issuance of license for Transnuclear, Inc to export 1,131 kg U-235 to West Germany Recommends license be issued w/ltr of assurance
NOBENZ, D L V State, Dept of 79/02/08 3pp
- 7903050107 Forwards ltr from Radium-Chemie Ltd of Switzerland dtd 790126, stating position re license application questions
HOLM, W M Radium Chemical Co., Inc 79/02/06 3pp
- 7903050113 Comments on NUREG/CR-0311 all elements of in-site mining project impacting waste, environ quality & monitoring are considered in detailed, comprehensive way w/detailed comments
SMITH, P D Environmental Protection Agency BAH-WM 79/02/06 2pp
- 7903050122 Comments on proposed rule 10CFR20 recounts limited extent of radionuclide burial with minimal public health risks
Concludes that addl cost of offsite burial would not be prohibitive
BERGMAN, R K Health, Education & Welfare, Dept of 79/01/25 2pp
- 7903050207 Responds to 781130 Swedish govt telex w/info re use of licensed matl in research project
HABAS, D Affiliation Unknown 79/01/12 2pp
- 7903050208 "Crack Arrest Technology" monthly ltr rept
NOBENFELD, A R Battelle Memorial Institute, Columbus Laboratories NRC-04-76-293-06 79/02/09 4pp
- 7903050209 Informs of 790212 meeting w/Gilbert Commonwealth re changes in organization Followup ltr will describe changes for formal acceptance
SPRAUL, J Quality Assurance Branch 79/02/14 1p
- 7903050211 Comments on proposed rule 10CFR20 urges more restrictions re licensee burial of radioactive matls w/o notification
Cites need for NRC controls Expresses concern for tritium impact on drinking water in MO
RICE, S Affiliation Unknown 79/01/29 8pp
- 7903050218 Staff conclusions re Aldrich Chemical Co proposed license to export nuclear matl to Belgium License should be granted
MOORE, R N Assistant Director for Export/Import & International Safeguards 79/02/13 1p
- 7903050222 Staff conclusions re Babcock & Wilcox proposed license to export nuclear equipment to Spain Export should be granted
MOORE, R N Assistant Director for Export/Import & International Safeguards 79/02/12 1p
- 7903050227 Commission determines that transcript of discussion of testimony before House Foreign Affairs Committee on 790207 should be withheld from disclosure (ref 10CFR9 108)
CHILK, S J Office of the Secretary of the Commission 79/02/09 1p
- 7903050261 Forwards new operating procedures which address recommendations re NUREG-0292 Procedure 221 "Staff-Applicant Pretendering Activities," & Procedure 222 "Predocketing Review of Const Permit Applications" w/o encl
DENTON, H R Office of Nuclear Reactor Regulation 79/02/14 1p
- 7903050270 Evaluation of Revisions 2 & 2a to Topical Rept XN-NF-1 "QA Program Topical Rept for Nuclear Fuel Design & Fabrication" is complete Rept acceptable w/one exception program should conform to annual audit frequency
HAAS, W F Quality Assurance Branch 79/02/13 2pp
- 7903050414 Answers to NRC's first set of suppl interrogatories Verification of NM Daines & Certificate of Bvc encl
MEISS, R L Pacific Gas & Electric Co. 79/02/02 12pp
- 7903050419 Comments on Reg Guide 1 120 requirement to use nationally recognized testing lab or approved lab is not justified
Requirement that fire stop designs prevent propagation of for 30 minutes is arbitrary
SAWYER, E A Yankee Atomic Electric Co 79/01/19 2pp
- 7903050432 Forwards info re Reg Guide 1 142, "Design Guidance for Radioactive Waste Mgt Bgs, Structures, & Components Installed in Light-Water-Cooled Nuclear Power Plants" Forwards draft value/impact statement.
ARLOTTO, G A Division of Engineering Standards 79/02/09 1pp
- 7903050442 Comments on proposed Reg Guide 1 143 suggests paragraphs 5 & 2 & 5 2 4 should be revised either to reference ACI-318 or to show reduced load factors for use w/ACI-349
ORR, R S Offshore Power Systems (subs of Westinghouse Electric Corp) 78/11/10 2pp
- 7903050443 Comments on Reg Guide 8 24, "Health Physics Surveys During Enriched U-235 Processing & Fuel Fabrication" Suggests data pool on all employees who are issued radioactivity dose sensing badges under regulations
DOHCRTY, J F Texas Public Interest Research Group 78/01/19 1p
- 7903050444 License application for General Atomic Co to export one fission chamber w/upper extension tube to Italy
MOWRY, W R General Atomic Co (subs of Gulf Oil Corp) 79/02/01 2pp
- 7903050450 Responds to 790102 ltr re implementation of certain recommendations in NUREG-0292 Recommends shortened review directed primarily at const permit review No need for implementation on operating license reviews
DENTON, H R Office of Nuclear Reactor Regulation 79/02/07 3pp
- 7903050452 Documents various issues discussed in 781024 meeting re NUREG-0292 & seeks clarification of others General issues requiring further discussion & resolution include guidelines for implementation of recommendations
WARD, J E Atomic Industrial Forum 79/01/02 5pp
- 7903050453 Requests extension to 790316 to comment on generic rulemaking to improve nuclear power plant licensing
REYNOLDS, N S, PHILIPS, M H Debevoise & Lieberman 79/01/30 2pp
- 7903050456 BECY-79-64A
Informs Commission of receipt of addl info re GE proposed export license XSNM-1365
SHEA, J R Office of International Programs 79/01/29 1p
- 7903050459 Requests immediate attention to assist in expediting export license review If 790130 export data is not met, refueling outage will be delayed & costs will increase
WILSON, B D General Electric Co, Nuclear Energy Products Div 79/01/09 1p
- 7903050461 Requests assistance to expedite review of export license XSNM-1365 Delays will incur addl transportation costs over \$100,000
WILSON, B D General Electric Co, Nuclear Energy Products Div 79/01/24 1p
- 7903050462 Notification of contract execution "Safeguards for High Level Waste Repositories" awarded to Science Applications, Inc
SMITH, P A Technical Assistance Contracts Branch FIN 0-6376-9 79/02/01 1p
- 7903050468 Contract for "Safeguards for High Level Waste Repositories" awarded to Science Applications, Inc
DOUGHERTY, D J Technical Assistance Contracts Branch FIN 0-6376-9 79/02/01 26pp
- 7903050465 Comments on proposed Reg Guide 1 107 believes imposition of sulfate limit makes little chemical sense
HIME, W D Affiliation Unknown 79/01/23 1p
- 7903050466 BECY-78-633A
Informs Commission of receipt of addl info on license application XSNM-1425
SHEA, J R Office of International Programs 79/01/30 1p
- 7903050474 Submits addl info re use of matl to suppl 781124 export license application XSNM-1425
SPARK, F Germany, Federal Republic of 78/12/29 2pp
- 7903050469 Comments on proposed Reg Guide 8 24, "Health Physics Surveys During Enriched U-235 Processing & Fuel Fabrication" Suggests guide be revised to exempt continuous air sampling in plant areas where only contained U is handled
SCHERER, A E Combustion Engineering, Inc LD-79-007 79/01/26 2pp
- 7903050470 License for Mitsubishi Intl Corp to export 264 kg U-235 to Japan
OPLINDER, O O Assistant Director for Export/Import & International Safeguards 79/02/02 2pp
- 7903050473 License for Mitsubishi Intl Corp to export 1196 kg U-235 to Japan
OPLINDER, O O Assistant Director for Export/Import & International Safeguards 79/02/02 2pp

NONDOCKETED ITEMS

261

7903050476 License for GE to export 1009 kg U-235 to Japan
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/02/02 2pp

7903050477 SECY-79-87
Informs Commission of withdrawal of GE export license
application XR-124 dtd 790110
SHEA, J R Office of International Programs 79/02/01 1p

7903050479 Request for withdrawal of export license application XR-124
WILSON, B D General Electric Co, Nuclear Energy Products Div
79/01/10 1p

7903050478 License for Edlow Intl Co to export 324 kg U-235 to Japan
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/02/02 2pp

7903050481 Forwards correction to Reg Guide 10 B re dose calibrator
WACA, H C American National Standards Institute 79/01/29 1p

7903050482 License for Mitsubishi Intl Corp to export 305 kg U-235 to
Japan
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/02/02 2pp

7903050483 Notification of 790213 meeting in Bethesda, MD to discuss
T-quencher methodology for Mark I containment
SU, T M Containment Systems Branch 79/02/08 1p

7903050486 License XBNM-1453 for Cordis Corp to export SNM to Saudi
Arabia & Jordan was issued w/o 15-day waiting period due to
urgency of request
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/02/08 1p

7903050490 Comments on Reg Guide 1.143, "Design Guidance for Radioactive
Waste Mgt Sys, Structures & Components Installed in
Light-Water-Cooled Nuclear Power Plants" Suggests "plastic"
piping be more specifically defined
JOHNSON, W P Yankee Atomic Electric Co 79/01/25 2pp

7903050535 Responds to 781107 ltr requesting transcript of closed
781106 Commission meeting re Executive Director for
Operations testimony Portions of transcript are withheld
(ref 10CFR2 790).
FELTON, J M Division of Rules and Records 79/03/01 1p

7903050545 Transcript of 781106 discussion re Executive Director of
Operations testimony of July-Aug, 1977
HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 78/11/06
50pp

7903050542 Responds to 790117 FOIA request for documents from NRC IE
Manual & interpretations re ANSI Forwards request for
purchase of released portions of manual to PDR
FELTON, J M Division of Rules and Records 79/02/26 2pp

7903050543 Ack receipt of 790121 FOIA request for documents relating
to review of Rasmussen Rept Encl list identifies relative
documents which are not available from PDR are
encl
FELTON, J M Division of Rules and Records 79/02/22 3pp

7903050549 Comments on Risk Assessment Review Group Rept
(NUREG-CR-400) Presents findings & recommendations on
technical aspects of WASH-1400 w/important implication re
regulatory policies & practices
FEDERBEN, K Office of Policy Evaluations 78/10/03 9pp

7903050555 Forwards info re regulatory actions & staff positions whil
rely on WASH-1400
MARINOS, E C Reactor Systems Standards Branch 78/11/16 5pp

7903050560 Requests staff views on results of survey of WASH-1400
users Memo from LV Gossick requesting staff survey encl
MINOQUE, R B Office of Standards Development 78/12/27 1p

7903050553 Requests Office Directors to conduct staff surveys re
results of survey of WASH-1400 users
GOSSICK, L V Office of the Executive Director for Operations
78/12/20 1p

7903050559 Responds to request from LV Gossick seeking identification
of actions or positions that used risk assessment models &
results of WASH-1400 Forwards memo from E Marinos re prior
knowledge of licensing actions
SULLIVAN, D F Reactor Systems Standards Branch 78/11/09
2pp

7903050562 Responds to 781027 memo requesting identification of actions
or positions that have used risk assessment models & results
of WASH-1400 Provides specific info re use of WASH-1400 in
review actions
MARINOS, E Reactor Systems Standards Branch 78/11/08 1p

7903050546 Requests documents from NRC IE Manual & interpretations re
ANSI
JOHNSON, J M Carolina Power & Light Co QDA-79-20 79/01/17
14pp

7903050547 FOIA request for transcript of 781106 Commission meeting re
Executive Director of Operations' testimony
KRANISH, A Affiliation Unknown 78/11/07 1p

7903050557 SECY-79-91
Summarizes status of application by Nuclear Metals Inc to
export 23,000 kg depleted U to United Kingdom Recommends
issuance of license
SHEA, J R Office of International Programs 79/02/05 4pp

7903050572 SECY-78-478A
Summarizes status of application by GE to export 239,000 kg
low enriched U to Taiwan Export is being reexamined due to
change in US-Taiwan relations NMSS has no info on Taiwan sys
of accounting & control W/correspondence
SHEA, J R Office of International Programs 69/02/07 24pp

7903050579 License for Westinghouse, Industrial & Govt Tube Div, to
export two ionization chambers, Type WL6377 & WL6937A to the
Netherlands
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/02/08 1p

7903050580 License for GE to export neutron detectors specially
designed for nuclear reactors to West Germany
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/02/08 1p

7903050583 Executive Branch position re Dresser Atlas Div of Dresser
Industries, Inc application to export 18 Cl Am-241 to Peoples
Republic of China License should be granted
NOSENZO, L V State, Dept of 79/01/25 1p

7903050585 Informs NRC of cancellation by Bolivia of contract to export
small research reactor & related SNM Says no reason for NRC
to retain active files on project
LEONARD, B E Institute for Resource Management, Inc 79/01/08 1p

7903050586 License for GE, Nuclear Energy Business Group, to export
miscellaneous parts & components specially designed for
nuclear reactors to West Germany
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/02/08 1p

7903050591 Comments on Reg Guide B 24 re health physics surveys during
U-235 processing & fuel fabrication Feels new criteria are
not consistent in most cases, w/current techniques W/specific
comments
JOHNSON, W P Yankee Atomic Electric Co WYC 79-6 79/02/06 2pp

7903050594 Requests license to export nuclear medical devices to
Saudi Arabia & Jordan
SCHMOEBEL, J J Cordis Corp 79/02/06 2pp

7903060003 Ack receipt of 790105 ltr & requests addl info to inform NRC
of steps taken to correct violations noted in QA Program
Insp Rept 99900029/78-02
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
79/01/31 1p

7903060004 Responds to NRC 781122 ltr re violations noted in Insp Rept
99900029/78-02 Corrective actions, areas of manual audited to
check results recorded; review added to monthly audit check
list; outlines followed in training
LEWIS, D E Youngstown Welding & Engineering Co 79/01/05 2pp

7903060006 Forwards QA Program Insp 99900029/78-02 on 781102-03 &
notice of deviation
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch.
78/11/22 3pp

7903060007 Notice of deviation from insp on 781102-03
* Region 4, Dallas, Vendor Inspection Branch 78/11/22 1p

NONDOCKETED ITEMS

- 7903060012 QA Program Insp Rept 9990029/78-02 on 781102-03
Noncompliance noted areas of QA manual not audited,
preventive actions not taken to assure monthly reviews;
training schedules not followed
OLLER, R E., HUNNICUTT, D M Region 4, Dallas, Vendor Inspection
Branch 78/11/22 9pp
- 7903060016 Ack receipt of encl 781114 ltr from Mr & Mrs Russart re
storage of spent fuel at Haven plant Safety evaluation & EIA
re mod of spent fuel storage at Kauaunee encl
GOSWICK, L V Office of the Executive Director for Operations
79/01/17 3pp
- 7903060035 Proposed license for Transnuclear, Inc to export low
enriched U to Canada is accepted Requests Transnuclear be
notified by 790214
CHILK, S J Office of the Secretary of the Commission 79/02/13
1p
- 7903060036 Lists export licenses for which ltrs of assurance have not
been received Requests info re date ltrs were requested
from respective embassies
BHEA, J R Office of International Programs 79/01/26 2p
- 7903060055 Forwards IE Info Notice 79-03, "Limitorque Valve Geared
Limit Switch Lubricant " Lists licensees to whom notice was
sent on 790209
PAPPAS, H Region 3, Chicago, Office of the Director 79/02/12
2pp
- 7903060106 License for GE Nuclear Energy Business Group to export
miscellaneous parts & components specially designed for
nuclear reactor use to Italy
OPLINGER, G D Assistant Director for Export/Import & International
Safeguards 79/02/08 1p
- 7903060111 Ack receipt of 781207 ltr conveying statements from GK Rhode
of Niagara Mohawk Power NRC is aware of statements & is
considering his suggestions NRC reply to & discussion of
recommendations encl
HERDRIE, J M Commission 79/02/14 3pp
- 7903060114 Ack receipt of 781116 ltr forwarding speech "The Nuclear
Transportation Scene - A Util Viewpoint " Referred speech to
appropriate staff members for consideration of issues
identified
DIRCKB, W J Office of Nuclear Material Safety & Safeguards
78/12/14 9pp.
- 7903060124 Forwards comments submitted to Dept of Transportation re
rulemaking proceeding to determine need for addl routing
requirements for transportation of radioactive matls
RHODE, G K Niagara Mohawk Power Corp 78/12/19 1p
- 7903060136 Forwards info on behalf of Electric Util Co Nuclear
Transportation Group re advance notice of proposed
rulemaking on highway routing of radioactive matl Supplis
781019 ltr & 781129 oral statement
TROSTEN, L M LeBoeuf, Lamb, Leiby & MacRae 78/12/19 150pp
- 7903060139 Comments on Reg Guide 1.144 Finds several audit procedures
conflict w/each other
MEDINGER, W E Affiliation Unknown 79/02/05, 1p
- 7903060146 NUREG/CR-0439
"Preparation of Working Calibr & Test Matls Mixed Oxide."
REIN, J E., TIETJEN, G L., ZEIGLER, R K Los Alamos Scientific
Laboratory W-7405-ENG. 36 LA-7322 78/09/30 42pp Available at
NTIS
- 7903060164 Notification of cancellation of application for export
licenses XR-116, XSNM-960 & XSNM-970
LEONARD, B E Institute for Resource Management, Inc 79/01/08 1p
- 7903060168 NUREG-0466
"Calculation of Release of Radioactive Matls in Gaseous
Effluents From Nuclear-Powered Merchant Ships
(NMS-GEFF Code) "
CARDILE, F P., BANGART, R L., COLLINS, J T Division of Site Safety &
Environmental Analysis 78/07/30 85pp Available at NTIS
- 7903060206 Requests license to import 409 irradiated fuel assemblies
& 80 irradiated Japanese research reactor fuel assemblies, on
behalf of British Nuclear Fuels, Ltd Matl not to exceed 115
kg U Gives task types & shipment schedule
EDLOW, J Edlow International Co NRC 79/02/07 1p
- 7903060220 Executive Branch position re application by B&W for
authorization to export to Spain various parts & components
specially designed or prepared for use in Lemoniz Unit 1
nuclear power reactor License should be issued
NOSENZO, L V State, Dept of 79/02/07 2pp
- 7903060234 Executive Branch position re Industrial Nucleonics Corp
application to export 0.5 Ci of Krypton-85 in sealed source
for industrial gauging to Hungary License should be granted
NOSENZO, L V State, Dept of 79/02/05 1p
- 7903060243 Letter of assurance confirming Kansai Electric Power Co
appointment as authorized person to import & possess
licensed matl per Agreement for Cooperation between US &
Japan
SUZUKI, K Japan 79/01/31 2pp
- 7903060254 Executive Branch position re Transnuclear, Inc application to
export U-235 to Japan Approves West Germany as intermediate
consignee W/encl ltr of assurance
NOSENZO, L V State, Dept of 79/02/07 3pp
- 7903060257 NUREG/CR-0544
"NRC/RES Data Bank Program Description "
BANKERT, S F Idaho National Engineering Laboratory FIN A-6102
TREE-1319 79/01/31 180pp Available at NTIS
- 7903060262 Ack receipt of 790119 ltr informing NRC of steps taken to
correct violations noted in QA Program Insp Rept
99900269/78-02
POTAPQVS, U Region 4, Dallas, Vendor Inspection Branch
79/01/31 1p
- 7903060264 Responds to NRC 790105 ltr re deviations noted in QA Insp
Rept 99900269/78-02 Corrective actions welds deposited w/o
procedures stations removed & parts rewelded/welding
procedure Spec 5-1, Revision G revised
WHEATON, W R Borg-Warner Corp Q-7-023/WRH 79/01/19 3pp
- 7903060267 Forwards QA Program Insp Rept 99900289/78-02 on 781211-13 &
notice of deviation
POTAPQVS, U Region 4, Dallas, Vendor Inspection Branch
79/01/05 2pp
- 7903060271 Notice of deviation from insp on 781211-13
* Region 4, Dallas, Vendor Inspection Branch 79/01/02 2pp
- 7903060277 QA Program Insp Rept 99900289/78-02 on 781211-13
Noncompliance noted: calibr inspector not reporting out-of-
calibr equipment as required, correct welding spec not at
work station & electrical characteristics not kept
BUTTON, J M., WHITESELL, D E Region 4, Dallas, Vendor Inspection
Branch 79/01/02, 13pp
- 7903060269 Executive Branch position re application by Westinghouse to
export nuclear reactor components to France W/encl ltr of
assurance. License should be granted
NOSENZO, L V State, Dept of 79/02/05 3pp
- 7903060306 Recommends amend that companies or industries submit list of
specific products that could be exempt from 10CFR21.101
about shortages & rising cost of parts
ANDERSON, K B Affiliation Unknown 79/01/10 3pp
- 7903060349 NUREG/CR-0046 V2
"Qualification Manual for IE Personnel," detailed data
sheet
BARTLEY, H J., HEVER, F H K., SCHWARTZ, E G. General Research Corp
NRC-05-77-142 78/11/30 78pp
- 7903060351 Requests amend to license XSNM-1049 to extend expiration
date from 780301 to 810301
PREOIBON, M M. Cordis Corp 79/01/31 1p

NONDOCKETED ITEMS

283

- 7903060353 License for Cordis Corp to export pacemakers containing 45 g Pu-238 to hospitals in South America
GUHIN, M A Office of International Programs 77/03/01 1p
- 7903060360 Executive Branch review of application by Transnuclear, Inc for amend of License XSNM-1149 to export 21 045 kg U-235 to the Netherlands via France Amend should be granted
MOSENZ, L V State, Dept of 79/02/07 3pp
- 7903060362 Weekly info rept for week ending 790202
REHM, T A Office of the Executive Director for Operations 79/02/08 23pp
- 7903060363 Application for license to import U & U-235 from Sweden
DAHLSTROM, C G Westinghouse Electric Corp 79/02/01 2pp
- 7903060365 Requests license to export pacemakers containing U-235 to Saudi Arabia & Jordan
SCHMIDT, J J Cordis Corp 79/02/06 2pp
- 7903060370 Withdraws application for addl license to export tritium as gas or water Client is undertaking shipping instead & will apply for license in their own name Current License XB-652 is sufficient
DEPEDRO, M Northeast Nuclear Energy Co (Northeast Utilities) 79/02/01 1p
- 7903060384 Forwards safety evaluation for repts WCAP-7950, 8236 & 8236 Addendum 1 Analytical methods are acceptable Results of bounding calculations still not reviewed Requests issuance of revised versions of repts within 3 months
STOLZ, J F Light Water Reactors Branch 1 79/02/06 2pp
- 7903060387 "SER on Licensing Topical Repts by Westinghouse, Safety Analysis of the Fuel Assembly for Combined Seismic & LOCA" for WCAP-7950, Jul 1972; WCAP-8236, Dec 1973; & WCAP-8236, Addendum 1, Mar 1974
Core Performance Branch 78/10/31 4pp
- 7903060467 Forwards BVTR-I-O
ADAM, P J Black & Veatch 79/02/20 2pp
- 7903060471 BVTR-I-O
"QA Program Description"
ADAM, P J Black & Veatch 78/12/01 73pp
- 7903060542 Comments on NUREG-0499 re generic rulemaking Land use impacts have not been considered Suggests further discussion of impact resulting from other utilities purchasing portion of nuclear project
VELLONE, J Agriculture, Dept of 79/01/30 2pp
- 7903060557 Transcript of ACRS Subcommittee on Procedures & Administration 790207 meeting in Washington, DC re discussion of LERs Pp 1-91
HOELLER, D W, LAHROSKI, S, KERR, W ACRS - Advisory Committee on Reactor Safeguards 79/02/07 93pp
- 7903060570 Forwards schedule for completion of branch efforts on steam generator water hammer Schedule assumes addl funds will be available for technical assistance program w/INEL
BUCKLE, B. Plant Systems Branch 79/01/22 2pp
- 7903060574 BECY-79-73
Informs Commission of Executive Branch position re pending export license application by Mitsubishi Internatl Corp Requests advisement of any issues or info to be included in NRC analysis
SHEA, J R Office of International Programs 79/01/29 1p
- 7903060580 Executive Branch position re Mitsubishi Internatl Corp application to export 52 Kg U-235 to Japan License should be granted W/encl ltr of assurance from Japan
MOSENZ, L V State, Dept. of 79/01/17 3pp
- 7903060579 Interim progress rept for Nov-Dec 1978: "Physical Protection of Nuclear Matl in Transit"
CHAPMAN, L D Sandia Laboratories FIN A-1173 79/01/22 4pp
- 7903060591 NUREG-75/087
Revision 1 to SRP table of contents
Office of Nuclear Reactor Regulation 78/12/31 12pp
- 7903060595 Comments on proposed Reg Guide 1.144 on auditing of QA programs for nuclear power plants Suggests modifying positions C 3 a (2) & C 3 b (2)(a)&(b)
PRESEBKY, A. J. Energy, Dept of 79/02/09 1p
- 7903060398 Notification of contract execution, Mod 2 to "Structural Analysis of Effect of Natural Phenomena on Existing Stack at Nuclear Fuel Svc, Inc, West Valley, NY" Contractor Engineering Analytics, Inc
PERLMAN, J Purchasing Section NRC-02-78-079 79/02/06 1p
- 7903060601 Mod 2, extending period of performance to 790131 w/o cost to "Structural Analysis of Effect of Natural Phenomena on Existing Stack at Nuclear Fuel Svc, Inc, West Valley, NY"
PERLMAN, J Purchasing Section NRC-02-78-079 79/02/08 1p
- 7903060999 Comments on Reg Guide 1.9 Revision 1, "Selection, Design & Qualification of Diesel Generator Units" Section 5.1.2 should include clarification of Section C 5 re diesel generator mechanical & electrical capabilities
SHERWOOD, G G General Electric Co, Nuclear Energy Products Div. MFN 025-79 79/01/24 2pp
- 7903060603 Comments on Reg Guide New guidelines are improvement over previous ones, since environ effects of mines are considered w/effects of mills Five & ten mile radius may be insufficient W/detailed comments
BLISS, B Interior, Dept of 79/01/29 2pp
- 7903060604 Forwards license application for General Atomic Co to export one compensated ion chamber to Italy
MORRY, W R General Atomic Co (subs of Gulf Oil Corp) IEL-1019 79/02/01 1p
- 7903060612 Ack receipt of 790201 ltr Submitted info acceptable, Review of SSC-13215, "Containment Spray Nozzle for Nuclear Power Plants," should be concluded in three months
BAER, R. L. Light Water Reactors Branch 2 79/02/14 1p
- 7903060614 Proposes amends to 10CFR19 & 20 to eliminate accumulated dose averaging formula, 5(N-18) & associated Form NRC-4 exposure history imposes annual dose limiting stds while retaining quarterly stds
CHILK, B J Office of the Secretary of the Commission 79/02/13 14pp
- 7903060618 Notification of contract execution, Mod 1 to "LWR Safety Plans & Repts" Contractor NUS Corp
MYNATT, A Research Contracts Branch. FIN B-6301 NRC-04-78-217, 78/12/28 1p
- 7903060624 Mod 1, extending expiration date to "LWR Safety Plans & Repts"
MORTON, K V Research Contracts Branch FIN B-6301 NRC-04-78-217 78/12/28 1p
- 7903060644 Application for license to import 40,000 kg of U enriched to max of 3 1% U-235 from USSR, to be shipped Nov 1979 to Dec 1980
NECHODOM, W S Exxon Nuclear Co, Inc (subs of Exxon Corp) 79/01/25 2pp
- 7903060669 "Biocide Byproducts in Aquatic Environs," quarterly rept Jul-Sept 1978
ANDERSON, D R, BEAN, R M, GIBSON, C I Battelle Memorial Institute, Pacific Northwest Laboratory. FIN B-2098 78/11/30 5pp
- 7903060670 Weekly info rept for week ending 790126
REHM, T. A. Office of the Executive Director for Operations 79/01/31. 21pp.
- 7903060671 Informs that export applications are no longer required
SCHNAUTZ, C E Westinghouse Electric Corp 79/02/02. 1p.
- 7903060673 Believes proposed rule should not be adopted Finds proposed definition change of radiation area to restricted area is unnecessarily restrictive.
CUNNINGHAM, G E General Electric Co, Nuclear Energy Products Div 79/01/23. 1p.
- 7903060678 Informs that export applications are no longer required.
SCHNAUTZ, C E. Westinghouse Electric Corp 79/02/02. 1p.
- 7903060679 Certifies that matl to be exported by GE to West Germany (1.0 g U-235) will be suby to all terms of 1960 Agreement for Cooperation.
SPAAK, F. European Communities, Commission of 79/01/30. 1p.
- 7903060684 Ack receipt of Executive Summary & DES on U milling, Requests complete copy of DES in order to comment
LANDA, E R Interior, Dept of. 79/02/06 1p

NONDOCKETED ITEMS

7903060591 Responds to NRC 781109 ltr Approves application by Westinghouse for authorization to export eight ion chambers to Korea via Canada
NOSENZO, L V State, Dept of 79/02/05 4pp

7903070017 Forwards "Addendum to Bokum Resources Corp Ground Water Discharge Plan," dtd 790205 Plan has not been forwarded to NRC consultants at Colorado State Univ
TOPP, A A New Mexico, State of 79/02/09 1p

7903060694 Reg Guide B 23, "Radiation Safety Surveys at Medical Institutions "
* Office of Standards Development 79/02/28 14pp

7903070021 "Addendum to Bokum Resources Corp Ground Water Discharge Plan" submitted to NM Environ Improvement Div
* Bokum Resources Corp 79/02/05 800pp

7903060699 Forwards license application for General Atomic Co to export 6 g U-235 & 12 90 kg U-235 to Morocco
MCHRY, W R General Atomic Co (subs of Gulf Oil Corp) IEL-1013 79/01/19 2pp

7903070024 Forwards request for addl info re NRC review of grade H-451 graphite contained in General Atomic rept, GCP-558B, which was omitted from 790119 ltr
SPEIS, T P Advanced Reactors Branch 79/02/03 2pp

7903060701 License application for General Atomic Co to export 6 g U & 12 90 kg U to Morocco
MCHRY, W R General Atomic Co (subs of Gulf Oil Corp) 79/01/19 3pp

7903070052 NUREG/CR-0357
"Transition Boiling Heat Transfer in Forced Vertical Flow "
Final rept for period June 1977-June 1978
CHENG, S C Argonne National Laboratory RAQHED, H, NG, W W Ottawa, Univ of FIN A-2014 ANL-78-75 78/06/30 95pp Available at NTIS

7903060700 Comments on Reg Guide 1.9 re diesel generator units used as onsite power sys Does not believe requirement to sustain complete loss of load w/o overspeed trip is necessary for safety Voltage requirements are inconsistent
DONNELL, E P Ebasco Services, Inc (subs of Enserch Corp) 79/02/07 2pp

7903070055 Notification of contract execution, Mod 3 to "Technical Assistance to Support NRC Technical Personnel in Investigation & Evaluation of Incidents, Allegations & Reported Discrepancies " Contractor Parameter, Inc
BAIDEN, L Research Contracts Branch FIN A-4015 78/11/09 1p

7903060703 "DRNL Monthly Rept to Div of Safety Site & Environ Analysis," for Nov 1978
* Oak Ridge National Laboratory FIN B-001 78/11/30 11pp.

7903070058 Mod 3, providing addl NRC IE assistance & addl funding to "Technical Assistance to Support NRC Technical Personnel in Investigation & Evaluation of Incidents, Allegations & Reported Discrepancies "
MORTON, K V Division of Contracts FIN A-4015 78/11/09 2pp

7903060705 Describes Operating Procedure 223 "Accelerated Safety Review of Const Permit Applications " Implements Recommendation 3 of NUREG-0292, "Nuclear Plant Licensing Opportunities for Improvement "
BERKOW, H N Division of Project Management 79/01/30 4pp

7903070056 Comments on Reg Guide 3.44 re std format & content of safety analysis rept for ISFSI Recommends inclusion of physicochemical properties of soils & rocks underlying a site
BALSLEY, J. R Interior, Dept of EOS-ER-79/18 79/02/05 1p

7903060706 "Reactivity-Initiated Accident Test Series Test RIA 1-1, Quick Look Rept."
MARTINSON, I R, SEMKEN, R S, INADE, T Idaho National Engineering Laboratory FIN A-6041 TFBP-TR-300 79/02/08 51pp

7903070061 Notification of contract execution, Mod 1 to "Characterization & Classification of Geologic Faults & Fractures in Appalachian Foldbelt " Contractor FL State Univ
GUSTAVE, R P Research Contracts Branch FIN B-10539 NRC-01-78-004 79/02/09 1p

7903060708 Describes Operating Procedure 222 "Predocketing Review of Const Permit Applications " Implements Recommendation 4 of NUREG-0292, "Nuclear Plant Licensing Opportunities for Improvement "
BERKOW, H N Division of Project Management. 79/01/30 4pp

7903070064 Mod 1, obligating FY79 funds of \$43,110 to "Characterization & Classification of Geologic Faults & Fractures in Appalachian Foldbelt "
MORTON, K V Division of Contracts FIN B-10539 79/02/09 1p

7903060710 Describes Operating Procedure 221 "NRC-Applicant Pretendering Activities " Implements Recommendation 3 of NUREG-0292, "Nuclear Power Plant Licensing Opportunities for Improvement."
BERKOW, H N. Division of Project Management 79/01/30 5pp.

7903070068 Notification of contract execution "Environ Surveillance for Measuring Concentrations of Radioactivity & Radiation Levels in Environ of Commission-Licensed Activities in GA " Contractor State of GA
BAIDEN, L Research Contracts Branch FIN B-5203 79/01/01 1p

7903060715 Weekly info rept for week ending 790209
REHM, T. A. Office of the Executive Director for Operations 79/02/13 23pp.

7903070070 Contract for "Environ Surveillance for Measuring Concentrations of Radioactivity & Radiation Levels in Environ of Commission-Licensed Activities in GA " MORTON, K V Research Contracts Branch. FIN B-5203 79/01/01 12pp

7903070003 Notification of contract execution, Mod 1 to "Technical Assistance Program for Core Thermal-Hydraulic Analysis for LWRs. " Contractor GA Institute of Technology.
MENCZER, W B Technical Assistance Contracts Branch. NRC-03-78-129-01 79/01/25. 1p

7903070072 Progress Rept 16, "Performance Testing of Personnel Dosimetry "
PLATO, P Michigan, Univ of NRC-01-77-180 79/02/02, 39pp

7903070005 Mod 1 revising placing & processing of orders to "Technical Assistance Program for Core Thermal Hydraulic Analysis for LWRs. "
DOUGHERTY, D J. Division of Contracts NRC-03-78-129-01 79/01/25 3pp

Notification of contract execution, Mod 2 extending period of
Purchasing Section NRC-03-78-175. 79/02/09. 1p.

7903070077 License application for Byron Jackson Pump Div to export one set hydrostatic bearings & accessories specially prepared for use in coolant pumps to Switzerland
MORTON, J F Borg-Warner Corp, Byron Jackson Pump Div 79/02/01 1p.

Mod 4 extending period of performance until 790228 w/o coi
Purchasing Section NRC-03-78-175 79/02/09. 1p

7903070079 Reg Guide 1 144, "Auditing of QA Programs for Nuclear Power Plants. "
* Office of Standards Development 79/01/31 3pp

* QA Program Insp 99900315/78-02 on 781127-30
---on 4, Dallas, Vendor Inspection Branch.

7903070082 Notice of availability of Reg Guide 1 144, "Auditing of QA Program for Nuclear Power Plants "
MINDQUE, R B Office of Standards Development 7590-01 79/01/22 2pp.

*p Rept 99900315/78-02 on 781127-30 No
for areas inspected implementation of
applicable codes & stds, training, mabi

7903070086 License for TX Nuclear Div to export 1 415 mg Pu-238 to Canada
OPLINGER, G. G Assistant Director for Export/Import & International Safeguards. 79/02/13 2pp.

M Region 4, Dallas, Vendor Inspection

7903070071 License for Transnuclear, Inc to import 250 g of
Transnuclear, GmbH as addl intermediate consignees
OFLINGER, Q G Assistant Director for Export/Import & International
Safeguards 79/02/09 1p

7903070093 License application for Reuter-Stokes, Inc to export 143 2
elemental wt mg U-235 to West Germany
SPARUPA, J D Reuter-Stokes, Inc U-7945 79/01/23 1p

7903070095 Dept of Water Resources objections to fourth set of
interrogatories propounded by PQ&E & motion for protective
order Interrogatories are premature & lack specificity
Certificate of Svc encl
STRUMWASSER, M J California, State of 79/02/16 17pp

7903070099 NUREG/CR-0401
"Qualification Testing Evaluation Program, LWR Safety
Research," quarterly rept Apr-June 1978
SCHIZON, L L, GILLEN, K T, JONES, L H Sandia Laboratories. FIN
A-1051-8 SAND-78-1452 78/11/30 92pp Available at NTIS

7903070119 License for Transnuclear, Inc to import U contained in UO2
pellets from West Germany
OFLINGER, Q G Assistant Director for Export/Import & International
Safeguards 79/02/09 1p

7903070121 Requests all records & info re NRC estimates &
countermeasures concerning psychic penetration of NRC
cybernetic system
BARTKY, R Affiliation Unknown 79/03/06 1p

7903070122 SECY-79-112
Provides staff response to 781212 memo from B Snyder in
which questions were raised re fire protection in operating
plants
DENTON, H R Office of Nuclear Reactor Regulation 79/02/12 48pp

7903070124 Advises that 790215 FOIA request cannot be filled until
clarification of "psychic penetration of cybernetic sys" is
provided
FELTON, J M Division of Rules and Records. 79/02/15 1p

7903070128 Comments on proposed rule 10CFR50 4b considers proposed
Phase 1 ECCS rule changes to be unnecessary & Phase 2 to be
vague & open-ended Recommends proposed ECCS rulemaking be
deferred, rule be reinterpreted & cost benefit be studied
TAYLOR, J H Babcock & Wilcox Co 79/02/05 3pp

7903070134 Comments on proposed rule 10CFR50 4b believes it is
appropriate to separate two phases, as one is procedure-
oriented & the other is more comprehensive & technical
CASSAN, V J Power Authority State of New York 79/02/02 3pp

7903070137 Comments on proposed rule favors generic rulemaking where
benefits to licensing process can be expected W/encl
extracts from "Factors Influencing Electric Utility
Expansion," QONF-770869 Vol II,
SHERWOOD, G O General Electric Co, Nuclear Energy Products Div
79/02/09 14pp

7903070139 Amends 10CFR35 to permit physicians greater latitude when
using low risk diagnostic radiopharmaceuticals.
CHILK, B J Office of the Secretary of the Commission. 79/02/13
9pp

7903070140 Forwards comments on proposed rule 10CFR61
SILER, D A Patton, Boggs & Blow 79/02/01 2pp

7903070144 Comments on proposed rule 10CFR61 presents innovative method
for safely disposing large volumes of low level radioactive
waste in the ocean
SILER, D A, BUCK, E L Patton, Boggs & Blow. 79/02/01 8pp

7903070171 Comments on proposed rule 10CFR50: encourages revision to
current ECCS criteria Expresses concern that proposed
rulemaking is likely to be unnecessarily complicated &
lengthy
COUNSIL, W O Northeast Utilities 79/02/05 4pp

7903070175 Comments on proposed rule urges Commission to select site
independent issues for rulemaking wherever possible, so
individual licensing cases will encompass only site & design
specific issues
HOWELL, S H Consumers Power Co. HOWE-45-79 79/02/08 4pp

7903070179 Comments on proposed rule 10CFR1 problem of radioactive
wastes is a production problem Should immediately halt
issuance of further licenses
JOHNSRUD, J H Environmental Coalition on Nuclear Power. 79/02/06,
5pp

re quantification of safety margin in nuclear power plants
research info in performing ECCS analyses
VANDENBURGH, D E Yankee Atomic Electric Co NYC 79-7 79/02/05
3pp

7903070186 "Environ Statements Project (Cost Benefit Analysis Group)."
Jan 1979 progress rept
TEPEL, R C Oak Ridge National Laboratory FIN B-0411
ORNL/ED/EAS-79/. 79/01/31 4pp

7903070189 Informs of end use for matl to be exported by World-Wide
Import/Export Svc Ltd Equipment will be used in swimming
pool reactor intended for production of radioisotopes,
experiences in nuclear physics & operator training
FRANCO, R R Brazil. SIE-0067-01-79 79/01/17. 2pp

7903070190 "Oak Ridge Natl Labs Foreign Trip Rept of JC Cleveland"
CLEVELAND, J C Oak Ridge National Laboratory FIN B-0122-7
ORNL/FTR-455 79/01/31 18pp

7903070195 "Safeguards Analysis for Byproduct Matl & Small Quantities
of ENM," Dec 1970 monthly progress rept
CHESTER, R D, KIRKSCEY, K A Oak Ridge National Laboratory FIN
B-6108 ORNL-HASRD-25 79/01/13 4pp

7903070196 Notification of contract execution, Mod 2 to "Study of
Consumer Products Containing Radioactive Matl" Contractor
Science Application Inc
LEDD, C J Technical Assistance Contracts Branch FIN B-0280-9,
79/01/18 1p

7903070203 Mod 2, changing authorized representative & adding FY79 funds
to "Study of Consumer Products Containing Radioactive Matl"
DOUGHERTY, D J Division of Contracts FIN B-0280-9 79/02/10
1p

7903070206 Comments on proposed rule 10CFR50 believes use of
conservative assumptions to generate model should be
reconsidered Suggests using realistic, best estimate
analyses
LEACH, L P Affiliation Unknown 79/01/09 4pp

7903070207 Comments on proposed rulemaking 20-12 believes proposed rule
would be addl economic burden w/o compensating benefits.
Urges petition be denied
KNOTT, J B Debevoise & Lieberman 79/01/29 5pp

7903070219 Ack receipt of ltr informing NRC that City of Riverside is
not willing to permit outside contractor to reproduce
documents NRC will pay 6 cents per page for reproduction
GOLDBERG, J R Anti-Trust Division 79/02/08 1p

7903070221 Confirms 790208 telcon in which agreement was reached on
stipulation granting NRC extension of time to file motion to
compel resources to NRC first set of suppl interrogatories
NRC will have until 790430 to file any motions to compel.
EVANS, D J Anti-Trust Division. 79/02/08. 1p,

7903070228 Comments on proposed rule 10CFR20 low level radionuclides
having concentration level at or below concentration
occurring in free state in nature could be disposed at
unlicensed burial sites
DIPIAZZA, R P Westinghouse Electric Corp. WRD-LS&B-652 79/01/30
2pp

7903070231 Comments on proposed rule 10CFR50, when ECCS model predicts a
safer result than preceding model, it should be adopted w/o
reanalysis
BDLEB, R C Affiliation Unknown. 79/01/11 2pp

7903070233 Comments on proposed rule 10CFR20 304 protests proposed
amend due to expense of shipping low level waste
JOHNSON, R U Harvard Univ 79/01/16 2pp.

7903070237 Comments on proposed rule 10CFR50: supports basic rule
Suggests addl procedural points
THOMAS, W N Virginia Electric & Power Co 050 79/02/07. 7pp

7903070261 Forwards corrections to info provided at 781006 meeting
Hatch 2 nozzle reclassified as Type 4B, recirculation inlet
safe-ends constructed of Type 316 stainless steel
GRIDLEY, R L General Electric Co. MFN-028-79. 79/02/01. 4pp

7903070266 Comments on proposed rule to delete 10CFR20 304: change in
burial procedures will be unnecessarily cumbersome & costly.
Will have negative impact on public health & safety
BIBLEY, W A Ohio State Univ 79/01/23 3pp.

NONDOCKETED ITEMS

- 7903070275 Comments on proposed rule 10CFR20 endorses proposed amend in recent years very few NY State licensees have buried radionuclides
DEBBER, T K New York, State of 79/01/30 1p
- 7903070276 Comments on piping reliability & super pipe concept Feels exemption from nonmechanistic break concept is justified for some locations, since cracking & failure probabilities are very low for large pipes Supports local exemptions
BUSH, B H Battelle Memorial Institute, Pacific Northwest Laboratory 79/02/05 3pp
- 7903070281 Comments on proposed rule 10CFR20 supports removal of section from Code of Federal Regulations Believes NRC should no longer allow burial of radioactive wastes w/o prior approval
MAYES, D B Affiliation Unknown 79/01/31 1p
- 7903070285 NUREG/CR-0493
"Quarterly Progress Rept on Fission Product Behavior in LWRs," for Jul-Sept 1978
MALINAUSKAS, A Oak Ridge National Laboratory FIN 8-0127 ORNL/NUREG/TH280 78/12/31 37pp Available at NTIS
- 7903070288 Comments on proposed rulemaking 10CFR20-12 opposes definition change & new posting requirement
BUDZIK, D M Consumers Power Co 79/01/22 2pp
- 7903070292 Forwards final NRC comments on Encl 2 to SECY-78-637 re use of WASH-1400 in regulatory actions Commission paper will be forwarded shortly W/three IE memos
QOSBICK, L V Office of the Executive Director for Operations 79/02/09, 8pp
- 7903070293 Comments on proposed rulemaking 10CFR20-12 opposes proposed rulemaking because it would disrupt present regulation & regulatory scheme
PARKER, W O Duke Power Co 79/01/16, 2pp
- 7903070298 Comments on proposed rulemaking 10CFR2-5 suggests agencies coordinate reviews & any regulatory changes should be initiated only following a sufficiently detailed value/impact assessment
TAYLOR, J H Babcock & Wilcox Co 79/01/29 2pp,
- 7903070299 Discusses coordination of NRC fire protection plan Recommends responsibility for Div of Operating Reactors coordination be transferred to Div of Sys Safety, to reduce DOR fire protection effort as SERs are completed
FERGUSON, R Plant Systems Branch 79/02/09 2pp
- 7903070300 Comments on proposed rulemaking 10CFR2-5, supports proposal to streamline licensing of facilities
ANDERSON, T M Westinghouse Electric Corp NS-TMA-2032 79/01/29 1p
- 7903070336 Forwards "NEDE-24549-P, 1/4 Scale T-Guencher Test," as part of Mark I containment program Requests rept be withheld (ref 10CFR2, 790) W/supporting documentation
BOBSON, L J General Electric Co., Nuclear Energy Products Div MPN-040-79, 79/02/15 5pp
- 7903070344 Forwards topical rept, "Nuclear Main Steam Isolation Valve Sys," in accordance w/790110 ltr to NRC. Repts prepared by Basic Technology, Inc, forwarded as supporting info
FEIRING, M J Energy Products Group, 79/01/24 1p
- 7903070347 OH-FSB 2838
"Nuclear Main Steam Isolation Valve Systems"
FEIRING, M J, WALTER, J F Energy Products Group 79/01/31 600PP.
- 7903070352 Topical Rept, "Nuclear Main Steam Isolation Valve Sys" is now in final review & will be submitted to NRC on 790224
FEIRING, M J Energy Products Group, 79/01/10, 2pp
- 7903070355 Ack receipt of Energy Products Group 750801 ltr re proposal to submit topical rept on valve engineering & related safety implications
CASE, E. G. Office of Nuclear Reactor Regulation 75/08/12, 1p.
- 7903070360 In accordance w/NRC requests to improve valve engineering, Energy Products Group intends to submit a topical rept re improved valve engineering & based on governing criteria of Reg Guide 1.4B & generic issues of Reg Review Plan 3 9.3
FEIRING, M J Energy Products Group, 75/08/01 2pp
- 7903070359 SECY-79-77
Forwards GE application to export UO2 powder to Japan Requests issues or info to be included in NRC analysis
SHEA, J. R. Office of International Programs 79/01/30, 1p
- 7903070366 Application for License by GE to export 13,573 kg UO2 powder to Japan
* General Electric Co., Nuclear Energy Products Div 79/01/10 1p
- 7903070384 SECY-79-72
Forwards application to export UO2 powder to Japan Commissioners are requested to advise staff of issues or information to be included in staff analysis
SHEA, J. R. Office of International Programs 79/01/29 1p
- 7903070387 Application by GE for license to export 6665 kg UO2 powder to Japan
* General Electric Co., Nuclear Energy Products Div 78/12/22 1p
- 7903070388 NUREG/CR-0533
"Position Descriptions for Insp & Enforcement Personnel, Final Rept"
HARRISON, D J, KRAAS, I W, LEFF, S General Research Corp (subs of Flow General, Inc) NRC-05-77-142 79/01/31 589pp
- 7903070390 SECY-79-86
Forwards GE 790103 ltr requesting license amend for quantity of matl authorized for export Requests advisement of any issues or info to be included in NRC analysis
SHEA, J. R. Office of International Programs 79/02/01 1p
- 7903070394 NRC determination of public disclosure under Sunshine Act type of 790206 discussion of personnel matter Withheld (ref 10CFR9, 108(c) & 10CFR9 104(a)(4))
CHILK, S J Office of the Secretary of the Commission 79/02/07 1p
- 7903070397 Briefing on use of WASH-1400 by NRC Chairman will circulate modified text of 781221 meeting to Commissioners for comments or concurrence Text should request submittal of procedures to ensure proper use of risk assessment methods
CHILK, S J Office of the Secretary of the Commission 78/12/26 1p
- 7903070413 NRC briefed on proposed NRC statement on risk assessment in light of WASH-1400 & Risk Assessment Review Group rept No action taken. NRC requested meeting on this matter to be scheduled in near future
CHILK, S J Office of the Secretary of the Commission 78/12/15 1p
- 7903070417 Transcript of proceeding of "Comprehensive Evaluation Rept on NRS-Erwin" on 780427 in Washington, DC Ppl-41 W/encl NRC determination re public disclosure under Sunshine Act, listing portions withheld (ref 10CFR9 108).
HOYLE, J Office of the Secretary of the Commission KELLEY, J Office of the General Counsel QOSBICK, L. V Office of the Executive Director for Operations 78/04/27, 42pp
- 7903070399 Forwards application & requests Executive Branch review of application by Mitsubishi Intl Corp for license to export specially designed reactor components to Japan W/o encl
OPLINGER, O G Assistant Director for Export/Import & International Safeguards, 79/02/13 1p
- 7903070400 Amend to export license for GE Technical Svc Co extending expiration date from 790331 to 820331 for export to Italy
OPLINGER, O G Assistant Director for Export/Import & International Safeguards 79/02/16 1p.
- 7903070401 NUREG/CR-0368
"Refractory Metals for Ultrasonic Thermometry Application"
CARLSON, O A, PLEIN, H Q Sandia Laboratories FIN A-1181 SAND78-1382 R-7 78/10/31 68pp. Available at NTIS
- 7903070402 Requests Executive Branch review of application by Mitsubishi Intl Corp for license to export specially designed nuclear components to Japan
OPLINGER, O G Assistant Director for Export/Import & International Safeguards, 79/02/13, 1p
- 7903070403 License for Byron Jackson Pump Division to export one set hydrostatic bearings & accessories specifically prepared for use in coolant pumps to Italy
OPLINGER, O G Assistant Director for Export/Import & International Safeguards, 79/02/15 1p
- 7903070405 Requests Executive Branch review of application by Westinghouse for license to export components to reactor facilities to Japan
OPLINGER, O G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

NONDOCKETED ITEMS

267

7903070406 Notification of contract execution, Mod 1 to "Durability of Crystalline Nuclear Waste Forms & Their Natural Analogs at Geologic Storage Conditions" Contractor Univ of Toledo
MEYER, H Research Contracts Branch FIN B-6624 NRC-04-78-267
79/01/20 1p

7903070455 Mod 1, increasing funding to "Durability of Crystalline Nuclear Waste Forms & Their Natural Analogs at Geologic Storage Conditions"
MONTON, K W Research Contracts Branch FIN B-6624
NRC-04-78-267 79/01/20 1p

7903070407 Notification of contract execution, Mod 8 to "Study of Alternative Methods for the Disposal of Low Level Wastes"
Contractor Ford, Bacon & Davis Utah, Inc
LEED, C D Technical Assistance Contracts Branch NRC-02-77-168
79/01/31 1p

7903070410 Mod 8, extending period of performance, to "Study of Alternative Methods for the Disposal of Low Level Wastes"
DOUGHERTY, D J Division of Contracts FIN B-1521
NRC-02-77-168 79/01/31 2pp

7903070409 Requests Executive Branch review of application by Mitsubishi Travel Svc of America for license to export specially designed reactor components for Tokai 1 & 2 & Tsuruga reactors to Japan
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903070412 Requests Executive Branch review of application by Mitsubishi Travel Svc of America for license to export specially designed reactor components to Japan
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903070414 Has no comment on proposed "General Statement of Policy on Licensing Procedures for Geologic Repositories for High Level Wastes"
MEIEROTTO, L E Interior, Dept of ER 78/1176 79/02/02 1p

7903070413 Requests Executive Branch review of application by Edlow Int'l for license to export Zircaloy tubing to Sweden
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903070416 Amend to GE export license changing max enrichment percentage for export to Spain
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/16 1p

7903070418 License for Byron Jackson Pump Division to export one set hydrostatic bearings & accessories prepared for use in excellent pumps to Switzerland
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/15 1p

7903070419 Amend to export license for Cordis Corp extending expiration date from 790301 to 810301 for export of nuclear medical equipment to Brazil, Chile, Mexico & Peru
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/22 1p

7903070420 Requests Executive Branch review of application by Mitsui & Co. Inc for license to export Zircaloy-2 tube shells to Japan
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903070421 License for Transnuclear Inc to export U-235 to Switzerland
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/16 2pp

7903070424 Requests Executive Branch review of application by Mitsui & Co. Inc for license to export Zircaloy-4 tube shells to Japan
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903070425 Requests Executive Branch review of application by Mitsui & Co. Inc for license to export Zircaloy-2 tube shells to Japan
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903070426 Amend to export license for Westinghouse Electric Co extending expiration date from 790401-811201 All other conditions remain unchanged
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/15 1p

7903070427 NUREG/CR-0406
"Experiment Data Rept for Semiscale Mod-3 Reflood Heat Transfer Tests S-07-5 & S-07-5A (Baseline Test Series)"
CDLINS, B L, SACKETT, K E, STANGER, K Idaho National Engineering Laboratory. FIN A-6038 TREE-1225 79/01/31 306pp Available at NTIS

7903070428 NUREG/CR-0227
"Model Plutonium Recycle Reactors for Environ Analysis of the Mixed-Oxide Fuel Cycle"
WACHTER, J W Oak Ridge National Laboratory FIN B-0080 ORNL/NUREG-21 78/06/30 50pp Available at NTIS

7903070429 Comments on proposed rule 10CFR20 304 suggests NRC no longer allow burial of radioactive wastes w/o prior approval of local citizens & NRC suggests removal of 10CFR20 304 from Code of Federal Regulations
SECHREST, R, SECHREST, M Affiliation Unknown 79/01/21 1p

7903070430 Requests Executive Branch review of application by Mitsubishi Travel Svc of America for license to export specially designed nuclear components to Japan
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903070431 Comments on proposed rule 10CFR20 suggests revision of Section 20 304 to indicate that burial w/o prior approval is prohibited
LACKER, D K Texas, State of 79/01/26 1p

7903070432 NUREG/CR-0467
"Experimental Data Rept for Semiscale Mod-3 Integral Blowdown & Reflood Heat Transfer Test S-07-6 (Baseline Test Series)"
ESPARZA, V, SACKETT, K E, STANGER, K Idaho National Engineering Laboratory. FIN A-6038 TREE-1226 79/01/31 295pp Available at NTIS

7903070433 Requests Executive Branch review of application by Mitsubishi Travel Svc of America for license to export specially designed reactor parts to Japan
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903070434 Notification of contract execution, Mod 3 to "Review & Evaluation of Piling Foundation Proposed for Category 1 Structures at Baily Generating Station" Contractor NM
Neumark Consulting Engineering Svcs.
OLADOLA, A F. Technical Assistance Contracts Branch 79/02/16 1p

7903070441 Mod 3, extending period of performance through 790930 to "Review Evaluation of Piling Foundation Proposed for Category 1 Structures at Baily Generating Station"
DOUGHERTY, D J Division of Contracts NRC-03-78-150 79/02/16 1p

7903070436 NUREG/CR-0519
"COBRA IV-I, An IBM-Compatible Version"
LISTER, D M, JALLOUK, P A Oak Ridge National Laboratory FIN B-0401 ORNL/NUREG-0519 78/12/31 72pp Available at NTIS

7903070438 Requests Executive Branch review of application by TX Nuclear Div for license to export nuclear mail to Venezuela.
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903070439 Comments on proposed rule 10CFR20 304 suggests mod of proposed rule by adding requirement that all licensees include in their application a discussion of waste generation, quantities to be buried & location of burial.
SHELLY, W J Kerr-McGee Nuclear Corp (subs of Kerr-McGee Corp) 79/01/31 2pp.

7903070443 NUREG/CR-0227
"Model Pu Recycle Reactors for Environ Analysis of Mixed Oxide Fuel Cycle"
WACHTER, J W Oak Ridge National Laboratory FIN B-0080 ORNL/NUREG-21 78/06/30 50pp Available at NTIS

7903070445 Requests Executive Branch review of application by Transnuclear, Inc for license to export SNK to West Germany
GOEBICK, L V Office of the Executive Director for Operations 79/02/05 1p.

7903070449 Requests Executive Branch review of application by Sandvik Special Metals Corp for license to export Zr metal tubes to Israel
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

NONDOCKETED ITEMS

- 7903070451 Requests Executive Branch review of application by Westinghouse for license to export nuclear components to Italy
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/13 1p
- 7903070453 Requests Executive Branch review of application by Westinghouse for license to export equipment for fabrication of fuel rods to Sweden
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/08 1p
- 7903070454 Responds to appeal of denial re FOIA-77-106 & FOIA-77-A-22
A declassification review has been completed & Volume II has now been put in PDR Pages from Apps A, B, C, D, E, F & G have been excerpted & remaining appendices available at PDR
FELTON, J H Division of Rules and Records 79/02/27 2pp
- 7903070456 Requests answers to generic questions by 790415 & guidelines for two types of plant mods recommended in Vol 3 of NUREG-0460
MATTSON, R J Division of Systems Safety 79/02/15 61pp
- 7903070460 Requests Executive Branch review of application by US Radium Corp for license to export 20,000 Ci of tritium to Condition Two countries Notes Corp already has License XB-37-733
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/08 1p
- 7903070462 Requests Executive Branch review of application by Harshaw Chemical Co for license to export byproduct matl to People's Republic of China
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/05 1p
- 7903070464 Forwards IE Insp Rept 99900400/78-04 on 781211-14
PDAPAVS, U Region 4, Dallas, Office of the Director 78/12/22 2pp
- 7903070470 IE Insp Rept 99900400/78-04 on 781211-14 No noncompliance noted. Areas inspected implementation of 10CFR50 & topical rept BAW-10096A, including design process mgt, verification activities, mgt meeting & action on previous insp findings
ANDERSON, D. O., BROWN, R L, HALE, C. J Region 4, Dallas, Vendor Inspection Branch 78/12/21 13pp
- 7903070465 Requests Executive Branch review of application by General Atomic Co for license to export SNM matl to Morocco.
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/05 1p
- 7903070473 Requests answers to generic questions by 790415 & guidelines for two types of plant mods recommended in Vol 3 of NUREG-0460
MATTSON, R J. Division of Systems Safety. 79/02/15 61pp
- 7903070476 Requests answers to generic questions by 790415 & guidelines for two types of plant mods recommended in Vol 3 of NUREG-0460
MATTSON, R J. Division of Systems Safety. 79/02/15 61pp
- 7903070484 Requests answers to generic questions by 790415 & guidelines for two types of plant mods recommended in Vol 3 of NUREG-0460.
MATTSON, R J Division of Systems Safety 79/02/15. 61pp.
- 7903070486 Comments on proposed rule 10CFR20 304 suggests clarification of the number of licensees affected by proposed rule. Believes requirement needed for marking burial sites
MEIEROTTO, L E Interior, Dept. of 79/02/02 1p.
- 7903070490 Comments on proposed rule 10CFR50, suggests LOFT research developments be reflected in safety margins
VAN BRUNT, E E Arizona Public Service Co 79/01/31 2pp
- 7903070494 Comments on proposed rule 10CFR50, concurs w/two-phase procedure.
NILSON, R Exxon Nuclear Co, Inc. (subs of Exxon Corp.) 79/02/02. 2pp.
- 7903070502 License for Mitsui & Co, (USA), Inc to export 84 pieces of Zircaloy-4 tubes to Japan
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/17. 1p
- 7903070507 Notification of contract execution: "Alara for Radiopharmaceutical Manufacturers " Contractor Ecological Analysts
LEBO, C. D. Technical Assistance Contracts Branch. FIN B-6419-9 79/02/22 1p.
- 7903070511 Contract for "Alara for Pharmaceutical Manufacturers " DOUGHERTY, D J Division of Contracts NRC-02-79-037 79/02/22 16pp
- 7903070510 Comments on proposed rule 10CFR61 suggests establishment of minimum activities &/or concentrations below which matl may be disposed of in same manner as other waste
GRANLUND, R W Pennsylvania State Univ 79/01/31 2PP
- 7903070512 Comments on proposed rule 10CFR50 55a believes last sentence of paragraph 50 55a(b)(1) adds unnecessary const-related restrictions Recommends deletion
MCUFFIE, M A Carolina Power & Light Co 79/02/12 2PP
- 7903070515 Comments on proposed rule requests comment period for NUREG-0499 & Suppl 1 be extended for addl 60-day period to 790414
RENBARGER, D L Washington Public Power Supply System 79/02/06 1p
- 7903070518 Notification of contract execution, Mod 1 to "A Seismic Zoning Map for Siting Nuclear Electric Power Generating Facilities in Eastern United States " Contractor Rondout Associates, Inc
HENZLER, W B Technical Assistance Contracts Branch FIN B-6495 79/02/26 1p
- 7903070523 Mod 1, deleting "Dr Theron J Bennett" & substituting "Dr John Kelleher" as authorized representative to "A Seismic Zoning Map for Siting Nuclear Electric Power Generating Facilities in Eastern United States " DOUGHERTY, D J Division of Contracts NRC-03-78-154 79/02/26 1p
- 7903070521 No comments on proposed rule 10CFR50
MEIEROTTO, L E Interior, Dept of ER 78/1214 79/02/02 1p
- 7903070527 Confirms 790208 telcon approving stipulation allowing NRC until 790430 to file any motions to compel responses to NRC interrogatories
EVANS, D J Anti-Trust Division 79/02/08 1p
- 7903070530 Comments on proposed rule 10CFR20 304 concurs w/proposed rule based on experience of State of LA
PORTER, D J Louisiana, State of 79/01/31 2pp
- 7903070531 Comments on proposed rule 10CFR50 46 suggests proposed rulemaking is overly complicated & if undertaken as contemplated, will overly extend period of time necessary to accomplish objective.
ANDERSON, T M Westinghouse Electric Corp. NS-THA-2037 79/02/05 16pp
- 7903070532 Comments on proposed rule 10CFR20 304 compares expense of deleting rule w/risk to public health Results are not cost efficient
BAUMANN, M Wisconsin, Univ of, Madison 79/01/30 9pp
- 7903070535 Comments on proposed rule 10CFR20 rule would be more realistic approach to establish ECCS acceptance criteria w/o adversely affecting health & safety of public
SULLIVAN, T J Consumers Power Co 79/02/02 3pp.
- 7903070537 Comments on proposed rule 10CFR50 believes no new rulemaking is justified prior to significant progress on LOFT
O'TOOLE, J D Consolidated Edison Co of New York 79/02/05 4pp
- 7903070541 Notification of contract execution, Mod 4 to "Study of Chemical Toxicity of Low Level Wastes " Contractor General Research Corp
LEBO, C D Technical Assistance Contracts Branch FIN B-6127-9 79/01/10 1p
- 7903070543 Mod 4, substituting T Johnson for AL Drensen as authorized representative & increasing funding to "Study of Chemical Toxicity of Low Level Wastes " DOUGHERTY, D J Division of Contracts FIN B-6127-9 79/01/10 5pp.
- 7903070550 Notification of contract execution "Conduct Courses in Interpersonal Skills for Managers and Non-Managers," awarded to G Truett Associates
PERLMAN, J Purchasing Section NRC-10-79-370 79/02/15 1p
- 7903070552 Contract for "Conduct Courses in Interpersonal Skills for Managers and Non-Managers " HARGETT, D J Division of Contracts NRC-10-79-370 79/02/20 11pp

7903070551 Comments on proposed rule 10CFR20.304 supports burial sites, warning signs & burial containers
JANG,C J Vet Admin Hosp CA/BF 79/02/01 2pp

7903070554 Comments on proposed rule 10CFR50 product decay heat rate & Zircaloy oxidation rate should be included in technical rule charges. Proposed changes maintain adequate conservatism & safe design
ALEXANDERSON,E Detroit Edison Co NED/79/19 79/02/02 2pp

7903070555 Notification of contract execution "Specially Designed Charge-Out Cards, Labels & Tape Dispenser," awarded to WM Ballard Co
WIGGINS,E Administrative Contracts Branch NRC-10-79-374-02 79/02/20 1p

7903070558 Contract for "Specially Designed Charge-Out Cards, Labels & Tape Dispenser," awarded to WM Ballard Co
MATTIA,M J Division of Contracts NRC107937402 79/12/20 23pp

7903070559 Comments on proposed rule 10CFR61 suggests greatest need at present is development of approaches to low level waste disposal that result in timely & constructive conclusions rather than imposition of tighter controls
WIGGINS,E A Atomic Industrial Forum 79/02/09 7pp

7903070560 Notification of contract execution, Mod 5 to "Enhancement of Onsite Emergency Diesel Generator Reliability" Contractor Univ of Dayton
GLASDOLA,A F Technical Assistance Contracts Branch FIN B-1169 79/02/16 1p

7903070564 Mod 5 increasing cost of contract by \$1,927 00 to "Enhancement of Onsite Emergency Diesel Generator Reliability"
DOUGHERTY,D J Division of Contracts FIN B-1169 79/02/16 3pp

7903070562 Comments on proposed rule 10CFR50.46 suggests NRC develop proposed changes in existing regulations on ECCS analysis to provide flexibility in manner & demonstrate conformance to core cooling stds
PARKER,W D Duke Power Co 79/02/05 3pp

7903070565 Comments on proposed rule 10CFR50 generally supports Phase 2 & believes special emphasis should be placed on expediting change in fission product decay heat rate so it is consistent w/present knowledge
THORPE,J R GPU Service Corp E&L-1287 79/02/02 3pp

7903070567 License for Mitsubishi Intl Corp to export 880 pieces of Zircaloy-4 tubing to Japan
OPLINGER,Q G Assistant Director for Export/Import & International Safeguards 79/02/19 1p

7903070569 Notification of contract execution "Basic Ordering Agreement to Develop Regulatory Framework for Nuclear Waste Mgt," awarded to Social Research Application Corp
LEBO,C D Administrative Contracts Branch NRC-02-77-201-42 79/02/09 1p

7903070572 Contract for "Basic Ordering Agreement to Develop Regulatory Framework for Nuclear Waste Mgt," awarded to Social Research Application Corp
DOUGHERTY,D J Division of Contracts NRC-02-77-201-42 79/02/09 15pp

7903070570 Notification of contract execution, Mod 1 to "Pump Operation Testing & Reliability" Contractor Franklin Inst
PERLMAN,J Purchasing Section FIN B-6567 79/02/23 1p

7903070574 Mod 1, extending contract period one month to 790307 to "Pump Operation Testing & Reliability"
PERLMAN,J Purchasing Section B-6567 79/02/23 1p

7903070573 Notification of 790309 hearing board meeting in Washington, DC to prepare rept for NRC Meeting is open to public
VERKUIJL,P R Hearings Division 79/02/22 1p

7903080004 Comments on proposed rule 10CFR50.46 supports proposal re acceptance criteria for ECCB for light-water-cooled nuclear power plants
REED,C Commonwealth Edison Co 79/02/05 3pp

7903080019 Notice of issuance & availability of three volumes of draft reg guides & NUREG rept to aid licensees in implementing proposed amends to 10CFR72.
DIRCKS,W J. Office of Nuclear Material Safety & Safeguards, 79/02/14 2pp

7903080023 Draft reg guide "Std Format & Content Guide Physical Protection of Strategic BNM in Transit"
* Office of Standards Development 79/02/14 70pp

7903080028 NUREG-0306
Draft "Fixed Site Physical Protection Upgrade Rule Guidance Compendium," Vol I "Introduction & User Info & Design Methodology Documents" & Vol II "Bibliography & Microfiche Library of Technical Guidance"
* Commission 78/12/12 700pp

7903080026 Ack receipt of 790130 ltr informing NRC of steps taken to correct deviations noted in IE Insp Rept 99900292/78-02
POTAPDVS,U Region 4, Dallas, Vendor Inspection Branch, 79/02/06 1p

7903080029 Response to NRC 781120 ltr re deviation noted in IE Insp Rept 99900292/78-02 Corrective actions double gauges will be used to ensure caliber accuracy, stds will be made available to inspectors in shops & QA memo will be issued
WEBB,J O Newport News Shipbuilding & Dry Dock Co (subs of TENNECO Corp) 79/01/30 2pp

7903080033 Forwards IE Insp Rept 99900292/78-02 on 781023-27 & notice of deviation
POTAPDVS,U Region 4, Dallas, Vendor Inspection Branch 78/11/20 2pp

7903080036 Notice of deviation from insp on 781023-27
* Region 4, Dallas, Vendor Inspection Branch 78/11/20 1p

7903080042 IE Insp Rept 99900292/78-02 on 781023-27 Noncompliance noted QA program does not prescribe sys for recalling/ rechecking previously inspected items
SUTTON,J W, WHITESELL,D W Region 4, Dallas, Vendor Inspection Branch 78/11/20 7pp

7903080040 Forwards application for License XSNM-1450 for minor nuclear export Requests assistance in obtaining necessary letter of assurance W/o encl
OPLINGER,Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903080041 Forwards application for License XSNM-1452 for minor nuclear export Requests assistance in obtaining necessary letter of assurance W/o encl
OPLINGER,Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903080045 Forwards 790201 ltr from New England Nuclear requesting withdrawal of application for License XB-988 Records should reflect withdrawal W/o encl
OPLINGER,Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903080049 Forwards 790117 ltr to State Dept w/addl info on end use of proposed export to Brazil re License XCOM-136 W/o encl
OPLINGER,Q G Assistant Director for Export/Import & International Safeguards 79/02/13 1p

7903080050 Forwards application for License XSNM-1446 for minor nuclear export Requests assistance in obtaining required ltr of assurance W/o encl
OPLINGER,Q G Assistant Director for Export/Import & International Safeguards 79/02/01 1p

7903080054 Forwards application for License XSNM-1447 for minor nuclear export Requests assistance in obtaining required ltr of assurance W/o encl
OPLINGER,Q G Assistant Director for Export/Import & International Safeguards 79/02/01 1p

7903080057 Forwards application for License XSNM-1445 for minor nuclear export Requests assistance in obtaining required ltr of assurance W/o encl
OPLINGER,Q G Assistant Director for Export/Import & International Safeguards 79/02/01 1p

7903080072 Requests Executive Branch review of application by Transnuclear, Inc for License XSNM-1443 to export BNM to Switzerland W/o encl.
OGBSICK,L V Office of the Executive Director for Operations 79/02/05 1p

7903080074 Notification of contract execution, Mod 3 to "Evaluation of Seismic Design Bases & Analyses Pertaining to Diablo Canyon," Contractor NM Newmark Consulting Engineering Svcs
GLASDOLA,A F Technical Assistance Contracts Branch FIN B-6533 79/01/03 1p.

NONDOCKETED ITEMS

- 790308007B Mod 3, increasing total ceiling & funds available for payment to "Evaluation of Seismic Design Bases & Analyses Pertaining to Diablo Canyon" DAUGHERTY, D J Division of Contracts FIN B-6533 79/01/03 1p
- 7903080093 Notification of contract execution "Specially Designed File Folders," awarded to Ames Color File WIGGINS, E Administrative Contracts Branch NRC107937401 79/02/12 1p
- 7903080088 Contract for "Specially Designed File Folders," awarded to Ames Color File MATTIA, M J Division of Contracts NRC107937401 79/02/12 23pp
- 7903080093 NUREQ/CR-047B "Corrected & Updated Data for IFA-429 from Beginning of Life Through June 1978" WATERMAN, M E Idaho National Engineering Laboratory FIN A-6046 TREE-1269 78/12/31 38pp Available at NTIS
- 7903080104 Ack receipt of 790112 ltr providing comments & recommendations re rept on ATWS, NUREQ-0460, Vol 3 Will consider comments when making recommendations to Commission DENTON, H R Office of Nuclear Reactor Regulation 79/02/12 1p
- 7903080118 Has reviewed NUREQ-0460, Vol 3 & believes principal recommendations are contradictory Concerned w/recommendation that two sets of design mods be applied to plants of std design which have been approved by NRC SCHERER, A E Combustion Engineering, Inc LD-79-001 79/01/12 2pp
- 7903080115 NUREQ-0135 V2 N6 Buff Book Status Summary Rept, Water Reactor Safety Research, data as of 781231 * Office of Nuclear Regulatory Research 79/02/06 250pp Available at NTIS
- 7903080119 NUREQ-0030 V2 N1 Yellow Book Const Status Rept, Nuclear Power Plants, data as of 781231 * Office of Management and Program Analysis 79/02/28 123pp Available at NTIS
- 7903080129 Requests amend to License ISBN-1781 extending expiration date from 790401 to 820401 WILSON, B D General Electric Co, Nuclear Energy Products Div 79/01/24, 1p
- 7903080132 In response to 790205 ltr requesting all correspondence re plans by Consumers Power Co to build nuclear power plants, forwards 781127 ltr indicating util has no plans to build more plants in MI, W/o encl. FELTON, J M Division of Rules and Records 79/03/06 1p
- 7903080133 NRDC comments re generic rulemaking to improve nuclear power plant licensing Argues that individual licensing hearings are most desirable ROISHAN, A Z Natural Resources Defense Council 79/02/12 8pp
- 7903080135 Requests all correspondence re plans by Consumers Power Co to build nuclear power plants WILSON, R W Public Interest Research Group in Michigan 79/02/05 1p
- 7903080153 Notification of contract execution "Electrical Engineering Contractual Assistance for South TX Antitrust Proceeding," awarded to RW Beck & Associates, Inc GLAQOLA, A F Technical Assistance Contracts Branch FIN B-6523 79/02/18 1p
- 7903080155 Contract for "Electrical Engineering Contractual Assistance for South TX Antitrust Proceeding," awarded to RW Beck & Associates, Inc DOUGHERTY, D J Division of Contracts B-6523 79/02/18 5pp
- 7903080156 Notification of contract execution "Technical Assistance in Development of a Regulatory Framework Nuclear Waste Mgt," awarded to Nuclear Assurance Corp LEBB, C D Technical Assistance Contracts Branch NRC027720141 79/02/23, 1p.
- 7903080159 Contract for "Technical Assistance in Development of a Regulatory Framework for Nuclear Waste Mgt," awarded to Nuclear Assurance Corp. DOUGHERTY, D J Division of Contracts NRC027720141 79/02/23 13pp.
- 7903090176 Requests list of all personnel in supergrade positions for survey on Italian-American heritage. VOLPE, J A National Italian American Foundation 79/01/10 1p.
- 7903080170 Forwards QA Program Insp 99900280/78-01 on 781218-19 No noncompliance noted POTAPOV, U Region 4, Dallas, Vendor Inspection Branch 79/01/18 2pp
- 7903080172 QA Program Insp 99900280/78-01 No noncompliance noted Major areas inspected implementation of QA manual to 10CFR50, App B, w/action on previous insp findings mgt meeting; design tests; production tests AGEJE, J R, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 79/01/16 8pp
- 7903080183 Informs of work & evaluations performed & forwards basic wind data & initial studies per contract AT(49-24)-005B, Work Directive TR-15, dtd 760331 & Contract NRC-3-76-309, Work Directive 3, dtd 781129 W/o encl NUNN, D E Nunn, Snyder & Associates 79/02/17 3pp
- 7903080185 Transcript of 790207 Commission meeting to discuss ex parte & separation of functions regulations Pp 1-30 HENDRIE, J M, BRADFORD, P A, AHEARNE, J F Commission 79/02/07 50pp
- 7903080218 Requests Executive Branch re Transnuclear, Inc application amend request to increase matl exported from 11 529 kg to 14 0 kg U W/o encl ODSBICK, L V Office of the Executive Director for Operations 79/02/26 1p
- 7903080222 Requests amend of License XBNM-271 revising max enrichment of U-235 from 3.1 to 4.0% Next shipment scheduled for 790222 WILSON, B D General Electric Co 79/02/16 1p
- 7903080288 In response to 790213 NRC ltr, provides revised pages to XN-NF-1, "QA Program" PERRY, J A Exxon Nuclear Co, Inc (subs of Exxon Corp) 79/03/01 4pp
- 7903080323 Accepts proposed tipical rept "DUKE-2, Conduct of Operations" for docketing COLLINS, P F Operator Licensing Branch 79/02/15 1p
- 7903080332 Notice of filing of petition for rulemaking by VE Anderson requesting that NRC amend 10CFR20 to require NRC certification of health physics personnel CHILK, S J Office of the Secretary of the Commission 79/02/23
- 7903080335 Forwards petition requiring that health physics personnel be certified by NRC (amend 10CFR20 600) Presents justification for request & delineates specific additions & changes ANDERSON, V E Affiliation Unknown 79/01/17 5pp
- 7903080350 NUREQ/CR-0511 "Heat Flux Profile Mods to COBRA IV" LISTER, D M, JALLOUK, P A Oak Ridge National Laboratory FIN B-0401 CRNCNUREGCSBTH1 78/12/31 40pp Available at NTIS
- 7903080351 Comments on proposed rule 10CFR20 304 burden of establishing reasonable basis for expenditure of funds involved in rulemaking proceeding has not been met by those desiring change BROWN, T D Affiliation Unknown 79/01/23 2pp
- 7903080355 Comments on proposed rule 10CFR20 304 suggests proposal be deleted & no more burial of radioactive waste be allowed w/o prior approval. REID, B W Affiliation Unknown 79/01/29 3pp
- 7903080411 Comments on proposed rule 10CFR20 304 finds proposal inadequate for the protection of public since licensee is not required to demonstrate effects of surface water flow patterns near sites CAMPBELL, V L Affiliation Unknown 79/01/27, 3pp
- 7903080412 Forwards IE Info Notice 79-04, "Degradation of Engineered Safety Features" W/list of recipient licensees in Region 3 PAPPAS, H Region 3, Chicago, Office of the Director 79/02/20 2pp
- 7903080454 Comments on proposed rulemaking 10CFR20-5 supports proposal BELK, J P, WILLIAMS, W R Affiliation Unknown 79/01/29 1p
- 7903080476 Comments on proposed rulemaking 10CFR20-12 supports proposal & requests consideration be given to keeping radiation area restricted to traffic BURTBAAVE, E M Affiliation Unknown 79/01/27 1p
- 7903080477 Comments on proposed rulemaking 10CFR20-12 endorses proposal because it would clarify radiation levels LACKER, D M Texas, State of 79/01/25 1p

NONDOCKETED ITEMS

271

7903080573 Comments on proposed rule 10CFR20 304 proposal is untimely, unnecessary & inconsistent w/other NRC activities
 SPANLUND, R W Pennsylvania State Univ 79/01/31 3pp

7903080593 License application for Aldrich Chemical Co, Inc to export 152 g deuterium to Venezuela
 WARD, S Aldrich Chemical Co, Inc (subs of Sigma-Aldrich Corp) 79/02/13 1p

7903080594 Forwards license application review checklist, & end use statement for export of high enriched U to West Germany
 MATSON, V Transnuclear, Inc 79/02/14 3pp

7903080595 License application for Transnuclear, Inc to export 6 B17 kg U & 6360 kg U-235 to West Germany
 MATSON, V Transnuclear, Inc 79/02/14 1p

7903080595 Transcript of a 790215 public meeting in Washington, DC re initial briefing on SECY-79-34A, "Regulation of Federal Radioactive Waste Activities" Pp 1-64
 HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 79/02/15 64pp

7903080597 Transcript of a 790214 public meeting in Washington, DC, re "Briefing on NRC Legislative Proposals including Siting & Licensing & Omnibus Legislation" Pp 1-30
 HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 79/02/14 30pp

7903080598 Informs that NRC has no record of receipt of 781130 license application After 790215 telcon, another request was sent Due to delay & urgent requirement of proposed export license was issued w/o 15-day waiting period
 OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/26 1p

7903080599 Notification of withdrawal of 781115 application for license to export nuclear equipment
 NECHAMBOH, W S Exxon Nuclear Co, Inc (subs of Exxon Corp) 79/02/14 1p

7903080600 Transcript of 790214 public meeting in Washington, DC re "Discussion of Decision in S-G Rulemaking" Pp 1-96
 HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 79/02/14 96pp

7903080601 Executive Branch position re TX Nuclear Div's application to export Pu-238 to Saudi Arabia License should be granted
 MOSENZ, L V State, Dept of 78/12/27 2pp

7903080602 Requests that export license application be expedited, as tons of heavy water must leave US by 790331 Requests info on status of review & that Edlow Intl be allowed to prepare for shipment
 TSUJIL, N Nissho-Iwai American Corp MACPU-2150-NT 79/02/21 1p

7903080603 "Forecasting Electricity Demand By States in the US on an Annual Basis," interim rept
 TRIMBLEY, J L Oak Ridge National Laboratory FIN B-0190-B 79/01/31 8pp

7903080604 Transcript of a 790216 public meeting in Washington, DC re "Briefing on NRC Legislative Proposals, including Siting & Licensing & Omnibus Legislation" Pp 1-54
 HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 79/02/16 54pp

7903080605 Transcript of a 781211 closed meeting in Washington, DC, re "Briefing on Safeguards" Pp 1-33
 HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 78/12/11 35pp

7903080606 Public meeting affirmation session 79-3 to consider SECY-A-79-79 held in Washington, DC on 790206 Pp 1-4
 HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 79/02/06 4pp

7903080607 Transcript of a 790223 public meeting held in Washington, DC re "Continuation of Briefing on Use of WASH-1400 in Licensing Actions" Pp 1-74
 HENDRIE, J M, KENNEDY, R T, BRADFORD, P A Commission 79/02/23 79pp

7903080609 Transcript of 790214 public meeting, Affirmation Session 79-4, held in Washington, DC Pp 1-5
 HENDRIE, J M, GILINSKY, V, KENNEDY, R Commission 79/02/14 5pp

7903080613 SECY-79-23
 "10CFR50--Limited Revision of Appendices G & H, Fracture Toughness & Reactor Vessel Surveillance Requirements" W/encl correction notice dtd 790123
 MINOQUE, R B Office of Standards Development 79/01/08 12pp

7903080618 Notice of proposed rule re power reactor fracture toughness requirements W/encl marked-up 10CFR50 App G&H & draft congressional ltr
 CHILK, S J Office of the Secretary of the Commission 79/01/08 8pp

7903080621 Value impact statement on limited revision of Appendices G & H, "Fracture Toughness & Surveillance Program Requirements"
 * Commission 79/01/08 6pp

7903080610 Transcript of 781106 closed meeting held in Washington, DC, re "Discussion of Executive Director of Operations Testimony of July-Aug 1977" Pp 1-70
 HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 78/11/06 70pp

7903080611 License for General Atomic Co to export 654 kg U-235 to Italy
 OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/28 2pp

7903080612 Forwards application for export license Requests Executive Branch views W/o encl
 OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/14 1p

7903080614 License application for Reuter-Stokes, Inc to export U-235 in chemical form
 SKARUPA, J D Reuter-Stokes, Inc 79/02/05 1p

7903080616 Shipping papers & invoice will show detector as RB-C2-2403-113, identical to RB-P6-2403-113 noted in export license application dtd 790205
 GERAUGHTY, C Reuter-Stokes, Inc 79/02/19 1p

7903080615 Informs that transcript of 790206 discussion of Tarapur export issue will be withheld from disclosure until document can be reviewed (ref 10CFR9 10B & 9 104)
 CHILK, S J Office of the Secretary of the Commission 79/02/09 1p

7903080617 Informs that transcript of 790202 discussion of Tarapur export issue will be withheld from disclosure until document can be reviewed (ref 10CFR9 10B & 9 104)
 CHILK, S J Office of the Secretary of the Commission 79/02/09 1p

7903080619 Forwards license application for Westinghouse to export in-core detectors to Republic of Korea
 RODI, J P Westinghouse Electric Corp TFO/NRC-2626 79/02/21 1p

7903080623 License application for Westinghouse to export in-core detectors to Republic of Korea
 RODI, J P Westinghouse Electric Corp 79/02/21 1p

7903080620 License for BK Sweeney Mfg Co to export 125 Ci of tritium to Condition 2 countries
 OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/28 2pp

7903080622 License for General Atomic Co to export 411 g U-235 to West Germany
 OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/28 2pp

7903080624 License for Carpenter Technology Corp to export 848 pieces of Zircaloy-4 alloy fuel channels to West Germany
 OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/28 1p

7903080627 License for Carpenter Technology Corp to export 105 pieces of Zircaloy-4 alloy fuel channels to West Germany
 OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/28 1p

7903080625 Forwards license application for General Atomic Co to export nuclear matl to Thailand
 MOWRY, W R General Atomic Co, (subs of Gulf Oil Corp) IEL-1023 79/02/12 1p

7903080626 License application for General Atomic Co to export 2,040 g U to Thailand
 MOWRY, W R General Atomic Co (subs. of Gulf Oil Corp), 79/02/12 1p

7903080628 License application for Byron Jackson Pump Division to export pump cases for use in coolant pumps to Italy
 MORTON, J Borg-Warner Corp, Byron Jackson Pump Div 79/02/15 1p

NONDOCKETED ITEMS

- 7903080629 Amend 1 to license extending expiration date from 790201 to 790801 & deleting Condition 1
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/27 2pp
- 7903080631 License application for Byron Jackson Pump Division to export seal cartridges, heat exchangers, rotating baffles, rotating elements & coupling assemblies for use in coolant pumps to Switzerland
NORTON, J Borg-Warner Corp, Byron Jackson Pump Div 79/02/15 1p
- 7903080632 Transcript of 790222 Commission meeting in Washington, DC re "Discussion of NRC Legislative Proposals " Pp 1-45
HENDRIE, J M, AHEARNE, J F, KENNEDY, R T Commission 79/02/22 45pp
- 7903080633 Executive Branch position re Carpenter Technology Corp application to export 105 Zircaloy-4 alloy fuel channels to West Germany License should be granted
NOSENZO, L V State, Dept of 79/02/26 2pp
- 7903080634 License application for Sandvik Special Metals Corp to export zirconium tubing to Canada
RADY, D J Sandvik Special Metals Corp 79/02/21 1p
- 7903080635 Forwards application for license to export byproduct, source, or special nuclear matl to Australia
WARD, S Aldrich Chemical Co, Inc (subs of Sigma-Aldrich Corp) 79/02/22 1p
- 7903080638 License application for Aldrich Chemical Co to export 20 kg to Australia should be cancelled
WARD, S Assistant Director for Export/Import & International Safeguards 78/10/27 1p
- 7903080636 License application for Reuter-Stokes to export U-235 to Norway
SKARUPA, J D Reuter-Stokes, Inc 79/02/08 2pp
- 7903080637 License application for Hewlett-Packard Co to export 3 g thorium dioxide to various countries over two year period
BRYAN, C L Hewlett-Packard Co. 79/02/22 4pp
- 7903080639 License XT-45R for Hewlett-Packard Co to export 3 g thorium dioxide in cathode ray tube filaments
SHEA, J R Office of International Programs 78/05/12 1p
- 7903080640 License application for Byron Jackson Pump Div, Borg-Warner to export nuclear svc coolant pump components to Italy
NORTON, J Borg-Warner Corp, Byron Jackson Pump Div 79/02/16 1p
- 7903080641 Executive Branch position re application XCOM-129 by Carpenter Technology for license to export 848 Zircaloy-4 fuel channels to West Germany License should be granted
NOSENZO, L V State, Dept of 79/02/26 2pp
- 7903080642 License application for Westinghouse to export two BF3 proportional counters to West Germany
SCHNAUTZ, C E Westinghouse Electric Corp 79/02/23 3pp
- 7903080643 License for Transnuclear, Inc to export 367 kg U-235 to Belgium
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/02/26 2pp
- 7903080644 SECY 79-002A
Summarizes status of application by GE for license to export 2.48 kg Pu & 61 kg U to Italy Recommends issuance of proposed license to Transnuclear, Inc
SHEA, J R Office of International Programs 79/02/23 52pp
- 7903080645 Amend 1 to License XCOM-49 to increase quantity of matl, from 480 pieces of Zircaloy-2 seamless tubing to 570 pieces to export to Canada
OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/03/01 1p
- 7903080646 Transcript of 790222 Commission meeting in Washington, DC, re "Draft Rept: Regulation of Federal Radioactive Waste Activities." Pp 1-52
HENDRIE, J M, AHEARNE, J F, KENNEDY, R T Commission 79/02/22 52pp
- 7903080647 Insists it is imperative that order be shipped before 780401, since ltr of credit will expire Requests assistance in expediting issuance of license
BRYAN, D C Ramsay Engineering Co., Texas Nuclear Div 79/02/23 1p
- 7903080648 Forwards application for license to export U to Japan
WATANABE, N Mitsubishi International Corp (subs of Mitsubishi Corp) KSA-6982-01/02 79/02/21 3pp
- 7903080653 License application for Mitsubishi Intl Corp to export 0.41 g U-235 in 40 57 g U to Japan
WATANABE, N Mitsubishi International Corp (subs of Mitsubishi Corp) 79/02/21 2pp
- 7903080649 License application for United Kingdom Treasury & Supply Delegation to export 3 Ci Cf-252 to England
* United Kingdom 79/02/26 2pp
- 7903080650 License application for Mitsubishi Intl Corp to export 23 g U-235 contained in 40 57 g U to Japan
WATANABE, N Mitsubishi International Corp (subs of Mitsubishi Corp) 79/02/21 2pp
- 7903080651 License application for Westinghouse Electric Corp to export pulse neutron detector to France
POCHAL, W F Westinghouse Electric Corp 79/02/19 1p
- 7903080654 License application for Edlow Intl Co to export 800,000 Ci tritium in bulk gas form
HARMON, D W Edlow International Co 79/02/23 1p
- 7903080655 License application for Aldrich Chemical Co, Inc to export compounds containing 57 g deuterium to Jamaica, West Indies
WARD, S Aldrich Chemical Co, Inc (subs of Sigma-Aldrich Corp) 79/02/22 1p
- 7903080656 License application for Mitsubishi Intl Corp to export six reactor vessel irradiation surveillance test capsules & 120 mg Np oxide to Japan
TANAKA, N Mitsubishi International Corp (subs of Mitsubishi Corp) 79/02/14 1p
- 7903080657 Forwards application by Exxon Nuclear for license to import special nuclear matl from West Germany
NECHODOM, W S Exxon Nuclear Co, Inc (subs of Exxon Corp) 79/01/22 1p
- 7903080659 Application by Exxon Nuclear Co for license to import 27,000 kg U containing up to 1350 kg U-235 from West Germany
NECHODOM, W S Exxon Nuclear Co, Inc (subs of Exxon Corp) 79/01/22 1p
- 7903080658 Summarizes NRC views on application by Transnuclear, Inc to export 10,794 kg U to Belgium Finds license may be issued
MOORE, R N Office of International Programs 79/02/26 1p
- 7903080660 Summarizes NRC views on application by Transnuclear, Inc to export 11,584.75 kg U to Switzerland License should be issued
MOORE, R N Office of International Programs 79/02/16 1p
- 7903080661 Executive Branch position re BK Sweeney Mfg Co application to export 125 Ci tritium to various Condition 2 countries License should be granted
NOSENZO, L V State, Dept of 79/02/23 1p
- 7903080662 SECY-79-055A
Forwards revised pages for licensing action rept & list of export license applications as of 790131
SHEA, J R Office of International Programs 79/02/21 44pp
- 7903080663 NUREG/CR-0410
"Comparisons of Thermal Hydraulic Phenomena During Isothermal Loss-of-Coolant Experiments & Effect of Scale in LOFT & Semiscale MOD-1"
PETERSON, A C Idaho National Engineering Laboratory FIN A-6048 78/12/31 59pp Available at NTIS
- 7903080664 Application to export one set hydrostatic bearings & accessories for use in coolant pumps for nuclear svc to Italy
NORTON, J F Borg-Warner Corp, Byron Jackson Pump Div 79/02/01 1p
- 7903090009 Requests comments on application from Transnuclear, Inc for license to export special nuclear matl to West Germany
GOSSICK, L V Office of the Executive Director for Operations 79/02/23 1p

NONDOCKETED ITEMS

273

7903090010 Requests breakdown of Times's tritium requirements per country/quarter for calendar year 1979 under License 28-936
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/23 1p

7903090011 Notification of Reactor Experiments' request to withdraw export license application XSNM-1198
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/26 1p

7903090012 Forwards application & requests comments on application from Caran Precision Engineering & Marketing Corp for license to export components to India for use in Tarapur reactor W/o encl
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/26 1p

7903090013 Notification of Reactor Experiments' withdrawal of export license application XSNM-1140 dtd 790214
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/26 1p

7903090014 Requests assistance in obtaining necessary assurance that requested matl for export will be subj to all terms & conditions of an Agreement for Cooperation W/o encl
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/26 1p

7903090016 Forwards application & requests comments on application from Westinghouse for license to export special nuclear matl to Korea W/o application
GOSSECK, L V Office of the Executive Director for Operations 79/02/26 1p

7903090095 Notification of 790314 meeting in Bethesda, MD w/AIF on sys interaction in nuclear power plants
ANGEL, J Light Water Reactors Branch 1 79/02/22 2pp

7903090103 Comments on Reg Guide 3 B, "Preparation of Environ Repts for U Mills " Suggest more attention be paid to social & cultural impact of U mining & milling on Indian reservations in the Western US
GAVIS, B H Anthropology Resource Center 79/01/21 3pp

7903090107 Requests amend to export license, revising licensee name & adding Mitsui & Co as party to export. Requests amend by 790223
WILSON, B D General Electric Co BDW-79040. 79/02/09 1p

7903090117 Executive Branch position re Edlow Intl Co application to export 10,000 kg depleted U to Republic of Korea License should be granted
MOSENZO, L V State, Dept of 79/02/23 16pp

7903090118 BECY-79-102
Forwards Executive Branch position re Mitsubishi Intl Corp application to export 558,511 kg natural U to Canada
Requests Commission Input
SHEA, J R Office of International Programs 79/02/08 1p

7903090120 Requests copies of any & all inquiries made to NRC re RHR-1 radwaste volume reduction sys as well as all correspondence & info provided by NRC in responses
MAY, J R Newport News Industrial Corp (subs of Newport News Shipbuilding & Drydock Co), NRC/N79/205 79/01/09 1p

7903090131 Provides quantitative breakdown of kg U & U-235 intended for export to South Korea 2,119,531 kg U & 68,609 kg U-235
HESS, R J Westinghouse Electric Corp ICB-B251 79/02/20 1p

7903090132 Forwards application to export U-235 to Italy
SPAAK, F European Communities, Commission of 79/01/18 1p

7903090136 License application for Delegation of Commission of European Communities to export 35 g U oxide to Italy
SPAAK, F European Communities, Commission of 79/01/18 3pp

7903090140 Forwards Federal Register notice re Facility export license
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/16 1p

7903090142 Notice of application by Westinghouse for license to export two power reactors to South Korea
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/16 2pp

7903090166 Responds to 790110 FOIA request Forwards list of all NRC employees occupying supervisory positions as of 781231.
FELTON, J M Division of Rules and Records 79/01/29 1p

7903090188 Forwards WA Wahler & Associates' "Supplement to Design Rept" re dewatering program for Canon City Mill Expansion Project per Lanax's request W/o encl
MCGRATH, E J McGrath, E J 79/01/26 1p

7903090194 Comments on Reg Guide 1.9 Revision 1 Suggestions include deletion of proposed failure rate of 1 per 100
BOETTGER, J T Power Engineering Society 79/02/08 2pp

7903090220 Provides detailed rept on NRC siting policy & practice & PIRG petition for rulemaking on population considerations (BECY-78-624) Recommends changes in population concepts & development of meaningful review criteria W/correspondence ANDERSON, F D Site Designation Standards Branch 79/02/22 29pp

7903090239 Transcript of 781222 closed meeting in Washington, DC, re "Discussion of Intl Safeguards-Export Matter " Pp 1-32
HENDRIE, J M, OILINSKY, V, BRADFORD, P A Commission 78/12/22 32pp

7903090254 Forwards application from Mitsuline Travel Svc of America for license to export specially designed components to Japan Requests Executive Branch position W/o encl
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/15 1p

7903090256 License application for Mitsui & Co, Inc to export 90 lb Zircaloy-2 tube shell co-extruded w/Zr crystal bar liner to Japan
MONDEN, T Mitsui & Co, Ltd 79/02/09 2pp

7903090277 Forwards application for license to export UO2 sintered pellets to Korea
HESS, R J Westinghouse Electric Corp ICB-B133 79/02/08 1p.

7903090279 License application for Westinghouse Electric Corp to export 2,119,531 lb of UO2 sintered pellets encapsulated in sealed fuel rods & assembled into fuel assemblies to Korea
HESS, R J Westinghouse Electric Corp 79/02/08 1p

7903090302 Forwards application for Marubeni America Corp to export nuclear matl & equipment to Japan W/encl end use statement
KUBO, H Marubeni America Corp (subs of Marubeni Corp)
MAI-HW-5756 79/02/08 1p

7903090305 License application for Marubeni America Corp to export 460 lb U hexafluoride to Japan
KUBO, H Marubeni America Corp (subs of Marubeni Corp)
79/02/08 2pp

7903090308 BECY-79-103
Forwards application by Transnuclear, Inc to export 11,529 kg U & 10,757 kg U-235 to West Germany Requests Commission Input
SHEA, J R Office of International Programs 79/02/08 1p

7903090310 Requests withdrawal of 781019 & 790103 applications for amend of license, re add intermediate consignees. Objectives were served by issuance of Licenses XCOM-147 & XCOM-168
WILSON, B D General Electric Co, Nuclear Energy Products Div
BDW-79037A 79/02/20 1p

7903090311 Export license for Westinghouse amended to change max enrichment percentage from 3.14 w/o to 3.20 w/o for export to Spain.
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/22 1pp

7903090312 License application for Westinghouse to export one low power range monitor fixed in-core detector assembly to Switzerland
POCHAL, W F Westinghouse Electric Corp 79/02/16 5pp

7903090317 License application for Edlow Intl Co to export 454 kg U as U hexafluoride to Japan
HARMON, D Edlow International Co 79/02/16 1p

7903090321 License application for Edlow Intl Co to export 593 kg U as U hexafluoride to Italy
HARMON, D Edlow International Co 79/02/16 1p

7903090324 License application for Boeing Co to export not more than 4,000 lb depleted U counterweights to Iran.
MORAN, W C Boeing Co 79/01/03 1p

NONDOCKETED ITEMS

- 7903090329 License for Transnuclear, Inc to export 1,131 kg U-235 to West Germany
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/23 2pp
- 7903090331 License for Transnuclear, Inc to export 604 245 kg U-235 to West Germany
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/23 2pp
- 7903090334 License for Transnuclear, Inc to export 1,638 65 kg U-235 to France
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/23 2pp
- 7903090339 License for Transnuclear, Inc to export 479 234 kg U-235 to France
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/23 2pp
- 7903090342 License for General Atomic Co to export one compensated ionization chamber to Italy
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/23 1p
- 7903090345 License for Transnuclear, Inc to export 1,007 191 kg U-235 to Federal Republic of Germany
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/23 2pp
- 7903090350 License for Transnuclear, Inc to export 661 136 kg U-235 to West Germany
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/23 2pp
- 7903090355 License for GE to export miscellaneous parts & components specially designed or prepared for use in a nuclear reactor to Japan
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/23 1p
- 7903090357 License for GE to export one stud tensioner specially prepared to be used w/nuclear reactor to the Netherlands
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/23 1p
- 7903090361 License for Rockwell Intl Corp to export 100 kg Th metal to Japan
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/23 1p
- 7903090362 License for Transnuclear, Inc to export 4 942 kg U-235 to Canada
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/26 2pp
- 7903090367 Requests repts, memos or other matl used by Commission for determining low population zones
PERLMUTTER, C S Affiliation Unknown 79/01/16 1p.
- 7903090371 In response to 790116 ltr, forwards repts & memos re formula used by Commission for determining low population zones
W/o encl
FELTON, J M. Division of Rules and Records. 79/02/28 3pp
- 7903120007 NUREG/CR-0600
"Summary of FY78 Progress on Creare Refill Effects Program," quarterly progress rept July-Sept 1978
--- 4. CROWLEY, C J Creare, Inc NRC-04-78-162 CREARE 79/02/28 37pp Available at NTIS
- 7903120073 Notification of contract execution, Mods 1 & 2 to "Proposal to Further the Study of Apparent Excess Cancer in Mesa County, CO " Contractor CD Dept of Health
OUSTAVE, R P Research Contracts Branch FIN B-10729 79/02/01 1p
- 7903120076 Mod 1, revising scope of work & budget to "Proposal to Further the Study of Apparent Excess Cancer in Mesa County, CO "
MORTON, K V Research Contracts Branch FIN B-10728 79/02/06 1p.
- 7903120079 Mod 2, correcting FIN No to B-10729 to "Proposal to Further the Study of Apparent Excess Cancer in Mesa County, CO "
MORTON, K V Research Contracts Branch FIN B-10729 79/02/06 1p
- 7903120084 Notification of contract execution, Mod 5 to "A Dynamic Photoelastic Investigation of Crack Arrest " Contractor Univ of MD
HADEV, H Research Contracts Branch FIN A-9026 78/10/01 1p
- 7903120087 Mod 5, adding to work scope & funds & extending period of performance to "A Dynamic Photoelastic Investigation of Crack Arrest "
MORTON, K V Research Contracts Branch FIN A-9026 79/10/01 5pp
- 7903120089 Informs of Fire Protection Research Review Group meeting w/ Brookhaven Natl Lab on 790308 to discuss BNL proposal for in-place testing of smoke detectors
FEIT, R Division of Reactor Safety Research 79/02/27 2pp
- 7903120094 Forwards ltr re in situ testing of smoke-type fire detectors in nuclear power stations To date, no solution to low confidence level of detectors has been determined
HALL, R E Brookhaven National Laboratory 78/12/19 1p
- 7903120100 Discusses analysis of fire prevention & detection capabilities for operating reactors Most plants reviewed are required by SER to add more detectors to their existing sys
HALL, R E Brookhaven National Laboratory 78/11/27 5pp
- 7903120091 Notification of contract execution, Mod 1 to "Seminar Program for ASLOP in Conduct of Nuclear Safety & Licensing Adjudication " Contractor Natl Ctr for Administrative Justice
HIQOINS, E Administrative Contracts Branch NRC-10-78-596 78/11/27 1p
- 7903120096 Mod 1, changing scope of work to "Seminar Program for ASLOP in Conduct of Nuclear Safety & Licensing Adjudication "
MATTIA, M J Administrative Contracts Branch 79/02/23 1p
- 7903120102 Notification of contract execution "Beginning Gregg Shorthand," awarded to Montgomery County, MD Public Schools
MCNULTY, A Administrative Contracts Branch, NRC-10-79-384 79/02/27 1p
- 7903120103 Contract for "Beginning Gregg Shorthand," awarded to Montgomery County, MD Public Schools
HARGETT, D J Administrative Contracts Branch 79/02/28 4pp
- 7903120104 Requests Executive Branch review of Edlow Intl Co application for license to export 13,125 kg U to Italy
W/o encl
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/27 1p
- 7903120109 Notification of contract execution "Gregg Shorthand Theory Review," awarded to Montgomery County, MD Public Schools
MCNULTY, A Administrative Contracts Branch NRC-10-79-383 79/02/15 1p
- 7903120114 Contract for "Gregg Shorthand Theory Review," awarded to Montgomery County, MD Public Schools
HARGETT, D J Administrative Contracts Branch NRC-10-79-383 79/02/28 4pp
- 7903120117 Kawachi Behylco has requested amend to license for export of quantity of Zircaloy-2 seamless tubing to Canada, increasing quantity of matl. Amend was issued w/o customary 15-day wait, due to urgency of request
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/03/01 1p
- 7903120119 Notification of contract execution "ABC Stenograph Shorthand," awarded to Montgomery County, MD, Public Schools
MCNULTY, A Administrative Contracts Branch NRC-10-79-385 79/02/27. 1p

7903120122 Contract for "ABC Stenograph Shorthand," awarded to Montgomery County, MD Public Schools
HARGETT, D J Administrative Contracts Branch 79/02/28 4pp

7903120124 Notification of contract execution "NRC Personnel Policies & Practices for Supervisors & Managers," awarded to Herman Dorfman
CARLSON, J R Administrative Contracts Branch NRC-10-79-371
79/02/14 1p

7903120129 Contract for "NRC Personnel Policies & Practices for Supervisors & Managers," awarded to Herman Dorfman
HARGETT, D J Administrative Contracts Branch 79/02/27 7pp

7903120128 Confirms mods to Westinghouse export applications dtd 790116 & 790223 to clarify exportable types of items
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/01 2pp

7903120135 License for Nuclear Metals Inc to export 23,000 kg U to United Kingdom
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/01 2pp

7903120137 License for Edlow Intl Co to export 9,500 kg U to Republic of Korea
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/01 2pp

7903120142 License for GE to export 9,691 kg U-235 to Mexico
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/02 2pp

7903120143 License for Schenkers Intl Forwarders, Inc to export 2 g depleted U to Czechoslovakia
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/01 2pp

7903120147 Forwards application for license to export Zr seamless tubing to France dtd 781130 which was not received by NRC
Requests expediting license
BROMAN, G J Kawecki Beryllco Industries, Inc 78655 79/02/16 1p

7903120148 License application for Kawecki Beryllco Industries, Inc to export 250 feet of Zr tubing to France
BROMAN, G J Kawecki Beryllco Industries, Inc 78655 78/11/30 3pp

7903120151 Requests any research or repts re ionization in smoke detectors
DECAROLIS, V Affiliation Unknown 79/01/19 1p

7903120156 In response to 790119 ltr requesting any repts re ionization type smoke detectors, forwards pertinent documents & advises that addl matl is available in PDR
FELTON, J M Division of Rules and Records 79/03/02 20pp

7903120160 Forwards "Mindless & Dangerous Technology A Case Against Radioactive Smoke Detectors"
MOLFE, B M, GREEN, D Affiliation Unknown ABBOTT, J Public Interest Research Group 76/09/15 2pp

7903120166 "Mindless & Dangerous Technology A Case Against Radioactive Smoke Detectors"
GREEN, M D Affiliation Unknown ABBOTT, J, MCCARTHY, M Public Interest Research Group 76/09/15 9pp

7903120187 In response to 760915 ltr requesting NRC halt licensing of distributors of ionization type smoke detectors, states that reft does not give technical info for such action
Discussion of reft, ltrs from vendors & safety analysis encl
CHAPMAN, K R Office of Nuclear Material Safety & Safeguards 76/09/28 73pp

7903120195 "Interim Staff Analysis of Environ Effects of Ionization Type Smoke Detectors"
SMITH, D A Transportation & Product Standards Branch, 78/08/31 75pp

7903120155 Requests Executive Branch position re Westinghouse application to export BNH to Republic of Korea w/o encl
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/21 1p

7903120169 License application for Exxon Nuclear Co to import U-235 & U from West Germany & to export U-235 & U to West Germany & Sweden
MECHODOH, W B Exxon Nuclear Co, Inc. (subs of Exxon Corp) 78/12/04 2pp

7903120182 Requests Executive Branch position re application for license to export 800,000 Ci tritium in bulk gas form to Merz & Benteli Nuclear Inc w/o encl
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/27 1p

7903120188 Requests Executive Branch position re General Atomic Co application for license to export nuclear matl to Thailand w/o encl
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/27 1p

7903120193 Forwards application for minor nuclear export for which ltr of assurance is required Requests assistance in obtaining ltr w/o encl
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/27 1p

7903120197 Forwards for review application for minor nuclear matl export for which ltr of assurance is required Requests assistance in obtaining ltr w/o encl
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/27 1p

7903120199 Requests Executive Branch position re Edlow Intl Co application for license to export 17,115 kg U to Japan
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/27 1p

7903120203 In response to 790222 ltr requesting copy of contract NRC-17-79-449, awarded 790125 to Access Corp, advises that document is available in PDR
FELTON, J M Division of Rules and Records 79/03/06 1p

7903120220 Requests copy of contract NRC-17-79-449, awarded 790125 to Access Corp
BREWER, C Centennial Systems, Inc 79/02/22 1p

7903120253 Requests copy of Atomic Bomb Blast Commission Rept w/updated addenda & reft on 550505 atomic test (Shot Apple 11)
BIDDLE, M F Affiliation Unknown 79/02/01 1p

7903120260 In response to 790201 request for copy of Atomic Bomb Blast Commission reft w/updated addenda reft on 550505 atomic test (Shot Apple 11), advises that NRC has no such records
FELTON, J M Division of Rules and Records 79/03/01 1p

7903120286 Forwards application for license to export nuclear matl & equipment to Govt of India
BHEKES, R L Caran Precision Engineering & Manufacturing Corp 79/02/12 1p

7903120290 License application for Caran Precision Engineering & Mfg Corp to export 20,000 diamond springs to Govt of India
BHEKES, R L Caran Precision Engineering & Manufacturing Corp 79/02/09 1p

7903120333 Confirms mod to application by Mitsubishi Intl Corp to export parts & components to Japan NRC authorizes export only of components of primary coolant pumps, fuel charging ar discharging machines & control rods
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/28 1p

7903120339 Forwards Page 2 of App D to SECY-78-596 which was omitted inadvertently
* Office of the Secretary of the Commission 79/02/13 2pp

7903120346 Staff conclusions re proposed license to export highly enriched U to Canada Recommends issuance of license
MOORE, R N Assistant Director for Export/Import & International Safeguards 79/01/15 3pp

7903120352 Executive Branch position re Exxon Nuclear Co application for license to export 1,940 kg of U-235 to Belgium
License should be granted w/encl ltr of assurance.
NOSENZO, L V State, Dept of 79/02/22 3pp

7903120357 Executive Branch position re Exxon Transnuclear, Inc application for license to export 360 kg of U-235 to Belgium Recommends license be issued w/encl ltr of assurance
NOSENZO, L V State, Dept of 79/02/22 3pp

7903120360 Executive Branch position re Transnuclear, Inc application for license to export 395 kg of U-235 to Canada Recommends license be issued w/encl ltr of assurance
NOSENZO, L V State, Dept of 79/02/22 3pp

NONDOCKETED ITEMS

- 7903120365 Executive Branch position re Rockwell Intl Corp application for license to export 100 kg Th metal plates to Japan
Recommend's license be issued w/encl ltr of assurance
NOSENZO, L V State, Dept of 79/02/22 3pp
- 7903120370 SEC-79-120
Informs NRC of encl application of Exxon Nuclear Co to import SNM from West Germany
SHEA, J R Office of International Programs 79/02/14 1p
- 7903120371 In response to SECY-78-688A, recommends license be granted to Transnuclear, Inc to export 5 297 kg U to Canada
CHILK, B J Office of the Secretary of the Commission 79/02/23 1p
- 7903120372 Forwards corrected end use statement, changing quantity of matl to 14 0 kg U
MATESON, V Transnuclear, Inc 79/02/13 2pp
- 7903120373 Requests support for addition to Commission's organic statute that would provide statutory recognition for Office of Insp & Enforcement Draft bill & statement of need for legislation is encl
HENDRIE, J M Commission 79/02/21 18pp
- 7903120399 Requests support for revision of organic statute Energy Reorganization Act of 1974 Section 201(a)(1) provides that Commission can take action only with majority vote of Commissioners "present" Urges this be deleted Draft encl
HENDRIE, J M Commission 79/02/21 7pp
- 7903120410 Requests support for amend of Atomic Energy Act of 1954 to provide for protection from unauthorized disclosure of safeguards info Draft bill analysis of proposed legislation & comparative text showing changes encl.
HENDRIE, J M Commission 79/02/21 41pp
- 7903120417 "Rept of Foreign Travel of JO Hylton," member of ORNL Instrumentation & Controls Division
HYLTON, J D Oak Ridge National Laboratory FIN B-012-7
ORNL/FRT-557 79/02/11 9pp
- 7903120445 NUREG/CR-0358
"Study of the Mechanics of a Transportation Accident Involving Natural U Concentrate," final rept June-Sept 1978
COLTON, J D, EMERSON, R E Stanford Research Institute
NRC-02-78-076 78/11/30 59pp
- 7903120446 "Condensed Review of Technology of Post-Accident Heat Removal for Liquid-Metal Fast Breeder Reactor"
HAZIMI, M S Massachusetts Institute of Technology CHEN, J C
Lehigh Univ 78/05/31 29pp
- 7903120450 NUREG/CR-0531
"Dyest-A Dynamic Estimation Calculator Program"
CASTLETON, R N, CANDY, J V Lawrence Livermore Laboratory FIN A-0115 UCRL-52573 79/02/28 119pp
- 7903120483 Minutes of ACRS Subcommittee on Fluid Dynamics meeting held on 781128-30 to discuss status of review of Mark II containment sys & present status of various methods of load combination for LOCA & safe shutdown earthquake events
NEUMARK, N M, KENNEDY, R P ACRS - Advisory Committee on Reactor Safeguards 79/01/25 46pp
- 7903120487 Transcript of 790209 meeting in Washington, DC, re "Briefing on NRC Legislative Proposals" Pp 1-52
HENDRIE, J. M. Commission, 79/02/09 52pp
- 7903120495 NUREG/CR-0432
"Trap-Melt Users Manual"
JORDAN, H, GIESEKE, J A, BAYBUTT, P Battelle Memorial Institute, Columbus Laboratories FIN A-4078, NRC-04-76-293-0 79/02/28, 62pp
- 7903120500 NUREG/CR-0384
"Cold Leg Integrity Evaluation, Phase I, Final Rept," July & Sept 1978.
EIBER, R J, MAYFIELD, H E, RODABAUGH, E C Battelle Memorial Institute, Columbus Laboratories, FIN B-5609 NRC-04-76-29303 79/01/31. 76pp Available at NTIS
- 7903120579 NUREG/CR-0352
"Assessing Impact of Nuclear Power Plants on Environ," second annual research progress rept
CHAPMAN, D G, LETTENMAIER, D. P, SEVHOUR, A H Washington, Univ of, FIN B-5679, 79/02/28, 177pp. Available at NTIS
- 7903120585 Comments on proposed rule "Generic Rulemaking to Improve Nuclear Power Plant Licensing" Feels action is positive & necessary Provides specific positive comments
WELLS, J. C. Central & Southwest Services, Inc 79/01/29 4pp.
- 7903130070 NUREG/CR-0129 VI&2
"Technology, Safety, & Costs of Decommissioning Reference Small Mixed Oxide Fuel Fabrication Plant," Volume 1 & 2
JENKINS, C E, MURPHY, E S, SCHNEIDER, M J Battelle Memorial Institute, Pacific Northwest Laboratory FIN B2136 79/02/28 750pp Available at NTIS
- 7903130073 "Analyses of FFTF Sys Transients"
PERKINS, K R, BARI, R A, CHEN, L C Brookhaven National Laboratory FIN A-3000 BNL-NUREG-25560 79/01/31 189pp
- 7903130076 Minutes of 222nd ACRS meeting on 781005-07
LAUREN, S, BENDER, M, CARBON, M W ACRS - Advisory Committee on Reactor Safeguards 78/10/07 293pp
- 7903130077 NUREG-0523
"Summary of Operating Experience w/Recirculating Steam Generators"
EISENHUT, D O Assistant Director for Systems & Projects
LIAW, B D, STROSNIDER, J Engineering Branch 79/01/31 68pp Available at NTIS
- 7903130083 Summary of 790214 meeting w/B&W re control of changes to standardized design W/encl attendance list & categories of possible BSAR changes & means of disposition
COX, T M Standardization Branch 79/02/21 4pp
- 7903130100 Summary of 790205 meeting to discuss submittal plans of const permit application documents of review schedule W/encl attendance list & draft event schedule
BIRKEL, R A Light Water Reactors Branch 2 79/02/13 5pp
- 7903130106 NUREG/CR-0651
"Status Rept on ECC Penetration Sealing Research"
COLLIER, R P, FLANIGAN, L J, BISHOP, T A Battelle Memorial Institute, Columbus Laboratories FIN A 4048 BML-2019 79/02/28 72pp. Available at NTIS
- 7903130110 NUREG/CR-0545
"A Review of Methodology for Accident Consequence Assessment"
BTRENGE, D L, SOLDAT, J K, WATSON, E C Battelle Memorial Institute, Pacific Northwest Laboratory EY-76-C-06-1830 PNL-2633 78/09/30 73pp Available at NTIS
- 7903130112 "Pressurized Water Reactor Lateral Core Response Routine (Fuel Assembly Mechanical Response Code)-FAMREC"
GRUBB, R L Idaho National Engineering Laboratory FIN A-6157 79/01/31 176pp
- 7903130128 Comments on proposed Reg Guide 3.34 suggests change to assure foreign peoples U mining environ protections in U S
Recommend's including plans for max control of pollutants, recycling of all matls, & limitation of all accidents
MORFITT, E F Affiliation Unknown 79/02/08 1p
- 7903130136 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
BAUMGARTNER, W W, WEXLER, J S Affiliation Unknown 79/02/12 1p
- 7903130140 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
GOLDBERG, D P Affiliation Unknown 79/02/16 1p
- 7903130150 Comments on proposed Reg Guide 10 B objects to "thin window" survey meter requirement. Inspectors should not cite reg guide noncompliance
LADYMAN, G. H, HERBST, M Affiliation Unknown 79/02/12 1p
- 7903130155 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
GOLDBERG, D P Englewood Hosp Association 79/02/13 1p
- 7903130157 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
Recommend's inspectors not cite reg guide noncompliance
SAMUELSON, D. R. Affiliation Unknown 79/02/13 1p.
- 7903130160 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
POTTINGER, L. K Freeman Hosp 79/02/12 1p
- 7903130166 Notification of contract execution, Mod 2 to "DDC-08ERS Projections" Contractor US Dept of Commerce
QLAODLA, A. F. Technical Assistance Contracts Branch
NRC-03-77-054 79/02/28 1p
- 7903130169 Mod 2 extending period of performance until 800301 for "DDC-08ERS Projections"
DAUGHERTY, D J Division of Contracts NRC-03-77-054 79/02/28 1p.

NONDOCKETED ITEMS

277

7903130170 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
HAZEL, J O Affiliation Unknown 79/02/13 1p

7903130177 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
LINDBERG, L E Affiliation Unknown 79/02/12 1p

7903130180 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
MARAGANDRE, M J Affiliation Unknown 79/02/13 1p

7903130187 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
STARSHAK, R J Milwaukee Children's Hosp WI/MI 79/02/14 1p

7903130189 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
NEMCEK, A A Community Memorial Hosp WI/MF 79/02/14 1p

7903130191 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
FARNER, R C Affiliation Unknown 79/02/14 1p

7903130198 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
Objects to 100 DPM sensitivity requirement Suggests 100 CPM
Recommends inspectors not cite reg guide noncompliance
RABINOVITZ, A J Affiliation Unknown 79/02/15 1p

7903130199 Notification of contract execution, Mod 1 to contract awarded to George Truell Associates
PERLAM, J Purchasing Section NRC-10-79-370 79/02/28 1p

7903130207 Mod 1 changing appropriation date from 41-20-00-202 to 41-22-00-202 to contract awarded to George Truell Associates
HARGETT, D J Division of Contracts NRC-10-79-370 79/02/28 1p

7903130201 Comments on proposed Reg Guide 10 B believes "thin window" survey meter is not necessary to detect low level radiation
MCKELVEY, B W Affiliation Unknown 79/02/16 1p

7903130204 NUREG/CR-0475
"Physical Protection of Nuclear Matl in Transit," quarterly progress rept, Apr-June 1978
CHAPMAN, L D Sandia Laboratories FIN A-1060 SAND78-2043 78/12/31 42pp

7903130212 "Beacon/MOD 2A Analysis of Arkansas-1 Reactor Cavity During Hypothetical Hot Leg Break"
RAWSTHALER, J A Idaho National Engineering Laboratory FIN A-6042 IDAP-TR-046 79/02/28 31pp

7903130213 Notification of contract execution "Payroll Requirements Analysis" awarded to Small Business Administration
HERDMAN, L A Administrative Contracts Branch FIN B-5131 79/03/01 1p

7903130215 Contract for "Payroll Requirements Analysis," awarded to Small Business Administration
WATSON, C Administrative Contracts Branch FIN B-5131 79/03/01 65pp

7903130217 Forwards reactor checklist for Transnuclear, Inc export license XBNM-1429
SHEA, J R Office of International Programs 79/01/30 1p

7903130222 Forwards reactor checklist to include 781208 export license application
WATSON, V Transnuclear, Inc 79/01/19 1p

7903130255 "Structural Integrity of Water Reactor Pressure Boundary Components: Monthly Status Rept For Jan 1979"
LOBB, F J Commerce, Dept. of, National Bureau of Standards. 79/02/12 12pp

7903130266 Notification of contract execution, Mod 1 to "Transportation Surveillance Program" Contractor State of MI
WIGGINS, E. Administrative Contracts Branch FIN B-1612 79/03/01 1p

7903130267 Mod 1 changing consideration for first year & extending period of performance to "Transportation Surveillance Program"
MATTIA, M J Administrative Contracts Branch FIN B-1612 79/03/01 75pp

7903130275 Suggests Commission use proceeding as testing ground for concept of intervenor funding
ROISHAN, A Z Natural Resources Defense Council 79/01/10 3pp

7903130282 Transcript of 740223 meeting of Ad Hoc Subcommittee on Spent Fuel Storage Pool Design held in Washington, DC
Pp 1-165
LAMROSKI, S, ETHERINGTON, H, MATHIAS, W ACRS - Advisory Committee on Reactor Safeguards 79/02/23 220pp

7903130285 Transcript of 790302 meeting of Subcommittee on ATWS held in Washington, DC Pp 1-254 Presentation encl
KERR, W, MARK, J C, RAY, J J ACRS - Advisory Committee on Reactor Safeguards 79/03/02 320pp

7903130336 Weekly info rept for week ending 790223
REHM, T A Office of the Executive Director for Operations 79/02/28 18pp

7903130341 NUREG/CR-0394
"Risk Methodology for Geologic Disposal of Radioactive Waste Sensitivity Analysis Techniques"
IMAN, R L, HELTON, J C, CAMPBELL, J E Sandia Laboratories FIN A-1192 SAND 78-0912 78/10/31 107pp Available at NTIS

7903130426 Notification of contract execution, Mod 3 to "Applications of Tearing Instability Analysis" Contractor, Washington Univ
HAGEY, H Research Contracts Branch FIN B-6288 NRC-04-78-227 79/02/27 2pp

7903130430 Mod 3 increasing funding to "Applications of Tearing Instability Analysis."
HAGEY, H Research Contracts Branch NRC-04-78-227 79/02/27 6pp

7903130433 Informa of availability of NEDO-24057-1, "Assessment of Reactor Internals Vibration in BWR/4 & BWR/5 Plants"
STRIGHT, R L Light Water Reactors Branch 3 79/02/26 1p

7903130436 Forwards Amend 1 to NEDO-24057-1 "Assessment of Reactor Internals Vibration in BWR/4 & BWR/5 Plants"
GURK, J F General Electric Co, Nuclear Energy Products Div LB 79-04 79/02/13 1p

7903130439 NEDO-24057-1
Amend 1 to licensing topical rept NEDO-24057-1 "Assessment of Reactor Internals Vibration in BWR/4 & BWR/5 Plants."
GILMAN, J D, CARR, J B, JACOBSON, J General Electric Co, Nuclear Energy Products Div 78NED0360 78/12/31 37pp

7903130434 Notification of contract execution, Mod 2 to "Gap Conductance & Temperature Profile in MPD & MLD Experiments" Contractor Univ of MO
HAGEY, H Research Contracts Branch FIN B-6274 NRC-04-78-201 79/02/27 1p

7903130437 Mod 2 extending period of performance w/addl funding to "Gap Conductance & Temperature Profile in MPD & MLD Experiments"
HAGEY, H Research Contracts Branch NRC-04-78-201 79/02/27 4pp

7903130442 Notification of contract execution, Mod 1 to "Evaluation of Entrainment Effects Using a Power Plant Condenser Tube Simulator" Contractor NY State ERDA
MYNATT, A Research Contracts Branch FIN B-6298 NRC-04-78-211 79/01/11 1p

7903130451 Mod 1 adding addl scope, increasing funding & extending period of performance to "Evaluation of Entrainment Using a Power Plant Condenser Tube Simulator"
MORTON, K V Research Contracts Branch NRC-04-78-211 79/01/11 2pp

7903130487 "Power-Cooling-Mismatch Test Series Test PCM-7 Experiment Operating Specifications"
SPARKS, D T, SMITH, R H, STANLEY, C J Idaho National Engineering Laboratory FIN A-6041 TRBP-TR-311, 79/02/28 68pp

7903130490 "Corrosion Considerations in Use of Borai in Spent Fuel Storage Pool Racks"
WEEKS, J R Brookhaven National Laboratory FIN A-3106 79/01/25 28pp.

7903130494 Ack receipt of encl 790201 ltr. Will consider these comments on draft response in preparing final version of response to J Honiker's petition. NRC is preparing response to second document filed by Honiker
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

NONDOCKETED ITEMS

- 7903130498 Recommends that NRC draft response to Monitor petition be published as NUREG topical rept Feels uncertainties in analysis could be explained in preface Suggests greater objectivity re discussion of open or closed fuel cycles
ROSSIN, A D Commonwealth Edison Co 79/02/01 2pp
- 7903130496 "Containment Design Basis Accident Analysis for Clinch River Breeder Reactor."
GASSER, R D , TGALE, S B , ALBRIGHT, D C Brookhaven National Laboratory FIN A-3000 79/01/31 85pp
- 7903130523 Ack receipt of 790125 ltr informing NRC of steps taken to correct noncompliance noted in GA Program Insp Rept
99900807/78-03
POTAPQVB, U Region 4, Dallas, Vendor Inspection Branch 79/02/12 1p
- 7903130528 Responds to NRC 781222 ltr re deviations noted in GA Program Insp Rept 99900807/78-03 Corrective actions 4-h rated data safe purchased, procedures 08-1B 01 & 03 revised, will request extensions for corrective actions
MCFARLAND, J E Sargent & Lundy, Inc 0037-00 79/01/23 5pp
- 7903130531 Forwards GA Program Insp Rept 99900507/78-03 on 781204-08 & notice of deviation
POTAPQVB, U Region 4, Dallas, Vendor Inspection Branch 78/12/22 2pp
- 7903130533 Notice of deviation from insp on 781204-08
* Region 4, Dallas, Vendor Inspection Branch 78/12/21 1p
- 7903130541 GA Program Insp Rept 99900507/78-03 on 781204-08 Noncompliances noted improper audit format & actions on previous findings were not documented by 781201
COSTELLO, J R , HALE, C J Region 4, Dallas, Vendor Inspection Branch 78/12/21 10pp
- 7903130548 Ack receipt of 781201 & 790105 ltr informing NRC of steps taken to correct deviation noted in IE Insp Rept
99900300/78-01
MORGAN, J F Region 4, Dallas, Vendor Inspection Branch 79/02/01 1p
- 7903130551 Informs NRC of omission of Drawing No 11871925 added to packet on 781006
MORGAN, J F Colt Industries, Inc 79/01/05 1p
- 7903130554 Ack receipt of 781201 ltr Requests additional info description of steps taken to correct noninclusion of Drawing No 11871925, Revision 3, in mfg order packet of Insp Rept 99900300/78-01
POTAPQVB, U Region 4, Dallas, Vendor Inspection Branch 78/12/21 1p
- 7903130562 Responds to NRC 781106 ltr re deviations noted in IE Insp Rept 99900300/78-01 Corrective actions documentation of addl monitor performance audits, shop supervision of revised drawings & operation sheets
MORGAN, J F Colt Industries, Inc 78/12/01 7pp
- 7903130564 Forwards IE Insp Rept 99900300/78-01 on 781002-06 & notice of deviation
POTAPQVB, U Region 4, Dallas, Office of the Director 78/11/03 2pp
- 7903130567 Notice of deviation from insp on 781002-06
POTAPQVB, U Region 4, Dallas, Office of the Director 78/11/03 2pp.
- 7903130574 IE Insp Rept 99900300/78-01 781002-06 Noncompliance noted failure to correct actions of previous insp findings
FORSTER, N E , HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 78/11/03 8pp
- 7903130590 Requests all drawings & specs of Co-60 teletherapy unit, model Theratron 80, mfg by Atomic Energy of Canada, Ltd
KREYBA, F W Neutron Products, Inc. 79/02/07 1p
- 7903130598 In response to 790207 ltr, advises that approx 650 pages of records subj to request re specs of Co-60 teletherapy unit have been located in PDR List of drawings considered proprietary by licensee encl
FELTON, J M Division of Rules and Records 79/03/09 3pp
- 7903130592 Notification of contract execution, Mod 3, to "Technical Assistance in Reviewing Original Seismic Design Bases & Design Bases for Operating Plants" Contractor NM Newmark Consulting Engineering Svc
GLAZOLA, A F Technical Assistance Contracts Branch NRC-03-78-150 79/01/11 1p
- 7903130557 Mod 3 changing officer's authorized representative to "Technical Assistance in Reviewing Original Seismic Design Bases & Design Bases for Operating Plants"
DOUGHERTY, D J Administrative Contracts Branch NRC-03-78-150 79/01/11 1p
- 7903130569 Notification of contract execution, Mod 3, to "Legal Svcs" Contractor Keminers, Fort, Schiefer & Boyer
MEDROW, L A K Administrative Contracts Branch NRC-14-78-444 79/02/05 1p
- 7903130572 Mod 3 extending period of performance to "Legal Svcs"
MATTIA, M J Administrative Contracts Branch NRC-14-78-444 78/12/29 1p
- 7903130586 Invites participation in 790329 meeting in Denver, CO to discuss fuel assembly mechanical response to seismic & LOCA loads Forwards agenda, branch technical position, NRC 790110 staff meeting summary & background info rept for review
TEDESCO, R L Assistant Director for Plant Systems 79/02/22 12pp
- 7903130590 Summary of 790110 meeting w/interface branches to discuss proposed acceptance criteria for fuel assembly response to seismic & LOCA loads W/agenda, attendees list, background info, recommendations & supporting documentation
MEYER, M O Core Performance Branch 79/02/02 50pp
- 7903130593 "Review of LWR Fuel Sys Mechanical Response w/ Recommendations for Component Acceptance Criteria," preliminary rept for code assessment & application program
GRUBB, R L Idaho National Engineering Laboratory FIN A-6157 RE-A-79-017 79/01/31 48pp
- 7903130611 Minutes of 780803-05 meeting of ACRS, held in Washington, DC Appendices containing supporting documentation encl
* ACRS - Advisory Committee on Reactor Safeguards 78/08/05 600pp
- 7903130613 Forwards & discusses "Pretest Analysis for Semiscale Mod-3 Test Series, Semiscale Mod-3 Baseline Test Series, Test S-07-B & S-07-9, Semiscale Program"
GLEON, D J Idaho National Engineering Laboratory 79/01/24 4pp
- 7903130615 "Pretest Analysis for Semiscale Mod-3 Test Series, Semiscale Mod-3 Baseline Test Series, Tests S-07-B & S-07-9 Semiscale Program"
FINEMAN, C P , STEINER, J L , SNIDER, D M Idaho National Engineering Laboratory FIN A-6038 79/01/31 125pp
- 7903130616 Requests addl info re specific radwaste sys design & interface info for review of NEDO-21059, "BWR Radioactive Waste Treatment Sys" W/encl questionnaire
PARR, D D Light Water Reactors Branch 3 79/02/16 7pp.
- 7903140001 NUREG/CR-0499
"Reference Critical Experiments," progress rept for Jul-Sept 1978
GOEBEL, G R , DH, R E , ROTHE, R E Rockwell International English System Group FIN A-1036 RFP-2868 79/01/31 5/pp
- 7903140002 Comments on draft Reg Guide 10.8 objects to 1.4b & 6 re area survey procedures "Thin window" survey meter not necessary 100 DPM sensitivity level for wipe tests is too low Noncompliance citations should not be used
ZALAC, D A St Anthony Hosp IN/MC 79/02/13 1p
- 7903140003 Comments on draft Reg Guide 10.8 objects to 1.4b & 6 re area survey procedures "Thin window" survey meter not necessary
MCCOWN, A H Jefferson Memorial Hosp 79/02/12 1p
- 7903140004 Comments on draft Reg Guide 10.8 objects to 1.4b & 6 re area survey procedures "Thin window" survey meter not necessary 100 DPM sensitivity level for wipe tests is too low Noncompliance citations should not be used
GAMPL, F X St Elizabeth IL/CH 79/02/12 1p
- 7903140007 Comments on draft Reg Guide 10.8 objects to 1.4b & 6 re area survey procedures "Thin window" survey meter not necessary
BYRON, M K Family Hosp WI/MI 79/02/23 1p
- 7903140010 Recommends more analytical matl be presented at next Extreme External Phenomena meeting re seismic safety margin research program Papers on methods of statistical linearization encl
ZUDANS, Z Franklin Institute Research Laboratory 79/01/12 34pp
- 7903140011 NUREG-75/087 14 2 1
SRP, Revision 1 to Section 14.2, "Initial Plant Test Program - Final Safety Analysis Rept"
* Office of Nuclear Reactor Regulation 79/01/31 12pp

NONDOCKETED ITEMS

279

7903140017 Forwards for review application from Westinghouse for license to export nuclear matl to Republic of Korea w/o a-cj
GOSSICK, L V Office of the Executive Director for Operations
79/03/02 1p

7903140028 Forwards application for minor nuclear export license for which ltr of assurance is required w/o encl
DILLINGER, G G Assistant Director for Export/Import & International Safeguards 79/02/16 1p

7903140029 Notification of contract execution, Mod 3 to "Workshop on Flammability of Solid Polymer Dielectrics " Contractor
National Academy of Sciences
WOLLETT, S A Research Contracts Branch NRC-04-77-144
79/01/29 1p

7903140032 Mod 3, extending period of performance from 7B1231 thru 790228 to "Workshop on Flammability of Solid Polymer Dielectrics "
MORTON, K V Division of Contracts NRC-04-77-144 79/01/29 1p

7903140043 Notification of contract execution, Mod 2 to "FLECHT Separate Effects & Sys Effects Test Program " Contractor
Westinghouse
MYNATT, W A Research Contracts Branch FIN B-6204
NRC-04-77-127 79/01/09 1p

7903140048 Mod 2, increasing funding to "FLECHT Separate Effects & Sys Effects Test Program "
MORTON, K V Research Contracts Branch FIN B-6204
NRC-04-77-127 79/01/09 2pp

7903140046 Forwards form ltr to all power reactor licensees w/guidance on spent fuel pool mods, "Review & Acceptance of Spent Fuel Storage & Handling Applications" dtd 780414 Requests document be filed under Generic Task A-28
SLAND, J S Environmental Evaluation Branch 79/02/26 1p

7903140053 Notification of contract execution, Mod 2 to "Development of Methods for Prediction of Strong Earthquake Ground Motion " Contractor Univ of Southern CA
HASEY, H Research Contracts Branch B-6287 NRC-04-77-364
79/01/19 3pp

7903140061 Mod 2 extending period of performance date to "Development of Methods for Prediction of Strong Earthquake Ground Motion "
MORTON, K V Research Contracts Branch FIN B-6287
NRC-04-77-364 79/01/19 2pp

7903140060 Notification of contract execution "Evaluation of Reactor Radiation Streaming," awarded to Mathematical Applications Group, Inc
WOLLETT, S A Research Contracts Branch FIN B-6206
NRC-04-79-179 79/02/27 1p

7903140072 Contract for "Evaluation of Reactor Radiation Streaming," awarded to Mathematical Applications Group, Inc
MORTON, K V Division of Contracts FIN B-6206 NRC-04-79-179
79/02/27 31pp

7903140077 Requests NRC Translation 161 & all documentation related to that document Also seeks Commission instructions to staff re implementation of decision concerning WASH-1400
REINERT, S Affiliation Unknown 79/02/19 47pp

7903140080 In response to 790219 ltr, forwards NRC Translation 161 & supporting documentation Also forwards list of documents available at PDR concerning WASH-1400 NUREG/CR-0400 not encl
ELTON, J M Division of Rules and Records 79/03/09 3pp

7903140107 BECV-79-121
Discusses proposed license for GE to export enriched U to Mexico Recommends license be issued.
SHEA, J R Office of International Programs. 79/02/14 8pp

7903140111 "Texts of Instruments Concerning Agency's Assistance to Mexico in Establishing Nuclear Power Facility "
International Atomic Energy Agency 74/04/05 23pp

7903140208 Transcript of 790215 public meeting in Washington DC re "Briefing on Use of WASH-1400 in Licensing Actions "
Pp 1-28 w/visuographs, agenda, comments on ACRS testimony & relevant correspondence
HENDRICK, J M, OILINSKY, V, KENNEDY, R T Commission 79/02/15 73pp

7903140213 Discusses presentations re regulatory actions & NRC positions relying on WASH-1400, especially problems in estimating its effect on safety questions
BASDEKAS, D L Experimental Fast Reactor Safety Research Branch
79/02/05 2pp

7903140215 Forwards info on applications of WASH-1400 methodology or conclusions by ACRS
FRALEY, R F ACRS - Advisory Committee on Reactor Safeguards
79/01/11 5pp

7903140218 Responds to several questions in 780614 ltr re WASH-1400 methodology ACRS recommended that many techniques used in study be used by reactor designers to improve safety & by NRC in safety reviews
MOELLER, D W ACRS - Advisory Committee on Reactor Safeguards
76/07/14 2pp

7903140223 Responds to remaining questions in 780614 ltr re WASH-1400 methodology ACRS still believes that reactor operations do not unduly endanger public safety
MOELLER, D W ACRS - Advisory Committee on Reactor Safeguards
76/12/16 3pp

7903140227 Discusses ACRS review of WASH-1400 Believes that absolute verification of conclusions must wait for collection of better data, but that study's methodology & techniques are basically solid & should be applied elsewhere
KERR, W ACRS - Advisory Committee on Reactor Safeguards
75/04/08 2pp

7903140239 Warns against abandoning WASH-1400 concept of risk assessment, despite past misuses of rept, & encourages prompt admission of those past misuses Forwards summary of views on uses of WASH-1400 & unresolved safety issues (NUREG-0310)
BASDEKAS, D L Experimental Fast Reactor Safety Research Branch
79/02/14 5pp

7903140244 Identifies items in NRC responses to Congress which may need revision in light of Lewis Rept Recommends issue be clarified in 1978 Annual Rept to Congress
BASDEKAS, D L Experimental Fast Reactor Safety Research Branch
78/11/28 2pp

7903140251 Comments on presentations re regulatory actions & NRC position re WASH-1400 Presentations may have been unintentionally prejudiced Other safety issues may be technically unsound as well
BASDEKAS, D L Experimental Fast Reactor Safety Research Branch
79/02/05 2pp

7903140253 NUREG-0327
Draft Executive Summary (NUREG-0327, EB), "Regulations of Federal Radioactive Waste Activities," rept to Congress on extending NRC licensing or regulatory authority to federal radioactive waste storage & disposal activities
Office of Nuclear Material Safety & Safeguards 79/02/15 17pp

7903140212 License application for TNS, Inc to export 1000 kg Th to Canada
Tennessee Nuclear Specialists, Inc 79/02/28 1p

7903140221 License application for Mitsubishi Intl Corp to export manipulator crane to Japan
Mitsubishi International Corp (subs. of Mitsubishi Corp)
79/02/28 1p

7903140229 License application for Sandvik Special Metals Corp to export Zr-4 part pilgered cladding to Canada
Sandvik Special Metals Corp 79/02/26 1p.

7903140236 License application for General Atomic Co to export 20 std TRIGA fuel elements to West Germany
MOMRY, W R General Atomic Co (subs of Gulf Oil Corp). 79/02/22 3pp

7903140242 License application for Westinghouse to export 121 MTU U dioxide encapsulated in fuel rods to the Philippines.
KEENAN, R P Westinghouse Electric Corp. 79/02/27 2pp

7903140248 License application for Transnuclear, Inc to export 100 g U & 2 SB U-235 to Belgium
MATSON, V Transnuclear, Inc 79/02/28 4pp

7903140249 Requests that loading & operating of GE reload fuel be performed under 10CFR50.59, which allows changes to plant Tech Specs w/o NRC approval.
GRIDLEY, R L General Electric Co., Nuclear Energy Products Div.
MPN-027-79 79/01/30 3pp

NONDOCKETED ITEMS

- 7903140357 Suppl responses to 770719 request for all correspondence by JH Conran Documents listed are being placed in PDR
FELTON, J M Division of Rules and Records 79/02/22 2pp
- 7903140384 Confirms meeting on 790206 to be held in Germantown, MD, to discuss geologic repositories Forwards tentative agenda
BOYLE, R R High Level & Transuranic Waste Branch 79/01/31 3pp
- 7903140404 Weekly info rept for week ending 790216
REHM, T A Office of the Executive Director for Operations 79/02/23 25pp.
- 7903140478 Forwards NEDE-21878-P, "Analytical Model for Computing Air Bubble & Boundary Pressures Resulting from an Safety Relief Valve Discharge Through a T-Quencher Device " Withheld (ref 10CFR2 790)
SODON, L J General Electric Co ,Nuclear Energy Products Div HFN-052-79 79/02/26 5pp
- 7903140486 Minutes of 220th ACRS meeting on 780803-05
LAHORSKI, S , BENDER, M , CARBON, M W ACRS - Advisory Committee on Reactor Safeguards 78/08/05 641pp
- 7903140489 Notice of 790306 meeting in Bethesda, MD, w/GE to discuss proposed methods for analyzing rod withdrawal transient in BWRs Meeting originally scheduled for 790222
BROOKS, W Core Performance Branch 79/02/09 1p
- 7903140519 Forwards GA Program Insp Rept 99900522/79-01 on 79010B-11 No noncompliance noted
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch 79/01/19 2pp
- 7903140524 GA Program Insp Rept 99900522/79-01 on 79010B-11 No noncompliance noted Major areas inspected implementation of 10CFR50 App B in area of internal audits
BRICKLEY, R H , HALE, C J Region 4, Dallas, Vendor Inspection Branch 79/01/18 5pp
- 7903140522 Confirms 790213 telcon that matl covered by license XSNH-1292 will be delivered to Atomic Energy of Canada Research.
HATSON, V Transnuclear, Inc 79/02/13 4pp
- 7903140523 Comments on draft Reg Guide 10 B objects to 1.4h & 6 re area survey procedures "Thin window" survey mater not necessary
BELIOMAN, B J Affiliation Unknown 79/02/12 1p
- 7903140529 Forwards addl info re application XB-1012 for export of tritium gas to Switzerland w/o encl
OPLINGER, O G Assistant Director for Export/Import & International Safeguards 79/02/13 1p
- 7903140534 Forwards application for minor nuclear export license for which ltr of assurance is required. Requests assistance in obtaining ltr. w/o encl
OPLINGER, O G Assistant Director for Export/Import & International Safeguards 79/02/16 1p.
- 7903140540 Further response to 781005 ltr which requested records re communications related to adequacy of safeguards of Nuclear Fuel Svcs Erwin, TN, facility since 780101. Appendices list documents available at PDR & those deemed classified.
FELTON, J M Division of Rules and Records. 79/03/08 4pp
- 7903140544 Further response to 781025 ltr which requested documents relating to environ effects of U fuel cycle & disposal of nuclear wastes App lists documents being placed in PDR
FELTON, J M Division of Rules and Records 79/03/09 4pp
- 7903140549 Ack receipt of 790123 ltr & expresses gratitude to J Fouchard for assistance re subcommittee rept on Rasmussen Study
HENDRIE, J M. Commission 79/02/01. 1p.
- 7903140554 Compliments J Fouchard for his assistance in answering questions re safety of nuclear power production facilities
DAVIDSON, D H Austin, TX 79/01/23 1p
- 7903140561 Forwards rept on "Mark II Containment Generic Acceptance Criteria," ACRS Third Dynamics Subcommittee Meeting 781128-30.
WU, T Y California Institute of Technology 79/01/11 1p.
- 7903140563 Designates LV Gossick, Executive Director for Operations, to serve as liaison to President's Commission on Personnel Interchange
HENDRIE, J M Commission. 79/02/02. 1p.
- 7903140570 Requests memo be sent asking for suggestions re qualified candidates for Presidential Appointee to serve as liaison on Presidential Commission
HATSON, J H President of US & Executive Offices 79/01/04 1p
- 7903140568 Updates 780124 response to FOIA request for "Pu & Highly Enriched U, MUF Summarized by Accounting Periods 1968-1976 " Two pages re Nuclear Fuel Svcs which were proprietary are now available in PDR
FELTON, J M Division of Rules and Records 79/02/21 2pp
- 7903140576 Commission will be unable to submit rept on improving opportunities for state participation in process siting, licensing & developing nuclear waste storage or disposal facilities by March 1
HENDRIE, J M Commission 79/02/28 1p
- 7903140578 Reg Guide 1 2B Revision 2, "GA Program Requirements (Design & Const) "
* Office of Standards Development 79/02/28 2pp
- 7903140580 Commission will be unable to submit rept on improving opportunities for state participation in process for siting, licensing & developing nuclear waste storage or disposal facilities by March 1
HENDRIE, J M Commission 79/02/28 1p
- 7903140581 "Environ Assessments of Fuel Cycle Facilities," monthly progress rept
LITTEL, H E Oak Ridge National Laboratory FIN B-0279 78/12/31 5pp
- 7903140583 Commission will be unable to submit rept on improving opportunities for state participation in process for siting, licensing & developing nuclear waste storage or disposal facilities by March 1
HENDRIE, J M Commission 79/02/28 1p
- 7903140588 "Matl Control at Licensed Processing Facilities," Dec 1978 progress rept
O'BRIEN, J H Lawrence Livermore Laboratory FIN A-0115 79/02/03 4pp.
- 7903140590 NRC will be unable to meet statutory rept date of 790301 re study to extend licensing & regulatory authority to include categories of existing & future radioactive waste storage
Addl time needed to obtain comments from DOE
HENDRIE, J M Commission 79/02/28 1p
- 7903140594 NRC will be unable to meet statutory rept date of 790301 re study to extend licensing & regulatory authority to include categories of existing & future radioactive waste storage
Addl time needed to obtain comments from DOE
HENDRIE, J M Commission 79/02/28. 1p
- 7903140596 NRC will be unable to meet statutory rept date of 790301 re study to extend licensing & regulatory authority to include categories of existing & future radioactive waste storage
Addl time needed to obtain comments from DOE
HENDRIE, J M Commission 79/02/28 1p
- 7903140597 Comments on combination of responses due to various inputs that affect nuclear power plant. Gives engineering recommendation to provoke analysis for resolution of nonstationary random response combination problem
ZUDANS, Z. Franklin Institute Research Laboratory 79/01/15 2pp
- 7903140600 Responds to 781228 ltr requesting chronology of events leading to discovery of broken seals on drums containing highly enriched U being exported to Romania. w/encl chronology & relevant documents
HENDRIE, J M Commission 79/03/01 22pp
- 7903140604 Ack receipt of 790125 ltr re intl cooperation agreement signed 780606 & forwards preliminary evaluation & summary of results of first LOFT nuclear loss-of coolant experiment
HENDRIE, J M Commission. 79/03/01 2pp
- 7903140607 LOFT-TR-103
"Quick Look Rept on LOFT Nuclear Experiment L2-2 "
BATT, D L EQ & O, Inc FIN A-6048 78/12/31 57pp
- 7903140609 NUREG/CR-0605
"Application of Acoustic Emission as an On-Line Monitoring Sys for Nuclear Reactor," Jan-Sept 1976 final progress rept
POLLACK, A A Dunsagan/Endavco FIN B-3013. 79/01/31 61pp. Available at NTIS

NONDOCKETED ITEMS

281

7903140511 Act receipt of Nuclear News containing interview
HENDRIE, J M Commission 79/02/26 1p

7903140512 Act receipt of Dun's Review article re speeding up nuclear
HENDRIE, J M Commission 79/02/26 1p

7903140513 Forwards article from Dun's Review describing efforts to
"speed up nuclear power"
DUNN, R J Affiliation Unknown 79/02/06 2pp

7903140516 Ack receipt of 781222 ltr noting concerns re content of
"1110 Washington Star article, "Veeco Plant Gets a C on
Safety Rept Card." Article is based on IE studies Forwards
various documents describing results of studies
HENDRIE, J M Commission 79/02/26 2pp

7903140518 Forwards Washington Star article "VEPCO Plant Gets a C on
Safety Rept Card," expressing concerns re performance rating
as utilized by NRC.
PETERS, J D Affiliation Unknown 78/12/22 187pp

7903140530 Forwards draft review of Lewis Rept & its implications
discusses accuracy of core melt forecasts in WASH-1400 &
deficiencies in models
BENTON, H R Office of Nuclear Reactor Regulation 79/02/21 17pp

7903140539 Supplements responses to 770726 request for all
correspondence by JH Conran Documents listed are being
filed in PDR
FELTON, J M Division of Rules and Records 79/02/22 2pp

7903140546 "Advanced Reactor Safety Analysis Technical Assistance,
Reactor Projects," monthly highlights for Jan 1979
BARI, R A Brookhaven National Laboratory FIN A-3000 79/02/12
5pp

7903140550 "Stress Corrosion Cracking of PWR Steam Generator Tubing,"
monthly highlights for Feb 1979
VAN RODYEN, D Brookhaven National Laboratory FIN A-320B
79/02/12 6pp

7903140553 "LWR Thermal Hydraulic Development," program monthly
highlight ltr for Jan 1979
JONES, G C Brookhaven National Laboratory EV-76-C-02-0016
79/01/31 6pp

7903140556 Comments on proposed Reg Guide 3.44 cites unintended
conflict of draft guide w/10CFR72 re max horizontal
ground motion accelerations Suggests changing or deleting
parts of Reg Guide 3.44, Section 2.6.2.5
WIGGINS, E A Atomic Industrial Forum 79/02/15 1p

7903140558 "Assessment of Radiation Doses Resulting from Releases of
Rn-222 & Ra-226 from U Mining Activities," monthly progress
rept for Dec 1978
TRAVIS, C C, MCCDOWELL-BOYER, WATSON, A P Oak Ridge National
Laboratory FIN B-0281 ORNL/HABRD-26 78/12/15 4pp

7903140559 "BSC Code Development & Validation," Jan 1979 highlights
ABRAHAM, A K, CERBONE, R J Brookhaven National Laboratory FIN
A-3015-B 79/02/15 6pp

7903140561 Comments on proposed Reg Guide 10.8 feels there is no need
to specify "thin window survey meter"
LAUER, J D St Joseph Hosp MD/KI 79/02/12 1p

7903140563 Confirms results of telcon date for filing documentation on
license conditions is extended to 790301
SKYVOSCH, B I, Spiegel & McDiarmid 79/02/08 1p

7903140568 Notification of 790301 meeting in Bethesda, MD w/Exxon to
discuss power distribution control Phase II
OLKENFIELD, M Core Performance Branch 79/02/27 2pp

7903150002 "BWR Blowdown/Emergency Core Cooling Program," 39th monthly
progress rept for Jan 1979
BURNETTE, G W General Electric Co, Nuclear Energy Products Div
NRC-04-76-215 79/01/31 11pp

7903150004 Ack receipt of 781212 ltr informing NRC of steps taken to
correct deviations noted in IE Insp Rept 99900294/78-01
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
79/02/14 1p.

7903150014 Responds to NRC 781212 ltr re deviations noted in IE Insp
Rept 99900294/78-01 Corrective actions Medium Motor &
Gearing Quality Assurance Manual revised; gauges reviewed.
MOOVER, D L Westinghouse Electric Corp. 79/02/14 3pp

7903150021 Forwards IE Insp Rept 99900294/78-01 on 781030-781102 notice
of deviation
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
78/12/12 2pp

7903150026 Notice of deviation from insp on 781030-781102
* Region 4, Dallas, Vendor Inspection Branch 78/12/11 3pp

7903150038 IE Insp Rept 99900294/78-01 on 781212 Noncompliance noted
Failure to document auditing procedure; product quality
measurement gauges in default; poor receiving procedures; poor
reference of procurement document specs
AGEE, J R, MCNEILL, W M, HUNNICUTT, D M Region 4, Dallas,
Vendor Inspection Branch 78/12/11 16pp

7903150016 Staff has reviewed NEDO-24010-2 "Basis for Criteria for
Combination of Earthquake & Other Transient Responses By
Square Root Sum of the Squares Method," Suppl 2, Dec 1978
Suggests Mark II owners group meeting re formal responses
BTOLZ, J F Light Water Reactors Branch 1 79/02/22 5pp

7903150019 Ack receipt of 781201 & 790126 ltr informing NRC of steps
taken to correct violations noted in IE Insp Rept
99900282/78-02
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch.
79/02/06 1p.

7903150024 Responds to NRC 781221 ltr requesting addl info re measures
taken to correct deviation noted in IE Insp Rept
99900282/78-02 Corrective actions retraining performed for
each item & weld matl documentation organized
SEWELL, D M Grinnell Corp (subs of International Telephone &
Telegraph Corp) 79/01/26 8pp

7903150030 Ack receipt of 781201 response to NRC 781025 ltr w/actions
to correct deviations noted in Insp Rept 99900282/78-02
Requests addl info on items D, G & E
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
78/12/21 2pp

7903150036 Responds to NRC 781025 ltr re deviations noted in IE Insp
Rept 99900282/78-02 Corrective actions personnel
re-instructed in controlling nonconforming matl & two addl QA
engineers requisitioned
SEWELL, W D Grinnell Corp (subs of International Telephone &
Telegraph Corp) 78/12/01 3pp

7903150042 Forwards IE Insp Rept 99900282/78-02 on 780926-29 & notice
of deviation
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
78/10/25 2pp

7903150044 Notice of deviation from insp on 780926-29.
* Region 4, Dallas, Vendor Inspection Branch 78/10/19 4pp

7903150051 IE Insp Rept 99900282/78-02 on 780926-29 Noncompliance
noted. Failure to maintain segregation & identification of
nonconforming matl; failure to originate corrective action
requests & failure to possess magnetic particle control.
ELLERSHAU, L E, HUNNICUTT, D M Region 4, Dallas, Vendor
Inspection Branch. 78/10/19. 10pp.

7903150020 Ack receipt of 781206 ltr w/info for consideration in review
of Owens-Corning Fiberglas rept OCF-1, "Nuclear Containment
Insulation Sys." Points raised in ltr do not warrant
revision of NRC rept evaluation
VASSALLO, D B Assistant Director for Light Water Reactors
79/01/31 3pp

7903150056 Forwards minutes of 780829-31 Risk Assessment Review Group
meeting
AUSTIN, J H Commission 79/02/27 1p

7903150058 Risk Assessment Review Group meeting minutes from session on
780829-31 Discussed new sequences identified since reactor
safety study analysis
AUSTIN, J H Commission 78/08/31 6pp

7903150084 Ack receipt of 781221 ltr informing NRC of steps taken to
correct violations noted in Insp Rept 99900289/78-01.
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
79/01/11 1p

7903150086 Responds to NRC 781208 ltr re violations noted in Insp Rept
99900289/78-01 Corrective actions info & test procedures
written & issued & engineering manual revised to include
same.
CARDILLO, W United Electric Controls Co 78/12/21 3pp

NONDOCKETED ITEMS

- 7903150091 Forwards GA Program Insp Rept 99900288/78-01 on 781016-19 & notice of violation
POTAPQVB,U Region 4, Dallas, Vendor Inspection Branch
78/12/08 2pp
- 7903150092 Notice of violation from insp on 781016-19
* Region 4, Dallas, Vendor Inspection Branch 78/12/07 2pp
- 7903150097 GA Program Insp Rept 99900288/78-01 on 781016-19.
Noncompliance noted mfg & test procedures not written & issued, & not included in engineering manual drawing & change control sections; audit procedures not implemented
FOSTER, W E, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 78/12/07 7pp.
- 7903150088 "Dynamic Photoelastic Study of Crack Arrest," monthly progress rept for Jan 1979
DALLY, J.W Maryland, Univ of NRC-04-76-172 79/02/06 4pp
- 7903150102 Forwards correspondence re application for license to export tritium gas to Israel
WERNER, L T Drel Petroleum Corp 79/02/09 5pp
- 7903150105 License application for Drel Petroleum Corp to export 100,000-250,000 Ci/yr of tritium gas to Israel
WERNER, L T Eldan Electronic Instrument Co, Ltd 79/02/06 1p
- 7903150109 License for American Atomics Corp to export 1,500,000 Ci tritium to Mexico
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/03/06 2pp
- 7903150116 Forwards GA Program Insp Rept 99900224/79-01 on 790108-11 No noncompliance noted
POTAPQVB,U Region 4, Dallas, Vendor Inspection Branch 79/01/24 2pp
- 7903150118 GA Program Insp Rept 99900224/79-01 on 790108-11. No noncompliance noted Major areas inspected incorporation of GA program to GA manual & 10CFR50 App B, including internal audits, design control, insp & test & measurement
AGEE, J.R, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch. 79/01/23 8pp
- 7903150119 Forwards GA Program Insp Rept 99900509/78-02 on 780403-06 No noncompliance noted
POTAPQVB,U Region 4, Dallas, Office of the Director 79/01/18 2pp
- 7903150123 GA Program Insp Rept 99900509/78-02 on 780403-06 No noncompliance noted Major areas inspected. Implementation of 10CFR50, App B in design area
ANDERSON, D. O., RUTHERFORD, W R., HALE, C J Region 4, Dallas, Office of the Director 78/11/21. 6pp
- 7903150124 Notification of contract execution, Mod 1 to "On-Call Maint for NRC Computer Peripheral Equipment" Contractor Computer Sys Support Corp
MODROW, L A Administrative Contracts Branch NRC-10-78-601. 79/01/19 1p
- 7903150126 Mod 1, adding addl equipment for on-call maint under contract ref in Block B to "On-Call Maint for NRC Computer Peripheral Equipment."
MODROW, A K Division of Contracts NRC-10-78-601. 79/02/14 1p
- 7903150125 "Quick Look Rept on JAERI LSRT Upper Core Support Plate Experiment (Series J-1)"
MOHR, C M., JACOBY, J K., WESLEY, R D Idaho National Engineering Laboratory 78/03/12 23pp
- 7903150127 Ack receipt of 790131 ltr informing NRC of steps taken to correct deviations noted in GA Program Insp Rept 99900331/78-03
POTAPQVB,U, Region 4, Dallas, Office of the Director 79/02/15. 1p
- 7903150132 Responds to NRC 790104 ltr re deviations noted in GA Insp Rept 99900331/78-03 Corrective actions: matl identification improved, communication paper work set up, & welder documentation located.
BROOKS, L A Exelco Devels, Inc 79/01/31 2pp
- 7903150135 Forwards GA Program Insp Rept 99900331/78-03 on 781211-15 & notice of deviation
POTAPQVB,U Region 4, Dallas, Office of the Director 79/01/04 2pp
- 7903150137 Notice of deviation from insp on 781211-15
* Region 4, Dallas, Office of the Director 78/12/29 3pp.
- 7903150142 GA Program Insp Rept 99900331/78-03 on 781211-15
Noncompliance noted lack of ASME Code test for parts, poor matl identification, welders not qualified for positions, & measures did not assure calibr equipment accuracy
MCNEILL, W M., WITHESELL, D E Region 4, Dallas, Office of the Director 78/12/29 8pp
- 7903150129 "Quick Look Rept on KKK Support Column Air-Water Equipment (Series Q1)"
MOHR, C M., JACOBY, J K Idaho National Engineering Laboratory 78/04/11 20pp
- 7903150130 License for Nisssha-Iwai American Corp to export 6,001 kg heavy water to Japan
SHEA, J R Office of International Programs 79/03/06 1p
- 7903150146 Comments on presentations made at 781025 subcommittee meeting on plant arrangements Discusses Sandia study on sys interaction, NRC program to identify sys interactions, CRNL work, Zion sys interactions study & LER review program
MICHELSON, C ACRS - Advisory Committee on Reactor Safeguards 79/01/17 12pp
- 7903150153 Review of SAND77-0644, Sandia rept on reactor safeguards sys assessment & design Believes all areas of vulnerability are identified, but concludes study has limited immediate usefulness & should be further reviewed
MICHELSON, C ACRS - Advisory Committee on Reactor Safeguards 78/12/19 4pp
- 7903150155 Monthly progress rept for Jan 1979, Creare Project 345-10
CROWLEY, C J., ROTH, P H Creare, Inc NRC-04-75-162 79/02/08 3pp
- 7903150164 Informs of results of review of proprietary claim re encl to Terry Corp 780511 ltr Info is still proprietary
FELTON, J M Division of Rules and Records 79/02/22 1p
- 7903150184 Executive Branch position re American Atomics Corp application to export 1,500,000 Ci of tritium per annum to Mexico Recommends license be issued
NOSENZO, L V State, Dept of 79/03/05 2pp
- 7903150187 Executive Branch position re GE application to export 150 kg Th to Brazil Recommends license be issued
NOSENZO, L V State, Dept of 79/03/05 1p
- 7903150190 Forwards IE Insp Rept 99900269/78-02 on 781218-21 No noncompliance noted
POTAPQVB,U Region 4, Dallas, Vendor Inspection Branch 78/01/04 2pp
- 7903150192 IE Insp Rept 99900269/78-02 on 781218-21 No noncompliance noted Major areas inspected internal audits, special welding, testing of completed products, procurement product acceptance & action on previous insp findings
OLLER, R E, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 79/01/03 5pp
- 7903150198 Ack receipt of 790119 ltr informing NRC of steps taken to correct deviation noted in GA Program Insp Rept 99900316/78-01
POTAPQVB,U Region 4, Dallas, Vendor Inspection Branch 79/02/02 1p
- 7903150204 Responds to NRC 781211 ltr re deviation noted in GA Program Insp Rept 99900316/78-01 Corrective actions revision of GA manual re purchase orders & procedure GCP-2 revised, detailing procedures required for preparing insp package
KUNKA, S M Gould, Inc 79/01/09 2pp
- 7903150206 Forwards GA Program Insp Rept 99900316/78-01 on 781113-16 & notice of deviation
POTAPQVB,U Region 4, Dallas, Vendor Inspection Branch 78/12/11 2pp
- 7903150208 Notice of deviation from insp on 781113-16
* Region 4, Dallas, Vendor Inspection Branch 78/12/11 1p
- 7903150209 GA Program Insp Rept 99900316/78-01 on 781113-16
Noncompliance noted two purchase orders & related requisitions for calibr svc did not include requirement for certificates of calibr
OLLER, R E, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 78/12/11 9pp.
- 7903150211 Executive Branch position re Transnuclear, Inc application to export 413 kg U-235 to West Germany, Recommends license be issued w/ltr of assurance
NOSENZO, L. V. State, Dept. of 79/02/28 3pp

NONDOCKETED ITEMS

283

7903150220 notification of contract execution, Mod 6, to "Sys/Program
Paint Programming " Contractor Small Business
Administration
POTAPQVS, U A K Administrative Contracts Branch NRC-10-77-153
79/02/27 1p

7903150223 Mod 6, increasing total amount of contract to "Sys/Program
Paint Programming "
MATTLA, M J Administrative Contracts Branch NRC-10-77-153
79/02/27 2pp

7903150244 Forwards QA Program Insp Rept 99900255/79-01 on 790108-11 No
noncompliance noted
POTAPQVS, U Region 4, Dallas, Vendor Inspection Branch
79/01/24 2pp

7903150247 QA Program Insp Rept 99900255/79-01 on 790108-11 No
noncompliance noted Major areas inspected implementation of
10CFR50 App B criteria & applicable codes & stds
ROBERTS, H W , TOMLINSON, D B , HUNNICUTT, D M Region 4, Dallas,
Vendor Inspection Branch 79/01/23 6pp

7903150253 "Dec 1978 Monthly Highlights, Ofc of Nuclear Regulatory
Research Programs at ORNL "
MAYNIT, F R Oak Ridge National Laboratory ORNL/NUREGTM292
79/01/05 31pp

7903150270 Forwards Reg Guide 2.6, "Emergency Planning for Research
Reactors " Explains background & reasons for issuance
Requests comments W/o encl
FELD, R W Operating Reactors Branch 4 79/02/28 2pp

7903150271 Initiates amends to export license XCOM-49, increasing
original quantity by 90 addl pieces & raising dollar value
to \$27,980 90
GILBERT, V R KBI Tube Div 79/02/28 1p

7903150296 Notes 790220 GE request to withdraw 790110 export license
amend request
OPLINGER, O G Assistant Director for Export/Import & International
Safeguards 79/02/27 1p

7903150330 Forwards Revision 2 to WCAP-8587 "Methodology for Qualifying
Westinghouse Water Reactor Division-Supplied NSSS Safety-
Related Electrical Equipment " Includes addl info requested
by NRC
ANDERSON, T M Westinghouse Electric Corp NS-TMA-2049 79/03/05
1p

7903150332 WCAP 8587 REV 2
"Methodology for Qualifying Westinghouse Water Reactor
Division-Supplied NSSS Safety-Related Electrical
Equipment "
BUTTERWORTH, Q , MILLER, R B , LILLY, Q M Westinghouse Electric
Corp 79/02/28 150pp

7903150342 Forwards Amend 1 to N Reactor update SAR (UNI-M-90)
to keep ACRS briefed on production reactors
MCDOOL, W J Energy, Dept of 79/02/14 1p

7903150347 Amend 1 to N Reactor updated SAR w/control slips & insertion
instructions
+ Energy, Dept of UNI-M-90 78/02/28 275pp

903150397 Intervenor's Northern CA Power Agency & Cities of Anaheim &
Riverside, CA, object to 790125 interrogatories & move for
protective order Agree w/objections in parts 1 & 3-7 of Dept
of Water Resources' 790216 filing
KATE, P M , TRAUGER, T C Spiegel & McDiarmid 79/02/16 2pp

903150405 Provides info for notification of licensing boards that
C-E LIGA-induced cladding rupture strain curve underpredicts
strains that result from bursting in low temp alpha phase of
Zircaloy
TEDESCO, R L Assistant Director for Plant Systems 79/02/14
3pp

903150433 BECY-79-119
Forwards British Nuclear Fuels, Ltd application to import
irradiated fuel assemblies from Japan for reprocessing under
DOE contract
SHEA, J R Office of International Programs 79/02/14 1p

903150436 BECY 78-675A
Forwards second Executive Branch response to pending export
license application by Transnuclear, Inc for authorization to
export 4.872 kg of U-235 to Japan
SHEA, J R Office of International Programs 79/02/14 1p

7903150445 Revision 1 to Reg Guide 1.58, Working Paper A, dtd 790109,
"Qualification of Nuclear Power Plant Insp, Examination &
Testing Personnel" & value/impact assessment are
acceptable
VOLLMER, R Assistant Director for Systems & Projects 79/03/01
1p

7903160002 Forwards V Stello 790228 memo to EO Case w/revision 2 to
Task Action Plan A-10 Review no longer required
SHAIDER, R P Systematic Evaluation Programs Branch 79/02/25
1p

7903160004 Forwards approved Revision 2 to Task Action Plan A-10 re BWR
nozel cracking
STELLO, V Division of Operating Reactors 79/02/28 10pp

7903160013 Forwards QA Program Insp Rept 99900352/78-01 on 781129-1201
No noncompliance noted
POTAPQVS, U Region 4, Dallas, Vendor Inspection Branch
79/01/04 2pp

7903160014 IE Program Insp Rept 99900352/78-01 on 781129-1201 No
noncompliance noted Major areas inspected mgt meeting, design
tests & field svc problems
ADEE, J R , HUNNICUTT, D M Region 4, Dallas, Vendor Inspection
Branch 79/01/03 6pp

7903160019 NUREG/CR-0531
"DYNESIT, A Dynamic Estimator Calculation Program "
CASTLETON, R N , CANDY, J V Lawrence Livermore Laboratory FIN
A-0115 UCRL-92573 79/02/28 124pp Available at NTIS

7903160074 Requests comments on application from Drel Petroleum Corp
for license to export to Israel between 100,000 to 250,000
Ci of tritium gas per year over a 5-year period for use
in production of self-luminescent, tritium based light source
OPLINGER, O G Assistant Director for Export/Import & International
Safeguards 79/02/23 1p

7903160080 "Thermal Hydraulic LMFBR Safety Experiments," monthly
Highlights for Jan 1979
JONES, O C Brookhaven National Laboratory EV-76-C-02-0016
79/01/31 4pp

7903160087 Forwards notice of issuance of amend to 10CFR73 re physical
searches for regular employees
DENTON, H R Office of Nuclear Reactor Regulation 79/02/23 1p

7903160090 Notice of issuance of amend to 10CFR73 55 changing date of
implementation from 790228 to 790801 for employee pay-down
tests, two-man rule procedures & compartmentalization
CHILK, B J Office of the Secretary of the Commission 79/02/23
3pp

7903160092 Forwards 790216 notice of public hearings re Bokum
Resources Corp discharge plan & ltr from State of NM
outlining procedures for scheduling hearings
TOPP, A A New Mexico, State of 79/02/20 4pp

7903160101 Forwards NUREG-0093, "Radiological Emergency Response
Planning Handbook for Federal Assistance to State & Local
Govts "
RYAN, R O Office of State Programs 79/01/15 1p

7903160110 NUREG-0093 REV 1
"Radiological Emergency Response Planning Handbook for
Federal Assistance to State & Local Govts "
RYAN, R O Office of State Programs 79/01/31 85pp Available
at NTIS

7903160127 Forwards QA Program Insp Rept 999000616/79-01 on 790103-05
No noncompliance noted Explains procedures re 10CFR2 790 for
withholding of proprietary info.
POTAPQVS, U Region 4, Dallas, Vendor Inspection Branch
79/01/22 1p

7903160130 QA Program Rept 99900616/79-01 on 790103-05 No noncompliance
noted Major areas inspected program survey manual review &
acceptance criteria & program implementation
BROWN, R L , HALE, C J , POTAPQVS, U Region 4, Dallas, Vendor
Inspection Branch 79/01/19 4pp

7903160162 Forwards NRC Fourth Annual Rept for transmittal to Congress
Covers major NRC activities from Oct 1977-Sept 1978 Briefly
describes some addl actions through 781231
HENDRIE, J M Commission 79/02/21 1p

NONDOCKETED ITEMS

- 7903160165 Declines invitation to speak in Brown Univ energy lectures program, due to prior commitments
HENDRIE, J M Commission 79/02/21 1p
- 7903160171 Extends invitation to J Hendrie to speak in Brown Univ program of lectures on energy in Sept or Oct 1979
KEBTIN, J Affiliation Unknown 79/02/02 1p
- 7903160178 In response to encl 790209 request, NRC believes that draft bill entitled "Spent Nuclear Fuel Act of 1979" would fill regulatory gap discussed in NRC 790207 ltr Gives addl comments on encl DOE draft 790209 ltr
HENDRIE, J M Commission 79/02/21 1p
- 7903160183 Requests comments by 790213 on DOE proposed 790209 bill, "Spent Nuclear Fuel Act of 1979" W/section-by-section analysis of bill
PETERSON, R K Office of Management & Budget 79/02/09 13pp
- 7903160202 Updates 790212 ltr evaluating topical rept CENPB-252-P Use of CEFLASH-4B in early saturation portion of blowdown as well as subcooled decompression is acceptable
BAER, R L Light Water Reactors Branch 2 79/02/28 1p
- 7903160204 Requests addl info re typical liquid radwaste feed characteristics to solidification sys, cement mixing ratios, const matls & design criteria, to complete review of topical rept ATC-132-A, "Radioactive Waste Solidification Sys"
BAER, R L Light Water Reactors Branch 2 79/02/27, 6pp
- 7903160205 Forwards evaluation of WCAP-8904, "Westinghouse ECCS Evaluation Model for Analyzing (N-1) Loop Operation of Plants W/Loop Isolation Valves"
STOLZ, J F Light Water Reactors Branch 1 79/02/28 2pp
- 7903160206 Topical rept evaluation of WCAP-8904, "Westinghouse ECCS Evaluation Model for Analyzing Loop Operation of Plants W/ Loop Isolation Valves" Finds rept acceptable
* Light Water Reactors Branch 1 79/02/28 6pp
- 7903160271 Notes error in HEW Publication (FDA) 78-8034 On Page 27, publication uses figures for July-Dec 1977 as total figures for FY77.
KERR, O W Assistant Director for State Agreements Programs 79/02/22 14pp
- 7903160278 Requests Executive Branch position re Boring Co's request to extend expiration date of License XU-8301, authorizing export of 4,000 lb of depleted U to Iran, from 790301 to 810301 W/o encl
OPLINGER, O G Assistant Director for Export/Import & International Safeguards 79/02/26 1p
- 7903160280 NUREG-0527
Regulation of Federal Radioactive Waste Activities, NUREG-0527, ES, draft rept to Congress on extending NRC's licensing or regulatory authority W/encl executive summary & staff recommendations
* Office of Nuclear Material Safety & Safeguards 79/02/15 400pp
- 7903160297 "Fire Protection in Operating Nuclear Power Stations"
HALL, R E Brookhaven National Laboratory, FIN A-3107 EY-76-C-02-0016, 79/01/31 4pp
- 7903160300 "HTGR Safety Program," monthly highlights for Jan 1979.
SCHWEITZER, D G Brookhaven National Laboratory, FIN A-3016 EY-76-C-02-0016 79/02/12 5pp
- 7903160304 "Simulation of PWR First Cycle with ARMP Sys"
HERCZEG, J W, LAI, J, TODDSOW, M Brookhaven National Laboratory FIN A-3213 BNL-NUREG 25607, 79/01/31 59pp
- 7903160308 "Quick Look Report for Jet Pump Test"
CRAPD, H S EQ & G, Inc FIN A-6047 CAAP-TR-78-030 78/09/30 36pp.
- 7903160309 Forwards NRC 781215 ltr & FFTF project 790126 ltr re DOE plans for addressing NRC & ACRS advice concerning startup & operation of FFTF
BPEIB, T P Advanced Reactors Branch 79/02/26 84pp
- 7903160311 "An Analysis of Crack Growth Potential in 42-Inch A516 Grade 70 PWR Piping"
NAGATA, P K, SMITH, F W EQ & G, Inc FIN A-6166 RE-M-78-029 79/01/31, 80pp
- 7903160315 Responds to 781229 ltr from CO Dept of Health re license for storage of U mill tailings at Durango, CO Requests rationale for licensing & stabilization requirements & conclusions re dangers posed by tailings.
ANDERSON, M L Ranchers Exploration & Development Corp, 79/02/14 2pp.
- 7903160320 Requests renewal for License XSNM-1144 extending expiration date to 811201 to accommodate overall project const schedule delay
RODI, J P Westinghouse Electric Corp TFG/NRC-2555 79/02/06 1p
- 7903160321 "Matl Property Analysis-Fuel Thermal Conductivity (FTHCCN)," status rept
HAGAMAN, D L Idaho National Engineering Laboratory FIN A-6030 CAAP-TR-049 79/02/28 51pp
- 7903160323 Requests amend to License XSNM-1090 extending validity period until 800301, due to raw matl not being available to complete manufacture of detectors
KENNAN, R P Westinghouse Electric Corp 79/01/24 1p
- 7903190040 Requests amend to License XSNM-256 to extend expiration date from 790331 to 800331, because exports will be necessary after original expiration date
WILSON, B D General Electric Co, Nuclear Energy Products Div 79/02/01 1p
- 7903190043 Requests extension of expiration dates for Licenses XSNM-1695 from 790501 to 800501, & XSNM-1129 & XSNM-1104 from 790401 to 800401
MATSUN, V Transnuclear, Inc 79/02/05 1p
- 7903190105 Requests cancellation of applications SXNM-1158 & XSNM-1159 & export to Hungary Will keep NRC informed on XSNM-1140
HEIMAN, D Reactor Experiments, Inc 79/02/06 2pp
- 7903190117 Forwards topical rept evaluation for GIBSAR-17-A, Amend 4
HAASS, W P Quality Assurance Branch 79/03/01 1p
- 7903190123 Topical rept evaluation for GIBSAR-17-A, Amend 4, "QA Program" Rept is acceptable for use in design, procurement & const phase activities of nuclear power plants
* Quality Assurance Branch 79/02/28 2PP
- 7903190119 Requests NRC to increase enrichment in U-235 for XSNM-B44 from 3 14 to 3 2 w/o max
DAHLSTROM, C O Westinghouse Electric Corp ICS 8215 79/02/13 1p
- 7903190133 In further response to 790116 ltr requesting documents re low population zones, forwards BECY 78-111 & BECY Consent Calendar Item 78-624 W/o encls
FELTON, J M Division of Rules and Records 79/03/14 1p
- 7903190140 Requests info re foreign agent operating within AEC during 1960s & whether specified person was suspected of acting as foreign agent while at AEC or serving in Congress
COCHRAN, T B Natural Resources Defense Council NRDC/TBC/79-4 79/02/15 3pp
- 7903190145 In response to 790215 request, advises that NRC has not located any documents re operation of foreign agent within AEC in 1960s or whether specified person was suspected of acting as foreign agent while at AEC or serving in Congress
FELTON, J M Division of Rules and Records 79/03/13 1p
- 7903190192 Requests info re ionizers used as precipitators for enhancement of human work environ
GOODMAN, B Affiliation Unknown 79/02/03 1p
- 7903190196 In response to 790203 ltr requesting info re ionizers used as precipitators for enhancement of human work environ, forwards 93 specified documents W/o encls
FELTON, J M Division of Rules and Records 79/03/02 7pp
- 7903190254 Forwards errata & addenda sheet re replacement page for affidavit for NEDE/NEDO-21821-01
WATANABE, H T General Electric Co, Nuclear Energy Products Div MFN-057-79 79/03/01 3pp
- 7903190352 License application for Transnuclear, Inc to export 14,100 kg U & 45B 25 kg U-235 to Sweden
MATSUN, V Transnuclear, Inc 79/02/28 3pp
- 7903190453 Application for amend to license to export 37 kg Pu, 35 kg enriched U, 7 5 kg natural U & 5 kg depleted U to United Kingdom Memo of Agreement encl
BENGELSDORF, H D Energy, Dept of 79/02/07 21pp
- 7903190574 Requests any documents re number of info specialists at NRC, total payroll for employees in public affairs, communications & educational programs; budget for these activities; number of movies produced by agency
PHLEGAR, B F Affiliation Unknown 79/02/16, 1p

NONDOCKETED ITEMS

285

- 7903200033 License application for Teledyne Wah Chang Albany to export Zircaloy tubes to Canada
WATTENBARGER, S Teledyne Wah Chang Albany 1904. 79/03/02 1p
- 7903200034 Notification of contract execution, Mod 3 to "Shuttle Bus Svc." Contractor Beltway Limousine Svc
WIGGINS, E J Administrative Contracts Branch NRC-10-78-415 79/03/09 1p
- 7903200039 Mod 3, extending period of performance for one year & adding funds to "Shuttle Bus Svc."
MATTIA, M J Division of Contracts NRC-10-78-415 79/03/09 2pp
- 7903200050 Notification of 790404 meeting w/ACRS subcommittee on plant arrangements to continue review of Task A-17, "Sys Interaction in Nuclear Power Plants"
ANGELO, J Commission 79/02/28 2pp
- 7903200051 Notification of contract execution, Mod 1 to "Medical Use of Radionuclides for State Regulatory Personnel" Contractor Baylor College of Medicine
WIGGINS, E J Administrative Contracts Branch FIN A-9008 79/03/09 1p
- 7903200055 Mod 1, changing period of performance to "Medical Use of Radionuclides for State Regulatory Personnel"
MATTIA, M J Division of Contracts, FIN A-9008 79/03/07 1p
- 7903200058 Notification of contract execution "Medical Use of Radionuclides for State Regulatory Personnel," awarded to Baylor College of Medicine
WIGGINS, E J Administrative Contracts Branch FIN A-9008 79/03/09 1p
- 7903200064 Contract for "Medical Use of Radionuclides for State Regulatory Personnel," awarded to Baylor College of Medicine
MATTIA, M J Division of Contracts FIN A-9008 79/03/07 6pp
- 7903200067 NUREG/CR-0332
"Test Design, Precharacterization & Fuel Assembly Fabrication for Instrumented Fuel Assemblies IFA-431 & IFA-432"
HANN, C R, BATES, J L, BRIDE, D W Battelle Memorial Institute EV-74-C-06-1830 BNWL-19683 77/11/30 296pp Available at NTIS
- 7903200068 Notification of contract execution "Programming in Support of Payroll Sys Development," awarded to Small Business Administration & Technassociates, Inc.
HADAM, Y F Administrative Contracts Branch NRC-10-79-373. 79/03/02 1p.
- 7903200071 Contract "Programming in Support of Payroll Sys Development," awarded to Small Business Administration & Technassociates, Inc.
WATSON, C Division of Contracts NRC-10-79-373 79/03/02 15pp
- 7903200070 Forwards draft "NRC Statement on Risk Assessment & the Reactor Safety Study Rept in Light of the Risk Assessment Review Group Rept" (NUREG/CR-0400) revised 781102 NRC agrees w/review group findings & recommendations
GOSSICK, L V Office of the Executive Director for Operations 78/11/03 11pp
- 7903200074 Requests assistance in obtaining letter of assurance re encl application for export license
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/03/05 1p
- 7903200075 Notification of contract execution "Photographic Svc," awarded to MD Color Photo
WIGGINS, E J Administrative Contracts Branch, NRC-10-79-377. 79/03/08. 1p
- 7903200079 Contract for "Photographic Svc," awarded to MD Color Photo.
MATTIA, M J Division of Contracts NRC-10-79-377 79/03/08. 36pp.
- 7903200096 Branch technical position, "Design Guidance for Radiological Effluent Monitoring Instruments Installed in Light-Water-Cooled Power Reactors," Prepared as attachment to Standard Review Plan 11.5
* Division of Site Safety & Environmental Analysis. 78/06/13 6pp
- 7903200099 License application for Teledyne Wah Chang Albany to export Zircaloy-4 tube shell to West Germany
WATTENBARGER, S Teledyne Wah Chang Albany 1423 79/02/28 1p
- 7903200100 In response to 790226 request, forwards summary of 781101 meeting w/American Electric Power Svc Corp & 781214 ltr from JE Colan, American Electric Power to R Boyd, NRC W/o encl
FELTON, J W Division of Rules and Records 79/03/16 1p
- 7903200101 Completes action on 780228 appeal re deletions made in released copy of DIA rept on Apollo testimony Concludes deletions were proper
FELTON, J W Office of the Secretary of the Commission. 79/02/22 1p
- 7903200103 Meeting minutes of Containment Code Review Group on 790110
FELTON, J W Division of Reactor Safety Research 79/01/25 6pp
- 7903200104 In response to 790131 request, forwards memo re experience of EPA & FTC w/hybrid rulemaking hearings
FELTON, J W Office of the General Counsel 79/02/13 1p
- 7903200106 Forwards info re experience of EPA & FTC w/hybrid rulemaking hearings Concludes procedure has not worked effectively Emphasizes active & impartial hearing panel is essential to make process work
FELTON, J W Office of the General Counsel 79/02/13 3pp
- 7903200107 License application for GE & GE Technical Svc Inc to export special parts & components for nuclear reactors to Japan
WILSON, S D General Electric Co 79/03/06 3pp
- 7903200108 License application for Teledyne Wah Chang Albany to export Zircaloy-4 tube shell to Switzerland
WATTENBARGER, S Teledyne Wah Chang Albany 79/02/28 1p
- 7903200110 License application for Westinghouse to export three regenerated ionization chambers to France
FACARD, W Westinghouse Electric Corp ZE-20199-6 79/03/02. 1p
- 7903200111 Notification of 790302 meeting held at NV Operations Office headquarters, Las Vegas, w/Stanford, Harvard, DOE, Sandia Labs & US Geological Surveys re research program providing basis for regulating high level waste disposal sites
SCUDLER, R High Level & Transuranic Waste Branch 79/02/26 2pp
- 7903200113 License application for Teledyne Wah Chang Albany to export Zircaloy-4 tube shell to Argentina
WATTENBARGER, S Teledyne Wah Chang Albany 79/02/28 1p
- 7903200117 License application for Teledyne Wah Chang Albany to export Zircaloy-4 tube shell to West Germany
WATTENBARGER, S Teledyne Wah Chang Albany 1423 79/02/28 1p
- 7903200121 License application for Teledyne Wah Chang Albany to export Zircaloy-4 tube shell to West Germany.
WATTENBARGER, S Teledyne Wah Chang Albany 1423 79/02/28 1p
- 7903200126 License application for Teledyne Wah Chang Albany to export Zircaloy-4 tube shell to West Germany
WATTENBARGER, S Teledyne Wah Chang Albany 1423 79/02/28 1p
- 7903200127 Notification of contract execution, Mod 1 to "Shuttle Bus Svc." Contractor Beltway Limousine Svc
WIGGINS, E J Administrative Contracts Branch, NRC-10-78-391 79/03/09 1p
- 7903200129 Mod 1, extending period of performance & adding funds to "Shuttle Bus Svc."
MATTIA, M J Division of Contracts NRC-10-78-391 79/03/09 2pp

NONDOCKETED ITEMS

7903200105 Responds to 790119 ltr & discusses NRC's overall plan for reviewing implementation of IEEE Std 323-1974 re qualification of Class IE equipment & review of CENPD-255 by C-E
DENTON, H R Office of Nuclear Reactor Regulation 79/03/01 2pp

7903200111 Forwards inventory rept for Jan 1979 physical inventory All discrete items accounted for, MUF well within LEMUF limits & no diversion of matl suspected
ESKRIDGE, H E Combustion Engineering, Inc NIS/79/613 79/02/27 2pp

7903200112 Provides principal recommendation for compliance w/ Congressional mandate in Energy Reorganization Act of 1977 re definition of R&D program for improved reactor safety Should define "undue risk to health & safety of public"
HARD, J E Sargent & Lundy, Inc 78/02/08 2pp

7903200114 "Safeguards Analysis for Byproduct Matls & Gasm Quantities of BNH (189 No 86108)," monthly progress rept for Jan 1979
CHESBTER, R D ; KIRKSCHEV, K A ; RANDOLPH, M L Oak Ridge National Laboratory FIN B-6108 ORNL/HASRD-28 79/02/21 4pp

7903200116 Finds Research Review Group draft rept sound, but identifies areas of concern which need further attention in spite of time constraints
LEVENSON, M Electric Power Research Institute 78/02/17 3pp

7903200121 "LWR Pressure Vessel Irradiation Surveillance Dosimetry Program," Jan 1979 monthly status ltr
PRESTON, C C ; MCCLEROY, W M Hanford Engineering Development Laboratory 7950-721 79/02/26 3pp

7903200122 Amend 1 to Gulf Mineral Resources Co radioactive matl license application is being sent under separate cover
WOLFF, T A New Mexico, State of 79/02/27 1p

7903200126 "Evaluation of Docket Files of Terminated Licenses (189 No A9085-7)," monthly progress rept for Jan 1979
HOLLOWAY, C F ; LANTZ, P M ; DICKSON, H W Oak Ridge National Laboratory FIN A-9085-7 ORNL/HASRD-27 79/01/31 7pp

7903200130 Forwards latest revision of suppl guidance on fire protection functional responsibilities, administrative controls & GA
FERGUSON, R Plant Systems Branch MATTHEWS, P Auxiliary Systems Branch 77/06/20 3pp

7903200137 Summarizes presentation at 780110 NRC Research Review Group meeting, NRC should pursue new systems which increase safety margin & reduce extent of justification required during licensing reviews
BALVATORT, R Westinghouse Electric Corp PD-RS-442 78/01/23 2pp

7903200149 Comments on proposed Reg Guide 8.13: requests addl info re citation in Bibliography Section 5 re "Understanding the Atom Series"
DAHERON, D C Kaman Sciences Corp 79/02/13 1p

7903200150 In response to 780324 application, authorizes const of tailings impoundment Use of impoundment sys to contain toxic & radioactive matls is still be evaluated.
HAILE, A J Colorado, State of 79/02/28 2pp

7903200152 Ack receipt of 790216 ltr informing NRC of steps taken to correct deviation noted in QA Program Insp Rept
99900003/79-01
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch 79/03/12 1p

7903200156 Responds to NRC 790201 ltr re deviation noted in QA Program Insp Rept 99900003/79-01 Corrective actions rept
NEDQ-11209-04A to be evaluated, pH meter calibr instructions to be issued & air flow controllers ordered.
ALKEMA, R J General Electric Co, Nuclear Energy Products Div. 79/02/16 12pp

7903200158 Forwards QA Program Insp Rept 99900003/79-01 on 790108-12 & notice of deviation
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch 79/02/01 2pp

7903200161 Notice of deviation from Insp on 790108-12
* Region 4, Dallas, Vendor Inspection Branch. 79/02/01. 4pp

7903200166 QA Program Insp Rept 99900003/79-01 on 790108-12 Noncompliance noted, inadequate action on previous findings, incomplete application of analytical lab control instructions, incomplete documentation of enrichment control.
MCNEILL, W M ; SUTTON, T W ; WHITEBELL, D E Region 4, Dallas, Vendor Inspection Branch. 79/02/01. 13pp.

7903200154 "Create Downcomer Effects Program," progress rept for May 1978
ROTHE, P H ; CROWLEY, C J Creare, Inc NRC-04-75-162 78/06/07 3pp

7903200157 "Draft NRC Statement on Risk Assessment & the Reactor Safety Study Rept in Light of the Risk Assessment Review Group Rept"
GOSWICK, L V Commission PEDERSON, K S Office of Policy Evaluations 78/10/31 6pp

7903200188 Responds to 780406 memo re NPRDS Working Group rept NPRDS reporting should not be made mandatory, but attention should be given to quality of data & uniformity of reporting "Natl Energy Plan" encl
LAMROSKI, B ACRS - Advisory Committee on Reactor Safeguards 78/07/12 4pp

7903200201 Notification of meeting on 790314-13 w/representatives of Mark I owners group to discuss pool swell load definition techniques & methodology for condensation, oscillation, chugging & lateral load definition
GRIMES, C I Assistant Director for Engineers & Projects 79/03/02 2pp

7903200233 Requests Executive Branch review of TX Nuclear Div 790223 ltr re ltr of credit for application XSNM-1440 Ltr expires 790401
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/02/05 1p

7903200239 "CANDU Lattice Physics Code Validation & Preliminary Analysis of CANDU Reactor Feedback Coefficients"
MALLIN, A ; SHENOY, S ; LUDENIG, H Brookhaven National Laboratory FIN A-3000 BNL-NUREG-25572 78/12/31 57pp

7903200257 Notification of 790315 meeting to discuss proposed Sandia Lab test program
FEIT, R Division of Reactor Safety Research 79/03/02 2pp

7903200261 Draft reg guide "Qualification & Acceptance Tests for Safety-Related Snuubers"
* Office of Standards Development 79/03/15 36pp

7903200262 NUREG/CR-0399
"A Methodology for Value/Impact Assessment of Nuclear Regulatory Research Programs"
CARLSON, D D Sandia Laboratories FIN A-1204 SAND78-1707 78/12/31 74pp Available at NTIS.

7903200274 Forwards "Tritium Survey Rept" & related correspondence Discussion of the forthcoming decontamination plan with NRC staff desired
HOLM, W M Luminous Processes, Inc 79/02/27 12pp

7903200297 Responds to ATWS subcommittee questions re reactor risk estimates Response includes simplified event trees used to determine scenarios that could result in unacceptable consequences
MATTHEWS, R J Division of Systems Safety 79/03/01. 21pp

7903200315 Forwards weekly info rept for week ending 790209
REHM, T A Office of the Executive Director for Operations 79/02/13 1p

7903200320 Weekly info rept for week ending 790209
REHM, T A Office of the Executive Director for Operations 79/02/13 26pp

7903200331 SECY-79-118
Informs Commissioners of receipt of import license application from Exxon Nuclear Co
SHEA, J R Office of International Programs 79/02/14 1p

7903200332 Forwards application for license to import 40,000 kg U from USSR
NECHODOM, W S Exxon Nuclear Co, Inc (subs of Exxon Corp) 79/01/25 2pp.

7903200339 NUREG 75/087 06 2 1
SRP, Revision 3 to Section 6 2 1 1 C "Pressure-Suppression Type BWR Containments"
* Office of Nuclear Reactor Regulation 79/02/28 12pp

7903200359 Requests addl info for review of Newport News/Energy Inc topical rept E1/NNI-77-7 "RNR-ITM Radwaste Vol Reduction Sys"
HOUSTON, R W Accident Analysis Branch 79/01/15 2pp

NONDOCKETED ITEMS

287

- 7903200482 Requests addl info re compatability of calcined matl/ash
* existing solidification agents & offgas exhaust line
radiation monitor to complete review of topical rept
79/01/11
COLLINS, J T Effluent Treatment Systems Branch 79/01/11 3pp
- 7903200484 Requests addl info for Newport News/Energy Inc topical rept
ELI/NI-77-7, "RWR-ITM Radwaste Vol Reduction Sys"
* CUSTOMER W Accident Analysis Branch 79/01/08 3pp
- 7903200482 Requests addl info to assist in review of topical rept
ELI/NI-77-7 Needs info re sizing of sys, preoperational
testing & radiiodine adsorbent in offgas sys
79/09/19
COLLINS, J T Effluent Treatment Systems Branch 79/09/19 3pp
- 7903200420 Requests addl info re Newport News/Energy Inc topical rept
ELI/NI-77-7 Info sought concerns sizing of sys, bed media
activation, expected combustion efficiency & iodine adsorption
in offgas sys
79/04/10
COLLINS, J T Effluent Treatment Systems Branch 79/04/10 3pp
- 7903200426 Comments on proposed radwaste vol reduction sys Not all fire
hazards have been identified w/ attendant necessary fire
protection Radwaste facility should satisfy stds of Reg
Guide 1.120
TEDESCO, R L Assistant Director for Plant Systems 78/03/02 3pp
- 7903200430 Expected completion date for WPS/Newport News topical rept
is now 780320
* ARISON, G A Auxiliary Systems Branch 78/02/14 1p
- 7903200435 Comments from review of Newport News responses to topical
rept will be submitted by 780331
COLLINS, J T Effluent Treatment Systems Branch 78/02/11 1p
- 7903200441 Requests addl info re Newport News/Energy Inc topical rept
ELI/NI-77-7, "RWR-ITM Radwaste Vol Reduction Sys" Info
sought concerns sys design bases & design criteria
77/09/06
COLLINS, J T Effluent Treatment Systems Branch 77/09/06 1p
- 7903200445 Forwards technical assignment control form for initiation
of review on Newport News topical rept on radwaste vol
reduction sys
KNIEL, K Light Water Reactors Branch 2 77/07/07 2pp
- 7903200450 Outlines of proposed topical rept on radwaste vol reduction
sys reviewed Cites failure to discuss QA program, or to
describe operating data & applicable experience
77/07/07
COLLINS, J T Effluent Treatment Systems Branch 77/07/07 11pp
- 7903200461 Forwards responses to questions raised in EPA 781024 ltr re
topical rept on radwaste vol reduction sys
KNIGHTON, R Environmental Evaluation Branch 79/01/24 4pp
- 7903200483 Outline of proposed topical rept re radwaste vol reduction
sys has been reviewed. Outline does not address QA program
nor discuss any prior operating data or experience
77/02/15
COLLINS, J T Effluent Treatment Systems Branch 77/02/15 9pp
- 7903200484 Review of proposed Commission Paper on facility radwaste
incinerator is complete Comments incl on encl W/O encl
COLLINS, J T Effluent Treatment Systems Branch 79/01/08 2pp
- 7903200421 Forwards Revision 3 to "QA Program Topical Rept," NU-QA-1
& responses to questions in NRC 781221 ltr Revision 3
replaces former QA topical rept, submitted 780201
COUNSILL, W Q Northeast Utilities QA-3071 79/03/09 5pp
- 7903200437 NUREG-0531
"Investigation & Evaluation of Stress-Corrosion Cracking
in Piping of LWRs"
* Commission 79/02/28 96pp Available at NTIS
- 7903200474 NUREG 75/087 17 2
SRP, Revision 1 to Section 17 2
* Office of Nuclear Reactor Regulation 79/02/28 8pp
- 7903200477 NUREG 75/087 17 1
SRP, Revision 1 to Section 17 1
* Office of Nuclear Reactor Regulation 79/02/28 30pp.
- 7903200479 NUREG-75/087 14 1
SRP, Revision 1 to Section 14 1
* Office of Nuclear Reactor Regulation 79/01/31 9pp
- 7903200485 Transcript of 790301 meeting of ACRS Ad Hoc Subcommittee on
LWRs in Washington, DC Pp 1-253 INEL presentation encl
MOELLER, D, ETHERINGTON, H, MARK, J C ACRS - Advisory Committee on
Reactor Safeguards 79/03/01 287 pp
- 7903200488 Transcript of 790309 227th general meeting of ACRS in
Washington, DC Pp 288-313 Presentations encl
CARSON, M W, PLESSET, M S, BENDER, M ACRS - Advisory Committee on
Reactor Safeguards 79/03/09 280pp
- 7903200493 Requests response to 790212 ltr cancelling License XT-B419
application Confusion still remains re this matter
HIRSCHFELD, C Samincorp, Inc 79/03/01 1p
- 7903200498 Informs NRC that sales contract for exportation of Monazite
to India has been cancelled due to inability to obtain
export license Requests clarification of matter
HIRSCHFELD, C Samincorp, Inc 79/02/12 1p
- 7903200504 Requests amend to License XU-B438 to list following addl
quantities 10000 curies Ir-192 as sealed sources; 10,000
curies Ir-192 as sealed sources; 10,000 curies Co-60 as
sealed sources & 250 curies Cs-137
NUNRO, J J Technical Operations, Inc 79/02/27 1p
- 7903200506 Requests License XCOM-146 be amended to revise value of
items to be exported from \$10,000 to \$20,000
WILSON, B D General Electric Co, Nuclear Energy Products Div
79/02/27 1p
- 7903200508 Transcript of 790307 public meeting in Washington, DC, re
SECY-79-88, concerning timing of certain requirements of U
Mill Tailings Control Act of 1978 Pp 1-70
HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 79/03/07 70pp
- 7903200513 SECY-79-88
Recommends actions to be taken when sections of U Mill
Tailings Radiation Control Act of 1978 become effective
SHAPAR, H K Office of the Executive Legal Director 79/02/02 41pp
- 7903200515 Forwards Federal Register notice amendment to 10CFR73.55,
"Requirements for Physical Protection of Licensed Activities
in Nuclear Power Against Industrial Sabotage"
DENTON, H R Office of Nuclear Reactor Regulation 79/02/28 1p
- 7903200521 Transcript of 790307 meeting of Subcommittee on Reactor
Safety Research in Washington, DC Pp 1-72
OAKENT, D, ETHERINGTON, H, LAHROSKI, S ACRS - Advisory Committee on
Reactor Safeguards 79/03/07 72pp
- 7903200526 Transcript of 790308 227th general meeting of ACRS in
Washington, DC Pp 1-287 C-E presentation encl
CARSON, M W, PLESSET, M S, BENDER, M ACRS - Advisory Committee on
Reactor Safeguards 79/03/08 356pp
- 7903200534 Transcript of 790306 meeting of Subcommittee on Regulatory
Activities in Washington, DC Pp 1-232
SJEES, C P, BENDER, M, ETHERINGTON, H ACRS - Advisory Committee on
Reactor Safeguards 79/03/06 232pp
- 7903200542 Transcript of 790308 public meeting in Washington, DC
Pp 1-37
HENDRIE, J M, AHEARNE, J F, KENNEDY, R T Commission 79/03/08 37pp
- 7903200547 Forwards list of recipients of ltr referencing IE Bulletin
79-01, "Environ Qualification of Class IE Equipment,"
indicating error in valve switch identification
PAPPAS, H Region 3, Chicago, Office of the Director 79/03/02 2pp.
- 7903200549 Transcript of 790307 public meeting in Washington, DC
Pp 1-98
HENDRIE, J M, GILINSKY, V, KENNEDY, R T Commission 79/03/07 98pp
- 7903200550 Forwards list of recipients of IE Bulletin 79-02, "Pipe
Support Base Designs Using Concrete Expansion Anchor Bolts"
PAPPAS, H Region 3, Chicago, Office of the Director. 79/03/09 2pp
- 7903200555 Requests specified documents re std on containment H control
be placed in PDR
CONNOR, L. Doc-Search Associates 79/03/02 1p

NONDOCKETED ITEMS

- 7903200556 In response to 790302 request, forwards NUS Corp 770303 memo from S Turner to W Mitchell W/German document evaluating post-LOCA H production in containment, dtd Mar 1973
FELTON, J M Division of Rules and Records 79/03/14 64pp
- 7903200559 Transcript of 790308 meeting in Washington, DC Pp 1-30
HENDRIE, J M, GILINSKY, V, KENNEDY, R T. Commission 79/03/08 30pp
- 7903200562 Forwards revised proposed civil penalties legislation
Legislation intended to remove cap on total penalties
Requests comments by 790220
STOIBER, C R Office of the General Counsel 79/02/14 18pp
- 7903200566 Forwards proposed civil penalties legislation intended to remove cap on total penalties Discusses justifications for change
HENDRIE, J M Commission 79/02/14 2pp
- 7903200578 Ack receipt of 790126 ltr informing NRC of steps taken to correct deviation noted in QA Program Insp Rept
99900230/78-01
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
79/03/09. 1p
- 7903200581 Responds to NRC 790112 ltr re deviation noted in QA Program Insp Rept 99900230/78-01 Corrective actions regular point verification certification initiated, test operators instructed & audit schedule changed to quarterly
ROSEN, A E Anaconda Co (subs of Atlantic-Richfield Co.)
79/01/26 3pp
- 7903200582 Forwards QA Program Insp Rept 99900230/78-01 on 781211-14 & notice of deviation.
SEYFRIT, K. V Region 4, Dallas, Office of the Director
79/01/12 2pp.
- 7903200585 Notice of deviation from insp on 781211-14
* Region 4, Dallas, Vendor Inspection Branch 79/01/08 3pp
- 7903200586 QA Program Insp Rept 99900230/78-01 on 781211-14
Noncompliance noted failure to take committed corrective actions & preventive measures & failure to conduct audits
FOSTER, W. E, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 79/01/08 9pp
- 7903200579 Summary of 790206 Ziracalay cladding program review meeting
Discussion incl fuel rod accidents, data from in-pile creepdown study, results of impact & ring-compression tests.
LOCA & fuel pin performance. W/final agenda
PICKLEBIMER, M L Fuel Behavior Branch 79/03/01 179pp.
- 7903200583 Forwards Amend 1 to Gulf Mineral Resources' radioactive matl license application
WOLFF, T A New Mexico, State of. 79/02/27. 1p
- 7903200590 Forwards Amend 1 to radioactive matl license application
MOONEY, F. S Gulf Oil Corp, Gulf Mineral Resources Co 79/02/07 24pp.
- 7903200595 Amend 1 to Gulf Mineral Resources' radiation matl license
Amend responds to NMEID Radiation Section staff comments & includes revision of mill design changes
* Gulf Oil Corp, Gulf Mineral Resources Co 79/03/01 426pp.
- 7903200589 Ack receipt of 790213 ltr informing NRC of steps taken to correct deviation noted in QA Program Insp Rept
99900267/79-01
POTAPOV, U. Region 4, Dallas, Vendor Inspection Branch
79/02/28 1p
- 7903200594 Responds to NRC 790122 ltr re deviation noted in QA Program Insp Rept 99900267/79-01 Corrective actions QA personnel will scrutinize all ASME raw matl purchase orders for completeness W/insp repts from vendor.
AVERA, R. Chemetron Corp, Tube Turns Div. 79/02/13 8pp.
- 7903200596 Forwards QA Program Insp Rept 99900267/79-01 on 790103-05 & notice of deviation
POTAPOV, U. Region 4, Dallas, Vendor Inspection Branch
79/01/22 2pp
- 7903200597 Notice of deviation from insp on 790103-05
* Region 4, Dallas, Vendor Inspection Branch 79/01/22 1p
- 7903200600 QA Program Insp Rept 99900267/79-01 on 790103-05
Noncompliance noted purchase orders for plate metals do not state "no weld repair permitted w/o prior approval by tube turns"
OLLER, R. E, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 79/01/18 9pp
- 7903210029 Weekly info rept for week ending 790302
REHM, T A Office of the Executive Director for Operations
79/03/07 27pp
- 7903210052 Forwards evaluation of BN-TOP-4 "Subcompartment Pressure & Temp Transient Analysis"
BAER, R L Light Water Reactors Branch 2 79/02/23 1p
- 7903210059 Evaluates BN-TOP-4, "Subcompartment Pressure & Temp Transient Analysis" Concludes code is acceptable for predicting nominal values & conservative values of subcompartment pressures for subsonic vent flow conditions
* Light Water Reactors Branch 2 79/02/23 23pp
- 7903210078 NUREG-75/087 13 4
SRP, Revision 1 to Section 13 4, "Operational Review"
* Office of Nuclear Reactor Regulation 79/02/28 3pp
- 7903210086 License application for Sandvik Special Metals Corp to export Sandvik Zr-4 guide thimble tubes & Sandvik Zr-4 instrument tubes to Japan
RADY, D J Sandvik Special Metals Corp 79/02/26 1p
- 7903210088 License application for Sandvik Special Metals Corp to export Zr-4 guide thimble tubes to Japan
RADY, D J Sandvik Special Metals Corp 79/02/26 1p
- 7903210090 Forwards correspondence requested re Owens-Corning Fiberglas topical rept OCF-1, "Nuclear Containment Insulation Sys"
BAER, R L Light Water Reactors Branch 2 79/02/05 1p
- 7903210094 Ack receipt of 781227 & 790123 ltrs informing NRC of steps taken to correct deviations noted in QA Program Insp Rept
99900286/78-02
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
79/02/06 1p
- 7903210098 Responds to NRC 790111 ltr requesting addl info re measures taken to correct deviations noted in QA Program Insp Rept
99900286/78-02 Corrects errors in 781227 ltr Gas metal arc welding procedure entered in pump pedestals records
BDPP, R E Gaulin Corp 79/01/23 1p
- 7903210104 Ack receipt of 781227 ltr informing NRC of steps taken to correct deviations noted in QA Program Insp Rept
99900286/78-02 Requests addl info re gas metal arc welding procedure
POTAPOV, U Region 4, Dallas, Office of the Director 79/01/11 1p
- 7903210109 Responds to NRC 781113 ltr re deviation noted in QA Program Insp Rept 99900286/78-02 Corrective actions std operation sheet for cylinder 927757 reviewed, heat treatment reviewed, QA Manual Section 3 revised & procedures checked
BDPP, R E Gaulin Corp 78/12/27 12pp
- 7903210111 Forwards QA Program Insp Rept 99900286/78-02 & notice of deviation.
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
78/11/13 2pp
- 7903210118 Notice of deviation from insp on 781023-27
* Region 4, Dallas, Vendor Inspection Branch 78/11/13 5pp
- 7903210124 QA Program Insp Rept 99900286/78-02 on 781023-27
Noncompliance noted failure by inspectors to indicate completion of insp failure to record work in QA log failure of subcontractor to heat treat matl & purchase order defects
ELLERSHAU, L. E, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 78/11/13 12pp
- 7903210097 License application for Westinghouse to export one compensated ionization chamber to France
POCHAL, W F. Westinghouse Electric Corp 79/03/02 1p
- 7903210129 Ack receipt of 790104 ltr informing NRC of steps taken to correct violations noted in QA Program Insp Rept
99900296/78-01
POTAPOV, U. Region 4, Dallas, Vendor Inspection Branch
79/01/31. 1p
- 7903210140 Responds to NRC 781208 ltr re violations noted in QA Program Insp Rept 9990296/78-01 Corrective actions: calibr schedules are being reviewed for completeness & QA dept procedure will be developed to govern insp
MARTIN, M G Amerace Corp 79/01/04 2pp
- 7903210146 Forwards QA Program Insp Rept 9990296/78-01 on 781127-30 & notice of violation
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
78/12/08 2pp.

NONDOCKETED ITEMS

289

- 7903210150 Notice of violation from insp on 781127-30
Region 4, Dallas, Vendor Inspection Branch 78/12/07 1p
- 7903210157 QA Program Insp Rept 99900296/78-01 on 781127-30
Noncompliance noted failure to take committed corrective
actions re calibr schedules for issuance, control & review of
insp procedures
FOSTER, H E, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection
Branch 78/12/07 1p
- 7903210155 Ack receipt of 790103 & 0222 ltrs informing NRC of steps
taken to correct deviation noted in QA Program Insp Rept
99900262/78-01
FOOTAPDVS, U Region 4, Dallas, Vendor Inspection Branch
79/03/07 1p
- 7903210158 Responds to NRC 790206 ltr re deviation noted in QA Program
Insp Rept 99900262/78-01 Corrective actions sys established
to assure audit of suppliers per B&W QA program &
engineering files reviewed to check calculations
TOPPING, R E Babcock & Wilcox Co 79/02/22 1p
- 7903210161 Ack receipt of 790103 ltr informing NRC of steps taken to
correct deviation noted in QA Program Insp Rept
99900262/78-01 Requests addl info on corrective actions
taken w/respect to deviations A, B & C
FOOTAPDVS, U Region 4, Dallas, Vendor Inspection Branch
79/02/06 1p
- 7903210165 Responds to NRC 781127 ltr re deviation noted in QA Program
Insp Rept 99900262/78-01 Corrective actions supplier's QA
sys re-audited, calculation of bonnet bolting performed &
bolter & pressure vessel calculations added to design stds
SMITH, L W Babcock & Wilcox Co 79/01/03 3pp
- 7903210170 Forwards QA Program Insp Rept 99900262/78-01 on 781004 &
notice of deviation
FOOTAPDVS, U Region 4, Dallas, Vendor Inspection Branch
79/02/06 2pp
- 7903210172 Notice of deviation from insp on 781004
Region 4, Dallas, Vendor Inspection Branch 78/10/26 2pp
- 7903210174 QA Program Insp Rept 99900262/78-01 on 781004 Noncompliance
noted action on previously identified items, design
verification & welder qualification training
KELLEY, W D, WHITESELL, D E Region 4, Dallas, Vendor Inspection
Branch 78/10/26 12pp
- 7903210159 Responds to 780511 request Forwards answers to questions re
testing of oriented spray cooling sys topical rept loop
forwards meteorological design techniques for scanning
weather record for adverse periods of thermal performance
BAER, R L Light Water Reactors Branch 2 79/03/12 15pp
- 7903210164 License application for Byron Jackson Pump Division to
export two rotating elements & accessories & two mechanical
seal cartridges & accessories to Japan
NORION, J Borg-Warner Corp, Byron Jackson Pump Div 79/02/22 1p
- 7903210169 Ack receipt of 790205 ltr informing NRC of steps taken to
correct deviation noted in QA Program Insp Rept
99900320/78-01
FOOTAPDVS, U Region 4, Dallas, Vendor Inspection Branch
79/02/14 1p
- 7903210177 Responds to NRC 781228 ltr re deviation noted in QA Program
Insp Rept 99900320/78-01 Corrective actions memo sent as
reminder of correct component fabrication sequence
HAAS, C A Engineers & Fabricators Co (subs of The Marley Co.)
79/02/03 1p
- 7903210182 Forwards QA Program Insp Rept 99900320/78-01 on 781204-07 &
notice of deviation.
FOOTAPDVS, U Region 4, Dallas, Vendor Inspection Branch
78/12/28 2pp
- 7903210184 Notice of deviation from insp on 781204-07
Region 4, Dallas, Vendor Inspection Branch 78/12/26 1p
- 7903210188 QA Program Insp Rept 99900320/78-01 on 781204-07
Noncompliance noted failure to fabricate components in
required controlled sequence, failure to prepare & maintain
master list of equipment & tools
JAMMER, V H, WHITESELL, D E Region 4, Dallas, Vendor Inspection
Branch 78/12/26 5pp
- 7903210186 Forwards summary of status of all NRC questions on topical
repts "INCA-A Method of Analyzing In-Core Detector Data in
Power Reactors" & "Evaluation of Uncertainty in Nuclear Form
Factor Measured by Self-Powered Fixed In-Core Detector Sys."
SCHERER, A E Combustion Engineering, Inc LD79-016 79/03/05.
10pp
- 7903210192 Requests Executive Branch position re Transnuclear, Inc
application to export 14,101 kg U enriched to 3.25% U-235
for use as reload fuel in Sweden
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/03/05 1p
- 7903210194 Requests Executive Branch position re Edlow Intl Co
application to export source matl to West Germany
OOSICK, L Office of the Executive Director for Operations
79/03/01 1p
- 7903210196 Requests Executive Branch position re Mitsubishi Intl Corp
application to export source matl to be used as std samples
of U enrichment to Japan
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/03/02 1p
- 7903210197 Requests Executive Branch position re Aldrich Chemical Co
application to export deuterium to Jamaica, West Indies
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/03/02 1p
- 7903210199 Requests Executive Branch position re Byron Jackson Pump Div
application to export specially designed nuclear plant
coolant pump parts to Italy
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/03/01 1p
- 7903210202 Requests Executive Branch position re Mitsubishi Intl Corp
application to export special nuclear matl to Japan
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/03/01 1p
- 7903210206 Requests Executive Branch position re Byron Jackson Pump Div
application to export specially designed nuclear plant
coolant pump parts to Italy
OPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/03/01 1p
- 7903210221 Notification of contract execution, Mod 1 to "Study of Crush
Loads in Transportation Accidents" Contractor Sanford
Research Inst
LEBO, C D Administrative Contracts Branch FIN B-6124
79/03/08 1p
- 7903210226 Mod 1, definitizing unpriced order, to "Study of Crush Loads
in Transportation Accidents"
DOUGHERTY, D J Division of Contracts, FIN B-6124 79/03/07
2pp
- 7903210233 Notification of contract execution "Economic Assistance Re
Antitrust Hearings For South TX Proceeding," awarded to
Transcomm, Inc
OLAOLA, A F Technical Assistance Contracts Branch FIN
B-6593-9. 79/02/23 1p
- 7903210236 Contract for "Economic Assistance Re Antitrust Hearings For
South TX Proceeding," awarded to Transcomm, Inc
DOUGHERTY, D J Division of Contracts FIN B-6593-9 79/02/23
3pp
- 7903210242 Notification of contract execution "Evaluation of Matl
Interactions for Advanced Reactor Sys." awarded to Aerospace
Corp
MENGZER, W B Technical Assistance Contracts Branch FIN B-1130
79/03/07 1p
- 7903210245 Contract for "Evaluation of Matl Interactions for Advanced
Reactor Sys." awarded to Aerospace Corp.
DOUGHERTY, D J Division of Contracts, FIN B-1130 79/03/08
13pp
- 7903210246 Comments on NUREG-0436 rept lacks safe solutions
LEWIS, M I Affiliation Unknown 79/01/31 1p.
- 7903210260 Ack receipt of 790130 ltr informing NRC of steps taken to
correct deviation noted in QA Program Insp Rept
99900342/78-02 Item no longer considered deviation.
FOOTAPDVS, U Region 4, Dallas, Vendor Inspection Branch.
79/02/12 1p
- 7903210269 Responds to NRC 790104 ltr re deviation noted in QA Program
Rept 99900342/78-02 Corrective actions will follow welding
procedures in ASME Code & revise procedures to include
definition of post-weld heat treatment hold time
ROZEK, R Lakeside Bridge & Steel Co, QA-72B 79/01/30 1p
- 7903210273 Forwards QA Program Insp Rept 99900342/78-02 on 781211-15
& notice of deviation
FOOTAPDVS, U Region 4, Dallas, Vendor Inspection Branch.
79/01/04 2pp

NONDOCKETED ITEMS

- 7903210275 Notice of deviation from insp on 781211-15
* Region 4, Dallas, Vendor Inspection Branch 78/12/29 1p
- 7903210280 QA Program Insp Rept 99900342/78-02 on 781211-15
Noncompliance noted revision numbers & dates of weld
procedure specs not listed on qualification records & post-
weld heat treatment procedures require clarification
ELLERSHAM, L E, HUNNICUTT, D M Region 4, Dallas, Vendor
Inspection Branch 78/12/29 11pp
- 7903210284 "Subcooled & Saturated Blowdown Evaluations," HTR safety
program; informal rept
KROEGER, P O Brookhaven National Laboratory FIN A-3016 79/01/31
78pp
- 7903210288 Responds to 790208 ltr re assessment of fees for routine
health & safety insp Insp fees take into account manpower
time for review & time to prepare rept New fee schedule
effective 780323 Federal Register notice & NUREG-0268 encl
OGGSICK, L V Office of the Executive Director For Operations
79/03/02 3pp
- 7903210289 Forwards ltr from constituent re assessment of fees for
routine health & safety insp Believes fees to be excessive
FINDLAY, J House of Rep 79/02/09 2pp
- 7903210290 Notice of revised license fee schedule for NRC facility &
matl licenses NUREG-0268, "US NRC Determination of
Proposed License Fees for FY77" encl
DONOHUE, D J Office of Administration 79/02/28 2pp
- 7903210325 Forwards QA Program Insp Rept 99900308/78-01 on 781206-07
No noncompliance noted
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
79/01/08 2pp
- 7903210328 QA Program Insp Rept 99900308/78-01 on 781206-07 No
noncompliance noted Major areas inspected design
verification procurement document control, nonconformance &
corrective action, welder training
KELLEY, W D, WHITEBELL, D E Region 4, Dallas, Vendor Inspection
Branch 79/01/05 5pp
- 7903210335 Ack receipt of 790106 & 790214 ltrs informing NRC of steps
taken to correct deviation noted in QA Program Insp Rept
99900349/78-01
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
79/02/23 1p
- 7903210338 Responds to NRC 790126 ltr re violations noted in QA Program
Insp Rept 99900349/78-01 Provides addl info re corrective
action
ROGERS, A W Corner & Lada Co, Inc 79/02/14, 2pp
- 7903210343 Ack receipt of 790106 ltr informing NRC of steps taken to
correct deviations noted in QA Program Insp Rept
99900349/78-01, Requests addl info re corrective actions
POTAPOV, U Region 4, Dallas, Office of the Director 79/01/26
1p
- 7903210348 Responds to NRC 781206 ltr re deviations noted in QA Program
Insp Rept 99900349/78-01 Corrective actions QA manager
following requirements re nonconformities, training sessions
on weld recording & procedures held
ROGERS, A W Corner & Lada Co, Inc 79/01/06 3pp
- 7903210350 Forwards QA Program Insp Rept 99900349/78-01 on 781113-17 &
notice of deviation
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
78/12/06 2pp
- 7903210352 Notice of deviation from insp on 781113-17
* Region 4, Dallas, Office of the Director 78/12/05 6pp
- 7903210357 QA Program Insp Rept 99900349/78-01 on 781113-17
Noncompliance noted control of nonconforming matl & lack of
written repts, two Level II examiners not qualified although
certified & improper welding procedures
ELLERSHAM, L E, HUNNICUTT, D M Region 4, Dallas, Vendor
Inspection Branch 78/12/05 16pp
- 7903210359 "Code Development & Analysis Program Embrittlement of
Zircaloy Cladding Due to Oxygen Uptake," status rept.
REYMAN, O A Idaho National Engineering Laboratory FIN A-6046
CBAP-TR-052 79/02/28 27pp
- 7903210360 Ack receipt of 790208 ltr informing NRC of steps taken to
correct deviation noted in QA Program Insp Rept
99900524/78-02,
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
79/02/20 1p
- 7903210365 Responds to NRC 790112 ltr re deviation noted QA Program
Insp Rept 99900524/78-02 Corrective actions TX Util
Generating Co has responsibility for vendor audits Other
audits completed
DERJENZO, P P Gibbs & Hill, Inc (subs of Dravo Corp)
79/02/08 12pp
- 7903210367 Forwards QA Program Insp Rept 99900524/78-02 on 781211-15 &
notice of deviation
SEYFRIT, K V Region 4, Dallas, Office of the Director
79/01/08 3pp
- 7903210370 Notice of deviation from insp on 781211-15
* Region 4, Dallas, Vendor Inspection Branch 78/12/28 3pp
- 7903210374 QA Program Insp Rept 99900524/78-02 on 781211-15
Noncompliance noted Failure to identify revisor & approver
of revision to design calculation & failure to obtain
approval of structural discipline on specification
BRICKLEY, R H, JOHNSON, J M, HALE, C J Region 4, Dallas, Vendor
Inspection Branch 78/12/28 13pp
- 7903210373 Requests any & all interpretations made on decisions, memos,
releases & statements of opinion re meaning of term "matl
alteration of licensed facility" as contained in 10CFR50.91
HUNGERFORD, M Syracuse Univ, College of Law 79/02/14 1p
- 7903210376 In response to 790214 ltr requesting info re meaning of term
"matl alteration of licensed facility," forwards relevant
ltrs & Chapter I Section 3 of SAR filed 731003
FELTON, J M Division of Rules and Records 79/03/16 17pp
- 7903210382 Submits application to amend Provisional Operating License
CSF-1 Application includes all portions of mod program
CLARK, J R Nuclear Fuel Services, Inc (subs of Getty Oil Co)
73/10/03 2pp
- 7903210386 Forwards application for amend to Provisional Operating
License CSF-1
DEUSTER, R W Nuclear Fuel Services, Inc (subs of Getty Oil Co)
73/10/03 1p.
- 7903210379 Ack receipt of 790228 ltr informing NRC of steps taken to
correct deviation noted in QA Program Insp Rept
99900033/79-01
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
79/03/07 1p
- 7903210383 Responds to NRC 790126 ltr re deviation noted in QA Program
Insp Rept 99900033/79-01 Corrective actions penetrant w/
unknown residue applied to penetrant stds & chemically
analyzed for B & halogen, & shop areas reviewed
ANTHONY, C E Westinghouse Electric Corp 79/02/28 4pp
- 7903210389 Forwards QA Program Insp Rept 99900033/79-01 on 790116-19 &
notice of deviation
POTAPOV, U Region 4, Dallas, Vendor Inspection Branch
79/01/26 2pp
- 7903210395 Notice of deviation from insp on 790116-19
* Region 4, Dallas, Vendor Inspection Branch 79/01/26 1p
- 7903210403 QA program Insp Rept 99900033/79-01 on 790116-19
Noncompliance noted total S & halogen content of liquid
penetrant could not be verified & performance of production
gas tungsten arc welding not consistent w/specification
ELLERSHAM, L E, HUNNICUTT, D M Region 4, Dallas, Vendor
Inspection Branch 79/01/26 6pp
- 7903210478 NUREG-0006
"Water Reactor Safety Research Program, A Description of
Current & Planned Research," NUREG-0006 Revisions 1, 2, 3, 4 &
5
* Division of Reactor Safety Research 79/02/28 160pp
Available at NTIS
- 7903210499 NUREG/CR-0430
"SEDONE A Computer Code for Simulating Tidal-Transient, One-
Dimensional Hydrodynamic Conditions & Three-Layer, Variable-
Size Sediment Concentrations in Controlled Rivers &
Estuaries"
HETRICK, D M, ERASLAN, A H, PATTERSON, M R Oak Ridge National
Laboratory FIN B-0167 ORNL/NUREG/M256 79/02/28 295pp
Available at NTIS
- 7903210503 Requests renewal until 811201 of licenses for export of
matl to Brazil
RODI, J P Westinghouse Electric Corp 79/02/06 1p.

NONDOCKETED ITEMS

291

- 7903220129 Forwards NRC approved version of proprietary rept BAW-10119PA, "Power Peaking Nuclear Reliability Factors" Rept available in Central Files TAYLOR, J H Babcock & Wilcox Co 79/03/19 1p
- 7903220148 Requests Executive Branch position re Aldrich Chemical Co application to export deuterium to Venezuela OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/03/02 1p
- 7903220151 Requests Executive Branch position re DOE application to export 7 0 extra kg of Pu, 7 5 kg of natural U & 5 kg depleted U GOSSICK, K L Office of the Executive Director for Operations 79/03/03 1p
- 7903220154 Requests Executive Branch position re Mitsubishi Intl Corp application for license to export equipment for use in nuclear power reactor in Japan OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/03/07 1p
- 790322015B Requests Executive Branch position re TNS, Inc application for license to export Th to Canada OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/03/07 1p
- 7903220177 Ack receipt of 781207 & 790202 ltrs informing NRC of steps taken to correct deviation noted in QA Program Insp Rept 99900259/78-02 Region 4, Dallas, Vendor Inspection Branch 79/02/20 1p
- 7903220185 Supplements response to NRC 790109 ltr re deviation noted in QA Program Insp Rept 99900259/78-02 Corrective actions inspectors certified to examine results of procedure, all open & unidentified containers of penetrant destroyed ALMEDA, D C, WHITE, C E Combustion Engineering, Inc 79/02/02 2pp
- 7903220189 Ack receipt of 781207 ltr informing NRC of steps taken to correct deviation noted in QA Program Insp Rept 99900259/78-02 Requests addl info POTAPOV, U Region 4, Dallas, Vendor Inspection Branch 79/01/09 2pp
- 7903220192 Responds to NRC 790109 ltr re deviation noted in QA Program Insp Rept 99900259/78-02 Corrective actions clarifies engineering instruction documentation & words "cause of deviation" will be removed from AM-10-004 ALMEDA, D C, CLAAR, R E Combustion Engineering, Inc 78/12/07 7pp
- 7903220193 Forwards QA Program Insp Rept 99900259/78-02 on 781017-20 & notice of deviation POTAPOV, U Region 4, Dallas, Vendor Inspection Branch 78/11/06 2pp
- 7903220196 Notice of deviation from insp on 781017-20 " " Region 4, Dallas, Vendor Inspection Branch 78/11/03 5pp
- 7903220198 QA Program Insp Rept 99900259/78-02 on 781017-20 Noncompliance noted subsequent operations performed on parts found to be nonconforming w/o authorization, personnel not certified as visual examiners & nonconforming penetrants ELLERSHAU, L E, BARNES, I, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 78/11/03 14pp
- 7903220178 In response to NRC 790227 request for addl info re topical rept ATC-132A, advises that info will be submitted by 790410 BRUNNSTEIN, M ATCOR EO 2965 79/03/14 1p
- 7903220200 Ack receipt of 790105 ltr informing NRC of steps taken to correct violations noted in QA Program Insp Rept 99900259/78-02 Region 4, Dallas, Vendor Inspection Branch 79/02/26 1p
- 7903220204 Forwards QA Program Insp Rept 99900310/78-01 on 781220-21 No noncompliance noted POTAPOV, U Region 4, Dallas, Vendor Inspection Branch 79/01/18 2pp
- 7903220206 QA Program Insp Rept 99900310/78-01 on 781220-21 No noncompliance noted. Major areas inspected: implementation of QA manual to company w/10CFR50 App B AGEE, J R, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 79/01/18 7pp
- 7903220105 "Thermal-Hydraulic Analysis of Peach Bottom II Turbine Trip Tests," interim rept LU, M S, HSU, C J, CONNELL, H R Brookhaven National Laboratory FIN A-3005 79/01/31 97pp
- 7903220108 "LWR Pressure Vessel Irradiation Surveillance Dosimetry Program," Jan monthly status ltr MCELROY, W N Hanford Engineering Development Laboratory 79/02/26 6pp
- 7903220113 Confirms telcon advising NRC of intent to withdraw application for export license WHITE, R A Helix Technology Corp, Process Systems Div 79/03/01 1p
- 7903220118 "Review of Critical Experiments Performed for Fuel Cycle Safety Guidance," quarterly progress rept WHITEBIDES, G E, WESTFALL, R M Oak Ridge National Laboratory FIN B-0409 79/01/25 13pp
- 7903220129 Forwards NRC approved version of proprietary rept BAW-10119PA, "Power Peaking Nuclear Reliability Factors" Rept available in Central Files TAYLOR, J H Babcock & Wilcox Co 79/03/19 1p
- 7903220148 Requests Executive Branch position re Aldrich Chemical Co application to export deuterium to Venezuela OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/03/02 1p
- 7903220151 Requests Executive Branch position re DOE application to export 7 0 extra kg of Pu, 7 5 kg of natural U & 5 kg depleted U GOSSICK, K L Office of the Executive Director for Operations 79/03/03 1p
- 7903220154 Requests Executive Branch position re Mitsubishi Intl Corp application for license to export equipment for use in nuclear power reactor in Japan OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/03/07 1p
- 790322015B Requests Executive Branch position re TNS, Inc application for license to export Th to Canada OPLINGER, Q G Assistant Director for Export/Import & International Safeguards 79/03/07 1p
- 7903220177 Ack receipt of 781207 & 790202 ltrs informing NRC of steps taken to correct deviation noted in QA Program Insp Rept 99900259/78-02 Region 4, Dallas, Vendor Inspection Branch 79/02/20 1p
- 7903220185 Supplements response to NRC 790109 ltr re deviation noted in QA Program Insp Rept 99900259/78-02 Corrective actions inspectors certified to examine results of procedure, all open & unidentified containers of penetrant destroyed ALMEDA, D C, WHITE, C E Combustion Engineering, Inc 79/02/02 2pp
- 7903220189 Ack receipt of 781207 ltr informing NRC of steps taken to correct deviation noted in QA Program Insp Rept 99900259/78-02 Requests addl info POTAPOV, U Region 4, Dallas, Vendor Inspection Branch 79/01/09 2pp
- 7903220192 Responds to NRC 790109 ltr re deviation noted in QA Program Insp Rept 99900259/78-02 Corrective actions clarifies engineering instruction documentation & words "cause of deviation" will be removed from AM-10-004 ALMEDA, D C, CLAAR, R E Combustion Engineering, Inc 78/12/07 7pp
- 7903220193 Forwards QA Program Insp Rept 99900259/78-02 on 781017-20 & notice of deviation POTAPOV, U Region 4, Dallas, Vendor Inspection Branch 78/11/06 2pp
- 7903220196 Notice of deviation from insp on 781017-20 " " Region 4, Dallas, Vendor Inspection Branch 78/11/03 5pp
- 7903220198 QA Program Insp Rept 99900259/78-02 on 781017-20 Noncompliance noted subsequent operations performed on parts found to be nonconforming w/o authorization, personnel not certified as visual examiners & nonconforming penetrants ELLERSHAU, L E, BARNES, I, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 78/11/03 14pp
- 7903220178 In response to NRC 790227 request for addl info re topical rept ATC-132A, advises that info will be submitted by 790410 BRUNNSTEIN, M ATCOR EO 2965 79/03/14 1p
- 7903220200 Ack receipt of 790105 ltr informing NRC of steps taken to correct violations noted in QA Program Insp Rept 99900259/78-02 Region 4, Dallas, Vendor Inspection Branch 79/02/26 1p
- 7903220204 Forwards QA Program Insp Rept 99900310/78-01 on 781220-21 No noncompliance noted POTAPOV, U Region 4, Dallas, Vendor Inspection Branch 79/01/18 2pp
- 7903220206 QA Program Insp Rept 99900310/78-01 on 781220-21 No noncompliance noted. Major areas inspected: implementation of QA manual to company w/10CFR50 App B AGEE, J R, HUNNICUTT, D M Region 4, Dallas, Vendor Inspection Branch 79/01/18 7pp
- 7903220105 "Thermal-Hydraulic Analysis of Peach Bottom II Turbine Trip Tests," interim rept LU, M S, HSU, C J, CONNELL, H R Brookhaven National Laboratory FIN A-3005 79/01/31 97pp
- 7903220108 "LWR Pressure Vessel Irradiation Surveillance Dosimetry Program," Jan monthly status ltr MCELROY, W N Hanford Engineering Development Laboratory 79/02/26 6pp
- 7903220113 Confirms telcon advising NRC of intent to withdraw application for export license WHITE, R A Helix Technology Corp, Process Systems Div 79/03/01 1p
- 7903220118 "Review of Critical Experiments Performed for Fuel Cycle Safety Guidance," quarterly progress rept WHITEBIDES, G E, WESTFALL, R M Oak Ridge National Laboratory FIN B-0409 79/01/25 13pp

NONDOCKETED ITEMS

7903220201 Responds to NRC 790131 ltr re violation noted in QA Program Insp Rept 99900029/79-02 Corrective actions mgt corrective actions will be documented maintained, & reviewed by upper mgt
LEWIS, D E Youngstown Welding & Engineering Co 79/02/10 1p

7903220253 Forwards Amend 29 to FSAR
SCHADE, A R Hanford Engineering Development Laboratory 79/01/29 14pp

7903220258 Amend 29 to FSAR
* Hanford Engineering Development Laboratory EY-76-C-14-2170
HEDL-TI-75002-2 79/01/31 30pp

7903220270 Per Westinghouse 790129 ltr, NRC has withdrawn rept WCAP-8754, "Environ Qualification of Class IE Motors for Nuclear Out-of-Containment Use " Recipients are requested to destroy their copies
STOLZ, J F Light Water Reactors Branch 1 79/02/16 1p

7903220299 Forwards for review & approval, Revision 2 to Task Action Plan A-12 "Fracture Toughness & Potential for Lamellar Tearing of Steam Generator & Reactor Coolant Pump Supports "
BNAIDER, R P Systematic Evaluation Programs Branch 79/03/07 1p

7903220432 Forwards revised Task Action Plan for Generic Technical Activity A-12, "Fracture Toughness & Potential for Lamellar Tearing of Steam Generator & Reactor Coolant Pump Supports "
STELLG, V Office of Nuclear Reactor Regulation 79/03/08 8pp

7903220319 Requests that DOS procure ltr of assurance from Belgium re encl application for export License SNM-1469 W/o encl
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/05 1p

7903220350 Transcript of Affirmation Session 79-5 on 790308 in Washington, DC, Pp 1-5 Draft orders deferring consideration of petition for review of ALAB-323 & granting Ecology Action petition for review of ALAB-502 encl
HENDRIE, J M, AHEARNE, J F, KENNEDY, R T Commission 79/03/08 9pp

7903220354 BECY-79-134
Recommends reappointment of MW Carbon to ACRS Resume & proposed ltr of appointment encl
FRALEY, R ACRS - Advisory Committee on Reactor Safeguards 79/02/22 5pp

7903220371 BECY-79-105
Request NRC approval of notice of final rulemaking requiring fuel cycle & mat'l licenses to notify NRC upon discontinuing licensed program Draft analysis of public comments, draft ltr, value impact analysis & draft press release encl
MINOQUE, R B Office of Standards Development 79/02/07 28pp

7903220374 BECY-79-075
Requests approval of final rule implementing Public Laws 95-209 & 95-601 re avoidance of contractor organizational conflicts of interest Public comments, summary of comments & draft notice of final rulemaking encl
DONOHUE, D J Office of Administration 79/01/30 47pp

7903220378 Comments on proposed rule 41CFR20 requirements exceed mandate & intent of law & would impair NRC R&D goals
Suggests use of Dept of Defense guidelines
TAYLOR, J J Westinghouse Electric Corp. WAD-885, 78/03/17 4pp

7903220384 Comments on proposed 41CFR20 suggests time limit be specified beyond which conflict of interest not be considered to exist
KUNZE, W E Portland Cement Association 78/02/21 2pp

7903220386 Comments on proposed rule 41CFR20, notes regulation would severely limit NRC use of independent contract research organizations which are non-profit in nature
FANCETT, S L Battelle Memorial Institute, Columbus Laboratories 78/02/23 7pp

7903220391 Comments on proposed rule 41CFR20 objects to regulation since it will force commercial organizations to choose between working exclusively for NRC or industry at large
BETTS, A W Southwest Research and Information Center 78/02/23 2pp

7903220393 Comments on proposed rule 41CFR20, requests exemption from regulations for govt-owned, contractor-operated facilities & for work funded by NRC through interagency agreements.
WINTERB, C E Union Carbide Corp. 78/02/23 3pp

7903220396 Comments on proposed rule 41CFR20 notes DOE conflict of interest regulations should apply to NRC-sponsored work performed by DOE & DOE contractor
BARBER, R W Energy, Dept of 78/02/23 1p

7903220399 Summarizes comments by Union Carbide, American Inst of Architects & Hartford Steam Boiler re proposed 41CFR20
HALMAN, E L Division of Contracts 78/02/08 2pp

7903220401 Comments on proposed rule 41CFR20 urges that contracts awarded to architects & engineers in early phase of projects not preclude awards in later phases Expresses particular concern re software svc
BIEGEL, S L American Institute of Architects 78/02/02 33pp

7903220385 Forwards NEDO-10466-A, "Power Generation Control Complex Design Criteria & Safety Evaluation "
GUTHRIE, J F General Electric Co, Nuclear Energy Products Div MFN 064-79 79/03/07 1p

7903220387 NEDO-10466-A
"Power Generation Control Complex Design Criteria & Safety Evaluation "
CLAY, H R, HENDON, H H General Electric Co, Nuclear Energy Products Div 79/02/28 198pp

7903220395 Review of Revision 2 of topical rept is complete Rept is acceptable for reference in license applications per encl evaluation Requests issuance of revised rept so as to include supplementary info
PARR, O D Light Water Reactors Branch 3 MFN-295-78 78/07/13 1p

7903220398 Proposed design is in accordance w/Reg Guide 1.120 & General Design Criterion 3 & is acceptable, based on review of design basis, fire protection criteria, interface info & five tests
* Light Water Reactors Branch 3 78/07/03 3pp

7903220404 Comments on proposed revision to Reg Guide 1.131 recommends guide be revised to be compatible w/Div of Sys Safety position
VOLLMER, R Assistant Director for Systems & Projects 79/03/06 2pp

7903220406 Forwards draft introduction to ANS-5.4 support document re fuel plenum gas activity
MEYER, R O Core Performance Branch 79/02/28 7pp

7903220416 Notification of contract execution, Mod 4 to "Shuttle Bus Svc " Contractor, Beltway Limousine Svc, Inc
WIGGINS, E Administrative Contracts Branch NRC-10-78-415 79/03/13 1p

7903220421 Mod 4, making administrative changes to "Shuttle Bus Svc "
MATTIA, M J Division of Contracts NRC-10-78-415 79/03/13 1p

7903220439 Notification of contract execution, Mod 2 to "Fire Protection Program Review & Evaluation " Contractor, Oage-Babcock & Assoc
OLAOLA, A F Technical Assistance Contracts Branch NRC-03-79-109, 79/02/28 1p

7903220446 Mod 2, extending period of performance from 790420 to 790630 to "Fire Protection Program Review & Evaluation "
DOUGHERTY, D J Division of Contracts NRC-03-79-109 79/02/28 1p

7903220463 Summary of 781120-1 meeting w/OE re non-safety grade equipment W/encl attendance list & slides
FRAHM, R K Reactor Systems Branch 79/03/07 82pp

7903220479 Transcript of ACRS subcommittee on improved safety sys 790307 meeting in Washington, DC Pp 1-133 Sandia presentation encl
SEISS, C P, ETHERINGTON, H, LAWRENCE, S ACRS - Advisory Committee on Reactor Safeguards. 79/03/07 168pp

7903220500 Forwards general plan for finger drain network & layout of dewatering well program for tailings Response to questions by CO Dept of Health re drain specs encl
MCGRATH, E J McGrath, E J 79/03/09 12pp

7903220503 Notification of contract execution, Mod 9 to "Study of Control & Communications to Support Incident Mgt "
Contractor, The Mitre Corp
BRAIDEN, L Research Contracts Branch FIN B-1222 78/09/30 1p

NONDOCKETED ITEMS

293

79030005 Mod 9, adding new Task IX, extending period of performance, adding key personnel & providing addl funding to "Study of Control & Communications to Support Incident Mgt"
MORTON, K V Division of Contracts FIN B-1222 78/09/30 3pp

79030007 Notification of contract execution, Mod 1 to "General Course in Non destructive Examinations " Contractor Rackwell Intl
SCEN, L Research Contracts Branch FIN X-1174 79/03/05 1p

79030010 Mod 1, exercising option & providing funding for addl course, to "General Course in Non destructive Examinations "
MORTON, K V Division of Contracts FIN X-1174 79/03/05 1p

79030012 Notification of contract execution, Mod 3 to "Development of Methodology for & Design Validation, Tests & Implementation of Resources Mgt Sys " Contractor Science Mgt Corp
SCEN, L Research Contracts Branch FIN B-1264 79/03/02 1p

79030013 Mod 3, adding new Task VI, extending period of performance & providing addl funding to "Development of Methodology for & Design Validation, Tests & Implementation of Resources Mgt Sys"
MORTON, K V Division of Contracts FIN B-1264 79/03/02 3pp

79030014 Notification of contract execution, Mod 2 to "Improvement of Lidar Techniques for Analyzing Atmospheric Dispersion of Nuclear Power Plant Effluents " Contractor Stanford Research Intl
SCEN, L Research Contracts Branch FIN B-6222 79/03/13 1p

79030016 Mod 2, extending contract at no cost to "Improvement of Lidar Techniques for Analyzing Atmospheric Dispersion of Nuclear Power Plant Effluents "
MORTON, K V Research Contracts Branch FIN B-6222 79/03/13 2pp

79030015 NUREG/CR-0452
"Critical Experiments, Measurements & Analyses to Establish Crash Arrest Methodology for Nuclear Pressure Vessel Steels, Quarterly Rept, April-June 1978"
MARTIN, G T, MARKWORTH, A J, MARSHALL, C W Battelle Memorial Institute, Columbus Laboratories FIN A-4046 BHI-2018 79/02/28 8pp

79030029 NUREG/CR-0521
"Analysis of Nuclear Facilities for Tornado-Induced Flow & Entrapment "
ANDRAE, R W, MARTIN, R A, GREGORY, W B Los Alamos Scientific Laboratory LA-7571-MS 79/01/31 38pp

79030032 NUREG/CR-0554
"Fast-Size Electronic Dosimeter Testing," final rept
Mar-Dec 1978
MURPHY, G R, BARTLETT, W T, HOOKER, C D Battelle Memorial Institute, Pacific Northwest Laboratory FIN B-21278 PHL-2548 79/01/31 33pp

79030047 Executive Branch position re Schenkers Intl Forwarders, Inc application for license to export 2 g depleted U to Czechoslovakia License should be granted
MOSENILO, L V State, Dept of 79/02/26 1p

79030060 Response to NRC 790215 ltr & enclosed generic questions & guidelines for ATWS Requests NRC reconsider scope & schedule of requested effort. Believes time allowed is insufficient & required manpower effort would be counterproductive
SCHERER, A E Combustion Engineering, Inc LD-79-015 79/02/28 2pp

79030067 Notification of contract execution, Mod 4 to "Hydrodynamics & Meteorological Measurements of High Wind Over Shallow Water Along the East Coast of FL " Contractor Univ of FL
HAYES, H Research Contracts Branch FIN B-5865 79/03/13 1p

79030070 Mod 4, extending period of performance on no-cost basis to "Hydrodynamics & Meteorological Measurements of High Wind Over Shallow Water Along East Coast of FL "
MORTON, K V Research Contracts Branch FIN B-5865 79/03/13 2pp

790300107 Comments on proposed Reg Guide 10, B objects to requirement for "thin window" survey meter & area wipe test sensitivity requirement as impractical Recommends advising inspectors not to cite noncompliance of Reg Guides
LEMAN, E Ross Clinic, Inc ME, Indiana 79/02/13 1p

7903230112 SECY-79-71
Forwards Nissho-Iwai American corp application for export license Requests issues or info to be included in NRC analysis
SHEA, J R Office of International Programs 79/01/29 1p

7903230114 Application by Nissho-Iwai American Corp to export 227 kg U-235 to Japan
YOSHIDA, Y Nissho-Iwai American Corp 78/12/29 1p

7903230115 Comments on Uranium Mill Tailings Radiation Control Act of 1978 Requests opinion whether mills must comply w/act immediately & whether mills will require NRC license
MOONEY, F B Gulf Oil Corp, Gulf Mineral Resources Co 79/03/05 5pp

7903230116 Comments on proposed revision to Reg Guide B 11 encourages confinement control measures which minimize airborne contaminants Approach is to specify increased bioassay frequencies according to air sampling results
DIPIAZZA, R P Westinghouse Electric Corp WRD-LS&S-670 79/02/14 3pp

7903230120 Comments on proposed rulemaking 10CFR2-5 comments made on behalf of TX Util Generating Co & WA Public Power Supply Sys Support establishment of joint "interagency" study group to evaluate total licensing process
REYNOLDS, N S Debevoise & Lieberman 79/02/28 8pp

7903230122 Comments on proposed rulemaking 10CFR2-5 supports request in petition for establishment of joint proceeding to evaluate total licensing process & make recommendations designed to promote efficiency in process
PORTER, W L Duke Power Co 79/02/28 11pp

7903230124 Comments on proposed rulemaking against removing public involvement in power plant licensing
ZIELINSKI, C A New York, State of 79/02/22 14pp

7903230125 Comments on proposed rule 20CFR304 objects to proposed amend Proposal will affect universities & other research institutions Radioactive waste disposal will become more expensive if all waste must be packaged
LEE, P K Missouri, Univ. of 79/02/20 11pp

7903230129 Comments on proposed Reg Guide 1.14i, vendor's containment isolation philosophy for fluid sys is consistent w/guidance provided by reg guide However, provisions to detect failure of fluid lines inside containment are unnecessary
ANDERSON, T M Westinghouse Electric Corp NS-TMA-2040 79/02/22 3pp

7903230131 Forwards copies of analyses of water samples from wells involved in ongoing seepage monitoring & control programs for Sept, Oct & Nov 1978 R Maltner ltr re results of radon sampling encl.
MORATH, E J Morath, E J 79/03/05 9pp

7903230132 Comments on proposed Reg Guide 3.44 volume & detail of info requested by NRC is not consistent w/type of facility being licensed NRC should reevaluate type of info required
REED, C Commonwealth Edison Co 79/02/28 3pp

7903230133 Comments on Proposed rulemaking 10CFR2-5 memo of understanding between Coast Guard & NRC for regulation of floating nuclear power plants already contains procedures for consolidating & minimizing duplication in proceedings
DEWOLF, C P Transportation, Dept of 79/02/27 6pp

7903230138 Comments on proposed Reg Guide B 23 recommends addition of sentence to Section 1.12 After "calibr" in Line 14 add "or each source should be calibr for dose rates "
TOYAMA, F T Army, Dept of SOSSA-GMD-1 79/02/26 1p

7903230146 In response to 790208 ltr to DOE requesting info re award of contract NRC-10-77-140 to Damens & Associates, advises that list of bidders, winning proposal & award document are available at PDR Final rept available at NRC library
FELTON, J M Division of Rules and Records 79/03/22 1p

7903230148 Requests info re award of contract NRC-10-77-140, issued to Damens & Associates on or about 7/12/31
HECKMAN, L Affiliation Unknown, 79/02/08 1p

7903230149 Requests winning technical proposal for contract NRC-02-79-035
RAGAN, K M Kinetic Res 79/02/18 1p

NONDOCKETED ITEMS

- 7903230190 Responds to 790219 ltr requesting copy of RFP & winning proposal for contract NRC-02-79-035 Encl copy of RFP & Section 2 of four documents Remaining sections are confidential info & are withheld w/o encl
FELTON, J M Division of Rules and Records 79/03/21 3pp
- 7903230194 Forwards nonproprietary version of info re effect on initial heat flux of partially bowed heated rod in cold wall thimble cell geometry
ANDERSON, T M Westinghouse Electric Corp NS-TMA-2053 79/03/16 9pp
- 7903230169 Requests that all staff papers be placed in PDR w/analyses & records submitted to NRC which were considered in issuance of 10CFR20 302(b) & all NRC records re formulation of regulation
SCHNELM, E B Nuclear Engineering Co 79/03/06 2pp
- 7903230172 Responds to 790306 request that documents re issuance of 10CFR20 302(b) be placed in PDR Two encl documents, AEC 180/12 & AEC-R 8/10 & two encl Federal Register notices will be placed in PDR One addl document requires review w/DDE
FELTON, J M Division of Rules and Records 79/03/21 1p
- 7903230175 "Proposed Policy for Handling Package Radioactive Wastes " Recommends AEC approve permanent land disposal sites for packaged radioactive wastes, w/Dak Ridge, TN & Idaho as interim disposal sites, pending study of regional sites
* Commission 59/12/03 26pp
- 7903230183 "Rept to General Manager by Director, Div of Licensing & Regulation" discusses issuance of amend to 10CFR20 re disposal of radioactive wastes by land burial w/amended NRC evaluation of comments & supporting documentation
MCCOOL, W B Office of the Secretary of the Commission 60/11/28 12pp
- 7903230184 Notice of proposed rulemaking for 10CFR20. "Std for Protection Against Radiation " Prohibits issuance of licenses which would authorize disposal of radioactive waste matl on privately owned sites
* Commission 60/02/04 1p
- 7903230185 Notice of proposed amend to 10CFR20 32 NRC will not approve any applications for licenses to dispose radioactive wastes on privately owned land
* Commission 61/01/18 1p
- 7903230201 Notification of contract execution, Mod 2 to "Manual of Energy Analysis Methodology for Program Plant Siting, Energy Value of Land " Contractor Univ of FL
HAQEY, H Research Contracts Branch FINO-6155 79/03/13 1p
- 7903230238 Mod 2, extending period of performance from 780930 to 790531 for "Manual of Energy Analysis Methodology for Program Plant Siting, Energy Value of Land "
MORTON, K V Research Contracts Branch FIN B-6155 79/03/13 2pp
- 7903230203 Forwards copies of Exxon Nuclear Co application to export U to Belgium End use statements for fuel & fuel hardware encl
NECHODOM, W S Exxon Nuclear Co, Inc (subs of Exxon Corp) 78/09/22 7pp
- 7903230212 NUREG 75/087 11.5
BRP, Revision 2 to Section 11.5, "Process & Effluent Radiological Monitoring & Sampling Sys "
* Office of Nuclear Reactor Regulation 79/02/28 15pp
- 7903230214 "Dynamic Photoelastic Study of Crack Arrest," monthly progress rept.
DALLY, J W Maryland, Univ. of NRC-04-76-172 79/03/05 5pp
- 7903230289 Forwards NRC's preliminary comments re PQ&E commitments GOLDBERG, J R Anti-Trust Division 79/02/23 1p
- 7903230293 Preliminary comments re PQ&E commitments, w/suggested amends Certificate of Svc encl
GOLDBERG, J R, EVANS, D J, VOLGER, B H Anti-Trust Division 79/02/23 28pp
- 7903230320 Executive Branch position re Marubeni America Corp application for license to export components & parts to Japan License should be issued
NOSENZO, L V State, Dept of 79/03/14 1p
- 7903230327 NUREG/CR-0487
"Bibliography of Microfiched Foreign Repts Distributed Under NRC Reactor Safety Research Foreign Technical Exchange Program, 1975-1977 "
QUEENER, D S, COTTRELL, W B Oak Ridge National Laboratory FIN B-0126 ORNL/NUREG/NSIC 79/01/31 69pp Available at NTIS
- 7903230331 NUREG/CR-0652
"Critical Experiments, Measurements & Analyses to Establish Crack Arrest Methodology for Nuclear Pressure Vessel Steels," quarterly rept Apr-June 1978
HAMM, G T, MARKWORTH, A J, MARSHALL, C W Battelle Memorial Institute, Columbus Laboratories FIN A-4046 BMI-2018 79/02/28 89pp Available at NTIS
- 7903230336 License application for Reactor Experiments, Inc to export NP-237 to Czechoslovakia
HEIMAN, D Reactor Experiments, Inc 79/03/15 1p
- 7903230340 Amend 1 to export license for Edlow Intl Co, increasing quantity of tritium gas for export to United Kingdom
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/15 2pp
- 7903230344 License for United Kingdom Treasury & Supply Delegation to export Ca-252 wire to United Kingdom
OPLINGER, G G Assistant Director for Export/Import & International Safeguards F-2274/AT-3202 79/03/16 2pp
- 7903230347 License for Nuclear Fuel Industries Ltd to export Zircaloy-4 guide thimble tubes to Japan
OPLINGER, G G Assistant Director for Export/Import & International Safeguards DB-6-69 79/03/19 1p
- 7903230348 Requests Executive Branch position re Transnuclear, Inc, application for license to export 10,255 kg U to West Germany
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/15 1p
- 7903230351 License for Sandvik Special Metals Corp to export Zr seamless tubing to Canada
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/16 1p
- 7903230354 License application for United Kingdom Treasury & Supply to export 6 g U to United Kingdom
CHAMBERB, M United Kingdom F-2391/OT-702B 79/03/12 2pp
- 7903230355 License for Sandvik Special Metals Corp to export Zircaloy-4 cladding to Canada
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/19 1p
- 7903230357 License for Sandvik Special Metals Corp to export Zircaloy-4 tubing to Japan
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/19 1p

NONDOCKETED ITEMS

296

370 License for Westinghouse Tube Division to export two pulse on detectors to France
GER, G O Assistant Director for Export/Import & International
wards 79/03/15 1p

372 License for Westinghouse Tube Division to export type H7 & HL23770 proportional counters to West Germany
GER, G O Assistant Director for Export/Import & International
wards 2E-10214 79/03/15 1p

373 License application for Westinghouse Tube Div to export r range assembly, CIC detector, BFC detector & support to Ireland
AL, H F Westinghouse Electric Corp 79/03/14 1p

0044 Forwards QA Program Insp Rept 99900509/79-01 on 790122-26 noncompliance noted
POV8, U Region 4, Dallas, Vendor Inspection Branch
2/06 2pp

260049 QA Program Insp Rept 99900509/79-01 on 790122-26 Noncompliance noted Major areas inspected implementation of CFR50, App II criteria in areas of design input, action on previous inspection finding & mgt meeting
FELLO, J R, HALE, C J Region 4, Dallas, Vendor Inspection
branch 79/02/05 12pp

0045 Forwards notification of change of address for Cotter Corp. in City mill expansion project
ATH, E J McCreath, C J 79/02/26 2pp

60052 Forwards QA Program Insp Rept 99900519/79-01 on 790123-26 noncompliance noted
APOV8, U Region 4, Dallas, Vendor Inspection Branch
02/06 2pp

3260057 QA Program Insp Rept 99900519/79-01 on 790123-26 Noncompliance noted Major areas inspected implementation of CFR50 App II criteria, design insp, containment spray sys, action on previous findings & verification activities
RICKLEY, R H, BROWN, R L, HALE, C J Region 4, Dallas, Vendor
Inspection Branch 79/02/06 12pp

260061 Ack receipt of 790306 ltr informing NRC of steps taken to rect deviation noted in QA Program Insp Rept
POV8, U Region 4, Dallas, Vendor Inspection Branch
03/15 1p

03260063 Responds to NRC 790213 ltr re deviation noted in QA Program Insp Rept 99900502/79-01 Corrective actions; discrepant cover pages for calculation N079NC175A corrected & missing data entered
FERHAN, T J Brown & Root Corp (subs of Halliburton Corp)
79/03/06 6pp

03260069 Forwards QA Program Insp Rept 99900502/79-01 on 790129-0202 & notice of deviation
POV8, U Region 4, Dallas, Vendor Inspection Branch
79/02/13 2pp

703260070 Notice of deviation from insp on 790129-0202
s Region 4, Dallas, Vendor Inspection Branch 79/02/12 1p.

703260074 QA Program Insp Rept 99900502/79-01 on 790129-0202 Noncompliance noted two calculations involving safety-related structure did not include date of approval or references
ANDERSON, D O, HALE, C J Region 4, Dallas, Vendor Inspection
Branch 79/02/12 10pp

3260073 Summary of meeting w/Sandia Lab on 790213-14 re progress on tasks 5 & 6 re development of plant logic models & sys add'l for second interim rept w/encl list of attendees & lewgraphs
AGLO, J Light Water Reactors Branch 1 79/03/06 13pp

3260075 "Water Reactor Research Directorate Monthly Rept for Jan 1979"
BARNDOL, L J, BOSTWICK, W E EO & O, Inc EY-76-C-07-1970
79/02/28 104pp

3260114 Comments on proposed rule 10CFR19 & 10CFR20 agrees w/proposed change to a 3 rem/quarter, 3 rem/year dose equivalent limit & strongly supports adoption of rule
GRANLUND, R W Pennsylvania State Univ. 79/02/27 1p

03260126 "Program for Standardized Analysis of Fuel Shipping Containers," quarterly rept for 781001-781231.
WHITEHEAD, G E, WESTFALL, R M Union Carbide Corp FIN E-0172
ORNLCS01NF79/4 79/01/25 11pp.

7903260132 Requests Executive Branch position re Byron Jackson Pump Div application for license to export coolant pump parts to Switzerland
DPLINGER, G G Assistant Director for Export/Import & International
Safeguards 79/03/01 1p

7903260145 Grants extension of time until 790402 for PCIE to file response to parties' comments on Stanislaus commitments
MILLER, M E Atomic Safety and Licensing Board Panel 79/03/09 1p

7903260147 Requests documents re licenses, license applications, insp repts & waste disposal records of Nuclear Radiation Corp, Theodore Schwalb & Co, US Radium Corp & Self Powered Lighting
BRONSON, F Radiation Management 79/02/16 1p

7903260149 In response to 790216 request, confirms telcon of 790313 informing that Nuclear Radiation Developments Corp is licensed by State of NY Forwards records selected by Radiation Mgt during 790316 meeting w/o encl
FELTON, J M Division of Rules and Records 79/03/23 1p

7903260157 Comments by Cities of Anaheim & Riverside re inadequacy of license commitments negotiated by PCIE & DOJ Requests participation in new unit & complaints of anti-competitive practices by PCIE Certificate of Evt encl
BREBEL, S J, MATT, P K Spiegel & McDiarmid 79/03/02 9pp

7903260167 Forwards application for license to export UF6 to Spain
MARTINEZ, F P Spain 79/02/28 1p.

7903260169 License application for Junta de Energia Nuclear to export U to Spain
MARTINEZ, F P Spain 79/02/28 1p

7903260180 Confirms Govt of Japan appointed Power Reactor & Nuclear Fuel Development Corp as authorized person re transfer of 8 g Pu for use as stds in mass & purity analysis
BUZUKI, K Japan 79/02/03 2pp

7903260183 Confirms Govt of Japan appointed Power Reactor & Nuclear Fuel Development Corp as authorized person re transfer of 9 g Pu for use as stds in mass & purity analysis
BUZUKI, K Japan 79/02/03 2pp

7903260195 Confirms Govt of Japan appointed Power Reactor & Nuclear Fuel Development Corp as authorized person re transfer of 6.5 g Pu for use as stds in mass & purity analysis
BUZUKI, K Japan 79/02/03 2pp

7903260198 Confirms Govt of Japan appointed Power Reactor & Nuclear Fuel Development Corp as authorized person re transfer of 4.75 g Pu for use as stds in mass & purity analysis
BUZUKI, K Japan 79/02/03 2pp

7903260247 Forwards final portion of NEDD-21888, "Mark I Containment Program Load Definition Rept"
SODAN, L J, General Electric Co, Nuclear Energy Products Div.
HFN-073-79 79/03/15 13pp

7903260256 NEDD-21888
"Mark I Containment Program Load Definition Rept-Part B"
LANNIN, P W, HARRIOTT, P W General Electric Co, Nuclear Energy
Products Div 79/03/15 112pp

7903260274 Forwards proprietary version of "Effect on Critical Heat Flux of Partially Bowed Heated Rod in Cold Wall Thimble Cell Geometry" w/nonproprietary application & affidavit for withholding info from disclosure (ref 10CFR2.790)
ANDERSON, T M Westinghouse Electric Corp NS-TMA-2033 79/03/16.
1p

7903260289 Requests that "Effect on Critical Heat Flux of Partially Bowed Heated Rod in Cold Wall Thimble Cell Geometry" be withheld (ref 10CFR2.790)
WIESEMANN, R A Westinghouse Electric Corp AW-79-11 79/03/16
1p

7903260330 Requests withholding of "Effect on Critical Heat Flux of Partially Bowed Heated Rod in Cold Wall Thimble Cell Geometry" (ref 10CFR2.790).
WIESEMANN, R A Westinghouse Electric Corp. AW-78-82 78/11/16.
1p.

7903260333 Requests withholding info re notification of generic problems on increased temp in upper head & penalty associated w/rod bow w/affidavit
WIESEMANN, R A Westinghouse Electric Corp AW-76-35 76/08/13
9pp

NONDOCKETED ITEMS

7903260302 License application for Isotope Products Lab to export 10 uCi Cm-244
AMLAUER, K Isotope Products Laboratories 6702 79/03/05 1p

7903260306 License application for General Motors Corp to export spare ball nut assemblies to Canada
* General Motors Corp W O 83172 79/03/07 1p

7903260311 License for OE to export 150 kg natural Th to Brazil
OPLINGER, O G Assistant Director for Export/Import & International Safeguards STE-B368 79/03/09 2pp

7903260313 License for Edlow Intl Co to export 4.75 g Pu to Japan
OPLINGER, O G Assistant Director for Export/Import & International Safeguards 10-44-7B-4 79/03/14 1p

7903260315 License for Edlow Intl Co to export 8 g Pu to Japan
OPLINGER, O G Assistant Director for Export/Import & International Safeguards 10-44-7B-1 79/03/14 2pp

7903260319 License for Transnuclear, Inc to export 4.572 kg U-235 to Japan
OPLINGER, O G Assistant Director for Export/Import & International Safeguards NUK/8677298/01 79/03/14 2pp

7903260322 License for Edlow Intl Co to export 6.5 g Pu to Japan
OPLINGER, O G Assistant Director for Export/Import & International Safeguards 10-44-7B-3 79/03/14 2pp

7903260324 Amend 1 to Transnuclear, Inc license deleting Nuclear Audit & Testing Co as "other party to export" & adding Ledoux & Co as shipper of record
OPLINGER, O G Assistant Director for Export/Import & International Safeguards 79/03/14 1p

7903260327 Forwards motion for expedited decision & responses to questions re WASH-1400 decision to allow nuclear plants to operate on interim basis w/known safety defects
WEISS, E R Sheldon, Harmon & Roisman 79/03/07 3pp

7903260329 Motion for expedited decisionmaking to establish criteria for fire protection & safety measures Requests that order be issued to require that mods be implemented immediately.
WEISS, E R Sheldon, Harmon & Roisman 79/03/07 10pp

7903260332 Response by UCS to BECY-79-112 NRC does not adequately address issue of fire protection
WEISS, E R Sheldon, Harmon & Roisman 79/03/07 24pp

7903260335 License for Edlow Intl Co to export 9 g Pu to Japan
OPLINGER, O G Assistant Director for Export/Import & International Safeguards. 10-44-7B-2 79/03/14 2pp

7903260337 Amend 1 to Transnuclear, Inc license, deleting Nuclear Audit & Testing Co as "other party to export" & adding Ledoux & Co as shipper of record for sample quantities only.
OPLINGER, O G Assistant Director for Export/Import & International Safeguards 79/03/14 1p

7903260375 Comments on proposed rule 10CFR50.53a suggests rewarding to prevent abuse of rule by applicants
DOHERTY, J F Texas Public Interest Research Group 79/03/03 1p

7903260378 Comments on Federal Register notice re procedures for developing reg guides Requests that US Customs Bvc be placed on reg guide distribution list
IRVIN, B. L. Treasury, Dept. of ENT-1-01 D P 79/02/22 1p

7903260390 Comments on proposed Reg Guide 1.144 Section C3.6(2) is too restrictive & would impose significant financial burden upon licensee w/o commensurate increase in quality of QA audit program
SHORT, T E Omaha Public Power District 79/02/16 1p

7903260391 Comments on proposed Reg Guide B.23 guide should not include medical schools or institutions conducting medical or biomedical lab research
HOLEMAN, O R Yale Univ 79/02/26 1p

7903260394 Comments on proposed Reg Guide 1.144 excessive or redundant auditing does not contribute to safety or reliability of any component
BRYAN, J C Affiliation Unknown 79/02/22 2pp

7903260397 Comments on proposed Reg Guide B.23 guide should delete any reference to short time constant & specify utilization of speaker instrument w/one second time constant cannot be used to satisfy Section 1.4.2
GIEGER, E L Eberline Instrument Corp 79/02/21 1p

7903260399 Comments on proposed Reg Guide 1.144 recommends endorsement of std re scheduling of audits in accordance with Section 3.5
TAYLOR, J H Babcock & Wilcox Co 79/02/21 2pp

7903260400 Comments on proposed rulemaking 10CFR25 penalties should be enforced to remove Commissioners who refuse to disqualify themselves from voting on matters where prior involvement & interest is evident
BERRY, J E Affiliation Unknown 79/02/21 1p

7903260403 Comments on proposed rule no unfavorable impact foreseen on quality of environ re duties & responsibilities of EPA
HEDEMAN, W N Environmental Protection Agency 79/02/16 1p

7903260405 Comments on proposed rule 10CFR20 clarification is needed to better define what is meant by licensed matl
FREWING, J L Portland General Electric Co JLF-93-79 79/02/22 2pp

7903260407 Comments on proposed rule 10CFR50 it is counterproductive to have proposed mods to acceptance criteria for ECCS included in Phase 2 Phase 1 assessment is more appropriate
DISE, D P Niagara Mohawk Power Corp 79/02/26 1p

7903270025 Objects to misrepresentation of fact in Chalk 790227 memo to LV Ossick re BECY-79-64 Secretary's staff was informed of Bradford's position on 790202, rather than 790214 as indicated
BRADFORD, P A Commission 79/03/05 1p

7903270033 Notification of 790309 meeting in Bethesda, MD, w/Brookhaven Natl Lab to discuss Div of Sys Safety FY79 reactor physics technical assistance program
FIEND, D Core Performance Branch 79/03/09 1p

7903270056 NUREG/CR-0676
"Aerosol Measurements & Modeling for Fast Reactor Safety, Annual Rept FY78."
GIESEKE, J A, JORDAN, H, LEE, K W Battelle Memorial Institute, Columbus Laboratories FIN A-4063 BMI-2021 79/02/28 65pp Available at NTIS

7903270058 NUREG-0545
"Seminar Rept on Public Hearing Process for Nuclear Power Plants, 780626-27."
* Commission 79/02/28. 334pp s Available at NTIS

7903270085 NUREG/CR-0659
"Two-Phase Interactions in Countercurrent Flow, Annual Rept Nov 1977-Oct 1978."
DUKLER, A. E., MOATIM, D, CHOPRA, A Houston, Univ of FIN B-3684 79/02/28. 112pp. Available at NTIS

7903270086 NUREG/CR-0617
"Two-Phase Interactions in Countercurrent Flow Studies of the Flooding Mechanism, Annual Rept Nov 1975-Oct 1977"
DUKLER, A. E., SMITH, L Houston, Univ of FIN B-3684 79/01/31 109pp Available at NTIS

7903270094 Comments on proposed Reg Guide 10.B considering all other uncertainties involved, it should not be necessary to assay activity of radiopharmaceuticals to an accuracy of 10 percent.
GLASSER, H Victoreen, Inc, Nuclear Associates Div 79/02/26 2pp

7903270132 NUREG/CR-0669
"Two-Phase Interactions in Countercurrent Flow, Annual Rept Nov 1977-Oct 1978"
DUKLER, A. E., MOATIM, D, CHOPRA, A Houston, Univ of FIN B-3684 79/02/28 111pp Available at NTIS

7903270177 Requests Executive Branch position re Marubeni America Corp application for license to export 3,799 kg U enriched to Japan
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/03/02 1p

7903270187 Requests Executive Branch position re Westinghouse application for license to export 727,175 kg U enriched to 3 5X U-235 to Republic of Korea
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/03/14 1p

7903270193 Executive Branch position re Mitsubishi Internatl Corp application for license to export 545 kg U-235 contained in 15,341 kg U enriched to 3 33 percent to Japan w/encl end use statement
WSENZD, L V State, Dept of 11000234 79/03/05 2pp

7903270206 Requests Executive Branch position re Globe Shipping Co application for license to export NBS standards containing special nuclear matl to Brazil
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/02/14 1p

7903270224 Executive Branch position re Edlow International Co application for license to export 800,000 Ci tritium gas to United Kingdom License should be issued
WSENZD, L V State, Dept of 11000151 79/03/13 2pp

7903270227 Requests extension of License XT-8399 from 790201 to 790701
EDMER, N E Corning Glass Works, Zircoa Products Div 79/01/31 1p

7903270233 Summarizes 790306 meeting w/GE re proposed statistical method for analyzing rod withdrawal transient at power for 3X/235 w/list of attendees, meeting agenda & viewgraphs
WSENZD, L V State, Dept of 11000510 79/03/13 2pp

7903270239 Executive Branch position re Exxon application for license to export 1,940 4 kg U-235 to Belgium License should be granted
WSENZD, L V State, Dept of 11000510 79/03/13 2pp

7903270241 Summarizes status of A-12 neutron shield tank NDTT shift investigation Recommends issue be taken out of A-12 program & receive high priority for determination of safety concern
WSENZD, L V State, Dept of 11000510 79/03/13 2pp

7903270245 Requests Executive Branch position re Teledyne Wah Chang Albany application for license to export Zircaloy-4 tube shells to Argentina via West Germany
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/03/09 1p

7903270249 Forwards application for license to export nuclear matl & equipment
WILSON, B D General Electric Co BDW-79073 79/03/07 1p

7903270294 License application by GE to export velocity limiter castings to Japan
WILSON, B D General Electric Co BDW-79073 79/03/07 1p

7903270252 As followup to 770726 request for all correspondence prepared by JH Conran, advises that listed documents are being placed in PDR
FELTON, J M Division of Rules and Records 79/03/12 2pp

7903270262 As followup to 770719 request for all correspondence prepared by JH Conran, advises that listed documents are being placed in PDR
FELTON, J M Division of Rules and Records 79/03/12 2pp

7903270276 Forwards page corrections to "DWR Feedwater Nozzle/Bsparger Final Rept, Suppl 1," NEDE/NEDO-21821-01
WATKINS, H T General Electric Co, Nuclear Energy Products Div MFN 083-79 79/03/20 5pp

7903270313 Comments on proposed rulemaking 10CFR2-5 proposed rulemaking would turn NRC into a rubber stamp incapable of regulation or of carrying out its legally mandated duties
EBOLEMAN, W Affiliation Unknown 79/01/20 7pp

7903270329 Requests Executive Branch position re Mitsubishi International Corp application for license amend to export 3lw enriched U to Japan w/two intermediate consignees
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/03/14, 1p

7903270343 License application for Aldrich Chemical Co, Inc to export 100 g compounds containing deuterium to Israel
WARD, S Aldrich Chemical Co, Inc (subs of Sigma-Aldrich Corp) 79/03/08 1p

7903270347 Forwards application for license to export byproduct, source, or special nuclear matl
MATSON, V Transnuclear, Inc UEB/EU/26-79-06 79/03/06 1p

7903270353 License application for Transnuclear, Inc to export 10221 kg U, 277 073 kg U235, 4 kg U, & 120 kg U235 to West Germany
MATSON, V Transnuclear, Inc 207EU2679-06201 79/03/06 2pp

7903270357 Forwards application for license to export nuclear matl & equipment
KUBO, H Marubeni America Corp (subs of Marubeni Corp) HAI-HA-5775 79/03/02 1p

7903270360 License application for Marubeni America Corp to export enriched U hexafluoride to Japan
HIROSHIMA, K Marubeni America Corp (subs of Marubeni Corp) 79/03/02 1p

7903270371 Ack receipt of 790301 ltr accepting Amend 4 to GIBSAR-17-A, "QA Program" Memo of personal assignment encl
HYMAN, N I Gibbs & Hill, Inc (subs of Dravo Corp) 79/03/22 2pp

7903270374 Approves Amend 4 to GIBSAR-17-A, "QA Program" Program may be implemented upon issuance of rept Requests indication of plants to which Amend 4 will be applicable Forwards rept evaluation
HASS, W P Quality Assurance Branch 79/03/01 1p

7903270376 Topical rept evaluation of GIBSAR-17-A, Amend 4
HYMAN, N I Gibbs & Hill, Inc (subs of Dravo Corp) 79/03/01 2pp

7903270378 GIBSAR-17-A Amend 4 to GIBSAR-17-A, "QA Program"
DERIENZO, P P Gibbs & Hill, Inc (subs of Dravo Corp) 79/02/28 101pp

7903270404 Requests Executive Branch position re Aldrich Chemical Co application for license to export 19 g deuterium to Israel
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/03/14 1p

7903270408 Requests Executive Branch position re GE application for license to export components & parts to Japan
OPLINGER, G O Assistant Director for Export/Import & International Safeguards 79/03/14 1p

7903270520 Topical repts CENPB-52 & CENPB-84 have been reviewed & contain no proprietary info
SCHERER, A E Combustion Engineering, Inc LD-79-020 79/03/20 1p

7903270619 Requests amend of export license applications to change shipper of record for sample quantity only
MATSON, V Transnuclear, Inc 79/03/07 1p

7903270624 Forwards new application for Israel & one for Israel to cancel w/o encl.
* Aldrich Chemical Co, Inc (subs of Sigma-Aldrich Corp) 79/03/05 1p

7903270627 NUREG-0020 V3 N2 Gray Book Operating Units Status Rept, data as of Jan 1979
* Commission 79/02/28 210pp Available at NTIS

7903270630 BECY-79-151 Summary of status of applications by Union Carbide Corp for license to export 7 33 kg U to France Recommends license be issued.
SHEA, J R Office of International Programs 79/03/02 25pp

7903270633 BECY-78-657B Summary of status of application by Transnuclear, Inc for license to export 3 088 kg U to Japan Recommends license be issued.
SHEA, J. R. Office of International Programs 79/02/27 34pp

7903270650 License application for Globe Shipping Co to export 40 g of U to Brazil
FERLIS, R. Globe Shipping Co, Inc 1589/77 79/03/05 2pp

7903280002 Forwards application from Westinghouse for license to export nuclear matl & equipment to Republic of Korea.
HEBB, R J. Westinghouse Electric Corp 1CS-829B 79/03/01 1p

7903280003 License application for Westinghouse to export U dioxide sintered pellets encapsulated in sealed fuel rods & assembled into fuel assemblies to Republic of Korea
HEBB, R. J. Westinghouse Electric Corp 1CS-829B 79/03/01 1p.

NONDOCKETED ITEMS

- 7903280011 Requests amend to export license to include Sumitomo Metal Mining Co Ltd & Nuclear Fuel Industries as intermediate consignees
WATANABE, M Mitsubishi International Corp (subs of Mitsubishi Corp) HSA-6701-00 79/03/07 1p
- 7903280071 Requests amend of export license applications to change shipper of record for sample quantities only
MATSON, V Transnuclear, Inc 79/03/06 1p
- 7903280079 SECY-79-141
Informs Commission of receipt of license application from Westinghouse to export two nuclear steam supply sys to Korea
SHEA, J R Office of International Programs. 79/02/26 5pp
- 7903280091 SECY-79-103A
Informs Commission of receipt of license application amend for Transnuclear, Inc to export 14,000 g of U to West Germany
SHEA, J R. Office of International Programs 79/02/27 3pp
- 7903280097 Informs of NRC study of potential threat to licensed nuclear activities from insiders Relevant info may exist within Bureau of Mint Requests NRC be granted access to this info
HENDRIE, J M Commission 79/03/07 2pp
- 7903280099 Informs of NRC study of potential threat to licensed nuclear activities from insiders Relevant info may exist within US Secret Svc Requests NRC be granted access to this info
HENDRIE, J M Commission 79/03/07 2pp
- 7903280102 Informs of NRC study of potential threat to licensed nuclear activities from insiders Relevant info may exist within Reactor Safety Study-1 Requests NRC be granted access to this info
HENDRIE, J M Commission 79/03/07 2pp
- 7903280107 Informs of NRC study of potential threat to licensed nuclear activities from insiders Relevant info may exist within Naval Investigative Svc Requests NRC be granted access to this info
HENDRIE, J M Commission 79/03/07 2pp
- 7903280109 Informs of NRC study of potential threat to licensed nuclear activities from insiders Relevant info may exist within Assistant to the Secretary of Defense (Atomic Energy) Requests NRC be granted access to this info
HENDRIE, J M Commission 79/03/07 2pp
- 7903280113 Informs of NRC study of potential threat to licensed nuclear activities from insiders Relevant info may exist within Natl Security Agency Requests NRC be granted access to this info
HENDRIE, J M Commission 79/03/07 2pp
- 7903280116 Informs of NRC study of potential threat to licensed nuclear activities from insiders Relevant info may exist within Air Force Dpt of Special Investigations Requests NRC be granted access to this info
HENDRIE, J M Commission 79/03/07 2pp
- 7903280120 Informs of NRC study of potential threat to licensed nuclear activities from insiders Relevant info may be available within DOE Dpt of Safeguards & Security Requests NRC be granted access to this info
HENDRIE, J M Commission 79/03/07 2pp.
- 7903280123 Informs of NRC study of potential threat to licensed nuclear activities from insiders Relevant info may exist within FBI. Requests NRC be granted access to this info
HENDRIE, J M Commission 79/03/07 2pp
- 7903280125 Informs of NRC study of potential threat to licensed nuclear activities from insiders Relevant info may exist within CIA Requests NRC be granted access to this info
HENDRIE, J M Commission 79/03/07 2pp
- 7903280128 Comments on Air Force rept "Feasibility of Utilizing Military Air Bases for Shipment of Highly Enriched U" NRC cannot endorse conclusions or recommendations of study Use of military sides of civilian airports was not considered
HENDRIE, J M. Commission 79/03/13 2pp.
- 7903280129 NRC approved of reappointment to ACRS on 780308 Mod extending ltr of appointment will be issued shortly
HENDRIE, J M Commission 79/03/09 1p
- 7903280131 Ack receipt of 781215 & 22 ltrs addressing subject of NRC action to implement Section 210, Employee Protection, of Energy Reorganization Act NRC is preparing a decision paper on alternatives to be considered at open NRC meeting
HENDRIE, J M. Commission 79/03/08 2pp
- 7903280135 Requests opportunity to comment on NRC plans to implement Congressional mandate re employment discrimination against workers participating in NRC proceedings (Section 210 of Energy Reorganization Act of 1974)
BANCROFT, M H Bancroft, M H 78/12/15 1p
- 7903280136 Comments on proposed Reg Guide 8.23 does not agree w/Reg Guide 10.8 on same subject of containment level & is therefore confusing
HUBER, S A SAHCT, Stan A Huber Consultants, Inc 79/02/16 4pp
- 7903280138 Comments on proposed rule 10CFR35 finds it difficult to accept NRC definition of a properly calibrated dosimetry sys for annual full calibr measurements as specified
ANGER, R T Methodist Hosp IN/IN 79/02/21 3pp
- 7903280140 In response to 790123 ltr, extends support in implementing Recommendation 7B-4 of Administrative Conference of US, re use of voluntary consensus stds in federal regulatory stds
HENDRIE, J M Commission 79/03/06 2pp
- 7903280146 Requests support in implementing Recommendation 7B-4, "Federal Agency Interaction w/Private Standard-Setting Organizations in Health & Safety Regulation" Requests response w/published Federal Register notice
ANTHONY, R A Administrative Conference of the U S 79/01/23 4pp
- 7903280142 Comments on proposed rule 10CFR30 requests clarification re deletion of paragraph g4v & prohibition on using Winter 1976 Addenda for establishing an inservice insp program
BEVERLY, R L Southwest Research Institute 79/03/02 4pp
- 7903280148 Comments on proposed Reg Guide 10.8 thin window survey meter is not necessary to detect low level radiation Proposed sensitivity requirement for wipe tests is too low to be practical
WIELAND, C O, HOLDENER, P A Affiliation Unknown 79/02/20 1p
- 7903280158 SECY-79-142
Informs Commission of receipt of license application dtd 790201 from Westinghouse to import U & U-235 from Sweden
SHEA, J R Office of International Programs 79/02/26 3pp
- 7903280161 Ack receipt of 790129 ltr re implementation of Section 304 of Rehabilitation Act of 1973 Recognizes urgent need to implement Section 304 Final draft of notice of proposed rulemaking has been prepared Final approval forthcoming
HENDRIE, J M Commission 79/03/06 1p.
- 7903280164 Requests immediate attention to implementation of Section 304 of Rehabilitation Act of 1973, prohibiting recipients of federal financial assistance from discriminating against qualified handicapped persons
CALIFANO, J A Health, Education & Welfare, Dept of, 79/01/29 1p
- 7903280168 Responds to 790203 ltr re NRC policy statement on WASH-1400 & Lewis Rept Careful reading of both Press Release 79-17 & Lewis Rept shows they are consistent W/excerpt of 790205 testimony before Senate committee
HENDRIE, J M Commission 79/03/05 7pp
- 7903280173 IL Commission on Atomic Energy has noticed inconsistencies between NRC Press Release 79-19 & Lewis Rept Concerned that press release & media coverage do not accurately reflect findings of Lewis Rept
DAY, O R Illinois, State of 79/02/02 2pp
- 7903280175 Requests Executive Branch position re Isotope Product Lab application for license to export 10 uCi of Cm-244 to Kenya
OPLINGER, O G Assistant Director for Export/Import & International Safeguards 79/03/13 1p
- 7903280178 Responds to 790125 ltr re release of policy statement on WASH-1400 & Lewis Rept NRC may not have given sufficient notice that statement was imminent W/ excerpts of 790205 testimony before Senate committee
HENDRIE, J M. Commission 79/03/05 6pp.
- 7903280183 Discusses bad timing of NRC issuance of policy statement & Lewis Rept & accompanying press release Because PDR was closed at this time, document was not available to utilize, making intelligent responses to public inquiries impossible.
MINNICK, L E Yankee Atomic Electric Co 79/01/25, 1p
- 7903280181 Requests Executive Branch position re Dresser Atlas Export Sales application for license to export byproduct matl to People's Republic of China
OPLINGER, O G, Assistant Director for Export/Import & International Safeguards 79/03/13 1p

7903280185 Responds to 790130 ltr re bad timing in release of NRC policy statement on WASH-1400 & Lewis Rept NRC may not have given sufficient notice that statement was imminent
W/except From 790205 Senate committee testimony
HENDRIE, J M Commission 79/03/05 6pp

7903280190 Expresses concern re means by which policy statement on WASH-1400 was made public Raises possibility that text was "leaked" to NY Times in advance Utilis had no prior knowledge of rept,precluding any informed comments on their part
BECK, J W Vermont Yankee Nuclear Power Corp 79/01/20 2pp

7903280193 Requests Executive Branch position re General Atomic Co application for license to export special nuclear matl to West Germany
DPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/06 1p

7903280196 Ack receipt of 790206 ltr requesting NRC views on specific aspects of nuclear waste mgt Forwards response Commissioners Olinisky & Bradford may be forwarding views on Question 1 under separate cover
HENDRIE, J M Commission 79/03/09 4pp

7903280200 Requests NRC views by 790223 on nuclear waste mgt for presentation at subcommittee hearings
GLENN, J Senate, Governmental Affairs 79/02/06 2pp

7903280201 SECY-79-143
Informs Commission of receipt of license application from Westinghouse to export U dioxide sintered pellets to Korea
SHEA, J R Office of International Programs 79/02/27 3pp

7903280206 Ack efforts toward securing consolidation of NRC headquarters at a single location in metropolitan Washington area Considers this task one of NRC's highest priorities
HENDRIE, J M Commission 79/03/09 1p

7903280211 Responds to 790129 ltr of concern re 790128 transportation accident near Monteagle, TN Requests NRC investigation Under existing regulations, neither NRC nor DOT is responsible for prescribing specific routes W/supporting documentation
HENDRIE, J M Commission 79/03/07 7pp

7903280216 Forwards revised memo of understanding between NRC & DOT for regulation of safety in transportation of radioactive matls
DIRKS, W J Office of Nuclear Material Safety & Safeguards 79/03/02 13pp

7903280223 Requests expeditious investigation of 790128 transportation accident near Monteagle, TN involving 46 containers of Co-60 & Cs-137 Although no leakage occurred, recommends establishing alternate route
BOUQUARD, M L House of Rep 79/01/29 1p

7903280227 Ack efforts in Congress toward securing consolidation of NRC headquarters at single location in metropolitan Washington area Believes implementation of consolidation is among NRC's highest priorities
HENDRIE, J M Commission 79/03/07 1p

7903280232 Ack receipt of 790124 ltr re possible federal funding for IL State Police hazardous matl program, NRC provides radiation detection instrumentation to equip police cars monitoring surface transportation of radioactive matl
HENDRIE, J M Commission 79/03/07 2pp

7903280234 Forwards ltr from Representative JB Anderson written on behalf of IL AEC re possible federal funding of IL State Police hazardous matl transportation program
HENDRIE, J M Commission 79/03/07 1p

7903280237 Requests to be informed of any suggestions made to IL AEC re possible federal funding for State Police hazardous matls program
ANDERSON, J B House of Rep 79/01/24 1p

7903280239 Comments on proposed rulemaking 10CFR2-7 supports amend since rule deprives public of participation in NRC licensing proceedings
RODSMAN, A Z Natural Resources Defense Council 79/02/23 1p

7903280241 Comments on proposed rulemaking 10CFR2-7 supports easing restriction on participation in hearings re const & operation of nuclear facilities
GRAHAM, D N Affiliation Unknown 79/02/27 4p

7903280243 Responds to 781214 ltr requesting NRC expedite resolution of matter re radioactive contamination in soil in Attleboro & Norton, MA Informs no public health or safety hazards noted Final action pending completion of investigations
HENDRIE, J M Commission 79/03/07 2pp

7903280245 Requests NRC conduct thorough & expeditious investigation of radioactive contamination found in soil in Attleboro & Norton, MA & develop a series of options addressing the problem
HECKLER, M M House of Rep 78/12/14 2pp

7903280251 SECY-78-634
Recommends Commission approve proposed application of FY78 unobligated funds & proposed ltr to appropriate Congressional committees
GOSBICK, L V Office of the Executive Director for Operations 78/12/07 9pp

7903280262 Responds to 790209 ltr re development of nuclear stds & guides, specifically reg guide on lighting protection for nuclear power plants Forwards description of new procedure which allows for earlier involvement
HINSQUE, R B Office of Standards Development 79/02/27 5pp

7903280275 NUREG-0483
"Nuclear Power Plant Operating Experience-1977"
BEEBE, H R Office of Management and Program Analysis 79/02/28 33pp Available at NTIS

7903280279 Forwards application for export license for minor nuclear export Requests assistance in obtaining ltr of assurance
DPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/22 1p

7903280285 Requests correction of typographical errors in Reg Guide B B, revised June 1978 First error involves wrong numerical designation of Reference 10 Second error pertains to misrepresentation of ANS Std's Committee as ANSI Committee
WEBER, M D American Nuclear Society 79/02/28 1p

7903280295 Discusses status of PIR0 petition for rulemaking to amend 10CFR100 re population density around reactor sites Task Force established to review NRC siting policy Disposition of petition will be decided after review of their rept
GOSBICK, L V Office of the Executive Director for Operations 79/03/09 1p

7903280297 Informs that NRC has deferred action on SECY-78-624 per 790318 submission of Siting Policy Task Force Rept Requests new recommendations Requests petitioners be informed of interim status of NRC actions
CHILK, S J Office of the Secretary of the Commission 79/02/11 1p

7903280304 Executive Branch position re RMI Co proposed amend to application for license to export depleted U to Canada License should be issued.
NOBENZ, L V State, Dept of 79/03/14 1p.

7903280359 NUREG-0248
"Total Generating Costs Coal & Nuclear Power"
W United Engineers & Constructors, Inc (subs of Raytheon, Co) AT (49-24)-0351 CQG-2477-12 79/02/28 225pp Available at NTIS

7903290037 Comments on proposed rulemaking 10CFR20 & 19 change would not close loophole permitting individuals to receive more than allowable dose Recommends present loophole be closed so individuals will be protected as required,
DISALVO, R Hittman Corp 79/02/28 2pp

7903290040 "LOCA Test Series, Test 10C-5, Experiment Operating Spec"
YACKLE, T R Idaho National Engineering Laboratory, FIN A-6041 79/02/28 89pp

7903290041 FOIA request for "Domestic Safeguards," Annual Rept to Congress for FY78
COCHRAN, T B Natural Resources Defense Council NRDC/TBC/79-5 79/03/08 5pp

7903290044 Response to FOIA request for copy of "Domestic Safeguards" Annual Rept to Congress for FY78 Forwards NUREG-0524 & declassified version of App Q of Rept NUREG not encl
FELTON, J M Division of Rules and Records 79/03/26 1p

7903290048 "Power Plant Entrainment Simulation Utilizing Condenser Simulator, Results of Experimental Exposure of Striped Bass Early Life History Stages, Gammarus spp & Neomysis Americana to Variations in Temp, Flow Rate & Biocide Concentrations"
O'CONNOR, J M, POJE, G V, PALMIERI, M New York Univ. Medical Ctr FIN B-6298 79/01/31 117pp.

7903290049 "Methods to Assess Impacts on Hudson River Striped Bass quarterly progress rept for Oct-Dec 1978"
VAN WINKLE, W, BARNTHOUSE, L W Oak Ridge National Laboratory, B-0165 79/02/28 40pp.

NONDOCKETED ITEMS

7903290050 Suppl response to FOIA 790306 request for documents re issuance of 10CFR20 302(b) Forwards documents listed
FELTON, J H Division of Rules and Records 79/03/27 2pp

7903290053 Responds to 600308 ltr re status of proposed amend to 10CFR20 Still in process of revising amend to reflect comments received Before amend becomes effective, it has to be approved by Commission & published in Federal Register
ROGERS, L R Commission 60/03/17 1p

7903290055 Requests info re status of proposed Amend to 10CFR20
LANDAVER, R S R S Landaver, Jr & Co 60/03/08 1p

7903290060 Ack receipt of 600212 ltr commenting on proposed amend to 10CFR20 re disposal on land of AEC-licensed matl Amend would not prohibit burial of licensed matl by licensee in accordance w/limits of 10CFR20 304
PRICE, H L Commission 60/03/21 1p

7903290064 Comments on proposed rule 10CFR20 amend appears unnecessarily restrictive many matls can be safely leached into ground
THORBURN, R C General Electric Co., Nuclear Energy Products Div 60/02/12 1pp

7903290069 Forwards working draft of Part 20 amend Draft will provide basis of 600404 discussion
ROGERS, L R Commission 60/03/18 1p

7903290071 Comments on proposed rule 10CFR20 in complete agreement w/policy that radioactive matl of low concentration may be buried on licensee's property but that other matl must be buried on govt land PA legislation encl
HASBON, K M Pennsylvania, State of 60/03/22 2pp

7903290073 Forwards 600301 ltr from Westinghouse re proposed amend to 10CFR20
ROGERS, L R Commission 60/04/12 1p

7903290075 Comments on proposed rule 10CFR20 should not forbid unrestricted storage operations at private sites if permanent burial is not intended
PITCHER, A M Westinghouse Electric Corp 60/03/01 1p

7903290077 Responds to 600418 ltr re status of proposed amend to 10CFR20 Still in process of revising amend to reflect comments received Licensees will be notified when proposed amend published in Federal Register
ROGERS, L R Commission 60/04/28 1p

7903290079 Requests info re status of proposed amend to 10CFR20
BEAUCHAMP, I L General Dynamics Corp 60/04/18 1p

7903290082 Forwards 600510 ltr from Nuclear Engineering Co expressing concern re AEC decision Ltrs to Small Business Administration & Congressman P Rodino
ADDONIZIO, H J House of Rep 60/05/12 6pp

7903290081 "Code Development & Analysis Program Development Verification of FRAP-T5 Uncertainty Analysis Option"
PECK, S O., ATWOOD, C L Idaho National Engineering Laboratory FIN-6050 79/01/31 51pp

7903290072 Forwards preliminary descriptions of melt/retention-matl & melt/concrete tests conducted by Sandia Lab in FY79 Viewgraphs from Sandia mid-year presentation encl
SHERRY, R R Fuel Behavior Branch 79/03/14 88pp

7903290080 "App B: Experimental Operating Specification Tests B-08-1 Through B-08-8, Bemiscale Mod-3 UHI (Upper Head Injection) Test Series"
HANBON, D J, OLSON, D J Idaho National Engineering Laboratory FIN A-6038 79/02/28 156pp

7903290083 Util's answer in opposition to motions for protective order by CA Dept of Water Resources, Northern CA Power Agency & Cities of Anaheim & Riverside, CA Util has been reasonable & objections of Dept are invalid Certificate of Svc encl
ARMSTRONG, W H., WATTS, M J McCutchen, Doyle, Brown & Emerson CRANE, P A Pacific Gas & Electric Co 79/03/02 10pp

7903290091 Forwards copies of draft reg guide "Cable Penetration Fire Stop Qualification Test for Nuclear Power Plants" & value impact statement Copies of IEEE Std 634-1978 encl. Comments & recommendations requested.
ARLDTA, G A Division of Engineering Standards 79/03/12 1p

7903290095 Draft 1 of proposed reg guide "Cable Penetration Fire Stop Qualification Test for Nuclear Power Plants" Will provide guidance for establishing std type test for qualifying cable penetration fire stops when mounted in rated fire barriers
* Division of Engineering Standards 79/03/01 7pp

7903290098 Value impact assessment supporting "Cable Penetration Fire Stop Qualification Test for Nuclear Power Plants"
* Division of Engineering Standards 79/03/01 13pp

7903290105 "IEEE Std Cable Penetration Fire Stop Qualification Test"
* Institute of Electrical & Electronic Engineers 78/04/19 18pp

7903290142 SECY-79-73A
Recommends Commissioners approve issuance of license for Mitsui & Co to export low enriched U to Japan subj to resolution of questions raised by Commissioner Bradford
SHEA, J R Office of International Programs 79/02/28 3pp

7903290144 Application for Mitsui & Co to export 52 kg U-235 to Japan Statement of end use encl
NOHARA, T Mitsui & Co, Ltd MDK-H2R1 79/02/28 3pp

7903290147 Requests license to export 52 kg U-235 to Japan
NAHARA, T Mitsui & Co, Ltd 78/02/28 2pp

7903290155 Confirms telcon on 780929 & requests amend of Section B(6) of export licenses XSNM-1272, XSNM-1276 & XSNM-1285 to increase nominal enrichment max
HONDEN, T Mitsui & Co, Ltd 78/09/29 1p

7903290180 SECY-79-140
Informs Commission of receipt of license application Requests staff be advised of any particular issues or info that can be included in staff analysis Application & end use statement encl
SHEA, J R Office of International Programs 79/02/26 5pp

7903290182 Forwards BAW-10140, "Vibration Analysis Measurement & Insp Programs for Prototype Reactor Internals for B&W's 205-Fuel Assembly Plants" This is nonproprietary version of BAW-10140P
TAYLOR, J H Babcock & Wilcox Co 79/03/09 1p

7903290185 BAW-10140
"Vibration Analysis, Measurement & Insp Programs for Prototype Reactor Internals for B&W's 205-Fuel Assembly Plants"
THOREN, D E, HARRIS, C E Babcock & Wilcox Co 79/02/28 97pp

7903290198 "Physics Analysis of PBF Test RIA (Reactivity Initiated Accidents) 1-3 (Pacific Northwest Labs Hardware)"
OTTEWITTE, E H, SCOTT, A J, WACKS, G R Idaho National Engineering Laboratory FIN A-6057 79/03/13 83pp

7903290204 Forwards BAW-10119A, "Power Peaking Nuclear Reliability Factors," NRC approved nonproprietary version
TAYLOR, J H Babcock & Wilcox Co 79/02/28 1p

7903290205 BAW-10119A
"Power Peaking Nuclear Reliability Factors," nonproprietary version
HASSAN, H A, PEGRAM, J W, MAYS, C W Babcock & Wilcox Co 79/02/28 200pp

7903290207 Informs of final disposition of documents released in Basdekas vs NRC FOIA Basdekas has no objection to release of 760902 memo to FOIA File Name deletions have been made in text of two other documents (760929 memo & 760723 rept)
CHOPKO, M E Office of the General Counsel 79/03/21 1p

7903290209 Encl documents are being released by NRC to settle Basdekas lawsuit Documents 2 & 3 should be placed in his FOIA file by 790319 Document 1 should be withheld from public files until Basdekas reviews it Will notify re availability
CHOPKO, M E Office of the General Counsel 79/03/19 1p

7903290214 Unable to find any basis for criminal charges in allegations made by D Basdekas Full rept will be made when investigation is complete Recommends meeting w/Basdekas before formulating plan of action
STOIBER, C R Office of the General Counsel 76/09/02 4pp

7903290220 Discusses 760804 ltr from D Basdekas to Ofc of General Counsel, which lists six matters that Basdekas feels give rise to reasonable suspicion of criminal conduct
STOIBER, C R Office of the General Counsel 76/09/29 8pp

7903290233 Provides conclusions of Ofc of Inspector & Auditor in Basdekas matter Electric, Instrumentation & Control Sys Branch personnel evaluations conducted until Feb 1976 did not assure mutual understanding
* Office of Inspector & Auditor 76/07/23 2pp

7903290222 Forwards application for export license
DAHLSTROM, C G Westinghouse Electric Corp 79/03/19 1p

7903290226 License application for Westinghouse to export Cf-252 to Spain
BAHLSTROM, C G Westinghouse Electric Corp 79/03/19 1p

7903290240 Forwards set of documents which Ofc of General Counsel requested be filed in PDR Includes portions of 760929 memo from Strauss to NRC & various Ofc of Inspector & Audit Rept documents
CHILKIS, S J Office of the Secretary of the Commission 78/07/31 1p

7903290247 Summary of 760901 meeting between CR Stoiber, Assistant General Counsel & J Calvo, Electric, Instrumentation & Control Sys Branch (EICSB) re possible criminal violations within EICSB
CALVO, J Division of Systems Safety STOIBER, C R Office of the General Counsel 76/09/01 7pp

7903290243 Summary of 760915 meeting between CR Stoiber, Assistant General Counsel & J Smith, Electric, Instrumentation & Control Sys Branch (EICSB) re problems associated w/D Basdekas
SMITH, J Office of Nuclear Reactor Regulation STOIBER, C R Office of the General Counsel 76/09/15 App

7903290253 Summary of 760916 meeting between CR Stoiber, Assistant General Counsel & E Marinos, Electric, Instrumentation & Control Sys Branch (EICSB), re possible criminal conduct of D Basdekas & E Marinos
MARINOS, E Office of Nuclear Reactor Regulation STOIBER, C R Office of the General Counsel 76/09/16 App

7903290257 Requests list of possible generic work activities over next two months Also requests to know whereabouts
HEINEMAN, R E Division of Systems Safety 76/09/10 1p

7903290265 Refutes 760914 memo re performance & intolerable attitude Lists possible assignments for approximately 2 months duration
MARINOS, E C Division of Systems Safety 76/09/13 3pp

7903290250 Forwards application for export license
HERSCH, M M Westinghouse Electric Corp 79/03/19 1p

7903290254 License application for Westinghouse to export one moveable incense detector to France.
HERSCH, M M Westinghouse Electric Corp 79/03/19 2pp

7903290258 Forwards application for export licenses
MATSON, V Transnuclear, Inc 79/03/20 1p

7903290262 License application for Transnuclear, Inc to export 2 700 kg U308, 2 206 kg U & 2 058 kg U235 to West Germany
MATSON, V Transnuclear, Inc 79/03/21 3pp

7903290260 Forwards comments by J Johnsrud re proposed rule 10CFR1 inequity re short filing deadlines pervades all proceedings before NRC
BOCHSMA, O L Environmental Coalition on Nuclear Power 79/02/19 5pp

7903290266 Forwards application for export license
KUBO, H Marubeni America Corp (subs of Marubeni Corp) 79/03/20 1p

7903290267 License application for Marubeni America Corp to export UO2 powder to Japan
KUBO, H Marubeni America Corp (subs of Marubeni Corp) 79/03/20 2pp

7903290271 Comments on proposed rule 10CFR73.55 opposes NRC-imposed gatehouse security processing of regular employees & hand-carried packages Considers rule harassment, demoting, counter-productive & psychologically damaging
KRUQUER, O E Affiliation Unknown 79/02/28 3pp.

7903290276 Comments on proposed reg guide & value impact statement (VIB) qualification of QA program audit personnel for nuclear power plants VIB is unsatisfactory & does not address real issues. VIB must be improved before NRC can act
DERMYER, W D Affiliation Unknown 79/02/28 1p

7903290282 Topical rept evaluation of CENPD-172 (nonproprietary), "Plant Protection Sys w/Integrated Automatic Test Sys." dtd Jan 1975 Concludes rept not acceptable ref in support of permit or license applications
EPDLITO, T A Operating Reactors Branch 3 75/05/06. 2pp

7903290291 Forwards topical rept evaluation of CENPD-172 (non-proprietary)
EPDLITO, T A Division of Systems Safety CENPD-172 75/05/06 1p

7903290307 Recommends a meeting w/C-E to discuss problems re computer-based protection sys Forwards list of questions & positions resulting from CESSAR review list withheld (ref 10CFR2 790). C-E has not demonstrated compliance capability
STELLO, V Assistant Director for Reactor Safety 75/05/06 3pp

7903290320 Proposes that J Calvo be considered for a "Superior Svc Award" for his special contribution to protection of public health & safety Calvo independently developed questions on CESSAR application w/supporting documentation
TONDI, D Office of Nuclear Reactor Regulation 75/05/06 2pp

7903290333 Forwards Joint Grievance & Privacy Act Author concludes he was improperly evaluated, thus precluding his effective performance of safety functions
MARINOS, E C Reactor Systems Standards Branch 76/05/11. 1p

7903290287 Comments on proposed reg guide "Qualification of QA Program Audit Personnel for Nuclear Power Plants," dtd Feb 19 Believes introduction is unclear in specifying either design & const phase or safety-related sys phase
DALTROFF, B L Philadelphia Electric Co. 79/02/28 1p

7903290295 Requests enclosed list of points be sent to applicant to be covered in supplemental info submittal
SCARANO, R A Division of Fuel Cycle & Material Safety 79/03/01 1p

7903290298 License for Edlow Intl Co as agent for Marubeni Canada Ltd to extend expiration date from 790401 to 800401
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/03/21 1p

7903290302 License for Exxon Nuclear Co, Inc to export fuel assembly hardware consisting of Zircaloy tubing & end caps, inconel plenum springs, insulator discs, tie plates & skeleton sets to West Germany
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/03/19 1p

7903290306 Comments on proposed Reg Guide 10.8 objects to Items 1.4b & 6 of App 1 re area survey procedures Believes low range survey meter is preferable to "thin window" survey meter.
BETTRIDGE, J E Affiliation Unknown 79/03/01 1p

7903290310 License amend for OE to extend expiration date from 790501 to 820501 & to delete Condition 1 on Page 2 of license
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/03/19 1p

7903290315 License for Marubeni America Corp to export specially designed or prepared parts & components to Japan
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/03/19 1p

7903290321 License amend for United States Radium Corp to extend expiration date from 790301 to 800301
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/03/21 1p

7903290325 License for OE to export two velocity limiter castings to Japan.
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/03/19 1p

7903290328 License for General Atomic Co to export six ion chamber amplifiers & comparators, seismic testing equipment for acceleration & 20 equipment operating manuals to South Korea
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/03/19 1p

7903300002 Notification of contract execution, Mod 1 to "Safeguards for High Level Waste Repositories " Contractor Science Applications, Inc
MENCIER, W B Technical Assistance Contracts Branch. FIN B-6376-9. NRC-02-79-035 79/03/19 1p

7903300004 Mod 1, changing project officer to "Safeguards for High Level Waste Repositories "
DOUGHERTY, D J Division of Contracts. FIN B-6376-9 79/03/19 1p.

7903300009 Requests Executive Branch position re Transnuclear, Inc application for license to export 12,283.11 kg U to France.
OPLINGER, O O Assistant Director for Export/Import & International Safeguards 79/03/22 1p

NONDOCKETED ITEMS

7903300014 Requests Executive Branch position re Transnuclear, Inc application for license to export special nuclear matl to West Germany
00881CK, L V Office of the Executive Director for Operations
79/03/26 1p

7903300016 Notification of contract execution, Mod 2 to "Audit Calculation of Exxon & B&W Critical Heat Flux Correlation" Contractor GA Inst of Technology
MENCZER, W B Technical Assistance Contracts Branch FIN B-6555
NRC-03-78-671 79/03/19 1p

7903300017 Mod 2, extending period of performance to "Audit Calculation of Exxon & B&W Critical Heat Flux Correlation"
DOUGHTERY, D J Division of Contracts FIN B-6555 79/03/19 1p

7903300018 Requests Executive Branch position re General Atomic Co application for license to export addl 1, 970 g U
OPLINGER, O G Assistant Director for Export/Import & International Safeguards, XSNM-832 79/03/26 1p

7903300020 Notification of contract execution, Mod 7 to "Stenographic Reporting Svc" Contractor Ace Federal Reporters, Inc
WIGGINS, E Administrative Contracts Branch FIN B-1311
NRC-17-77-117 79/03/22 1p

7903300023 Mod 7, increasing funding to "Stenographic Reporting Svc"
MATTIA, M J Administrative Contracts Branch FIN B-1311
NRC-17-77-177 79/03/22 1p

7903300028 Forwards petition for rulemaking & comments on amend to 10CFR21
ROISMAN, A Z Natural Resources Defense Council 79/03/02 1p

7903300034 Forwards registration for October conference in Nice, France, of Intl Scientific Forum on Energy for Developed & Developing Countries
KENNEDY, R T Commission. 79/03/14 1p

7903300035 Expresses thanks for briefing on waste isolation pilot project
KENNEDY, R T Commission 79/03/12 1p

7903300036 Ack receipt of 790109 ltr to Chairman Hendrie. NRC does not anticipate NRC-initiated review of passive containment sys, prior to end of CY80
LEVINE, B Office of Nuclear Regulatory Research 79/02/09 1p

7903300052 Responds to NUREG-0438, "Plan for Research to Improve Safety of LWR's," re potential contribution of passive containment sys developed by Nucleodyne
FALLB, D B Nucleodyne Engineering Corp 79/01/09. 21pp

7903300039 Informs of proposed NRC regulation expanding definition of "interested persons" w/whom off-the-record discussions are prohibited
KENNEDY, R T Commission 79/03/08 1p

7903300044 Tape of briefing by DOE on status of Intl Fuel Cycle Evaluation (INFCE) shld be withheld until evaluation is concluded (ref 10CFR9 10B(c) & 10CFR9 104 (a)(1))
CHILK, B J Office of the Secretary of the Commission. 79/03/01 1p

7903300045 Expresses thanks for hospitality extended during visit to MIT
KENNEDY, R T Commission 79/02/21 1p

7903300046 Expresses thanks for hospitality extended during visit to MIT
KENNEDY, R T Commission 79/02/21 1p

7903300047 Tape of discussion of personnel matter dtd 790228 withheld from disclosure (ref 10CFR9.108).
CHILK, B J Office of the Secretary of the Commission 79/02/28 1p

7903300048 Informs that due to change of plans, J Keppler will replace author as speaker at symposium
KENNEDY, R T Commission 79/01/12 1p

7903300053 Forwards speech by B Wolfe delivered at Atomic Industrial Forum conference w/o encl.
WOLFE, B General Electric Co 79/01/26 1p

7903300054 Asks questions re US policy on nuclear exports to Taiwan, based on 790103 briefing Requests definition of Taiwan nationhood & govt. status of IAEA & validity of safeguards assurances Requests reconfirmation of views on exports
KENNEDY, R T Commission 79/02/02 3pp

7903300068 Comments on proposed Reg Guide 10.8 believes that sensitivity requirement for area wipe tests are too low to be practical & extra equipment would be too expensive
Proposes setting level at 100 counts per minute
MCINTIRE, C Affiliation Unknown 79/02/14 1p

7903300069 Ack receipt of 781130 ltr Forwards documents on generic safety issues program & systematic evaluation program w/o encl
KENNEDY, R T Commission 79/01/03 1p

7903300074 Requests to be placed on distribution list for all manuals, compilations & repts re generic safety issues program & systematic evaluation program
BALDWIN, A Friends of the Earth 78/11/30 1p

7903300073 Comments on proposed Reg Guide 10.8 objects to need for wipe tests in overage nuclear medicine dept Believes wipe test sensitivity should be deleted or raised
ANTHONY, L S Affiliation Unknown 79/03/01 1p

7903300084 In response to appeal, explains that requested info is withheld (ref 10CFR2 790) Denials may be appealed to Executive Director for Operations 30 days from receipt of ltr
FELTON, J M Office of Administration 79/03/13 2pp

7903300085 Ack receipt of 781229 ltr outlining plans for ALI-ABA course on nuclear reactor export regulation Will attend session on 790327
KENNEDY, R T Commission 79/01/03 1p

7903300091 Wishes to confirm recipient as luncheon speaker on 790328 at ALI-ABA course on nuclear export regulation
GREEN, H P Fried. Frank, Harris, Shriver & Kampelman 78/12/29 2pp

7903300094 Explains responsiveness of probabilistic analysis staff to recommendations of Risk Assessment Review Group Rept (NUREG/CR-0400) Believes programs are making progress towards more reliable risk estimates
LEVINE, B Office of Nuclear Regulatory Research 79/03/13 2pp

7903300096 Ack receipt of "Exploring Nuclear Futures"
KENNEDY, R T Commission 78/12/29 1p

7903300106 Forwards "Exploring Nuclear Futures," final rept of 780803-19 study group meeting in CD
* Stanford Univ 78/11/30 1p

7903300110 Ack receipt of Cottrell & Hahn rept on naval race or arms control in Indian Ocean
KENNEDY, R T Commission 78/12/26 1p

7903300121 Forwards study on military situation in Indian Ocean
BARNETT, F R National Strategic Information Center, Inc 78/12/18 1p

7903300112 Comments on ACRC subcommittee meeting Project is worthwhile, but sees danger of mechanical process discouraging exercise of judgment re seismic design chain
WHITE, M P Affiliation Unknown 79/01/12 1p

7903300126 Expresses thanks for assistance in area of reactor safety
KENNEDY, R T Commission 78/12/11 1p

7903300129 Ack receipt of draft results of deliberations at Airlie on proliferation question
KENNEDY, R T Commission 78/12/11 1p

7903300136 Forwards Commissioner Kennedy's speech before Southern States Energy Board presented in June 1978
SERIERY, C W Commission 78/12/07 1p

7903300140 Requests text of Commissioner Kennedy's speech before Southern States Energy Board in PR
CLARK, B Affiliation Unknown 78/11/30 1p

7903300167 Informs of successful completion of sea trial of USSBN, the 73d nuclear powered attack submarine in the Navy
RICKOVER, H G Navy, Dept of 78/11/21 1p

7903300170 Forwards two previous ltrs dated 780914 & 780525 & ack of receipt still in need of info requested in 780525 ltr
DAILEY, L L Fischer & Porter Co 79/02/26 1p

7903300197 Forwards copy of 780525 ltr for which no reply has been received info requested is urgently needed in order to qualify equipment for application in nuclear power plant operations
DAILEY, L L Fischer & Porter Co 78/09/14 1p

7903300211 Ack receipt of communication dtd 780525
* Docketing & Service Branch 78/09/20 1p

7903300227 Requests further info re Reg Guide 1.95 Specifically requests a guide detailing seismic test requirements for Category I
DAILEY, L L Fischer & Porter Co 78/05/25 1p

7903300171 Regrets inability to attend Forum in Miami
KENNEDY, R T Commission 78/11/28 1p

7903300179 Expresses thanks for invitation to participate in Utility Regulatory Conference
KENNEDY, R T Commission 78/11/28 1p

7903300181 Expresses thanks for talk given by recipient at Utility Regulatory Conference
WOLFE, E E Management Research Associates 78/10/12 1p

7903300186 Ack receipt of papers presented during annual AIF meeting
KENNEDY, R T Commission 78/11/27 1p

7903300192 Ack receipt of AIF waste mgt study group rept
KENNEDY, R T Commission 78/11/27 1p

7903300195 License for Teledyne Wah Chang Albany to export 2,678 kg of Zircaloy-4 tube shells to West Germany
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/23 1p

7903300199 License for Teledyne Wah Chang Albany to export 2,678 kg of Zircaloy-4 tube shells to West Germany
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/23 1p

7903300205 License for Teledyne Wah Chang Albany to export 65 lb of Zircaloy tubes to Canada
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/23 1p

7903300208 License for Westinghouse to export 3 compensated ionization chambers, type WL-23944, to France
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/23 1p

7903300210 License for Teledyne Wah Chang Albany to export 2,678 kg of Zircaloy-4 tube shells to West Germany
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/22 1p

7903300213 License for Teledyne Wah Chang Albany to export 2,678 kg of Zircaloy-4 tube shells to Switzerland
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/22 1p

7903300214 License for Westinghouse to export 1 compensated ionization chamber, type WL-23944, to France
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/23 1p

7903300218 License Amend 2 for Monsanto Research Corp. Extends license expiration date from 790401 to 791001
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/22 1p

7903300220 License for Westinghouse to export 0123 g U-235 to Switzerland
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/22 2pp

7903300224 License for Edlow Intl Co to export 404.51 kg U-235 to India
SHEA, J R Office of International Programs 79/03/23 2pp

7903300231 License for Teledyne Wah Chang Albany to export 2,678 kg of Zircaloy-4 tube shells to West Germany
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/23 1p

7903300236 License for GE to export 2.48 kg Pu & 61 kg U to France
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/22 2pp

7903300244 Congratulates on successful sea trials w/submarine USS Birmingham
KENNEDY, R T Commission 78/11/15 1p

7903300248 Reports on successful sea tests of nuclear submarine USS Birmingham
RICKOVER, H G Navy, Dept of 78/10/10 1p

7903300251 Ack receipt of Energy Law Guide & monographs
KENNEDY, R T Commission 78/11/15 1p

7903300256 Forwards first edition of Energy Law Guide & two monographs
ROWDEN, M A Fried, Frank, Harris, Shriver & Kampelman 78/10/06 2pp

7903300253 Ack receipt of 790123 ltr. NRC has not withdrawn support of WASH-1400, but has accepted Lewis Rept. Suggests discussion w/PE McGrath, Probabilistic Analysis Staff, re misgivings about WASH-1400 methods
LEVINE, B Office of Nuclear Regulatory Research 79/03/02 1p

7903300261 Expresses reservations re methodology of 1971 Rasmussen Rept. As public svc. offers oral presentation re pertinent findings & conclusions
YATSECH, J H Yatsch Associates 79/01/23 1p

7903300259 Accepts invitation to speak at seminar on 790212 Will not comment on merits of Seabrook
KENNEDY, R T Commission 78/11/09 1p

7903300284 Requests Executive Branch position re US Radium Corp application for license to export tritium to Condition 2 countries. Forwards ltr providing clarification of various end uses & end users of tritium W/o encl
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/19 1p

7903300325 Confirms 790312 discussion re Topical Rept BUNPQ-101, "Performance & Safety Features of Byron Jackson Primary Reactor Coolant Pump & LWR's." Hopes for prompt NRC attention
ADAMS, J P Borg-Warner Corp, Byron Jackson Pump Div 79/03/14 1p

7903300331 Forwards for staff review App BUNPQ-201 to topical rept BUNPQ-101 for C-E Sys 80 W/o encl
MEARES, A D Borg-Warner Corp, Byron Jackson Pump Div 79/03/21 1p

7903300337 Forwards responses to NRC questions from 790320 meeting re final geological rept on test reactor. Suggests representatives of GE & NRC meet at earliest possible date to resolve relevant issues
DARMITZEL, R W General Electric Co, Nuclear Energy Products Div 79/03/27 12pp

7903300362 Forwards App BUNPQ-201 to BUNPQ-101 re C-E Sys 80
MEARES, A D Borg-Warner Corp, Byron Jackson Pump Div 79/03/22 1p

7903300365 BUNPQ-201 Appendix BUNPQ-201 to BUNPQ-101 re C-E Sys 80, to qualify performance & safety features of Byron Jackson primary reactor coolant pump
* Borg-Warner Corp, Byron Jackson Pump Div 79/03/22 28pp

7903300388 Forwards info re removal of control rod drive (CRD) return line. Concludes that CRD sys to provide water to reactor vessel is not significantly affected by removal of CRD return line
SHERWOOD, G O General Electric Co, Nuclear Energy Products Div MFN 082-79 79/03/14 19pp

7903300391 Requests Executive Branch position re Byron Jackson Pump Div application for license to export parts & components to India
OPLINGER, G G Assistant Director for Export/Import & International Safeguards 79/03/20 1p

NONDOCKETED ITEMS

7903300397 Requests Executive Branch position re Embassy of Spain application for license to export special nuclear matl to Spain
QOSSICK, L V Office of the Executive Director for Operations
79/03/20 1p

7903300401 Requests Executive Branch position re Nissho-Iwai American Corp application for license to export heavy water to Japan
QOSSICK, L V Office of the Executive Director for Operations
79/03/19 1p

7903300485 Transcript of Subcommittee on ECCS 790320 meeting in Los Angeles, CA Pp 318-343 Presentation encl
PLESSET, M, OKRENT, D, ETHERINGTON, H ACRS - Advisory Committee on Reactor Safeguards 79/03/20 400pp

7903300491 Transcript of Subcommittee on ECCS 790319 meeting in Los Angeles, CA Pp 1-317 Presentation by LASL encl
PLESSET, M, OKRENT, D, ETHERINGTON, H ACRS - Advisory Committee on Reactor Safeguards 79/03/19 440pp

7903300496 License for Union Carbide Corp to import 7.33 kg highly enriched U from France
DPLINGER, G C Assistant Director for Export/Import & International Safeguards 79/03/26 2pp

7903300501 Summary of 790301 meeting w/vendors & utils re ATWS questions issued by NRC on 790215
THADANI, A C Reactor Systems Branch 79/03/21 6pp

7903300504 Responds to 790305 ltr from D Sherman re Reactor Safety Study & UCS concerns Forwards 790118 memo from Chik to Qossick "Staff Actions Regarding Risk Assessment Review Group Rept"
QOSSICK, L V Office of the Executive Director for Operations
79/03/22 2pp

7903300510 Ack receipt of 790102 ltr forwarding WCAP-9398, "Steam Generator Retubing & Refurbishment" for review as topical rept Tentative completion date is Oct 1979; max fee will be assessed upon completion of review
SCHNENCER, A Operating Reactors Branch 1 79/03/08 1p

7903300512 Responds to 790129 inquiry re ltr by M Mullikin Forwards NUREG-0268 States NRC fees are designed to cover cost of reviewing license applications or performing radiography program insp Believes charges are fair W/o encl
QOSSICK, L V Office of the Executive Director for Operations
79/03/21 3pp

7903300515 NUREG/CR-0604
"Bubble Behavior in LMFBR Core Disruptive Accidents," annual rept for Oct 1977-Sept 1978
ERDMAN, C A, REYNOLDS, A B, BRADLEY, D R Virginia, Univ of FIN B-5616 79/03/31 100pp Available at NTIS

7903300521 Proposes agenda for first meeting of Committee on Performance Testing of Personnel Dosimetry Invites recipient to attend ltrs from NRC & Natl Bureau of Stds encl
CAMPBELL, G W Lawrence Livermore Laboratory 79/02/16 5pp

7903300525 Suggests establishing overview Committee for Personnel Dosimetry Performance Testing Program as an independent group w/o govt affiliation
ALEXANDER, R E Occupational Health Standards Branch 78/09/06 3pp

7903300532 Summary & discussion of 781218-19 meeting of Aerosol Release & Transport Review Group Forwards agenda & notes for presentation
LARKINS, J T Division of Reactor Safety Research 79/03/09 113pp

7903300536 "Improved Models for Gravitational Collision Efficiency" LOYLKA, B K, PERTNER, G A, TUTTLE, R F Missouri, Univ of NRC-04-77-030 78/12/18 152pp

7903300540 Summary of comments & suggestions re 781218-19 meeting Statistical approach needed to quantify particle distribution size. Consideration needed in theoretical description of experiments
CASTLEMAN, A W Colorado, Univ of Denver 79/02/05 2pp

7903300544 Comments on 781218 aerosol release & transport group meeting Lack of time dependence for U3O8 aerosol mean size in vessel when measured w/spiral duct centrifuge Direct measurements of aerosol matl would give more explicit data
GIESKE, J A Battelle Memorial Institute, Columbus Laboratories 79/02/06 7pp

7903300548 Comments on 781218-19 aerosol release & transport meeting Ranges of sensitivity study variables not broad enough to cover postulated line of assurance scenarios Experimental verification work poorly conducted
HUANG, T C General Electric Co YL-584-70301 79/01/24 2pp

7903300551 Comments on 781218-19 aerosol release & transport meeting Accident scenarios need to be defined better to benefit research Outside reviewers requested to comment if research programs are not published
ALLEN, M Battelle Memorial Institute, Pacific Northwest Laboratory 78/12/20 1p

7903300554 Comments on 781218-19 aerosol release & transport meeting Good comparison will be obtained between calculated & measured results if correct source is used as input
GARNER, P L Argonne National Laboratory 79/01/17 2pp

7903300557 Comments on 781218-19 review meeting Size distribution function measurements should be conducted w/use of centrifuges & cascading impactors High temp grease should be used for impactor slides coating
SHAW, D T New York, State Univ of Buffalo 79/01/05 3pp

7903300560 Comments on 781218 Aerosol Release & Transport Review Group meeting Experimental & theoretical cases needed to be verified Battelle parameters not all mutually independent
LOYLKA, B K Missouri, Univ of 79/01/29 2pp

7903300561 Forwards NUREG-0531, "Investigation & Evaluation of Stress Corrosion Cracking in Piping of LWR Plants" & notice of issuance W/o encl
EISENHUT, D O Assistant Director for Systems & Projects 79/03/15 1p

7903300569 Forwards NUREG-0531, "Investigation & Evaluation of Stress Corrosion Cracking in Piping of LWR Plants" & notice of issuance W/o encl
EISENHUT, D O Assistant Director for Systems & Projects 79/03/15 1p

7903300555 Notification of contract execution, Mod 1 to "Workshop on Proposed Rule for Alternative Sites" Contractor
Mitre Corp
WIGGINS, E J Administrative Contracts Branch NRC-03-79-12B 79/03/23 1p

7903300559 Mod 1, making administrative type changes to scope of work to "Workshop on Proposed Rule for Alternative Sites"
MATTIA, M J Division of Contracts 79/02/23 2pp

7903300556 Draft Reg Guide 7.9, "Std Format & Content of Part 7 Applications for Approval of Packaging of Type B (Large Quantity) & Fissile Radioactive Matl"
* Office of Standards Development 79/03/29 36pp

7903300558 License application for Byron Jackson Pump Div to export specially designed or prepared parts & components for reactor primary coolant pumps to Japan
NORTON, J F Borg-Warner Corp, Byron Jackson Pump Div 79/02/22 2pp

7903300561 Ack receipt of NRC 790212 ltr re C-E comments & NRC recommendations on NUREG-0460 Vol 3 & furnishes addl comments Believes NRC has misused risk assessment to provide support for its recommendations for ATWS
SCHERER, A E Combustion Engineering, Inc LD-79-014 79/02/28 3pp

7903300567 Last pages of Northern CA Power Agency discovery will be forthcoming shortly This completes response to PG&E questions & data requests & util production in proceeding Six-city discovery process is in last stages
ADRAGNA, J M, Spiegel & McDiarmid 79/02/27 2pp

7903300577 Accepts proposed agendas, dtd 790206, for meetings of Std Problem Workshop & Working Group on Emergency Core Cooling in Water Reactors Provides comments indicating planned participation
MARTIN, R E Division of Systems Safety 79/03/14 3pp

7903300580 Forwards proposed agenda for Committee on Safety of Nuclear Installations scheduled at INEL on 790619-22
PHILLIPS, L E Analysis Branch 79/02/02 3pp

7903300385 Advises that IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co" was sent to listed licensees on 790312
PAPPAS, H Region 3, Chicago, Office of the Director 79/03/13 2pp

7903300592 Forwards Draft 1 of proposed Revision 1 to Reg Guide 1.131, "Qualification Tests of Electric Cables & Field Splices for Light-Water-Cooled Nuclear Power Plants," value impact assessment & public comments Guide w/draft mods encl
ARLITTO, G A Division of Engineering Standards 79/03/08 9pp

7903300597 Value impact assessment of proposed Revision 1 to Reg Guide 1.131, "Qualification Tests of Electric Cables & Field Splices for Light-Water-Cooled Nuclear Power Plants" w/1977 public comments
* Office of Standards Development 79/03/08 28pp

7903300595 Responds to NRC 781020 request Provides reactor coolant pump overspeeds following postulated LOCA's for Bys 80 design
SCHERER, A E Combustion Engineering, Inc LD-79-017 79/03/07 4pp

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
ABBOTT, W C	7903070114	50-471		BATEMAN, H H	7903200333	50-443	
ABBOTT, U S	7903070118	50-471		BATES, R W	7903200414	50-336	
ABBOTT, W S	7903070148	50-471		BATES, J L	7903200067		NUREG/CR-0332
ABBOTTS, J	7903110166			BATES, J W	7903200480	70-143	
ADAMS, P J	7903060471			BATT, D L	7903140407		LOFT-TR-103
ADAMS, J	7903200473	50-146		BAUER, E G	7903060461	50-277	
AGEE, J R	7903150038			BAUNACK, W H	7903130549	50-271	
AGEE, J R	7903160014			BAUNACK, W H	7903210013	50-311	
AGEE, J R	7903060172			BAUNACK, W H	7903200007	50-311	
AGEE, J R	7903220006			BAXLEY, S X	7903200274	50-321	
AGEE, J R	7903150118			BAYBUTT, P	7903120495		NUREG/CR-0632
AGRAWAL, A K	7903140659	7903140659		BEANE, J P	7903060421	50-286	
AHEARNE, J F	7903050549			BEAN, L J	7903280328	50-361	
AHEARNE, J F	7903060610			BEAN, R H	7903060669		7903060669
AHEARNE, J F	7903060609			BECHHOEFER, C	7903160303	50-358	
AHEARNE, J	7903090239			BECHHOEFER, C	7903060480	50-358	
AHEARNE, J F	7903060606			BECHHOEFER, C	7903220099	50-387	
AHEARNE, J F	7903060189			BECHHOEFER, C	7903220110	50-387	
AHEARNE, J F	7903130487			BECKER	7903150320	50-387	
AHEARNE, J F	7903060597			BECKER	7903150321	50-387	
AHEARNE, J F	7903060100			BECKER	7903150322	50-387	
AHEARNE, J F	7903060609			BECKER	7903150323	50-387	
AHEARNE, J F	7903060597			BECKER	7903150349	50-387	
AHEARNE, J F	7903140208			BECKER	7903150354	50-387	
AHEARNE, J F	7903060604			BECKER	7903150356	50-387	
AHEARNE, J F	7903060613			BECKER	7903150375	50-387	
AHEARNE, J F	7903060646			BECKMAN, D A	7903070155	50-334	
AHEARNE, J F	7903060607			BECKMAN, D A	7903200327	50-219	
AHEARNE, J F	7903060543			BECKER, B J	7903050203	50-133	
AHEARNE, J F	7903060599			BEDE, M R	7903280275		NUREG-0483
AHEARNE, J F	7903130190			BELLER, T	7903070319	50-346	
AHEARNE, J F	7903030205			BEGOR, R D	7903070364	50-315	
ALBERT, W G	7903150109	50-161		BEILMAN, T P	7903050298	50-315	
ALBERT, W G	7903130079	50-509		BEILMAN, T P	7903050302	50-315	
ALBRIGHT, D C	7903130496		7903130496	BEILMAN, T P	7903130364	50-315	
ALDEN, H H	7903190274	50-277		BEILMAN, T P	7903290033	50-315	
ALVAR, K R	7903030001		NUREG/CR-0591	BELANGER, J L	7903020417	50-373	
ALAUER, K	7903260302			BELANGER, J L	7903120274	50-123	
ANDERSON, J J	7903160245	50-275		BELANGER, J L	7903120306	50-186	
ANDERSON, P I	7903120234	50-309		BELANGER, J L	7903090401	50-331	
ANDERSON, P I	7903150149	50-309		BELBLE, O	7903130003	50-370	
ANDERSON, P I	7903190266	50-102		BELBLE, O	7903070057	50-327	
ANDERSON, P I	7903070975	50-109		BELK, D R	7903160294	70-2623	
ANDERSON, D R	7903060669		7903060669	BELL, N	7903140188	50-344	
ANDERSON, D O	7903150123			BELL, N	7903140331	50-344	
ANDERSON, D O	7903070470			BELL, N	7903160006	50-344	
ANDERSON, D O	7903160074			BELL, N	7903160010	50-344	
ANDRAC, R W	7903230029		NUREG/CR-0591	BELLMAN, T P	7903190300	50-315	
ANDREWS, R I	7903050131	50-201		BENDER, H	7903080032	50-358	
ANDREWS, R	7903140113	50-209		BENDER, H	7903200534		
ANDREWS, C H	7903050167	50-173	40-71 120	BENDER, H	7903200526		
ANDREWS, C H	7903050166	50-173		BENDER, H	7903200488		
AND, W P	7903060069	50-169		BENGLER, H D	7903190433	70-2844	
AND, W P	7903060105	50-400		BERGER, H G	7903260365	50-389	
ANKONY, A J	7903080320	50-117		BERBECKER, K H	7903220208	50-124	
ANITZEL, R F	7903070100	50-293	CLN 105 (B) -NP	BERBECKER, K H	7903070069	50-250	
ANITZEL, R	7903090440	50-54		BETTENHAUSEN, L	7903300327	50-219	
ANITZEL, R	7903070119	50-220		BETTENHAUSEN, L	7903120024	50-277	
ANITZEL, R	7903110379	50-134		BETTENHAUSEN, L	7903020046	50-271	
ANSTRONG, W H	7903290003			BETTENHAUSEN, L	7903080096	50-320	
ANSON, H D	7903260594	50-299		BEYER, D A	7903160137	50-295	
ANSON, H C	7903070172	50-427		BISCHOFF, C A	7903220139	50-592	
ANSEL, D C	7903080466	50-303		BISHOP, T A	7903130106		NUREG/CR-0651
ARNS, H J	7903110329	50-219		BISHOP, T W	7903130462	50-508	
ARNS, T L	7903070001		NUREG/CR-0591	BISHOP, T W	7903210025	50-397	
ARNS, C I	7903070099		7903290051	BISSETT, P H	7903200478	70-33	
ARSON, H I	7903110399	50-494		BISSETT, P H	7903070296	70-371	
ARSON, H I	7903140400	50-494		BLAKE, E L	7903140351	50-382	
ARSON, H I	7903100471	70-16		BLAKE, E L	7903140322	50-382	
AR, J E	7903210544	70-160	PNL 20112	BLAKE, J J	7903070199	50-438	
AR, R A	7903220113	50-443		BLAKE, J J	7903130007	50-325	
AR, R L	7903100964	50-477		BLAKE, J J	7903150202	50-413	
AR, R J	7903110110	50-447		BLANCH, J	7903050411	70-2623	
AR, O G	7903190184	50-444		BLUM, B C	7903220241	71-4090	KY-697
ARD, J B	7903120507	50-161		BLUM, R	7903200323	70-2623	
ARDEN, I	7903070039			BONNYE, P J	7903120277	50-255	
ARDEN, I	7903010051			BONZON, L L	7903070099		NUREG/CR-0401
ARDEN, I	7903070068			BONK, H E	7903120492	50-312	
ARDEN, L	7903050039			BONK, H E	7903190413	70-984	
ARDEN, L	7903050039			BONK, H E	7903020259	50-133	
ARDEN, L	7903230012			BONK, H E	7903060341	50-528	
ARDEN, L	7903230007			BONK, H E	7903140475	70-25	
ARD, K R	7903080491	50-119		BONK, H E	7903120507	50-361	
ARD, K R	7903130199	50-319		BONK, H E	7903140441	70-1257	
AR, A C	7903200453	50-111		BONK, H E	7903190081	50-275	
AR, S J	7903210806		NUREG/CR-0592	BONK, H E	7903260082	50-323	
ART, R I	7903060160		NUREG-0466	BONK, H E	7903260106	50-206	
ART, B F	7903060297		NUREG/CR-0544	BONK, H E	7903260103	50-406	
ATA, F L	7903060199	50-390	78-9 FPI-1	BONK, H E	7903140349	50-298	
AT, L	7903230136	50-292		BORER, P J	7903090352	50-293	
AT, R A	7903130073		7903130073	BORER, R J	7903120024	50-277	
AT, R A	7903140646		7903140646	BORER, R J	7903290194	50-271	
AT, J L	7903190015	50-10		BORVIAK, H	7903200357	50-346	
AT, J L	7903220493	50-10		BOSTWICK, W E	7903260075		7903260075
AT, E W	7903060144	50-448		BOUNIGHT, J A	7903070150	50-445	
AT, E W	7903080085	50-445		BOUNIGHT, J A	7903210574	50-445	
AT, E W	7903140423	50-445		BOULET, J A	7903220030	71-5593	ORNL/EN0/TH-4
AT, I	7903220190			BOVITHELL, R L	7903200359	50-29	
ATHOUSE, L W	7903290049		7903290049	BOWERS, E	7903070002	50-275	
ATT, P A	7903130466	50-454		BOWERS, E	7903060008	50-275	
TH, C A	7903050002	50-358		BOWERS, E	7903070006	50-275	
TH, C A	7903060704	50-400		BOWERS, E S	7903080325	50-275	
TH, H T	7903230032		NUREG/CR-0554	BOWERS, E S	7903140421	50-275	
TH, H J	7903060349		NUREG/CR-0046 V2	BOWERS, E S	7903220264	50-397	
TH, S	7903050342	50-346		BOWERS, E S	7903210309	50-322	
THAN, H H	7903140019	50-272		BOWERS, E S	7903220186	50-322	

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
BOYD, D C	7903070317	50-294		CANTER, H L	7903120467	50-139	
BOYD, R S	7903260340	50-338		CANTER, H L	7903140094	50-361	
BOYTER, N C	7903220320	50-313		CANTRELL, F S	7903130200	50-339	
BRADFORD, P A	7903120487			CANTRELL, F S	7903130192	50-380	
BRADFORD, P A	7903050545			CANTRELL, F S	7903070469	50-348	
BRADFORD, P A	7903080610			CANTRELL, F S	7903210628	50-369	
BRADFORD, P A	7903080605			CANTRELL, F S	7903260046	50-280	
BRADFORD, P A	7903090239			CANTRELL, F S	7903280031	50-280	
BRADFORD, P A	7903080606			CANTRELL, F S	7903130159	50-348	
BRADFORD, P A	7903080185			CAPALBO, B N	7903090373	50-468	
BRADFORD, P A	7903080597			CAPHTON, D L	7903080152	50-289	
BRADFORD, P A	7903080600			CAPHTON, D L	7903080096	50-320	
BRADFORD, P A	7903080607			CAPHTON, D L	7903100163	50-311	
BRADFORD, P A	7903080593			CAPHTON, D L	7903090325	50-311	
BRADFORD, P A	7903140208			CAPHTON, D L	7903210024	50-271	
BRADFORD, P A	7903080604			CAPHTON, D L	7903200147	50-311	
BRADFORD, P A	7903080632			CAPHTON, D L	7903200807	50-213	
BRADFORD, P A	7903080646			CAPHTON, D L	7903300509	50-220	
BRADFORD, P A	7903080607			CARBON, M W	7903020148	50-311	
BRADFORD, P A	7903200508			CARBON, M W	7903200526		
BRADFORD, P A	7903200549			CARBON, M W	7903200188		
BRADFORD, P A	7903200542			CARDARD, W	7903130915	50-305	
BRADFORD, P A	7903200559			CARDILE, F P	7903060100		NUREG-0466
BRADFORD, P A	7903202050			CARLSON, G A	7903070401		NUREG/CR-0368
BRADFORD, P A	7903300285			CARLSON, D D	7903200262		NUREG/CR-0399
BRADLEY, D R	7903300515		NUREG/CR-0404	CARLSON, J D	7903300349	50-397	
BRADLEY, R D	7903220173	50-400		CARR, J B	7903130439		NEED-2409/-1
BRADSHAW, L	7903220003			CARR, T F	7903070089	50-522	
BRAMBLETT, R L	7903020001		NUREG/CR-0591	CARRICK, J	7903090259	50-294	
BRICKLEY, R H	7903210374			CARRROLL, J T	7903220212	50-717	
BRICKLEY, R H	7903140524			CARRROLL, J T	7903050408	50-117	
BRICKLEY, R H	7903260057			CARRROLL, J T	7903090162	50-317	
BRIGGS, L E	7903270289	50-219		CARRROLL, J T	7903090262	50-318	
BRIGGS, L E	7903010402	50-5		CARRROLL, J T	7903290101	50-310	
BRIGGS, L E	7903130011			CARTWRIGHT, W R	7903070385	50-330	
BRIGGS, C E	7903140033	50-322		CARTWRIGHT, W R	7903050183	50-378	
BRIGHT, O D	7903070002	50-275		CARTWRIGHT, W R	7903050286	50-338	
BRIGHT, O D	7903060008	50-275		CARTWRIGHT, W R	7903060244	50-338	
BRIGHT, O D	7903070006	50-275		CARTWRIGHT, W R	7903130310	50-338	
BRIGHT, O D	7903080525	50-275		CARTWRIGHT, W R	7903140400	50-338	
BRIGHT, O D	7903080536	50-400		CARTWRIGHT, W R	7903140407	50-338	
BRIGHT, O D	7903080539	50-400		CARTWRIGHT, W R	7903140414	50-338	
BRIGHT, O D	7903090084	50-400		CARTWRIGHT, W R	7903140418	50-338	
BRIGHT, O D	7903140292	50-400		CARTWRIGHT, W R	7903140422	50-338	
BRITE, D W	7903200067		NUREG/CR-0332	CARTWRIGHT, W R	7903290141	50-338	
BROEHL, D J	7903220116	50-344		CARTWRIGHT, W R	7903270577	50-338	
BRODMAN, G J	7903120148			CARTWRIGHT, W R	7903270584	50-338	
BROWN, M S	7903290029	50-315		CARTWRIGHT, W R	7903270591		
BROWN, M S	7903290036	50-315		CARTWRIGHT, W R	7903300370	50-338	
BROWN, M S	7903290038	50-315		CARTWRIGHT, W R	7903300772	50-338	
BROWN, R A	7903050176	50-346		CARTWRIGHT, W R	7903070383	50-338	
BROWN, R A	7903060475	50-346		CASEY, S B	7903150362	50-361	
BROWN, D H	7903160152	50-346		CASLETON, R N	7903120450		NUREG/CR-0531
BROWN, D H	7903230162	50-346		CASLETON, R N	7903160019		NUREG/CR-0531
BROWN, R A	7903270551	50-346		CAVOT, R F	7903050367	50-131	420 78 120
BROWN, D H	7903290124	50-346		CAVOT, R F	7903050366	50-133	
BROWNLEE, V L	7903290026	50-280		CERBONE, R J	7903140659		7903140659
BROWN, C H	7903280054	50-150		CERNE, A C	7903140089	50-311	
BROWN, R L	7903070470			CHADWELL, H M	7903130368	50-315	
BROWN, R L	7903160130			CHADWELL, H M	7903190293	50-315	
BROWN, R L	7903260057			CHAMBERS, M	7903270394		
BRUGGE, R O	7903090295	50-245	NEED-24168	CHAN, J	7903270493	50-237	
BRUGGE, R O	7903090301	50-245	NEED-24168-1	CHANANIA, F D	7903290045	50-395	
BRUGGE, R O	7903230178	50-324	NEED-24179	CHANDRASFKARAN	7903070381	50-280	
BRYANT, J C	7903150017	50-339		CHANDLER, L J	7903210354	50-445	
BRYANT, J C	7903270604	50-395		CHAPMAN, D G	7903120579		NUREG/CR-0552
BRYAN, C L	7903080637			CHAPMAN, L D	7903130204		NUREG/CR-0475
BRYAN, R H	7903210511		NUREG/CR-0476	CHAPMAN, L D	7903060579		7903060579
BRYANT, J C	7903280065	50-566		CHAUDHARY, S K	7903080103	50-412	
BRYANT, J C	7903270287	50-400		CHEN, J C	7903120446		7903120446
BRYANT, J C	7903190288	50-397		CHEN, L C	7903130073		7903130073
BRYANT, J C	7903200069	50-367		CHENG, S C	7903070052		NUREG/CR-0357
BRYANT, J C	7903060379	50-438		CHESKO, R C	7903050182	50-346	
BRYANT, J C	7903200229	50-370		CHESKO, R C	7903270479	50-346	
BRYANT, J C	7903130224	50-337		CHESTER, R O	7903070195		7903070195
BRYANT, J C	7903280475	50-424		CHESTER, R O	7903200114		7903200114
BRYANT, J C	7903220239	50-375		CHILDS, W V	7903060187	50-333	
BRYANT, J C	7903140510	50-327		CHILDS, W V	7903060242	50-333	
BRYANT, J C	7903140569	50-369		CHILDS, W V	7903200436	50-333	
BRYANT, J C	7903200185	50-400		CHILDS, W V	7903270032	50-373	
BRYANT, J C	7903130546	50-498		CHILK, S J	7903080618		
BRYANT, J C	7903070294	50-409		CHILK, S J	7903070185		
BRYANT, J C	7903060005	50-344		CHILK, S J	7903010005	50-596	
BRYANT, J C	7903120323	50-219		CHILK, S J	7903050422	70-2623	
BRYANT, J C	7903150090	50-518		CHILK, S J	7903070420	70-2623	
BRYANT, J C	7903190054	70-2705		CHILK, S J	7903060614		
BRYANT, J C	7903200454	70-2830		CHILK, S J	7903070139		
BRYANT, J C	7903070522	50-280		CHILK, S J	7903190148	50-280	
BRYANT, J C	7903010089		7903010089	CHILK, S J	7903070212	50-280	
BRYANT, J C	7903150002		7903150002	CHILK, S J	7903150183	50-485	
BRYANT, J C	7903080566	50-369		CHILK, S J	7903070119	50-329	
BRYANT, J C	7903150356	50-387		CHILK, S J	7903080332		
BRYANT, J C	7903140313	50-301		CHILK, S J	7903160090		
BRYANT, J C	7903160147	50-266		CHILK, S J	7903103358	50-384	
BRYANT, J C	7903280354	50-301		CHILK, S J	7903140610	50-485	
BRYANT, J C	7903270005	50-266		CHILK, S J	7903140293	50-320	
BRYANT, J C	7903150332		WCAP 8587 REV 2	CHILK, S J	7903270380	50-260	
BRYANT, J C	7903300071	50-549		CHILK, S J	7903260154	50-485	
BRYANT, J C	7903140323	50-346		CHILK, S J	7903260174	50-522	
BRYANT, J C	7903090334	50-3		CHILK, S J	7903220303	50-354	
BRYANT, J C	7903260365	50-389		CHIPLEY, K K	7903220020	71-5295	ORNL/ENG/TM-4
BRYANT, J C	7903080297	50-549		CHIPLEY, K K	7903300505	71-5907	ORNL/ENG/TM-10
BRYANT, J C	7903130341		NUREG/CR-0394	CHIPMAN, G L	7903080303	50-517	
BRYANT, J C	7903120450		NUREG/CR-0531	CHOPRA, A	7903270085		NUREG/CR-0669
BRYANT, J C	7903160019		NUREG/CR-0531	CHOPRA, A	7903270132		
BRYANT, J C	7903020265	50-206		CHOULES, N C	7903140603	50-305	

PERSONAL AUTHOR INDEX

309

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
CHOW, E	7903080190	50-295		CREED, J R	7903203037	50-266	
CHOW, E T	7903130330	50-255		CREED, J R	7903220456	70-1208	
CHOW, E T	7903220107			CRESWELL, J S	7903150432	50-346	
CHRISTOTIMAS, N	7903070513	50-254		CRESWELL, J S	7903080150	50-295	
CHRISTOTIMAS, N	7903150150	50-254		CREWE, J L	7903120464	50-139	
CHRISTOFFER, G M	7903120274	50-123		CROCKET, L	7903020107		NUREG/CF-0380
CHRISTOFFER, G M	7903120306	50-186		CROCKET, L	7903060356	50-219	NUREG/CR-0380
CHRISTOFFER, G	7903220447	50-116		CROCKETT, J	7903200404	50-336	
CHURCHILL, D W	7903040083	50-560		CROCKER, H W	7903070181	50-272	
CLARK, R H	7903020100	50-445		CROCKER, H W	7903070294	50-271	
CLARK, D	7903160247	50-254		CROCKER, H W	7903200168	70-1143	
CLAY, E L	7903220389		NEDD-10466-A	CROCKER, H W	7903120048	50-201	
CLEVELAND, J C	7903120052	70-1201		CROCKER, H W	7903200324	50-293	
CLEVELAND, J C	7903070190		7903070190	CROCKER, H W	7903190551	50-170	
COHEN, E D	79032210506		NUREG/CR-0592	CROCKER, H W	7903300369	50-324	
COHEN, I	7903070561	50-549		CROSSMAN, W A	7903210554	50-482	
COHEN, I	7903300363	70-371		CROSSMAN, W A	7903020074	50-382	
COHEN, I	7903090417	70-371		CROSSMAN, W A	7903140289	50-498	
COHEN, I	7903020073	70-1143		CROSSMAN, W A	7903140272	50-445	
COHEN, I	7903010204	70-398		CROSSMAN, W A	7903070168	50-482	
COHEN, I	7903080420	70-1100		CROSSMAN, W A	7903140263	50-445	
COHEN, I	7903130135	50-166		CROSSMAN, W A	7903140203	50-556	
COHEN, I	7903130058	70-124		CROSSMAN, W A	7903220225	50-382	
COHEN, I	7903130099	70-1113		CROSSMAN, W A	7903260056		
COHN, R E	7903130522	50-498		CROSSMAN, W A	7903260051	50-498	
COHN, R E	7903140601	50-498		CROSSMAN, W A	7903260024	50-382	
COHN, R E	7903140642	50-498		CROWLEY, C J	7903200154		7903200154
COLE, R F	7903220264	50-397		CROWLEY, C J	7903200155		7903150155
COLE, R F	79032210267	50-549		CROWLEY, C J	7903120007		NUREG/CR-0600
COLEMAN, D P	7903060150		NUREG/CR-0555	CROWLEY, R R	7903080440	50-518	
COLL, N A	7903090364	50-389		CROWLEY, R R	7903070557	50-364	
COLLIER, R P	7903130136		NUREG/CR-0631	CROWLEY, R R	7903140499	50-327	
COLLINS, B L	7903010427		NUREG/CR-0406	CULP, R H	7903070154	50-466	
COLLINS, D M	7903160294	70-143		CULP, R H	7903200319	50-466	
COLLINS, J T	7903060168		NUREG-0466	CUNNINGHAM, G H	7903210355	50-250	
COLMBO, R W	7903130291	50-312		CUNNINGHAM, A L	7903070525	50-321	
COLMBO, R W	7903130407	50-312		CURTIS, J R	7903120492	50-312	
COLTON, I B	79030210080	71-6387	Tu-139-R-01	CURTIS, J R	7903260106	50-206	
COLTON, J D	7903120445		NUREG/CR-0598	CUTCHIN, J H	7903060702	50-387	
COMPTON, R M	7903060379	50-433		CZAJKOWSKI, G P	7903260254	50-295	
COMPTON, R M	7903220239	50-395		DAHLSTROM, C G	7903060363		
CONGEL, F J	7903080303	50-549		DAHLSTROM, C G	7903290226		
CONKLIN, J C	7903210506		NUREG/CR-0592	DALLY, J W	7903150088		7903150088
CONLON, T F	7903130007	50-325		DALLY, J W	7903230214		7903230214
CONLON, T F	7903280098	50-395		DALTON, A T	7903260025	50-556	
CONLON, T F	7903280124	50-400		DANCE, H C	7903130093	50-261	
CONLON, T F	7903080440	50-518		DANCE, H C	7903130003	50-390	
CONLON, T F	7903200036	50-327		DANCE, H C	7903120400	50-321	
CONLON, T F	7903070557	50-364		DANCE, H C	7903070057	50-327	
CONLON, T F	7903070188	50-372		DANCE, H C	7903130521	50-302	
CONLON, T F	7903070199	50-438		DANCE, H C	7903090054	50-259	
CONLON, T L	7903140499	50-327		DANCE, H C	7903210030	50-259	
CONLON, Y F	7903160023	50-390		DANCE, H C	7903280059	50-324	
CONLON, Y F	7903210043	50-327		DANIELSON, D H	7903090004	50-306	
CONLON, Y F	7903150202	50-413		DANIELSON, D H	7903130047	50-237	
CONLON, T E	7903280121	50-395		DANIELSON, D H	7903080110	50-373	
CONNER, T B	7903200145	27-39		DANIELSON, D H	7903060592	50-390	
CONNER, T B	7903220026	50-395		DANIELSON, D H	7903060508	50-306	
CONNELL, C	7903190307	50-286		DANIELSON, D H	7903090061	50-331	
CONNELL, J H	7903140395	50-361		DANIELSON, D H	7903160218	50-358	
CONNELL, H R	7903220105	50-277	7903220105	DANIELSON, D H	7903090051	50-440	
CONSTABLE, G L	7903140131	50-298		DANIELSON, D H	7903130127	50-331	
CONSTABLE, G L	7903300026	50-298		DANIELSON, D H	7903130391	50-329	
CONTE, R J	7903140095	50-317		DANIELSON, D H	7903130069	50-373	
CONTE, R J	7903210013	50-311		DANIELSON, D H	7903190041	50-358	
CONTE, R J	7903300007	50-311		DANIELS, F T	7903150173	50-331	
CONWAY, W F	7903200091	50-271		DANIELSON, D H	7903160262	50-373	
COOK, R J	7903130056	50-329		DANIELSON, D H	7903190493	50-454	
COOLEY, T G	7903280328	50-361		DANIELSON, D H	7903300318	50-329	
COOLEY, W J	7903190413	70-984		DANIELS, T H	7903200196	50-358	
COOLEY, W J	7903140475	70-25		DANIELS, F T	7903120270	50-282	
COOLEY, W J	7903140441	70-1257		DAUGHERTY, D J	7903080078		
COONEY, M J	7903120242	50-278		DAUGHERTY, D J	7903310169		
COONEY, M J	7903130324	50-278		DAVIS, S M	7903070312	50-317	
COONEY, M J	7903140270	50-277		DAVIS, S M	7903090175	50-318	
COONEY, M J	7903210114	50-277		DAVIS, S M	7903090268	50-318	
COONEY, M J	7903210101	50-278		DAVIS, S M	7903290110	50-317	
COONEY, M J	7903210130	50-278		DAVIS, J O	7903140091	50-305	
COONEY, M J	7903270361	50-277		DAVIS, C L	7903080508	50-302	
COONEY, M J	7903270498	50-278		DAVIS, A B	7903130470	50-409	
COOPER, J	7903060326	50-302		DAVIS, A B	7903260040	70-152	
COOPER, J	7903150214	50-302		DAWSON, J M	7903120134	40-8583	
COOPER, J	7903160233	50-302		DEALE, V B	7903080463	50-522	
COOPER, J	7903230157	50-302		DEBNAM, J	7903200453	50-111	
COOPER, J	7903270349	50-302		DELBORGE, L O	7903290116	50-373	
COOPER, J	7903230135	50-302		DELLA RATTIA, A	7903020073	70-1143	
COOPER, J	7903270490	50-302		DELLA RATTIA, A	7903070204	70-398	
COOPERSTEIN, R	7903080168	40-8502		DELLA RATTIA, A	7903130135	50-166	
COPLAN, S M	7903080303	50-549		DELLA RATTIA, A	7903130099	70-1143	
CORCORAN, M	7903010067	50-295		DENTON, H R	7903070122		SECY-79-112
CORDARO, W	7903130517	50-305		DENTON, H R	7903290184	50-333	
CORDARO, W	7903060411	50-305		DENTON, H R	7903300354	50-280	
CORE, M	7903270516	50-285		DENTON, H R	7903300598	50-334	
COSTELLO, G J	7903190191	50-280		DERENZO, P P	7903270379		018SAR-17-A
COSTELLO, F M	7903190356	40-341		DEROY, J P	7903050401	50-213	
COSTELLO, J R	7903130541			DETENHEIMER, R H	7903080178	50-10	
COSTELLO, J R	7903260049			DEUSTER, R W	7903210391	50-201	
COTTE, W T	7903010366	50-369		DEVLIN, J W	7903300280	50-5	
COTTE, W T	7903270628	50-369		DEVLIN, J W	7903080573	50-311	
COTTELL, M G	7903280328	50-361		DEVLIN, J W	7903120593	50-219	
COTTELL, W B	7903230317		NUREG/CR-0487	DEVLIN, J W	7903130520	50-201	
CRACKER, H W	7903080913	50-220		DEVLIN, J W	7903140343	50-29	
CRANE, P A	7903290083			DEVLIN, J W	7903120031	50-20	
CRANFORD, T	7903150112	50-488		DEVLIN, J W	7903090340	50-245	
CRAPD, H S	7903160308		7903160308	DEVLIN, J W	7903150136	50-213	
CREED, J R	7903070393	50-255		DEVLIN, J W	7903190314	70-371	

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
DEVLIN, J W	7903300357	70-1143		ERB, C M	7903130069	50-373	
DEVLIN, J W	7903300229	50-193		ERMAN, C A	7903300515		NUREG/CR-0404
DEWEASE, J G	7903160117	50-259		ERVIN, A M	7903230178	50-324	NEDO-24179
DEWEY, L S	7903260365	50-389		ESPARZA, V	7903070432		NUREG/CR-0467
DEYOUNG, R C	7903260294	50-369		ESSIG, T H	7903080457	50-155	
DIBERT, D J	7903160210	50-346		ESSIG, T H	7903160317	70-572	
DICKERSON, M W	7903230028	50-72		ESSIG, T H	7903070111	50-282	
DICKERSON, M W	7903230075	50-407		ESSIG, T H	7903070492	50-315	
DICKHONER, W H	7903300393	50-358		ESSIG, T H	7903130149	50-186	
DICKSON, H W	7903200126		7903200126	ESSIG, T H	7903130359	50-454	
DIEDRICK, D G	7903200439	50-245	NU-GA-1	ESSIG, T L	7903140488	50-254	
DIGNAN, T	7903260170	50-443		ESSIG, T H	7903150075	40-3392	
DIRCKS, W J	7903080019			ESSIG, T H	7903210377	27-39	
DIRCKS, W J	7903300594	27-39		ESSIG, T H	7903220482	50-315	
DIXON, D R	7903070280	50-262		ESSIG, T A	7903220436	50-331	
DOODS, R I	7903220058	50-133		ESSIG, T H	7903300471	70-36	
DOHERTY, J F	7903130505	50-466		ESWALD, S C	7903280117	50-280	
DOHERTY, J F	7903130508	50-466		ETHERINGTON, H	7903130282		
DOMICK, C P	7903120331	50-346		ETHERINGTON, H	7903200485		
DONALDSON, D	7903190296	50-184		ETHERINGTON, H	7903200534		
DONALDSON, D	7903300336	50-286		ETHERINGTON, H	7903200521		
DONAT, T J	7903070057	50-327		ETHERINGTON, H	7903220479		
DONAT, T J	7903130214	50-327		ETHERINGTON, H	7903300491		
DONAT, T J	7903270533	50-369		ETHERINGTON, H	7903300485		
DONELSON, S E	7903230108	50-272		EVANS, J H	7903210240	71-5552	ORNL/ENG/TM-5
DONELSON, S E	7903230109	50-272		EVANS, J H	7903300279	71-5557	ORNL/ENG/TM-3
DONOGHUE, D J	7903220374		SECY-79-75	EVANS, J H	7903220030	71-5555	ORNL/ENG/TM-4
DONOGHUE, D J	7903210290			EVANS, J H	7903300308	71-9851	ORNL/ENG/TM-8
DOUGHERTY, D J	7903070543			EVANS, J H	7903300505	71-5907	ORNL/ENG/TM-10
DOUGHERTY, D J	7903070005			EVANS, D J	7903230293		
DOUGHERTY, D J	7903070410			EVANS, C A	7903050349	50-274	
DOUGHERTY, D J	7903070572			EVANS, C A	7903070547	50-267	
DOUGHERTY, D J	7903070203			EVERSOLE, R E	7903210240	71-5552	ORNL/ENG/TM-5
DOUGHERTY, D J	7903080155			EVERSOLE, R E	7903300308	71-9851	ORNL/ENG/TM-8
DOUGHERTY, D J	7903070441			EWALD, S C	7903130010	50-302	
DOUGHERTY, D J	7903070564			FAIRFILL, M B	7903200135	50-312	
DOUGHERTY, D J	7903070511			FAIRFILL, M B	7903190130	50-269	
DOUGHERTY, D J	7903080159			FAIRFILL, M B	7903210265	50-289	
DOUGHERTY, D J	7903210236			FAIRFILL, M B	7903210268	50-317	
DOUGHERTY, D J	7903070523			FAIRFILL, M B	7903280056	50-313	
DOUGHERTY, D J	7903220446			FAIRFILL, M B	7903280087	50-309	
DOUGHERTY, D J	7903210226			FAITH, S	7903220062		
DOUGHERTY, D J	7903210245			FARRAR, M C	7903160255	50-348	
DOUGHERTY, D J	7903300004			FARRIS, J R	7903070408	50-556	
DOUGHERTY, D J	7903300017			FASANO, A N	7903260140	50-443	
DOUGHERTY, D J	7903130557			FAULKENBERRY, B	7903020265	50-206	
DOUGHERTY, D J	7903050468			FAULKENBERRY, R	7903130346	50-113	
DROMERICK, A W	7903010007	50-594		FAULKENBERRY, B	7903120467	50-139	
DUBRY, N E	7903150331	50-263		FAULKENBERRY, B	7903090002	50-312	
DUBRY, N E	7903120025	50-116		FAULKENBERRY, B	7903190094	50-361	
DUBRY, N E	7903140182	50-294		FEIERABAND, C D	7903130482	50-282	
DUFLD, M E	7903220366	50-485		FEIERABAND, C D	7903220470	50-282	
DUFLD, M E	7903020200	70-2623		FEIL, R A	7903300384	50-278	
DUFLD, M E	7903030047	50-400		FEIL, R A	7903130167	50-293	
DUFLD, M E	7903070566	50-483		FEIRING, H	7903010347		GW-FSD 2538
DUFLD, M E	7903090125	70-2623		FEIST	7903150356	50-387	
DUFLD, M E	7903150189	50-338		FERGUSON, G A	7903210267	50-549	
DUFLD, M E	7903210303	50-320		FINEHAM, C P	7903130515		7903130615
DUFLD, M E	7903300547	50-344		FINKEL, A E	7903140135	50-387	
DUKLER, A E	7903270088		NUREG/CR-0417	FINKEL, A G	7903270496	70-36	
DUKLER, A E	7903270085		NUREG/CR-0469	FINKEL, A G	7903050499	70-8	
DUKLER, A E	7903270132		NUREG/CR-0469	FINKEL, A G	7903130067	70-36	
DURR, J P	7903010048	50-322		FIORELLI, G	7903270141	50-186	
DURR, J	7903140624	50-272		FIORELLI, G	7903130480	50-282	
DYER, J A	7903010366	50-369		FIORELLI, G	7903150054	50-346	
DYER, J A	7903080366	50-369		FISH, R F	7903140475	70-23	
DYER, J A	7903280059	50-324		FISH, R F	7903120507	50-361	
DYM, H	7903230025	50-389		FISH, R F	7903190081	50-275	
EAGEL, D A	7903260748	50-549		FISH, R F	7903260082	50-323	
EBERSOLE, J	7903020148	50-311		FISHER, W L	7903260041	70-152	
EBNETER, S D	7903300470	50-289		FISHER, G A	7903090358	50-322	
EBNETER, S D	7903080103	50-412		FISHER, G A	7903090351	50-322	
EBNETER, S D	7903090379	50-271		FISHER, W L	7903140195	50-30	
EBNETER, S D	7903140624	50-272		FISHER, W L	7903130472	50-409	
EBNETER, S D	7903140364	50-245		FISHER, W L	7903140182	50-294	
EBNETER, S D	7903140135	50-387		FISHER, W L	7903010067	50-295	
EBNETER, S	7903140303	50-311		FISHER, W L	7903120025	50-116	
ECKHARDT, L C	7903280322	50-361		FISHER, W L	7903190051	50-130	
ECKHARDT, L C	7903280325	50-361		FISHER, W L	7903070301	50-155	
				FISHER, W L	7903070529	50-341	
				FISHER, W L	7903130373	50-16	
				FISHER, W L	7903140171	50-150	
				FISHER, W L	7903150331	50-263	
				FITZGERALD, J A	7903220360	50-485	SECY-A-79-6
				FITZGERALD, J A	7903080608		SECY-A-79-9
				FLANIGAN, L J	7903130106		NUREG/CR-0451
				FLCISCHAKER, D S	7903090035	50-275	
				FLCISCHAKER, D S	7903090156	50-275	
				FOLEY, T	7903140431	50-317	
				FOLEY, T	7903300509	50-220	
				FOLEY, T	7903080152	50-289	
				FOLEY, T	7903120481	50-171	
				FOLSDOM, S A	7903300055	50-443	
				FOLSDOM, S A	7903300055		
				FOLSDOM, S A	7903260140	50-443	
				FOLSDOM, S A	7903120004	50-549	
				FOLSDOM, S A	7903200333	50-443	
				FORD, E J	7903080141	50-390	
				FOSTER, L C	7903070392	50-255	
				FOSTER, J E	7903090061	50-331	
				FOSTER, N C	7903130574		
				FOSTER, W E	7903150097		
				FOSTER, W E	7903210157		
				FOSTER, W E	7903200586		
				FRALAY, R	7903220354		SECY-79-134
				FRANSON, R B	7903210313	50-466	
ELLERSHAW, L E	7903210124						
ELLERSHAW, L E	7903210357						
ELLERSHAW, L E	7903210280						
ELLERSHAW, L E	7903210403						
ELLIS, J	7903220475	50-445					
ELLIS, L J	7903080084	50-518					
ELROD, S A	7903280026	50-280					
EMERSON, R E	7903120445		NUREG/CR-0558				
ENGEL, R E	7903270483	50-321	NEDO-24179				
ENGEL, D A	7903260350	50-549					
ENGEL, D A	7903280037	50-549					
ENGELKEN, R H	7903130485	50-312					
EPPINGER, R L	7903050401	50-213					
EPPINGER, R L	7903200390	50-213					
ERASLAN, A H	7903210479		NUREG/CR-0430				
ERB, C M	7903080110	50-373					
ERB, C M	7903090051	50-440					

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
FRANKLIN, W J	7903140633	50-445	NUREG/CR-0525	GOBEL	7903150371	50-387	NUREG/CR-0499
FRANKLIN, W J	7903070150	50-445		GODDY, A	7903060686	70-135	
FRY, D N	7903210824			GODDY, A	7903128026	70-820	
FRYLING, R	7903050017	50-272		GODDY, A	7903300276	70-820	
FUCHKO, J M	7903130260	50-269		GOEBEL, Q R	7903140001		
FUCHKO, J M	7903130178	50-321		GOLDBERG, S C	7903210385	50-250	
FUCHKO, J M	7903070069	50-250		GOLDBERG, J R	7903230293		
FULLINWIDER, S P	7903090377	50-492		GOODHOPPE, A C	7903070561	50-549	
FULMER, S	7903050347	50-346		GOODHOPPE, A C	7903130507	27-39	
FULMER, S	7903050279	50-346		GOODHOPPE, A C	7903260156	27-39	
FULMER, S	7903160120	50-346		GOODHOPPE, A C	7903260083	50-549	
FULTON, J M	7903020341	50-293		GOODHOPPE, A C	7903210267	50-549	
FULTON, J M	7903020378	50-293		GOODHOPPE, A C	7903300249	27-39	
FULTON, J M	7903020370	50-293		GOODWIN, C	7903200422	50-344	
FULTON, J M	7903020374	50-293		GOODWIN, C	7903210215	50-344	
FULTON, J M	7903190211	50-293		GOODWIN, C	7903220280	50-344	
FULTON, J M	7903190321	50-293	XN-NF-78-30 NEDO-24175	GRANSON, R	7903200408	50-263	SECY-78-634
FURR, D J	7903090208			GORTON, S	7903070088	50-522	
GAD, R K	7903260170	50-443		GOSBICK, L V	7903070417		
GAFFNEY, C M	7903140277	50-293		GOSBICK, L V	7903280251		
GADE, L W	7903140303	50-311		GOSBICK, L V	7903200157		
GAHM, J W	7903050226	50-267		GOUGE, M J	7903090006	50-566	
GAHM, J W	7903120189	50-267		GRAHAM, R H	7903280276	50-348	
GAHM, J W	7903120248	50-267		GRAHAM, P D	7903090325	50-311	
GAHM, J W	7903120320	50-267		GRAHAM, M J	7903010355	50-366	
GAHM, J W	7903210125	50-267		GRANT, W B	7903160317	70-572	
GALBRAITH, K P	7903220023			GRANT, W B	7903130149	50-186	
GALER, R R	7903270483	50-321		GRANT, W B	7903150075	40-3392	
GALGOLA, A F	7903080074			GRANT, W B	7903210367	27-39	
GALLAGHER, E J	7903060582	50-546		GRANT, W B	7903220436	50-331	
GALLAGHER, E J	7903070049	50-373		GREENMAN, E D	7903300352	50-277	
GALLO, R M	7903080002	50-387	7903130496	GREEN, M D	7903120166		NUREG/CR-0521
GARRETT, S M	7903150367	50-344		GREENE, T V	7903070309	50-366	
GASSER, R D	7903130496			GREENE, T V	7903130356	50-366	
GATES, O	7903010299	50-295		GREENE, T V	7903130395	50-366	
GAY, O M	7903300086	50-445		GREENE, T V	7903190179	50-366	
GENDLER, M W	7903200053	50-522		GREENE, T V	7903200424	50-321	
GEORGE, T C	7903270603	50-346		GREEN, D	7903070216	50-259	
GERAS, T	7903050372	50-280		GREEN, H J	7903060501	50-259	
GETTY, B C	7903160111	50-133		GREENMAN, E D	7903140146	50-277	
GIBBONS, T D	7903130224	50-339		GREER, R J	7903080487	50-155	
GIBBONS, T D	7903150017	50-339		GREER, R J	7903070492	50-315	
GIBSON, C I	7903060669			GREER, R J	7903220482	50-315	
GIBSON, A F	7903130142	50-269		GREGOR, L R	7903130472	50-409	
GIBSON, A F	7903010080	50-327		GREGORY, W B	7903190051	50-130	
GIBSON, A F	7903150297	50-321		GREGORY, W B	7903230029		
GIBSON, A F	7903130010	50-302		GRIFFIN, D M	7903230023	50-389	
GIBSON, A F	7903160204	70-143		GRIFFIN, B K	7903200330	50-98	
GIBSON, A F	7903210036	50-160		GROSHMAN, J D	7903230023	50-389	
GIBSON, A F	7903280117	50-280	NUREG/CR-0632 NUREG/CR-0676	GROUB, R L	7903130112		7903130112 7903130593
GIBSON, A F	7903270437	70-1201		GROUB, R L	7903130593		
GIBSON, A F	7903280087	50-261		GUYMON, P J	7903270556	50-309	
GIBSON, A F	7903260089	50-259		GUMBLE, F W	7903070328	50-286	
GIESEKE, J A	7903120495			GUMBLE, F W	7903160103	50-286	
GIESEKE, J A	7903270056			GURUNATHAN, S	7903270446	50-295	
GILBERT, L D	7903140263	50-445		GUSTAVE, R P	7903120073		
GILLESPIE, F P	7903220268	50-124		GUSTAVE, R P	7903070061		
GILINSKY, V	7903120487			GUTHMAN, D	7903150377	50-389	
GILINSKY, V	7903080519	50-592		HAGAN, T F	7903200068		
GILINSKY, V	7903050445			HAGEY, H	7903120084		
GILINSKY, V	7903080610			HAGEY, H	7903010011		
GILINSKY, V	7903080605			HAGEY, H	7903140053		
GILINSKY, V	7903090239			HAGEY, H	7903070406		
GILINSKY, V	7903080005			HAGEY, H	7903050505		
GILINSKY, V	7903080008			HAGEY, H	7903130426		
GILINSKY, V	7903080606			HAGEY, H	7903130430		
GILINSKY, V	7903010373			HAGEY, H	7903130437		
GILINSKY, V	7903080597			HAGEY, H	7903230014		
GILINSKY, V	7903080600			HAGEY, H	7903230067		
GILINSKY, V	7903080609			HAGEY, H	7903230201		
GILINSKY, V	7903080595		NUREG/CR-0401	HAGMAN, D L	7903160321		7903160321 NUREG/CR-0652 NUREG/CR-0652
GILINSKY, V	7903140208			HAHN, O T	7903230015		
GILINSKY, V	7903080604			HAHN, O T	7903230331		
GILINSKY, V	7903200508			HAIRSTON, W O	7903210147	50-348	
GILINSKY, V	7903200549			HAIRSTON, W O	7903190272	50-348	
GILINSKY, V	7903200542			HAIRSTON, W O	7903190277	50-348	
GILINSKY, V	7903200539			HAIRSTON, W O	7903190286	50-348	
GILINSKY, V	7903220350			HAIRSTON, W O	7903190298	50-348	
GILINSKY, V	7903300285	50-320		HAIRSTON, W O	7903190310	50-348	
GILLESPIE, F P	7903120483	70-143		HAIRSTON, W O	7903210139	50-348	
GILLET, W T	7903210044	50-315		HAIRSTON, W O	7903280318	50-348	
GILLET, W T	7903210214	50-316		HAIRSTON, W O	7903280276	50-348	
GILLEN, K T	7903070099			HAIST, D P	7903210025	50-397	
GILLESPIE, F P	7903140008	70-1113		HALE, C J	7903150123		
GILLESPIE, F P	7903120167	50-261		HALE, C J	7903070470		
GILLESPIE, F P	7903080508	50-302		HALE, C J	7903130541		
GILLESPIE, F P	7903130260	50-269		HALE, C J	7903210374		
GILLESPIE, F P	7903160267	70-143		HALE, C J	7903140524		
GILLESPIE, F P	7903130178	50-321		HALE, C J	7903160130		
GILLESPIE, F P	7903260127	50-250		HALE, C J	7903260049		
GILLESPIE, F P	7903070069	50-250		HALE, C J	7903260057		
GILMAN, J D	7903130433		NEDO-24057-1	HALE, C J	7903260074		7903160297
GIRARD, E H	7903280098	50-395		HALL, R E	7903160297	50-206	
GIRARD, E H	7903280124	50-400		HALL, R E	7903210554	50-482	
GIRARD, E H	7903160023	50-390		HALL, R E	7903030074	50-382	
GIRARD, E H	7903280121	50-395		HALL, R E	7903140263	50-445	
GLAGOLA, A F	7903130552			HALL, R E	7903260056		
GLAGOLA, A F	7903080153			HALL, R E	7903260051	50-498	
GLAGOLA, A F	7903070434			HALL, R E	7903260024	50-382	
GLAGOLA, A F	7903070560			HALL, R E	7903210578	50-482	
GLAGOLA, A F	7903210233			HANN, C	7903200067		
GLAGOLA, A F	7903130166			HANNUM, D	7903140286	50-254	
GLAGOLA, A F	7903220439			HANNUM, D	7903290046	50-254	
GLENN, J	7903190347	40-341		HANBELL, D	7903140472	27-39	
GOAD, L F	7903160245	50-275					
GOBEL	7903150372	50-387					

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
HANSELL, D	7903140479	27-39		HERCZEG, J W	7903160304		7903160304
HANSELL, D	7903220405	50-367		HERDT, A R	7903280075	50-280	
HANSEN, P W	7903280353	50-304		HERDT, A R	7903150090	50-518	
HANSEN, W A	7903020270	50-329		HERDT, A R	7903090006	50-566	
HANSEN, W A	7903070049	50-373		HERDT, A R	7903260115	50-369	
HANSEN, W A	7903130033	50-403		HERDT, A R	7903220173	50-400	
HANSON, D J	7903290080		7903290080	HERSCH, M M	7903290254		
HARDIN, A K	7903070469	50-348		HESS, R J	7903090299		
HARDIN, A K	7903130159	50-348		HESS, R J	7903280003		
HARDWICK, R J	7903270604	50-395		HETRICK, D M	7903210499		NUREG/CR-0430
HARDWICK, R J	7903280121	50-395		HEUBNER, L G	7903090376	50-298	
HARGETT, D J	7903050048			HEUTER, L J	7903130373	50-16	
HARGETT, D J	7903070552			HEYER, F H K	7903060349		NUREG/CR-0046 v2
HARGETT, D J	7903130207			HIATT, J W	7903130472	50-409	
HARGETT, D J	7903120129			HIATT, J W	7903140171	50-150	
HARGETT, D J	7903120103			HICKLE, B J	7903190213	50-285	
HARGETT, D J	7903120114			HIGGINS, J C	7903080152	50-289	
HARGETT, D J	7903120122			HIGGINS, J C	7903120481	50-171	
HARMON, D	7903090317			HIGGINS, J C	7903030507	50-213	
HARMON, D	7903090321			HILL, E E	7903220264	50-397	
HARMON, D W	7903080654			HILLIPS, D	7903120335	50-298	
HARPSTER, T L	7903070044	50-263		HINCKLEY, D G	7903130003	50-390	
HARPSTER, T L	7903210054	50-87		HINCKLEY, D G	7903130159	50-348	
HARRISON, D J	7903070388		NUREG/CR-0535	HIND, J A	7903270496	70-36	
HARRIS, C E	7903290185		BAW-10140	HIND, J A	7903050493	70-8	
HARRIS, J L	7903020100	50-448		HIND, J A	7903120274	50-123	
HARRIS, J L	7903230190	50-445		HIND, J A	7903120306	50-186	
HARRIS, J L	7903230194	50-445		HIND, J A	7903090395	50-255	
HARRIS, J R	7903190288	50-289		HIND, J A	7903090401	50-331	
HARRIS, J R	7903200475	50-424		HIND, J A	7903210277		
HARRISON, J	7903130127	50-331		HIND, J A	7903130067	70-36	
HARRISON, J J	7903190041	50-358		HIND, J A	7903220307	50-266	
HARRISON, H C	7903150439	40-8580		HIND, J A	7903270141	50-186	
HARRISON, H C	7903190351	70-157		HIND, J A	7903220447	50-116	
HARTIGAN, J P	7903050344	50-346		HIND, J A	7903220456	70-1308	
HASSAN, H A	7903290305		BAW-10119A	HIROSHIMA, K	7903270360		
HAVERKAMP, D R	7903200243	50-289		HITCHENS, D C	7903200366	50-346	
HAVERKAMP, D R	7903080562	50-289		HOAGLAND, K E	7903020107		NUREG/CF-0380
HAVERKAMP, D R	7903150405	50-289		HOAGLAND, K E	7903060356	50-219	NUREG/CR-0380
HAVERKAMP, D R	7903200273	50-320		HODGES, J W	7903070504	50-369	
HAWKINS, F C	7903130418	50-456		HODGES, J W	7903200177	50-324	
HAWKINS, F C	7903130041	50-461		HODGES, J W	7903260107	70-1201	
HAWKINS, F C	7903130069	50-373		HODGFLING, R R	7903020202	70-2623	
HAWKINS, F C	7903220466			HODGFLING, R K	7903190134	70-2623	
HAYES, D W	7903020270	50-329		HOLLER, T	7903070350	50-254	
HAYES, D W	7903020277	50-358		HOFFMAN	7903150318	50-387	
HAYES, D W	7903120570	50-440		HOFFMAN	7903150322	50-387	
HAYES, D W	7903130466	50-454		HOFFMAN	7903190360	50-387	
HAYES, D W	7903150407	50-373		HOFFMAN	7903150373	50-387	
HAYES, D W	7903150345	50-341		HOLMES, H H	7903140376	50-267	
HAYES, D W	7903010361	50-329		HOLDBY, D J	7903120441	70-371	
HAYES, D W	7903060582	50-546		HOLDBY, D J	7903120038	70-1100	
HAYES, D W	7903130080	50-546		HOLDBY, D J	7903190322	70-1143	
HAYES, D W	7903130021	50-483		HOLDBY, D J	7903200456	50-219	
HAYES, D W	7903130028	50-484		HOLCHAY, C F	7903200126		7903200126
HAYES, D W	7903130418	50-456		HODKER, K	7903130500	50-466	
HAYES, D W	7903130033	50-483		HODKER, K	7903130502	50-466	
HAYES, D W	7903130041	50-461		HODKER, C D	7903230032		NUREG/CR-0554
HAYES, D W	7903130056	50-329		HODPER, D M	7903070385	50-338	
HAYES, D W	7903220519	50-454		HOPPER, C M	7903130084	70-33	
HAYES, D W	7903220466			HOPPER, C M	7903300201	71-9852	Y/DP-244
HAYES, D W	7903220515	50-546		HOPPER, D M	7903300361	50-338	
HAYES, D W	7903220428	50-367		HOPPER, D M	7903070383	50-338	
HAYNES, R C	7903130462	50-508		HORN, H C	7903230285		
HAYNES, R C	7903120499	50-361		HORN, A J	7903080021	50-344	
HAYNES, R C	7903120491	50-361		HOSKY, C M	7903150297	50-321	
HAYNES, R C	7903210025	50-397		HOSKY, C M	7903130142	50-269	
HAYNES, R C	7903120571	50-592		HOWELL, C A	7903090395	50-255	
HAYNES, R C	7903150309	50-361		HOWELL, J C	7903220307	50-266	
HAYNES, R C	7903190071	50-275		HOWELL, J C	7903220456	70-1308	
HAYNES, R C	7903190104	50-361		HOWETT, D H	7903190252	90-336	
HAYNIE, C B	7903300505	71-5907	QRNL/ENG/TM-10	HOYLE, A	7903050043		
HEDER, C W	--	50-452		HOYLE, J	7903070417		
				HOYLE, J	7903220105	50-277	7903220105
				HOYLE, W G	7903140289	50-498	

PERSONAL AUTHOR INDEX

313

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
BUNNICUTT, D M	7903150247			JONES, C E	7903130418	50-456	
BUNNICUTT, D M	7903210403			JORDAN, H	7903120495		NUREG/CR-0632
BUNSTAD, A A	7903120217	50-306		JORDAN, H	7903270056		NUREG/CR-0676
BUNSTAD, A A	7903140319	50-282		JORGENSEN, B L	7903150368	50-255	
BUNSTAD, A A	7903200416	50-306		JOYNER, J H	7903090431	70-371	
BUNT, M D	7903260115	50-369		JOYNER, J H	7903090417	70-371	
BUTLER, M	7903300078	50-445		JOYNER, J H	7903020073	70-1143	
BUTLER, V H	7903210188			JOYNER, J H	7903120441	70-371	
CASTAIN, I	7903130103	50-409	NES 01A0426	JOYNER, J H	7903070296	70-371	
CHITSON, T W	7903120571	50-592		JOYNER, J H	7903060686	70-135	
CHITSON, T W	7903190071	50-275	7903120417	JOYNER, J H	7903070204	70-398	
CLTON, J O	7903120417			JOYNER, J H	7903080420	70-1100	
COHMAN, N I	7903270376			JOYNER, J H	7903130135	50-166	
COHMAN, P W	7903260256	50-219	NEDD-21880	JOYNER, J H	7903140098	70-371	
CRIG, R	7903150384	50-484	NUREG/CR-0794	JOYNER, J H	7903120038	70-1100	
CRAW, R L	7903130341		7903060706	JOYNER, J H	7903090428	70-135	
CRAW, T	7903060706			JOYNER, J H	7903120016	70-1143	
FOULTO, T A	7903290282			JOYNER, J H	7903120026	70-820	
FOULTO, T A	7903020242	50-271		JOYNER, J H	7903130058	70-124	
FOULTO, T A	7903020248	50-271		JOYNER, J H	7903130099	70-1143	
FOULTO, T A	7903130483	50-259		JOYNER, J H	7903140487	50-271	
FOULTO, T A	7903130489	50-259		JOYNER, J H	7903190322	70-1143	
FOULTO, T A	7903150003	50-321		JOYNER, J H	7903260068	70-135	
FOULTO, T A	7903150007	50-321		JOYNER, J H	7903260456	50-219	
FOULTO, T A	7903080530	50-324		JOYNER, J H	7903220478	70-33	
FOULTO, T A	7903080534	50-324		JOYNER, J H	7903300363	70-371	
FOULTO, T A	7903080540	50-324		JOYNER, J H	7903300021	70-135	
FOULTO, T A	7903190006	50-271		JOYNER, J H	7903300276	70-820	
FOULTO, T A	7903190127	50-271		JUST, R A	7903300299	71-5597	ORNL/ENG/TM-3
FOULTO, T A	7903200040	50-324		JUST, R A	7903300308	71-9851	ORNL/ENG/TM-8
FOULTO, T A	7903200042	50-324		JUTRAS, R	7903190280	50-220	
FOULTO, T A	7903200162	50-298		KAHLER, J D	7903130625	70-27	
FOULTO, T A	7903200168	50-298		KALMAN, G	7903070163	50-311	
FOULTO, T A	7903200237	50-333		KALMAN, G	7903300507	50-213	
FOULTO, T A	7903200241	50-333		KAPPLE, A W	7903090266	50-272	
FOULTO, T A	7903200305	50-293		KAPPLE, A W	7903090275	50-272	
FOULTO, T A	7903200312	50-293		KAPPLE, A W	7903130320	50-272	
FOULTO, T A	7903220044	50-259		KAPPLE, A W	7903200428	50-272	
FOULTO, T A	7903220052	50-259		KAPPLE, A W	7903270367	50-272	
FOULTO, T A	7903220029	50-254		KAPPLE, A W	7903280343	50-272	
FOULTO, T A	7903220030	50-254		KAPPLE, A W	7903300302	50-272	
FOULTO, T A	7903220034	50-254		KAPPLE, A W	7903300406	50-272	
FOULTO, T A	7903220413	50-277		KARMAN, M	7903050165	50-454	
FOULTO, T A	7903220419	50-277		KARMAN, M	7903060295	50-456	
FOULTO, T A	7903200086	50-366		KAMULA, L	7903210107	50-3	
FOULTO, T A	7903200123	50-277		KAZIMI, H S	7903120446		7903120446
FOULTO, T A	7903200125	50-277		KEANE, S E	7903130515	50-305	
FOULTO, T A	7903200138	50-321		KEEFER, C B	7903080338	50-317	CEN-103(B)-NP
FOULTO, T A	7903200147	50-321		KEENAN, R P	7903140242		
FOULTO, T A	7903200080	50-366		KEHOE, D	7903120594	50-213	
FOULTO, T A	7903210515	50-366		KEHOE, D V	7903300528	50-311	
FOULTO, T A	7903210520	50-366		KEIL	7903150374	50-387	
FOULTO, T A	7903220444	50-220		KEIMIO, R R	7903130596	50-272	
FOULTO, T A	7903260062	50-298		KEIMIO, R R	7903200243	50-289	
FOULTO, T A	7903260066	50-298		KEIMIO, R R	7903150450	50-289	
FOULTO, T A	7903260184	50-254		KEIMIO, R R	7903070089	50-286	
FOULTO, T A	7903300292	50-220		KEIMIO, R R	7903080562	50-289	
FOULTO, T A	7903300294	50-220		KEIMIO, R R	7903070155	50-334	
FOULTO, T A	7903130016	50-373		KEIMIO, R R	7903130182	50-317	
FOULTO, T A	7903070479	50-331		KEIMIO, R R	7903080025	50-272	
FOULTO, T A	7903200502	40-4492		KEIMIO, R R	7903140066	50-272	
FOULTO, T A	7903190575		NUREG/CR-0385	KEIMIO, R R	7903140445	50-247	
FOULTO, T A	7903200214	50-352		KEIMIO, R R	7903150141	50-213	
FOULTO, T A	7903210017	50-311		KEIMIO, R R	7903140431	50-317	
FOULTO, T A	7903010050	50-327		KEIMIO, R R	7903200293	50-320	
FOULTO, T A	7903260089	50-259		KEIMIO, R R	7903270314	50-247	
FOULTO, T A	7903300102	50-445		KEIMIO, R R	7903300327	50-219	
FOULTO, T A	7903130439			KEIMIO, R R	7903210174		
FOULTO, T A	7903150129		NEDD-24057-1	KEIMIO, R R	7903210328		
FOULTO, T A	7903150125		7903150129	KEIMIO, R R	7903070417		
FOULTO, T A	7903070436		7903150125	KEIMIO, R R	7903020188		
FOULTO, T A	7903080350		NUREG/CR-0519	KEIMIO, R R	7903070177	50-327	
FOULTO, T A	7903190213	50-285	NUREG/CR-0511	KEIMIO, R R	7903190187	50-302	
FOULTO, T A	7903210007	40-791		KELLOGG, P J	7903050545		
FOULTO, T A	7903130070		NUREG/CR-0127 VI&2	KENNEDY, R T	7903080410		
FOULTO, T A	7903280087	50-261		KENNEDY, R T	7903080505		
FOULTO, T A	7903220023		XN-NF-78-30	KENNEDY, R T	7903020003		
FOULTO, T A	7903300343	50-245		KENNEDY, R T	7903020008		
FOULTO, T A	7903140364	50-245		KENNEDY, R T	7903080606		
FOULTO, T A	7903070160	50-454		KENNEDY, R T	7903010373		
FOULTO, T A	7903060411	50-305		KENNEDY, R T	7903080597		
FOULTO, T A	7903220116	50-344		KENNEDY, R T	7903080600		
FOULTO, T A	7903220274			KENNEDY, R T	7903080607		
FOULTO, T A	7903140376	50-267		KENNEDY, R T	7903080595		
FOULTO, T A	7903060005	50-344		KENNEDY, R T	7903140208		
FOULTO, T A	7903140029	50-317		KENNEDY, R T	7903080604		
FOULTO, T A	7903140431	50-317		KENNEDY, R T	7903080632		
FOULTO, T A	7903080562	50-289		KENNEDY, R T	7903080646		
FOULTO, T A	7903130182	50-317		KENNEDY, R T	7903080607		
FOULTO, T A	7903140131	50-298		KENNEDY, R T	7903200508		
FOULTO, T A	7903200577	50-285		KENNEDY, R T	7903200849		
FOULTO, T A	7903150193	50-285		KENNEDY, R T	7903200842		
FOULTO, T A	7903300026	50-298		KENNEDY, R T	7903200559		
FOULTO, T A	7903210374			KENNEDY, R T	7903200350		
FOULTO, T A	7903220058	50-133		KENNEDY, R T	7903200285	50-320	
FOULTO, T A	7903300349	50-397		KEPPORD, C	7903150200	50-277	
FOULTO, T A	7903130346	50-113		KERR, W	7903050557		
FOULTO, T A	7903080021	50-344		KERR, W	7903130285		
FOULTO, T A	7903090002	50-312		KETCHEN, E O	7903060667	70-2623	
FOULTO, T A	7903140315	50-285		KETCHEN, E O	7903060714	70-2623	
FOULTO, T A	7903140653		7903140653	KETCHEN, E O	7903140163	70-2623	
FOULTO, T A	7903160080		7903160080	KETCHEN, E O	7903160168	70-2623	
FOULTO, T A	7903070099		NUREG/CR-0401	KETCHEN, E O	7903210241	70-2623	
FOULTO, T A	7903300229	50-193		KETCHEN, E O	7903190564	50-275	
FOULTO, T A	7903090340	50-245		KETCHEN, E O	7903190541	50-275	
FOULTO, T A	7903230040	70-1201		KEY, W J	7903130127	50-331	
FOULTO, T A	7903130080	50-546					

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
KIDD, M S	7903130200	50-338		LENAHAN, J J	7903080440	50-518	
KINNEY, W W	7903120048	50-201		LENGEL, R A	7903060204	50-320	
KIRKSCY, K A	7903070195		7903070195	LENGEL, R A	7903060462	50-320	
KIRKSCY, K A	7903200114		7903200114	LENGEL, R A	7903070334	50-320	
KIRSCH, D F	7903130462	50-508		LENGEL, R A	7903120224	50-320	
KIRSCH, D F	7903120499	50-361		LENGEL, R A	7903160223	50-320	
KIRSCH, D F	7903190071	50-275		LETTENHAUER, D P	7903120979		NUREG/CR-0552
KISTER, H	7903120594	50-213		LEVINE, J M	7903020330	50-213	
KISTER, H B	7903210013	50-311		LEVINE, J M	7903200423	50-213	
KISTER, H B	7903290202	50-220		LEVINE, D L	7903210240	71-5552	ORNL/ENG/TH-5
KISTER, H B	7903300007	50-311		LEVINE, D L	7903300299	71-5597	ORNL/ENG/TH-3
KISTER, H B	7903300528	50-311		LEWALD, G H	7903140183	50-471	
KLIMBERG, S B	7903260178	50-596		LEWIS, S R	7903010290	50-267	
KNAPP	7903150335	50-387		LEWIS, S R	7903010288	50-269	
KNAPP, P S	7903060082	50-293		LEWIS, S R	7903020320	50-269	
KNOP, R C	7903130016	50-373		LEWIS, S R	7903140329	50-269	
KNOP, R C	7903200196	50-358		LEWIS, S R	7903150282	50-269	
KNOP, R C	7903070513	50-254		LEWIS, S R	7903190201	50-269	
KNOP, R C	7903070317	50-254		LEWIS, S H	7903220287	50-549	
KNOP, R C	7903070479	50-331		LEWIS, R C	7903060396	50-250	
KNOP, R C	7903080070	50-346		LEWIS, R C	7903010366	50-369	
KNOP, R C	7903130150	50-254		LEWIS, R C	7903070522	50-280	
KNOP, R C	7903190015	50-10		LEWIS, R C	7903270560	50-321	
KNOP, R C	7903220418	50-493		LIAH, B D	7903130077		NUREG-0523
KNOTT, J B	7903150350	50-445		LIKE, I	7903130072	50-516	
KNOTT, J B	7903150178	50-445		LIKE, I	7903140424	50-322	
KNOTT, J B	7903200277	50-445		LIKE, I	7903140429	50-322	
KNOTT, J B	7903200287	50-445		LIKE, I	7903210318	50-322	
KNOTT, J B	7903020202	70-2623		LILLY, G M	7903150332		WCAP 8587 REV 2
KOCH	7903130320	50-387		LINGENFELTER, J	7903070319	50-346	
KOCH	7903150321	50-387		LISTER, D M	7903070436		NUREG/CR-0519
KOCHER, C R	7903150362	50-361		LISTER, D M	7903080350		NUREG/CR-0511
KOHLER, J E	7903070506	50-334		LITTEL, H E	7903140581		7903140581
KOHLER, J E	7903130330	50-255		LITTLE, W S	7903130270	50-282	
KOHLER, J E	7903220407			LITTLE, D S	7903150181	50-522	
KOLTAY, P S	7903090379	50-271		LITTLE, D S	7903160123	50-522	
KOLTAY, P S	7903140303	50-311		LITTLE, D S	7903210251	50-522	
KONKLIN, J E	7903120570	50-440		LITTLE, W S	7903150059	50-346	
KONKLIN, J E	7903130456	50-454		LITTLE, W S	7903140595	50-409	
KONKLIN, J E	7903220519	50-454		LITTLE, W S	7903210054	50-87	
KODI, M	7903070346	50-254		LITTLE, W S	7903280044	50-254	
KODI, M	7903070386	50-254		LITTLE, W S	7903280054	50-150	
KOPACZ, J	7903070354	50-254		LOCK, R F	7903050416	50-133	
KOPACZ, J	7903160221	50-265		LORENZ, A W	7903050367	50-133	420-7B 120
KOPACZ, J	7903270092	50-254		LORENZ, R W	7903050366	50-133	
KOPACZ, J	7903280353	50-254		LOSS, F J	7903130255		7903130255
KOTTAN, J J	7903120085	50-286		LOWERRE, R W	7903220074	50-445	
KOTTAN, J J	7903120528	50-309		LOWERRE, R W	7903210307	50-498	
KOTTAN, J J	7903130085	50-3		LOYLKA, S K	7903300536		
KOVACH, S A	7903230170	50-346		LU, M S	7903220105	50-277	7903220105
KOVACH, S A	7903060474	50-346		LUCK, A D	7903270181	40-8721	
KRAAB, I H	7903070388		NUREG/CR-0535	LUDEWIG, H	7903280239		7903280239
KRESS, T B	7903060163		NUREG/CR-0482	LUEDEKE, E A	7903200530	70-2623	
KRISTOVICH, S	7903090035	50-275		LUTON, E	7903070025	50-70	
KRISTOVICH, S	7903090136	50-275		LUTON, E	7903260357	50-502	
KROGER, P O	7903210284		7903210284	LUTON, E	7903300254	50-344	
KRYTER, R C	7903210524		NUREG/CR-0525	MACAGNO, E O	7903150101	50-348	7903150101
KUBO, H	7903090305			MACDONALD, C E	7903090025	71-9125	
KUBO, H	7903290269			MACDONALD, C E	7903060635	71-9033	
KUSHNER, W L	7903300021	70-135		MACDONALD, C E	7903160074		
KUSHNER, W L	7903120016	70-1143		MACDONALD, C E	7903220501	71-9098	
LAATS, E T	7903060150		NUREG/CR-0555	MACDONALD, C E	7903280333	71-5916	
LADUN, R H	7903300280	50-5		MADDEN, W	7903150136	50-213	
LADUN, R H	7903130520	50-201		MADEBA, T J	7903020417	50-373	
LADUN, R H	7903120031	50-20		MADEBA, T J	7903090401	50-331	
LAHEY, R T	7903020091		NUREG/CR-0580	MADEBA, T J	7903210277		
LAI, J	7903160304		7903160304	MADISON, S R	7903070404	50-549	
LAINAS, O	7903200467	50-237		MADISON, W R	7903190178	50-338	
LAINAS, O	7903130096	50-409		MADSEN, O L	7903140131	50-298	
LAJEDNE, L J	7903260284	50-295		MADSEN, O L	7903200577	50-285	
LANDREY, B T	7903220116	50-344		MADSEN, O L	7903220320	50-313	
LANTZ, P M	7903200126		7903200126	MADSEN, O L	7903060500	50-59	
LAWROSKI, S	7903060957			MADSEN, O L	7903050349	50-274	
LAWROSKI, S	7903130282			MADSEN, O L	7903150186	50-285	
LAWROSKI, S	7903200521			MADSEN, O L	7903150193	50-285	
LAWROSKI, S	7903220479			MADSEN, O L	7903230028	50-72	
LAZARUS, H J	7903120516	50-309		MADSEN, O L	7903070547	50-267	
LAZARUS, H J	7903150141	50-213		MADSEN, O L	7903230075	50-407	
LAZO, R M	7903050042	50-382		MADSEN, O L	7903300026	50-298	
LAZO, R M	7903080580	50-305		MAKEPEACE, J M	7903060217	50-247	
LAZO, R M	7903080519	50-592		MAKEPEACE, J M	7903090200	50-247	
LAZO, R M	7903140574	50-250		MAKEPEACE, J M	7903090202	50-247	
LAZO, R M	7903280153	50-592		MORTON, K V	7903230005		
LAZO, R M	7903220290	50-369		MORTON, K V	7903070058		
LEASE, R B	7903060237	50-315		MORTON, K V	7903050031		
LEASE, R B	7903190316	50-315		MORTON, K V	7903050041		
LEBO, C D	7903070869			MORTON, K V	7903010055		
LEBO, C D	7903210221			MORTON, K V	7903050037		
LEBO, C D	7903070541			MORTON, K V	7903140032		
LEBO, C J	7903070196			MORTON, K V	7903070064		
LEBO, C D	7903070407			MORTON, K V	7903140072		
LEBO, C D	7903070507			MORTON, K V	7903230013		
LEBO, C D	7903080156			MORTON, K V	7903230010		
LEE, E W	7903130047	50-237		MORTON, K V	7903010014		
LEE, E W K	7903190493	50-454		MORTON, K V	7903060624		
LEE, K W	7903270056		NUREG/CR-0676	MORTON, K V	7903070070		
LEE, T. D.	7903120444	70-143		MORTON, K V	7903140048		
LEED, R M	7903070563	50-522		MORTON, K V	7903130451		
LEED, R M	7903200053	50-522		MORTON, K V	7903140061		
LEEDS, J V	7903080536	50-400		MORTON, K V	7903070455		
LEEDS, J V	7903080539	50-400		MORTON, K V	7903120076		
LEEDS, J V	7903090084	50-400		MORTON, K V	7903120079		
LEEDS, J V	7903160252	50-400		MORTON, K V	7903050054		
LEFF, B	7903070388		NUREG/CR-0335	MORTON, K V	7903230016		
LEIDL, R J	7903130522	50-498		MORTON, K V	7903230070		
LEIDL, R J	7903140601	50-498		MORTON, K V	7903230238		
LEIDL, R J	7903140642	50-498					

PERSONAL AUTHOR INDEX

315

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
MORTON, K V	7903120087			MCCABE, E C	7903020046	50-271	
MOSLEY, N C	7903060652	50-311		MCCABE, E C	7903010482	50-5	
MOWRY, W R	7903060701			MCCABE, E C	7903130241	50-334	
MOWRY, W R	7903050444			MCCABE, E C	7903070115	50-220	
MOWRY, W R	7903060610			MCCABE, E C	7903130011		
MOWRY, W R	7903080626			MCCABE, E C	7903130329	50-134	
MOWRY, W R	7903140236			MCCABE, E C	7903140033	50-322	
MULLERN, D R	7903230032		NUREG/CR-0554	MCCABE, E C	7903140146	50-277	
MURPHY, E S	7903130070		NUREG/CR-0129 VI&2	MCCABE, E C	7903290289	50-219	
MURPHY, T D	7903080297	50-549		MCCABE, E C	7903300444	50-225	
MURRAY, R	7903070363	50-254		MCCABE, E C	7903300352	50-277	
MURRAY, R	7903140214	50-254		MCCARTHY, M	7903120166		
MURRAY, B	7903060900	50-59		MCCARTY, C M	7903210102	50-219	
MYERS, D P	7903220102	50-400		MCLINTOCK, R D	7903190356	40-341	
MYNATT, F R	7903150293		7903150253	MCLINTOCK, R D	7903190347	40-341	
MYNATT, A	7903060618			MCCOOL, W B	7903230183		
MYNATT, A	79030906029			MCDONALD, H	7903290023	50-250	
MYNATT, W A	7903140043			MCDONALD, J A	7903070177	50-327	
MYNATT, A	7903130442			MCDONELL-BDYER	7903140658		7903140658
MYRABO, A L	7903120282	50-263		MCELROY, W N	7903200121		7903200121
NACCARATO, V J	7903190468	50-568		MCELROY, W N	7903220108		7903220108
NAGATA, P K	7903160311		7903160311	MCGARRY, C D	7903020128		7903020128
NAIDU, K R	7903020277	50-358		MCGARRY, J M	7903070423	70-2623	
NAIDU, K R	7903140570	50-440		MCGARRY, J M	7903070571	70-2623	
NAIDU, K R	7903010361	50-329		MCGARRY, J M	7903200265	50-488	
NAIDU, K R	7903280519	50-454		MCGARRY, J M	7903270181	70-2623	
NAIDU, K R	7903260119	50-341		MCGARREN, H J	7903140285	50-382	
NAKATO, T	7903150101	50-348	7903150101	MCGAUGHY, R W	7903140019	50-272	
NAPUDA, Q	7903120594	50-213		MCGAUGHY, R W	7903140089	50-311	
NAPUDO, Q	7903300528	50-311		MCGAUGHY, R W	7903010048	50-322	
NAKEPEACE, J M	7903090205	50-247		MCGAUGHY, R W	7903130253	50-311	
NAKEPEACE, J M	7903090210	50-247		MCGAUGHY, R W	7903080002	50-387	
NAKEPEACE, J M	7903220208	50-247		MCGAUGHY, R W	7903260140	50-443	
NAKEPEACE, J M	7903220214	50-247		MCGAUGHY, R W	7903120004	50-549	
NALINAUSKAS, A	7903070285		NUREG/CR-0493	MCGAUGHY, R W	7903120525	50-363	
NALLEN, A	7903200239		7903200239	MCGAUGHY, R W	7903130167	50-293	
NALMROS, M H	7903300347	50-344		MCGAUGHY, R W	7903200576	50-410	
NALMROS, M H	7903080005	50-344		MCGAUGHY, R W	7903200310	50-363	
NALMROS, M H	7903050341	50-321		MCGAUGHY, R W	7903200313	50-443	
NANRY, M	7903170118	50-321		MCGAUGHY, R W	7903300055	50-443	
NANRY, J C	7903200485			MCGAUGHY, R W	7903130042	50-315	
NARK, J C	7903130205			MCGURRAN, H J	7903060707	50-498	
NARKHORTH, A J	7903230013		NUREG/CR-0652	MCGURRAN, H J	7903140296	50-382	
NARKHORTH, A J	7903230031		NUREG/CR-0652	MCGURRAN, H J	7903140302	50-382	
NARLEY, J	7903270600	50-344		MCKEDOWN, L	7903300357	70-1143	
NARLEY, J	7903050314	50-344		MCKEDOWN, L	7903120533	50-219	
NARLEY, J M	7903130400	50-344		MCKEDOWN, L	7903130520	50-201	
NARLEY, J W	7903230168	50-344		MENATT, T D	7903080094	50-320	
NARRACK, D	7903210316	50-466		MENATT, T Q	7903150141	50-213	
NARRACK, D	7903140051	50-466		MENATT, T Q	7903200447	50-311	
NARRIOTT, P W	7903260256	50-219	NEDO-21888	MENITILL, W M	7903150142		
NARGHALL, C W	7903230015		NUREG/CR-0652	MENITILL, W M	7903150038		
MARSHALL, C W	7903230031		NUREG/CR-0652	MENITILL, W M	7903200166		
MARINEZ, J P	7903260169			MENULTY, A	7903120109		
MARTINSON, T R	7903060706		7903060706	MENULTY, A	7903120102		
MARTIN, R A	7903230029		NUREG/CR-0521	MENULTY, A	7903120119		
MARTIN, W D	7903070002	50-275		MENULTY, A	7903050003	27-39	
MARTIN, W F	7903060008	50-275		MENULTY, A	7903130093	50-261	
MARTIN, W F	7903070006	50-275		MENULTY, A	7903020117		7903020117
MARTIN, W L	7903080025	50-275		MENULTY, A	7903140395	50-361	
MARTIN, W G	7903080025	70-820		MEDROW, A K	7903150126		
MARTIN, R D	7903010355	50-366		MEDROW, L A K	7903010003		
MARTIN, R D	7903040141	50-390		MEDROW, L A K	7903130569		
MARTIN, R D	7903080066	50-369		MEDROW, L A K	7903150220		
MARTIN, R D	7903130214	50-327		MEDROW, L A	7903130213		
MARTIN, R D	7903140536	50-366		MEISS, R L	7903090414	50-564	
MARTIN, R D	7903140946	50-348		MELCHIOR	7903150318	50-387	
MASCIULLI, S	7903200373	50-3		MELCHIOR	7903150316	50-387	
MASSE, R I	7903150059	50-346		MELNICKOFF, M A	7903160251	50-304	
MATHEWS, T R	7903280326	50-305		MELNICKOFF, M A	7903290039	50-304	
MATHIS, H I	7903300178	71-276		MENCZER, W B	7903070003		
MATHIS, C J	7903300182	50-293		MENCZER, W B	7903070518		
MATHIS, W	7903130282			MENCZER, W B	7903210242		
MATSON, V	7903080096			MENCZER, W B	7903300002		
MATSON, V	7903140248			MENCZER, W B	7903300016		
MATSON, V	7903190352			MERGON, S D	7903210012	50-317	
MATSON, V	7903270153			MERNICKI, M J	7903220212	50-317	
MATSON, V	7903290262			MERNICKI, M J	7903090175	50-318	
MATT, P K	7903150597			MERNICKI, M J	7903090268	50-318	
MATT, P K	7903260157			MHURBKY, J A	7903140395	50-361	
MATTIA, M J	7903080088			MILHOLLIN, G L	7903140413	50-272	
MATTIA, M J	7903300559			MILHOLLIN, G L	7903140416	50-272	
MATTIA, M J	7903200055			MILLER, G E	7903270389	50-326	
MATTIA, M J	7903200064			MILLER, R B	7903150332		WCAP 8567 REV 2
MATTIA, M J	7903200077			MILLER, L K	7903160108	50-272	
MATTIA, M J	7903200029			MILLER, M E	7903130055	50-445	
MATTIA, M J	7903200039			MILLER, M E	7903080048	70-2623	
MATTIA, M J	7903280421			MILLER, M E	7903070007	50-445	
MATTIA, M J	7903070558			MILLER, M E	7903070009	50-344	
MATTIA, M J	7903130572			MILLER, M E	7903080196	70-2623	
MATTIA, M J	7903120056			MILLER, M E	7903080529	50-445	
MATTIA, M J	7903150283			MILLER, M E	7903130503	70-2623	
MATTIA, M J	7903170267			MILLER, M E	7903150108	50-445	
MATTIA, M J	7903200023			MILLER, M E	7903160318	50-344	
MATTIA, J C	7903130021	50-483		MILLER, M E	7903140608	50-445	
MATTIA, J C	7903130028	50-484		MILLER, M E	7903140645	50-445	
MATTIA, J C	7903070158	50-482		MILLER, M E	7903150378	50-445	
MAURA, F	7903070078	50-373		MILLER, M E	7903160307	50-445	
MAURA, F	7903150168	50-358		MILLER, M E	7903220388	50-445	
MAYNELL, U F	7903260428	50-367		MILLER, M E	7903220305	50-344	
MAY, E L	7903080312	50-29		MILLER, M E	7903260131	50-445	
MAY, E L	7903170349		NUREG/CR-0584	MILLER, M E	7903220244	50-445	
MAYFIELD, M E	7903120500		8AH-10119A	MILLER, M E	7903260145		
MAYS, C W	7903270203	50-488		MILLER, M E	7903200330	70-2623	
MCAULAY, H P	7903150112	50-237		MILLER, M E	7903300241	50-445	
MCBREARTY, R A	7903200170	50-54		MILLER, M E	7903280070	70-2623	
MCCABE, E C	7903090440			MILLER, W H	7903130224	50-339	

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
MILLER, D E	7903190331	50-263		OPLINGER, G G	7903050470		
MILLER, D E	7903070529	50-341		OPLINGER, G G	7903050473		
MILLER, L F	7903020265	50-206		OPLINGER, G G	7903050476		
MILLER, L F	7903120467	50-139		OPLINGER, G G	7903050478		
MILLER, L F	7903090202	50-312		OPLINGER, G G	7903050482		
MILLER, L F	7903190094	50-361		OPLINGER, G G	7903050489		
MILLSAP, W J	7903270437	70-1201		OPLINGER, G G	7903050491		
MINGOUE, R B	7903220047	50-133	SECY-78-624	OPLINGER, G G	7903050507		
MINGOUE, R B	7903060613		SECY-79-23	OPLINGER, G G	7903050508		
MINGOUE, R B	7903070082			OPLINGER, G G	7903050508a		
MINGOUE, R B	7903260241			OPLINGER, G G	7903050508b		
MINGOUE, R B	7903260241			OPLINGER, G G	7903050508c		
MISHIMA, J	7903210544	70-364	SECY-79-105	OPLINGER, G G	7903070091		
MITCHELL, D G	7903160157	50-289	PHL-2812	OPLINGER, G G	7903070119		
MITCHELL, D G	7903290134	50-289		OPLINGER, G G	7903070086		
MOALIM, D	7903270085			OPLINGER, G G	7903070403		
MOALIM, D	7903270132			OPLINGER, G G	7903070418		
MODENOS, L	7903060379	50-438	NUREG/CR-0669	OPLINGER, G G	7903070426		
MODENOS, I	7903220239	50-393	NUREG/CR-0669	OPLINGER, G G	7903070400		
MODROW, L A	7903150124			OPLINGER, G G	7903070416		
MOELLER, D W	7903060557			OPLINGER, G G	7903070421		
MOELLER, D	7903200485			OPLINGER, G G	7903090112		
MOGULESKO, F J	7903060143	50-293		OPLINGER, G G	7903070502		
MOHR, C M	7903150129		7903150129	OPLINGER, G G	7903070507		
MOHR, C M	7903150125		7903150125	OPLINGER, G G	7903070419		
MOLLETT, S A	7903140060			OPLINGER, G G	7903090111		
MONDEN, T	7903090256			OPLINGER, G G	7903090329		
MOORE, J B	7903140547	50-361		OPLINGER, G G	7903090371		
MOORE, J E	7903220287	50-549		OPLINGER, G G	7903090331		
MOORE, D E	7903130260	50-269		OPLINGER, G G	7903090349		
MORGAN, W E	7903090324	40-7783		OPLINGER, G G	7903090342		
MORGAN, W E	7903190443	40-7783		OPLINGER, G G	7903090445		
NARROW, L	7903120525	50-363		OPLINGER, G G	7903090450		
NARROW, L	7903200576	50-410		OPLINGER, G G	7903090455		
NARROW, L	7903200310	50-363		OPLINGER, G G	7903090457		
NAYLOR, R	7903200353	50-346		OPLINGER, G G	7903090463		
NAYLOR, R	7903260227	50-346		OPLINGER, G G	7903090464		
NECHODOM, W S	7903120169			OPLINGER, G G	7903090467		
NECHODOM, W S	7903060664			OPLINGER, G G	7903090468		
NECKOLITCH, J A	7903300157	50-549		OPLINGER, G G	7903090469		
NEISLER, J H	7903150407	50-373		OPLINGER, G G	7903090470		
NEISLER, J H	7903220466			OPLINGER, G G	7903090471		
NEPOM, D L	7903150390	50-344		OPLINGER, G G	7903090472		
NEWMAN, J R	7903070154	50-466		OPLINGER, G G	7903090473		
NEWMAN, J R	7903210319	50-466		OPLINGER, G G	7903090474		
NEWMAN, J R	7903220317	50-498		OPLINGER, G G	7903090475		
NG, W	7903070092		NUREG/CR-0357	OPLINGER, G G	7903090476		
NICHOLAS, H H	7903130596	50-272		OPLINGER, G G	7903090477		
NICHOLAS, H H	7903080025	50-272		OPLINGER, G G	7903090478		
NICHOLAS, H H	7903200447	50-311		OPLINGER, G G	7903090479		
NIX, R T	7903190172	50-366		OPLINGER, G G	7903090480		
NIX, R T	7903270352	50-321		OPLINGER, G G	7903090481		
NIX, R T	7903300247	50-321		OPLINGER, G G	7903090482		
NIX, R T	7903300255	50-321		OPLINGER, G G	7903090483		
NOCHODOM, W S	7903080659			OPLINGER, G G	7903090484		
NOHARA, T	7903290144			OPLINGER, G G	7903090485		
NORELIUS, C E	7903090061	50-331		OPLINGER, G G	7903090486		
NORRIS, L J	7903130596	50-272		OPLINGER, G G	7903090487		
NORRIS, L J	7903080025	50-272		OPLINGER, G G	7903090488		
NORRIS, L J	7903140066	50-272		OPLINGER, G G	7903090489		
NORTH, H S	7903020299	50-133		OPLINGER, G G	7903090490		
NORTH, H S	7903060341	50-528		OPLINGER, G G	7903090491		
NORTH, H S	7903190081	50-275		OPLINGER, G G	7903090492		
NORTH, H S	7903260082	50-323		OPLINGER, G G	7903090493		
NORTH, S	7903280103	50-406		OPLINGER, G G	7903090494		
NORTON, J F	7903070077			OPLINGER, G G	7903090495		
NORTON, J F	7903080664			OPLINGER, G G	7903090496		
NORTON, J	7903080628			OPLINGER, G G	7903090497		
NORTON, J	7903080631			OPLINGER, G G	7903090498		
NORTON, J	7903080640			OPLINGER, G G	7903090499		
NORTON, J	7903210164			OPLINGER, G G	7903090500		
NORTON, J F	7903300558			OPLINGER, G G	7903090501		
O'BRIEN, J H	7903140568		7903140588	OPLINGER, G G	7903090502		
O'CONNOR, J M	7903290048		7903290048	OPLINGER, G G	7903090503		
O'REILLY, J P	7903140008	70-1113		OPLINGER, G G	7903090504		
OSBERG, C R	7903210594	50-482		OPLINGER, G G	7903090505		
OSBERG, C A	7903070168	50-482		OPLINGER, G G	7903090506		
OSBAGADO, A	7903130103	50-409	NES B1A0426	OPLINGER, G G	7903090507		
ODOM, T R	7903220241	71-9090	KY-697	OPLINGER, G G	7903090508		
OESTMANN, M J	7903070111	50-282		OPLINGER, G G	7903090509		
OH, R E	7903140001		NUREG/CR-0499	OPLINGER, G G	7903090510		
OKRENT, D	7903200921			OPLINGER, G G	7903090511		
OKRENT, D	7903300491			OPLINGER, G G	7903090512		
OKRENT, D	7903030488			OPLINGER, G G	7903090513		
OLLER, R E	7903020305			OPLINGER, G G	7903090514		
OLLER, R E	7903060012			OPLINGER, G G	7903090515		
OLLER, R E	7903150209			OPLINGER, G G	7903090516		
OLLER, R E	7903150192			OPLINGER, G G	7903090517		
OLLER, R E	7903020060			OPLINGER, G G	7903090518		
OLMSTEAD, W J	7903110515	50-305		OPLINGER, G G	7903090519		
OLMSTEAD, W J	7903130517	50-305		OPLINGER, G G	7903090520		
OLMSTEAD, W J	7903060411	50-305		OPLINGER, G G	7903090521		
OLSON, D J	7903290080		7903290080	OPLINGER, G G	7903090522		
ONSDORFF, K A	7903150219	50-477		OPLINGER, G G	7903090523		
ONSDORFF, K A	7903150234	50-272		OPLINGER, G G	7903090524		
ONSDORFF, K A	7903220097	50-437		OPLINGER, G G	7903090525		
OPEKA, J F	7903200376	50-245		OPLINGER, G G	7903090526		
OPEKA, J F	7903200371	50-245		OPLINGER, G G	7903090527		
OPLINGER, G G	7903010839			OPLINGER, G G	7903090528		
OPLINGER, G G	7903010842			OPLINGER, G G	7903090529		
OPLINGER, G G	7903010835			OPLINGER, G G	7903090530		
OPLINGER, G G	7903010847			OPLINGER, G G	7903090531		
OPLINGER, G G	7903020485			OPLINGER, G G	7903090532		
OPLINGER, G G	7903020388			OPLINGER, G G	7903090533		
OPLINGER, G G	7903020410			OPLINGER, G G	7903090534		
OPLINGER, G G				OPLINGER, G G	7903090535		
OPLINGER, G G				OPLINGER, G G	7903090536		
OPLINGER, G G				OPLINGER, G G	7903090537		
OPLINGER, G G				OPLINGER, G G	7903090538		
OPLINGER, G G				OPLINGER, G G	7903090539		
OPLINGER, G G				OPLINGER, G G	7903090540		
OPLINGER, G G				OPLINGER, G G	7903090541		
OPLINGER, G G				OPLINGER, G G	7903090542		
OPLINGER, G G				OPLINGER, G G	7903090543		
OPLINGER, G G				OPLINGER, G G	7903090544		
OPLINGER, G G				OPLINGER, G G	7903090545		
OPLINGER, G G				OPLINGER, G G	7903090546		
OPLINGER, G G				OPLINGER, G G	7903090547		
OPLINGER, G G				OPLINGER, G G	7903090548		
OPLINGER, G G				OPLINGER, G G	7903090549		
OPLINGER, G G				OPLINGER, G G	7903090550		
OPLINGER, G G				OPLINGER, G G	7903090551		
OPLINGER, G G				OPLINGER, G G	7903090552		
OPLINGER, G G				OPLINGER, G G	7903090553		
OPLINGER, G G				OPLINGER, G G	7903090554		
OPLINGER, G G				OPLINGER, G G	7903090555		
OPLINGER, G G				OPLINGER, G G	7903090556		
OPLINGER, G G				OPLINGER, G G	7903090557		
OPLINGER, G G				OPLINGER, G G	7903090558		
OPLINGER, G G				OPLINGER, G G	7903090559		
OPLINGER, G G				OPLINGER, G G	7903090560		
OPLINGER, G G				OPLINGER, G G	7903090561		
OPLINGER, G G				OPLINGER, G G	7903090562		
OPLINGER, G G				OPLINGER, G G	7903090563		
OPLINGER, G G				OPLINGER, G G	7903090564		
OPLINGER, G G				OPLINGER, G G	7903090565		
OPLINGER, G G				OPLINGER, G G	7903090566		
OPLINGER, G G				OPLINGER, G G	7903090567		
OPLINGER, G G				OPLINGER, G G	7903090568		
OPLINGER, G G				OPLINGER, G G	7903090569		
OPLINGER, G G				OPLINGER, G G	7903090570		
OPLINGER, G G				OPLINGER, G G	7903090571		
OPLINGER, G G				OPLINGER, G G	7903090572		
OPLINGER, G G				OPLINGER, G G	7903090573		
OPLINGER, G G				OPLINGER, G G	7903090574		
OPLINGER, G G				OPLINGER, G G	7903090575		
OPLINGER, G G				OPLINGER, G G	7903090576		
OPLINGER, G G				OPLINGER, G G	7903090577		
OPLINGER, G G				OPLINGER, G G	7903090578		
OPLINGER, G G				OPLINGER, G G	7903090579		
OPLINGER, G G				OPLINGER, G G	7903090580		
OPLINGER, G G				OPLINGER, G G	7903090581		
OPLINGER, G G				OPLINGER, G G	7903090582		
OPLINGER, G G				OPLINGER, G G	7903090583		
OPLINGER, G G				OPLINGER, G G	7903090584		
OPLINGER, G G				OPLINGER, G G	7903090585		
OPLINGER, G G				OPLINGER, G G	7903090586		
OPLINGER, G G				OPLINGER, G G	7903090587		
OPLINGER, G G				OPLINGER, G G	7903090588		
OPLINGER, G G				OPLINGER, G G	7903090589		
OPLINGER, G G				OPLINGER, G G	7903090590		
OPLINGER, G G				OPLINGER, G G	7903090591		
OPLINGER, G G				OPLINGER, G G	7903090592		
OPLINGER, G G				OPLINGER, G G	7903090593		
OPLINGER, G G				OPLINGER, G G	7903090594		
OPLINGER, G G				OPLINGER, G G	7903090595		
OPLINGER, G G				OPLINGER, G G	7903090596		
OPLINGER, G G				OPLINGER, G G	7903090597		
OPLINGER, G G				OPLINGER, G G	7903090598		
OPLINGER, G G				OPLINGER, G G	7903090599		
OPLINGER, G G				OPLINGER, G G	7903090600		
OPLINGER, G G				OPLINGER, G G	7903090601		
OPLINGER, G G				OPLINGER, G G	7903090602		
OPLINGER, G G				OPLINGER, G G	7903090603		
OPLINGER, G G				OPLINGER, G G	7903090604		
OPLINGER, G G				OPLINGER, G G	7903090605		
OPLINGER, G G				OPLINGER, G G	7903090606		
OPLINGER, G G				OPLINGER, G G	7903090607		
OPLINGER, G G				OPLINGER, G G	7903090608		

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
PATTERSON, J. P.	7903050479	70-1		REHM, T. A.	7903060670		
PATTERSON, J. P.	7903130067	70-76		REHM, T. A.	7903060362		
PATTERSON, J. P.	7903270141	50-186		REHM, T. A.	7903060715		
PAULINO, R. J.	7903090379	50-271		REHM, T. A.	7903200320		
PAYNE, J. R.	7903190468	50-568		REHM, T. A.	7903140404		
PECK, C. H.	7903170301	50-244	7903290051	REHM, T. A.	7903130336		
PECK, S. G.	7903270051			REHM, T. A.	7903210029		
PECK, C. C.	7903140040	70-8		REID, R. W.	7903200213	50-335	
PECK, C. C.	7903260041	70-152		REID, R. W.	7903060623	50-72	
PECK, C. C.	7903190051	50-130		REID, R. W.	7903060626	50-407	
PEDERSEN, P.	7903070107	50-299		REID, R. W.	7903070038	50-187	
PEDERSON, K. S.	7903200157			REID, R. W.	7903070129	50-186	
PEGHAM, J. W.	7903290235		BAW-10119A	REID, R. W.	7903060049	50-192	
PERKINS, T. J.	7903190240	50-260		REID, R. W.	7903200256	50-112	
PERKINS, K. R.	7903130073		7903130073	REID, R. W.	7903050287	50-294	
PERIAM, J.	7903130199			REID, R. W.	7903140567	50-326	
PERLIS, R.	7903270650			REID, R. W.	7903260121	50-267	
PERLMAN, J. R.	7903170124			REID, R. W.	7903190125	50-269	
PERLMAN, J.	7903060598			REID, R. W.	7903200132	50-312	
PERLMAN, J.	7903060611			REID, R. W.	7903210261	50-317	
PERLMAN, J.	7903070008			REID, R. W.	7903210263	50-289	
PERLMAN, J.	7903070009			REID, R. W.	7903210264	50-317	
PERLMAN, J.	7903070150			REID, R. W.	7903280032	50-213	
PERLMAN, J.	7903070570			REID, R. W.	7903280083	50-309	
PERLMAN, J.	7903070571			REID, R. W.	7903280084	50-335	
PERNOTTI, D. J.	7903110162	50-259		REID, R. W.	7903280046	50-335	
PERNOTTI, D. J.	7903130161	70-147		REID, R. W.	7903210055	50-317	
PERTNER, G. A.	7903050536			REID, R. W.	7903210069	50-317	
PETERSON, D. L.	7903090752	50-133		REID, R. W.	7903260393	50-336	
PETERSON, G. R.	7903170715	50-289		REID, R. W.	7903260398	50-336	
PETERSON, A. C.	7903060663		NUREG/CR-0410	REID, R. W.	7903260646	50-269	
PIFFERKORN, W. G.	7903260346	50-468		REID, R. W.	7903160064	50-269	
PHILLEN, J. F.	7903210038	50-10		REID, R. W.	7903280106	50-297	
PHILLIPS, J. R.	7903090073	50-275		REID, R. W.	7903030378	50-375	
PHILLIPS, J. R.	7903090156	50-275		REIN, J. E.	7903060158		NUREG/CR-0061
PHILLIPS, D. I.	7903120311	50-298		REIN, J. E.	7903060146		NUREG/CR-0139
PHILLIPS, H. S.	7903150407	50-343		REINMUTH, G. W.	7903060652	50-311	
PHILLIPS, H. S.	7903150445	50-341		REIS, M. F.	7903030542	50-250	
PHILLIPS, H. S.	7903220428	50-367		REIS, M. F.	7903090209	27-39	
PLATOP, P.	7903070072			RELYEA, S. C.	7903230280	50-445	
PLEHN, H. G.	7903070401		NUREG/CR-0368	REMYER, W. C.	7903150104	50-466	
PLESSET, H. S.	7903020118	50-311		REMYER, W. T.	7903050440	50-516	
PLESSET, M.	7903080332	50-358		REYES, L. A.	7903070110	50-219	
PLESSET, M. S.	7903200526			REYES, L. A.	7903070044	50-263	
PLESSET, M. S.	7903260488			REYES, L. A.	7903130062	50-315	
PLESSET, M. S.	7903270049			REYMAN, G. A.	7903210359		7903210359
PLESSET, M.	7903130485			REYNOLDS, A. B.	7903200515		NUREG/CR-0604
PLUMMER, K. E.	7903060015	50-220		REYNOLDS, M. S.	7903140500	50-397	
PLUMMER, K. F.	7903190551	50-170		REYNOLDS, M. S.	7903230140	50-445	
POCHAL, W. F.	7903090342			RHODES, L.	7903090377	50-592	
POCHAL, W. F.	7903080651			RIDEN, M. D.	7903140195	50-30	
POCHAL, W. F.	7903210089			RIDEN, M. D.	7903130373	50-16	
POCHAL, W. F.	7903210097			RIDEN, M. D.	7903080070	50-346	
POCHAL, W. F.	7903220173			RIDEN, M. D.	7903140595	50-409	
POCHAL, W. F.	7903130577	50-445		RIDEN, M. D.	7903210054	50-87	
POCHAL, W. F.	7903140025	50-458		RIDEN, M. D.	7903280054	50-150	
POCHAL, W. F.	7903280076	50-198		RIDGWAY, K. R.	7903070118	50-155	
POCHAL, W. F.	7903290048		7903290048	RIDGWAY, K. R.	7903220485	50-409	
POCHAL, W. F.	7903290072			RIDGWAY, K. R.	7903070321	50-295	
POCHAL, W. F.	7903140609		NUREG/CR-0605	RILEY, J. W.	7903050487	50-369	
POCHAL, W. F.	7903140651	70-2613		RILEY, B. L.	7903280059	50-324	
POCHAL, W. F.	7903130547			RINNE, R. L.	7903200092		NUREG/CR-0369
POCHAL, W. F.	7903160130			RISCHLING, J. L.	7903190256	50-316	
POCHAL, W. F.	7903060672	70-1117		ROBERTSON, J. G.	7903200480	70-142	
POCHAL, W. F.	7903130615	70-27		ROBERTSON, H. W.	7903150247		NUREG/CR-0525
POCHAL, W. F.	7903110615	50-466		ROBINSON, J. C.	7903210524		NUREG/CR-0380
POCHAL, W. F.	7903140618	50-466		ROCHESTER, M.	7903020107		NUREG/CR-0380
POCHAL, W. F.	7903140632	50-466		ROCHESTER, M.	7903060356	50-219	NUREG/CR-0380
POCHAL, W. F.	7903010118	40-8722		RODABAUGH, E. C.	7903120500		NUREG/CR-0584
POCHAL, W. F.	7903010208		7903010208	RODRI, J. P.	7903080623		
POCHAL, W. F.	7903200171		7903200171	RODRIGUEZ, J. P.	7903140311	50-206	
PRICE, G. C.	7903280272	50-259		ROE, L. E.	7903050268	50-300	
PRICE, G. C.	7903280706	50-155		ROGERS, C. S.	7903260103	50-556	
PRICE, G. C.	7903210030	50-257		ROGERS, C. A.	7903210080	71-6387	TC-138-R-01
PRICE, G. C.	7903190123	50-504		ROGERS, M.	7903060573	50-311	
PURDUM, P. W.	7903060011	50-556		ROGERS, M. E.	7903030357	70-1143	
PURDUM, P. W.	7903080630	50-556		ROGERS, M. E.	7903140343	50-29	
PURDUM, P. W.	7903080513	50-556		ROGERS, M.	7903090340	50-245	
PURDUM, P. W.	7903080476	50-556		ROISMAN, A. I.	7903060787	50-237	
PURDUM, P. W.	7903080528	50-556		ROISMAN, A. I.	7903060600	70-2623	
PURDUM, P. W.	7903130772	50-556		ROISMAN, A. I.	7903080202	70-2623	
PURDUM, P. W.	7903080509	50-556		ROISMAN, A. I.	7903050730	50-437	
PURDUM, P. W.	7903130531	50-556		ROISMAN, A. I.	7903080133		
PURDUM, P. W.	7903080004	50-518		ROISMAN, A. I.	7903220065	50-437	
PURDUM, P. W.	7903070387	50-530		ROISMAN, A. I.	7903220068	50-437	
PURDUM, P. W.	7903030361	50-538		ROISMAN, A. I.	7903220071	50-437	
QUEEN, R. F.	7903230527		NUREG/CR-0487	ROISMAN, A. I.	7903030032		
QUEEN, R. F.	7903130571	50-303		ROMNEY, K. M.	7903070312	50-317	
QUEEN, R. F.	7903150588	50-408		ROMNEY, K. M.	7903290101	50-318	
QUEEN, R. F.	7903250076	50-395		ROMNEY, K. M.	7903290110	50-317	
RADY, D. J.	7903080634			ROME, A. H.	7903120323	50-219	
RADY, D. J.	7903210068			ROSANO, R. P.	7903120031	50-20	
RADY, D. J.	7903210098			ROSENFIELD, A. R.	7903050208		7903050208
RADY, D. J.	7903070254	50-407		ROSENTHAL, A. S.	7903060005	50-344	
RADY, D. J.	7903070252		NUREG/CR-0357	ROSENTHAL, A. S.	7903140188	50-344	
RADY, D. J.	7903130712	50-415	7903130712	ROSENTHAL, A. S.	7903220168	70-1143	
RADY, D. J.	7903200114		7903200114	ROTH, J.	7903200134		7903200134
RADY, D. J.	7903130785	50-336		ROTH, P. H.	7903150155		7903150155
RADY, D. J.	7903130741	50-336		ROTH, P. H.	7903120037		NUREG/CR-0604
RADY, D. J.	7903130741	50-336		ROTH, P. H.	7903280341	50-295	
RADY, D. J.	7903130741	50-336		ROTHERMEL, R. R.	7903140001		NUREG/CR-041
RADY, D. J.	7903130741	50-336		ROUSE, L. C.	7903060564	70-2623	
RADY, D. J.	7903070079	50-256		RUFF, A. B.	7903150017	50-337	
RADY, D. J.	7903070113	50-54		RUITER, G. H.	7903140294	50-303	
RADY, D. J.	7903160246	50-531		RUITER, G. H.	7903140306	50-303	
RADY, D. J.	7903280356	50-466		RUITER, G. H.	7903210009	50-305	
RADY, D. J.	7903120172	50-471					

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
RUPP	7903150366	50-387		SEARABIAN, J	7903300336	50-286	
RUPP	7903150374	50-387		SEYFRIT, K V	7903200577	50-285	
RUPP, W	7903150344	50-387		SEYHOUR, A H	7903120579		NUREG/CR-0352
RUSSELL, H O	7903150388	50-468		SHACKLETON, D C	7903300439	50-508	
RUTBERG, J	7903290045	50-395		SHAFFER, W D	7903070479	50-531	
RUTHERFORD, W R	7903150123			SHAFFER, W D	7903140468	50-234	
RYAN, T G	7903260349	50-498		SHALLER, D V	7903070364	50-315	
RYAN, T O	7903140642	50-498		SHANABAKY, M M	7903200214	50-352	
RYAN, R O	7903160110		NUREG-0093 REV 1	SHANABAKY, M M	7903200341	50-220	
SACKETT, K E	7903070427		NUREG/CR-0406	SHANABAKY, M M	7903200067	50-271	
SACKETT, K E	7903070432		NUREG/CR-0467	SHANABAKY, M M	7903070300	50-293	
SALTZMAN, J	7903140493	50-98		SHANABAKY, M M	7903210017	50-311	
SALTZMAN, R S	7903160255	50-348		SHAFAR, H K	7903200013		SECY-79-88
SANDERS, H F	7903120325	50-363		SHARFMAN, J E	7903160255	50-348	
SANDERS, W F	7903200576	50-410		SHAUB, E T	7903200478	70-33	
SANDERS, W F	7903200310	50-363		SHAUB, E T	7903070296	70-371	
SANTORD, M P	7903080046	71-264		SHAUB, E T	7903140487	50-271	
SCARANO, R A	7903210213	40-8584		SHEA, J R	7903050572		SECY-78-678A
SCARANO, R A	7903130344	40-299		SHEA, J R	7903080639		
SCARANO, R A	7903020154	40-8698		SHEA, J R	7903050456		SECY-79-64A
SCARANO, R A	7903130300	40-8602		SHEA, J R	7903070384		SECY-79-72
SCHALL	7903150315	50-387		SHEA, J R	7903200112		SECY-79-71
SCHAEFFER, J C	7903020417	50-373		SHEA, J R	7903050466		SECY-78-673A
SCHAEFFER, J C	7903210277			SHEA, J R	7903070359		SECY-79-77
SCHMIEDER, J R	7903160250	50-333		SHEA, J R	7903130217		
SCHMID	7903150360	50-387		SHEA, J R	7903050477		SECY-79-87
SCHMID	7903150373	50-387		SHEA, J R	7903070390		SECY-79-86
SCHNAUTZ, C E	7903080642			SHEA, J R	7903050557		SECY-79-91
SCHNABEL	7903150375	50-387		SHEA, J R	7903090118		SECY-79-103
SCHNEIDER, R R	7903050361	50-220		SHEA, J R	7903090308		SECY-79-103
SCHNEIDER, K J	7903130070		NUREG/CR-0129 V1&2	SHEA, J R	7903120072		SECY-79-104
SCHNITZMEYER, J	7903070358	50-254		SHEA, J R	7903120370		SECY-79-120
SCHOPPMAN, H A	7903130294	50-335		SHEA, J R	7903140107		SECY-79-121
SCHOPPMAN, H A	7903130326	50-335		SHEA, J R	7903150433		SECY-79-119
SCHOPPMAN, H A	7903130289	50-291		SHEA, J R	7903150436		SECY-78-675A
SCHOPPMAN, H A	7903130339	50-335		SHEA, J R	7903200731		SECY-79-118
SCHOPPMAN, H A	7903200377	50-335		SHEA, J R	7903080662		SECY-79-59A
SCHOPPMAN, H A	7903230155	50-335		SHEA, J R	7903080644		SECY-79-5A
SCHOPPMAN, H A	7903260239	50-335		SHEA, J R	7903280079		SECY-79-141
SCHOPPMAN, H A	7903260225	50-335		SHEA, J R	7903280158		SECY-79-142
SCHOPPMAN, H A	7903230160	50-250		SHEA, J R	7903290180		SECY-79-140
SCHOR, J	7903270556	50-309		SHEA, J R	7903290272	50-468	SECY-79-121B
SCHUMACHER, M C	7903010067	50-295		SHEA, J R	7903270633		SECY-78-697B
SCHUMACHER, M C	7903070301	50-155		SHEA, J R	7903280071		SECY-79-103A
SCHUYLER, J D	7903050421	50-133		SHEA, J R	7903280201		SECY-79-143
SCHWAN, C A	7903140040	70-8		SHEA, J R	7903290142		SECY-79-73A
SCHWARTZ, E G	7903060349		NUREG/CR-0046 V2	SHEA, J R	7903270630		SECY-79-151
SCHWENDIMAN, L C	7903210544	70-364	PNL-2B12	SHEA, J R	7903150130		
SCHWEITZER, D O	7903160300		7903160300	SHEA, J R	7903200224		
SCHWEIBINZ, E R	7903060582	50-546		SHEARS, R L	7903120250		
SCHWEIBINZ, E R	7903130080	50-546		SHEENDY, S	79032200239		7903200239
SCHWEIBINZ, E R	7903130021	50-483		SHEPARD, R E	7903120533	50-219	
SCHWEIBINZ, E R	7903130028	50-484		SHEPHERD, R E	7903190314	70-371	
SCHWEIBINZ, E R	7903130033	50-483		SHERMAN, F L	7903130084	70-33	
SCHWEIBINZ, E R	7903220515	50-546		SHEWMAKER, R E	7903060652	50-211	
SCHWEIBINZ, E R	7903220418	50-483		SHINEFLUG, M J	7903090070	50-454	
SCHWENCER, A	7903060642	50-301		SHIPWAY, O D	7903160245	50-275	
SCHWENCER, A	7903140201	50-344		SHIRELY, C N	7903060218	50-368	
SCHWENCER, A	7903140206	50-344		SHIVELY, C N	7903060483	50-360	
SCHWENCER, A	7903140525	50-272		SHIVELY, C M	7903060487	50-368	
SCHWENCER, A	7903140550	50-272		SHIVELY, C M	7903060497	50-368	
SCHWENCER, A	7903140327	50-348		SHIVELY, C N	7903060408	50-368	
SCHWENCER, A	7903140584	50-348		SHIVELY, C N	7903130375	50-313	
SCHWENCER, A	7903140586	50-3		SHIVELY, C N	7903190238	50-313	
SCHWENCER, A	7903160292	50-250		SHIVELY, C N	7903270473	50-368	
SCHWENCER, A	7903160299	50-250		SHIVELY, C N	7903270477	50-368	
SCHWENCER, A	7903190093	50-286		SHIVELY, C N	7903270480	50-368	
SCHWENCER, A	7903190106	50-3		SHIVELY, C N	7903270485	50-368	
SCHWENCER, A	7903190020	50-295		SHLEMON, R J	7903210283	50-361	
SCHWENCER, A	7903190033	50-295		SHLEMON, R J	7903210285	50-361	
SCHWENCER, A	7903150244	50-3		SHON, F J	7903060011	50-556	
SCHWENCER, A	7903150265	50-3		SHON, F J	7903080630	50-556	
				SHON, F J	7903080513	50-556	
				SHON, F J	7903080496	50-556	
				SHON, F J	7903080528	50-556	
				SHON, F J	7903130772	50-556	
				SHON, F J	7903080509	50-556	
				SHON, F J	7903080521	50-556	
				SIEGA, C P	7903200534		
				SIMON	7903150316	50-387	
				SINCLAIR, M P	7903300083	50-255	
				SINKULE, M V	7903070392	50-255	
				STIRCO, L J	7903220051	50-133	
				SUDOREN, R H	7903150263	50-309	
				SUDOREN, R H	7903150249	50-271	
				SUDOREN, R H	7903150237	50-299	
				SKARUPA, J D	7903070093		
				SKARUPA, J D	7903080614		
				SKARUPA, J D	7903080636		
				SKOLDS, J L	7903130192	50-280	
				SKOLDS, J L	7903280031	50-280	
				SKRUTSKI, R M	7903210362	50-466	
				SKRUTSKI, R M	7903230297	50-277	
				SKRUTSKI, R M	7903210310	50-466	
				SLOBODIN, M J	7903190356	40-341	
				SMILEK, T W	7903070102	50-295	
				SMITH, F W	7903160311		7903160311
				SMITH, L	7903270088		NUREG/CR-0617
				SMITH, E R	7903300361	50-338	
				SMITH, F M	7903210080	71-638	TC-138-R-01
				SMITH, R H	7903130487		7903130487
				SMITH, I W	7903020134	50-389	
				SMITH, I W	7903020139	50-389	
				SMITH, I W	7903050237	50-400	
				SMITH, I W	7903050406	50-400	
				SMITH, I W	7903130495	50-400	
				SMITH, I W	7903080536	50-400	

PERSONAL AUTHOR INDEX

319

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
SMITH, I. W.	7903080539	50-400		STRENCE, D. L.	7903130110		
SMITH, I. W.	7903090084	50-400		STROSHIDER, J.	7903130117		NUREG/CR-0548
SMITH, I. W.	7903160292	50-400		STRUMWASSER, M. J.	7903070095		NUREG-0523
SMITH, P. A.	7903050462			SUERMANN, J. F.	7903260119	50-341	
SMITH, B. H.	7903070398	50-133		SULLIVAN, R. F.	7903090054	50-259	
SMITH, B. H.	7903080190	50-471		SUMMERS, R. J.	7903140487	50-271	
SMITH, B. H.	7903080194	50-471		SUTHERLAND, J. T.	7903270431	70-1201	
SMITH, B. H.	7903080200	50-471		SUTTON, J. W.	7903080042		
SMITH, T. H.	7903300509	50-260		SUTTON, J. W.	7903010026		
SMITH, T. H.	7903290192	50-271		SUTTON, J. W.	7903060277		
SMITH, C. H.	7903300364	50-334		SUTTON, T. W.	7903200166		
SMITH, T. H.	7903090325	50-311		SVENSSON, B. A.	7903070364	50-315	
SMITH, T. H.	7903210024	50-271		SHALES, J.	7903070340	50-254	
SMITH, C. C.	7903260068	70-135		SHALES, J.	7903070397	50-254	
SMITH, R. H.	7903190114	70-371		SHAN, W. B.	7903280065	50-566	
SMITH, G.	7903300276	70-820		SHAN, W. B.	7903270287	50-400	
SMITH, J. D.	7903150432	50-346		SHAN, W. B.	7903140567	50-269	
SMITH, J. D.	7903170015	50-10		SHANSON, D. T.	7903070393	50-322	
SMITH, T.	7903070506	50-334		SHANSON, D. T.	7903200049	50-582	
SMITH, D. A.	7903120195			SHANSON, E. R.	7903140603	50-305	
SMITH, R. H.	7903300260	50-5		SHWITZER, D. C.	7903200439	50-245	NU-BA-1
SMOLOWSKI, R. T.	7903270019	50-201		TAMBLING, T. N.	7903080070	50-346	
SNIDER, D. M.	7903130615		7903130615	TANAKA, N.	7903080656		
SOHINKI, S. M.	7903080557	50-477		TARG, M.	7903070102	50-295	
SOHINKI, S. M.	7903260152	50-592		TAYLOR, D. L.	7903200505	40-4492	
SOHINKI, S. M.	7903210395	50-466		TAYLOR, R. G.	7903140272	50-445	
SOHINKI, S. M.	7903210398	50-592		TEPEL, R. C.	7903010030		7903310030
SOLDA, J. K.	7903130110		NUREG/CR-0545	TEPEL, R. C.	7903070165		7903370165
SOLMON, T. I.	7903060143	50-293		THOMAS, J. G.	7903260103	50-556	
SPAAK, F.	7903090136			THOMAS, R. D.	7903130492	50-312	
SPARKS, D. T.	7903130487		7903130487	THOMAS, R. D.	7903280103	50-406	
SPECTOR, S.	7903120794	50-244		THOMSEN, F. T.	7903150181	50-522	
SPEIS, T. P.	7903150055	50-267		THOMSEN, F. T.	7903150359	50-502	
SPEIS, T. P.	7903150060	50-267		THOMSEN, F. T.	7903270441	50-502	
SPENCER, O. S.	7903130498	50-508		THOMSEN, F. T.	7903210251	50-522	
SPENCER, O. S.	7903300435	50-508		THOMUS, L.	7903060082	50-293	
SPESSARD, R. L.	7903070049	50-373		THOMUS, L. H.	7903080015	50-220	
SPESSARD, R. L.	7903150173	50-331		THOMUS, L. H.	7903070294	50-271	
SPESSARD, R. L.	7903260119	50-341		THOMUS, L. H.	7903300369	50-334	
SPESSARD, R. L.	7903260453	50-10		THOREN, D. E.	7903290189		BAW-10140
SPITALNY, R. S.	7903190157	70-2623		TIFLZ, G.	7903070138	50-254	
SPITZNGOLF, A. E.	7903150732	50-334		TIERMAN, M. W.	7903210075	71-6387	
SPRENGER, L. D.	7903050489	50-900		TIFTJEN, G. L.	7903060158		NUREG/CR-0061
STACHON, I.	7903300076	50-522		TIFTJEN, G. L.	7903060146		NUREG/CR-0139
STAFFORD, A. H.	7903070383	50-338		TIFETZ, G.	7903070373	50-254	
STAHL, D. M.	7903260403	50-445		TIFETZ, G.	7903290035	50-265	
STAHL, D. M.	7903260098	50-445		TIFETZ, G.	7903280348	50-254	
STAHL, D. M.	7903260069	50-445		TIFETZ, G.	7903290090	50-254	
STAIR, J. R.	7903280319	50-320		TIFETZ, G.	7903280327	50-254	
STALLINGS, C. M.	7903080221	50-338		TIBBIN, W. J.	7903150167	50-261	
STAMPLEY, H. L.	7903130369	50-416		TIBBIN, W. J.	7903160267	70-143	
STAMPLEY, H. L.	7903280363	50-416	MPL-YDP-1A	TIBBIN, W. J.	7903120458	70-143	
STANGER, K.	7903070427		NUREG/CR-0406	TODD, G. A.	7903130121	70-27	
STANGER, K.	7903070432		NUREG/CR-0467	TODD, G. A.	7903130237	70-1113	
STANLEY, W. S.	7903270345	50-289		TODD, G. A.	7903120466	70-1113	
STANLEY, C. J.	7903130487		7903130487	TODD, G. A.	7903160304		7903160304
STARKEY, R. B.	7903190281	50-261		TODD, G. A.	7903070313	50-324	
STEINER, J. L.	7903130615		7903130615	TOLLISON, A. C.	7903190184	50-324	
STEPOL, P. P.	7903260362	50-295		TOLLISON, A. C.	7903200444	50-324	
STERNBERG, D. M.	7903080005	50-344		TOLLISON, A. C.	7903230179	50-324	
STERNBERG, D. M.	7903080236	50-275		TOLLISON, A. C.	7903270451	50-324	
STERNBERG, D. M.	7903080021	50-344		TOLLISON, D. B.	7903150247		
STERNBERG, D. M.	7903210207	50-275		TOTH, A.	7903140033	50-322	
STERNBERG, D. M.	79033000347	50-344		TOTH, A. D.	7903140019	50-272	
STERNBERG, D. M.	79033000347	50-397		TOTH, A. D.	7903140068	50-311	
STERNBERG, D. M.	79033000347	50-397		TOTH, A. D.	7903010048	50-322	
STETHA, T. F.	7903070046	50-271		TOTH, A. D.	7903130253	50-311	
STETKA, T. F.	7903070115	50-220		TRAHMELL, C. M.	7903060555	50-301	
STETKA, T. F.	7903300494	50-225		TRAUGER, T. C.	7903150397		
STEVENSON, M. G.	7903190575		NUREG/CR-0385	TRAUTMAN, M.	7903070381	50-280	
STEWART, W. P.	7903090187	50-302		TRAVIS, W. H.	7903220024	71-5595	
STEWART, W. L.	7903080230	50-281		TRAVIS, W. H.	7903300500	71-5907	
STEWART, W. L.	7903080237	50-281		TRAVIS, W. H.	7903300189	71-7852	
STEWART, W. L.	7903080244	50-281		TRAVIS, W. H.	7903210235	71-5552	
STEWART, W. L.	7903190191	50-280		TRAVIS, W. H.	7903140658		7903140658
STEWART, W. L.	7903090161	50-281		TRAVIS, C. C.	7903300288	71-5597	
STEWART, W. L.	7903130353	50-281		TRAVIS, W. H.	7903300303	71-7851	
STEWART, W. L.	7903230145	50-280		TRAVIS, W. H.	7903080603		7903080603
STEWART, W. L.	7903270419	50-280		TRIMBLEY, J. L.	7903300343	50-245	
STEWART, H. L.	7903090074	50-382		TRIPP, L. E.	7903300384	50-278	
STEWART, R. C.	7903220225	50-382		TRIPP, L. E.	7903140162	50-259	
STEWART, R. C.	7903220225	50-382		TROJANOWSKI, R.	7903130101	70-143	
STEWART, R. C.	7903220225	50-382		TROJANOWSKI, R.	7903070147	50-400	
STETT, D. H.	7903270241	71-9070	kV-697	TROWBRIDGE, G. F.	7903230143	50-400	
STOBER, G. J.	7903080519	50-592		TROWBRIDGE, G. F.	7903130476		7903130476
STOBER, J. P.	7903080067	50-271		TSAL, S. S.	7903230181	50-465	
STOBER, J. P.	7903090352	50-293		TURNER, E. A.	7903270556	50-309	
STOBER, J. P.	7903120024	50-277		TURNER, J. C.	7903300536		
STOBER, J. P.	7903120065	50-266		TUTTLE, R. F.	7903150250	50-277	
STOBER, J. P.	7903120028	50-309		ULLRICH, W. T.	7903190147	50-277	
STOBER, J. P.	7903300214	50-352		ULLRICH, W. T.	7903210057	50-322	
STOBER, J. P.	7903130085	50-3		UPPAL, I. S.	7903070343	50-254	
STOBER, J. P.	7903210017	50-311		VAHRENWALD, J.	7903280347	50-254	
STOBER, J. P.	7903290194	50-271		VAHRENWALD, J.	7903200229	50-390	
STOBER, J. P.	7903190076	50-184		VALLISH, E. J.	7903140510	50-327	
STOBER, J. P.	7903300336	50-286		VALLISH, E. J.	7903220097	50-437	
STODDLEY, D. Q.	7903140183	50-471		VAN NESS, S. C.	7903140650		7903140650
STOWE, D. R.	7903130423	50-124		VAN ROOYEN, D.	7903060314	50-331	
STREBEL, R. J.	7903260157			VAN SICKEL, J.	7903200380	50-331	
STREETER, J. F.	7903070110	50-219		VAN SICKEL, J.	7903270358		7903290049
STREETER, J. F.	7903150432	50-346		VAN SICKEL, J.	7903290049		
STREETER, J. F.	7903070506	50-334		VAN SICKEL, J.	7903290049		
STREETER, J. F.	7903070078	50-373		VAN SICKEL, J.	7903290049		
STREETER, J. F.	7903060178	50-10		VANDEL, T. E.	7903020270	50-329	
STREETER, J. F.	7903080150	50-295		VANDEL, T. E.	7903020277	50-358	
STREETER, J. F.	7903130062	50-315		VANDEL, T. E.	7903130341	50-461	
STREETER, J. F.	7903130030	50-255		VANDEL, T. E.	7903200038	50-327	
STREETER, J. F.	7903190168	50-358		VANDDOORN, P. K.	7903070188	50-372	
STREETER, J. F.	7903220407			VANDDOORN, P. K.	7903210043	50-327	

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER	AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
VARACALLE, D J	7903020003		7903020003	WIGGINS, F	7903080083		
VARELA, A A	7903080103	50-412		WIGGINS, E	7903070555		
VARGA, S A	7903270066	50-327		WIGGINS, E	7903130266		
VERDERY, E H	7903060396	50-250		WIGGINS, E	7903200005		
VERDUZCO, G H	7903230028	50-72		WIGGINS, E	7903200077		
VERDUZCO, G H	7903230075	50-407		WIGGINS, E	7903200034		
VERKUIL, P R	7903070573			WIGGINS, E J	7903200051		
VERRELLI, D M	7903260188	50-234		WIGGINS, E J	7903200058		
VITO, D J	7903200395	50-270		WIGGINS, E	7903200416		
VOGT-LOWELL, R	7903010355	50-366		WIGGINS, F	7903300020		
VOGT-LOWELL, R	7903140536	50-366		WIGGINS, E J	7903300559		
VOGT-LOWELL, R	7903140546	50-348		WILBORN, L	7903200012	40-6605	
VOLGER, B H	7903230093			WILBORN, L	7903190712	70-1306	
VOLGENAU, E	7903060089	50-293		WILBORN, I	7903140073	70-646	
VOMACKA, A	7903190011	50-466		WILCOX, D P	7903210019	50-201	
VORDERBRUEGGEN, J	7903120571	50-592		WILCOX, J D	7903280075	50-280	
VORDERBRUEGGEN, J	7903190104	50-361		WIL, R E	7903050376	50-298	
WACHTER, J W	7903070428		NUREG/CR-0227	WILLIAMS, F J	7903090333	50-568	
WACHTER, J W	7903070443		NUREG/CR-0227	WILLIS, J L	7903090019	70-66	
WACKS, G R	7903290198		7903290198	WILLIS, L	7903190249	50-321	
WADIN, J R	7903140609		NUREG/CR-0605	WILLIAMS, G H	7903140068	70-1111	
WADLEY, G W	7903260238	50-282		WILLIAMS, G H	7903130121	70-111	
WADLEY, G W	7903050376	50-298		WILLIAMS, G H	7903120444	70-14	
WAGNER, A G	7903080141	50-390		WILLIAMS, G H	7903070504	50-367	
WALKER, R D	7903120016	50-373		WILLIAMS, G H	7903120052	70-1001	
WALKER, R	7903070317	50-254		WILLIAMS, G H	7903200177	50-324	
WALLACE, J J	7903160122	50-305		WILLIAMS, G H	7903130237	70-1113	
WALSH, P W	7903130517	50-305		WILLIAMS, G H	7903120466	70-1113	
WALTER, J F	7903070347		GW-FSD 2538	WILLIAMS, G H	7903260107	70-1201	
WALTERS, D K	7903070170	50-518		WILLIAMS, G W	7903300480	70-143	
WALTON, G A	7903130253	50-311		WILLIAMS, G H	7903230040	70-1001	
WARD, S	7903080593			WILSON, B D	7903140113	70-2673	
WARD, S	7903080655			WILSON, B D	7903200007		
WARD, S	7903270343			WILSON, B D	7903210254		
WARD, S	7903080638			WILSON, R P	7903050415	50-488	
WARD, K D	7903060908	50-306		WILSON, S	7903140711	50-166	
WARD, K D	7903160218	50-358		WILSON, S	7903140348	50-371	
WARD, J J	7903050349	50-274		WITHESELL, D E	7903150142		
WARD, J	7903070547	50-267		WIESSNER, J D	7903220058	50-113	
WARNICK, C F	7903070044	50-263		WOLFE, S J	7903070075	50-556	
WARNICK, R F	7903080491	50-315		WOLFE, S J	7903150236	50-177	
WARNICK, R F	7903130482	50-282		WOLFE, S J	7903150401	50-477	
WARNICK, R F	7903150359	50-315		WOLFE, S J	7903130036	50-166	
WARNICK, R F	7903150368	50-255		WOLFE, S J	7903140420	50-466	
WARNICK, R F	7903070118	50-155		WOLFE, S J	7903160301	50-437	
WARNICK, R F	7903140603	50-305		WOLFE, S J	7903060011	50-555	
WARNICK, R F	7903220485	50-409		WOLFE, S J	7903080530	50-556	
WARNICK, R F	7903220470	50-282		WOLFE, S J	7903080513	50-556	
WATANABE, N	7903080650			WOLFE, S J	7903080496	50-556	
WATANABE, N	7903080653			WOLFE, S J	7903080528	50-556	
WATERMAN, M E	7903080093		NUREG/CR-0478	WOLFE, S J	7903130272	50-556	
WATFORD, M L	7903190236	50-261		WOLFE, S J	7903080509	50-556	
WATSON, E C	7903130110		NUREG/CR-0545	WOLFE, S J	7903080531	50-556	
WATSON, A P	7903140659		7903140658	WOLFE, S J	7903220112	50-382	
WATSON, C	7903200071			WOLFE, S J	7903220007	50-382	
WATSON, C	7903130215			WOLFE, S J	7903220100	50-382	
WATTENBARGER, S	7903200008			WOLFE, S J	7903110315	50-437	
WATTENBARGER, S	7903200013			WOLLETT, S A	7903140029		
WATTENBARGER, S	7903200017			WOLTFER, E	7903300363	70-371	
WATTENBARGER, S	7903200021			WOLTFER, F	7903090431	70-371	
WATTENBARGER, S	7903200024			WOLTFER, F	7903140098	70-371	
WATTENBARGER, S	7903200030			WONG, K W	7903010310	50-119	NELCO-21885
WATTENBARGER, S	7903200033			WOOD, R S	7903080297	50-549	
WATTS, M J	7903290083			WOODRUFF, R L	7903050474	70-1816	
WEEKS, J R	7903130190		7903130490	WOODRUFF, R L	7903200586	70-893	
WEISS, E R	7903260329			WRIGHT, K H	7903200502	40-4492	
WEISS, E R	7903260332			WRIGHT, A L	7903060163		NUREG/CR-0482
WEISSHAUPL	7903150315	50-387		WRIGHT, G C	7903280044	50-254	
WEISSHAUPL	7903150313	50-387		YACKLE, T R	7903120000		7903240040
WENNERHOLM, J H	7903070246	50-304		YAD, H S	7903010310	50-717	NE-DO-21885
WERLING, J A	7903210005	50-334		YARRINGTON, L J	7903260075		7903260075
WERLING, J A	7903260279	50-334		YEAGER, J	7903100393	50-358	
WERNER, L T	7903150105			YIN, I T	7903090004	50-306	
WERNER	7903150316	50-387		YIN, I T	7903060592	50-358	
WERNER	7903150339	50-387		YIN, I T	7903130791	50-329	
WESCOTT, H M	7903150345	50-341		YIN, I T	7903190041	50-358	
WESCOTT, H M	7903010361	50-329		YIN, I T	7903160262	50-713	
WESCOTT, H M	7903200196	50-358		YIN, LL T	7903300318	50-329	
WESLEY, R D	7903150125		7907150125	YOL, I A H	7903130103	50-469	NES B1A0426
WESSMAN, R H	7903270628	50-369		YONE, J R	7903220373	50-177	
WEST, J C	7903210287	50-361		YONE, J R	7903220169	50-215	
WESTERMAN, T F	7903220320	50-313		YONE, J R	7903220152	50-445	
WESTFALL, R M	7903260126		7903260126	YOSHIDA, Y	7903230114		
WESTFALL, R M	7903220118		7903220118	YOSHIDA, Y	7903230163		
WETTERHAHN, M J	7903210254	50-272		YOUNG, R H	7903200332	50-245	
WETTERHAHN, M J	7903210262	50-272		YOUNG, R H	7903010244	50-245	
WETTERHAHN, M J	7903200145	27-39		YOUNG, R H	7903080269	50-245	
WHARTON, R J	7903090180	50-361		YOUNG, R H	7903200397	50-245	
WHITE, A F	7903220469	50-549		YOUNG, R H	7903280337	50-245	
WHITESIDES, G E	7903260126		7903260126	YOUNG, T	7903020236	50-275	
WHITESIDES, G E	7903220118		7903220118	YOUNG, T	7903210207	50-275	
WHITE, J R	7903060082	50-293		ZAHN, L L	7903120091	70-1307	NEDU-20716
WHITE, J R	7903070181	50-272		ZAVADSKI, R W	7903210036	50-100	
WHITE, J R	7903200324	50-253		ZETGLER, R K	7903060158		NUREG/CR-0061
WHITESSELL, D E	7903210174			ZETGLER, R K	7903060146		NUREG/CR-0139
WHITESSELL, D W	7903080042			ZIBULSKY, H	7903090428	70-175	
WHITESSELL, D E	7903010026			ZIBULSKY, H	7903120076	70-520	
WHITESSELL, D E	7903210188			ZIEMANN, D L	7902050436	50-155	
WHITESSELL, D E	7903060277			ZIEMANN, D L	7903050137	50-155	
WHITESSELL, D E	7903210328			ZIEMANN, D L	7903010094	50-259	
WHITESSELL, D E	7903200166			ZIEMANN, D L	7903010099	50-259	
WHITHAM, G D	7903210511			ZIEMANN, D L	7903140199	50-244	
WHITTEMORE, F C	7903200397	50-322	NUREG/CR-0476	ZIEMANN, D L	7903140205	50-244	
WHITT, K	7903070392	50-255		ZIEMANN, D L	7903140439	50-244	
WHITT, K	7903140468	50-254		ZIEMANN, D L	7903200005	50-244	
WIGGINS, E	7903120091			ZIEMANN, D L	7903200244	50-244	
WIGGINS, E J	7903010001			ZIEMANN, D L	7903090050	50-244	

PERSONAL AUTHOR INDEX

321

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
ZIEMANN, D L	7903190052	50-245	
ZIEMANN, D L	7903190051	50-29	
ZIEMANN, D L	7903190069	50-29	
ZIEMANN, D L	7903210358	50-237	
ZIEMANN, D L	7903210559	50-155	
ZIEMANN, D L	7903210562	50-155	
ZIEMANN, D L	7903210573	50-237	
ZIEMANN, D L	7903210579	50-237	
ZIEMANN, D L	7903210582	50-237	

AUTHOR	ACCESSION NO	DOCKET NO	REPORT NUMBER
ZIEMANN, D L	7903220125	50-213	
ZIEMANN, D L	7903220127	50-213	
ZIEMANN, D L	7903260022	50-237	
ZIEMANN, D L	7903260042	50-213	
ZIEMANN, D L	7903260026	50-10	
ZIEMANN, D L	7903230318	50-213	
ZIMMERMAN, R P	7903140025	50-317	
ZIMMERMAN, R P	7903290202	50-220	
ZUFFELT, E	7903130277	50-333	

CORPORATE SOURCE INDEX

323

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Citizen Group/Individual/Media					
Anthropology Resource Center	7903090103		Brown & Root Corp (subs of Halliburton Corp)	7903060467	
Sassafras Audubon Society	7903050194	50-546	Centennial Systems, Inc	7903260063	
Citizens Against Nuclear Dangers	7903060537	50-387	C F Braun & Co	7903120220	
Citizens Association for Sound Energy	7903090045	50-387	Chen & Associates, Inc	7903290168	50-531
	7903220475	50-445	Creare, Inc	7903290165	50-532
	7903060717	50-445		7903270140	40-2259
Cementon Civic Association	7903300156	50-549	Dames & Moore	7903200154	
Chesapeake Energy Alliance	7903200338	50-280		7903150155	
Center Energy Research	7903220001	50-133	D'Appolonia Consulting Engineers, Inc	7903210074	40-3453
Carolina Environmental Study Group	7903050487	50-369	Dunegan/Endevco	7903210067	40-3451
	7903050539	50-369	Ebasco Services, Inc (subs of Enserch Corp)	7903230215	40-1162
Citizens for Fair Utility Regulation	7903300102	50-445	E0 & G, Inc	7903140609	
Citizens Energy Forum	7903200570	50-338		7903140670	
Church of Jesus Christ of Latter Day Saints	7903090023	40-8681		7903160311	
Center for Law in the Public Interest	7903090035	50-275		7903160308	
	7903090156	50-275		7903201117	
Coalition for Nuclear Power Plant Postponement	7903090015	50-272		7903260075	
Coalition for Safe Power	7903150367	50-344	Factory Mutual Research Corp	7903190642	71-270
	7903140188	50-344	Gilbert Associates, Inc	7903150290	50-595
	7903210301	50-344	General Research Corp (subs of Flow General, Inc)	7903070388	
DeKalb Area Alliance for Responsible Energy	7903090020	50-454	Gibbs & Hill, Inc (subs of Dravo Corp)	7903270378	
	7903090021			7903270376	
Doc-Search Associates	7903200555			7903190225	50-584
Environmental Coalition on Nuclear Power	7903290260			7903210365	
	7903070179			7903190213	50-584
Environmentalists, Inc	7903090018	70-1729		7903270371	
Forelows on Board	7903300076	50-522	Hamm Engineers, Inc	7903210378	50-482
Friends of the Earth	7903300074			7903210370	50-492
Great Lakes Energy Alliance	7903300083	50-255	Harding-Lawson Associates	7903200403	
Kudzu Alliance	7903140648	50-400	Hareilton Environmental Sciences Corp	7903260328	50-282
Lakeshore Citizens for Safe Energy	7903130515	50-305	Institute for Resource Management, Inc	7903050585	70-2346
	7903130517	50-305		7903260164	50-565
	7903060411	50-305		7903200149	
Lehigh-Pocono Committee of Concern	7903070018	50-387	Kaman Sciences Corp	7903200181	
League of Women Voters of Rockford, IL	7903090160	50-454	Management Research Associates	7903260240	50-70
	7903150430	50-454	Marsh & McLennan, Inc	7903080193	50-70
	7903090037	50-454		7903270271	50-539
	7903090150	50-454		7903270273	50-535
North Anna Environmental Coalition	7903080524	50-280		7903190333	50-335
	7903200327	50-280		7903150348	50-535
	7903090176			7903270294	50-535
National Italian American Foundation	7903190011	50-466		7903290123	50-535
National Lawyers Guild, Houston Chapter	7903190005	50-466		7903270364	50-346
Northern Thunder	7903150384	50-484		7903270370	50-302
Natural Resources Defense Council	7903060287	50-237	National Testing Laboratories, Inc	7903150267	71-9033
	7903060600	70-2623	Nuclear Engineering Co, Inc (subs of Teledyne, Inc)	7903300531	27-39
	7903020202	70-2623		7903070536	71-9124
	7903050230	50-437		7903300543	27-39
	7903080133			7903300032	
	7903220065	50-437	NucleDyne Engineering Corp	7903080183	
	7903220068	50-437	Nunn, Snyder & Associates	7903230169	
	7903220071	50-437	Nuclear Engineering Co	7903300403	50-155
	7903300032		NUS Corp	7903260364	50-437
	7903050257	50-437	Offshore Power Systems (subs of Westinghouse Electric Corp)		
	7903060398	50-237		7903280366	
	7903050257	50-437		7903200404	
	7903060398	50-237		7903160315	
	7903050213	50-275	Ranchers Exploration & Development Corp	7903190086	71-271
	7903190140		Ridihalgh, Eggers & Associates	7903090094	71-6639
	7903050213	50-592		7903190079	71-271
	7903120273			7903270181	40-8721
	7903010255		Rocky Mountain Energy Co	7903270174	40-8721
	7903300028			7903140401	40-8697
	7903280229			7903220049	40-8452
Public Interest Research Group	7903220051	50-133		7903280136	
	7903120166		SAHCL, Stan A. Huber Consultants, Inc	7903220062	
	7903120160		Science Applications, Inc	7903130032	40-8698
	7903080135			7903130828	
Public Interest Research Group in Michigan			Sargent & Lundy, Inc	7903200112	
Potomac Alliance	7903060412	50-338		7903120326	50-146
Palo Verde Nuclear Intervenor	7903090377	50-592	Saxon Nuclear Experimental Corp	7903120291	50-146
Safe Haven	7903060411	50-305		7903230166	50-322
Sierra Club	7903300576		Stone & Webster, Inc	7903300261	
Safe Energy Alliance	7903050411	70-2623	Tatsch Associates	7903280359	
	7903150294	70-2623	United Engineers & Constructors, Inc (subs of Raytheon, Co)		
Sunbelt Alliance, Oklahoma City	7903160198	50-556	Wasatch Financial Corp	7903090091	40-8681
	7903090101	50-556		7903090184	40-8681
Tri-City Ecology Center	7903090026	50-70	Youngstown Welding & Engineering Co	7903060004	
Truth in Power	7903200581	50-338		7903220201	
	7903220506	50-338			
Texas Public Interest Research Group	7903260100	50-466			
	7903220308	50-466			
	7903050443				
	7903280006	50-455			
	7903260375				
Union of Concerned Scientists	7903300032				
Engineering &/or Construction &/or Consulting					
ACE Federal Reporters, Inc	7903300534	50-556			
Bechtel Power Corp (subs of Bechtel Corp.)	7903220361	50-354			
Black & Veatch	7903060471				
			Educational Institutions		
			Amherst College	7903050523	70-102
			Brigham Young Univ	7903070277	50-262
				7903070280	50-262
			Eastern Utah, College of	7903140640	40-8681
			California Institute of Technology	7903140561	50-322
			Clark Univ, Worcester, Mass	7903050566	30-767
			California Polytech State Univ	7903080281	50-394
				7903080277	50-394
			Georgia Institute of Technology	7903220219	50-160

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Educational Institutions					
Harvard Univ.	7903070213			7903050254	50-361
Luther College, IA	7903020449	70-559	Covington & Burling	7903230025	50-389
Lehigh Univ.	7903020107		Cherry, Hyron M.	7903260014	50-329
	7903050356	50-219	Conner, Moore & Corber	7903210256	50-272
	7903120446			7903210262	50-272
Lowell Univ. & Lowell Hts.	7903300306	50-223		7903200145	27-39
Marshalltown Coll. College Ind. Hs.	7903060611	70-1004		7903220026	50-395
Memphis State Univ.	7903210558	50-538		7903060581	50-358
	7903360344	50-538		7903200143	27-39
Mexico Academy of Arts & Letters ME Hs.	7903300168	50-596		7903190031	50-272
Michigan State	7903050259	50-274		7903190026	50-272
	7903210058	50-274		7903060325	50-395
Nussbaumer Institut. f. Technology	7903120446			7903200143	27-39
North Carolina State Univ.	7903200453	50-111		7903160011	50-334
	7903010273	50-297	Conover & Associates, Inc. Insurance	7903210179	50-334
	7903200449	50-111	Dalton, A T	7903260025	50-556
Ohio State Univ.	7903070266			7903260018	50-556
Pennsylvania State Univ.	7903060677	40-8681	DeGraff, Foy, Conway & Holt-Harris	7903220469	50-549
	7903200114			7903220464	50-549
	7903070510		Debevoise & Lieberman	7903150350	50-445
	7903080973			7903140500	50-397
Purdue Univ.	7903010014			7903150178	50-445
	7903160074	70-152		7903230140	50-445
Rensselaer Polytechnic Inst.	7903020091			7903200277	50-445
	7903260189	70-920		7903200287	50-445
	7903210040	50-225		7903070207	
San Juan Center for Higher Education	7903090089	40-8681		7903050192	50-445
Stanford Univ.	7903300106			7903050340	50-445
New York State Univ. at Buffalo	7903300557			7903230120	
Syracuse Univ. College of Law	7903210373			7903050453	
Tuskegee Inst.	7903280309	50-406	Ellis, L J	7903080084	50-518
California Univ. of Berkeley	7903130365	50-224	Eckert, Seaman, Chert & Mollott	7903060040	50-437
California Univ. of Irvine	7903270389	50-526		7903290118	50-437
	7903270388	50-526		7903290117	50-437
Colorado Univ. of Denver	7903300540		Fried, Frank, Harris, Shriver & Kampelman	7903300256	
Houston Univ. of	7903270088			7903300091	
	7903270085		Fleischaker, D S	7903090035	50-275
	7903270132			7903090156	50-275
Idaho Univ. of	7903270011			7903070440	50-275
Illinois Univ. of Urbana-Champaign	7903290114	50-151		7903070446	50-275
Iowa Univ. of	7903150101	50-348		7903050587	50-275
Maryland Univ. of	7903230214		Garry, Dreyfus, McTernan, Biotsky,	7903090362	50-133
	7903150088		Herndon & Pesonen, Inc.		
Michigan Univ. of	7903050252	50-2	Green, Feldman, Hall & Woodard	7903070408	50-556
	7903070072		Huntton & Williams	7903220397	50-322
Missouri Univ. of	7903300536			7903220394	50-322
	7903010279	50-186	Isham, Lincoln & Beale	7903220403	50-445
	7903290013	50-186		7903260098	50-445
	7903300560			7903200269	50-445
New Mexico Univ. of	7903210031	50-252		7903220143	50-445
Ottawa Univ. of	7903070052			7903260349	50-448
Rochester Univ. of Medical Center	7903120582	71-5070		7903140442	50-448
Virginia Univ. of	7903150337	50-62		7903260362	50-275
	7903300515			7903120069	50-275
Utah Univ. of	7903260182	50-72		7903200097	50-329
Washington Univ. of	7903120579			7903050546	50-556
Wisconsin Univ. of Madison	7903120475			7903080201	50-556
	7903070532			7903080379	50-556
Virginia Polytechnic Institute f. State	7903130423	50-124		7903120049	50-275
Univ.				7903210064	50-556
Worcester Polytechnic Inst.	7903130318	50-153		7903120049	50-275
Yale Univ.	7903260391			7903050352	50-498
				7903080201	50-556
				7903150328	50-556
				7903080579	50-556
Foreign Governments & Agencies					
Brazil	7903070189			7903140290	50-329
European Communities Commission of	7903090136			7903200097	50-329
	7903060679		Johnson & Higgins Insurance	7903300546	50-329
	7903090132		JTN Insurance	7903140366	50-338
Germany, Federal Republic of	7903050474		Kasik, L S	7903090386	40-8681
Japan	7903060743	70-2849	Lead, Roger M	7903300095	50-358
	7903260180			7903070563	50-522
	7903260183			7903200053	50-522
	7903260195		LeBoeuf, Lamb, Leiby & MacRae	7903060136	
	7903260198			7903020332	50-452
Spain	7903260169			7903050359	50-220
	7903260167			7903080250	50-341
United Kingdom	7903080649			7903070378	50-220
	7903230354		Lowenstein, Newman, Reis, Axelrad & Toll	7903070154	50-466
				7903070150	50-445
				7903210319	50-466
				7903210574	50-445
				7903220317	50-498
Legal/Law Firms, Insurance Companies					
Akin, Gump, Haver & Field	7901070272	50-449		7903300542	50-250
Baker & Botts	7903020144	50-498		7903200478	50-498
	7903060055	50-445	McGrath, E J	7903150260	50-331
	7903140633	50-445		7903230131	
	7903220057	50-498		7903090188	
Bancroft, M H	7903280135			7903260045	
Blum & Shelley	7903200323	70-2623		7903210065	40-8692
Butler, Binion, Rice, Cook & Knapp	7903130522	50-498	McCutchen, Doyle, Brown & Emerson	7903220500	
	7903140601	50-498	McGinnis, Lochridge & Kilgore	7903290083	
	7903140642	50-498	Matthews, Nowlin, MacFarlane & Barrett	7903300078	50-445
Butzel & Kass	7903300071	50-549		7903060259	50-498
	7903280362	50-549	Northcutt Ely	7903090094	50-445
Chickering & Gregory	7903150362	50-361	Nuclear Energy Liability Insurance Association	7903050372	50-280

CORPORATE SOURCE INDEX

325

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Legal/Law Firms/Insurance Companies			Manufacturers/Equipment & Supplies		
Nasim, Howell, Smith, Lee & Muldrow	7903050381	50-445	Aldrich Chemical Co., Inc (subs of Sigma-Aldrich Corp)	7903080593	
Napom & Ross	7903150390	50-344		7903080655	
Nardone, Turo & Naccarato	7903190468	50-568		7903270343	
O'Reil, Beckus, Spielman	7903220313	50-568		7903080625	
Patten, Boggs & Blow	7903070140	50-443		7903270424	
Perkins, Cole, Stone, Olsen & Williams	7903070144		Allied Chemical Corp	7903270119	40-3392
	7903150181	50-522		7903270117	40-3291
	7903160123	50-522	Amerace Corp	7903210140	
	7903150389	50-522	Amoco Oil Co (subs of Standard Oil Co of Indiana)	7903020384	40-8720
	7903270641	50-522	Ametek, Inc	7903020293	
	7903210251	50-522	Anaconda Co (subs of Atlantic-Richfield Co)	7903020286	
Pfefferkorn & Cooley, P A	7903150387	50-522	ATCER	7903220178	
Pyle, R B	7903260346	50-488	Automation Industries Inc	7903080046	71-264
Reilly, Like & Schneider	7903080084	50-518		7903080037	71-264
Ropes & Gray	7903050249	50-322	Boeing Co	7903070324	40-7783
Reilly, Like & Schneider	7903140183	50-471		7903190443	40-7783
	7903070111		Bokun Resources Corp	7903190424	40-7783
	7903220510	50-516	Borg-Warner Corp	7903070021	
Sheldon, Hector & Davis	7903270272	50-516	Brush-Wellman, Inc	7903060264	
Sheldon, Harmon & Reisman	7903070364	50-389	Babcock & Wilcox Co	7903010218	40-8722
	7903260329			7903010215	40-8722
	7903260332			7903130124	50-99
	7903260327			7903290185	
Spiegel & McDiarmid	7903150397			7903290205	
	7903130577	50-445		7903130415	
	7903140625	50-498		7903060716	70-1201
	7903150377	50-389		7903260046	70-135
	7903260157			7903130111	70-27
	7903280076	50-498		7903210165	
	7903290111	50-445		7903210158	
	7903080156	50-498		7903060666	70-624
	7903300567			7903050020	70-27
	7903050156	50-498		7903270279	70-27
	7903140663			7903300664	71-6387
Snell & Wilmer	7903220141	50-389		7903010484	71-6408
Shaw, Pittman, Potts, & Trowbridge	7903220139	50-592		7903150415	70-821
	7903070147	50-400		7903300578	71-6400
	7903140351	50-382		7903200325	70-27
	7903140322	50-382		7903210073	70-1201
	7903090083	50-580		7903260187	70-27
	7903230143	50-400		7903130412	50-99
	7903300588	50-580		7903290204	
	7903220351	50-483		7903290182	
	7903300588	50-580		7903220129	
Simmonds, Winslow, Willis & Abbott	7903060545	50-471		7903070298	
	7903190292	50-471		7903070100	
	7903060545	50-471		7903260399	
	7903300086	50-445		7903270379	
West Texas Legal Services	7903230280	50-445	Babcock & Wilcox Co, Nuclear Material Div	7903270424	70-1201
Worsam, Forsythe & Sampsels	7903300470	50-498		7903070077	
Wharton, R J	7903090180	50-361	Borg-Warner Corp, Byron Jackson Pump Div	7903080664	
				7903080668	
Local Government/Agencies				7903080631	
Alameda County, CA	7903090149	50-70		7903080640	
Austin, TX	7903070070	50-445		7903210164	
	7903140554			7903300558	
Blanding, UT	7903070374	40-8681		7903300725	
Hopkinton, RI	7903070333	50-568		7903200331	
Lower Alloways Creek, NJ	7903230108	50-272		7903300362	
	7903230109	50-272		7903300362	
Montgomery County, NC	7903150112	50-488		7903300362	
	7903150110	50-488		7903300362	
Monticello, UT	7903070421	40-8681		7903300362	
	7903090322	40-8681		7903080308	50-317
Putnam County, IL	7903140599	50-305	Combustion Engineering, Inc	7903260196	70-36
St Louis, MO	7903140151	40-8035		7903120034	70-1100
	7903230104	40-8035		7903200111	
Suffolk County, NY	7903130072	50-516		7903220192	
	7903140424	50-322		7903220185	
	7903140429	50-322		7903260192	70-36
	7903210318	50-322		7903290151	70-1100
				7903270648	70-36
				7903080118	
Medical Institutions/Labs				7903300561	
Community Memorial Hosp WI/MF	7903130189			7903210186	
Englewood Hosp Association	7903130155			7903270520	
Family Hosp WI/MF	7903140007			7903230600	
Freeman Hosp	7903130160			7903300595	
Grant Hosp	7903260381			7903050469	
Hospital Pavia	7903060575	70-1349	Caran Precision Engineering & Manufacturing Corp	7903120290	
Jefferson Memorial Hosp	7903140003			7903120286	
Midwaukee Children's Hosp WI/MF	7903130187		Chem-Nuclear Systems Inc	7903190410	
Methodist Hosp IN/IN	7903280138			7903190406	
Norwalk Hosp	7903200048	70-1717		7903200081	71-5805
New York Univ. Medical Center	7903290048			7903200087	71-6601
Ross Clinic, Inc ME, Indiana	7903230107			7903200091	71-6375
St Elizabeth IL/CH	7903140004			7903220484	71-6244
St Joseph Hosp MO/KI	7903140661			7903140647	27-47
St Anthony Hosp IN/MC	7903140002			7903140021	27-47
Vet Admin Hosp CA/BF	7903070551			7903210531	27-47

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Manufacturers/Equipment & Supplies					
Colt Industries, Inc.	7903130962			7903090295	50-245
	7903130951				
Cotatomic, Inc.	7903060587	70-1342		7903130439	
	7903060585	70-1342		7903070366	
Cordis Corp.	7903060366			7903130048	70-1308
	7903060351			7903130054	70-1308
	7903050594			7903270483	50-321
Cornier & Lada Co., Inc.	7903210748			7903200203	70-1113
	7903210338			7903090301	50-245
Corning Glass Works - Zircon Products Div	7903270227	40-8665		7903220389	
Crane Co.	7903140644	71-272		7903260256	50-219
Cotler Uranium Mill	7903140655	40-8692		7903210057	50-322
Dow Chemical Co.	7903260179	50-25		7903010084	
Drel Petroleum Corp.	7903150102			7903060673	
Eberline Instrument Corp.	7903260797			7903050459	
Edlow International Co.	7903060206			7903050461	
	7903090317			7903080129	70-2726
	7903090321			7903090310	50-536
	7903080654			7903090315	50-982
Energy Fuels Nuclear, Inc.	7903200303	40-8681		7903200506	
	7903150013	40-8681		7903080479	
	7903200108	40-8681		7903190040	70-1328
	7903210420	40-8681		7903050498	70-1113
	7903270192	40-8675		7903130234	70-1113
Eidan Electronic Instrument Co. Ltd.	7903150105			7903200156	
Engineers & Fabricators Co. (subs. of The	7903210177			7903290186	70-754
Marley Co.)				7903060698	71-6642
Energy Products Group	7903070347			7903130040	70-1308
	7903070360			7903200186	70-1113
	7903070352			7903300566	70-1308
	7903070344			7903260067	70-1113
Exxon Nuclear Co., Inc. (subs. of Exxon	7903130362	50-155		7903270013	70-754
Corp.)				7903190097	71-4986
	7903080659			7903290146	70-1308
	7903060664			7903290172	70-1113
	7903220023			7903300383	50-447
	7903270103	70-2219		7903010295	50-219
	7903270148			7903070336	
	7903230203			7903140478	
	7903120169			7903160213	50-219
	7903080657			7903060327	50-70
	7903200332			7903090143	50-73
	7903080599			7903190210	50-70
	7903270098	70-2219		7903300388	
	7903060546			7903260247	50-219
	7903220081	70-1257		7903300337	
	7903140556	40-8064		7902200049	
	7903270145	71-3		7903140249	
	7903020020			7903190254	
	7903220020			7903270276	
	7903080288				
	7903070494			7903270320	50-447
Exelco Devels., Inc.	7903150132			7903210046	50-322
Exxon Minerals Co. USA	7903140551	40-8064		7903290085	50-322
Federal American Partners	7903200502	40-4492		7903130436	
	7903200505	40-4492		7903220385	
	7903220489	40-4492		7903300388	
	7903200499	40-4492		7903070256	50-219
Fischer & Porter Co.	7903300227			7902200049	
	7903300197			7903010089	
	7903300170			7903150002	
Futura Coatings, Inc., Jarboe Enterprises	7903220035	40-8035		7903290064	
Div				7903060599	
General Atomic Co. (subs. of Gulf Oil	7903060701			7903070137	
Corp.)				7903270650	
	7903050444			7903260306	
	7903060610			7903150204	
	7903080626			7903150024	
	7903140236				
	7903060499			7903150036	
	7903060604			7903200595	
	7903080625				
	7903010017			7903200590	
	7903150406	71-6346		7903230115	
	7903020287	50-89		7902270134	40-8712
	7903230244	50-89		7903290037	
	7903020331	50-163		7903080657	
Gaulin Corp.	7903210109			7903220113	
	7903210098				
General Electric Co.	7903140113	70-2693		7903020001	
	7903010310	50-219		7903260191	70-1359
	7903060332	50-70		7903260302	
	7903060340	50-70		7903120148	
	7903200007			7903120147	
	7903270254			7903150271	
	7903300548			7903220025	
	7903270248			7903220021	
	7903090107			7903230080	40-8027
	7903080222	70-1530			
	7903150310	70-1113		7903230079	40-8027
	7903210003	50-445		7903140555	40-8027
	7903240234	70-1308		7903270017	70-1193
	7903080225	70-1151			
	7903070261			7903270016	71-9070
	7903280288	50-322		7903070439	
	7903300053			7903210269	
General Dynamics Corp.	7903290079			7903290055	
General Electric Co. Nuclear Energy	7903300568	70-1308		7903200274	
Products Div.					
	7903010310	50-219			
	7903130051	70-1308			
	7903070387				
			Globe Shipping Co., Inc.		
			General Motors Corp.		
			Gould, Inc.		
			Grinnell Corp. (subs. of International		
			Telephone & Telegraph Corp.)		
			Gulf Oil Corp., Gulf Mineral Resources		
			Co.		
			Gulf Research & Development Co.		
			Hittman Corp.		
			Hewlett-Packard Co.		
			Helix Technology Corp., Process Systems		
			Div		
			IRT Corp.		
			Isotope Products Laboratories		
			Kawacki Berylo Industries, Inc.		
			KBI Tube Div		
			Keithley Instruments, Inc.		
			Kerr-McGee Chemical Corp. (subs. of		
			Kerr-McGee Corp.)		
			Kerr-McGee Corp.		
			Kerr-McGee Nuclear Corp. (subs. of		
			Kerr-McGee Corp.)		
			Lakeside Bridge & Steel Co.		
			R. S. Landover, Jr. & Co.		
			Luminous Processes, Inc.		

CORPORATE SOURCE INDEX

327

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Manufacturers/Equipment & Supplies					
Marubeni America Corp (subs of Marubeni Corp)	7903090305		Texas Instruments, Inc	7903130084	70-33
	7903270360			7903130094	70-33
	7903290269			7903020098	70-33
	7903090302			7903130081	70-33
	7903270357			7903210281	70-33
	7903290266			7903230247	70-33
Minerals Exploration Co (subs of Union Oil Co of California)	7903300375	40-8584	Tennessee Nuclear Specialties, Inc	7903140212	
	7903300152	50-584	Technical Operations, Inc	7903200504	
	7903300371	40-8584	Transnuclear, Inc	7903080596	
Mitsui & Co, Ltd	7903090256			7903140248	
	7903290144			7903190352	
	7903290147			7903270353	
	7903290159			7903290262	
Mitsubishi International Corp (subs of Mitsubishi Corp)	7903080636			7903130222	
	7903080650			7903120080	
	7903080653			7903190043	70-2421
	7903140221			7903140522	
	7903050014			7903080594	
	7903080648			7903270347	
	7903280011			7903280071	
Newport News Shipbuilding & Dry Dock Co (subs of TENNECO Corp)	7903080029			7903270619	
	7903140652	71-9033		7903290258	
Neutron Products, Inc	7903130850			7903120372	
Nuclear Fuel Services, Inc (subs of Getty Oil Co)	7903210391	50-201	Chemetron Corp, Tube Turns Div	7903020014	71-9120
	7903270019	50-201	Ransay Engineering Co, Texas Nuclear Div	7903200594	
	7903130509	50-201	Union Carbide Corp	7903080647	
	7903120435	70-143		7903070540	71-6227
	7903160273	70-143		7903300201	71-9852
	7903160265	70-143		7903220241	71-9090
	7903290188	50-201		7903090435	50-54
	7903270018	50-201		7903010477	40-299
	7903010471	70-143		7903210071	71-9098
	7903200119	70-143	Union 76 Minerals Exploration Co	7903260126	
	7903230365	70-143		7903220393	
	7903260007	70-143		7903200329	40-8584
	7903080144	70-143		7903200342	40-8584
	7903080586	70-143	United Nuclear Corp	7903270020	40-8584
	7903210382			7903050577	70-820
	7903210384			7903120021	70-820
Nissho-Iwai American Corp	7903230114			7903300245	70-820
	7903230263			7903300061	70-371
	7903080602			7903060302	40-8602
	7903230360			7903210082	70-371
JAL Industries, Inc	7903300182	71-9010	United Electric Controls Co	7903140560	40-8602
Newport News Industrial Corp (subs of Newport News Shipbuilding & Dry Dock Co)	7903090120		Union Oil Co of California	7903260088	70-820
Victoreen, Inc, Nuclear Associates Div	7903270094			7903290191	70-820
Nuclear Dynamics	7903190082	40-8663		7903010453	70-820
	7903290143	40-8663		7903150086	
	7903190075	40-8663		7903270225	40-8584
	7903190360	40-8663		7903270019	40-8584
	7903190369	40-8663		7903270218	40-8584
Nucor Corp	7903050442		Westinghouse Electric Corp	7903060343	40-8584
Offshore Power Systems (subs of Westinghouse Electric Corp)				7903220088	70-1143
Pathfinder Mines Corp	7903020309	40-2259		7903090299	
	7902270032	40-2259		7903090312	
	7902270137	40-2259		7903080651	
	7903050089	40-2259		7903080623	
Petrochemicals, Inc	7903290251	40-6659		7903080642	
	7903230063	40-6659		7903210083	
	7903230061	40-6659		7903140242	
	7903290244	40-6659		7903150332	
	7903290239	40-6659		7903280003	
Radium Chemical Co, Inc	7903050107			7903200010	
Radiation Management	7903260147			7903210097	
Reactor Experiments, Inc	7903230336			7903230373	
	7903190105	70-2643		7903290226	
	7903190344	70-2602		7903290254	
Reuter-Stokes, Inc	7903070093			7903290140	70-698
	7903080614			7903060671	
	7903080636			7903060678	
	7903080616			7903160323	70-2525
Rockwell International Corp	7903070054	71-9009		7903160320	70-2613
	7903140512	70-25		7903210503	30-13071
Rocky Mountain Energy Co	7903230068	70-25		7903090297	
	7903140454	40-8721		7903190119	70-2125
	7903140447	40-8721		7903090131	
	7903200025	40-8697		7903080619	
Saminco, Inc	7903200493			7903280002	
	7903200498			7903290222	
Sandvik Special Metals Corp	7903080634			7903290250	
	7903140229			7903190166	70-184
	7903210086			7903220156	70-1143
	7903210088			7903020047	70-1143
Stone & Webster Engr	7903290145	50-280		7903220296	70-1151
South West Nuclear Co	7902270007	71-6144		7903150014	
Teledyne Wah Chang Albany	7903200006			7903210383	70-1143
	7903200013			7903220083	71-5450
	7903200017			7903050574	70-1151
	7903200021			7903290319	70-1151
	7903200026			7903260333	
	7903200030			7903280357	50-3
	7903200033			7903260330	
				7903230194	
				7903260276	
				7903260289	

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Manufacturers/Equipment & Supplies			Other U.S. Federal Government Agencies		
Westinghouse Electric Corp	7903150330		Advisory Council on Historic Preservation	7903150275	50-546
	7903200137			7903150218	50-549
	7903290075		Administrative Conference of the U.S.	7903280146	
	7903330116		U.S. Court of Appeals for District of Columbia Circuit	7903090358	50-322
	7903330129			7903090351	50-322
	7903220378		Council on Environmental Quality	7903020011	
	7903070300		Agriculture, Dept. of	7903060020	40-2253
	7903070228			7903220376	40-299
	7903070531			7903220496	40-8698
Westinghouse Electric Corp Wyoming Mineral Corp	7903210286	40-8302		7903140295	50-471
Western Nuclear, Inc. (subs. of Phelps Dodge Corp.)	7903200181	40-1162		7903280356	50-471
	7903070457	40-1162	Army, Dept. of	7903060542	
	7903070447	40-1162		7903090022	71-267
	7903200175	40-1162		7903120374	40-299
World Nuclear Co.	7903210254	40-8636		7903260050	71-6639
Wyoming Mineral Corp	7902270068	40-8304	Navy, Dept. of	7903230138	
	7902270059	40-8304		7903090019	71-265
				7903300178	71-276
				7903190361	71-274
				7903080052	71-268
				7903130122	71-273
				7903190358	71-274
				7903090017	71-265
				7903300248	
				7903300167	
			Energy, Dept. of	7903070411	50-237
				7903150347	
				7903220024	71-5595
				7903300800	71-5907
				7903300189	71-9852
				7903210075	71-6387
				7903210235	71-5552
				7903220396	
				7903190453	70-2844
				7903050088	71-9307
				7903070838	71-6227
				7903300184	71-9852
				7903210070	71-6287
				7903210227	71-5552
				7903300275	71-5597
				7903300300	71-9851
				7903300493	71-5907
				7903220012	71-5595
				7903300062	71-5957
				7903220240	71-9094
				7903220491	71-361
				7903260030	71-4986
				7903150342	
				7903060294	50-537
				7903060595	
			Energy, Dept. of, Clinch River Breeder Reactor Plant	7903070226	50-537
			Interior, Dept. of		
				7903140290	50-498
				7903210337	50-596
				7903140494	40-8481
				7903140498	
				7903060484	
				7903070346	50-522
				7903060403	
				7903070414	
				7903070486	
				7903070521	
				7903070656	
			Interior, Dept. of, Fish & Wildlife Service	7903150397	50-454
				7903270864	50-502
				7903270486	50-568
				7903100297	50-397
			Interior, Dept. of, Bureau of Indian Affairs		
			Interior, Dept. of, Bureau of Mines	7903070323	50-596
			Interior, Dept. of, Bureau of Reclamation	7903120263	50-498
				7903050371	50-445
				7903020100	50-445
			Justice, Dept. of	7903230190	50-445
				7903230194	50-445
				7903260365	50-389
				7903020351	50-592
				7903280318	50-338
			State, Dept. of		
				7903080601	
				7903060580	
				7903050583	50-13324
				7903050012	
				7903060234	
				7903060269	
				7903060691	
				7903060220	
				7903060254	70-2688
				7903060360	70-2622
				7903050102	
				7903120352	
				7903120357	
				7903120360	
				7903120365	
				7903080661	
				7903090117	
				7903120178	70-2325
				7903080633	
				7903080641	
				7903230047	
				7903190211	
				7903150184	
				7903150187	
Professional/Industry Institutions, Societies					
American Institute of Architects	7903220401				
Atomic Industrial Forum	7902210134				
	7903050452				
	7903070359				
	7903140656				
	7903220285				
American Nuclear Society	7903050481				
American National Standards Institute	7903190034	50-280			
Environmental Policy Institute	7903140111				
International Atomic Energy Agency	7903290105				
Institute of Electrical & Electronic Engineers	7903220384				
Portland Cement Association	7903090194				
Power Engineering Society					
State Governments/Agencies					
California, State of	7903070095				
	7903230285				
Colorado, State of	7903200150				
District of Columbia	7903140313	50-280			
Illinois, State of	7903140472	27-39			
	7903140479	27-39			
	7903200519	50-295			
	7903220002	50-295			
	7903220405	50-367			
	7903210079	50-295			
	7903090326	50-254			
	7903210081	40-2061			
	7903270310	40-2061			
	7903280173				
Louisiana, State of	7903070530				
Massachusetts, State of	7903130019	50-471			
North Carolina, State of	7903220102	50-400			
	7903210238	50-400			
New Jersey, State of	7903150234	50-272			
New Mexico, State of	7903220097	50-437			
	7903070017				
	7903140092				
	7903200122				
	7903200583				
	7903220060				
New York, State of	7903070404	50-549			
	7903070561	50-549			
	7903260348	50-549			
	7903260350	50-549			
	7903280037	50-549			
	7903260178	50-596			
	7903260141	50-549			
	7903280033	50-549			
	7903200494	50-224			
	7903260141	50-549			
	7903280033	50-549			
	7903150317	50-333			
	7903070275				
	7903230124				
Oklahoma, State of	7903260103	50-596			
Oregon, State of	7903060530	50-344			
Pennsylvania, State of	7903290071				
South Carolina, State of	7903050415	50-468			
South Dakota, State of	7903270012	40-1341			
Tennessee, State of	7903090155	50-390			
Texas, State of	7903220074	50-445			
	7903210307	50-498			
	7903080477				
	7903070431				
Utah, State of	7903070282	40-3453			
	7903200113	40-8698			
	7902270025	40-8681			
Washington, State of	7903070088	50-522			
	7903220092	50-522			
Wisconsin, State of	7903130517	50-305			
Wyoming, State of	7903210100	40-8692			
	7903270028	40-4492			
	7903150417	40-8492			
Wyoming, State of	7903070050	40-8102			
	7903060665	40-299			
	7903220375	40-299			
	7903220377	40-8102			
	7903300527	40-8584			

her U S Federal Government Agencies

ate, Dept of

ransportation, Dept of
easury, Dept of
nvironmental Protection Agency

ederal Energy Regulatory Commission

terior, Dept of, U S Geological
urvey
alth, Education & Welfare, Dept of

use of Rep

mmerce, Dept of, National Bureau of
tandards

ice of Management & Budget
esident of US & Executive Offices
curities & Exchange Commission
ate

nate, Environment & Public Works
nate, Governmental Affairs

litical, Power Reactors

P - American Electric Power Co, Inc

PR - Alabama Power Co

- Arkansas Power & Light Co

7903230320
7903280304 40-8544
7903270193
7903270224
7903270229
7903230133
7903260378
7903050113
7903200464 50-220
7903010207 50-437
7903260402
7903140654 40-299
7903160084 40-8681
7903160302 40-8698
7903190200 50-471
7903150273 50-274

7903280164
7903050122
7903300950 50-70
7903290882
7903260245
7903070461 40-8035
7903260237
7903280223
7903020391
7903280312 70-2623
7903270203 50-269
7903060644 50-311
7903160287 50-290
7903210289
7903120413 50-482
7903280339 50-482
7903020128

7903130255

7903020406
7903160183
7903140970
7903190327 50-389
7903280324 50-522
7903140566 50-502
7903050170 50-272
7903120402 50-568
7903280329 50-290
7903300570 50-290
7903290206 50-272
7903150402 50-280
7903280200

7903060659 50-315
7903150242 50-316
7903220362 50-315
7903200249 50-364
7903010307 50-348
7903060276 50-348
7903060281 50-348
7903060284 50-348
7903060289 50-348
7903210147 50-348
7903270555 50-348
7903280276 50-348
7903210144 50-348
7903220111 50-364
7903010305 50-348
7903190262 50-348
7903190272 50-348
7903190277 50-348
7903190286 50-348
7903190298 50-348
7903190310 50-348
7903210131 50-348
7903210139 50-348
7903270554 50-348
7903280314 50-348
7903280318 50-348
7903070499 50-364
7903070448 50-348
7903070466 50-348
7903130145 50-348
7903140539 50-348
7903060266 50-348
7903200365 50-348
7903190290 50-348
7903060159 50-348
7903260230 50-348
7903200172 50-364
7903190238 50-313
7903280283 50-313
7903190232 50-313
7903200083 50-368
7903010301 50-313
7903060479 50-368
7903060483 50-368
7903060487 50-368
7903060497 50-368
7903060214 50-368
7903060218 50-368
7903060405 50-268

AZPS - Arizona Public Service Co

BECO - Boston Edison Co

BGE - Baltimore Gas & Electric Co

7903060408 50-368
7903130372 50-313
7903130375 50-313
7903270412 50-313
7903270417 50-313
7903270469 50-368
7903270473 50-368
7903270477 50-368
7903270480 50-368
7903270485 50-368
7903090773 50-313
7903220336 50-368
7903270400 50-313
7903300363 50-313
7903220220 50-313
7903060438 50-313
7903060131 50-317
7903130404 50-317
7903130312 50-317
7903200251 50-313
7903210272 50-313
7903190241 50-317
7903200471 50-313
7903290237 50-317
7903220156 50-317
7903270400 50-313
7903060438 50-313
7903190241 50-313
7903270450 50-368
7903020362 50-317
7903020348 50-368
7903210162 50-592
7903300392 50-528
7903020316 50-592
7903070222 50-592
7903070368 50-528
7903110187 50-592
7903200459 50-592
7903210156 50-592
7903120255 50-592
7903070490 50-528
7903070218 50-471
7903140183 50-293
7903220275 50-293
7903060143 50-293
7903140277 50-293
7903060101 50-293
7903140274 50-293
7903020338 50-293
7903020441 50-293
7903020373 50-293
7903020378 50-293
7903020369 50-293
7903020370 50-293
7903020372 50-293
7903020374 50-293
7903060492 50-293
7903060134 50-293
7903190204 50-293
7903190211 50-293
7903190315 50-293
7903190321 50-293
7903300379 50-293
7903300382 50-293
7903070491 50-293
7903020400 50-471
7903030212 50-293
7903190302 50-293
7903140410 50-293
7903260231 50-293
7903290153 50-293
7903270440 50-293
7903270478 50-471
7903140469 50-471
7903140474 50-317
7903020357 50-317
7903020344 50-317
7903080311 50-317
7903210012 50-317
7903280365 50-317
7903210011 50-317
7903140015 50-317
7903220212 50-317
7903050405 50-317
7903050408 50-317
7903020342 50-317
7903070304 50-317
7903070312 50-317
7903090167 50-318
7903090175 50-318
7903090178 50-317
7903090182 50-317
7903090258 50-318
7903090262 50-318
7903090265 50-318
7903090268 50-318
7903210128 50-317
7903210134 50-317
7903220210 50-317
7903290097 50-318
7903290101 50-318
7903290109 50-367

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Utilities, Power Reactors					
BGE - Baltimore Gas & Electric Co	7903290110	50-317		7903060283	50-237
	7903080308	50-317		7903130389	50-237
	7903220256	50-317		7903140309	50-304
	7903060155	50-317		7903130307	50-295
	7903080243	50-317		7903140405	50-237
	7903020356	50-317		7903150303	50-373
	7903020353	50-317		7903190223	50-237
	7903080331	50-317		7903260250	50-295
	7903080336	50-317		7903160208	50-295
	7903140440	50-317		7903210193	50-373
	7903160234	50-317		7903220242	50-295
	7903160237	50-317		7903300374	50-284
	7903210298	50-317		7903270442	50-295
	7903260241	50-317		7903270446	50-295
	7903280307			7903290157	50-295
	7903210300	50-317		7903270430	50-295
CEIL - Commonwealth Edison Co	7903260254	50-295		7903270435	50-454
	7903020324	50-254		7903270495	50-373
	7903020337	50-10		7903270499	50-10
	7903050391	50-10		7903270500	50-454
	7903260287	50-254		7903270504	50-254
	7903290116	50-373		7903290112	50-295
	7903300387	50-254		7903050263	50-10
	7903180306	50-373		7903210167	50-10
	7903260203	50-10		7902220033	50-237
	7903070212	50-3		7902230001	50-437
	7903210035	50-10		7903220174	50-10
	7903130131	50-456		7903160172	50-437
	7903020322	50-254		7903290131	50-10
	7903020361	50-295		7903130302	50-10
	7903060104	50-10		7903190202	50-10
	7903080478	50-295		7903210026	50-10
	7903130608	50-373		7903290131	50-10
	7903220523	50-237		7903260200	50-10
	7903160298	50-254		7903140457	50-373
	7903070339	50-254		7903290115	50-373
	7903070343	50-254		7903270494	50-373
	7903080333	50-10		7903130419	50-295
	7903070316	50-295		7903130498	
	7903070321	50-295		7903230132	
	7903070332	50-254		7903080006	
	7903070338	50-254	CENY - Consolidated Edison Co of New York	7903060382	50-3
	7903070340	50-254			
	7903070346	50-254		7903050334	50-3
	7903070354	50-254		7903070247	50-247
	7903070358	50-254		7903070223	50-3
	7903070363	50-254		7903210038	50-10
	7903070370	50-254		7903210107	50-3
	7903070373	50-254		7903220345	50-3
	7903070386	50-254		7903180319	50-3
	7903220507	50-304		7903220345	50-3
	7903140281	50-254		7903010233	50-3
	7903140286	50-254		7903210105	50-3
	7903070242	50-304		7903060207	50-247
	7903070353	50-254		7903070220	50-3
	7903070357	50-254		7903090197	50-247
	7903070341	50-254		7903090200	50-247
	7903070350	50-254		7903090205	50-247
	7903070246	50-304		7903090210	50-247
	7903160058	50-456		7903140261	50-3
	7903160240	50-254		7903200372	50-3
	7903160246	50-254		7903200375	50-3
	7903140301	50-295		7903210180	50-3
	7903140307	50-295		7903220207	50-247
	7903160212	50-254		7903220208	50-247
	7903160214	50-254		7903220214	50-247
	7903160215	50-265		7903140105	50-247
	7903160221	50-265		7903090202	50-247
	7903160244	50-254		7903060217	50-247
	7903160247	50-254		7903080331	50-3
	7903160133	50-295		7903160238	50-3
	7903160137	50-295			
	7903260286	50-254			
	7903290030			7903060376	50-3
	7903290033	50-265		7903070244	50-247
	7903160247	50-304		7903290099	50-3
	7903160251	50-304		7903290136	50-3
	7903280338	50-295		7903070537	
	7903280341	50-295	COEC - Cincinnati Gas & Electric Co	7903300392	50-358
	7903280344	50-254		7903060195	50-358
	7903280348	50-254		7903190305	50-358
	7903290042	50-254		7903140255	50-358
	7903290046	50-254		7903150074	50-358
	7903290090	50-254		7903200482	70-2838
	7903290092	50-254		7903020326	50-358
	7903280320	50-254		7903060190	50-358
	7903280327	50-254		7903060248	50-358
	7903280330	50-265		7903130393	50-358
	7903280336	50-265		7903190304	50-358
	7903290031	50-304		7903270368	50-358
	7903290039	50-304		7903280254	50-358
	7903280352	50-254		7903300385	50-358
	7903280355	50-254		7903220218	50-358
	7903280345	50-254	CLEI - Cleveland Electric Illuminating Co	7903260095	50-358
	7903280347	50-254			
	7903280350	50-304		7903260102	50-440
	7903280353	50-304	CPC - Consumers Power Co	7903090231	50-165
	7903270448	50-237		7903130394	50-329
	7903270453	50-237		7903130331	50-329
	7903070452	50-249		7903010304	50-329
	7903010292	50-295		7903020355	
	7903050388	50-10		7903050355	50-155

CORPORATE SOURCE INDEX

331

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION
Utilities, Power Reactors			
CPC - Consumers Power Co	7903060445	50-155	7903060445
	7903280272	50-255	7903280272
	7903280306	50-155	7903280306
	7903120277	50-255	7903120277
	7903010256	50-329	7903010256
	7903010308	50-329	7903010308
	7903120273	50-255	7903120273
	7903270394	50-329	7903270394
	7902050127	50-329	7902050127
	7903220348	50-329	7903220348
	7903200598		7903200598
	7903130244	50-329	7903130244
	7903190087	50-155	7903190087
	7903230337	50-255	7903230337
	7903010259	50-155	7903010259
	7903010263	50-155	7903010263
	7903050353	50-155	7903050353
	7903050266	50-255	7903050266
	7903060425	50-155	7903060425
	7903060443	50-155	7903060443
	7903060469	50-155	7903060469
	7903060489	50-155	7903060489
	7903060494	50-155	7903060494
	7903090328	50-155	7903090328
	7903090335	50-155	7903090335
	7903090344	50-155	7903090344
	7903090348	50-155	7903090348
	7903090354	50-155	7903090354
	7903090215	50-255	7903090215
	7903090218	50-255	7903090218
	7903090221	50-255	7903090221
	7903120334	50-155	7903120334
	7903120340	50-155	7903120340
	7903130315	50-329	7903130315
	7903130387	50-329	7903130387
	7903150336	50-329	7903150336
	7903210034	50-329	7903210034
	7903210133	50-329	7903210133
	7903230158	50-329	7903230158
	7903260248	50-155	7903260248
	7903260252	50-155	7903260252
	7903260255	50-155	7903260255
	7903260289	50-155	7903260289
	7903290135	50-255	7903290135
	7903290138	50-255	7903290138
	7903080069	50-155	7903080069
	7903090229	50-155	7903090229
	7903070227	50-255	7903070227
	7903140372	50-155	7903140372
	7903140453	50-255	7903140453
	7903070230	50-329	7903070230
	7903010256	50-329	7903010256
	7903080301	50-329	7903080301
	7903260213	50-155	7903260213
	7903060253	50-255	7903060253
	7903060373	50-155	7903060373
	7903120240	50-255	7903120240
	7903090279	50-255	7903090279
	7903130284	50-255	7903130284
	7903130360	50-155	7903130360
	7903150301	50-255	7903150301
	7903200360	50-155	7903200360
	7903260265	50-255	7903260265
	7903290108	50-255	7903290108
	7903290122	50-155	7903290122
	7903300398	50-155	7903300398
	7903010302	50-329	7903010302
	7903120259	50-329	7903120259
	7903120268	50-329	7903120268
	7903200184	50-329	7903200184
	7903200369	50-329	7903200369
	7903070175		7903070175
	7903070288		7903070288
	7903070353		7903070353
CPL - Carolina Power & Light Co	7903090207	50-324	7903090207
	7903090217	50-325	7903090217
	7903070240	50-261	7903070240
	7903090208		7903090208
	7903190269	50-324	7903190269
	7903230178	50-324	7903230178
	7903190236	50-261	7903190236
	7903050546		7903050546
	7903190230	50-261	7903190230
	7903190257	50-324	7903190257
	7903090203	50-261	7903090203
	7903050593	50-324	7903050593
	7903010250	50-400	7903010250
	7903150072	50-400	7903150072
	7903150128	50-400	7903150128
	7903070308	50-324	7903070308
	7903070313	50-324	7903070313
	7903200167	50-324	7903200167
	7903070236	50-261	7903070236
	7903090204	50-324	7903090204
	7903090214	50-325	7903090214
	7903190181	50-324	7903190181
	7903190184	50-324	7903190184
	7903220150	50-400	7903220150
	7903190268	50-261	7903190268
	7903190281	50-261	7903190281
	7903200438	50-324	7903200438
	7903200444	50-324	7903200444
			7903060445
			7903280272
			7903280306
			7903120277
			7903010256
			7903010308
			7903120273
			7903270394
			7902050127
			7903220348
			7903200598
			7903130244
			7903190087
			7903230337
			7903010259
			7903010263
			7903050353
			7903050266
			7903060425
			7903060443
			7903060469
			7903060489
			7903060494
			7903090328
			7903090335
			7903090344
			7903090348
			7903090354
			7903090215
			7903090218
			7903090221
			7903120334
			7903120340
			7903130315
			7903130387
			7903150336
			7903210034
			7903210133
			7903230158
			7903260248
			7903260252
			7903260255
			7903260289
			7903290135
			7903290138
			7903080069
			7903090229
			7903070227
			7903140372
			7903140453
			7903070230
			7903010256
			7903080301
			7903260213
			7903060253
			7903060373
			7903120240
			7903090279
			7903130284
			7903130360
			7903150301
			7903200360
			7903260265
			7903290108
			7903290122
			7903300398
			7903010302
			7903120259
			7903120268
			7903200184
			7903200369
			7903070175
			7903070288
			7903070353
			7903090207
			7903090217
			7903070240
			7903090208
			7903190269
			7903230178
			7903190236
			7903050546
			7903190230
			7903190257
			7903090203
			7903050593
			7903010250
			7903150072
			7903150128
			7903070308
			7903070313
			7903200167
			7903070236
			7903090204
			7903090214
			7903190181
			7903190184
			7903220150
			7903190268
			7903190281
			7903200438
			7903200444
			7903060445
			7903280272
			7903280306
			7903120277
			7903010256
			7903010308
			7903120273
			7903270394
			7902050127
			7903220348
			7903200598
			7903130244
			7903190087
			7903230337
			7903010259
			7903010263
			7903050353
			7903050266
			7903060425
			7903060443
			7903060469
			7903060489
			7903060494
			7903090328
			7903090335
			7903090344
			7903090348
			7903090354
			7903090215
			7903090218
			7903090221
			7903120334
			7903120340
			7903130315
			7903130387
			7903150336
			7903210034
			7903210133
			7903230158
			7903260248
			7903260252
			7903260255
			7903260289
			7903290135
			7903290138
			7903080069
			7903090229
			7903070227
			7903140372
			7903140453
			7903070230
			7903010256
			7903080301
			7903260213
			7903060253
			7903060373
			7903120240
			7903090279
			7903130284
			7903130360
			7903150301
			7903200360
			7903260265
			7903290108
			7903290122
			7903300398
			7903010302
			7903120259
			7903120268
			7903200184
			7903200369
			7903070175
			7903070288
			7903070353
			7903090207
			7903090217
			7903070240
			7903090208
			7903190269
			7903230178
			7903190236
			7903050546
			7903190230
			7903190257
			7903090203
			7903050593
			7903010250
			7903150072
			7903150128
			7903070308
			7903070313
			7903200167
			7903070236
			7903090204
			7903090214
			7903190181
			7903190184
			7903220150
			7903190268
			7903190281
			7903200438
			7903200444
			7903060445
			7903280272
			7903280306
			7903120277
			7903010256
			7903010308
			7903120273
			7903270394
			79

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Utilities, Power Reactors					
DPC - Duke Power Co	7903070571	70-2623	7903150295	50-335	
	7903200265	50-488	7903290023	50-250	
	7903150288	50-488	7903280368	50-335	
	7903290181	70-2623	7903300252	50-250	
	7903260251	50-413	7903070063	50-250	
	7903260253	50-413	7903200082	50-335	
	7903260257	50-413	7903130291	50-335	
	7903260260	50-413	7903130294	50-335	
	7903060166	70-2623	7903130325	50-335	
	7903120222	50-269	7903130326	50-335	
	7903010289	50-287	7903130288	50-251	
	7903010290	50-287	7903130289	50-251	
	7903070198	50-369	7903130332	50-335	
	7903010286	50-269	7903130339	50-335	
	7903010288	50-269	7903150293	50-335	
	7903130257	50-269	7903200376	50-335	
	7903080558	50-369	7903200377	50-335	
	7903200056	50-369	7903230152	50-335	
	7903140158	50-269	7903230155	50-335	
	7903050319	50-269	7903260235	50-335	
	7903020318	50-269	7903260237	50-335	
	7903020320	50-269	7903260221	50-335	
	7903130133	50-269	7903260223	50-335	
	7903140559	50-369	7903230159	50-250	
	7903150197	50-413	7903230160	50-250	
	7903140328	50-269	7903190275	50-369	
	7903140329	50-269	7903070287	50-250	
	7903150282	50-269	7903290019	50-250	
	7903150279	50-269	7903010298		
	7903230374	50-369	7903080247	50-250	
	7903270517	50-369	7903160207	50-251	
	7903190199	50-269	7903170244	50-335	
	7903190201	50-269	7903260285	50-251	
	7903200169	50-270	7903270291	50-250	
	7903200520	50-409	7903270291	50-335	
	7903070539	71-266	7903140385	50-335	
	7903070232	50-369	7903210168	50-335	
	7903220262	50-369	7903300342	50-335	
	7903260243	50-413	7903060442	50-250	
	7903260249	50-413	7903160239	50-250	
	7903260260	50-413	7903050341	50-321	
	7903260264	50-413	7903120318	50-321	
	7903270552	50-269	7903090183	50-321	
	7903270373	50-369	7903140271	50-366	
	7903270336	50-369	7903140284	50-321	
	7903270380	50-369	7903120313	50-321	
	7903270810	50-269	7903140264	50-366	
	7903290011	50-269	7903140280	50-321	
	7903140303	50-269	7903050575	50-321	
	7903270280	50-269	7903010238	50-366	
	7903270552	50-269	7903220119	50-424	
	7903300281	50-269	7903220120	50-424	
	7903070232	50-369	7903070303	50-366	
	7903270373	50-369	7903070309	50-366	
	7903270381	50-369	7903130352	50-366	
	7903150281	50-488	7903130356	50-366	
	7903230122		7903130388	50-366	
	7903070294		7903130395	50-366	
	7903070562		7903270548	50-321	
FPC - Florida Power Corp	7903140456	50-302	7903190176	50-366	
	7903060383	50-302	7903190179	50-366	
	7903140452	50-302	7903190171	50-366	
	7903140450	50-302	7903190172	50-366	
	7903050364	50-302	7903200419	50-321	
	7903060431	50-302	7903200424	50-321	
	7903060434	50-302	7903270348	50-321	
	7903190187	50-302	7903270392	50-321	
	7903140233	50-302	7903300269	50-321	
	7903050362	50-302	7903300274	50-321	
	7903190186	50-302	7903300238	50-321	
	7903130510	50-302	7903300247	50-321	
	7903060380	50-302	7903300250	50-321	
	7903060226	50-302	7903300255	50-321	
	7903060221	50-302	7903200435	50-424	
	7903090187	50-302	7903070514	50-321	
	7903090219	50-302	7903190287	50-321	
	7903090186	50-302	7903260076	50-321	
	7903090216	50-302	7903120355	50-321	
	7903150214	50-302	7903140517	50-366	
	7903150212	50-302	7903130163	50-321	
	7903220157	50-302	7903050383	50-366	
	7903160227	50-302	7903060252	50-321	
	7903270349	50-302	7903140449	50-321	
	7903230153	50-302	7903090170	50-321	
	7903230130	50-302	7903190308	50-321	
	7903230135	50-302	7903200400	50-321	
	7903230163	50-302	7903260229	50-321	
	7903270490	50-302	7903270471	50-321	
	7903270346	50-302	7903290034	50-321	
	7903270484	50-302	7903290121	50-366	
	7903140444	50-302	7903210183	50-146	
	7903200446	50-302	7903090148	50-289	
	7903270409	50-302	7903090198	50-289	
	7903270464	50-302	7903150361	50-289	
	7903060428	50-302	7903140362	50-219	
	7903210015	50-302	7903280263	50-289	
	7903050231	50-302	7903070565		
	7903060246	50-302	7903130291	50-458	
	7903200260	50-302	7903060663	50-458	
	7903270113	50-302	7903130027	50-458	
	7903270455	50-302	7903080542	50-458	
	7903270392	50-302			
			GENP - General Public Utilities		
			GPU - GPU Service Corp		
			GSU - Gulf States Utilities Co		

CORPORATE SOURCE INDEX

333

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Utilities, Power Reactors					
GSU - Gulf States Utilities Co	7903080544	50-458		7903070333	50-219
	7903150305	50-458		7903070337	50-219
	7903190169	50-498		7903070377	50-219
HLP - Houston Lighting & Power Co	7903230181	50-466		7903090246	50-219
	7903190168	50-498		7903260216	50-219
	7903070085	50-498		7903260252	50-219
	7903210201	50-498		7903260433	50-219
	7903230182	50-466		7903260403	50-219
	7903230180	50-466		7903280358	50-219
	7903070208	50-466		7903120317	50-219
	7903210304	50-466	KSSE - Kansas Gas & Electric Co	7903070239	50-482
	7903260199	50-498		7903060607	50-482
IELP - Iowa Electric Light & Power Co	7903050369	50-331	LAPL - Louisiana Power & Light Co	7903020366	50-382
	7903280349	50-331		7903060602	50-382
	7903300315	50-331		7903020365	50-382
	7903050189	50-331		7903070215	50-382
	7903090163	50-331	LIL - Long Island Lighting Co	7903290017	50-322
	7903200380	50-331		7903290021	50-322
	7903050368	50-331		7903290018	50-322
	7903280346	50-331		7903290020	50-322
	7903050186	50-331		7903050440	50-516
	7903090154	50-331		7903200322	50-322
	7903200379	50-331		7903010036	50-322
	7903300312	50-331		7903050284	50-322
	7903090375	50-331		7903150379	50-322
	7903050402	50-331		7903230164	50-322
	7903150425	50-331		7903270513	50-322
	7903060472	50-331		7903070265	50-322
	7903140100	50-331		7903120258	50-322
	7903160277	50-331		7903290016	50-322
	7903140337	50-331		7903050148	50-322
	7903060305	50-331	MEED - Metropolitan Edison Co	7903160157	50-289
	7903130377	50-331		7903160223	50-320
	7903190174	50-331		7903290163	50-320
	7903190197	50-331		7903270406	50-289
	7903270355	50-331		7903160154	50-289
	7903270358	50-331		7903160220	50-320
	7903270457	50-331		7903300455	50-289
	7903280311	50-331		7903080546	50-320
	7903070269	50-331		7903080143	50-289
	7903090211	50-331		7903060200	50-320
	7903120280	50-331		7903060204	50-320
	7903140379	50-331		7903060451	50-320
	7903190244	50-331		7903060462	50-320
	7903200386	50-331		7903070248	50-289
	7903200384	50-331		7903070329	50-320
	7903270335	50-331		7903070334	50-320
	7903270426	50-331		7903120211	50-320
	7903140300	50-331		7903120224	50-320
ILPR - Illinois Power Co	7903050370	50-461		7903210091	50-289
	7903160067	50-461		7903210116	50-289
	7903150217	50-461		7903270340	50-289
	7903050357	50-461		7903270345	50-289
IMPR - Indiana & Michigan Power Co	7903070364	50-315		7903280319	50-320
	7903290149	50-315		7903280313	50-320
	7903210044	50-315		7903290128	50-289
	7903210214	50-316		7903290134	50-289
	7903210042	50-315		7903050325	50-289
	7903210212	50-316		7903090232	50-289
	7903290025	50-315		7903210169	50-289
	7903290029	50-315		7903010189	50-289
	7903290033	50-315		7903010281	50-289
	7903290036	50-315		7903070217	50-289
	7903290038	50-315		7903070210	50-289
	7903220362	50-315		7903070324	50-289
	7903050389	50-315		7903080317	50-289
	7903050146	50-316		7903120196	50-289
	7903050251	50-315		7903200374	50-289
	7903050291	50-315		7903210028	50-289
	7903050298	50-315		7903220216	50-289
	7903050302	50-315		7903270558	50-289
	7903060231	50-315		7903290150	50-289
	7903060237	50-315		7903290162	50-320
	7903070361	50-315	MPL - Mississippi Power & Light Co	7903130369	50-416
	7903130357	50-315		7903280363	50-416
	7903130364	50-315		7903160254	50-416
	7903130368	50-315		7903190216	50-416
	7903140238	50-316		7903050571	50-416
	7903190249	50-316		7903010242	50-416
	7903190256	50-316		7903070161	50-416
	7903190287	50-315		7903130565	50-416
	7903190293	50-315		7903270449	50-416
	7903190300	50-315		7903130367	50-416
	7903190316	50-315		7903160253	50-416
	7903090263	50-315		7903190207	50-416
	7903090139	50-315		7903280280	50-416
	7903140265	50-315		7903060232	50-416
	7903270461	50-315		7903280259	50-416
	7903290148	50-315		7903290267	50-416
	7903300399	50-315		7903290119	50-416
	7903300267	50-315		7903290139	50-416
JCPL - Jersey Central Power & Light Co	7903170323	50-219		7903280361	50-309
	7903090249	50-219	MYAP - Maine Yankee Atomic Power Co	7903150226	50-309
	7903210102	50-219		7903150763	50-309
	7903210099	50-219		7903150257	50-309
	7903160135	50-219		7903120229	50-309
	7903070327	50-219			

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Utilities, Power Reactors					
MYAP - Maine Yankee Atomic Power Co	7903120234	50-309		7903130405	50-220
	7903150221	50-309		7903190217	50-220
	7903150224	50-309		7903190273	50-220
	7903150225	50-309		7903190280	50-220
	7903190259	50-309		7903260267	50-220
	7903190266	50-309		7903260272	50-220
	7903210121	50-309		7903270260	50-410
	7903270519	50-309		7903220330	50-220
	7903270525	50-309		7903080010	50-220
	7903290277	50-309		7903220323	50-220
	7903290225	50-309		7903070107	50-220
	7903260219	50-309		7903290197	50-220
	7903260262	50-309		7903050260	50-220
	7903270214	50-309		7903210190	50-220
	7903220181	50-309		7903060182	50-220
	7903270541	50-309		7903060288	50-220
	7903200296	50-309		7903120359	50-220
	7903060370			7903140210	50-220
NENE - Northeast Nuclear Energy Co (Northeast Utilities)				7903270454	50-220
	7903120034	50-245		7903300262	50-220
	7903160141	50-245		7903060124	
	7903200381	50-245		7903260407	
	7903200382	50-245	NPPD - Nebraska Public Power District	7903210223	50-298
	7903130228	50-336		7903050376	50-298
NENP - New England Power Co	7902210095	50-568		7903060173	50-298
	7903150346	50-568		7903140349	50-298
	7903150343	50-568		7903270481	50-298
	7903280367	50-568		7903140316	50-298
	7903280316	50-568		7903120328	50-298
NEUT - Northeast Utilities	7903070235	50-245		7903120335	50-298
	7903130383	50-245		7903120341	50-298
	7903060338	50-336		7903120351	50-298
	7903060420	50-245		7903260345	50-298
	7903190252	50-336		7903050375	50-298
	7903200439	50-245		7903070331	50-298
	7903200397	50-245		7903060170	50-298
	7903190245	50-336		7903210220	50-298
	7903200392	50-245		7903270475	50-298
	7903010261	50-245		7903270481	50-298
	7903010264	50-245		7903280296	50-298
	7903010266	50-336		7903090271	50-298
	7903010267	50-336		7903120237	50-298
	7903220137	50-245		7903270472	50-298
	7903060336	50-336	NSP - Northern States Power Co	7903050171	50-263
	7903060417	50-245		7903020340	50-282
	7903070234	50-245		7903120282	50-263
	7903080226	50-245		7903260280	50-263
	7903080229	50-245		7903140319	50-282
	7903200399	50-336		7903290154	50-263
	7903200393	50-245		7903050164	50-263
	7903200396	50-245		7903120279	50-263
	7903200371	50-245		7903140317	50-282
	7903200368	50-245		7903260236	50-282
	7903200407	50-336		7903060712	50-263
	7903280414	50-336		7903020335	50-282
	7903260244	50-336		7903060176	50-282
	7903260246	50-336		7903090257	50-263
	7903280334	50-245		7903120210	50-282
	7903280337	50-245		7903120217	50-306
	7903300389	50-336		7903190231	50-263
	7903130376	50-245		7903210176	50-263
	7903160159	50-245		7903200402	50-263
	7903060293	50-336		7903200408	50-263
	7903060279	50-336		7903200410	50-306
	7903060249	50-245		7903200416	50-306
	7903070243	50-336		7903260218	50-263
	7903140278	50-336		7903260277	50-263
	7903220226	50-245		7903070478	50-306
	7903260279	50-245		7903260090	50-263
	7903300376	50-336		7903140219	50-263
	7903300339	50-336		7903160083	50-282
	7903300389	50-336		7903140662	50-282
	7903060249	50-245		7903010143	50-263
	7903130380	50-245		7903020339	50-263
	7903090291	50-245		7903090241	50-271
	7903120208	50-245		7903090248	50-282
	7903140225	50-245		7903120245	50-263
	7903140463	50-245		7903130386	50-282
	7903220226	50-245		7903200373	50-282
	7903270362	50-245		7903270382	50-263
	7903260295	50-245		7903270385	50-282
	7903200421	50-245		7903290152	50-263
	7903070171			7903010294	50-263
North Indiana Public Service	7903020360	50-367		7903010197	50-263
	7903060432	50-367	NVEG - New York State Electric & Gas Corp	7903290126	50-263
	7903120223	50-367		7903230177	50-596
	7903190253	50-367		7903150252	50-596
	7903260234	50-367		7903260288	50-596
Omaha Mohawk Power Corp	7903050361	50-220		7903190289	50-596
	7903080179	50-220		7903160234	50-596
	7903130406	50-220		7903230173	50-596
	7903190221	50-220		7903300215	50-596
	7903190240	50-220	OPPD - Omaha Public Power District	7903130363	50-285
	7903200340	50-220		7903050333	50-285
	7903190235	50-220		7903190213	50-285
	7903080176	50-220		7903050332	50-285
				7903130358	50-285

CORPORATE SOURCE INDEX

33E

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Utilities, Power Reactors					
OPPD - Omaha Public Power District	7903190206	50-285		7903050416	50-133
	7903260109	50-285		7903050421	50-133
	7903010296	50-285		7903160111	50-133
	7903010297	50-295		7903190328	50-275
	7903140314	50-285		7903290083	
	7903140315	50-285		7903220039	50-323
	7903270516	50-285		7903160106	50-133
	7903270509	50-285		7903050244	50-275
	7903070051	50-285		7903220039	50-323
	7903190165	50-285		7903050197	50-133
	7902270037	71-9094		7903050203	50-133
	7903190325	50-285		7903290104	50-275
	7903130408	50-298		7903130411	50-275
	7903210019	50-285		7903220045	50-133
	7903020358	50-285		7903050367	50-133
	7903300395	50-285		7903050165	50-133
	7903260271	50-285		7903050366	50-133
	7903120289	50-285		7903050358	50-275
	7903260390			7903060282	50-275
PASN - Power Authority State of New York	7903080206	50-333		79030300572	50-275
	7903060421	50-286		7903050303	50-275
	7903190307	50-286		7903060435	50-275
	7903290129	50-333		7903130395	50-275
	7903290132	50-333		7903130309	50-275
	7903130277	50-333		7903160243	50-275
	7903080299	50-333		7903190320	50-275
	7903160250	50-333		7903210195	50-275
	7903080292	50-333		7903270286	50-275
	7903120202	50-286		7903140342	50-275
	7903210022	50-286	POOE - Portland General Electric Co	7903290116	50-344
	7903130276	50-333		7903060348	50-344
	7903190299	50-286		7903220274	
	7903160131	50-333		7903190284	50-344
	7903080204	50-333		7903200422	50-344
	7903060184	50-333		7903210215	50-344
	7903060187	50-333		7903220280	50-344
	7903060238	50-333		7903050159	50-344
	7903060242	50-333		7903140347	50-344
	7903060419	50-286		7903050159	50-344
	7903220135	50-333		7903140347	50-344
	7903070320	50-286		7903050238	50-344
	7903070328	50-286		7903050159	50-344
	7903160099	50-286		7903140347	50-344
	7903160103	50-286		7903190276	50-344
	7903200432	50-333		7903060343	50-344
	7903200436	50-333		7903000344	50-344
	7903260223	50-286		7903060227	50-34
	7903290028	50-333		7903130706	50-34
	7903290032	50-333		7903210211	50-34
	7903260026	71-4575		7903070249	50-34
	7903220267	50-286		7903070245	50-34
	7903140363	50-286		7903060491	50-34
	7903140382	50-333		7903200415	
	7903140387	50-333		7903220277	50-34
	7903070209	50-333		7903270447	50-34
	7903070253	50-333		7903290012	50-34
	7903140437	50-333	PPL - Pennsylvania Power & Light Co	7903260405	
	7903160248	50-333		7903150315	50-38
	7903210126	50-333		7903150318	50-38
	7903220215	50-333		7903150316	50-38
	7903270439	50-286		7903150320	50-38
	7903270443	50-333		7903150321	50-38
	7903070330	50-286		7903150322	50-38
	7903260228	50-286		7903150335	50-38
	7903140324	50-549		7903150749	50-38
	7903070134			7903150344	50-38
PECO - Philadelphia Electric Co	7903150250	50-277		7903150354	50-38
	7903190147	50-277		7903150356	50-38
	7903060461	50-277		7903150366	50-38
	7903190224	50-277		7903150374	50-38
	7903020349	50-277		7903150372	50-38
	7903020352			7903150371	50-38
	7903190219	50-277		7903150360	50-38
	7903200200	50-350		7903150373	50-38
	7903290043	50-277		7903150375	50-38
	7903120242	50-278		7903060285	50-38
	7903130324	50-278		7903150313	50-38
	7903140264	50-277		7903140321	50-38
	7903140270	50-277		7903140425	50-38
	7903290125	50-277		7903010284	50-38
	7903150243	50-277		7903070267	50-38
	7903210110	50-277		7903070362	50-38
	7903210114	50-277		7903070391	50-38
	7903210101	50-278		7903140318	50-38
	7903210130	50-278		7903140415	50-38
	7903270361	50-277		7903210340	50-38
	7903270498	50-278		7903060440	50-38
	7903060456	50-277		7903150312	50-38
	7903270316	50-277	PSC - Public Service Co of Colorado	7903270438	50-267
	7903160125	50-277		7903140376	50-267
	7903190282	50-171		7903050300	50-267
	7903020347	50-277		7903120189	50-267
	7903290130	50-352		7903290167	50-267
	7903290287			7903160166	50-267
PGE - Pacific Gas & Electric Co	7903050414	50-564		7903270300	50-267
	7903160245	50-275		7903140370	50-267
				7903050223	50-267

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Utilities, Power Reactors					
ISC - Public Service Co. of Colorado	7903050226	50-267		7903140395	50-361
	7903050297	50-267		7903280322	50-361
	7903050322	50-267		7903280325	50-361
	7903120244	50-267		7903150362	50-361
	7903120248	50-267		7903060460	50-361
	7903120310	50-267		7903060450	50-206
	7903120320	50-267		7903130342	50-206
	7903210120	50-267		7903140311	50-206
	7903210125	50-267		7903200253	50-361
	7903050511	50-267		7903280328	50-361
	7903210141	50-267		7903140310	50-206
	7903270393	50-267		7903150251	50-361
	7903270436	50-267		7903140541	50-361
	7903290164	50-267		7903140547	50-361
	7903140276	50-267		7903060458	50-361
	7903290169	50-267		7903150304	50-361
PSEG - Public Service Electric & Gas Co. of New Jersey	7903130397	50-311		7903060448	50-206
	7903050017	50-272		7903270186	50-361
	7903130390	50-311		7903140381	50-361
	7903090275	50-272		7903280317	50-361
	7903080326	50-272		7903080252	50-361
	7903160108	50-272		7903150276	50-361
	7903300367	50-596		7903270331	50-206
	7903270425	50-272		7903070211	50-206
	7903050015	50-272		7903090272	50-206
	7903120221	50-272		7903140259	50-206
	7903120213	50-272		7903140373	50-206
	7903160097	50-272		7903130338	50-206
	7903160139	50-272		7903270458	50-206
	7903270492	50-272		7903120311	50-361
	7903120219	50-272		7903210278	50-361
	7903270459	50-272		7903200246	50-361
	7903070229	50-272		7903260300	50-361
	7903160105	50-272	SCEG - South Carolina Electric & Gas Co	7903200136	50-395
	7903140075	50-311		7903260261	50-395
	7903130243	50-311		7903280112	50-395
	7903070130	50-272		7903140504	50-395
	7903130570	50-272		7903220194	50-395
	7903140083	50-311		7903190243	50-395
	7903050374	50-272		7903270594	50-395
	7903090264	50-272		7903280090	50-395
	7903090266	50-272		7903070164	50-395
	7903090274	50-272		7903050351	50-395
	7903270421	50-272		7903260258	50-395
	7903130317	50-272	SMUD - Sacramento Municipal Utility District	7903160235	50-312
	7903130320	50-272		7903130281	50-312
	7903200425	50-272		7903290161	50-312
	7903200428	50-272		7903130279	50-312
	7903270365	50-272		7903130429	50-312
	7903270367	50-272		7903130402	50-312
	7903280342	50-272		7903130407	50-312
	7903280343	50-272		7903160224	50-312
	7903300297	50-272		7903290156	50-312
	7903300302	50-272		7903020350	50-312
	7903300400	50-272		7903060274	50-312
	7903300406	50-272		7903200355	50-312
	7903070489	50-272	SNEC - Saxton Nuclear Experimental Corp	7903150333	50-146
	7903230151	50-272	TOED - Toledo Edison Co	7903070319	50-346
	7903160225	50-272		7903070226	50-346
	7903080189	50-311		7903070379	50-346
	7903120205	50-272		7903120331	50-346
	7903050306	50-272		7903050268	50-346
	7903130314	50-272		7903140323	50-346
	7903080224	50-272		7903290096	50-346
	7903150284	50-272		7903140320	50-346
	7903300366	50-596		7903270600	50-346
	7903050328	50-311		7903050342	50-346
	7903080321	50-272		7903050347	50-346
	7903120233	50-311		7903270603	50-346
	7903130384	50-311		7903050314	50-346
	7903130422	50-311		7903050344	50-346
	7903200434	50-311		7903230170	50-346
	7903270503	50-311		7903070224	50-346
	7903300257	50-311		7903050310	50-346
	7903150039	50-456		7903050337	50-346
PSIN - Public Service Co. of Indiana, Inc.				7903070374	50-346
PSNH - Public Service Co. of New Hampshire	7903260170	50-443		7903050172	50-346
				7903050176	50-346
PSOK - Public Service Co. of Oklahoma	7903260129	50-443		7903050179	50-346
PSPL - Puget Sound Power & Light Co	7903260237	50-556		7903050182	50-346
RGE - Rochester Gas & Electric Corp	7903060427	50-522		7903270479	50-346
	7903060179	50-244		7903050275	50-346
	7903120275	50-244		7903050279	50-346
	7903120294	50-244		7903060464	50-346
	7903120300	50-244		7903060468	50-346
	7903120304	50-244		7903060474	50-346
	7903270402	50-244		7903060475	50-346
	7903190173	50-244		7903160142	50-346
		50-244		7903130394	50-340
		50-244		7903130400	50-346
		50-244		7903160114	50-346
		50-361		7903160120	50-346
		50-361		7903160146	50-346
		50-361		7903160152	50-346
		50-361		7903160209	50-346
		50-361		7903160210	50-346

CORPORATE SOURCE INDEX

337

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Utilities, Power Reactors					
TEED - Toledo Edison Co	7903300377	50-346		7903210137	50-259
	7903200351	50-346		7903210143	50-259
	7903200353	50-346		7903210147	50-259
	7903200354	50-346		7903210153	50-259
	7903200357	50-346		7903210171	50-259
	7903200361	50-346		7903210175	50-259
	7903200366	50-346		7903270522	50-390
	7903201167	50-346		7903271521	50-390
	7903230161	50-346		7903290024	50-259
	7903230162	50-346		7903290026	50-259
	7903230168	50-346		7903280010	50-259
	7903230169	50-346		7903280023	50-259
	7903230169	50-346		7903290002	50-259
	7903260222	50-346		7903290003	50-259
	7903260227	50-346		7903160016	50-390
	7903270474	50-346		7903200398	50-390
	7903270283	50-346		7903210103	40-1341
	7903270428	50-346		7903190545	40-1341
	7903270433	50-346		7903190340	71-9081
	7903270545	50-346		7903120303	50-259
	7903270381	50-346		7903050255	50-327
	7903270396	50-346		7903170303	50-259
	7903270120	50-346		7903210333	50-259
	7903270124	50-346		7903200367	50-259
	7903290094	50-346		7903160170	50-259
	7903210014	50-346		7903270455	50-259
	7903150434	50-346		7903260242	50-259
	7903200374	50-346		7903280370	50-518
	7903050385	50-346		7903290009	50-521
	7903050264	50-500		7903300229	50-390
	7903270418	50-346		7903140368	50-390
	7903120327	50-346		7903210108	50-370
	7903070251	50-346		7903150302	50-327
	7903210270	50-346		7903140246	50-259
	7903220272	50-500		7903220269	50-259
TU - Texas Utilities Co	7903050379	50-445		7903090270	50-259
TUOC - Texas Utilities Generating Co	7903060251	50-445		7903090145	50-259
	7903050196	50-445		7903270455	50-327
	7903280290	50-445		7903060422	50-327
	7903070287	50-445		7903120214	50-327
	7903270324	50-445		7903150358	50-327
	7903260177	50-445		7903150251	50-327
TUS - Texas Utilities Services, Inc	7903070351	50-445		7903160241	50-327
	7903050293	50-445		7903210342	50-327
TVA - Tennessee Valley Authority	7903190271	50-260		7903210023	50-327
	7903190341	50-296	VEPC - Virginia Electric & Power Co	7903290158	50-327
	7903200146	50-327		7903200228	50-338
	7903200141	50-390		7903070376	50-280
	7903200151	50-327		7903070780	50-280
	7903200411	50-390		7903070381	50-280
	7903070216	50-259		7903070785	50-338
	7903200163	50-327		7903200159	50-339
	7903190350	40-1341		7903190178	50-338
	7903210106	40-1341		7903190191	50-280
	7903060301	50-259		7903090236	50-338
	7903060504	50-259		7903270265	50-260
	7903050259	50-327		7903300361	50-338
	7903080211	50-259		7903070383	50-338
	7903160117	50-259		7903220223	50-338
	7903210122	50-390		7903210539	50-339
	7903160217	50-259		7903050138	50-338
	7903270827	50-390		7903190183	50-280
	7903270942	50-390		7903190175	50-338
	7903300234	50-390		7903140615	50-339
	7903070356	50-327		7903010028	50-338
	7903070213	50-259		7903060378	50-339
	7903160113	50-259		7903140473	50-338
	7903220190	50-327		7903020263	50-339
	7903080340	50-518		7903020791	50-339
	7903150114	50-259		7903020325	50-339
	7903200010	50-327		7903050183	50-298
	7903220236	50-327		7903050240	50-339
	7903060594	50-390		7903050246	50-339
	7903220188	50-327		7903050280	50-338
	7903050584	50-259		7903050180	50-338
	7903200072	50-327		7903060044	50-338
	7903010271	50-390		7903060241	50-338
	7903010275	50-390		7903070175	50-280
	7903070533	50-518		7903070382	50-338
	7903140136	50-259		7903060446	50-339
	7903200218	50-390		7903060465	50-337
	7903010269	50-390		7903080216	50-338
	7903010277	50-438		7903080221	50-338
	7903080334	50-518		7903080277	50-281
	7903010236	50-518		7903080230	50-281
	7903220326	50-390		7903080237	50-281
	7903050393	50-260		7903080244	50-281
	7903050399	50-260		7903090158	50-281
	7903060495	50-259		7903090161	50-281
	7903070311	50-296		7903130323	50-281
	7903070315	50-296		7903130293	50-281
	7903070326	50-260		7903130310	50-281
	7903070335	50-260		7903130348	50-281
	7903070332	50-259		7903140400	50-338
	7903120230	50-259		7903140407	50-338
	7903190260	50-260		7903140414	50-339
	7903190336	50-296		7903140418	50-338
	7903210117	50-390			

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Utilities, Power Plants					
EPSC - Virginia Electric & Power Co	7903140422	50-338	WPSC - Wisconsin Public Service Corp	7903130515	50-305
	7903140394	50-338		7903210330	50-305
	7903230141	50-338		7903050390	50-305
	7903220260	50-280		7903070372	50-305
	7903230137	50-338		7903160122	50-305
	7903230145	50-280		7903280326	50-305
	7903230142	50-280		7903140096	50-305
	7903270577	50-338		7903160119	50-305
	7903270584	50-338		7903140057	50-305
	7903270591			7903050387	50-305
	7903270414	50-280		7903070371	50-305
	7903270419	50-280		7903140255	50-305
	7903270572	50-338		7903140294	50-305
	7903300370	50-338		7903140306	50-305
	7903300372	50-338		7903210006	50-305
	7903300358	50-338		7903210009	50-305
	7903300368	50-338		7903280321	50-305
	7903200350	50-338		7903280326	50-305
	7903270390	50-280		7903070262	50-305
	7903270420	50-338		7903210326	50-305
	7903270570	50-339		7903120218	50-305
	7903300223	50-339		7903210297	50-305
	7903130273	50-280		7903290103	50-305
	7903260262	70-2718	YAC - Yankee Atomic Electric Co	7903150369	50-29
	7903200221	50-338		7903080319	50-29
	7903020260	50-280		7903150237	50-29
	7903120284	50-280		7903270488	50-27
	7903270390	50-280		7903220228	50-271
	7903050271	50-339		7903150235	50-29
	7903090234	50-338		7903140335	50-29
	7903150351	50-338		7903150365	50-29
	7903120251	50-338		7903140252	50-29
	7903200284	50-338		7903080305	50-29
	7903150294	50-339		7903080312	50-29
	7903200350	50-338		7903130347	50-29
	7903220217	50-339		7903130349	50-29
	7903270327	50-338		7903200396	50-29
	7903300373	50-338		7903200358	50-29
	7903300223	50-339		7903270487	50-29
	7903070237			7903090137	50-29
VYNP - Vermont Yankee Nuclear Power Corp	7903290010	50-271		7903120256	50-29
	7903150249	50-271		7903220221	50-29
	7903150246	50-271		7903270482	50-29
	7903020036	50-271		7903300375	50-29
	7903150423	50-271		7903080318	50-29
	7903140269	50-271		7903210037	50-29
	7903200388	50-271		7903160242	50-29
	7903200391	50-271		7903220232	50-29
	7903290006	50-271		7903290014	50-29
	7903020054	50-271		7903050419	
	7903290189	50-271		7903280183	
	7903130539	50-271		7903050490	
	7903150191	50-271		7903070182	
	7903090260	50-271		7903050591	
	7903090273	50-271			
	7903140258	50-271	Research Institutions & Labs		
	7903140640	50-271			
	7903090269	50-271	Argonne National Laboratory	7902270072	71-9032
	7903060444	50-271		7903070052	
	7903270356	50-271		7903300554	
	7903280190			7902270002	71-9007
WIEP - Wisconsin Electric Power Co	7903070349	50-266	Argonne National Laboratory - Argonne West	7903200067	
	7903120264	50-266	Battelle Memorial Institute	7903130105	
	7903130374	50-301	Battelle Memorial Institute, Columbus Laboratories		
	7903140378	50-266		7903230015	
	7903070250	50-301		7903230331	
	7903140374	50-266		7903270056	
	7903140312	50-301		7903140348	70-B
	7903140313	50-301		7903220187	70-B
	7903070345	50-266		7903200148	71-9010
	7903160144	50-266		7903200219	70-B
	7903160147	50-266		7903050208	
	7903280351	50-301		7903120500	
	7903280354	50-301		7903300544	
	7903290001	50-266		7903120498	
	7903290005	50-266		7903220386	
	7903270298	50-502		7903130110	
	7903070241	50-266	Battelle Memorial Institute, Pacific Northwest Laboratory		
	7903120202	50-266		7903130070	
	7903130370			7903210544	70-364
	7903140442	50-502		7903070276	
	7903200370	50-502		7903230032	
	7903270284	50-266		7903060669	
	7903070241	50-266		7903300551	
	7903270265	50-266		7903130490	
	7903010283	50-502	Brookhaven National Laboratory	7903160297	50-204
WPPS - Washington Public Power Supply System	7903220033	50-397		7903120100	
	7903210095	50-397		7903290137	50-29
	7903220031	50-397		7903290170	50-155
	7903150340	50-460		7903200204	50-247
	7903210193	50-397		7903200239	
	7903130450	50-508		7903130073	
	7903300423	50-508		7903130496	
	7903300417	50-508		7903140646	
	7903270283	50-397		7903160304	
	7903290022	50-397		7903210284	
	7903070515				

CORPORATE SOURCE INDEX

339

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Research Institutions & Labs					
Brookhaven National Laboratory	7903220105 7903120094 7903160080 7903140659 7903160300 7903140650 7903140653	50-277	Southwest Research Institute Underwriters Laboratory	7903280142 7903210548	
Electric Power Research Institute Energy Research & Information Foundation Franklin Institute Research Laboratory	7903200116 7903090365 7903140597 7903020123 7903140010 7903060349 7903210080	50-331	Advisory Committee(s) ACRS - Advisory Committee on Reactor Safeguards	7903060057 7903060148 7903220354 7903130282 7903080032 7903200485 7903130285 7903200534 7903200521 7903220479 7903200526 7903200488 7903300491 7903300487 7903140218 7903140223 7903130611 7903140486 7903130076 7903150153 7903150146 7903120161 7903120483 7903200188 7903140227 7903140215 7903140502 7903150180 7903200102 7903300552	50-311 50-358
General Research Corp Hanford Engineering Development Laboratory	7903220258 7902010208 7903200121 7903220109 7903220253 7903080093 7903080663 7903060257 7903070427 7903070432 7903060150 7903130613 7903130112 7903290051 7903290040 7903290080 7903290198 7903160321 7903130593 7903130615 7903060706 7903020003 7903130212 7903130487 7903210359 7903150129 7903150125 7903230149 7903060138 7903060146 7903190575 7903230029	71-6387			
Idaho National Engineering Laboratory	7903140641 7903160019 7903300521 7903120450 7903140588 7903300121	50-313	Atomic Safety Board(s) & Panel(s) Atomic Safety and Licensing Appeal Panel	7903220366 7903020200 7903050047 7903070566 7903090125 7903150189 7903210362 7903230297 7903210310 7903210305 7903160255 7903300547 7903060399 7903150077 7903070225 7903150431 7903160316 7903070225 7903150431	50-485 70-2623 50-400 50-483 70-2623 50-338 50-466 50-277 50-466 50-320 50-348 50-341 50-338 50-338 50-320 50-320 50-320 50-320
Kinetic Research, Inc Los Alamos Scientific Laboratory	7903140641 7903160019 7903300521 7903120450 7903140588 7903300121	71-269			
Lehigh Testing Laboratories, Inc Lawrence Livermore Laboratory	7903210240 7903300297 7903220030 7903300308 7903300505 7903070285 7903070436 7903080350 7903060143 7903230327 7903210499 7903290049 7903070428 7903070443 7903070195 7903200114 7903140581 7903200126 7903140658 7903150253 7903060703 7903010030 7903070186 7903080603 7903010030 7903070186 7903080603 7903220118 7903210524 7903070190 7903210511 7903120417 7903210506 7903140001	71-5552 71-5597 71-5595 71-9851 71-5907			
National Strategic Information Center, Inc			Atomic Safety and Licensing Board Panel		
Oak Ridge National Laboratory					
Rockwell International English System Group					
Sandia Laboratories	7903020092 7903130341 7903130204 7903200262 7903060579 7903070401 7903070099				
Southwest Research and Information Center Stanford Research Institute	7903220391 7903120445				

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Atomic Safety Board (ASB) Panel			EDO - Office of Administration		
Atomic Safety and Licensing Record Panel	7903060529	50-445	Office of Administration	7903220374	
	7903130272	50-556		7903210290	
	7903140413	50-272		7903300084	
	7903140416	50-272		7903070548	71-4986
	7903140421	50-275		7903050245	70-820
	7903070561	50-549	Division of Contracts	7903230005	
	7903080509	50-556		7903070058	
	7903080576	50-400		7903050031	
	7903130503	70-2623		7903080078	
	7903130507	27-39		7903050041	
	7903140574	50-250		7903070543	
	7903150108	50-445		7903010055	
	7903160318	50-344		7903070005	
	7903080531	50-536		7903050037	
	7903080539	50-400		7903140032	
	7903140608	50-445		7903070410	
	7903140645	50-445		7903050048	
	7903090084	50-400		7903070064	
	7903220112	50-382		7903070572	
	7903150378	50-445		7903070203	
	7903160307	50-445		7903080088	
	7903220099	50-387		7903150126	
	7903220110	50-387		7903080155	
	7903220264	50-397		7903070441	
	7903220388	50-445		7903070564	
	7903220153	50-592		7903070552	
	7903220007	50-382		7903070511	
	7903230290	50-369		7903080159	
	7903260156	27-39		7903210236	
	7903160252	50-400		7903300559	
	7903210309	50-322		7903070523	
	7903220305	50-344		7903140072	
	7903220373	50-272		7903130169	
	7903220400	50-382		7903130207	
	7903260083	50-549		7903220446	
	7903260151	50-445		7903200071	
	7903210267	50-549		7903230013	
	7903220186	50-322		7903230010	
	7903220244	50-445		7903200055	
	7903220369	50-255		7903200064	
	7903260145			7903210226	
	7903260357	50-502		7903200079	
	7903280152	50-445		7903210245	
	7903210315	50-437		7903200029	
	7903200530	70-2623		7903200039	
	7903300241	50-445		7903220421	
	7903300249	27-39		7903300004	
	7903280070	70-2623		7903300017	
	7903300254	50-344		7903070544	
	7903280020	50-556	Division of Contracts	7903220399	
	7903260281	70-2623	Administrative Contracts Branch	7903120091	
	7903300090	50-358		7903130572	
	7903280265	50-387		7903130557	
	7903280281	70-2623		7903150124	
				7903010001	
				7903010003	
				7903130569	
				7903070569	
				7903080083	
				7903120124	
				7903120109	
				7903070555	
				7903120076	
				7903120102	
				7903120119	
				7903120129	
				7903150220	
				7903150223	
				7903120103	
				7903120114	
				7903120122	
				7903130213	
				7903130215	
				7903130266	
				7903130267	
				7903200048	
				7903200075	
				7903210221	
				7903200027	
				7903200034	
				7903200051	
				7903200058	
				7903220416	
				7903300020	
				7903300023	
				7903300555	
			Purchasing Section	7903050043	
				7903060598	
				7903060601	
				7903070008	
				7903070009	
				7903070550	
				7903070570	
				7903070574	
				7903130199	
			Research Contracts Branch	7903230003	
				7903120084	
				7903070055	

CORPORATE SOURCE INDEX

341

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
EDD - Office of Administration					
Research Contracts Branch	7903010051			7903090371	
	7903010011			7903050535	
	7903010014			7903090408	50-413
	7903060618			7903120156	
	7903060624			7903190196	
	7903070068			7903140080	
	7903070070			7903190133	
	7903050029			7903190578	
	7903140043			7903230146	
	7903140048			7903190158	70-135
	7903050039			7903260146	70-135
	7903130442			7903220006	50-133
	7903130451			7903050543	
	7903140053			7903210532	
	7903140061			7903140639	
	7903070406			7903200556	
	7903070455			7903090166	
	7903050035			7903050084	
	7903140029			7903140568	
	7903120073			7903140357	
	7903120076			7903150164	
	7903120079			7903140540	
	7903050050			7903140544	
	7903050054			7903270262	
	7903070061			7903190145	
	7903130426			7903290044	
	7903130430			7903060132	
	7903130434			7903070454	
	7903130437			7903120203	
	7903140060			7903290050	
	7903230012			7903230172	
	7903230007			7903210376	
	7903230014			7903120260	
	7903230016			7903190584	
	7903230067			7903130558	
	7903230070			7903090124	50-220
	7903230201			7903260149	
	7903230238			7903050590	50-286
Technical Assistance Contracts Branch	7903120087			7903090316	50-254
	7903080074			7903050542	
	7903070541			7903200343	50-220
	7903130552			7903090378	50-331
	7903070196			7903230150	
	7903070003				
	7903070407				
	7903050462		EDD - Office of International Programs		
	7903050468		Office of International Programs	7903050572	
	7903080153			7903060353	
	7903070434			7903080639	
	7903070560			7903050456	
	7903070507			7903070384	
	7903080156			7903230112	
	7903210233			7903050466	
	7903070518			7903070359	
	7903130166			7903050477	
	7903220439			7903070390	
	7903210242			7903050557	
	7903300002			7903090118	
	7903300016			7903090308	
License Fee Management Branch	7903200222	70-27		7903120072	
	7903220165	70-135		7903150433	
	7903220176	70-27		7903150436	
	7903260197	70-364		7903080662	
	7903060687	71-6581		7903080644	
	7903220162	70-1257		7903270433	
	7903300539	70-2219		7903270630	
	7903300545	71-9126		7903150130	
	7903220179	70-754		7903300224	
	7903150239	71-4986		7903060036	70-2848
	7903260194	50-201		7903080660	
	7903060001	70-820		7903080658	
	7903150258	70-820		7903060574	
	7903080337	70-820		7903130217	
	7903150280	70-1181		7903120370	
	7903220182	70-1143		7903140107	
	7903160322	50-313		7903200331	
	7903300514	50-213		7903280079	
	7903070001	50-334		7903280158	
	7903150411	50-269		7903290180	
	7903140179	50-269		7903290292	50-468
	7903260081	50-250		7903280091	
	7903060317	50-366		7903280201	
	7903200035	50-321		7903290142	
	7903300517	50-366		7903080638	
	7903140127	50-363	Assistant Director for Export/Import & International Safeguards	7903010039	
	7903060347	50-289		7903010042	
	7903060510	50-245		7903010035	
	7903300187	50-298		7903010047	
	7903150245	50-267		7903020385	
	7903160314	50-267		7903020388	
	7903130597	50-272		7903020410	
	7903140129	50-338		7903050470	
	7903300525	50-271		7903050473	
	7903220170	70-8		7903050476	
	7903160021	70-27		7903050478	
Division of Rules and Records	7903270252			7903050482	
	7903050082				
	7903070124				

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
EDD - Office of International Programs				7903070453	
Assistant Director for Export/Import & International Safeguards	7903010129			7903070460	
	7903010133			7903070399	
	7903050579			7903070402	
	7903050580			7903070409	
	7903050586			7903070412	
	7903060106			7903070415	
	7903070091			7903070424	
	7903070119			7903070425	
	7903070086			7903070430	
	7903070403			7903070433	
	7903070418			7903070438	
	7903070426			7903070449	
	7903070400			7903070451	
	7903070410			7903080049	
	7903070421			7903140529	
	7903090142			7903270206	
	7903070502			7903090254	
	7903070567			7903080612	
	7903070419			7903120155	
	7903090311			7903160076	
	7903090329			7903090011	
	7903090331			7903090012	
	7903090334			7903090013	
	7903090739			7903160278	
	7903090742			7903120104	
	7903090345			7903120182	
	7903090350			7903120188	
	7903090355			7903120193	
	7903090357			7903120197	
	7903090361			7903120199	
	7903080643			7903150296	
	7903090362			7903210199	
	7903080629			7903210202	
	7903080611			7903210206	
	7903080620			7903260132	
	7903080622			7903210196	
	7903080624			7903220148	
	7903080627			7903270177	
	7903080645			7903200074	
	7903120135			7903210192	
	7903120137			7903220319	
	7903120143			7903280193	
	7903120142			7903220154	
	7903150109			7903220158	
	7903260311			7903270246	
	7903230364			7903280175	
	7903260313			7903280181	
	7903260315			7903270187	
	7903260319			7903270329	
	7903260322			7903270404	
	7903260324			7903270408	
	7903260335			7903230348	
	7903260337			7903280279	
	7903230340			7903300009	
	7903230368			7903300018	
	7903230370			7903200233	
	7903230372			7903070420	
	7903230344			7903080043	
	7903230351			7903210197	
	7903230347			7903300284	
	7903230355			7903300391	
	7903230357			7903120346	
	7903290302			7903050486	
	7903290310			7903050222	
	7903290315			7903050218	
	7903290325			7903080598	
	7903290328			7903120117	
	7903290298			7903090140	
	7903290321				
	7903300210				
	7903300213				
	7903300218				
	7903300220				
	7903300236				
	7903300195				
	7903300199				
	7903300205				
	7903300208				
	7903300214				
	7903300231				
	7903300496				
	7903120333				
	7903090010				
	7903120128				
	7903070405				
	7903080060				
	7903080064				
	7903080067				
	7903080040				
	7903080041				
	7903140028				
	7903140534				
	7903090014				
	7903230261				
	7903070462				
	7903070465				
			EDD - Office of Executive Legal Director		
			Office of the Executive Legal Director		
				7903200513	
				7902050263	50-237
				7903090087	50-576
				7903130525	50-237
				7903080589	50-261
				7903130525	50-237
				7903050204	50-445
				7903080589	50-261
				7903130525	50-237
				7903070028	50-568
				7903200057	50-445
				7902050263	50-237
				7902070069	50-344
				7903050204	50-445
				7901220281	50-219
				7902050263	50-237
				7903080589	50-261
				7903080591	50-482
				7903080592	50-553
				7903060105	50-549
				7903060672	50-220
				7903060685	50-250
				7903190346	70-1729

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
EDD - Office of Executive Legal Director					
Deputy Executive Legal Director	7903190076	50-556		7903070013	50-409
	7903160270	70-1729		7903050124	50-400
	7903070573			7903210249	50-219
Hearings Division	7903050165	50-494		7903050565	50-466
Branch 1	7903060275	50-456		7903210417	50-466
	7903070393	50-522		7903210450	50-592
	7903060707	50-498		7903210586	50-358
	7903140285	50-382		7903260353	50-437
	7903140296	50-382		7903080113	50-219
	7903140302	50-382		7903210203	50-514
	7903200049	50-522		7903070013	50-409
	7903210354	50-445		7903210239	50-409
	7903070305	50-498		7903210402	50-592
	7903210314	50-382		7903080113	50-219
	7903060668	50-522		7903140435	27-39
	7903060713	50-344		7903050554	50-443
	7903220086	50-382		7903060329	50-443
	7903190153	50-445		7903130475	50-443
	7903070457	50-341		7903070013	50-409
	7903230103	50-341		7903050124	50-400
	7903220075	50-498		7903210203	50-514
	7903060713	50-344		7903210239	50-409
	7903080001	50-341		7903210249	50-219
	7903190581	50-522		7903070007	50-400
	7903050135	50-341		7903060297	50-568
	7903230103	50-341		7903050565	50-466
	7903210446	50-463		7903080113	50-219
	7903070545	50-522		7903140435	27-39
	7903050135	50-341		7903140440	50-466
	7903210317	50-382		7903210402	50-592
	7903260204	50-344		7903060339	50-400
	7903080081	50-341		7903210402	50-592
	7903190581	50-522	Branch 4	7903070396	50-518
	7903060713	50-344		7903060667	70-2623
	7903210430	50-276		7903130515	50-305
	7903070398	50-133		7903130517	50-305
	7903080190	50-471		7903060714	70-2623
	7903080194	50-471		7903060411	50-305
	7903080200	50-471		7903020202	70-2623
	7903210385	50-250		7903190134	70-2623
	7903220287	50-549		7903220107	50-397
	7903210452	50-549		7903160163	70-2623
	7903210427	50-295		7903160168	70-2623
	7903070037	50-237		7903210241	70-2623
	7903220070	50-237		7903190564	50-275
	7903050550	50-549		7903190541	50-275
	7903080287	50-549		7903210208	50-514
	7903210041	50-338		7903230210	70-2623
	7903080097	50-338		7903130447	70-2623
	7903070004	50-237		7903090343	50-322
	7903050568	50-237		7903120434	50-322
	7903210404	50-338		7903200489	50-220
	7903210427	50-237		7903210208	50-514
	7903210378	50-237		7903190558	50-275
	7903230271	50-484		7903050114	50-369
	7903210321	50-471		7903060346	70-2623
	7903070004	50-237		7903070096	50-397
	7903050568	50-237		7903260096	50-516
	7903210427	50-237		7903070123	50-510
	7903120575	50-471		7903070435	50-516

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
EDD - Office of State Programs					
Office of State Programs	7903160110			7903140503	70-1143
	7903050075				
	7903160101			7903090060	70-1143
Assistant Director for State Agreements	7903050079			7903190337	40-341
Programs	7903160271			7903050314	50-293
				7903080494	50-293
				7903080507	50-293
				7903140018	50-317
				7903050509	50-317
				7903080446	50-317
				7903140012	50-317
				7903080510	50-317
				7903050502	50-3
				7903080444	50-3
				7903080505	50-3
				7903090082	50-213
				7903050504	50-213
				7903080403	50-213
				7903080472	50-213
				7903050529	50-412
				7903140649	50-334
				7903080260	50-334
				7903080322	50-412
				7903080468	50-412
				7903080504	50-334
				7903120529	50-219
				7903050533	50-219
				7903080397	50-219
				7903080464	50-219
				7903050536	50-322
				7903080410	50-322
				7903080456	50-322
				7903060643	50-289
				7903080543	50-320
				7903080408	50-289
				7903200238	50-289
				7903080499	50-289
				7903060645	50-309
				7903080431	50-309
				7903080501	50-309
				7903060640	50-245
				7903080438	50-245
				7903080492	50-245
				7903280040	50-245
				7903060632	50-410
				7903060638	50-220
				7903160190	50-220
				7903080433	50-410
				7903080564	50-220
				7903080498	50-220
				7903080517	50-410
				7903060634	50-286
				7903060636	50-333
				7903080262	50-333
				7903080276	50-286
				7903080487	50-333
				7903080488	50-286
				7903280043	50-286
				7903280052	50-333
				7903060627	50-352
				7903060631	50-277
				7903080448	50-352
				7903080547	50-277
				7903080489	50-277
				7903080518	50-352
				7903200197	50-352
				7903280045	50-277
				7903210048	50-387
				7903050540	50-387
				7903080405	50-387
				7903080511	50-387
				7903050517	50-272
				7903060621	50-311
				7903080391	50-311
				7903080395	50-272
				7903130559	50-311
				7903080459	50-311
				7903080483	50-272
				7903280021	50-311
				7903280050	50-272
				7903060625	50-443
				7903080389	50-443

CORPORATE SOURCE INDEX

345

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Inspection & Enforcement					
Region I, Philadelphia, Office of the Director	7903080452	50-29		7903220161	70-1143
	7903080470	50-29		7903190142	70-184
	7903270047	50-29		7903190308	50-170
	7903280017	50-29		7903060023	40-2293
	7901220139			7903060018	40-2253
	7903050495	50-244		7903190290	50-184
	7903220003	50-549		7903070496	50-293
Region I, Philadelphia, Reactor Construction & Engineering Support Branch	7903300470	50-259		7903090346	50-293
	7903010048	50-322		7903200317	50-293
	7903130250	50-311		7903070468	50-293
	7903130253	50-311		7903130079	50-3
	7903080152	50-289		7903300360	50-334
	7903300464	50-289		7903300351	50-334
	7903080103	50-412		7903120492	50-309
	7903080002	50-357		7903080011	50-220
	7903090379	50-271		7903220327	50-220
	7903260140	50-443		7903080008	50-220
	7903120004	50-349		7903220321	50-220
	7903120325	50-363		7903120060	50-286
	7903130167	50-293		7903300352	50-286
	7903140624	50-272		7903120009	50-277
	7903140364	50-245		7903200206	50-352
	7903140135	50-387		7903070152	50-272
	7903140303	50-311		7903210016	50-311
	7903200576	50-410		7903070117	50-272
	7903200310	50-363		7903020059	50-271
	7903200333	50-443		7903070291	50-271
	7903300055	50-443		7903020051	50-271
	7903300343	50-245		7903290190	50-271
	7903300384	50-278		7903290187	50-271
	7903130158	50-293	Region I, Philadelphia, Reactor Operations Nuclear Support Branch	7903090440	50-54
	7903080099	50-412		7903070089	50-286
	7903060562	50-412		7903070110	50-219
	7903120318	50-363		7903020042	50-271
	7903200296	50-363		7903020046	50-271
	7903010041	50-322		7903010482	50-5
	7903010034	50-322		7903080149	50-289
	7903200318	50-322		7903080556	50-289
	7903300460	50-289		7903080562	50-289
	7903300451	50-289		7903130545	50-271
	7903140356	50-245		7903130549	50-271
	7903300333	50-245		7903070152	50-334
	7903080388	50-423		7903070155	50-334
	7903070103	50-220		7903130238	50-336
	7903200569	50-410		7903130241	50-336
	7903120002	50-349		7903130585	50-272
	7903300380	50-278		7903130594	50-272
	7903080001	50-357		7903130594	50-272
	7903140133	50-367		7903080096	50-320
	7903150100	50-367		7903070163	50-311
	7903130247	50-311		7903070112	50-220
	7903140299	50-311		7903070115	50-220
	7903140013	50-272		7903120594	50-213
	7903140621	50-272		7903090325	50-311
	7903140085	50-311		7903130011	50-317
	7903130239	50-311		7903130182	50-317
	7903140064	50-311		7903120516	50-309
	7903260131	50-443		7903080025	50-272
	7903200328	50-443		7903120481	50-171
	7903300049	50-433		7903130321	50-134
	7903260120	50-443		7903130329	50-134
	7903090376	50-271		7903140033	50-322
Region I, Philadelphia, Fuel Facility & Materials Safety Branch	7903060025	40-2293		7903140066	50-272
	7903020062	50-271		7903140066	50-272
	7903020067	50-271		7903140445	50-247
	7903070176	50-272		7903150141	50-213
	7903070181	50-272		7903150450	50-289
	7903080013	50-220		7903140431	50-317
	7903080015	50-220		7903140146	50-277
	7903070497	50-293		7903210024	50-271
	7903070500	50-293		7903210013	50-311
	7903070294	50-271		7903200293	50-320
	7903190347	40-341		7903200447	50-311
	7903220168	70-1143		7903290201	50-220
	7903120048	50-201		7903290202	50-220
	7903090352	50-293		7903290289	50-219
	7903120024	50-277		7903290314	50-247
	7903120065	50-286		7903300007	50-311
	7903120528	50-309		7903300327	50-219
	7903200209	50-352		7903300494	50-225
	7903200214	50-352		7903300528	50-311
	7903130085	50-3		7903300352	50-277
	7903200324	50-293		7903300507	50-213
	7903210017	50-311		7903300509	50-220
	7903190538	50-170		79033010481	50-5
	7903190551	50-170		7903300489	50-225
	7903290192	50-271		7903130319	50-134
	7903290194	50-271		7903130311	50-134
	7903190296	50-184		7903090427	50-54
	7903300369	50-334		7903090459	50-54
	7903300364	50-334		7903130173	50-317
	7903120043	50-201		7903140426	50-317
	7903190167	70-184		7903140438	50-247
	7903190170	70-184		7903290304	50-247
				7903120587	50-213
				7903150138	50-213
				7903300503	50-213

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Inspection & Enforcement					
Region 1, Philadelphia, Reactor Operations Nuclear Support Branch	7903070151	50-334		7903220471	70-33
	7903070903	50-334		7903090429	70-371
	7903070143	50-334		7903090410	70-371
	7903070105	50-219		7903120430	70-371
	7903130002	50-219		7903070289	70-371
	7903290279	50-219		7903140095	70-371
	7903140027	50-322		7903120022	70-820
	7903080146	50-289		7903090407	70-371
	7903080549	50-289		7903120419	70-371
	7903080091	50-320		7903190311	70-371
	7903150447	50-289		7903300359	70-371
	7903200288	50-320		7903300260	70-820
	7903080126	50-289		7903120020	70-820
	7903120910	50-309		7903140093	70-371
	7903130233	50-336		7903300237	70-820
	7903130031	50-243		7903020073	70-1143
	7903130221	50-336		7903120014	70-1143
	7903070109	50-220		7903130092	70-1143
	7903290200	50-220		7903190318	70-1143
	7903300508	50-220		7903020035	70-1143
	7903290196	50-220		7903300356	70-1143
	7903070083	50-286		7903070201	70-398
	7903140139	50-277		7903140106	50-247
	7903300350	50-277		7903140101	50-247
	7903290059	50-277		7903150133	50-213
	7903080018	50-272		7903200451	50-219
	7903130579	50-272		7903120485	50-219
	7903070159	50-311		7903300322	50-219
	7903090318	50-311		7903140005	50-289
	7903120457	50-272		7903090332	50-243
	7903140054	50-272		7903080426	50-220
	7903210010	50-311		7903060572	50-311
	7903200442	50-311		7903140481	50-271
	7903070481	50-272		7903140339	50-29
	7903300006	50-311		7903140065	50-29
	7903300524	50-311	Region 2, Atlanta, Office of the Director	7903050537	30-6949
	7903130206	50-327			
	7903020040	50-271		7903050376	30-767
	7903130542	50-271		7903200031	50-327
	7903020030	50-271		7903200038	50-327
	7903210020	50-271		7903200065	50-369
	7903130536	50-271		7903200069	50-369
Region 1, Philadelphia, Safeguards Branch	7903090431	70-371		7903050424	70-1816
	7903090417	70-371		7903200588	70-893
	7903020063	70-1143		7903130093	50-261
	7903060573	50-311		7903130007	50-325
	7903120441	70-371		7903130003	50-390
	7903070296	70-371		7903280075	50-280
	7903060686	70-135		7903270566	50-321
	7903120533	50-219		7903130142	50-269
	7903130320	50-201		7903280065	50-566
	7903140110	50-247		7903280098	50-395
	7903070204	70-398		7903140008	70-1113
	7903080420	70-1100		7903270604	50-395
	7903130135	50-166		7903280124	50-400
	7903140098	70-371		7903270287	50-400
	7903140343	50-29		7903080548	50-437
	7903120031	50-20		7903080291	50-437
	7903120038	70-1100		7903200094	50-437
	7903090340	50-245		7903210112	50-437
	7903090428	70-135		7903210563	50-437
	7903120016	70-1143		7903020367	50-332
	7903120026	70-820		7903080303	50-13
	7903120026	70-820		7903130540	70-27
	7903120026	70-124		7903140006	70-1113
	7903120026	70-1143		7903080284	70-1308
	7903120026	50-271		7903080516	70-1193
	7903120026	70-1143		7903120139	70-143
	7903120026	70-135		7903060571	70-1432
	7903120026	50-213		7903080559	50-364
	7903120026	70-371		7903080578	50-348
	7903120026	50-219		7903080266	50-348
	7903120026	70-33		7903140532	50-348
	7903120026	70-371		7903210115	50-348
	7903120026	70-135		7903210565	50-348
	7903120026	70-1143		7902280070	50-261
	7903120026	50-193		7903080535	50-261
	7903120026	70-820		7903080256	50-261
	7903120026	70-820		7903140465	50-261
	7903120026	50-219		7903210119	50-261
	7903120026	70-371		7903210568	50-261
	7903120026	50-20		7902280235	50-489
	7903120026	50-5		7902280257	50-370
	7903120026	50-166		7903080552	50-413
	7903120026	50-193		7903080532	50-269
	7903120026	70-135		7903090129	50-413
	7903120026	70-135		7903080249	50-413
	7903120026	70-135		7903080270	50-269
	7903120026	70-135		7903140537	50-413
	7903120026	70-135		7903140543	50-269
	7903120026	70-1100		7903210127	50-413
	7903120026	70-1100		7903210132	50-269
	7903120026	70-1100		7903210575	50-413
	7903120026	50-201		7903210583	50-269
	7903120026	50-201		7903060567	50-302
	7903120026	70-124		7903080582	50-302

CORPORATE SOURCE INDEX

347

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Inspection & Enforcement					
Region 2, Atlanta, Office of the Director	7903080274	50-302		7903070165	50-518
	7903140428	50-302		7903200223	50-390
	7903210135	50-302		7903150078	50-518
	7903210587	50-302		7903090005	50-566
	7903080537	50-250		7903140505	50-327
	7903080275	50-250		7903060590	50-390
	7903140548	50-230		7903140492	50-327
	7903210138	50-250		7903160017	50-390
	7903210589	50-250		7903210039	50-327
	7903080533	50-321		7903070528	50-518
	7903080276	50-321		7903080296	50-518
	7903140520	50-321		7903160015	50-390
	7903210142	50-321		7903200014	50-327
	7903210593	50-321		7903200217	50-390
	7903010107	50-416		7903220322	50-390
	7903080584	50-416		7903130219	50-337
	7903080286	50-416		7903150010	50-327
	7903140528	50-416		7903050128	
	7903210145	50-416	Region 2, Atlanta, Fuel Facility & Materials Safety Branch	7903060581	70-1349
	7903220010	50-416		7903060617	70-1113
	7903010097	50-395		7903060622	70-1113
	7903010103	50-395		7903070525	50-321
	7903080545	50-395		7903070519	50-321
	7903080555	50-395		7903010050	50-327
	7903080295	50-395		7903140150	50-259
	7903140530	50-395		7903140162	50-259
	7903210148	50-395		7903150292	50-321
	7903220017	50-395		7903150297	50-321
	7903210164	50-327		7903130010	50-302
	7903020376	50-259		7903130101	70-143
	7903080300	50-258		7903130623	70-27
	7903140552	50-259		7903160282	70-143
	7903210087	50-259		7903160284	70-143
	7903220028	50-259		7903210036	50-160
	7903090123	50-280		7903130142	50-269
	7903080314	50-280		7903280117	50-280
	7903140433	50-280		7903270431	70-1201
	7903210151	50-280		7903270437	70-1201
	7903220019	50-280		7903280087	50-261
Region 2, Atlanta, Reactor Construction & Engineering Support Branch	7903080418	50-518		7903260089	50-259
	7903080440	50-518		7903210033	50-160
	7903190283	50-389		7903060578	70-1349
	7903150288	50-389		7903060566	70-1349
	7903200038	50-327		7903130619	70-27
	7903070553	50-364		7903270427	70-1201
	7903070557	50-364		7903270415	70-1201
	7903200069	50-369		7903060615	70-1113
	7903060379	50-438		7903130097	70-143
	7903070188	50-372		7903160275	70-143
	7903070170	50-318		7903160272	70-143
	7903070199	50-438		7903280084	50-261
	7903150083	50-518		7903130137	50-269
	7903150090	50-518		7903130008	50-302
	7903200226	50-390		7903070517	50-321
	7903200229	50-390		7903150589	50-321
	7903090006	50-566		7903070509	50-321
	7903130224	50-339		7903150283	50-321
	7903200472	50-424		7903260072	50-321
	7903200475	50-424		7903010049	50-327
	7903150017	50-339		7903140147	50-259
	7903130007	50-325		7903260087	50-259
	7903220233	50-395		7903140130	50-259
	7903220239	50-395		7903280110	50-280
	7903140510	50-327	Region 2, Atlanta, Reactor Operations Nuclear Support Branch	7903280118	50-395
	7903140499	50-327		7903280121	50-395
	7903140569	50-369		7903060396	50-250
	7903160020	50-390		7903010366	50-369
	7903160023	50-390		7903010395	50-366
	7903200185	50-400		7903070522	50-280
	7903210043	50-327		7903120400	50-321
	7903150202	50-413		7903120393	50-321
	7903260113	50-369		7903070057	50-327
	7903260115	50-369		7903080141	50-390
	7903220166	50-400		7903130518	50-302
	7903220173	50-400		7903130521	50-302
	7903070949	50-364		7903070177	50-327
	7903070495	50-364		7903090054	50-259
	7903130005	50-325		7903130200	50-338
	7903200182	50-400		7903080566	50-369
	7903220159	50-400		7903130214	50-327
	7903200060	50-369		7903130192	50-280
	7903150199	50-413		7903070449	50-348
	7903260110	50-369		7903130093	50-261
	7903200047	50-369		7903130003	50-390
	7903190279	50-389		7903210030	50-259
	7903190267	50-389		7903140536	50-366
	7903200463	50-424		7903270560	50-321
	7903200448	50-424		7903270628	50-369
	7903220197	50-395		7903280026	50-280
	7903220191	50-395		7903280031	50-280
	7903080344	50-518		7903280059	50-324
	7903200023	50-327		7903270533	50-369
	7903060375	50-438		7903280095	50-395
	7903070197	50-438		7903140546	50-348
	7903070183	50-327			

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Inspection & Enforcement					
Region 2, Atlanta, Reactor Operations Nuclear Support Branch	7903120159	50-348		7903070391	50-255
	7903070468	50-348		7903080457	50-155
	7903140542	50-348		7903070042	50-263
	7903070444	50-348		7903070044	50-263
	7903130154	50-348		7903080491	50-315
	7903130086	50-261		7903010065	50-295
	7903280053	50-324		7903160317	70-572
	7903280111	50-400		7903080277	50-398
	7903270281	50-400		7903090004	50-306
	7903010340	50-369		7903160216	50-358
	7903080561	50-369		7903120542	50-440
	7903140564	50-369		7903120570	50-440
	7903270622	50-369		7903130466	50-454
	7903270526	50-369		7903140195	50-30
	7903130513	50-302		7903130472	50-409
	7903130499	50-302		7903140182	50-294
	7903060391	50-250		7903130047	50-237
	7903010350	50-266		7903130482	50-282
	7903120387	50-321		7903150355	50-315
	7903140521	50-266		7903150359	50-315
	7903270553	50-321		7903140040	70-8
	7903120332	50-321		7903150407	50-373
	7903270339	50-321		7903150368	50-255
	7903070544	50-267		7903150329	50-263
	7903280115	50-375		7903150331	50-263
	7903280092	50-375		7903150432	50-246
	7903270599	50-375		7903150345	50-341
	7903280082	50-375		7903190010	50-10
	7903280108	50-375		7903190015	50-10
	7903070053	50-327		7903190054	70-2705
	7903080137	50-390		7903260383	70-1430
	7903070173	50-327		7903260041	70-152
	7903090049	50-259		7903300318	50-329
	7903130001	50-390		7903200454	70-2830
	7903210027	50-259		7903140038	50-10
	7903280063	50-566		7903060606	70-1004
	7903070516	50-280		7903270208	40-2061
	7903130190	50-338		7903300585	50-155
	7903130185	50-280		7903060055	
	7903010021	50-338		7903080412	50-10
	7903280015	50-280		7903200547	
	7903280028	50-280		7903200550	
	7903280074	50-280		7903080349	50-315
Region 2, Atlanta, Safeguards Branch	7903130121	70-27		7903150240	50-316
	7903150167	50-261		7903080352	50-315
	7903080508	50-302		7903150012	50-315
	7903120444	70-143		7903190335	50-315
	7903130260	50-269		7903080419	50-10
	7903070404	50-369		7903070556	50-373
	7903160267	70-143		7903080343	50-10
	7903120052	70-1201		7903190015	50-10
	7903200177	50-324		7903190539	50-10
	7903130178	50-321		7903160188	50-358
	7903130237	70-1113		7903080429	50-358
	7903170486	70-1113		7903080354	50-358
	7903260107	70-1201		7903260388	50-358
	7903300480	70-143		7903160319	50-358
	7903120458	70-143		7903150025	50-358
	7903230040	70-1201		7903190544	50-358
	7903220268	50-124		7903080375	50-440
	7903260127	50-250		7903080353	50-440
	7903070069	50-250		7903150028	50-440
	7903220263	50-124		7903190546	50-440
	7903130117	70-27		7903080451	50-155
	7903280095	70-27		7903070389	50-255
	7903120050	70-1201		7903080383	50-329
	7903130105	70-27		7903080430	50-155
	7903230031	70-1201		7903130115	50-155
	7903260104	70-1201		7903080356	50-329
	7903080492	70-1113		7903080357	50-155
	82	70-1113		7903200089	50-329
	16	70-1113		7903150029	50-329
	9	70-143		7903150031	50-155
		70-143		7903230333	50-255
		70-143		7903190549	50-329
		70-143		7903190552	50-155
		70-143		7903080347	50-409
		70-143		7903080358	50-409
		70-1151		7903150033	50-409
		50-261		7903190553	50-409
		50-261		7903080339	50-341
		50-324		7903080359	50-341
		50-269		7903150034	50-341
		50-369		7903190001	50-341
		50-269		7903210293	50-331
		50-302		7903090056	50-331
		50-302		7903050120	50-331
		50-250		7903080346	50-331
		50-250		7903080360	50-331
		50-250		7903230037	50-331
		50-321		7903150035	50-331
		50-900		7903190555	50-331
				7903080380	50-461
		50-329		7903080361	50-461
		50-329		7903150037	50-461
		50-358		7903160062	50-461

349

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Inspection & Enforcement					
Region 3, Chicago, Office of the Director	7903190003	50-461		7903130123	50-456
	7903080349	50-315		7903130603	50-373
	7903080352	50-315		7903130400	50-373
	7903150012	50-315		7903160054	50-456
	7903190535	50-315		7903060584	50-358
	7903080378	50-367		7903080274	50-358
	7903080362	50-367		7903190035	50-358
	7903150040	50-367		7903060593	50-358
	7903190004	50-367		7903150069	50-358
	7903090003	50-306		7903260202	50-358
	7903080341	50-484		7903200189	50-358
	7903080342	50-263		7903200192	50-358
	7903080363	50-263		7903120537	50-440
	7903080364	50-484		7903190111	50-440
	7903140034	50-484		7903260099	50-440
	7903150043	50-263		7903260092	50-358
	7903190007	50-484		7903010351	50-329
	7903190599	50-263		7903020267	50-329
	7903080373	50-546		7903130379	50-329
	7903080365	50-546		7903060583	50-329
	7903150043	50-546		7903060586	50-329
	7903190008	50-546		7903130050	50-329
	7903080348	50-346		7903080220	50-329
	7903080366	50-346		7903120559	50-329
	7903150046	50-346		7903130231	50-329
	7903190562	50-346		7903300313	50-329
	7903080386	50-483		7903220340	50-329
	7903080367	50-483		7903150338	50-341
	7903150047	50-483		7903260116	50-341
	7903190563	50-483		7903070458	50-341
	7903080379	50-266		7903220358	50-341
	7903080368	50-266		7903120119	50-331
	7903150049	50-266		7903150171	50-331
	7903190566	50-266		7903130035	50-461
	7903080387	50-305		7903220424	50-367
	7903080369	50-305		7903260210	50-367
	7903150052	50-305		7903060502	50-306
	7903190570	50-305		7903130024	50-484
	7903080108	50-373		7903070475	50-306
				7903220509	50-546
	7903080110	50-373		7903060574	50-546
	7903010361	50-329		7903130075	50-546
	7903060377	50-546		7903150027	50-546
	7903060582	50-546		7903130018	50-483
	7903060592	50-358		7903130030	50-483
	7903070392	50-255		7903010067	50-295
	7903060505	50-306			
	7903060508	50-306		7903070111	50-282
	7903070049	50-373		7903070452	50-315
	7903090088	50-331		7903130149	50-186
	7903090061	50-331		7903120025	50-116
	7903130080	50-546		7903190051	50-130
	7903160218	50-358		7903070301	50-155
	7903090051	50-440		7903130359	50-454
	7903130016	50-373		7903070529	50-341
	7903130021	50-483		7903140195	50-30
	7903130028	50-484		7903140182	50-294
	7903130047	50-237		7903140488	50-294
	7903130409	50-456		7903150075	40-3392
	7903130418	50-456		7903130373	50-16
	7903130033	50-483		7903130470	50-409
	7903130127	50-331		7903140171	50-150
	7903130391	50-329		7903210387	27-39
	7903130041	50-461		7903150331	50-263
	7903130069	50-373		7903220482	50-315
	7903190038	50-358		7903220436	50-331
	7903190041	50-358		7903260040	70-152
	7903130056	50-329		7903280058	50-358
	7903150173	50-331		7903300471	70-26
	7903160260	50-373		7903120001	50-116
	7903160262	50-373		7903020463	70-599
	7903190480	50-454		7903140175	50-294
	7903190493	50-454		7903140168	50-150
	7903220519	50-454		7903260037	70-152
	7903220466			7903160070	70-152
	7903220497	50-454		7903130141	50-186
	7903220515	50-546		7903260380	70-1430
	7903260119	50-341		7903150071	40-3392
	7903220428	50-367		7903300467	70-36
	7903260118	50-341		7903300518	70-36
	7903300318	50-329		7903190047	70-1308
	7903270496	70-36		7903210380	27-39
	7903200191	50-358		7903140187	50-30
	7903200196	50-358		7903220480	50-315
	7903080103	50-373		7903010062	50-295
	7903070045	50-373		7903130354	50-454
	7903090046	50-440		7903140485	50-254
	7903130460	50-454		7903080469	50-295
	7903130403	50-456		7903280053	50-358
	7903160259	50-373		7903070297	50-155
	7903190477	50-454		7903130467	50-409
	7903130044	50-237		7903070526	40-341
	7903130066	50-373		7903130366	50-16
	7903220458	50-373		7903220097	50-409
	7903220493	50-454		7903050397	50-331
	7903140084	50-373		7903220433	50-331
			Region 3, Chicago, Fuel Facility & Materials Safety Branch		
				7903070111	50-282
				7903070452	50-315
				7903130149	50-186
				7903120025	50-116
				7903190051	50-130
				7903070301	50-155
				7903130359	50-454
				7903070529	50-341
				7903140195	50-30
				7903140182	50-294
				7903140488	50-294
				7903150075	40-3392
				7903130373	50-16
				7903130470	50-409
				7903140171	50-150
				7903210387	27-39
				7903150331	50-263
				7903220482	50-315
				7903220436	50-331
				7903260040	70-152
				7903280058	50-358
				7903300471	70-26
				7903120001	50-116
				7903020463	70-599
				7903140175	50-294
				7903140168	50-150
				7903260037	70-152
				7903160070	70-152
				7903130141	50-186
				7903260380	70-1430
				7903150071	40-3392
				7903300467	70-36
				7903300518	70-36
				7903190047	70-1308
				7903210380	27-39
				7903140187	50-30
				7903220480	50-315
				7903010062	50-295
				7903130354	50-454
				7903140485	50-254
				7903080469	50-295
				7903280053	50-358
				7903070297	50-155
				7903130467	50-409
				7903070526	40-341
				7903130366	50-16
				7903220097	50-409
				7903050397	50-331
				7903220433	50-331

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Inspection & Enforcement					
Region 3, Chicago, Fuel Facility & Materials Safety Branch	7903070487	50-315		7903220307	50-266
	7903220480	50-315		7903270141	50-186
	7903070106	50-282		7903220447	50-116
	7903150327	50-263		7903220456	70-1308
	7903260085	50-263		7903220443	50-116
	7903140036	70-8		7903120098	50-123
	7903160312	70-572		7903120083	50-186
Region 3, Chicago, Reactor Operations Nuclear Support Branch	7903070506	50-334		7903270134	50-186
	7903070513	50-254		7903130063	70-36
	7903070118	50-155		7903270489	70-36
	7903070310	50-254		7903220452	70-1308
	7903070317	50-254		7903210246	70-1193
	7903070078	50-373		7903220357	50-315
	7903070477	50-331		7903060413	50-373
	7903070479	50-331		7903070450	50-249
	7903080178	50-10		7903080065	50-155
	7903080062	50-346		7903090387	50-258
	7903080070	50-346		7903150081	50-155
	7903080150	50-295		7903070568	50-409
	79031190114	50-315		7903090398	50-331
	7903150059	50-346		7903220357	50-315
	7903130062	50-315		7903010138	50-263
	7903130330	50-255		7903200271	50-346
	7903140468	50-254		7903220304	50-266
	7903130270	50-282		7903140050	50-309
	7903140603	50-305		7903050491	70-8
	7903130480	50-282		7903050493	70-8
	7903140595	50-409	Region 4, Dallas, Office of the Director	7903220183	70-8
	7903150054	50-346		7903130567	
	7903210054	50-87		7903150123	
	7903150150	50-254		7903210352	
	7903150156	50-338		7903150137	
	7903150161	50-358		7903150142	
	7903150168	50-358		7903120134	40-8583
	7903190015	50-10		7903140131	50-298
	7903220453	50-10		7903200577	50-285
	7903220477	50-409		7903150439	40-8580
	7903220485	50-409		7903200032	40-8600
	7903220407			7903190351	70-157
	7903220418	50-483		7903190372	70-1306
	7903220465	50-282		7903140073	70-846
	7903220470	50-282		7903210346	50-482
	7903280044	50-254		7903210354	50-482
	7903280054	50-150		7903210367	
	7903280051	50-150		7903150119	
	7903210050	50-87		7903200582	
	7903080486	50-315		7903070464	
	7903150352	50-315		7903130564	
	7903060656	50-315		7903210343	
	7903130059	50-315		7903150135	
	7903070508	50-284		7903150127	
	7903070073	50-373		7903210104	
	7903070306	50-254		7903080419	50-313
	7903080174	50-10		7903090031	50-313
	7903080147	50-295		7903080413	50-458
	7903130013	50-373		7903080435	50-458
	7903140462	50-254		7903090039	50-458
	7903150144	50-254		7903190032	50-458
	7903190009	50-10		7903280004	50-458
	7903220445	50-10		7903300008	50-458
	7903080490	50-10		7903290326	50-458
	7903280038	50-254		7903300193	50-458
	7903150151	50-358		7903080423	50-478
	7903070114	50-155		7903080436	50-478
	7903130287	50-255		7903090044	50-478
	7903150364	50-255		7903190029	50-478
	7903080560	50-329		7903280018	50-478
	7903140591	50-409		7903300012	50-478
	7903220474	50-409		7903290324	50-478
	7903070474	50-331		7903300196	50-478
	7903140090	50-331		7903080424	50-482
	7903190110	50-315		7903080437	50-482
	7903150352	50-315		7903090048	50-482
	7903070040	50-263		7903210343	50-482
	7903130264	50-282		7903190022	50-482
	7903130477	50-282		7903290193	50-482
	7903140186	50-263		7903280007	50-482
	7903220460	50-282		7903300015	50-482
	7903160078	50-282		7903300005	50-482
	7903080057	50-346		7903300203	50-482
	7903150048	50-346		7903080425	50-382
	7903150428	50-346		7903080441	50-382
	7903210008	50-346		7903090042	50-382
	7903150427	50-346		7903190027	50-382
	7903220411	50-483		7903280012	50-382
	7903220402	50-266		7903300013	50-382
	7903140998	50-305		7903290329	50-382
Region 3, Chicago, Catiguards Branch	7903020417	50-373		7903300191	50-382
	7903050499	70-8		7903080330	50-298
	7903120274	50-123		7903200971	50-285
	7903120306	50-186		7903080325	50-285
	7903090195	50-259		7903090028	50-285
	7903090401	50-331		7903080327	50-267
	7903210277			7903090027	50-267
	7903130067	70-36		7903080428	50-445

CORPORATE SOURCE INDEX

351

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Inspection & Enforcement					
Region 4, Dallas, Office of the Director	7903080442	50-445		7903010022	
	7903090047	50-445		7903010026	
	7903190025	50-445		7903010470	
	7903280008	50-445		7903130527	
	7903300010	50-445		7903130541	
	7903300003	50-445		7903210184	
	7903300200	50-445		7903210188	
Region 4, Dallas, Reactor Construction & Engineering Support Branch	7903020074	50-382		7903210370	
	7903140289	50-498		7903210374	
	7903140272	50-445		7903210375	
	7903070168	50-482		7903210390	
	7903140263	50-445		7903210377	
	7903140283	50-556		7903150192	
	7903220320	50-313		7903160314	
	7903220225	50-382		7903160328	
	7903260056			7903260585	
	7903260051	50-498		7903260586	
	7903260038	50-498		7903160172	
	7903260019	50-382		7903160534	
	7903260024	50-382		7903260500	
	7903260047	50-498		7903260506	
	7903210216	50-446		7903160130	
	7903080341	50-458		7903260547	
	7903140287	50-498		7903150118	
	7903070080	50-498		7903150247	
	7903260034	50-498		7903210395	
	7903260043	50-498		7903210403	
	7903210198	50-498		7903260141	
	7903070166	50-482		7903160166	
	7903070238	50-482		7903260145	
	7903020070	50-382		7903260257	
	7903220224	50-382		7903260270	
	7903260015	50-382		7903260274	
	7903140279	50-556		7903140519	
	7903140267	50-445		7903260352	
	7903140256	50-445		7903260367	
	7903210210	50-446		7903260371	
	7903070284	50-445		7903210360	
	7903280287	50-445		7903130531	
Region 4, Dallas, Fuel Facility & Materials Safety Branch	7903130248	50-458		7903130523	
Region 4, Dallas, Reactor Operations Nuclear Support Branch	7903220145	70-1143		7903260044	
	7903060500	50-59		7903060006	
	7903220312	50-313		7903060003	
	7903150186	50-289		7903160200	
	7903150193	50-285		7903210325	
	7903230021	50-72		7903210146	
	7903230028	50-72		7903210129	
	7903070547	50-267		7903020196	
	7903230074	50-407		7903020190	
	7903230075	50-407		7903020081	
	7903300024	50-278		7903260576	
	7903300026	50-278		7903150116	
	7903060498	50-59		7903060267	
	7903230019	50-72		7903060262	
	7903230072	50-407		7903210161	
	7903050349	50-274		7903210170	
	7903050345	50-274		7903210155	
	7903220310	50-313		7903210193	
	7903090368	50-313		7903220187	
	7903090079	50-368		7903220177	
	7903220331	50-368		7903130554	
	7903140126	50-278		7903130548	
	7903300022	50-278		7903210185	
	7903070047	50-285		7903210235	
	7903150185	50-285		7903210182	
	7903150160	50-285		7903210167	
Region 4, Dallas, Vendor Inspection Branch	7903050505	50-267		7903010119	
	7903020298			7903010116	
	7903020305			7903210111	
	7903150044			7903210174	
	7903150051			7903160013	
	7903210172			7903200158	
	7903210174			7903200152	
	7903130574			7903150106	
	7903220196			7903150198	
	7903220198			7903150142	
	7903210118			7903150030	
	7903210124			7903150016	
	7903080036			7903210204	
	7903080042			7903210273	
	7903060007			7903170160	
	7903060012			7903060033	
	7903210357				
	7903150072				
	7903150077				
	7903210150				
	7903210157				
	7903070020				
	7903150026				
	7903150038				
	7903150008				
	7903150209				

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Inspection & Enforcement					
Region 4, Civil & Vendor Inspection Branch	7703160127			7903260106	50-206
Region 5, San Francisco Office of the Director	7703220058	50-133		7903280103	50-406
	7703130462	50-508		7903140451	70-25
	7703300472	50-508		7903140430	70-1257
	7703130485	50-312		7903060334	50-528
	7703210025	50-397		7903020257	50-133
	7703190308	50-361		7903190077	50-275
	7703190309	50-361		7903260064	50-323
	7703300346	50-344		7903120503	50-341
	7703300347	50-344		7903260101	50-206
	7703300349	50-397		7903280073	50-460
	7703300336	50-206	Region 5, San Francisco Reactor Operations Nuclear Support Branch	7903080005	50-344
	7703120019	70-25		7903020236	50-275
	7703170506	50-528		7903020265	50-206
	7703140383	50-228		7903130340	50-113
	7703140583	50-528		7903130346	50-113
	7703150062	50-528		7903120464	50-139
	7703170472	50-528		7903120467	50-139
	7703120401	50-528		7903080021	50-344
	7703240316	50-528		7903090002	50-312
	7703300098	50-275		7903190094	50-361
	7703190510	50-133		7903210207	50-275
	7703140369	50-133		7903300347	50-344
	7703140583	50-133		7903300349	50-397
	7703150063	50-133		7903130335	50-113
	7703190486	50-133		7903120462	50-139
	7703210405	50-133		7903120479	50-139
	7703260317	50-133		7903020232	50-275
	7703190515	50-344		7903210205	50-275
	7703140375	50-344		7903080003	50-344
	7703140583	50-344		7903080017	50-344
	7703150065	50-344		7903300345	50-344
	7703190488	50-344		7903300340	50-344
	7703210407	50-344		7903020262	50-206
	7703260318	50-344		7903190089	50-361
	7703140531	50-361		7903090001	50-312
	7703190517	50-206		7903300348	50-397
	7703140377	50-206	Region 5, San Francisco, Safeguards Branch	7903120066	50-113
	7703140583	50-206		7903130014	50-326
	7703150066	50-206		7903160258	50-142
	7703190494	50-206		7903150094	50-139
	7703210412	50-206		7903190098	50-27
	7703260320	50-206		7903060597	50-228
	7703130481	50-312		7903140643	70-5814
	7703190520	50-312		7903150107	70-794
	7703130421	50-312		7903160269	70-794
	7703140393	50-312		7903070442	50-312
	7703140583	50-312			
	7703150067	50-312			
	7703190016	50-312			
	7703210414	50-312			
	7703260321	50-312	Office of Nuclear Material Safety & Safeguards		
	7703300127	50-508			
	7703190524	50-397	Office of Nuclear Material Safety & Safeguards	7903130350	40-299
	7703140369	50-397			
	7703140583	50-397		7903020161	40-869B
	7703130448	50-508		7903080019	
	7703220029	50-397		7903140253	
	7703150070	50-397		7903160280	
	7703190495	50-397		7903130308	40-8602
	7703210416	50-397		7903300594	27-39
	7703260323	50-397		7903120187	
	7703300411	50-508		7903260264	70-794
	7703220014	50-133		7903280262	70-794
	7703190497	50-361		7903280257	27-39
Region 5, San Francisco Reactor Construction & Engineering Support Branch				7903300591	27-39
	7703130458	50-508		7903280216	
	7703300435	50-508		7903040114	
	7703130491	50-361	Division of Fuel Cycle & Material Safety	7903080168	40-8502
	7703210021	50-397		7903210213	40-8584
	7703210025	50-397		7903290212	40-8035
	7703120571	50-592		7903260281	70-1257
	7703150309	50-361		7903260326	70-1257
	7703190071	50-275		7903080590	70-1220
	7703190104	50-361		7903200076	40-2259
	7703120565	50-592		7903140484	40-8584
	7703190064	50-275		7903210209	40-8584
	7703120496	50-361		7903280271	40-8452
	7703120488	50-361		7903290295	
	7703150307	50-361		7903230305	50-201
	7703190098	50-361		7903260278	70-2609
	7703150300	50-361		7903260372	70-2885
	7703130451	50-508		7903050019	70-824
	7703210018	50-397		7903290223	40-8035
	7703220018	50-133		7903290230	40-8035
Region 5, San Francisco Fuel Facility & Materials Store Branch	7703050597	50-133		7903260205	70-824
	7703060341	50-528	Assistant Director for Fuel Cycle Safety & Licensing	7903230202	50-346
	7703130492	50-312			
	7703190413	70-984	Fuel Process & Fab Branch	7903130344	40-299
	7703140475	70-25		7903020154	40-869B
	7703120507	50-361		7903190157	70-2623
	7703140441	70-1257		7903130300	40-8602
	7703140081	50-275		7903020153	40-869B
	7703300736	50-266		7903290299	70-1100
	7703260082	50-323		7903150314	40-8102

CORPORATE SOURCE INDEX

353

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Nuclear Material Safety & Safeguards					
Fuel Process & Fab Branch	7903060322	70-124		7903280023	70-36
	7903130343	40-299		7903150324	70-1257
	7903260284	70-371		7903280066	70-734
	7903130298	40-8602		7903280013	70-1113
	7903020157	40-8698		7903280049	70-754
	7903280260	70-2718		7903150274	70-143
	7903210544	70-364		7903280041	70-687
	7903270021	40-8035		7903150323	70-371
	7903270285	40-8035		7903280027	70-371
	7903280189	70-2609		7903280057	70-820
	7903280292	70-1257		7903280294	70-1151
	7903280194	70-2885		7903280019	70-1143
	7903050020	70-27		7903280015	70-398
	7903270010	40-3392	Physical Security Licensing Branch	7903280069	70-8
	7903280204	40-8720		7903060185	70-824
	7903150325	40-8721		7903060660	70-135
	7903270649	70-1257		7903290283	70-27
	7903280186	70-33		7903210588	70-135
	7903300523	70-2718		7903060180	70-25
	7903260206	70-1113		7903260590	70-734
Fuel Reprocess & Recycle Branch	7903280340	40-8584		7903200532	70-754
	7903060364	70-2623		7903260315	70-143
	7903010472	50-201		7903260029	70-25
	7903280277	70-135		7903210460	70-371
	7903280250	50-201		7903230275	70-8
	7903210535	70-364			
	7903280270	70-1308			
	7903270637	70-1308	Office of Nuclear Reactor Regulation		
	7903060633	50-201	Office of Nuclear Reactor Regulation		
	7903060630	50-201		7903090418	50-280
	7903070065	70-364		7903060026	50-305
	7903210542	70-1143		7903060031	50-305
	7903260201	70-364		7903060591	
Radioisotopes Licensing Branch	7903200234	71-9044		7903010058	50-255
Transportation Branch	7903090025	71-9125		7903140180	50-180
	7903060635	71-9033		7903060649	50-301
	7903160094			7903140011	
	7903220501	71-9098		7903200479	
	7903280333	71-5916		7903120010	
	7903060627	71-9033		7903130486	50-259
	7903220087	71-6144		7903150064	50-321
	7903220084	71-9070		79030700122	
	7903290305	71-6058		7903140080	50-344
	7903060627	71-9033		7903140545	50-272
	7903140589	71-6400		7903140330	50-346
	7903300057	71-90		7903060528	50-324
	7903300190	71-6244		7903140002	50-244
	7903220076	71-6642		7903280334	50-98
	7903300502	71-36		7903200084	50-366
	7903280284	71-9079		7903120480	50-171
	7903070534	71-9013		7903130065	50-572
	7903200593	71-9023		7903200039	
	7903210368	71-9132		7903200474	
	7903220093	71-9009		7903200477	
	7903270543	71-6144		7903210078	
	7903220090	71-9033		7903230012	
	7903220498	71-9098		7903260343	50-370
	7903200164	71-6387		7903220034	50-365
	7903160089	71-6639		7903220047	50-47
	7903090024	71-9125		7903260399	50-374
	7903090029	71-5595		7903210011	50-366
	7903300185	71-9186		7903260090	50-340
	7903070542	71-9088		7903220440	50-220
	7903290173	71-211		7903260215	50-282
	7903230209	71-9094		7903160090	50-267
	7903160025	71-5026		7903260063	50-258
	7903200153	71-9111		7903290184	50-333
	7903220079	71-9094		7903300354	50-280
	7903220089	71-6574		7903300584	50-334
	7903260111	71-202		7903290171	50-327
	7903060627	71-9033		7903450314	50-213
	7903220096	71-9032		7903050028	50-250
	7903220082	71-9007		7903270395	50-155
	7903280331	71-5916		7903270440	50-331
	7903190399			7903140600	50-280
High Level & Transuranic Waste Branch	7903140384			7903060312	50-280
	7903050034			7903220033	50-209
	7903200011			7903060104	
Low Level Waste Branch	7903140384			7903100595	
	7903140571	27-47		7903050490	
	7903140024	27-47		7903050261	
	7903120112	27-47		7903230039	50-315
	7903140193	27-39		7903000105	
	7903190390	27-48		7903230039	50-317
Division of Safeguards	7903140134	70-364		7903140494	
	7903300025	70-33		7903230175	50-10
	7903200587	70-687		7903290174	50-341
	7903050454	70-820		7903230035	50-234
	7903300538	50-327		7903290181	50-334
Material Control Licensing Branch	7902270101	70-27		7903230035	50-267
	7903060709	70-1201		7903150341	50-321
	7903130504	70-364		7903230035	50-321
	7903140483	70-133		7903230035	50-333
	7903280030	70-133		7903230035	50-217
	7903280035	70-27		7903230035	50-173
	7903280039	70-824		7903230035	50-173
	7903280062	70-1201		7903230035	50-290
				7903230035	50-291

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Nuclear Reactor Regulation					
Office of Nuclear Reactor Regulation	7903140630			7903140222	50-333
	7903290243			7903230083	50-333
	7903290253			7903270095	50-277
	7903050105	50-549		7903140222	50-344
	7903160087			7903230198	50-346
	7903200515			7903230083	50-259
	7903220432			7903270107	50-259
	7903290320			7903230083	50-271
Antitrust & Industry Policy	7903080257	50-549		7903160004	
	7903140493	50-98		7903200235	50-331
	7903140067	50-592		7903200443	50-220
	7903280210	50-416		7903200462	50-237
	7903260292	50-309		7903200443	50-220
Division of Safety & Structural Analysis	7903200296		Assistant Director for Engineers & Projects	7903200330	50-98
	7903040160			7903230011	50-219
	7903070012	50-549		7903200180	50-335
	7903080297	50-549		7903080173	50-280
	7903080303	50-549		7903120535	50-10
	7903190586	50-316		7903120535	50-29
	7903300019	50-329		7903080100	50-244
	7903150311	50-368		7903080173	50-220
Accident Analysis Branch	7903080703	50-549		7903120535	50-244
	7903280083	50-568		7903080173	50-331
	7903100364			7903120535	50-335
	7903200359			7903080173	50-282
Effluent Treatment System Branch	7903200484			7903120535	50-219
	7903200473	50-220		7903230001	50-219
	7903200467	50-220		7903080173	50-315
	7903200483			7903120535	50-313
	7903100450			7903080173	50-293
	7903100441			7903120535	50-317
	7903100476	50-220		7903080100	50-10
	7903220435			7903120535	50-237
	7903200420			7903080173	50-3
	7903200312			7903120535	50-346
	7903200362			7903080100	50-155
Assistant Director for Environmental Projects	7903190139	50-213		7903120535	50-155
Environmental Project Branch 1	7903070181	50-568		7903080173	50-324
	7903200109	50-341		7903080100	50-409
	7903150278	50-546		7903120535	50-409
	7903190394	50-514		7903080173	50-321
	7903200371	50-514		7903080100	50-219
	7903050026	50-341		7903230001	50-219
	7903220117	50-341		7903080173	50-254
	7903170015	50-352		7903230001	50-219
	7903270036	50-376		7903120535	50-309
	7903270036	50-376		7903080100	50-213
	7903200160	50-382		7903120535	50-213
Environmental Project Branch 2	7903170472	50-471		7903080173	50-298
	7903100318	50-522			
	7903300099	50-549		7903080100	50-206
	7903120468	50-471		7903120535	50-206
	7903190131	50-329		7903080173	50-259
	7903050065	50-516		7903080100	50-29
	7903200093	50-361		7903120535	50-29
	7903260105	50-361		7903020218	50-10
	7903020112	50-438		7903200304	50-219
	7903140137	50-553		7903300201	
	7903210279	50-596		7903200304	50-219
Geosciences Branch	7903200044	50-155	Engineering Branch	7903130077	
	7903060609	50-29	Environmental Evaluation Branch	7903200461	
	7903060696	50-522		7903200480	50-220
	7903090250	50-400		7903140046	
	7903080202	50-416		7903090436	50-155
	7903090068	50-409		7903200242	50-155
	7903010329	50-334		7903200245	50-271
Cost Benefit Analysis Branch	7903080303	50-549		7903200248	50-271
Environmental Specialists Branch	7903210154	50-219		7903200248	50-259
Division of Operating Reactors	7903200467	50-237		7903130483	50-259
	7903050090	50-220		7903130489	50-259
	7903270005	50-344		7903150003	50-321
	7903300533	50-5		7903150007	50-321
	7903140222	50-316		7903080530	50-324
	7903230083	50-220		7903080534	50-324
	7903140222	50-331		7903080540	50-324
	7903230083	50-331		7903190006	50-271
	7903140222	50-348		7903190127	50-271
	7903090146	50-70		7903200040	50-324
	7903140222	50-315		7903200042	50-324
	7903230083	50-293		7903200135	50-312
	7903140222	50-317		7903200162	50-298
	7903230083	50-237		7903200168	50-298
	7903270111	50-254		7903200237	50-333
	7903140222	50-346		7903200241	50-333
	7903230083	50-324		7903200305	50-259
	7903270090	50-324		7903200312	50-293
	7903140222	50-334		7903220044	50-259
	7903050567	50-335		7903220052	50-259
	7903140572	50-335		7903220229	50-254
	7903140222	50-321		7903220230	50-254
	7903230083			7903220234	50-254
	7903270100	50-321		7903220413	50-277
	7903230083	50-331		7903220419	50-277
	7903140222	50-309		7903200086	50-366
	7903230083	50-220		7903200123	50-277
	7903140222	50-298		7903200125	50-277
	7903230083	50-298		7903200138	50-321

CORPORATE SOURCE INDEX

355

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Nuclear Reactor Regulation					
Operating Reactors Branch 3	7903200147	50-321	7903070173	50-156	
	7903200080	50-366	7903080564	50-27	
	7903210515	50-366	7903070033	50-13	
	7903210520	50-366	7903140557	50-70	
	7903220435	50-220	7903300771	50-374	
	7903220444	50-220	7903140157	50-274	
	7903260062	50-298	7903070193	50-313	
	7903260066	50-298	7903070135	50-313	
	7903260184	50-254	7903233205	50-313	
	7903260188	50-254	7903180024	50-313	
	7903300292	50-220	7903210377	50-313	
	7903300294	50-220	7903270309	50-313	
	7903080186	50-293	7903050548	50-31	
	7903200300	50-293	7903094412	50-31	
	7903010112	50-10	7903150526	50-31	
	7903220227	50-254	7903210523	50-317	
	7903220425	50-265	7903210051	50-31	
	7903260181	50-254	7903230195	50-317	
	7903050430	50-155	7903260117	50-269	
	7903120012	50-324	7903190118	50-267	
	7903080526	50-324	7903260176	50-267	
	7903070575	50-324	7903160142	50-269	
	7903200036	50-324	7903060014	50-302	
	7903220382	50-324	7903210736	50-302	
	7903150001	50-321	7903220370	50-307	
	7903200133	50-321	7903200187	50-374	
	7903200078	50-366	7903070116	50-335	
	7903210508	50-366	7903200043	50-335	
	7903220430	50-220	7903260363	50-375	
	7903300289	50-220	7903060655	50-289	
	7903200155	50-298	7903060662	50-289	
	7903200092	50-298	7903160665	50-289	
	7903260058	50-298	7903140535	50-289	
	7903200231	50-333	7903140665	50-289	
	7903220409	50-277	7903210258	50-289	
	7903200117	50-277	7903260389	50-336	
	7903260334	50-277	7903140565	50-336	
	7903220346	50-344	7903200128	50-312	
	7903130479	50-259	7903260360	50-312	
	7903220042	50-259	7903050552	50-346	
	7903220423	50-259	7903270046	50-346	
	7903202040	50-271	7903140459	50-309	
	7903150334	50-271	7903280078	50-309	
	7903190002	50-271	7903070030	50-187	
	7903220172	50-271	7903060680	50-269	
	7903150416	50-331	7903160305	50-302	
	7903270007	50-331	7903050563	50-317	
	7903200490	50-220	7903080158	50-313	
	7903060697	50-298	7903140336	50-309	
	7903140419	50-298	7903140345	50-335	
	7903200142	50-321	7903150270		
	7903160030	50-324	7903220383	50-346	
	7903220412	50-311	7903220343	50-317	
Operating Reactors Branch 4	7903290282		7903160028	50-285	
	7903200213	50-335	7903230002	50-70	
	7903060623	50-72	7903120144	50-280	
	7903060626	50-407	7903010459	50-344	
	7903070038	50-187	7903130077		
	7903070129	50-186			
	7903060049	50-192	7903310070	50-219	
	7903200256	50-112	7903270598	50-437	
	7903050287	50-294	7903230083	50-220	
	7903140567	50-336	7903230001	50-219	
	7903260121	50-269	7903300541		
	7903190125	50-269	7903300549		
	7903190130	50-269	7903150435	50-54	
	7903200132	50-312	7903270611	50-364	
	7903210261	50-317	7903270609	50-368	
	7903210263	50-289	7903270573	50-528	
	7903210264	50-317	7903270583	50-471	
	7903210265	50-289	7903270524	50-400	
	7903210268	50-317	7903270582	50-452	
	7903280032	50-313	7903270574	50-412	
	7903280036	50-313	7903270606	50-369	
	7903280083	50-309	7903270607	50-369	
	7903280087	50-309	7903230001	50-219	
	7903200045	50-335	7903270515	50-498	
	7903200046	50-335	7903230001	50-219	
	7903210055	50-317	7903270614	50-363	
	7903210069	50-317	7903270593	50-482	
	7903260393	50-336	7903270605	50-382	
	7903260398	50-336	7903270497	50-516	
	7903160046	50-269	7903270576	50-423	
	7903160064	50-269	7903270580	50-568	
	7903280106	50-297	7903230083	50-520	
	7903300378	50-375	7903270506	50-484	
	7903150297	50-77	7903270620	50-596	
	7903200327	50-78	7903270586	50-580	
	7903050276	50-294	7903270534	50-549	
	7903280101	50-297	7903270592	50-275	
	7903190042	50-69	7903270616	50-311	
	7903290067	50-83	7903270512	50-485	
	7903070126	50-186	7903270612	50-361	
	7903200292	50-112	7903270617	50-395	
	7903060047	50-192	7903270529	50-582	
	7903130046	50-62	7903270612	50-361	
	7903060620	50-72	7903270521	50-500	
	7903060646	50-72	7903270621	50-445	
			Assistant Director for Reactor Safeguards		
			Reactor Safeguards Licensing Branch		
			Assistant Director for Systems & Projects		

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Nuclear Reactor Regulation					
Assistant Director for Systems & Projects	7903210422	50-518		7903220295	50-250
	7903270544	50-438		7903260172	50-250
	7903210468	50-483		7903300516	50-315
	7903210501	50-404		7903130438	50-282
	7903210475	50-502		7903260209	50-282
	7903210492	50-460		7903130547	50-286
	7903200283	50-219		7903190090	50-286
	7903010061	50-219		7903200016	50-286
	7903200304	50-219		7903260148	50-286
	7903010061	50-219		7903160032	50-286
	7903010061	50-245		7903010466	50-334
	7903200304	50-219		7903130432	50-344
	7903150445			7903140200	50-344
	7903220404			7903200522	50-344
Plant Systems Branch	7903130096	50-409		7903220328	50-344
	7903200130			7903260208	50-344
	7903060568	50-70		7903290174	50-344
	7903090245	50-313		7903140518	50-272
	7903060570			7903200024	50-280
	7903270241			7903270610	50-280
	7903070299			7903060639	50-301
	7903070027	50-247		7903200295	50-266
	7903200247	50-260		7903070031	50-247
	7903130090	50-409		7903090268	50-275
	7903090245	50-313		7903060567	50-250
	7903200130			7903080209	50-334
Operating Reactors Branch 1	7903060642	50-301	Operating Reactors Branch 2	7903190158	50-250
	7903060655	50-301		7903210060	50-308
	7903300519	50-315		7903210062	50-334
	7903140190	50-334		7903220100	50-334
	7903140201	50-344		7903300535	50-334
	7903140206	50-344		7903060690	50-280
	7903140526	50-272		7903010054	50-255
	7903140550	50-272		7903010059	50-255
	7903140327	50-348		7903140199	50-244
	7903140332	50-348		7903140205	50-244
	7903140584	50-3		7903140439	50-244
	7903140586	50-3		7903200005	50-244
	7903160292	50-250		7903200224	50-244
	7903160296	50-250		7903190050	50-245
	7903160299	50-250		7903190052	50-245
	7903190093	50-286		7903190061	50-29
	7903190106	50-3		7903190067	50-29
	7903190020	50-295		7903210398	50-237
	7903190028	50-295		7903210559	50-155
	7903190033	50-295		7903210562	50-155
	7903150264	50-3		7903210573	50-237
	7903150265	50-3		7903210579	50-237
	7903220332	50-344		7903210582	50-237
	7903220334	50-344		7903220125	50-213
	7903220339	50-344		7903220127	50-213
	7903220372	50-348		7903260011	50-237
	7903220379	50-348		7903260012	50-237
	7903160035	50-286		7903260022	50-237
	7903160037	50-286		7903260036	50-213
	7903220352	50-344		7903260042	50-213
	7903220356	50-344		7903260024	50-10
	7903220487	50-334		7903260226	50-10
	7903220495	50-334		7903230313	50-213
	7903270004	50-250		7903230318	50-213
	7903270006	50-250		7903010342	50-10
	7903270834	50-280		7903210320	50-237
	7903270842	50-280		7903210567	50-237
	7903270847	50-280		7903260008	50-237
	7903280086	50-3		7903290066	50-10
	7903280096	50-3		7903260212	50-10
	7903220246	50-247		7903010052	50-255
	7903220249	50-247		7903140164	50-155
	7903220294	50-348		7903260283	50-255
	7903220301	50-348		7903270014	50-155
	7903260211	50-267		7903200313	50-213
	7903260217	50-262		7903200104	50-213
	7903290175	50-344		7903220123	50-213
	7903290177	50-344		7903260033	50-213
	7903290178	50-344		7903230307	50-213
	7903300510			7903140169	50-409
	7903140325	50-348		7903210555	50-155
	7903220370	50-348		7903060490	50-219
	7903220292	50-348		7903060477	50-219
	7903190096	50-295		7903190044	50-245
	7903190014	50-295		7903290274	50-245
	7903230050	50-295		7903050458	50-244
	7903140354	50-247		7903060481	50-244
	7903140579	50-3		7903060493	50-244
	7903150261	50-3		7903060619	50-244
	7903270203	50-247		7903140192	50-244
	7903280068	50-3		7903140436	50-244
	7903220246	50-247		7903200002	50-244
	7903200107	50-261		7903230227	50-244
	7903210936	50-261		7903060628	50-206
	7903140189	50-334		7903210566	50-206
	7903210525	50-334		7903260077	50-206
	7903220483	50-334		7903260374	50-266
	7903160289	50-250		7903070437	50-29
	7903210364	50-250		7903190058	50-29
	7903220302	50-250		7903290133	50-29
	7903270002	50-250		7903050495	50-244
				7903220043	50-133

CORPORATE SOURCE INDEX

357

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Nuclear Reactor Regulation					
Operating Reactors Branch 2	7903080087	50-10		7903050021	
	7903200308	50-10		7903160202	
	7903050503	50-244		7903210159	
	7903160257	50-409		7903210090	
	7903090074	50-155		7903060612	
	7903200028	50-244		7903130100	
	7903200054	50-10		7903150114	50-341
	7903200098	50-29		7903060191	50-327
	7903300599	50-213		7903090182	50-367
	7903300579	50-10		7903190156	50-367
	7903230004	50-29		7903210551	50-367
Reactor Safety Branch	7903200174	50-247		7903170323	50-389
Systematic Evaluation Programs Branch	7903160002			7903140104	50-361
	7903220299			7903300529	50-361
Division of Project Management	7903260294	50-369		7903120467	50-399
	7903260340	50-338		7903300529	50-361
	7903230281	50-584		7903020178	50-445
	7903270301	50-447		7903140125	50-445
	7903220170	50-447		7903210411	50-445
	7903220174	50-447		7903200445	
	7903220180	50-447		7903060560	50-361
	7903150277	50-454		7907060164	50-362
	7903190021	50-373		7903070302	50-361
	7903210049	50-358		7903150399	50-361
	7903020170	50-369		79030970195	50-369
	7903060605	50-482		7903090252	50-382
	7903160012	50-322		7903150140	50-445
	7903300563	50-477		7903190036	50-437
	7903020174	50-500		7903210732	50-361
	7903060705			7903260367	50-445
	7903060708			7903260244	50-445
	7903060710			7903200445	
Assistant Director for Light Water Reactors	7903290316	50-437	Light Water Reactors Branch 3	7903200398	
	7903150020			7903010007	50-596
	7903280067	50-578		7903120593	50-338
	7903290311	50-358		7903120596	50-338
	7903260297	50-341		7903130038	50-592
	7903280064	50-466		7903260741	50-338
	7903260310	50-461		7903200500	50-568
	7903280061	50-482		7903220375	
	7903260307	50-382		7903130616	
	7903290312	50-322		7903190144	50-502
	7903260309	50-416		7903190567	50-311
	7903140666	50-568		7903270711	50-238
	7903260298	50-568		7903260386	50-568
	7903260295	50-580		7903280127	50-568
	7903280072	50-387		7903260184	50-568
	7903290303	50-522		7903070338	50-596
	7903260303	50-399		7903260374	50-568
	7903260308	50-445		7903140292	50-592
	7903260312	50-483		7903130629	50-592
	7903260301	50-397		7903140466	50-471
	7903060131	50-358		7903060517	50-373
	7903220270	50-392		7903060514	50-373
	7903210152	50-369		7903090076	50-373
Light Water Reactors Branch 1	7903160206			7903190102	50-373
	7903150016			7903200020	50-373
	7903060384			7903060524	50-498
	7903060674	50-445		7903050083	50-498
	7903050093			7903090585	50-498
	7903020281			7903190056	50-498
	7903220270			7903010004	50-594
	7903160206			7903130663	50-594
	7903070193	50-313		7903050080	50-387
	7903090092	50-368		7903140170	50-387
	7903090122	50-364		7903190355	50-387
	7903230205	50-313		7903140495	50-311
	7903280024	50-313		7903200099	50-311
	7903150022	50-358		7903050073	50-438
	7903090088	50-358		7903210392	50-438
	7903090081	50-358		7903080031	50-339
	7903090106	50-341		7903120590	50-338
	7903120601	50-341		7903260339	50-338
	7903300513	50-341		7903060613	50-502
	7903080177	50-416		7903120133	50-502
	7903080272	50-416		7903140079	50-502
	7903210518	50-416		7903060465	50-331
	7903300553	50-416		7903130433	
	7903080181	50-399		7903010331	50-528
	7903090095			7903060693	50-373
	7903060688	50-522		7903140799	50-373
	7903020389	50-416		7903080163	50-568
	7903190343	50-556		7903050530	50-373
	7903200278	50-341		7903070185	50-311
	7903220036	50-522		7903090199	50-311
	7903260073			7903090078	50-502
	7903260370	50-341		7903130455	50-596
	7903270043	50-322		7903210276	50-596
	7903200440	50-322		7903160018	50-311
	7903280247	50-522		7903190128	50-373
Light Water Reactors Branch 2	7903050064			7903200032	50-568
	7903210059			7903200429	50-338
	7903300564	50-477		7903200288	50-452
	7903210052				
	7903270011	50-437			
	7903160204				

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
Office of Nuclear Reactor Regulation			Office of Standards Development		
Light Water Reactors Branch 4	790370066	50-327	Office of Standards Development	7903080613	
	7903190135	50-327		7903070082	
	7903140480	50-327		7902260241	
	7903260192	50-327		7903070079	
	7903150113	50-322		7903220371	
	7903210258	50-289		7903080023	
	7903300520	50-514		7903060694	
	7903060657	50-445		7903140578	
	7903050025	50-390		7903230226	
	7903140142	50-327		7903300597	
	7903140515	50-390		7903200261	
	7903270063	50-327		7903300556	
	7903140148	50-397		7811020016	
	7903270245	50-397		7903280262	
	7903150008	50-329		7903050560	
	7903120422	50-445		7903230222	
	7903060576	50-440		7903220047	50-133
	7903010323	50-546	Division of Engineering Standards	7903290095	
	7903060661	50-390		7903290098	
	7901070074	50-329		7903050432	
	7903080157	50-327		7903300592	
	7903270052	50-329	Reactor Systems Standards Branch	7903290091	
	7903270302	50-440		7903290333	
	7903300598	50-329		7903050559	
Operator Licensing Branch	7903200316	50-358		7903050555	
	7903190060	50-331		7903050562	
	7903080323		Fuel Process Systems Standards Branch	7903080297	50-549
	7903060658	50-387	Transportation & Product Standards Branch	7903120195	
	7903260406	50-502			
	7903060608	50-454		7903210550	
Quality Assurance Branch	7903190123		Site Designation Standards Branch	7903090220	
	7903190117		Occupational Health Standards Branch	7903300526	
	7903270374				
	7903050270		Office of Nuclear Regulatory Research		
	7903060156		Office of Nuclear Regulatory Research	7903080115	
Advanced Reactors Branch	7903050209			7903300036	
	7903150055	50-267		7903300253	
	7903150060	50-267		7903300094	
	7903070024			7902270150	
	7903080345	50-267	Division of Reactor Safety Research	7903210478	
	7903150053	50-267		7902280256	
	7903160309			7903120089	
	7903080329	50-267		7903200257	
	7903200344	50-267		7903200003	
Standardization Branch	7902270302			7902280247	
	7902230173			7903300532	
	7902220163		Experimental Fast Reactor Safety Research Branch	7903140213	
	7902270300				
	7903070100	50-531		7903140251	
	7902220178			7903140239	
	7903010334	50-560		7903140244	
	7903150177	50-560	Fuel Behavior Branch	7903290072	
	7903070180	50-480		7903200579	
	7903060589	50-480			
	7903060083	50-572			
	7903070157	50-572			
	7903120136	50-560			
	7903130083		U S Nuclear Regulatory Commission		
	7903150440	50-591	Commission	7903230175	
	7903210490	50-470		7903230184	
Division of Systems Safety	7903070456			7903230185	
	7903070484			7903220054	50-133
	7903070476			7903300288	71-5597
	7903070473			7903300303	71-9851
	7902210130			7903200157	
	7903300577			7903050543	
	7903200297			7903080610	
	7903290291			7903080605	
	7903290247			7903080028	
	7903290257			7903090239	
	7903290265			7903080621	
Assistant Director for Engineering	7903280219	50-245		7903020005	
Assistant Director for Plant Systems	7903130586			7903020008	
	7903200426			7903080606	
	7903150405			7903080185	
Auxiliary Systems Branch	7903200130			7903010373	
	7903200430			7903120487	
Containment Systems Branch	7903120459	50-220		7903080597	
	7903050483			7903080600	
	7903230009	50-358		7903080609	
Electric, Instrumentation & Control Systems Branch	7903070141	50-572		7903080593	
				7903140208	
	7903060062	50-572		7903080604	
	7903060692	50-572		7903090110	
Assistant Director for Reactor Safety	7903290297	50-470		7903080632	70-2726
	7903290307	50-470		7903080646	
	7903300580			7903080607	
Analysis Branch	7903060387			7903200437	
Corp Performance Branch	7903220406			7903270058	
	7903130590			7903270627	
	7903140489			7903200508	
	7903140668			7903200549	
	7903270033			7903200542	
	7903270233			7903200559	
Reactor Systems Branch	7903220463			7903220350	
	7903300501			7903300285	50-320
				7903300136	

CORPORATE SOURCE INDEX

359

AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO	AUTHOR AFFILIATION	ACCESSION NO	DOCKET NO
U S Nuclear Regulatory Commission					
Commission	7903140611			7903280128	
	7903140612			7903280227	
	7903140616			7811150218	
	7903300069			7903120373	
	7903060261	50-592		7903120399	
	7903300179			7903120410	
	7903160165			7903140389	
	7903300259			7903140590	
	7903300043			7903280206	
	7903300045			7811150218	
	7903300046			7903280196	
	7903300048			7903120399	
	7903300096			7903120410	
	7903300034			7903300038	
	7903140604			7903300126	
	7903300232			7903280185	
	7903300171			7903280178	
	7903300209			7903300059	
	7903300221			7903300077	
	7903300124			7903300110	
	7903280131			7903300041	
	7903300251			7903300035	
	7903300085			7903280129	
	7903140549			7903300063	
	7903300230			7903300040	
	7903300240			7903200050	
	7903290077			7903290073	
	7903290060			7903150058	
	7903300051			7903150056	
	7903290053			7903270025	
	7903300042		Office of Congressional Affairs	7903290195	50-502
	7903300129		Office of the General Counsel	7903070417	
	7903290069			7903020188	
	7903300186			7903220360	50-485
	7903300192			7903080608	
	7903300147			7903290243	
	7903300037			7903290253	
	7903280168			7903290247	
	7903280140			7903290214	
	7903300039			7903290220	
	7903280125			7903020196	50-329
	7903280109			7903200004	
	7903280102			7903200562	
	7903280116			7903200006	
	7903300244			7903290209	
	7903300163			7903290207	
	7903280107		Office of Inspector & Auditor	7903290233	
	7903280120		Office of Policy Evaluations	7903200157	
	7903300212			7903050349	
	7903300150		Office of the Secretary of the Commission	7903230183	
	7903300158			7903070417	
	7903300080			7903080618	
	7903300054			7903020185	
	7903280234			7903010005	50-596
	7903280097			7903050422	70-2623
	7903280099			7903020420	70-2623
	7903280123			7903060614	
	7903280161			7903070137	
	7811150218			7903190148	50-280
	7902260015			7903090212	50-280
	7903060111			7903150183	50-485
	7903200566			7903090119	50-329
	7903120373			7903080332	
	7903120399			7903160090	
	7903120410			7903140358	50-354
	7903280211			7903140610	50-485
	7903280232			7903160293	50-320
	7903280243			7903220380	50-280
	7811150218			7903260154	50-485
	7903120373			7903260174	50-522
	7903120410			7903220303	50-354
	7903140580			7903200001	
	7903140596			7903070397	
	7811150218			7903060035	
	7812200038			7903280297	
	7903120373			7903120371	
	7903120399			7903070413	
	7903120410			7903010124	70-2738
	7903140576			7903070394	
	7903140594			7903050227	
	7903140600			7903080615	
	7903300217			7903080617	
	7903300207			7903120339	
	7903280113			7903300047	
	7903160178			7903300044	
	7903140563			7903290240	
	7903160162		Docketing & Service Branch	7903300211	

REPORT NUMBER INDEX

301

REPORT NUMBER	ACCESSION #	DOCKET #	OTHER REPORT #	REPORT NUMBER	ACCESSION #	DOCKET #	OTHER REPORT #
420-78 120	7903050367	50-133		NUREG-0011	7903270071	50-327	
78-9-FP-1	7903060195	50-358		NUREG-0020 V3 N2	7903270627		
78-RD-132	7903140386	50-361	78-RD-132	NUREG-0030 V2 N1	7903080119		
7902010208	7902010208			NUREG-0093 REV J	7903160110		
7903010030	7903010030			NUREG-0135 V2 N6	7903080115		
7903010084	7903010084			NUREG-0248	7903280359		COO-2477-12
7903010089	7903010089			NUREG-0422	7903220034	50-369	
7903020003	7903020003		TFBP-TR-302	NUREG-0423	7903140180	50-580	
7903020117	7903020117		CAAP-TR-038	NUREG-0441	7903130350	40-299	
7903020128	7903020128			NUREG-0466	7903060168		
7903030208	7903030208			NUREG-0483	7903280275		
7903040579	7903040579			NUREG-0493	7903120010		
7903040669	7903040669			NUREG-0504	7903020161	40-8698	
7903040703	7903040703			NUREG-0506	7903080028		
7903040706	7903040706		TFBP-TR-300	NUREG-0512	7903070012	50-549	
7903070186	7903070186		ORNL/ED/EAS-79/	NUREG-0520	7903130065	50-592	
7903070190	7903070190		ORNL/FTR-455	NUREG-0523	7903130077		
7903070195	7903070195		ORNL-HASRD-25	NUREG-0524	7903120044		
7903080603	7903080603			NUREG-0527	7903140253		
7903120417	7903120417		ORNL/FRT-557	NUREG-0527	7903140260		
7903120446	7903120446			NUREG-0530	7903120480	50-471	
7903130073	7903130073		BNL-NUREG-25560	NUREG-0531	7903200437		
7903130112	7903130112			NUREG-0532	7903130308	40-8602	
7903130212	7903130212	50-313	CDAP-TR-046	NUREG-0545	7903270058		
7903130255	7903130255			NUREG-75/087	7903060591		
7903130487	7903130487		TRBP-TR-311	NUREG-75/087 13 4	7903210078		
7903130490	7903130490			NUREG-75/087 14 1	7903200479		
7903130496	7903130496			NUREG-75/087 14 2 1	7903140011		
7903130593	7903130593		RE-A-79-017	NUREG/CF-0380	7903020107		
7903130615	7903130615			NUREG/CF-0591	7903080001		IRT B179-004
7903140581	7903140581			NUREG/CR-0046 V2	7903060349		
7903140588	7903140588		FIN A-0115	NUREG/CR-0061	7903060188		LA-7260
7903140646	7903140646			NUREG/CR-0129 V1&2	7903130070		FIN B2136
7903140650	7903140650			NUREG/CR-0139	7903060146		LA-7322
7903140653	7903140653			NUREG/CR-0227	7903070428		ORNL/NUREG-21
7903140658	7903140658		ORNL/HASRD-26	NUREG/CR-0227	7903070443		ORNL/NUREG-21
7903140659	7903140659			NUREG/CR-0332	7903200067		BNLW-19883
7903150002	7903150002			NUREG/CR-0357	7903070052		ANL-78-75
7903150088	7903150088			NUREG/CR-0359	7903200262		SAND78-1707
7903150101	7903150101	50-348		NUREG/CR-0365	7903020092		
7903150125	7903150125			NUREG/CR-0368	7903070401		SAND78-1382 R-7
7903150129	7903150129			NUREG/CR-0380	7903060336	50-219	
7903150155	7903150155			NUREG/CR-0385	7903190575		LA-7481-PR
7903150253	7903150253		ORNL/NUREGTH292	NUREG/CR-0394	7903130341		SAND 78-0912
7903160080	7903160080			NUREG/CR-0401	7903070099		SAND-78-1452
7903160297	7903160297	50-206	EX-76-C-02-0016	NUREG/CR-0406	7903070427		TREE-1225
7903160300	7903160300		EY-76-C-02-0016	NUREG/CR-0410	7903080663		
7903160304	7903160304		BNL-NUREG 25607	NUREG/CR-0430	7903210499		ORNL/NUREG/H256
7903160308	7903160308		CAAP-TR-78-030	NUREG/CR-0467	7903070432		TREE-1226
7903160311	7903160311		RE-M-78-029	NUREG/CR-0475	7903130204		SAND78-2043
7903160321	7903160321		CDAP-TR-049	NUREG/CR-0476	7903210511		ORNL/NUREGTH275
7903200114	7903200114		ORNL/HASRD-28	NUREG/CR-0478	7903080093		TREE-1269
7903200121	7903200121		7950-721	NUREG/CR-0482	7903060163		ORNL/NUREGTH276
7903200126	7903200126		ORNL/HASRD-27	NUREG/CR-0487	7903230327		ORNL/NUREG/NBIC
7903200154	7903200154			NUREG/CR-0493	7903070285		ORNL/NUREGTH280
7903200239	7903200239		BNL-NUREG-25572	NUREG/CR-0499	7903140001		RFP-2868
7903210284	7903210284			NUREG/CR-0511	7903080350		ORNL/NUREGTH281
7903210359	7903210359		CDAP-TR-052	NUREG/CR-0519	7903070436		ORNL/NUREGTH282
7903220105	7903220105	50-277		NUREG/CR-0521	7903230029		LA-7571-M8
7903220108	7903220108			NUREG/CR-0525	7903210524		ORNL/NUREGTH278
7903220118	7903220118			NUREG/CR-0531	7903120450		UCRL-52573
7903230214	7903230214			NUREG/CR-0531	7903160019		UCRL-52573
7903240075	7903240075			NUREG/CR-0535	7903070388		
7903260124	7903260124		ORNLCSDFIN79/4	NUREG/CR-0544	7903060257		TREE-1319
7903290040	7903290040			NUREG/CR-0545	7903130110		PNL-2633
7903290048	7903290048			NUREG/CR-0552	7903120579		
7903290049	7903290049			NUREG/CR-0554	7903230032		PNL-2548
7903290051	7903290051			NUREG/CR-0555	7903060150		TREE-1320
7903290080	7903290080			NUREG/CR-0558	7903120445		
7903290198	7903290198			NUREG/CR-0580	7903020091		
AGS21678/TR	7903130390	50-311	AGS21678/TR	NUREG/CR-0584	7903120500		NRC-04-76-29303
BAW-101179	7903290205			NUREG/CR-0592	7903210506		ORNL/NUREG/TH29
BAW-10140	7903290185			NUREG/CR-0600	7903120007		CREARE TN-291
BAW-1521	7903060434	50-302	BAW-1521	NUREG/CR-0604	7903300515		
BUNPO-201	7903200365			NUREG/CR-0605	7903140609		
BVTR-1-0	7903060471			NUREG/CR-0617	7903270088		FIN B-5684
CEN-105(B)-NP	7903080338	50-317		NUREG/CR-0632	7903120493		NRC-04-76-293-0
DELTA-8R-79-025	7903130342	50-206		NUREG/CR-0651	7903130106		BMI-2019
ERDA-60	7903070411	50-237		NUREG/CR-0682	7903230015		BMI-2018
QIBEAR-17-A	7903270378			NUREG/CR-0692	7903230331		BMI-2018
OH-FSD 2538	7903070347			NUREG/CR-0699	7903270085		
KV-697	7903220241	71-9090	W-7405ENG 26	NUREG/CR-0699	7903270132		
LOFT-TR-103	7903140607			NUREG/CR-0676	7903270056		BMI-2021
MFL-TOP-1A	7903280363	50-416		NUREG75/087 11 5	7903230212		
NEDD-1046b-A	7903220389			NUS 32248	7903300403	50-155	NEDC-21974
NEDD-20776	7903130051	70-1308		ORNL/ENG/TH-10	7903300505	71-5907	
NEDD-2096982	7903130054	70-1308		ORNL/ENG/TH-3	7903300299	71-5597	16310
NEDD-21326	7903130048	70-1308		ORNL/ENG/TH-4	7903220030	71-5595	ORNL/ENG/TH-4
NEDD-21885	7903010310	50-219	78NED178	ORNL/ENG/TH-5	7903210240	71-5552	16312
NEDD-21888	7903260256	50-219		ORNL/ENG/TH-8	7903300308	71-9851	
NEDD-24888	7903130439		78NED360	PNL-2812	7903210544	70-364	
NEDD-24887-1	7903090293	50-245		RH-79-2-BF1	7903060504	50-259	
NEDD-24168	7903090301	50-245		SEC-79-120	7903120370		
NEDD-24168-1	7903270483	50-321	79NED253	SEC-79-129	7903120370		
NEDD-24175	7903230178	50-324		SECY 78-675A	7903150436		
NEDD-24179	7903130103	50-409		SECY 79-104	7903120072		
NEB B1A0426	7903200439	50-245		SECY 79-2A	7903080644		
NU-0A-1	7903200339			SECY-78-624	7903220047	50-133	
NUREG 75/087 06 2 1	7903200477			SECY-78-633A	7903050466		
NUREG 75/087 17 1	7903200474			SECY-78-634	7903280251		
NUREG 75/087 17 2	7903210478						
NUREG-0006							

REPORT NUMBER INDEX

REPORT NUMBER	ACCESSION #	DOCKET #	OTHER REPORT #	REPORT NUMBER	ACCESSION #	DOCKET #	OTHER REPORT #
SECY-78-637B	7903270633			SECY-79-71	7903230112		
SECY-78-678A	7903050572			SECY-79-72	7903070384		
SECY-79-102	7903070118			SECY-79-73	7903060574		
SECY-79-103	7903070308			SECY-79-73A	7903290142		
SECY-79-103A	7903260091			SECY-79-75	7903220374		
SECY-79-105	7903220371			SECY-79-77	7903070359		
SECY-79-112	7903070122			SECY-79-86	7903070390		
SECY-79-118	7903200331			SECY-79-87	7903050477		
SECY-79-119	7903150433			SECY-79-88	7903200513		
SECY-79-121	7903140107			SECY-79-91	7903050357		
SECY-79-121B	7903290272	50-468		SECY-A-79-6	7903220360	50-465	
SECY-79-134	7903220354			SECY-A-79-9	7903080608		
SECY-79-140	7903290180			TC-138-R-01	7903210080	71-6387	
SECY-79-141	7903280079			TR 79-4	7903260261	50-395	
SECY-79-142	7903280159			WCAP 8587 REV 2	7903150332		
SECY-79-143	7903280201			XN-EL-29	7903270103	70-2219	XN-EL-29 REV 1
SECY-79-151	7903270630			XN-NF-439	7903270148		12216
SECY-79-17	7903020188			XN-NF-78-30	7903220023		
SECY-79-23	7903080613			XN-NF-78-33	7903130362	50-155	
SECY-79-55A	7903080662			Y-DD 152	7903070540	71-6227	
SECY-79-64A	7903050456			Y/DD-244	7903300201	71-9852	

NRC FORM 335 (7-77)		U.S. NUCLEAR REGULATORY COMMISSION BIBLIOGRAPHIC DATA SHEET		1. REPORT NUMBER (Assigned by DDC) NUREG-0540	
4. TITLE AND SUBTITLE (Add Volume No., if appropriate) Title List of Documents Made Publicly Available				2. (Leave blank)	
7. AUTHOR(S)				3. RECIPIENT'S ACCESSION NO.	
9. PERFORMING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code) Division of Technical Information and Document Control U.S. Nuclear Regulatory Commission Washington, D.C. 20555				5. DATE REPORT COMPLETED MONTH YEAR April 79	
12. SPONSORING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code) same as #9				DATE REPORT ISSUED MONTH YEAR April 79	
13. TYPE OF REPORT Monthly				6. (Leave blank)	
PERIOD COVERED (Inclusive dates) March 1 to March 31				8. (Leave blank)	
15. SUPPLEMENTARY NOTES				10. PROJECT/TASK/WORK UNIT NO.	
16. ABSTRACT (200 words or less) This document is a monthly publication containing descriptions of information received and generated by the U.S. NRC. This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The docketed information includes information formerly issued through U.S. DOE's Technical Information Center under the title <u>Power Reactor Docket Information (PRDI)</u> . This document replaces PRDI, which will no longer be prepared. It is indexed by a Personal Author Index, Corporate Source Index and Report Number Index.				11. CONTRACT NO.	
17. KEY WORDS AND DOCUMENT ANALYSIS				14. (Leave blank)	
17a. DESCRIPTORS				17b. IDENTIFIERS/OPEN-ENDED TERMS	
18. AVAILABILITY STATEMENT Unlimited				19. SECURITY CLASS (This report) 20. SECURITY CLASS (This page)	
21. NO. OF PAGES					